







INDEX ANIMALIUM

London: C. J. CLAY AND SONS,
CAMBRIDGE UNIVERSITY PRESS WAREHOUSE,
AVE MARIA LANE.

Glasgow: 50, WELLINGTON STREET.

AND

H. K. LEWIS,
136, GOWER STREET, W.C.



Leipzig: F. A. BROCKHAUS.

New York: THE MACMILLAN COMPANY.

Bombay and Calcutta: MACMILLAN AND CO., LTD.

QL
354
B5
sect. 1
ENT

INDEX ANIMALIUM

SIVE

INDEX NOMINUM QUAE AB A.D. MDCCLVIII
GENERIBUS ET SPECIEBUS ANIMALIUM
IMPOSITA SUNT

SOCIETATIBUS ERUDITORUM ADIUVANTIBUS

A

CAROLO DAVIES SHERBORN

CONFECTUS

SECTIO PRIMA

A KALENDIS IANUARIIS, MDCCLVIII

USQUE AD FINEM DECEMBRIS, MDCCC

CANTABRIGIAE

E TYPOGRAPHIO ACADEMICO

M DCCCC II

TO
MY MOTHER.



INTRODUCTION.

IN a book of reference, the first pages which should be studied are those containing the "corrigenda" (p. lvii), as they represent the sum of the compiler's labours after the main work has passed the press.

The objects of this work are (*a*) to provide zoologists with a complete list of all the generic and specific names that have been applied by authors to animals since January the first, 1758¹; (*b*) to give an exact date for each page quotation; (*c*) to give a quotation for each reference sufficiently exact to be intelligible alike to the specialist and to the layman.

Similar works have been produced before, but no one book has yet appeared attempting to supply references to all names given to both fossil and recent animals, nor has any definite attempt been made to fix an accurate date to each name.

Notices of the details of the scheme have appeared in *Nature*, 15 May, 1890, p. 54; *La Feuille des Jeunes Naturalistes*, Nov. 1890, p. 19; *Nature*, 2 July, 1891, p. 207; *Natural Science*, iii. 1893, p. 379; *Proc. Zool. Soc.* 1896, p. 610; *Reports Brit. Assoc.* from 1892-1902.

Work was commenced on 1 July, 1890. After two years recording, an unfortunate breakdown in health, which has frequently recurred, laid me aside for three years, and thus the actual time spent on the manuscript has amounted to eight years.

In 1892 the British Association first assisted the venture and in 1894 appointed a committee, consisting of Sir William Flower (Chairman), Dr Sclater, Dr H. Woodward, and Mr George Brook (Secretary), to watch the work. The Rev. T. R. R. Stebbing, Mr R. McLachlan, and Mr W. E. Hoyle, were afterwards added to the Committee, and Mr W. L. Sclater became the Secretary on Mr Brook's death. This Committee has remained in force, Dr Woodward succeeding the late Sir William Flower as Chairman, and

¹ See "An Index to...Linnaeus...Systema Naturae," *Manchester Museum Handbook*, No. 25, 1899, p. vi, f.-n.

Dr F. A. Bather succeeding Mr W. L. Sclater as Secretary. The kindness of the members of the Committee has been considerable, and I am much indebted to them for their advice and interest. The British Association has consistently supported the finances, and valuable help has been received in this direction from the Zoological Society and the Royal Society.

In 1897 Dr Sclater suggested to the Committee that, in view of the long time that must elapse before the completion of the whole manuscript, which it was proposed should embrace the period from 1758 to 1900, it would be well if a portion were prepared and published as a specimen of the whole. This suggestion has been acted upon, and there is now offered to the consideration of zoologists that part of the work covering the years 1758–1800 inclusive. During the progress of this earlier portion of the manuscript it became apparent that a great deal of the literature required was not to be found in England, and it is satisfactory to be able to say that, with a few unimportant exceptions, the bulk of the 1300 volumes required have either been seen, or else seen and acquired for some one or other of the libraries accessible to the public. The search for these volumes has been not the least interesting part of my labours. Such as have eluded my search are mentioned in “*Libri desiderati*”: while a complete enumeration of the books consulted has been given in a second list, this seeming to be advisable and useful; and at the same time such notes are given on them as would be of use to those who might wish to consult or purchase them.

The following remarks will be of service to those who use this volume :—

Nomina nuda are distinguished by the letters [*n. n.*].

Nomina nuda accompanied by figures, by the letters [*n. et f.*]

In those cases where an author has described and figured a species some time after printing his *nomen nudum*, a reference is also given to the *nomen nudum*, when possible.

Species “*indett.*” if figured, are included in the index.

Misprints are quoted only if considered liable to cause confusion.

The date of publication of a species is taken to be that date on which the print in which the name appears is offered for public sale or public distribution.

No author's copy, or excerpt from any publication distributed privately before such publication was offered for public sale or public distribution has been accepted.

In the case of privately printed books, entries taken from them are distinguished by the words [*auct. typ.*].

In all cases where the date is doubtful and cannot be definitely ascertained, the date figures are enclosed in brackets [], or have some other distinguishing mark—*e.g.*, ?—placed against them¹.

In the case of plates appearing before the text, the date of each is given if ascertainable (*e.g.*, Schreber's 'Säugethiere'), but in no case is the date of a plate accepted in preference to the date of text, for the reasons which follow:—

The figure depicted on a plate may, or may not, be the drawing intended by the author; it is the work of the artist, who is also responsible for the descriptive legend. In numerous instances the descriptive legend on a plate is quite erroneous, and has been repudiated by the author in his text. Until the text descriptive of a plate appears, the names on the plate must be considered as *nomina nuda*, and it is open to anyone to describe and rename such *nomina nuda*. See however Introduction to second part. p. 17. note 1.

The following are the reasons for arranging the work under species and not under genera, as in the 'Index Kewensis':—

1. No synonymy of species is attempted: that depends on the idiosyncrasy of the systematist.
2. Any attempt at specific synonymy would be opposed to progress, as experience shows that vast changes may take place in a single year.
3. An arrangement under species permits of a generic synonymy, for by running the eye down the second column of the printed work, it will be possible to ascertain the various generic names with which a particular species name has been connected.

It is likely that many cases of apparently duplicate entries will turn out to be so in fact, but the entries are given because it is by no means clear from the diagnoses or remarks of the authors that they are treating of a genus or species that has appeared before in literature. It is for the specialist to decide.

All trivial names are entered as if they were masculine, *e.g.*

nigra	will be found under	niger
afrum	„ „	afer
abdominale	„ „	abdominalis.

It is obvious that no other arrangement is possible if we wish to preserve the history of a species; but cross-references are given when the feminine and neuter forms of the trivial word vary so much as to obscure it to those, who, like myself, are unfamiliar with the dead languages.

¹ It must be remembered that in every case the date given in the entries refers to the page, so far as the compiler's researches have enabled him to decide it.

The following abbreviations have been commonly used :—

=	equal to
<i>id. ac</i> (idem ac)	the same as
<i>v. et.</i> (vide etiam)	see also
?	query
<i>cf.</i> (confer)	compare
<i>errore</i>	in error
<i>err. pro</i> (errore pro)	error for
<i>apud</i>	according to
<i>auct.</i> (auctorum)	of authors
<i>auct. typ.</i> (auctoris typis)	privately printed
<i>ant. om.</i> (antea omnia)	first of all
<i>olim</i> or <i>antea</i>	formerly
<i>q. v. sp.</i>	which see for species
<i>n. n.</i> (nomen nudum)	name only
<i>n. et f.</i> (nomen et figura)	name and figure only
<i>me judice</i>	in my opinion
<i>ascr.</i> (ascriptum)	ascribed to
<i>genus caelebs</i>	genus to which no specific name has been attached
<i>nom. fictum</i> (nomen fictum)	altogether fictitious name, <i>e.g.</i> Unclesambocrinus, Botheratiotherium

There now remains the pleasing duty of thanking those who have so cordially given me their advice or assistance, and thus helped to bring the first part of my work to a successful termination. Among them are the late Sir William Flower, Dr Günther, Dr Sclater and Dr Henry Woodward, the latter of whom provided the space and the cabinets in the British Museum (Nat. Hist.) and so ensured the safety of the manuscripts against fire and other damage (which privileges have been continued by Dr A. Smith Woodward, his successor); the Hof-naturalien Kabinet of Vienna, Dr Eduard Suess, and Dr Steindachner; Dr F. A. Jentink, of Leyden; Akademiker F. Schmidt, of St Petersburg; the Stadt-Bibliothek of Zürich, Dr Eschner, and Professor Renevier; the Hon. Walter Rothschild and Mr Hartert; Sir Edmund Loder; Mr Du Cane Godman and the late Mr Osbert Salvin; Lord Walsingham and Mr J. H. Durrant; Professor and Madame Amalitzky, of Warsaw; Professor Anton Fritsch and Dr Jan Perner, of Prague; Professor Newton; Mr W. E. de Winton; Mr Gerrit S. Miller, of Washington; Mr A. C. Seward, of Cambridge; Professor H. A. Miers, of Oxford; Dr Philippe Dautzenberg, of Paris; M. Henri Gadeau de Kerville; Dr Rudolph Burckhardt, of Basle; Dr J. C. Reeve of Dayton; Miss E. R. and Miss A. S. Cutter,

of Cleveland; Dr C. W. Stiles; Mr F. H. Waterhouse; Dr J. S. Palmer; Mr A. W. Kappel; Mr W. Rupert Jones; Rev. Canon Norman; Mr L. B. Prout; Dr C. W. Richmond; Mr John Locke, of Barbados; Professor J. Perez, of Bordeaux; Mr Justen and Mr F. A. Justen; Mr A. E. Shipley; and many others to whom I am indebted for help and assistance.

I would also thank especially Mr B. B. Woodward, Prof. Jeffrey Bell, Mr Gahan, Mr Kirby, Mr Pocock, Mr Crick, and all other friends at the British Museum (Natural History); and Mr W. R. Wilson of the British Museum, and the Reading Room Staff in general, to whose courtesy many are so constantly indebted.

My thanks are also due to my sister who has undertaken the weary task of comparing all the numerals with the manuscript.

Finally I would like to say that with the exception of some fifty entries kindly made for me by my friend Dr Bather in Stockholm, and by Prof. Perez in Bordeaux, every entry has been recorded from the original, arranged, sorted, checked, and passed for press by myself. I therefore beg the indulgence of those who use this book for any error of commission or omission that may be found. And I may add that a note of any such error will be especially valuable for inclusion in the second part of my "Index Animalium."

C. DAVIES SHERBORN

LONDON.

1 *October* 1902.

LIBRI DESIDERATI.

BOOKS NOT SEEN BY THE COMPILER AND WHICH MAY POSSIBLY
CONTAIN SOME BINOMINALS.

- Allgem. Magazijn van Wetenschap. 5 vols. 8vo. *Amsterdam*, 1789-93.
Nieuwe, etc. 5 vols. *Ibid.* 1794-98.
Allgem. Helvetisches Mag. 1 vol. 8vo. *Winterthur*, 1799.
Grossinger, J. B. Hist. Nat. Hongrie. 8vo. *Buda*, 1794.
Guidetti, G. Verm. umani. 4to. *Firenze*, 1783.
Humphrey, G. Museum Humfredianum. 8vo. *London*, 1779.
Leipziger Magazin für Nat. 1785, 7-8.
Levaillant, F. Naturg. afrik. Vögeln (Forster's ed.). 8vo. *Halle*, 1798.
Linnaeus. Systema Naturae. Fortgesetzt. 13 Ausgabe mit Erklärungen von Müller.
2 parts. 8vo. *Nürnberg*, 1796 & 1809.
—— — ed. 13. Ed. by Panzer. 8vo. *Berlin*, 1791.
Lichtenstein, A. A. II. Comment. Phasma. 4to. *Hamburg*, 1796.
Magazin der neuesten ausländ. Insekten. 1 no. 8vo. *Erlangen*, 1794.
Meyer, F. A. A. Versuch vierfüssiger Thiere. 8vo. *Leipzig*, 1796.
Nau, B. S. Naturg. Mainzerlandes. 8vo. *Mainz*, 1787-8.
Pezold, C. P. Lepidopt. Anfangsgründe. 8vo. *Coburg*, 1796.
Schneider, F. G. Amphib. Physiol. Spec. III. 4to. *Trajecti*, 1797.
Turk, C. W. C. Verz. meiner Insect. Sammlung. 4to. *Neu Strélitz*, 1799.
Wagner, P. C. Abbild. Nat. Kab. Bayreuth. 2 pts. fo. *Nürnberg*, 1763.
Wartel, C. P. Mém. limaçons Artois. 12mo. *Arras*, 1758: ed. 2, 1768.
Wolff, E. J. De Verm. intest. 4to. *Giessen*, 1763.

BIBLIOGRAPHY.

BEING A

ROUGH LIST OF BOOKS REFERRED TO IN THE COMPILATION OF THIS INDEX.

- No sp. nn. = no specific names
 No n. spp. = no new species
 n. b. = not consistently binominal
 n. L. = no Linnean names
 n. z. = no systematic zoology

- "J. M. A." Besch. Naturalienkab. Meerspurg. 8vo. *Bregenz*, 1786. [No sp. nn.]
 Aaskow, U. B. Tent. Tetrapod. Danicae. 8vo. *Havniac* I. 1764; II. 1766. [Names not used in a generic sense.]
 Abbot, J. N. H. Lepid. Ins. Georgia. 2 vols. fo. *Lond.* 1797. [Names by J. E. Smith.]
 Abel, J. C. A. M. Conch. Nat.-Kab. B. von Konstanz. 8vo. *Bregenz*, 1787. [n. b.]
 Abhandl. v. d. Wickel-Raupe. 8vo. *Berl.* 1779. [No sp. nn.]
 Abildgaard, S. Besch. Stevens Klint. 8vo. *Copen.* 1764.
 Acharius, E. *See* Rosenblad, E.
 Acosta, J. de. Hist. Nat. Indias. 2 vols. 4to. *Madrid*, 1792. [No sp. nn.]
 Acta (N.) eruditorum. 4to. *Leipz.* → 1782. [All reviews.]
 Acta Helvetica. *See* Basel.
 Acta Med. Suecica. 1 vol. 8vo. *Upsala*, 1783.
 Adams, G. Microgr. illust. Ed. 4. 8vo. *Lond.* 1771. [No sp. nn.]
 Adams, G. (fil.). Essays Microscope. 4to. *Lond.* 1787.
 — — — — — Ed. 2, by Kanmacher. 4to. *Lond.* 1798.
 Adanson, M. Voy. to Senegal. 8vo. *Lond.* 1759. [No sp. nn.]
 Admiral, J. L'. Naauwk. Waarn. Insekten. fo. *Amsterdam*, n. d. [? 1762]; fo. *Amsterdam*, 1774. [No sp. nn.]
 Afzelius, A. Account Nat. Prod. Sierra Leone. 8vo. *Lond.* 1794. [No sp. nn.]
 Aikin, A. Journ. Tour N. Wales. 8vo. *Lond.* 1797. [No sp. nn.]
 Albin, E. *See* Martyn, T., Aranei.
 — Nat. Hist. English Song-birds. New ed. 8vo. *Lond.* 1799. [No sp. nn.]
 Albinus, B. S. Acad. Annot. 2 vols. 4to. *Leidae*, 1754-68. [No sp. nn.]
 Alessandri, J., & P. Scattaglia. Descr. degli Anim. 4 vols. fo. *Venez.* 1771-75. [No sp. nn.]
 Alexander, W. Tent. med. Cantharid. 8vo. *Edin.* 1769. [No sp. nn.]
 Algemene Konst- en Letter-bode. 4to. *Haarlem*, 1788-93.
 — (Nieuwe) — 1794-1800. [Reviews only.]
 Algemeene Vaderland Letteroefning. 8vo. *Amst.* 1761 → [Reviews.]
 Allamand, J. N. S. *See* Buffon.
 — Hist. Nat. Gnau, etc. 4to. *Amst.* 1776. [Engelmann, Bibl. H. N. 1846, p. 367— probably a reprint from the foregoing.]
 Alleon-Dulac. Mélanges Hist. Nat. 6 vols. 8vo. *Lyon*, 1763-65. [No sp. nn.]
 — Mém. Hist. Nat. Lyonnais. 2 vols. 8vo. *Lyon*, 1765. [n. b.]
 Allgem. deutsch. Bibliothek. 8vo. *Berlin* → 1800.
 American Museum. 9 vols. 8vo. *Philad.* 1787-91. [No sp. nn.]
 Ammann, J. C. Cat. Syst. Coll. Petref. 8vo. *Nurb.* [1790]. [No sp. nn.]

- Amoreux, P. J. Tent. noxa Anim. 4to. *Avenione*, 1762.
 — Notice Insectes...venimeux. 8vo. *Paris*, 1789. [No n. spp.]
Amsterdam. Genoot. bevord. Heelkunde. Prijs Verh. 8vo. *Amst.* 1791-1807. [All medical.]
 Analecta transalpina. See *Stockholm*.
 Anales Historia Nat. 2 vols. 8vo. *Madrid*, 1799-1800.
 Anderson, Jas. Letters to Sir J. Banks on Cochineal Insects. 4to. *Madras*, 1788-1790.
 [No sp. nn.]
 — Corresp. Cochineal Insects. 8vo. *Madras*, 1791. [No sp. nn.]
 — Letters on various subjects. 8vo. *Madras*, 1793-96. [No sp. nn.]
 — Recreations in Agriculture. 6 vols. 8vo. *Lond.* 1799-1802. [No n. spp.]
 Andreae, J. G. R. Briefe Schweiz. Ed. 2. 4to. *Zurich*, 1776. [n. b.]
 Animals. Account of 300 animals [? by T. Boreman]. 12mo. *Lond.* 1791. [n. L.]
 Annalen der Naturges. [H. F. Link.] 1 pt. 8vo. *Gött.* 1791. [n. z.]
 Anon. See Cape of Good Hope.
 — See *New Holland*.
 Anschutz, J. M. U. d. Gebirgs Chursachs-Henneberg. 8vo. *Leipz.* 1788. [Mineral.]
 Anthologia Hibernica. 4 vols. 8vo. *Dublin*, 1793-4. [No n. spp.]
Antwerp. Genoot. occidit qui non servat. Verhand. 1798-1800. [n. z.]
 Archiv der Insectenges (Fuessly's). 8 pts. 4to. *Zürich*, 1781-86.
 Archiv f. d. Physiologie (Reil's). 12 vols. 8vo. *Halle*, 1795-1815.
 Archiv f. Zool. (Wiedermann's). 5 vols. 8vo. *Berlin*, 1800-1806.
 Argenville, D. d'. See *Desalliers*.
 Armstrong, J. Gesch. Insel Minorca (Praetorius' ed.) 8vo. *Altona*, 1781. [n. z.]
 Artedi, P. Ichthyologia. 8vo. *Lugd.* 1738. [Genera used by Linnaeus quoted from this book are referred to.]
 — Syn. Piscium. (Ed. Schneider.) 4to. *Lips.* 1789.
 — Ichthyologia. (Ed. Wallbaum.) 4to. *Gryph.* 1788-93.
 Arzneikundige Annalen (Tode's). 13 pts. 12mo. *Köpen.* 1787-92. [Medical.]
 Ascanius, P. Icones rerum nat. Ed. 1. obl. fo. *Cöpen.* 1767. (Cahir 1 only.) [Has binominals not found in ed. 2.]
 — — I. (ed. 2) 1767.
 — — II. 1772.
 — — III. 1775.
 — — IV. 1777.
 — — V. 1805 (by Rathke).
 [Another ed. of I. III. IV. in 1806.]
 Asiatick Researches. See *Calcutta*.
 Assman, C. G. De Foss. Volutatis. 4to. *Viterb.* 1795. [Mineral.]
 Asso y del Rio, J. Introd. oryct. zool. Aragoniae. 8vo. [*Madrid*], 1784. [New spp. diagnosed but not named.]
 — Abhandl. Heuschrecken...aus Spanisch von O. G. Tychsen. 8vo. *Kostock*, 1787.
 [The n. spp. are by T.; they do not occur in original Spanish.]
 Audebert, J. B. Hist. Nat. Singes. fo. *Paris*, 1799-1800. [Livr. 1-6 reviewed 2 Dec. 1799; 7-10, 24 May 1800—Livr. 7 began with "Sixième Famille."]
- Back, A. See *Linnaeus*.
 Bacmeister, J. Essai sur Bibl. et Cabinet Hist. Nat. Ac. Sci. St Petersburg. 8vo. [*St P.*], 1776. [No sp. nn.]
 Bajer, J. J. Oryct. Norica. Ed. 2. fo. *Norimb.* 1758. [No sp. nn.]
 Bajon, — Mém. Hist. Cajenne. 2 vols. 8vo. *Paris*, 1777-78. [No sp. nn.]
 Baker, H. Employment for the Microscope. Ed. 2. 8vo. *Lond.* 1764. [No. sp. nn.]
 — Of Microscopes. 8vo. *Lond.* 1785. [No. sp. nn.]
 Bancroft, E. Nat. Hist. Guiana. 8vo. *Lond.* 1769. [No. sp. nn.] [Frankfort ed. 1769 not seen.]
 Barbut, J. Gen. Insect. Linn. 4to. *Lond.* 1781.
 — — Ed. 2, 1783.
 — Gen. Vermium. 2 vols. 4to. *Lond.* 1783, 1788.

- Barbut, J. Helminth. portugeza. 4to. *Lisboa*, 1799. [Not quoted, as Latin and vernacular generic words are mixed up.]
- Barral, — Mém. H. N. Corse. 8vo. *Lond.* 1783. [No sp. nn.]
- Barry, M. de, Mém. Fourmis canne à sucre. [Original not seen, but long extract in F. le Breton, *Traité du sucre*, 12mo. *Paris*, 1789, shows no sp. nn.]
- Barton, B. S. Obs. parts Nat. Hist. 8vo. *Lond.* 1787.
- Fragments N. H. Pennsylv. fo. *Philad.* 1799.
- Bartram, W. Trav. Carolina. 8vo. *Philad.* 1791. [n. b.]
- — 8vo. *Dublin*, 1793. [n. b.]
- — (Ed. Zimmermann.) 8vo. *Berlin*, 1793. [n. b., few notes by Z.]
- — Ed. 2. *Lond.* 1794. [Same as *Dublin*, 1793.]
- — 2 vols. 8vo. *Paris*, 1799. (Benoist's trans.) [n. b.]
- Basel.* Soc. Phys. Med. Acta Helvetica. 8 vols. 4to. 1751-77. Nova Acta. 1 vol. 4to. 1787.
- Baster, J. Opusc. subseciva. 2 vols. 4to. *Harlemi*, 1759-1765. [No sp. nn.]
- Natuurk. Uitspaan. 2 vols. 4to. *Haarlem*, 1762, 1765. [No sp. nn.]
- Verh. Voort. dieren en planten. 8vo. *Haarlem*, 1768. [No sp. nn.]
- Batavia. Besch. u. Gesch. Batavia. (Anonymous work translated by J. J. Ebert.) 4 vols. 8vo. *Leipz.* 1785-86. [No sp. nn.]
- Batavia.* Batav. Genoot.-Verhand. vols. I.-VI. (Vol. VII. is 1814.)
- Bath.* Bath and W. of England Soc. Agric.—Letters and Papers. vol. I-IX (1799). [No sp. nn.]
- Batsch, A. J. G. C. Naturg. Bandwurm-gattung. 8vo. *Halle*, 1786.
- Versuch Anleit. Thiere. 2 vols. 8vo. *Jena*, 1788-89.
- Sechs Kupfertafeln. 4to. *Jena*, 1791.
- Umriß Gesamt. Naturges. 8vo. *Jena*, 1796. [Full of misprints and of no apparent value.]
- Taschenb. topog. excurs. *Jena*. 2 vols. 8vo. *Weimar*, 1800-2. [Mineral.]
- Battarra, J. A. Epist....de re naturali. 4to. *Arimini*, 1774. [No sp. nn.]
- Bauder, J. F. Beschr. Altdorf. Ammoniten....Marmors. 4to. *Altdorf*, 1771. [No sp. nn.]
- Nachr. Versteinen Körpern. 8vo. *Jena*, 1772. [No sp. nn.]
- Relation fossiles Altdorf. 8vo. *Altdorf*, 1772. [No sp. nn.]
- Baumer, J. P. (Defend. J. F. E. Albrecht.) De Apum cultura...Thuringia. 4to. *Erford.* 1770. [No sp. nn.]
- Bayly, G. [Sale Catalogue.] 8vo. *Lond.* 1799. [No sp. nn.]
- Becher, J. P. Min. Beschr. Oranien-nassau. 8vo. *Marburg*, 1789. [Mineral.]
- Bechstein, J. M. Gemein. Nat. Deutschl. 4 vols. 8vo. *Leipz.* 1789-91-93-95.
- Kurz Musterung getödteten Thiere. 8vo. *Gotha*, 1792. [No n. spp.]
- Getreue Abbild. N. H. Gegenstände. 8vo. *Nürnberg*, 1793 etc. [The first 200 plates and texts only seen.]
- Naturg. Stuben-Vögel. 8vo. *Gotha*, 1795.
- Naturg. Stuben-Thiere. 8vo. *Gotha*, 1797.
- Becker, W. G. Plauische Grunde. fo. *Nürnberg*, 1799. (Insects by L. H. v. Bloch.)
- Beckmann, J. De Hist. Nat. Veterum. 8vo. *Petrop.* 1766.
- Anfangsgr. Naturhist. 8vo. *Gött.* 1767. [n. b.]
- C. Linné Syst. Nat....in Epitomen. 2 vols. 8vo. *Gött.* 1772. [No n. spp.]
- Beddeus, S. G. Diss. de Verm. Taenia. 8vo. *Vienné*, 1767. [No n. spp.]
- Bee (The) (Anderson's.) 16 vols. 8vo. *Edinb.* 1791-93. [No sp. nn.]
- Beitrage zur Insecten-Geschichte (Scriba's). 3 pts. 4to. *Frankfort*, 1790-91-93.
- Beitrage d. Gesch. d. Kiefferraupe. 8vo. *Dresden*, 1800. [No sp. nn.]
- Bening, B. F. De Hirudinibus. 4to. *Harder*, 1776.
- Benvenuti, G. Ist. Mineralgia. 8vo. *Parma*, 1790. [Mineral.]
- Bergen, C. A. de. Classes Conchyl. 4to. *Norimb.* 1760.
- Bergmann, Jos. Anfangsgr. Naturges. 3 pts. 8vo. *Mainz*, (Zool. 1778).
- Was die Thiere gewiss nicht, &c. 8vo. *Mainz*, 1784. [n. z.]
- Bergman, T. Huru kunna Maskar. See Stockholm.
- Huru maskar. See Stockholm.
- Médit. de Syst. foss. Nat. 8vo. *Oxon.* 1788. [Mineral.]

- Bergmann, T. Opus. Chem.-Phys. 3 vols. Svo. *Holmiae*, &c. 1779-83. [Mineral.]
- Bergstraesser, H. W. Sphing. europ. larvae. 4to. *Hanau*, 1782.
- Bergstraesser, J. A. B. Icones Papil. 3 pts. 4to. *Hanoviae*, 1779-80-81.
 — Nomencl. und Beschr. Insecten. 4 pts. 4to. *Hanau*, 1778-80.
 — Entom. scholarum. Svo. *Hanoviae*, 1776; ed. 2, 1784.
- Beringer, J. B. A. Lithogr. Wirceburgensis. fo. *Frankf.* 1767. [No sp. nn.; new T.P. to 1726 ed.]
- Berkenhout, J. Outlines Nat. Hist. of Gt. Brit. 3 vols. Svo. *Lond.* 1769-70-72. [No n. spp.]
 — Synopsis Nat. Hist. Gt. Brit. 2 vols. Svo. *Lond.* 1789. [Ed. 2 of "Outlines"]; another ed. 1795.
- Berkhey, F. J. v. Nat. Hist. Holland. Svo. *Amst.* 1769-1811. [Seen up to Deel IV., Stk. 1; no sp. nn.]
 — Naturg. Hollande. 2 vols. Svo. *Leipz.* 1779, 83. [No sp. nn.]
 — Hist. Nat. Hollande. 4 vols. 12mo. *Bouillon*, 1782. [No sp. nn.]
- Berlin.* Acad. Roy. Sci.
 Samml. deutsch. Abh. 6 vols. 4to. 1788-1803.
 Histoire → 1769 (1771).
 Nouv. Mém. 1770-1786 (1788).
 Mém. 1787-1801 (1804).
 — Ges. Nat. Freunde.
 Beschr. 4 vols. 1775-79.
 Schriften. 6 vols. } 1780-93.
 Beobacht. 5 vols. }
 Neue Schrift. 4 vols. 1794-1803.
- Berlinisches Magazin. 4 vols. Svo. *Berlin*, 1765, 6, 7, 7. (*quotas for Huzynogel's name's*)
- Berlinisches Samml. beförd. Arzneiwiss. 10 vols. Svo. *Berlin*, 1768-79. [Medical.]
- Bern.* Schweizerische Gesellschaft.
 Abh. u. Beobacht. oekonom. Ges. 22 vols. Svo. 1762-68. [Econ. and agric.]
 Mém. Soc. Econom. 33 pts. 1762-76. [Agric.]
 Neue Samml. 3 vols. 1779-85. [Agric.]
- Bernard, — Mém. Hist. Nat. Province. 2 vols. Svo. *Paris*, 1787, 88. [No sp. nn.]
- Bernerisches Magazin d. Natur. I.—III. (1) Svo. *Bern*, 1775-79. [No. sp. nn.]
- Berthout van Berchem, J. P. Itin. vallée Chamounix. Svo. *Laus.* 1790. [Bot. and Min.]
- Bertrand, E. Dict. Univ. 2 vols. *a la Haye*, 1763. [No sp. nn.]
 — Rec. de divers Traités. 4to. *Avignon*, 1766. [No sp. nn.]
- Bertuch, F. J. U. de Mittel Naturges. 4to. *Weimar*, 1799. [No sp. nn.]
- Besançon.* Soc. libre Agric.
 Rapport des trav. 1800. Svo. [No sp. nn.]
- Beseke, J. M. G. Ein Zuruf a. d. Naturf. Svo. *Leipz.* 1786. [*Leipz. Mag.* 1786, p. 126; n. z.]
 — Beytr. Nat. Vögel Kurlands. Svo. *Mitau*, [1792]. [Reissue Svo. *Berlin* [1821] with new T.P.]
- Betti, Z. Il Baco da Seta. 4to. *Verona*, 1756. [Poetry.]
 — Nem. Ruca de' Meli. Svo. *Verona*, 1760. [No sp. nn.]
- [Beuth, F.] *Juliae et Montium subter.* Svo. *Dusseldorf*, 1776. [No sp. nn.]
- Bewick, T. Gen. Hist. Quad. Svo. *Newcastle*, 1790. [No n. spp.; several other editions.]
 — Hist. Brit. Birds. Vol. 1. Svo. *Newcastle*, 1797. [No n. spp.]
- Bibl. Britannique. Sciences et Arts. 60 vols. Svo. *Genève*, 1796-1815.
 — Agric. Anglaise. 20 vols. Svo. *Genève*, 1796-1816.
- Bibl. d. Ges. Naturg. (Fibig and Nau). 2 vols. Svo. *Frankf.* 1789-91. [Reviews.]
- Bibl. des Sciences. 6 vols. Svo. *La Haye*, [1754-80]. [Reviews.]
- Bibl. fisica d'Europa (Brugnatelli's). 10 vols. Svo. *Pavia*, 1788-9. [Physics mainly.]
- Bibl. Med.-phys. Nord. (Vicat's). 3 vols. Svo. *Lausanne*, 1783-4. [No sp. nn.]
- Bijdragen bevord. schoone Kunsten en Wetensch. (Feith's). 3 pts. Svo. *Amst.* 1793-96. [No sp. nn.]
- Binnell, R. Descr. river Thames. Svo. *Lond.* 1758. [No. sp. nn.]
- Binninger, L. R. Oryct. agri Buxovillani. 4to. *Argent.* 1762. [No sp. nn.]
- Birkholz, J. C. Oek. Beschr. Fische Churmark. Svo. *Berlin*, 1770. [No sp. nn.]

- Blackhall, A. (Sale Catal. of Museum.) 8vo. *Lond.* 1781. [No sp. nn.]
- Bloch, M. E. Abh. Erzeug. Eingeweidewürmer. 4to. *Berlin*, 1782.
- Oecon. Naturg. Fische Deutschl. 3 vols. 4to. *Berlin*, 1782-3-4.
- Naturg. ausl. Fische. 9 pts. 4to. *Berlin*, 1785-6-7-90-1-2-3-4-5.
- Ichthyologie. 12 pts. fo. *Berlin*, 1785-97. [Identical with two preceding works ; few more references in synonymy.]
- Hist. Nat. Poissons. See Buffon (Deterville's ed.)
- Traité générat. Vers intestins. 8vo. *Strassburg*, 1788. [Trans. from the German.]
- Verz. Merkw. Insecten. [pp. 95-120 of Becker's Plausischen Grunde.]
- Blumenbach, J. F. De gen. humani. 8vo. *Gött.* 1776.
- Handb. d. Naturg. 8vo. *Gött.* 1779 and 1780.
- — Ed. 2. 8vo. *Gött.* 1782. [Additions.]
- — Ed. 3. 8vo. *Gött.* 1788. [Many additions.]
- — Ed. 4. 8vo. *Gött.* 1791. [Further additions.]
- Haandbog i Natur. 8vo. *Kiøb.* 1793. [A trans. of 4th ed.]
- — [Russian]. 8vo. *St Petersb.* 1796. ["enthalt nichts neues gegenüber des deutschen Ausgabe." Friedr. Schmidt *in litt.*]
- — Ed. 5. 8vo. *Gött.* 1797. [Further additions.]
- — Ed. 6. 8vo. *Gött.* 1799. [Contains first names of fossil vertebrata.]
- Coll. suae craniorum. 4to. *Gött.* 1790-1828.
- Beytr. Naturges. I. 8vo. *Gött.* 1790.
- Inst. physiol. 8vo. *Gött.* 1787.
- Ordines Mamm. single sheet 1795. [A list of genera.]
- Abbild. Nat. Gegenstände. 8vo. *Gött.* 1796-1810. [The heften often reprinted and redated without apparent change.]
- Natur. Versch. Menschens Ges. 8vo. *Leipz.* 1798.
- Kleine Schriften. 8vo. *Leipz.* 1800. [No sp. nn.]
- Bock, F. S. Nachr. Preussisch. Naturalienkabinet. 8vo. *Königsb.* 1764. [No sp. nn.]
- Vers. d. Heringe. 8vo. *Königsb.* 1769. [No sp. nn.]
- Vers. Wirthschaft. Naturg. K. O. u. Westpreussen. 5 vols. 8vo. *Dessau*, 1782-5.
- Boddaert, P. De Testudine cartilag. 4to. *Amst.* 1770. [No sp. nn.]
- De Chaetodonte argo. 4to. *Amst.* 1770.
- Brief oorsprong Koraal. 8vo. *Utrecht*, 1771. [No sp. nn.]
- De Chaetodonte diacanthus. 4to. *Amst.* 1772.
- De Rana bicolor. 4to. *Amst.* 1772.
- Nat. beschouwing d. Dieren. 8vo. *Utrecht*, 1778. [No sp. nn.]
- Natuurbeschouwer. 8vo. 's *Grav.* I. 1779, II. 1781. [No n. spp.]
- Kortbegrip Natuur. 8vo. *Amst.* 1783. [? also 1772 and 1773: n. b.]
- Table des Planches Enluminées. fo. *Utrecht*, 1783.
- Elenchus Anim. 8vo. *Rott.* 1785.
- Boere (De) Studeerkamer. 1 no. 8vo. 's *Grav.* 1763. [n. z.]
- Boerner, I. C. H. Samml. a. d. Naturg. 8vo. *Dresden*, 1774. [No sp. nn.]
- Boers, W. S. Catal. syst. Coll. Oiseaux &c. vendu à la Haye 14 Aug. 1797. [n. b.]
- Bohadsch, J. B. De quibusdam Anim. 4to. *Dresd.* 1761.
- Besch. Seethiere; aus Latein von N. G. Leske. 4to. *Dresd.* 1776.
- Boissy, C. de. Auteur de la Nature. 3 vols. 8vo. *Paris*, 1782. [n. z.]
- Bologna.* Acad. Sci.
- Mém. 4to. *Paris*, 1773. [No sp. nn.]
- Istituto.
- Commentario. Vols. IV.—VII. (1757-91) 4to. [No n. spp.]
- Bolten, J. F. Epist. novo zooph. gen. 4to. *Hamb.* 1770.
- Nachr. neuen Thierpflanze. 4to. *Hamb.* 1770.
- Add. illust. Syst. Nat. de novo zooph. gen. 4to. *Hamb.* 1770; 4to. *Amst.* 1771; and in Dutch, 1771.
- Museum Boltenianum. Pars prima. 8vo. *Hamb.* [1798.]
- — Pars secunda. 8vo. *Hamb.* [1798.] Peter Friedrich Röding added the references to the Mollusca.
- Bolton, J. Harmonia ruralis. 4to. *Lond.* 1794. [n. b.]

- Bonaveri, G. F. Della Citta di Comacchio stor. nat. 4to. *Cesena*, 1761. [No sp. nn.]
- Bonnet, C. Consid. corps organ. 2 vols. 8vo. *Amst.* 1762.
- Contemp. de la Nature. Ed. 2. 8vo. *Amst.* 1769.
- Betracht. ü. d. Nature. 8vo. *Leipz.* 1772.
- Insecttheologie. 8vo. *Halle*, 1773.
- ——— (Zusätze von Goeze). 8vo *Halle*, 1774.
- Betracht. ü. d. organ. Körper (Zusätze von Goeze). 8vo. *Leugo*, 1775.
- Oeuvres complets. 6 vols. 8vo. *Neuchatel*, 1779-81.
- ——— 8 vols. 4to. *Berne*, 1779-83.
- Oeuvres Hist. Nat. et Philos. 9 vols. 8vo. *Neuch.* 1779-81.
- ——— 8vo. *Amst.* 1780.
- [Bonnet does not use binominals.]
- Bonsdorff, G. Hist. Nat. Curculionum Suecicae. 4to. *Upsala*, 1785.
- Organa sensoria Insect. 4to. *Aboe*, 1789.
- Diff. capituli Insect. 4to. *Aboe*, 1789.
- Fabricum, usum et diff. antenn. in Insectis. 4to. *Aboe*, 1790.
- ——— palporum in Insectis. 4to. *Aboe*, 1792.
- Borkhausen, M. B. Naturg. europ. Schmett. 5 vols. 8vo. *Frankf.* 1788-9-90-92-94.
- [After vol. I., Schneider's "Syst. Beschr." was amalgamated with the work, Borkhausen remaining the author of the n. spp.]
- Versuch ... zool. terminologie. 8vo. *Frankf.* 1790.
- Deutsch. Fauna, I. 8vo. *Frankf.* 1797.
- See Rheinisches Mag.
- Borlase, W. Nat. Hist. Cornwall. fo. *Oxford*, 1758. [No sp. nn.]
- Antiq. Hist. &c. Cornwall. fo. *Lond.* 1769. [n. z.]
- Born, I. von. Lithophyl. Bornianum. 2 pts. 8vo. *Prag*, 1772, 1775. [n. b.]
- Trav. through the Bannat of Temesvar. 8vo. *Lond.* 1777. [No sp. nn.]
- Index Mus. Caes. Vind. Pars 1. Testacea. 8vo. *Vindob.* 1778.
- Voy. min. Hongrie. 8vo. *Paris*, 1780. [n. z.]
- Testac. Mus. Caes. Vind. fo. *Vindob.* 1780.
- Phys. Arb. Freunde Wien. 4to. *Wien*.
- I. (1) 1783 (2) 1784 (3 & 4) 1785
- II. (1) 1786 (2) 1787 (3) 1788 (ends).
- See Raab.
- Borowski, G. H. Syst. Tab. Naturg. 8vo. *Berl.* 1775. [No sp. nn.]
- Gemein. Naturg. Thierreichs. 10 vols. 8vo. *Berlin*, 1780-89.
- I.—IV. Mamm., Aves, and Reptilia, by Borowski; V. Pisces, Anonymous; VI.—X. Insecta and Vermes, by Herbst.—Herbst portion afterwards separately issued as "Einleitung Kennt. Insect." &c.
- Bossi, L. Dei basilischi. 8vo. *Milano*, 1792. [No sp. nn.]
- Bossu, L. Trav. Louisiana (Forster's ed.). 2 vols. 8vo. *Lond.* 1771. [No sp. nn.]
- Nouv. Voy. Amer. septent. 8vo. *Amst.* 1777. [No sp. nn.]
- Boston.* American Acad.
- Memoirs. Vol. I. 1785. (II. 1804.)
- Botta, C. G. G. Stor. Nat. Corfu. 8vo. *Milano*, 1774; 2 vols. 8vo. *Milano*, 1799. [No sp. nn.]
- Bouchard, M. See Rec. 133 Oiseaux, 1775.
- Bougainville, L. de. Voy. Autour du Monde.—Boudeuse et l'Etoile. 4to. *Paris*, 1771. [No n. spp.]
- Supplement au Voyage. 8vo. *Paris*, 1772. [No n. spp.]
- Voyage (Forster's ed.). 4to. *Lond.* 1772. [No n. spp.]
- Bourguet, L. Traité des Pétrif. 8vo. *Paris*, 1778. [n. b.]
- Bournon, — de. Essai lithol. St Etienne-en-Forez. 12mo. *Paris*, 1785. [Mineral.]
- Bovi, R. Diss. sopra la prod. de' Coralli. 8vo. *Firenze*, 1769. [No sp. nn.]
- Bowles, C. Introd. Hist. Nat. España. 4to. *Madrid*, 1775. [No sp. nn.]
- ——— (French ed. by Flavigny). 4to. *Paris*, 1776. [No sp. nn.]
- ——— 4to. *Madrid*, 1782. [No sp. nn.]
- ——— (Ital. ed. by Milizia with notes by Azara.) 2 vols. 4to. *Parma*, 1783. [No sp. nn.]

- Bowles, G. *Introd. Hist. Nat. España.* 4to. *Madrid*, 1789. [No sp. nn.]
- Brahm, N. J. *Insect. Kalendar.* 8vo. *Mainz*, I. (1) 1790; I. (2) 1791; II. (1) 1791.
- Brander, G. z. Solander, D.
- Breidenstein, J. P. *Naturg. Sperlings.* 8vo. *Giessen*, 1779. [No sp. nn.]
- Bremisches Magazin. 7 vols. 8vo. *Hannover, Bremen & Leipzig*. 1757-65; as *Neues Brem. Mag.*, 1766-69.
- Brez, J. *La Flore des Insectophiles.* 8vo. *Utrecht*, 1791. [No sp. nn.]
- Brisson, M. J. *Ornithologia.* 6 vols. and suppl. 4to. *Paris*, 1760.
- — 8vo. *Lugd. Bat.* 1763. [No additions to genera.]
- — *Regnum animale.* 8vo. *Lugd. Bat.* 1762.
- [N.B. The *Genera* of Brisson are given in his Indices. Words in the text as "*Ara*," "*Querquedula*," "*Tadorna*," "*Leopardus*," &c. are *not* used by Brisson in a generic sense.]
- British Museum. *Beschr. nat. u. ant. Samml. Hans Sloane.* 8vo. *Berl.* 1764. [No sp. nn.]
- British Zoological Museum. *A Catal. of Brit. Quad. and Birds contained in the B. Z. Mus.*, Oxford St. 8vo. *Lond.* 1795. 24 pp. [Anonymous—no n. spp.]
- Broussonet, P. M. A. *Ophid. barbatum.* [Phil. Trans. 1781.]
- — *Ichthyologia.* 4to. *Lond.* [1782].
- Brown, P. *New Illust. Zool.* 4to. *Lond.* 1776.
- Brown, T. *Obs. on Zoonomia of Darwin.* 8vo. *Edinb.* 1798. [No sp. nn.]
- Browne, P. *Nat. Hist. Jamaica.* Ed. 2. fo. *Lond.* 1789.
- Browne, W. G. *Trav. in Africa.* 4to. *Lond.* 1799.
- Bru, J. B. *Coleccion anim. y monstruos Gabin. Madrid.* fo. *Madrid*, 1784 &c. [No n. spp.]
- Bruce, J. *Trav. source of the Nile.* 5 vols. 4to. *Edinb.* 1790. [No sp. nn.]
- — *Reisen...* (with Anhang zur Naturges. by J. F. Gmelin). 2 vols. 8vo. *Rinteln*, 1791.
- Brucecker, D. *Vers. Beschr. Merkwürd. Basel.* 23 pts. 8vo. *Basel*, 1748-63. [No sp. nn.]
- Brugman, S. J. *Lith. Groningana.* 8vo. *Grön.* 1781. [Mineral.]
- Bruguière, J. G. *See* *Ency. Méth.*
- Brünnich, M. T. *Prod. Nat. Siaelland.* 8vo. *Havn.* 1761. [No n. spp.]
- — *Ederfuglens beskrivelse.* 8vo. *Kiøb.* 1763.
- — *Hist. Nat. Eider-Vogels.* 8vo. *Köpen.* 1763.
- — *Tillaeg til Ederfuglens Beskriv.* 8vo. *Kiøb.* 1763. [No n. spp.]
- — *Entomologia.* 8vo. *Hafn.* 1764.
- — *Ornith. borealis.* 8vo. *Hafn.* 1764.
- — *Ichthyol. Massil.* 8vo. *Hafn.* 1768.
- — *Anim. Genera—Dyrenes Slaegter.* 8vo. *Hafniae*, 1771. [No new names in the incomplete copy of 16 pp. seen by me.]
- — *Fund. Zool.* 8vo. *Hafn.* 1772.
- — *Dyrenes Historie.* fo. *Kiøb.* 1782. [All published; xxxviii, 76 pp. and 7 pls. :— n. spp.]
- Bruxelles.* *Acad. Roy. Sci.*
- — *Mém.* 5 vols. 4to. 1777-88.
- — *Nouv. Mém.* 1 vol. 4to. 1788.
- — *Mém. sur la Question...* For 1769-87. [n. z.]
- Buchholtz, F. H. *De Hepatomphodocela congenita.* 4to. *Argent.* 1768. [No sp. nn.]
- Buchoz, P. J. *Aldrovandus Lotharingiae.* 12mo. *Paris*, 1771.
- — *La Nature consid.* 47 vols. 12mo. *Paris*, 1771 etc.
- — *Amusements Innocens.* 12mo. *Paris*, 1774; ed. 2, 12mo. *Paris*, 1785.
- — [2] *Centurie de Planches enluminées.* fo. *Paris*, [1775] 1778-81.
- — *Traité écon. Oiseaux de basse-cour.* 8vo. *Liège*, 1777.
- — *Oek. phys. Abhand. von Federvieh.* 8vo. *Münster*, 1777.
- — *Dons merveilleux.* 2 vols. fo. *Paris*, [1782-97].
- — *Hist. Insect. nuisibles.* Many eds.
- [There are many other works by Buchoz but I have not yet found one using binominals.]
- Buchwald, B. J. de. *Diss. Insect. Danicae.* 4to. *Hafn.* 1760. [No n. spp.]
- Bucquet, J. B. M. *Introd. étude corps règne min.* fo. *Paris*, 1771. [Mineral.]
- Büsching, A. F. *Eigene Gedanken.....Tarantel.* 8vo. *Berl.* 1772. [No sp. nn.]
- — *Unter. i. d. Naturg.* Ed. 4. 8vo. *Berl.* 1781. [No sp. nn.]

- Buffon, G. L. Le Clerc, *Comte de*. Hist. Nat. 1st ed. 44 vols. 4to. *Paris*, 1749-1804.
 [Contains Quad., Ovip., Serpens, Poissons, and Cétacés by Lacepède.]
 ——— 55 vols. and 12 vols. suppl. 12mo. *Paris*, 1750-86.
 ——— 90 vols. 12mo. *Paris*, 1752-1805.
 ——— 21 vols. 4to. *Amst.* 1766-86 [with Allamand and Camper's additions]. This edition is said to contain 38 vols. and to run to 1799, but I have not met with more than 21 vols.
 ——— 36 vols. 4to. *Paris*, 1777-1804.
 ——— 54 vols. 12mo. *Deux Points*, 1785-91.
 ——— 129 vols. (Sonnini's ed.) 8vo. *Paris*, 1798-1808.
 ——— 80 vols. (Castel's ed. "Cours complet.") 18mo. *Paris*, 1799-1802.
 ——— 76 vols. 18mo. *Paris* (Plassan & Didot), 1799-1809.
 ——— (German ed. by Haller and Oehme.) 22 vols. 4to. *Hamburg*, 1750-82.
 ——— (— by Martini.) 7 vols. 8vo. *Berlin*, 1771-74.
 ——— (— by Martini & Otto.) 23 vols. (Quad.) 8vo. *Berlin*, 1772-1801;
 35 vols. (Aves.) 8vo. *Berlin*, 1772-1809.
 ——— (English ed. by Smellie.) 9 vols. 8vo. *Edinb.* 1781-85.
 ——— (— —) 18 vols. 8vo. *Lond.* 1791-93.
 ——— (— —). 2 vols. 8vo. *Perth*, 1791.
 ——— Hist. Nat. Oiseaux. 10 vols. 4to. *Paris*, 1770-86.
 ——— See Daubenton; Boddaert; Pennant.
- Buonanni, P. See Kircher.
- Burtin, F. X. Oryct. Bruxelles. fo. *Bruxelles*, 1784. [No sp. nn.]
- C., S. L. P. See Cubières.
- Cairo. Institut d'Égypte.
 Proc.-Verb. des Sciences. 4to. *Paris*, An VII.
 Mém. sur l'Égypte. 4 vols. 8vo. *Paris*, An VIII-XI. [No n. spp.]
- Calcutta. Soc. Bengal.
 Asiatick Researches. Vols. I—VII. (1801).
- Caldiani, F. Osserv. tran-f. Insetto. 4to. *Padova*, 1796. (*Ex Mem. Soc. Ital. Sci.* VII.)
- Camper, P. Kort berigt Orangs. 8vo. *Amst.* 1778. [No sp. nn.]
 ——— Oven den Orang...Rhinoceros en Rendier. 4to. *Amst.* 1782. [No sp. nn.]
 ——— Kleinere Schriften. 3 vols. 8vo. *Leipz.* 1784-90. [No sp. nn.]
 ——— Kort berigt Dugon. 8vo. *Amst.* 1786. [No n. spp.]
 ——— Naturg. Orang. (Germ. ed. of 2.) 4to. *Düsseldorf*, 1791. [No sp. nn.]
 ——— Gesichtszüge im Menschen. 4to. *Berlin*, 1792. No. sp. nn.]
- Canals y Marti, J. P. Mem. Kermes España. 4to. *Madrid*, 1768. [No sp. nn.]
 ——— Mem. Purpura. 4to. *Madrid*, 1779. [No sp. nn.]
- Canavilles, A. J. Obs. Hist. Nat. reyno Valencia. 2 vols. fo. *Madrid*, 1795, 1797. [No sp. nn.]
- Cap François. Recherches...Cercle des Philadelphes. 8vo. *Cap François*, 1778. [No n. spp.]
- Cape of Good Hope. Nouv. descr. du Cap, etc. 8vo. *Amst.* 1778. [Made by order of Governor Tulbagh; expd. led by Henri Hop. Allamand did the Nat. Hist.; plates are important as well as text, but no sp. nn.]
- Cappeller, M. A. Pilati Montis Hist. 4to. *Basil.* 1767. [n. b.]
- Carlier, — Traité Bêtes à Laine. 2 vols. 4to. *Compiègne*, 1770. [No sp. nn.]
- Carlsson, G. Tal med strödde anmark. Foglarnes. 8vo. *Stock.* (K. Vet. Ak.), 1789. [No n. spp.]
 ——— Tal med utkast til Falk-Slägtets. 8vo. *Stock.* (K. Vet. Ak.), 1798.
- Carminati, B. De anim. ex mephit. 4to. *Lande Pomp.* 1777. [No sp. nn.]
- Carosi, J. P. v. Beyt. Nat. Niederlausitz. 8vo. *Leipz.* 1779. [No n. spp.]
- Carten, J. De Cantharid. 8vo. *Edin.* 1776. [An error for R. Forster, q. v.]
- Cartheuser, J. F. De Millepedis. [Is "diss. 3" in vol. 1 of the following?]
 ——— Diss. Phys. Chem. 2 vols. 8vo. *Frankf. a. V.* 1774, 1775. [No sp. nn.]
- Cartwright, G. Journ....16 years Labrador. 3 vols. 4to. *Lond.* 1792, &c. [No sp. nn.]
- Carver, J. Trav. interior N. Amer. 8vo. *Lond.* 1781. [No sp. nn.]

- Carver, J. Three years Trav. N. Amer. 8vo. *Philad.* 1796. [n. b.]
- Casal, G. Hist. nat. y med. Asturias. 4to. *Madrid*, 1762. [No sp. nn.]
- Catalogus Mus. Zool. dit. Hamburgi, 16 Majus, 1797. Pt. 3. [Full of n. spp. by A. A. H. Lichtenstein, see *Ann. Mag. Nat. Hist.* [7] III. 1899, p. 272.]
- [Sale Catalogues of Minerals and Fossils. *Paris*, 1767-77-80-80-83. [No sp. nn.]
- Catcott, G. S. Descript....Penpark Hole. 8vo. *Bristol*, 1792. [n. z.]
- Catesby, M. Hist. Nat. Carolina. 2 vols. fo. *Lond.* 1771. ^{Suppressed except last 6 towards appendix}
^{Opinions 13 + 259}
- Piscium Serpent. Insect. fo. *Norimb.* 1777.
- Cavolini, F. Mem. Polipi. 4to. *Napoli*, 1785.
- Abh. Erzeug. Fische u. Krebse. fo. *Berl.* 1792.
- Cederhielm, J. Fauna Ingrica. 8vo. *Leipz.* 1798.
- Cermelli, P. M. Carti Corograf. Patrimonio. 4to. *Nap.* 1782. [Mineral.]
- Cetti, F. Stor. Nat. Sardegna. 3 vols. 8vo. *Sassari*, 1774, 1776, 1777. [n. b.]
- Chabert, P. Trait  malad. vermineux. 8vo. *Paris*, 1782. [No sp. nn.]
- Charpentier, J. F. W. v. Min. chursach. L nder. 4to. *Leipz.* 1778. [Mineral.]
- Chemnitz, J. H. Kleine Beytr. Testaceotheol. 4to. *Frankf.* 1760; *ibid.*, 4to. *Nurnb.* 1760. [No sp. nn.]
- Von einem Gesch....Chitons heizen. 4to. *Nurnb.* 1784. [n. b.]
- Ausfuhr Abh. Links Schnecken)
— Abh. Land- u. Fluss-Schnecken) See vol. IX. of Martini und Chemnitz.
- Chenaye des Bois, F. A. A. de la. Dict. raisonn . 4 vols. 4to. *Paris*, 1759.
- Choix des M moires. See Journ. Hist. Nat. 1792.
- Christ, J. L. Naturg. Insekten. 4to. *Frankf.* 1791. [All published in 1791.]
- Christiania.* Topogr. Selskab.
Topogr. Journ. for Norge. 34 pts. 8vo. *Christ.* 1792-1808. [No n. spp.]
- Clarette de la Tourette, A. L. Voy. Mont-Pilat. 8vo. *Avignon*, 1770.
- Clerck, C. Svenske Spindlar. 4to. *Stock.* 1757. [Quoted though before 1758, but a reference given to the succeeding author who uses the names.]
- Icon. Insect. rar. 2 pts. 4to. *Stock.* 1759, 1764.
- Nomen. extemp. rerum nat. 8vo. *Stock.* 1759. [67 pp. and 1 extra sign. of 6 un-paged pp. No sp. nn.]
- Tal inneh llande...Insect. 8vo. *Stock.* (K. Vet. Ak.), 1764. [No sp. nn.]
- Cocchi, A. De Vermi cucurbit. 8vo. *Pistoja*, 1764. [No sp. nn.]
- Collini, C. Cerf du Cap. }
— Encrinites du Cab. Palat. } *Ex Acta Theod. Palat.*
— Zoolith. Cab. Palat. }
- Colombo, M. Mikroskop. Beob. Polyp. 8vo. *Leipz.* 1793. [No sp. nn.]
- Commercial and Agric. Mag. 8vo. *Lond.* I. 1799; II. 1800; III. 1800. [No n. spp.]
- Conrad, J. Phil. Hist. Nat. 8vo. *Vicnnae*, 1779. [No sp. nn.]
- Consett, M. Tour through Sweden. 4to. *Lond.* 1789. [No sp. nn. but good plates of birds.]
- Copenhagen.* K. Danske Vid. Selsk.
Skrifter Kiob. Selsk. Laerdoms. Vols. VII—X. 1758-70.
Skrifter K. Vid. Selsk. Vols. XI—XII. 1777-79.
Nye Samling K. Danske Skrifter. Vols I—V. 1781-99.
- Norske Vidensk. Selskab.
Det Trondhiemske Selsk. Skrifter. Vols. I—III. 1761-65.
Det K. Norske Vid. Selsk. Skrifter. Vols. IV—V. 1768, 1774.
Nye Saml. K. Norske Vid. Selsk. Skrifter. Vols. I—II. 1784, 1788.
Nyeste Saml.... Vol. I. 1798.
- Universitas Havniensis.
Acta litteraria. 1 vol. 4to. 1778.
- Pesz Islenska Laerdoms-Lista Felags.
Rit. Vols. I—XIV. 8vo. *Kaupmannskofn*, 1781—96. [Econ. & physics.]
- Naturhist. Selskab.
Skrifter. Vols. I—VI. 1790-1810.
Skriften. 1 vol. (2 pts.) 1793. [Trans. of above.]
- Coquebert, A. J. Illust. Icon. Insect. 3 pts. 4to. *Paris*, 1799, 1801, 1804.
- Cornide, J. Ensayo...hist....peces...Galicia. 8vo. [*Madrid*?], 1788. [n. b.]

- Cortona*. Acad. Etrusca.
Saggi: vol. VII. 1758; VIII. 1783; IX. 1791. [No sp. nn.]
- Costa, E. M. da. Elem. Conch. 8vo. *Lond.* 1776. [n. b.]
— British Conch. 4to. *Lond.* 1778.
— Number 1 of a Conchology. fo. *Lond.* [1770]. [6 nos. were published, 26 pp. 12 pls. No sp. nn.; some say this was issued by Geo. Humphrey.]
- Coxe, W. Obs. faites dans les Pyrénées. 8vo. *Paris*, 1789. [No sp. nn.]
— Travels in Switzerland. 3 vols. 8vo. *London*, 1789. [Contains "Faunula Helvetica" by T. Pennant, Sprungli, Wytttenbach, Van Berchem, and Studer, edited by Pulteney.]
- [Coyer, G. F.] Lettre au Dr. Maty...sur les géants Patagons. 12mo. *Brux.* 1767. [No sp. nn.]
- Cramer, J. A. Phys. Briefe. 8vo. *Hannover*, 1793. [No sp. nn.]
- Cramer, P. Uitland. Kapellen. 4to. *Amst.*
[I. pp. 1-132, 1775; 133-156, 1776; II. 1777; III. pp. 1-128, 1779; pp. 129-176, 1780; IV. pp. 1-90, 1780; 91-164, 1781; 193-252, 1782. After IV. p. 32 all done by C. Stoll. Collated from a set in original wrappers.]
— Papillons exotiques. [Apparently the same as the above; see Engelmann, *Bibl. Hist. Nat.* 1846, pp. 475, 485 (Happe), and 526.]
— Aanhangsel...P. Cramer...Uitland. Kapellen. By C. Stoll. 4to. *Amst.* pp. 1-42, 1787; 43-end, 1790.
- Cranz, David. Hist. Grönland. 8vo. *Barby*, 1765. [Not seen but see following entries.]
— Hist. Greenland. 2 vols. 8vo. *Lond.* 1767. [No sp. nn.]
— Hist. Grönland. Ed. 2. 8vo. *Barby*, 1767. [No sp. nn.]
— Fortsetzung Hist. Grönland. 8vo. *Barby*, 1770. [List of plants.]
— Hist. Grönland. 8vo. *Nürnb.* 1782. [No sp. nn.]
— Annaerk. over Hist. Grönland. 8vo. *Kjöb.* 1771. [No sp. nn.]
- Creutzer, C. Entom. Versuche. 8vo. *Wien*, 1799.
- Cubières, S. L. P. Hist. abrégée des Coquillages. 4to. *Versailles*, An vi. [No sp. nn.]
- Curtis, W. Fund. Entom. 8vo. *Lond.* 1772.
— Hist. Brown-tailed Moth. 4to. *Lond.* 1782.
- Cuvier, G. Tabl. élément. 8vo. *Paris*, An vi.
— Leçons d'Anat. Comp. 5 vols. 8vo. *Paris*, 1800-5.
- Cyrrillus, D. Entom. Napol. fo. *Nap.* 1787. [The first issue of this book was 4 plates and text engraved on copper to correspond. Then the text was typographed and all issued in that form before 1793—see Meyer's *Zool. Ann.* 1793, p. 270—I do not know whether all the text was issued in the engraved form, but I have quoted all the spp. as 1787.]
- Czenpinski, P. de. Diss. Zool.-med. 8vo. *Viennae*, [1778].
- Dahl, A. Diss. Entom. 1775. See Linnaeus, *Bigae Insect.*
- Dallinger, P. P. Vollst. Gesch. Borkenkäfers. 8vo. *Weissenb.* 1798. [No n. spp.]
— Nachr. Fichtenspinner. 8vo. *Weiss.* 1798. [No n. spp.]
- Dalrymple, A. Oriental repository. 2 vols. fo. *Lond.* 1793 and 1808. [No n. spp.]
- Dantzic*. Naturhist. Gesell.
Neue Samml. 1 vol. 4to. 1778. [No sp. nn.]
- Darluc, M. Hist. Nat. Provence. 3 vols. 8vo. *Avignon*, 1782, 1784, and 1786. [n. b.]
- Daubenton [le jeune]. 1008 Planches enluminées [by Martinet]. fo. *Paris*, 1765. [Not seen; but there are no names to the 1770-1786 ed.]
— Collect. Oiseaux natifs de notre pays. fo. *Nuremb.* (chez Wirsing), 1776 &c. [100 pls. in 16 éditions=livraisons describing 96 pls. *Zool. Soc. Lond. Library*; unknown to Engelmann, and only 36 pls. recorded by Hagen, *Bibl. Entom.*]
— Planches enluminées—Index by T. Pennant. 8vo. *Lond.* 1786.
— See Boddaert.
- Daudin, F. M. Traité élém. Ornith. 2 vols. 4to. *Paris*, 1800. [The entries in Daudin, though apparently binominal, seem in many cases to be trinominal (see "Table de renvoi" in the case of *Falco communis*). As many of the binominals have been brought forward from earlier authors, they have been quoted for facility of reference.]
— Rec. des Mém. mollusques. 12mo. *Paris*, 1800.

- Davila, —. Catal....Cab. de M. Davila. 3 vols. 8vo. *Paris*, 1767. [No sp. nn.]
 Décade (La) Philosophique. 8vo. *Paris*. 40 vols. 1795-1800. [n. g. in An III.]
 Dehne, J. C. C. Vers. Maywürme. 2 pts. 8vo. *Leipz.* 1788. [No n. spp.]
 De la Faille, C. Vers. Naturg. Maulwurfes. 8vo. *Frankf.* 1778. No sp. nn.]
 Del Rio, A. M. Elem. Oricognosia. 4to. *Mexico*, 1795. [Mineral.]
 [Denon and Schiffermüller.] Ankündigung...Syst. Werk. Schmett. Wiener Gegend. 4to.
Wien, 1775. See *Entomologist*, 1957, 92:49 (list of original plates in H. B. 17)
 — Syst. Verz. Schmett. Wiener Gegend. 4to. *Wien*, 1776. [The second issue of
 above work with new T. P., see *Ann. Mag. Nat. Hist.* [7] VI. 1900. p. 158.]
 Denso, J. D. Physik. Bibliothek. 8vo. *Rostock*, 1754-61. [n. z.]
 Description (A) of three hundred animals. 12mo. *Lond.* 1791. [No sp. nn.]
 Detharding, G. C. De Insect. Coleopl. 4to. *Buettlowii*, 1763. [No n. spp.]
 Deutsches Museum (H. C. Boie's). 8vo. *Leipz.* 1776 &c. [General.]
 Dezalliers D'Argenville and Favanne de Montcervelle. La Conchyliologie. 2 vols. 4to.
Paris, 1780 (3rd ed. of "Zoomorphose"). [No sp. nn.]
 — Conchyliologie. fo. *Wien*, 1772. [n. b.]
 Diesskau, C. J. F. von. Naturg. von Nachtigall. 8vo. *Römhild*, 1779. [No sp. nn.]
 Dietzschin, B. R. See Vogel, B. C.
Dijon. Académie.
 Mém. 2 vols. 1769-1774.
 Nouv. Mém. 4 vols. 1782-85.
 Dillon, J. T. Trav. through Spain. Ed. 2. 4to. *Lond.* 1782. [No sp. nn.]
 Doeveren, W. van. Obs. phys. med. Vers. 12mo. *Lyon*, 1764. [No sp. nn.]
 — Abh. Würmern...mensch. Körpers. 8vo. *Leipz.* 1776. [No sp. nn.]
 — Mus. Doevereniani Catal. 8vo. *Lugd.* 1785. [n. b.]
 Donati, V. Essai ..Adriatique. 4to. *La Haye*, 1758.
 Donegal (Marquis of). Sale Catal. 8vo. *Lond.* 1800. [No sp. nn.]
 Donndorff, J. A. Zool. Beytr. 3 vols. 8vo. *Leipz.* 1792-98. [Amph. and Fische im-
 portant.]
 — Handb. Thierges. 8vo. *Leipz.* 1793.
 Donovan, E. Nat. Hist. Brit. Insects. 16 vols. 8vo. *Lond.* 1792-1813.
 — Nat. Hist. Brit. Birds. 10 vols. 8vo. *Lond.* 1794-1819.
 — Nat. Hist. Ins. China. 4to. *Lond.* 1798-99. [Date of plates taken.]
 — Nat. Hist. Ins. India. 4to. *Lond.* 1800-1804. [Date of plates taken.]
 — Nat. Hist. Brit. Shells. 8vo. *Lond.* [Probably issued in 60 parts between 1799 and
 1804. Actual date of part 1 required before exact dates can be fixed.]
 Dorfeuille, C. L. M. Sur l'existence des Dragons. 8vo. *St. Maixent*, An VII. [No sp. nn.]
 Dresdnisches Mag. 2 vols. 8vo. *Dresden*. 1760-65.
 Drury, D. Illust. Nat. Hist. 3 vols. 4to. *Lond.* 1770, 1773, 1782.
 — (Panzer's ed.) 4to. *Nürnb.* 1785.
Dublin. R. Dublin Soc.
 Proc. 111 vols. 1764-1875(?). [Minutes of proceedings and of no scientific value.]
 Trans. Vols. I. and II. [1801].
 — R. Irish Acad.
 Trans. Vols. I-VII. [1800].
 [Duchesne and Macquet]. Manuel Naturaliste. 8vo. *Paris*, 1770. [No sp. nn.]
 Due lettre Pesci Monte Bolca. See Fortis and Testa.
 Duhamel du Monceau. Traité gén. Pesches. 3 vols. fo. *Paris*, 1769, 1772, 1777. [n. b.]
 — and De la Marre. Allg. Abh. Fischeregen. [Notes by J. D. G. Schreber.] 4to.
Leipz. 1773. [No sp. nn.]
 — and Tillet. Hist. Insecte qui dévore les grains. 8vo. *Paris*, 1762. [No sp. nn.]
 Duraeus, S. Utkast til Forel. ofver Natur-Kunnigheten. 8vo. *Ups.* 1759. [Physics.]
Düsseldorf. Ges. Nat. Freunde Westphalen. Neue Schrift. 1 vol. 4to. 1798.

Eber, J. H. Obs. Helminth. 4to. *Gött.* n. d. [Read 27 Ap. 1798.] [No sp. nn.]

Eberhard, J. P. Vers. Entwurfs Thierges. 8vo. *Halle*, 1768. [n. b.]

Ebert, J. J. Batavia. See Batavia.

- Edinburgh.* Phil. Soc.
 Essays and Observ. read before a society in E. 2 vols. 8vo. 1754, 1755.
 ——— ——— read before the Phil. Soc. in E. 1 vol. 1771.
 ——— Royal Soc.
 Trans. Vols. I—IV. [1798].
 ——— Soc. Antiq.
 Arch. Scotia. Vols. I. and II. [1792—1823].
 ——— Soc. Physicians.
 Med. and Phil. Comment. 20 vols. 8vo. *Lond.* 1774—1795.
- Edwards, G. Gleanings Nat. Hist. 3 pts. 4to. *Lond.* 1758, 1760, 1764. [No sp. nn.]
 ——— Essays. 8vo. *Lond.* 1770. [No sp. nn.]
 ——— Beschr. Sanglins. 4to. *Hamb.* 1773. [No sp. nn.]
 ——— Elements of Fossilology. 8vo. *Lond.* 1776. [Mineral.]
 ——— Life and Works of. 4to. *Lond.* 1776. [No sp. nn.]
 ——— and Catesby. Samml. Vogel. 1749—1776. } See Seligmann.
 ——— Verzam. Uitland. Vogel. 1772—1781. }
- Egede, H. Descr. Groenland. [Trans. by D. R. D. P.] 8vo. *Copen.* and *Genève*, 1763.
 [No sp. nn.]
 ——— Beschr. Grönland. [Trans. by Krünitz.] 8vo. *Berl.* 1763. [No sp. nn.]
- Ehret, G. D. Plantae et Papiliones rariores. 15 pts. fo. 1748—1759 (Bibl. Banksi. See
 Comm. Sci. Lips. I. Suppl. 1, 1763, p. 628). [No sp. nn.]
- Ehrhart, F. Beitr. zur Naturk. 7 pts. 8vo. *Hannover*, 1787—1792. [n. z.]
- Eichhorn, J. C. Beitr. Nat. Wasserthiere. 4to. *Danz.* [1775]. 94 pp. [No sp. nn.]
 ——— ——— 4to. *Berl.* 1781. [New T. P. only.]
 ——— ——— Zugabe. 4to. *Danz.* 1783. [No sp. nn.]
- Ekeberg, A. G. and Tidbeck. Diss. de Mater. oleosis. 4to. *Upsal.* 1789. [No sp. nn.]
- Ellis, J. Vers. Naturg. Corall-arten. [Kruniz's ed.] 4to. *Nürnb.* 1767. [n. b.]
 ——— Letter to Linnaeus on Corallines. [*Ex Phil. Trans.*]
 ——— and Solander. Nat. Hist. Zooph. 4to. *Lond.* 1786.
- Encyclopédie Méthodique. 4to. *Paris*, 1788—1832. [For dates see Proc. Zool. Soc. *Lond.*
 1893, p. 582 and 1899, p. 595.]
- Engelen, C. van. Nat. Hist. Hippopotamus. 4to. *Anst.* 1775. [No sp. nn.]
- Entomologische Bemerkungen. [By Hausmann.] 8vo. *Braunschweig*, 1790. 64 pp., in-
 complete. [No n. spp.]
- Epit. Entom. Fabricianae. 8vo. *Lips.* 1797.
Erfurt. Acad. Mogunt.
 Acta. 2 vols. 1757—61.
 Acta. 12 vols. 1777—96. } [No n. spp.]
 N. Acta. 4 vols. 1799—1809. }
- Ernst and Engramelle. Papillons d'Europe. 8 vols. 4to. *Paris*, 1779—1793. [No n. spp.]
- Erxleben, J. C. P. Diudicatio Syst. Anim. Mamm. 4to. *Gött.* 1767. [No sp. nn.]
 ——— ——— Ed. 2. [Is in C. F. Ludwig, *Delectus Opusculorum*; no sp. nn.]
 ——— Anfangsgrunde Naturges. 8vo. *Gött.* 1768. [No n. spp.]
 ——— ——— Ed. 3, by J. F. Gmelin. 8vo. *Gött.* 1782. [No n. spp.]
 ——— Betracht. Naturg. 4to. *Gött.* 1773. [No sp. nn.]
 ——— Syst. Regn. Anim. 8vo. *Lips.* 1777.
 ——— Anfangsgr. Naturlehre. Ed. 6. 8vo. *Gött.* 1794. [Physics.]
 ——— Erxleben's Physikalische Bibliothek. 4 vols. 8vo. *Gött.* 1775—1779. [Reviews.]
- Escalona, G. Gaz. Reg. Peru. fo. *Matriti*, 1775. [No sp. nn.]
- Esmark, J. Kurze Beschr. min. Reise Ungarns. 8vo. *Freiburg*, 1798. [Mineral.]
- Esper, E. J. C. Die Schmetterlinge. 5 vols. and suppl. 4to. *Erlangen*, 1777—1807. [For
 dates see Ann. Mag. Nat. Hist. [7], vii, 1901, p. 137.]
 ——— Die Pflanzthiere. 17 pts. 4to. *Nürnb.* Vol. I. pp. 1—90, 1788; 97—192,
 1789; 193—320, 1790. Vol. II. pp. 1—96, 1791; 97—180, 1792; 181—220, 1793;
 221—304, 1799. Vol. III. pp. 1—24, 1805; 25—76, ?; 77—144, ?; 145—284 (by
 Hammer), 1829; 285—end (by Hammer, 1830).
 ——— ——— Fortsetzungen. 10 pts. 4to. *Nürnb.* Vol. I. pp. 1—64, 1794; 65—116,
 1795; 117—168, 1796; 169—230, 1797. Vol. II. pp. 1—24, 1798; 25—48, 1806.

- Esper, E. J. C. De var. spec. nat. prod. 4to. *Erlangen*, 1781-2. [No sp. nn.]
 — De anim. oviparis. 4to. *Erlangen*, 1783. [No. n. spp.]
 — Naturges. in Auszuge d. Linn. Syst. 8vo. *Nürnb.* 1784. [No n. spp.]
 — Die ausland. Schmett. 16 pts. 4to. *Erlangen*.
 [For dates see Ann. Mag. Nat. Hist. [7], vii, 1901, p. 137.]
 Esper, F. E. Beob. Zwitterphalaena. 4to. *Erlangen*, 1778. [No. n. spp.]
 Esper, J. F. Ausfuhr. Nachr. Zoolithen. fo. *Nürnb.* 1774. [No sp. nn.]
 Essays by a Society of Gentlemen. 1 vol. 8vo. *Exeter*, 1796. [No n. spp.]
- Fabbroni, A. Del Bombice. 4to. *Perugia*, 1782. [No n. spp.]
 — Dell' Ariete gutturato. 8vo. *Firenze*, 1792. [*Verrex aethiopicus*, Jonston, but not used in Linnean sense.]
- Fabricius, J. C. Syst. Entom. 8vo. *Flensb.* 1775.
 — Gen. Insect. 8vo. *Chilonii*, 1777.
 — Phil. Entom. 8vo. *Hamb.* 1778.
 — Reise Norwegen. 8vo. *Hamb.* 1779.
 — Betracht. Einrichtung Natur. 8vo. *Hamb.* 1781.
 — Spec. Insect. 8vo. *Hamb.* 1781.
 — Mant. Insect. 8vo. *Hafniae*, 1787.
 — Ent. Syst. 4 vols. 8vo. *Hafniae*, 1792-94. Suppl. *Ibid.* 1798.
 — Nomen. Entom. 12mo. *Mancuni*, 1795-96.
 — Syst. Piez. 1800. [Engelmann, *Bibl. H. N.* 1846, p. 497: I cannot trace this edition.]
 — See Epitome.
- Fabricius, O. Fauna Groenl. 8vo. *Hafn.* 1780.
- Falconer, Magnus. Sale Catal. 8vo. *Lond.* 1778. [No sp. nn.]
- Falk, J. P. Beitr. Russ. Reichs. [Falk's Reise in Russland.] 3 pts. 4to. *St Petersburg*, 1785, 1786, 1786.
- Faugeres (Baron de). Obs. Oiseau d'Abyssinie. [*Ex* Assemb. publique Soc. Roy. Montpellier, for 1779. No sp. n.]
 — Catal. des Oiseaux. 8vo. [n. p. or d.]. [No n. spp.]
- [Faujas de St Fond.] Mém. bois cerfs foss. 4to. *Grenoble*, 1776. [No sp. nn.]
 — Hist. Nat. Dauphiné. 8vo. *Grenoble*, 1781. [No sp. nn.]
 — Hist. Nat. Mont. St. Pierre. 2 vols. 4to. *Paris*, An VII. [No. sp. nn.]
- Favanne de Montcervelle. Catal. Cabinet M. de C. de ***. [Le Comte de la Tour d'Auvergne.] 8vo. *Paris*, 1784. [No sp. nn.]
- Favart d'Herbigny. Dict. H. N. Testacées. 3 vols. 12mo. *Paris*, 1775. [n. b.]
- Feige, C. T. L. Anweisung Blumenwiklers. 8vo. *Berl.* 1790. [No n. spp.]
- Feldmann, B. Diss. comp. anim. plantes. 8vo. *Berol.* 1780. [No n. spp.]
- Ferber, J. J. Briefe aus Wälschland [Italy]. 8vo. *Pra.*, 1773. [Mineral.]
 — Trav. through Italy. 8vo. *Lond.* 1776. [Mineral.]
 — Oryctogr. Derbyshire. 8vo. *Mittau*, 1776. [Geology.]
 — Anmerk. Kurland. See J. B. Fischer.
- Fermin, P. H. N. Hollande equinox. 8vo. *Amst.* 1765. [No sp. nn.]
 — Descr. Colonie Surinam. 8vo. *Amst.* 1769. [n. b.]
 — (Nieuwe). 8vo. *Harlingen*, 1770. [n. b.]
 — Abh. Surinam Kröte. 8vo. *Braunschweig*, 1776. [No sp. nn.]
 — Tabl. Hist. Surinam. 8vo. *Maestricht*, 1778. [n. z.]
 — — 8vo. *Lond.* 1781. [n. z.]
- Ferryman, R. Catal. Brit. Quad. Birds in the Museum of R. Ferryman. 8vo. *Bristol*, 1789. [No. sp. nn.]
- Fibig, J. Stud. Naturg. 8vo. *Mainz*, 1784. [No n. spp.]
- Fibig and Nau. *Bibl. gesammt. Nat.* 8vo. *Frankf.* 1789-90. [A Record.]
- Fichtel, J. E. v. Beitr. min. Siebenburgen. 4to. *Nürnb.* 1780. [No sp. nn.]
 — Min. Bemerk. Karpath. 8vo. *Wien*, 1791. [No sp. nn.]
- Fichtel and Moll. Test. Microsc. 4to. *Wien*, 1798: ed. 2, 1803 (new T. P. only).
- Fischer, G. [de Waldheim]. Mém. respir. Anim. 8vo. *Paris*, An VI.

- Fischer, J. B. Vers. Naturg. Livland. 8vo. *Leipz.* 1778.
 ——— Ed. 2. 8vo. *Königsb.* 1791.
 ——— Zusätze. 8vo. *Riga*, 1784. [No n. spp.]
- Fischer, J. L. Obs. de Oestro Ovino. 4to. *Lips.* 1788. [No n. spp.]
 ——— Taeniae hydat. in plexu chor. 4to. *Lips.* 1789. [No sp. nn.]
 ——— Verm. intest. *See* Werner.
- Flad, J. D. Hist. Kirchenwurme. [*Ex Comm. Ac. Palat.* 111.]
- Fleischer, E. Udførlig afhandl. om Bier. 8vo. *Kiøb.* 1777. [No sp. nn.]
 ——— Algem. Natur-Hist. 8vo. *Schleswig*, 1793. [Meteor. &c.]
- Flodin, C. M. Diss. Entom. Med. 4to. *Lund.* 1780.
Florence. Acad. Cimento.
 ——— Atti e Mem. 3 vols. 4to. 1780. [No sp. nn.]
 ——— Soc. Georgofili.
 Atti. 8 vols. 1791-1817.
- Flurl, M. Beschr. Gebirge Baiern. 8vo. *München*, 1792. [Geol.]
- Flushing.* Zeewsch genoots. wetens. Vliissinge Verhand. 15 vols. 1769-92.
- Forcke, J. J. G. De verm. med. 4to. *Gött.* 1786. [No sp. nn.]
- Fornander, A. Diss. Obs. Zool. *See* Retzius.
- Forskal, P. Descript. Anim. 4to. *Hanniac*, 1775.
 ——— Icones rerum anim. 4to. *Hafniae*, 1776.
 ——— "Fauna Arabica" is "Descript. Anim."
- Forssander, M. E. Diss. de Genere in Hist. Nat. 4to. *Lond. Goth.* 1799. [No n. spp.]
- Forsten, R. Disq. med. Cantharid. Ed. alt. 8vo. *Argent.* 1776. [No sp. nn.]
- Forster, J. R. Catal. Brit. Insects. 8vo. *Warrington*, 1770.
 ——— Nov. Spec. Ins. 8vo *Lond.* 1771.
 ——— Catal. Anim. N. Amer. 8vo. *Lond.* 1771.
 ——— Liber de Byssos. 8vo. *Lond.* 1776.
 ——— Obs. made during Voy. round World. 4to. *Lond.* 1778.
 ——— Indische Zool. fo. *Halae*, 1781.
 ——— Enchiridion. 8vo. *Halae*, 1788.
 ——— ——— 8vo. *Edinb.* 1794. [A reset of the 1788 ed.]
 ——— Faunula Indica, 1795. *See* Latham and Davies.
 ——— Man. Hist. Nat. Oiseaux. 8vo. *Paris*, An VII.
- Forster, J. R. and Sprengel. Beytr. Landesk. 14 vols. 8vo. *Leipz.* 1781-1790.
- Fortgesetzte Beiträge Naturk. [Densø's.] 6 nos. 12mo. *Berlin*, 1765. [No n. spp.]
- Fortgesetzte Nachricht. wiss. K. Danske Reich. 4 vols. 8vo. *Köpen.* 1758-68. [No n. spp.]
- Fortis, A. Saggio...Cherso ed Osero. 4to. *Venez.* 1771. [No sp. nn.]
 ——— Viaggia Dalmatia. 2 vols. 4to. *Venez.* 1774. [No sp. nn.]
 ——— Reise Dalmatia. 2 vols. 8vo. *Bern*, 1776. [No sp. nn.]
 ——— Trav. Dalmatia. 4to. *Lond.* 1778. [No sp. nn.] [Other eds. not troubled about.]
 ——— Beschr. Thales Ronca. 8vo. *Heid.* 1779. [n. b.]
 ——— Ossa d'Elephantii. 8vo. *Vicenz.* 1786. [No sp. nn.]
- Fortis, J. B. Lettera al Testa...pesci monti di Bolca. 4to. [Venezia 10 Ap. 1793.]
 [No sp. nn.]
- Fothergill, C. Ornith. Britannica. fo. *York*, 1799. [12 pp. in Latin and English.]
- Fothergill, J. Works of. 2 vols. 8vo. *Lond.* 1783. [No sp. nn.]
 ——— ——— 4to. *Lond.* 1784. [No sp. nn.]
- Fourcher d'Obsonville. Essais phil. mœurs anim. 8vo. *Paris*, 1783. [No sp. nn.]
- Fourcroy, A. F. de. Entom. Paris. 18mo. *Paris*, 1785.
 ——— Elem. Hist. Nat. 5 vols. 8vo. *Basle*, 1798. [No n. spp.]
- Francillon, J. Acc. of Scarabæus. 4to. *Lond.* 1795.
- Fränkische Samml. Naturlehre. 8 vols. 8vo. *Nürnb.* 1756-68. [Med.; no n. spp.]
- Freissleben, J. C. Bemerk. u. d. Harz. 8vo. *Leipz.* 1795. [Mineral.]
- Frenzel, D. Verz. Edelgest. &c. 8vo. *Chemn.* 1769. [Mineral.]
- Fréville, J. F. J. Hist. chiens célèbres. 18mo. *Paris*, 1796. [No sp. nn.]
 ——— Gesch. berühm. Hunde. 8vo. *Leipz.* 1797. [No sp. nn.]
- Frisch, J. Leonhard. Insecten Teutschlands, 1720-38. [A few parts of this book were re-issued later—it is not binominal.]

- Frisch, J. Leonhard. Vorst. Vögel Teutschlands. 12 pts. fo. *Berl.* 1743-63. [n. b.]
 Frisch, J. Leopold. Natur-Syst. vier-füssigen Thiere. 4to. *Glogau*, 1775. [n. b.] *Suppressed 19 Decr 1953* *Opinion*
 Fuchs, G. F. C. De Dracunculo. 4to. *Fena*, 1781. [No sp. nn.]
 Fuessly, J. C. Verz. Schweiz. Insect. 4to. *Zurich*, 1775.
 — Arch. Hist. Insect. 4to. *Winterthur*, 1794.
 — See Magazin and Archiv.
- G., D. Foss. Dauphiné. See Genton.
- Gadd, P. A. Chem. Entom. unders. 4to. *Abö*, 1762. [No n. spp.]
 — Diss. Insect. piscator. 4to. *Abö*, 1769. [No n. spp.]
 — Sjo Fogels. 4to. *Abö*, 1769. [No n. spp.]
 — Forsok Svenska Landts-kotselen. 3 vols. 8vo. *Stock.* 1773-77. [Agric.]
- García de la Lena, C. Hist. Malaqueños. 4 vols. 4to. *Malaga*, 1789-93. [No sp. nn.]
 Garnett, T. Tour through Highlands. 2 vols. 4to. *Lond.* 1800. [No sp. nn.]
 Garrard, G. Descr. Oxen Brit. Isles. fo. *Lond.* 1800. [Economic.]
 Garriga, J. Discr. Esqueleto Quad. fo. *Madrid*, 1796. [No n. spp.]
 Gatterer, C. W. J. Brev. Zool. 8vo. *Gött.* 1780. [Appears to be a copy of Erxleben.]
 — Abh. Nutzen Thiere. 2 vols. 8vo. *Leipz.* 1781-82. [Economic.]
 Gaudin, J. Voy. Corse. 8vo. *Paris*, 1787. [Political.]
 — Reise Corse. 8vo. *Leipz.* 1788. [Political.]
- Geer, C. de. Mém. Insectes. 7 vols. 4to. *Stock.* 1752-1778. [Vols. 3-7 accepted.]
 — Abh. Gesch. Insect. [Goetze's ed.]
 — Gen. Spec. Insect...A. J. Retzius. 8vo. *Lips.* 1783.
- Gehler, J. C. Fossil. physiogn. 4to. *Lips.* 1786. [No sp. nn.]
 — De charact. fossil. 1790. Ed. 2. [Ex Ludwig, C. F., Delectus opuscul.] [No sp. nn.]
 — Ordinis med. in acad. Lips. [Prefatio de...Lips. Petref.] 4to. [*Lips.*] 1793.
 [No sp. nn.]
- Gemeinnutz. Nat. und Kunst. Mag. 8vo. *Berlin.* 2 pts. 1764. [No. sp. nn.]
- Genees Nat. Huishoud-Kundig. Jaarboeken.
 Vols. 1-5. 8vo. *Dordrecht*, 1778-81. } [Mainly reprints; rest chiefly
 Nieuwe...5 vols. 1782-84. } technical.]
 Allgemene...6 vols. 1785-89. }
- Genees Tijdschrift. 4 vols. 8vo. *Rotterdam*, 1768-71. [No n. spp.]
- General Mag. of Arts and Sci. See B. Martin, Nat. Hist. of England.
- Genssane, De. Hist. Nat. Languedoc. 5 vols. 8vo. *Montr.* 1776-79. [Geol., Min., Agric.]
- Genssler, C. J. Der Maikäfer. 8vo. *Gotha*, 1796. [No n. spp.]
- [Genton.] Mém. Foss. Dauphiné. 8vo. *Avignon*, 1781. [No sp. nn.]
- Geoffroy, E. L. [Hist. abrégée Insectes. 2 vols. 4to. *Paris*, 1762. [Genera accepted.] *Rejected*
 — Ed. 2. 4to. *Paris*, An VII. *Opinion 228. N:O:O: 1953 as not binominal*
 — Descr. 719 Plantes, &c. 8vo. *Paris*, 1767. [Gen. nov.]
 — Traité de Coquilles. 12mo. *Paris*, 1767. [Gen. nov.]
 — Kurze Abh. Conchyl. [Martini's ed.] 8vo. *Nürnberg*. 1767.
- Geoffroy, —. Abh. Gehörwerkzeuge. 8vo. *Leipz.* 1780. [No sp. nn.]
- Georgi, J. G. Bermerk. Reise Russ. 2 vols. 4to. *St Petersburg*, 1775.
 — Vers. Besch. Russ. K. Residenzstadt. 8vo. *Riga*, 1790 [1793]. [No n. spp.]
 — Geogr. phys. naturh. Russ. Reichs. 8vo. *Königsb.* [Vol. VI. pt. 3, 1800; no n. spp.]
- Gerbi, R. Stor. Nat. nuovo Insetti. 8vo. *Firenze*, 1794.
 — Ed. 2. 8vo. *Venez.* 1795. [*Rhinocyllus* quoted from this tract does not occur therein.]
- Germany.* Acad. Caes. Leop. Carol.
 Nova Acta. 4to. *Nuremberg*. Vols. II-VIII. (1791).
- Gesellschaftliche (N.) Erzähl. Lieb. Naturlehre. 25 pts. 8vo. *Leipz.* 1758. [No n. spp.]
- Gesenius, W. Vers. Lepid. Encyklop. 8vo. *Erfurt*, 1786. [No n. spp.]
- Gesner, J. [Tract. phys. de Petrif. 8vo. *Lugd.* 1758. [Many of the early names applied to fossils date from this tract.] *Suppressed 6 Decr 1953 Opinion 229*
- Gevens, N. G. Belust. Reiche Natur. 4to. *Hamb.* 1790.
- Gevers, —. See Museums.

Giessen. Soc. Ac. Sci. Hassicae.

Acta. 1 vol. 4to. *Francof.* 1771. [No n. spp.]

Gilibert, J. E. *Indag. Nat. Lithuania.* 8vo. *Vilnae*, 1781. [No n. spp.]

Gilij, F. S. *Saggio Stor. Americana.* 4 vols. 8vo. *Roma*, 1780-84. [No sp. nn.]

— *Agri Romana Hist. Nat.* 8vo. *Romae*, 1781. [n. b.]

Ginanni, F. *Osserv. Insetti.* See no. 2.

— *Malattie del Grano.* 4to. *Pesaro*, 1759. [No sp. nn.]

— *Prod. nat. Mus. Ginanni.* 4to. *Lucca*, 1762. [n. b.]

— *Pinete Ravennati.* 4to. *Roma*, 1774. [No sp. nn.]

Gioeni, G. *Descr. n. fam. e gen. Testacei.* 8vo. *Nap.* 1783. [*Gioenia* does not occur.]

Giorna, —. *Cal. Entom.* 8vo. *Torino*, 1791.

Giraud-Soulavie, —. *Hist. Nat. France mérid.* 8 vols. 8vo. *Paris*, 1780-83. [Bot., Min., Geol.]

Glabach, G. J. *Abbild. von Schmett.* 4to. *Frankf.* 1774. [Hagen says this was the same work as the "Beschreibung."]

— *Beschr. europ. Schmett.* 4to. *Frank.* 1777. [No n. spp.]

— *Namen u. Preis Verz. Schmett.* [Is pp. 112-158 of A. C. Kuehn, *Kurz. Anleit. Insect.*, ed. 2, 1783; see also *Stettin Ent. Zeit.* xvi. 1855, p. 94.]

— *Catal. Schmett. nicht in Roesel, &c.* [Is pp. 159-182 of Kuehn, *ibid.*]

Gläser, F. G. *Bytr. Naturg. Bergpölicy.* 4to. *Leipz.* 1780. [Mineral.]

Glaser, J. F. *Phys. Oek. Abh. schädli. Raupen.* 8vo. *Leipz.* 1780. [No sp. nn.]

Gleditsch, J. G. *Verm. phys.-bot.* 3 vols. 8vo. *Halle*, 1765, 1766, 1767.

— *Syst. Einl. Forstwissen.* 2 vols. 8vo. *Berl.* 1775. [No n. spp.]

Gleichen, W. F. *Gesch. Stubenfliege.* 4to. *Nürnb.* 1764. [34 pp. 4 pls. No sp. nn.]

— *Ed. 2.* 4to. *Nürnb.* 1790. [32 pp. 4 pls. No sp. nn.]

— *Hist. mouche commune.* 4to. *Nürnb.* 1766. [No sp. nn.]

— *Ed. 2.* 4to. *Nürnb.* 1790. [No sp. nn.]

— *Das neueste...Reiche Pflanzen, &c.* fo. *Nürnb.* 1764. [No sp. nn.]

— *Découvertes nouvelles règne végétal.* fo. *Nuremb.* 1770. [No sp. nn.]

— *Auserles. mikros. Entdeck.* 4to. *Nürnb.* 1777-81. [No sp. nn.]

— *Saamen und Infusionsthierchen.* 4to. *Nürnb.* 1778. [No sp. nn.]

— *Blatlause.* 4to. *Nürnb.* 1787. [No sp. nn.]

— *Diss. générat. anim. sperm.* 4to. *Paris*, An VII. [No sp. nn.]

Gmelin, J. F. *Abh. Wurmtröcknis.* 8vo. *Leipz.* 1787. [No n. spp.]

— *Linné Vorlst. Natursyst. des Mineralreiches.* 4 vols. 8vo. *Nürnberg*, 1777-85. [No sp. nn.]

— See J. Bruce.

— See Linnaeus.

Gmelin, P. F. *Onomatologia.* 7 vols. 8vo. *Ulm*, 1758-77. [n. b.]

Gmelin, S. G. *Reise Russ.* 4to. *St Petersburg.* I. 1770; II. and III. 1774; IV. 1784 [pp. 132-218 are by K. Hablitzl].

Göttingen. Soc. Regia Sci.

N. Comm. I-VIII. 1771-1778.

Comm. I-XIV. 1779-1800.

Deutsche Schriften. 1 vol. 8vo. 1771.

Göttingische Anzeigen von gelehrten Sachen. 111 vols. 8vo. *Gött.* 1753-1800. [Reviews.]

Göttingische gelehrte Anzeigen. See previous entry.

Göttingisches Journ. Naturwiss. 4 pts. 8vo. *Gött.* 1797-98. [Reprints from Ac. Svenska.]

Göttingisches Mag. Wissen. 4 vols. 12mo. *Gött.* 1780-85.

Goetz, G. F. *Naturg. Vögel.* 8vo. *Hanau*, 1782. [No n. spp.]

Goeze, J. A. E. *Entom. Beytr.* 4 vols. 8vo. *Leipz.* 1777-83. [n. b.]

— *Vers. Nat. Eingeweidwürmer.* 4to. *Blank.* 1782.

— *Neueste Entdeck. Schweinfleisch. Blasenwürmer.* 8vo. *Halle*, 1784.

— *Nützl. allerley Natur.* 6 vols. 8vo. *Leipz.* 1785-88. [General and popular.]

— 3 vols. 8vo. *Leipz.* 1788.

— *Ueber Quedlinburg Einhorn.* 12mo. *Qued.* 1786. [No sp. nn.]

— *Europ. Fauna.* 9 vols. 8vo. *Leipz.* 1791-1803. [No n. spp.]

— *Verz. Nat. meiner Cabinet.* 8vo. *Leipz.* 1792. [No n. spp.]

- Goeze, J. A. E. Natur, Menschenleben, &c. Ed. 2. 7 vols. 8vo. *Leipz.* 1796. [General and popular.]
- Erster Nachtr. Eingeweidewürmer. [Zeder's ed.] 4to. *Leipz.* 1800.
- Görlitz. Oberlausitz Ges. Wissen.
 Lausitzische Monatschrift. 32 vols. 8vo. 1793-1808.
- Gothaische Gelehrte Zeitung ausl. Literatur. 8vo. *Gotha*, 1787-94. [Reviews.]
- Gothaisches Mag. Kunst. Wiss. 2 vols. 8vo. *Gotha*, 1776-77. [No spp. nn.]
- Gotheborg. Gotheborgs Wet. Witt. Samh.
 Handl. (wet. afdel.). 4 pts. 8vo. I. 1778; II. 1780; III. 1785; IV. 1788.
- Gotheborgska Mag. 8vo. *Goth.* 1759-62.
 Continued as—Bihang. Jan.—June, 1763.
 Nya Veckobladet. July—Dec. 1763.
 Goth. Wecko-bladet för Ar 1765.
- Gothenburg Mag. See Gotheborgska Mag.
- Gottwaldt, C. Bemerk. Schildkroten. 4to. *Nürnberg*. 1781. [No sp. nn.]
- Bemerk. Biber. 4to. *Nürnberg*. 1782.
- Gouan, A. Hist. Piscium. 4to. *Argent.* 1770.
 — Gesch. Fische. [Meidinger's ed.] 8vo. *Wien*, 1781.
- Gould, G. Obs. Florida Keys. 4to. *Lond.* 1796. [No n. spp.]
- Graindorge, A. de. Traités...des macreuses. In Traités très rares &c. 12mo. *Paris*, 1780.
 [No sp. nn.]
- Graumann, P. B. C. Brevis introd. Hist. Nat. 8vo. *Rostock*, 1779.
- Gresalvi, S. Stor. Nat. Corsica. 8vo. *Firenze*, 1774. [No sp. nn.]
- Grisogono, P. N. Stor. Nat. Dalmazia. 4to. *Trevigi*, 1780. [No sp. nn.]
- Gronovius, L. T. Zoophylacium. fo. *Lugd.* I. 1763; II. 1764; III. 1781. [gen. nov.] *unpublished*
 — Mus. Gronov. See Meuschen. *see above* 20, 89, 261, 23 Oct 1952.
- Gros, B. F. De Moscho. 4to. *Tubingae*, 1790. [Medical.]
- Grossinger, J. B. Univ. Hist. Regn. Hungariae. 4 vols. 8vo. *Posonii*, 1793-94. [n. b. but excellent for reference.]
- Grubers, T. Briefe Krain. 8vo. *Wien*, 1781. [No sp. nn.]
- Grundig, C. G. N. Vers. Nat. Ober-Sachsen. 8vo. *Schneeberg*. Pts. 41-48, 1758-1765.
 [No sp. nn.]
- Gruner, G. S. Naturg. Helvet. in J. S. Wyttenbach, Beitr. Nat. Schweizerlands. 8vo. *Bern*, 1775. [No sp. nn.]
- Hist. Nat. Suisse. 8vo. *Neuchatel*, 1776. [No sp. nn.]
- Gualandris, A. Lettere oedepor. 8vo. *Ven.* 1780. [No sp. nn.]
- Gueldenstadt, J. A. Reise Russ. [Ed. Pallas.] 4to. *St Petersburg*, I. 1787; II. 1791.
- Guenther, F. C. Samml. Eyern Vogel Cab. Schmidels. fo. *Nürnberg*. I. 1772; II. (by Leske) 1784.
- Guericke, J. E. T. De Moscho. 4to. *Erfordia*, 1776. [Medical.]
- Guettard, J. E. Mém. diff. part. Sci. 5 vols. 4to. *Paris*, I. 1768; II. III. 1770; IV. V. 1783. [gen. nov.]
- N. coll. Mém. diff. part. Sci. 4to. *Paris*, 1786.
- Gumilla, J. Hist. Nat. Orenoque. 3 vols. 12mo. *Avignon*, 1758. [No sp. nn.]
- Hist. Nat. Rio Orinoco. 2 vols. 4to. *Barcelona*, 1791. [No sp. nn.]
- Gunnerus, J. E. Flora Norvegica. 2 vols. fo. *Nidrosiae et Hafniae*, 1766. [Spongida.]
- Haarlem.* Bataaf. Maats. Wet.
 Nat. Verh. 8vo. *Amsterdam*, I. 1799.
- Holland. Maat. Wet.
 Verh. Vols. I—XXX (1759-1793).
 Abh. 2 vols. 8vo. *Altenburg*, 1758.
- Teylers Tweede Genoot.
 Verh. Vols. I—X (1781-1800).
- Haas, J. A. v. Beob. Rindenkäfer. 8vo. *Erlangen*, 1793. [No n. spp.]
- Habel, C. F. Beitr. Nat. Nassau-Länder. 8vo. *Dessau*, 1784. [No sp. nn.]
- [Hablizl, C.] Fiz. opis. Tavrich. fo. *St Petersburg*, 1785.

- [Hablizl, C.] Descr. phys. Tauride. 8vo. *La Haye*, 1788.
 — Phys. Besch. Taurisch. 8vo. *Hanover*, 1789.
 [—] Nat. Hist. Tartary. 8vo. *Lond.* 1789.
 Hacquet, B. Oryct. Carniol. 4to. *Leipz.* Pt. 1, 1778; 2, 1781; 3, 1784; 4, 1789. [No sp. nn.]
 — Nachr. Verst. Schalthier. 8vo. *Weimar*, 1780. [n. b.]
 — Min. Bot. Reise Terglon. 8vo. *Wien*, 1784. [No sp. nn.]
 — Reise Dinarischen Alpen. 8vo. *Leipz.* 1785. [No n. spp.]
 — Reise Karpath. 4 vols. 8vo. *Nürnb.* I. 1790; II. 1791; III. 1794; IV. 1796.
 — Reise norischen Alpen. 8vo. *Nürnb.* 1791. [No n. spp.]
 Hagen, C. G. Diss. de Furia. 4to. *Regiom.* 1790. [No n. spp.]
Hague. Nat. Genes. corresp. Soc.
 Verh. 1783-94. { [No n. spp.]
 Verh. omtrent. 1794. {
 Haidinger, C. Eintheil. Naturaliensamm. *Wien*, 1782. [Mineral.]
 — Disp. rerum Nat. Mus. Caes. *Vind.* 4to. *Vind.* 1782. [Mineral.]
Halle. Nat. Gesell.
 Abh. 1 vol. 8vo. 1783.
 Haller, J. S. Naturges. 2 vols. 8vo. *Berl.* 1757, 1760. [n. b.]
Hamburg. Ges. beförd. Kunste, &c.
 Verh. and Schrift. 7 vols. 8vo. 1792-1807. [No n. spp.]
 Hamburgisches Mag. 8vo. *Hamburg.* Vol. XXI. (1758)-1771.
 Hamilton, W. Letters N. Coast Antrim. 8vo. *Dublin*, 1790. [Mineral.]
 Hammer, C. Fauna norwegica. 8vo. *Kiob.* 1775. [n. b.]
 Hanauisches Magazin. 8 vols. 8vo. *Hanau*, 1779-85. [Popular.]
 Hannoverische Beyträge. 4 vols. 8vo. *Hann.* 1759-62. [General.]
 Hanseatisches Magazin. 6 vols. 8vo. *Bremen*, 1799-1802. [Litt. phil.]
 Happ, C. F. Verm. intest. 4to. *Lips.* 1780. [No n. spp.]
 Happe, A. F. Abbild. Schmett. Afrika, &c. 2 pts. fo. *Berl.* 1783-84. [Not seen; apparently a German version of Cramer. See Engelmann, pp. 526 and 485.]
 Harrer, G. A. Besch. Schaeffer Icones. 8vo. *Regensburg*, 1784.
 — — 4to. *Regensburg*, 1791. [Differs from 1784 ed., more n. spp.]
 Harris, M. English Lepid. 8vo. *Lond.* 1775. [No n. spp.]
 — Expos. English Insects. 4to. *Lond.* 1776.
 — — Ed. 3. 4to. *Lond.* 1782. [Same as ed. 1, but with engraved T. P.]
 — Aurelian. fo. *Lond.* 1766.
 — — Ed. 2. fo. *Lond.* 1778.
 — — Ed. 3. fo. *Lond.* 1794. [New T. P., and re-set Tables; otherwise same as 1778 ed.]
 Hartmann, J. B. Diss. Hirudine. 8vo. *Viennae*, 1777. [n. sp.]
 Hasse, J. G. Der aufgefunden. Eridanus. 8vo. *Riga*, 1796. [No n. spp.]
 Hasselquist, F. Reise Paläst. 8vo. *Kostock*, 1762.
 — Voy. Levant. 8vo. *Lond.* 1766. {
 — Voy. Levant. 12mo. *Paris*, 1769. { [Trans. of 1.]
 Hauf, F. J. Margaritologie. 8vo. *Munch.* 1795. [No n. spp.]
 Hausmann, J. F. L. See Entom. Bemerk.
 Hausvater (Der). 5 vols. 8vo. *Hannover*, 1764-70. [General: Th. II. contains a Bibliothek of Botan., Zool., etc.]
 Hayes, W. Nat. Hist. Brit. Birds. fo. *Lond.* 1775.
 — Portraits Birds Osterley Park. 4to. *Lond.* 1794.
 Hearne, S. Journ. from Prince of Wales Fort. 4to. *Lond.* 1795. [No sp. nn.]
 Heerkens, G. N. Aves Frisicae. 8vo. *Rott.* 1788.
 Heim, J. L. Kurz. Uebers. Thüringerwaldes. 8vo. *Nürnb.* 1796-1812. [Geology.]
 Helfrecht, I. T. B. Das Fichtelgebirge. 8vo. *Hoff*, 1799-1800. [Geology.]
 Helmuth, J. H. Volksnaturges. 7 vols. 8vo. *Leipz.* 1795-1805. [No n. spp.]
 Helvetische Monatschrift (Hopfner's). 8 pts. 8vo. *Winterthur*, 1799-1801. [No sp. nn.]
 Helvetisches Entom. See Schellenberg.
 Hennert, C. W. Ueber Raupenfrass. 4to. *Leipz.* 1795. [Not seen; see 2.]

- Hennert, C. W. Ueber Raupenfrass. Ed. 2. 4to. *Leipz.* 1798. [Forestry; no n. spp.]
- Hennings, J. C. Ahndungen d. Thiere. 8vo. *Leipz.* 1783. [No sp. nn.]
- Heppel, J. C. Drey Reihe Natur. 3 vols. 4to. *Nürnb.* 1776-80. [No sp. nn.]
- Abbild. Beschr. Fische. 3 pts. 8vo. [*Nürnberg*]. [? a piracy of Bloch—
- Pt. 1. 1787. pp. 1-36, pls. i-ix.
- Pt. 2. [1787.] pp. 37-72, pls. x-xix.
- Pt. 3. [1800.] pp. 72-104, pls. xx-xxix.
- The parts called "Ausgaben"; see Kayser, Index librorum; my copy is in original wrappers.]
- Herbst, J. F. W. Vers. Nat. Krabben. 3 vols. 4to. *Berl.* 1782-1804. I. (1) 1-86, 1782; (2-5) 87-182, 1783; (6) 183-206, 1785; (7) 207-238, 1788; (8) 239-274, 1790; II. (1) 1-48, 1791; (2) 49-78, 1792; (3) 79-98, 1793; (4) 99-146, 1793; (5) 147-162, 1794; (6) 163-225, 1796; III. (1) 1-66, 1799; (2) 1-46, 1801; (3) 1-54, 1803; (4) 1-50, 1804.
- Einleit. Kennt. Insect. 3 vols. 8vo. *Berl.* 1784-87. [A separate from Borowski, q. v.]
- Einleit. Kennt. Würmer. 2 vols. 8vo. *Berl.* 1787-88. [A separate from Borowski, q. v.]
- Natursyst. ungeflüg. Insekt. 4 pts. 4to. *Berl.* 1, 1797; 2, 1798; 3, 1799; 4, 1800.
- Hermann, B. F. Beitr. Phys. Oek. Min. 3 vols. 8vo. *Berl.* 1786-88. [Trav. and metal.]
- Hermann, J. Preisschrift K. Soc. Wiss. Gött. schädlichen Insect. 4to. *Hann.* 1775. [No n. spp.]
- Hermann, J. (of Strassburg). Affin. Anim. tab. 4to. *Argent.* 1777. [No n. gen. in this ed.]
- — Ed. 2. 4to. *Argent.* 1783. [gen. nov.]
- Progr. ad orat. inaug. and Progr. in exordio Reg. Acad. fo. *Argent.* 1782. [No sp. nn.]
- Amphib. virt. med....Scinci. 4to. *Argent.* 1789. [No n. spp.]
- Hermann, J. F. Etwas über Corallen. 8vo. *Strassb.* 1788. [*Ex N. Mag. Frauenzimmer.* No sp. nn.]
- Hernandez, F. Opera. [Ed. Ortega.] 3 vols. fo. *Matriti*, 1790. [No sp. nn.]
- Hessische Beitr. Gelehrt. Kunst. 2 vols. 8 pts. 8vo. *Frankf.* 1784-87. [No n. spp.]
- Hill, J. Fossils arranged, &c. 8vo. *Lond.* 1771. [Mineral.]
- Decade of curious Insects. 4to. *Lond.* 1773.
- Artif. arrang. Fossils. 8vo. *Lond.* 1774. [Mineral.]
- Hiller, J. F. De Papillione ferali...Ovid, Metam. X u. 372 sqq. 4to. *Vitemb.* 1761. [n. z.]
- Hiort, O. J. Um Hreindyr. [*Ex Rit pesz Islens.: see Copenhagen, Pesz.*]
- Hirsching, F. C. G. Allgem. Arch. Landes-Volk. 2 vols. 8vo. *Leipz.* 1790-91. [No n. spp.]
- Holandre, —. Hist. Nat. Quad. vivip. 4 vols. 8vo. *Deux Ponts*, 1790. [No sp. nn.]
- Holten, H. S. Danmarks og Norges Fauna. 8vo. *Kiøb.* 1800. [No n. spp.]
- Holthuisen, —. Mus. Holthuisen. 4to. *Hamburg*, 1795. [*See Annals Mag. Nat. Hist.* [7] III. 1899, p. 272.]
- Hoppe, D. H. Enum. Insect. 8vo. *Erlangen*, 1795.
- Entom. Taschenbuch. 2 vols. 8vo. *Regensb.* 1796-97.
- Horn, G. New treatise on Leeches. 8vo. *Lond.* 1798. [No n. spp.]
- Horrebow, N. Nat. Hist. Iceland. fo. *Lond.* 1758. [No sp. nn.]
- Descript. Hist. Islande. 2 vols. 12mo. *Paris*, 1766. [No sp. nn.]
- Höslin, P. *See* Linnaeus.
- Hotz, J. De Balneis infantum. 4to. *Tubing.* 1758. [Erroneously ascribed to Sigwart.]
- Houttuyn, M. Natuur. Hist. 37 vols. 8vo. *Amst.* 1761-1785.
- Mus. Houttuyniani. Pars I. 8vo. *Amst.* (1786). [Anonymous, a few n. spp. undescribed, therefore not recorded: Insecta not binom.]
- Huber, F. Obs. sur les Abeilles. 8vo. *Paris*, 1792. [No sp. nn.]
- J. Obs. vol oiseaux de proie. 4to. *Gen.* 1784. [No sp. nn.]
- Hubner, J. Beitr. Ges. Schmett. 2 vols. 8vo. *Augsburg.* I. (1) 1786; (2) [1787]; (3) [1788]; (4) 1789; II. 1790.
- Samml. auserl. Vogel u. Schmett. 8vo. *Augsb.* 1793.
- Samml. europ. Schmett. [*See Ann. Mag. Nat. Hist.* [7] II. 1898, p. 491.]
- Huebner, J. G. Gedanken...schädll. Raupen zu vertilgen. 8vo. *Dessau*, 1781. [No n. spp.]
- Hufnagel* - writer in *Berl. Mag. q.v.*

- Hüpsch, J. W. C. A. F. Neue Naturg. Schaalthiere. 8vo. *Frankf.* 1768. [Names not used in a generic sense.]
 — Syn. Tab. Nat.-Kab. Hüpsch. 8vo. *Cöln*, 1797. [Mineral.]
 — Naturges. Niederdeutschlands. 4to. *Nürnl.* 1781. [No sp. nn.]
 [Humphrey, G.] I—VI. Numbers of a Conchology. fo. *Lond.* 1770—71. 26 pp. 12 pls.
 [No sp. nn.; some say this was published by Da Costa.]
 — Mus. Calonn. 8vo. *Lond.* 1797.
 Hunter, J. Disp. de Hominum. 8vo. *Edin.* 1775. [No n. spp.]
 Hunter, J. (Captain R.N.). Journ. trans. Port Jackson. 4to. *Lond.* 1793.
 Hurtle, T. Account Nat. Cur. Malham. 8vo. *Lond.* 1786. [Geology.]
 Hutchinson, T. Frog Fish of Surinam. 4to. *York* [1797].
- Imlay, G. Topogr. Descr. N. Amer. 8vo. *Lond.* 1792. [No n. spp.]
 — Nachr. Nordamerik. [Zimmerman's ed.] 8vo. *Berl.* 1793. [No n. spp.]
 — Topogr. Descr. N. Amer. Ed. 2. 8vo. *Lond.* 1793. [No n. spp.]
 Ingen-Hous, J. Vermischte Schriften. 8vo. *Wien*, 1782. [No sp. nn.]
 — — Ed. 2. 8vo. *Wien*, 1784. [No sp. nn.]
 — Misc. Phys. Med. 8vo. *Viennae*, 1795. [No sp. nn.]
Ingoldstadt. Acad.
 Annales. 4 pts. 4to. 1782. [No sp. nn.]
 Isert, P. E. Reis na Guinea. 8vo. *Dord.* 1790. [No sp. nn.]
 Iter Poseg. *See* Piller.
 Ittiologia Veronese. fo. *Verona*. Pt. 1, pp. i—lii, 1796; 2, pp. liii—cclxxxii (circa 1800);
 3—end, 1809.
- Jablonsky & Herbst. Nat. Insekt., Schmett. 11 vols. 8vo. *Berl.* 1783—1804.
 — — Nat. Insekt., Käfer. 10 vols. 8vo. *Berl.* 1785—1806.
 Jacob, E. Fossil Shepeiana. In "Plantae Faversham." 8vo. *Lond.* 1777. [No sp. nn.]
 Jacquin, J. F. E. v. Beytr. Ges. Vögel. 4to. *Wien*, 1784.
 Jacquin, N. J. Misc. Aust. 2 vols. 4to. *Vind.* 1778, 1781.
 — Coll. Botan. 5 vols. 4to. *Vind.* 1786, 1788, 1789, 1790, 1796.
 Jäger, J. H. Kennt. Borkenkäfers. 8vo. *Jena*, 1784. [No n. spp.]
 Jägerschmid, K. F. V. Das Murgthal. 8vo. *Nürnb.* 1800. [No sp. nn.]
 Janisch, —. Verz. Nat. Kab. 8vo. *Hamb.* 1784. [No sp. nn.]
 Jansen, W. X. Reize Ital. 8vo. *Leyden*, 1793. [No sp. nn.]
 — Briefe aus Ital. 2 vols. 8vo. *Dusseldorf*, 1793, 1794. [No sp. nn.]
 Jauffret, L. F. Zoographie. 4to. *Paris*, An VIII.
Jena. Nat. Gesell.
 Nachr. von Gründung.
 Nachr. von Fortgange. 9 Jahrg. 8vo. 1794—1802. [No sp. nn.]
 Jirasek, J. *et alii.* Reisen Riesengebirge. 4to. *Dresden*, 1788—91. [No n. spp.]
 Jördens, J. H. Gesch. Fichtelraupe. 4to. *Hof*, 1798. [No n. spp.]
 Johansson, B. Cent. Ins. rar. *See* Linnaeus.
 Jolis, G. Saggio...Gran Chaco. 8vo. *Faenza*, 1789. [No sp. nn.]
 Jonaeus, W. De Piscatura...Balneis. 4to. *Hafn*, 1762. [No sp. nn.]
 Jonston, J. Theatr. Univ. 6 vols. fo. *Heilbron*, 1755—67.
 — Hist. Quad.
 De Avibus. }
 De Piscibus et Cetis. } fo. *Rothomagi*, 1768.
 Hist. Serpentum. }
 Theatr. Univ. }
 — De exsanguinibus aquaticis. fo. *Heilbron*, 1767.
 — Hist. Nat...Oiseaux. 2 pts. fo. *Paris*, 1773—74. Suite à Hist. Insect. et Plantes
 par Merian. [Jonston is n. b.]
 Josephi, W. Anat. Säugth. 8vo. *Gött.* 1787. [No sp. nn.]

- Journ. Beaux Arts et Sci. 36 vols. 8vo. *Paris*, 1768-75. [n. z.]
 Journ. Encyclop. 306 vols. 8vo. *Liège*, 1756-1793. [No sp. nn.]
 Journ. Erfind. Theor. Natur- u. Arzneiwiss. 11 vols. 8vo. *Gotha*, 1795-1809. [Medical.]
 Journ. Hist. Nat. (Lamarck, Bruguière, &c.). 2 vols. 8vo. *Paris*, 1792. [This is "Choix des Mémoires."]
 Journ. (Ny) Hushallningen. *Stock.* 1796-97. [No sp. nn.]
 Journ. Liebh. Entom. (Scriba's). 3 pts. 8vo. *Frankf.* 1790, 1790, 1791.
 Journ. Liebh. Steinreiches (Schroeter's). 6 vols. 8vo. *Weimar*, 1774-80. Followed by:—
 Journ. Lit. Kennt. Naturges. 4 vols. 8vo. *Weimar*, 1782. Followed by:—
 Neue Lit. und Beitr. Kennt. Naturges. 4 vols. 8vo. *Leipz.* 1784-87.
 Journ. des Mines. 8vo. *Paris*. Vols. I—X (1794-1801).
 Journ. de Physique. *See* Observations.
 Journ. polytype des Sci. 6 vols. 8vo. *Paris*, 1784-87. [No sp. nn.]
 Journ. des Scavans. 4to. *Paris*, 1757-1800. [n. z.]
 Journ. de Santé et Hist. Nat. de Bordeaux. 3 vols. 8vo. *Bord.* 1796-8. [Kindly recorded for me by Prof. J. Perez of Bordeaux.]
 Joyeuse, J. B. X. Hist. Vers....Biscuit. 12mo. *Avignon*, 1773. [No sp. nn.]
 Juliae et Montium. *See* Beuth.
 Julin, J. Tal om Djur-Rikets. 8vo. *Stock.* (K. Vet. Ak.), 1793. [No sp. nn.]
 Jung, C. C. Verz. europ. Schmett. 8vo. *Frankf.* 1782.
 ——— Ed. 2. 4to. *Marktbreit*, 1791, 1792.
 Justi, J. H. G. v Grundr. Mineralreiches, &c. 8vo. *Gött.* 1765. [No sp. nn.]
- Kaemmerer, C. L. Conch. Cat. Schwarzburg-Rudorphstadt. 8vo. *Rudolst.* 1786. [No sp. nn.]
 ——— Nachtrag. 8vo. *Leipz.* 1791. [No sp. nn.]
 Kämpfer, E. Ges. Japan. 2 vols. 4to. *Lemgo*, 1777-79. [No sp. nn.]
 Kaiser, C. F. De Cantharid. 4to. *Tubingen*, 1769. [No sp. nn.]
 Kalm, P. Resa Norra Amerika. 3 vols. 8vo. *Stock.* [Vol. 3 is 1761. No n. spp.]
 ——— Reise nord. Amer. 8vo. *Gött.* 1754, 1757, 1764. [No n. spp.]
 ——— Trav. North Amer. 8vo. *Warrington*, 1770, 1771, 1771. [No n. spp.]
 ——— Reis door noord Amer. 4to. *Utrecht*, 1772. [No n. spp.]
 ——— Trav. North Amer. (Forster's ed.). 2 vols. 8vo. *Lond.* 1772. [No n. spp.]
 ——— Hist. Nat. Pennsylv. 12mo. *Paris*, 1768. [n. b.]
 ——— Om den sa kallada Gras-eller. 4to. *Abo*, 1766. [No n. spp.]
 ——— Stickelbars busken. 4to. *Abo*, 1778. [No sp. nn.]
- Karsten, D. E. G. Mus. Leskeanum. 2 pts. 8vo. *Leipz.* 1789. [N. spp. of Insecta by Zschach.]
 Kerner, J. S. Naturg. Coccus. 8vo. *Stutt.* 1778.
 Kerr, R. Anim. Kingdom. 4to. *Lond.* 1792.
 [Kircher, A.] Rerum Nat. Hist. (ed. Bonanni and Battara). 2 vols. fo. *Romae*, 1773, 1782. [No sp. nn.]
 Klapproth, M. H. Obs. fossil. Cornwall. 8vo. *Lond.* 1787. [Mineral.]
 Kleeman, C. F. C. Kurz. Vorbericht Nat. Insect. (Beitr. Nat. Insect.) 4to. [*Nürnb.*] 1761-1794. [Vol. 2, by C. Schwarz.—*See* Roesel and Schwarz.]
 Klein, J. T. Lucubrat. subterr. 4to. *Petrop.* 1758. [Mineral.]
 ——— Ed. 2, 1760. [Mineral.]
 ——— Stemmata avium. 4to. *Leipz.* 1759. [n. b.]
 ——— Verbess. u. Vollst. Hist. Vögel (ed. Reyger). 4to. *Danz.* 1760. [n. b.]
 ——— Verbess. u. Vollst. Vögel Hist. (ed. Behn). 8vo. *Leipz.* 1760. [n. b.]
 ——— Nat. Ordn. Vierfüß. Thiere (ed. Reyger). 4to. *Danz.* 1760. [n. b.]
 ——— Classif. Vierfüß. Thiere (ed. Behn). 8vo. *Lubeck*, 1760. [n. b.]
 ——— Dubia circa Plant. marin. 4to. *Petrop.* 1760. [No sp. nn.]
 ——— Ova avium. 4to. *Leipz.* 1766. [n. b.]
 ——— Spec. descript. Petrif. Gedan. fo. *Nürnb.* 1770. [n. b.]
 ——— Descr. tubul. marin. 4to. *Gedan.* 1773. [n. b.]
 ——— Nat. disp. Echinoderm. (ed. Leske). [The genera listed in "Tabula Synoptica" on

pp. xvii—xx, have been accepted; many of the other specific binominals have been quoted to facilitate reference.]

- Klein, J. T. Ichthyol. (ed. Walbaum). 4to. *Lips.* 1793.
 Klein, M. Natur. K. Ungarn. 8vo. *Pressburg*, 1778. [No sp. nn.]
 Klockner, J. C. Waarn....Riverpaard. See Engelen.
 Klugel, G. S. Die gemein. Vernunft. Ed. 2. 8vo. *Berl.* 1791. [No n. spp.]
 Kniphof, J. H. De Pediculis. 4to. *Erf.* 1759.
 Knoch, A. W. Beitr. Insect. 3 pts. 8vo. *Leifz.* 1781, 1782, 1783.
 Knoll, F. Unterhalt. Naturwunder. 8vo. *Erf.* 1786. [Phys.]
 Knorr, G. W. Les Delices des yeux, ou Coll. gén. Coquill. 6 vols. 4to. *Nuremb.* 1760—1773. [No n. spp.]
 ——— Delic. nat. Selectae. (Ed. Müller.) 2 pts. 8vo. *Münich*, 1766—67.
 ——— ——— (Ed. Walch.) fo. *Nürnb.* 1778.
 Knorr, G. W., and Walch. Rec. des Monuments. 4 vols. fo. *Nuremb.* 1767—1778.
 ——— Naturges. Verstein. [Ed. 2.] fo. *Nürnb.* 1768—1773.
 Kob, J. A. Die wahre Ursache d. Baumtrockniss. 4to. *Erlangen*, 1793. [Pref. dated 1785; p. 46 dated 1768=1786. Banksian copy T. P. 1793, with a "Zwote Abth." by Panzer containing n. spp.]
 Kölpin, A. B. Oratio Hist. Nat. 8vo. *Gryphis.* 1766. [No sp. nn.]
 Koeleuter, J. G. Descr. Buprestis. In Hotz, de Balneis.
 Koestlin, C. H. Lettres Hist. Nat. Elbe. 8vo. *Vienne*, 1780. [No n. spp.]
 Kofod, B. P. Om Slinger. 8vo. *A'job.* 1799. [No n. spp.]
 Kramer, C. C. Dis. Insect. Danicae. 4to. *Hafn.* 1760. [No n. spp.]
 Kraschennikov, S. Beschr. Kamshatka. [1st ed. 1755.]
 ——— Hist. Kamtsch. 4to. *Gloucester*, 1764. [n. b.]
 ——— Beschr. Kamsh. 8vo. *Lemgo*, 1766. [Not seen.]
 ——— Hist. Kamtsch. 2 vols. 8vo. *Lyon*, 1767. [n. b.]
 ——— Hist. Kamtsch. 2 vols. 8vo. *Amst.* 1770, 1771. [n. b.]
 ——— Opis. Kamtsch. 4to. *Lemgo*, 1789. [n. b.]
 Kreysig, F. L. Momenta vitae veget. etc. 4to. *Wittenb.* 1796. [No sp. nn.]
 Krüniz, J. G. See Ellis.
 Kuehn, J. A. C. Diss. Ascaridibus. 4to. *Jenae*, 1798. [No sp. nn.]
 Kugelann, J. G. Verz. Käfer Preuss. (Illiger). 8vo. *Halle*, 1798.
 Kuhn, A. C. Anleit. Insekt. 8vo. *Eisenach*, 1773. [No sp. nn.]
 ——— ——— Ed. 2. 8vo. *Eisenach*, 1783.
 Lacepède, B. G. E. de. Hist. Nat. Quad. Ovip. et Serpens [=vols. 37 & 38 of Buffon, ed. 1]. Vol. I. 1788; II. 1789.
 ——— Hist. Nat. Poissons [=vols. 39—43 of Buffon, ed. 1]. Vol. I. 1798; Vol. II. 1800.
 ——— Discours—Tabl. méth. Mamm. et Oiseaux. 4to. *Paris*, An VII.
 ——— Naturges. Fische (ed. Loos). 2 vols. 8vo. *Berlin*, 1779, 1803 & 1804. [No n. spp.]
 ——— Naturges. Amphib. (ed. Bechstein). 5 vols. 8vo. *Weimar*, I. and II. 1800; III. 1801; IV. and V. 1802.
 La Faille. Versuch Naturg. Maulwurfes. 8vo. *Frankfurt*, 1778. [No sp. nn.]
 Laicharting, J. N. Verz. Tyroler Insekt. 2 vols. 8vo. *Zurich*, 1781—84. [Vol. II. (1) is 1784; all rest 1781.]
 Lammerus, M. De Ranis fossilibus. *Lund*, 1786—87. [Toads in holes.]
 Lamoignon-Malesherbes, C. W. Obs. Hist. Nat. Buffon. 2 vols. 8vo. *Paris*, 1798. [No
 ——— Bemerk. Allg. Nat. Buffons. 8vo. *Berlin*, 1800. [No sp. nn.] [sp. nn.]
 "Landmann." Naturg. der Kohlraupe. 12 mo. *Mannheim*, 1768. [No sp. nn.]
 Lang, H. G. Verz. seiner Schmett. 8vo. *Augsb.* 1782. [No n. spp.]
 ——— ——— Ed. 2. 8vo. *Augsb.* 1789.
 Lange, J. H. Briefe Versch. Naturg. 8vo. *Luneburg*, 1775. [n. b.]
 Langguth, G. A. De Torpedine. 4to. *Wittenb.* 1777. [No sp. nn.]
 ——— De Torpedinibus. 4to. *Wittenb.* 1777. [No n. spp.]
 ——— De Torpedine recent. 4to. *Wittenb.* 1778. [No n. spp.]
 ——— Opuscula Hist. Nat. 4to. *Wittenb.* 1784. [No n. spp.] [is 1738.]
 Lanzoni, J. Zool. parva. 4to. *Lausanne*, 1788. [This tract is wrongly quoted as 1788; it

- Lapeirouse, P. P. de. De novis quib. Orthocer. fo. *Erlang.* 1781. [No sp. nn.]
 — (in French). fo. *Erlang.* 1781. [No sp. nn.]
- La Pérouse. Voy. de la Pérouse autour du Monde. 4 vols. 4to. *Paris*, An v (1797).
 [No n. spp.]
- Larda (Nya) Tidningar. 7 vols. 8vo. *Stock.* 1774-80. [No sp. nn.]
- Larruga, —. See *Memorias politicas.*
- Lasius, G. S. O. Verz. Cab. Harz. Gebirgsarten. 8vo. *Han.* 1789. [Min.]
- Latham, J. Gen. syn. Birds. 5 vols. 4to. *Lond.* 1782-1801.
 — Index Ornith. 3 vols. 4to. *Lond.* 1790 & 1801.
 — Uebers. d. Vögel (ed. Bechstein). 6 vols. 4to. *Nürnberg.* 1792-1798. [New matter in "Zusätze" and "Anhang."]
- Latham, J., and H. Davies. Faunula Indica. fo. *Halae*, 1795. [The ed. 1 of this work was appended to ed. 2 of Pennant's Indian Zoology, 1791; this ed. was revised and added to by J. R. Forster.]
- Latreille, P. A. Précis caract. Insectes. 8vo. *Brive.* An v. [This was issued in 1796.]
 — Essai sur les Fourmis. 8vo. *Brive.* An vi (1798).
 — Hist. Nat. Salamandres. 8vo. *Paris.* An viii (1800).
- Launay, L. de. Mém. Foss. Belg. 4to. *Brux.* 1779 [ex Mém. Bruxelles].
 — Traité sur Hist. Nat. 8vo. *Lond.* 1780. [No sp. nn.]
- Laurenti, J. N. Syn. Reptil. 8vo. *Viennae*, 1768.
Lausanne. Soc. Sci. Phys.
 Mém. 3 vols. 1783-1790. [No sp. nn.]
- Lausitzisches Mag. 25 vols. 4to. *Görlitz*, 1768-92. [No n. spp.]
- Lautern. Kurpfälz. phys.-oek. Gesell.
 Vorlesung I—V. 8vo. *Mannheim*, 1785-91. [No sp. nn.]
 Staatswirth. Vorlesungen. 2 vols. 8vo. *Mannh.* 1791-92. [No sp. nn.]
 — Phys.-oek. und Bienengesell.
 Bemerk. Vols. for 1769-1783. [n. spp. Insects by Pollich in vol. for 1779 (1781)].
- Laxmann, E. Sibirische Briefe (ed. Schlözer). 8vo. *Gött.* 1769. [n. spp.; and notes by Beckmann.]
- Ledermüller, M. F. Vers. gründ. Ver. Saamenthiergen. 4to. *Nürnberg.* 1758. [No sp. nn.]
 — Mikros. Gemüths. 4to. *Nürnberg.* 1761. [No sp. nn.]
 — — Nachlese. 1792. [No sp. nn.]
 — Amusements Micros. 4to. *Nürnberg.* 1764-68. [No sp. nn.]
 — Abgenoth. Vertheid. 4to. *Nürnberg.* 1765. [No sp. nn.]
- Legrand, —. Voy. Auvergne. 8vo. *Paris*, 1794-95. [No n. spp.]
- Lehmann, J. C. Diss. Catal. Insect. Coleopt. 4to. *Gött.* 1796. [No sp. nn.]
- Lehmann, J. G. Kurtze Unters. Verst. Kornät. 4to. *Berl.* 1760. [No sp. nn.]
- Lehmann, M. C. G. Catal. Mamm. et Avium Goettingae auctionis. 8vo. *Gött.* 1799. [No sp. nn.]
- Leidenfrost, J. G. Opuscula phys. chem. 4 vols. 8vo. *Lemgo*, 1797-98. [No sp. nn.]
- Leipzig. Naturf. Privatgesell.
 — Nachricht. 8vo. *Leipz.* 1799. [No sp. nn.]
 — Sci. Nat. Comm.
 Comm. de rebus Sci. Nat. Vols. VII. (1758)—XXXVI. (1794). [Reviews.]
- Leipziger Mag. 8vo. *Leipz.* 1781-1784, 1786. [1785, 1787, 1788 not seen.]
- [Lelarge de Lignac, J. A.] Mém. Hist. Araignées aquat. Ed. 2. 8vo. *Paris*, 1799.
 [No n. spp.]
- Lempriere, W. Obs. Diseases Army Jamaica. 2 vols. 8vo. *Lond.* 1799. [No sp. nn.]
- Lengsfeld, J. Beschr. Bandwürme. 8vo. *Wien*, 1794. [n. b.]
- Lenz, J. G. Tabell. Verstein. 4to. *Jena*, 1780. [No sp. nn.]
 — Anfangsgr. Thierges. 8vo. *Jena*, 1783. [No n. spp.]
- Leonhardi, F. G. Naturges. 2 vols. 8vo. *Leipz.* 1791-92. [Min. and Bot.]
- Lepechin, I. Travels (Russicé). 3 vols. 4to. *St Petersburg.* 1771-1805. [n. b.]
 — Tagebuch Reise Russ. Reichs (Hasse's trans.) 3 vols. 4to. *Altenb.* 1774-83. [n. b.]
- Leske, N. G. Ichthy. Lips. 8vo. *Leipz.* 1774.
 — Phys. anim. commend. 4to. *Leipz.* 1775. [No sp. nn.]

- Leske, N. G. Anfangsgr. Naturges. 8vo. *Leipz.* 1779.
 ——— Ed. 2. 8vo. *Leipz.* 1784.
 ——— Drehen der Schafe. 8vo. *Leipz.* 1780. [No n. spp.]
 ——— Reise in Sachsen. 4to. *Leipz.* 1785.
 ——— Nestern und Eyern. See Günther.
 ——— Echinoderma. See Klein.
- Lesser, F. C. Insecto-theologie. 8vo. *Leipz.* 1758.—Other eds. not seen; the book is not systematic.
- Lettsom, J. C. Nat. & Trav. Companion. Ed. 3. 8vo. *Lond.* 1799. [No sp. nn.]
- Levaillant, F. Voy. intérieure Afrique. 2 vols. 8vo. *Paris*, 1790. [No sp. nn.]
 ——— Trav. Cape to Inner Africa (trans. Helme). 2 vols. 8vo. *Lond.* 1790. [Mere trans.]
 ——— ——— Ed. 3. 2 vols. 8vo. *Lond.* 1791. [Nothing new.]
 ——— Erste Reise Innere von Afrika (ed. Forster). 8vo. *Berl.* 1792. [n. spp.]
 ——— Second Voyage Afrique. 3 vols. 8vo. *Paris*, An III (1795). [No sp. nn.]
 ——— Voyage intérieure Afrique. Nouv. ed. 4to. *Paris*, An IV (1795-96). [No sp. nn.]
 ——— New Trav. interior Africa. 3 vols. 8vo. *Lond.* 1796. [No sp. nn.]
 ——— Hist. Nat. Oiseaux Afrique. 6 vols. 4to. *Paris*, An IV (1796)—1808. [No sp. nn.]
 ——— ——— 2 vols. 12mo. *Paris*, An VI (1798). [No sp. nn.]
 ——— Naturges. Afrik. Vögel (ed. Bechstein). 4to. *Nürnb.* 1797-1802. [n. gen.]
- [Lever, Ashton.] Companion to the Museum of. 2 pts. 4to. *Lond.* 1790.
 [——] Short Hist. of Insects. 12mo. *Norwich* [1797]. [No n. spp.]
- Lewin, W. Papilios of Great Britain. 4to. *Lond.* 1795.
 ——— Birds of Great Britain. 7 vols. 4to. *Lond.* 1789-94. [No n. spp.]
 ——— ——— 8 vols. 4to. *Lond.* 1795-1801. [Called ed. 2.]
- Lichtenstein, A. A. H. Comm. phil. de Simiarum. 8vo. *Hamb.* 1791.
 ——— Catal. rerum nat. 3 pts. 8vo. *Hamb.* 1793-94-96.
 [——] Catal. Mus. Zool. 8vo. *Hamb.* 1797. [For note to these two Catalogues see Ann. Mag. Nat. Hist. [7] III. 1899, p. 272.]
- Liebenroth, F. E. v. Geogn. Beobacht. Dresden. 4to. *Weissenfels*, 1798. [No sp. nn.]
- Liebknecht, J. G. Hassiae subter. 4to. *Frankf.* 1759. [No sp. nn.]
- Lier, J. v. Verh. Drentsche Slangen. 4to. *Amst.* 1781. [No sp. nn.]
- Linck, J. G. De Coccinellae. 4to. *Lips.* 1787.
 ——— De Raia Torped. 8vo. *Lips.* 1788. [No sp. nn.]
 ——— & F. A. Durr. Hist. Nat. Castoris. 4to. *Lips.* 1786. [No n. spp.]
- Linck, J. H. Index Mus. Linck. 8vo. *Lips.* 1783-86-87. [n. b.]
- Lindroth, P. G. Mus. Nat. Grillianum. 4to. *Holmiae*, 1788.
- Link, H. F. Beytr. Naturges. 8vo. *Rostock*, I. (1) 1794; (2) 1795; (3) 1797; II. (1) 1801.
 ——— Bemerk. Reise Frankr. Span. u. Portugal. 3 pts. 8vo. *Kiel*, 1800-1804. [Bot.]
- Linnaeus, C. Cent. Insect. rar. 4to. *Upsal.* 1758. [Cannot find this: ? the "Pandora" 1758 or "Centuria" 1763.]
 ——— Pandora Insect. 4to. *Upsal.* 1758. [No n. spp.]
 ——— Sus scrofa. 8vo. *Upsal.* 1759.
 ——— Generatio ambigua. 4to. *Upsal.* 1759.
 ——— Anim. composita. 4to. *Upsal.* 1759.
 ——— Anthropomorpha. 8vo. *Upsal.* 1760.
 ——— Meloe vesicatorius. 8vo. *Upsal.* 1762.
 ——— Centuria Insect. 4to. *Upsal.* 1763.
 ——— De Hirudine. 4to. *Upsal.* 1764.
 ——— Fundam. Ornith. 8vo. *Upsal.* 1765.
 ——— Hirudo medicinalis. 8vo. *Upsal.* 1765.
 ——— Necess. Hist. Nat. Rossiae. 8vo. *Upsal.* 1766.
 ——— Siren lacertina. 8vo. *Upsal.* 1766.
 ——— Mundus invisibilis. 4to. *Upsal.* 1767.
 ——— Fundam. Entom. 8vo. *Upsal.* 1767.
 ——— Fundam. Testac. 8vo. *Upsal.* 1771.
 ——— Pandora et Flora Rybyensis. 8vo. *Upsal.* 1771.
 ——— Termini Conchyl. (Ed. Beckmann.) 8vo. *Gött.* 1772.
 ——— ——— (Ed. Schroeter.) 8vo. *Weimar*, 1782.

- Linnaeus, C. *Esca Avium domest.* 8vo. *Upsal.* 1774.
 — *Bigae Insect.* 8vo. *Upsal.* 1775.
 — *Systema Naturae.* Ed. 10. 8vo. *Holmiae*, 1758-59.
 — [—] *Anim. spec. in classis, ordines, ... deposito.* 8vo. *Lugd.* 1759. [Agrees with ed. 10; no n. spp.]
 — — (praefatus est J. J. Langius.) 8vo. *Halae Magd.* 1760. [A piracy of ed. 10; contains a few misprints.]
 — — 8vo. *Leipz.* 1762. ["partim prodiit vitiosa. Nil additum."]
 — — fo. *Hague*, 1765. ["vera fraus bibliopolarum."]
 — — Ed. 12. 8vo. *Holmiae*, 1766-67-68.
 — — (Ed. Beckmann.) ("ed. 12 in epitoma.") 2 vols. 8vo. *Gött.* 1772. [No n. spp.]
 — — ("ed. 13, ad ed. 12 reform. Holmiensem"). 3 vols. 8vo. *Vindob.* 1767 and 1770 (II. and III.). [Reprint of ed. 12.]
 — — [—] *Genera anim.* ex ed. 12 *Syst. Nat.* (Ed. Ramsay.) 8vo. *Edinb.* 1771.
 — — (P. L. S. Müller's ed.) 6 vols. in 9. 8vo. *Nürnb.* [Suppl. (1776) contains the n. spp.]
 — — Ed. 13, cura J. F. Gmelin. 8vo. *Lips.* 1788-93.
 — — Ed. 13, cura J. F. Gmelin. 8vo. *Lugd. Bat.* 1789-96 (published by Delamollière). [Reprint of last.]
 — — See R. Kerr.
 — — (Trans. from ed. 13 by Vanderstegn van Putte.) 8vo. *Bruxelles.* I (1) Quad. 1793; II (2, 3, 4) Oiseaux. [No n. spp.]
 — — (Lehrbuch n. d. Natur-Systems, by P. Höslin.) 2 vols. 8vo. *Nürnb.* 1781-82. [Précis of Müller's ed. with plenty of misprints.]
 — — See Meidinger.
 — *Fauna Suecica.* Ed. alt. 8vo. *Stock.* 1761. (*This edition is 1746 prior to date and is not binomial.*)
 — — Ed. 3 by A. J. Retzius. 8vo. *Lips.* 1800.
 — Mus. Ludov. Ulrica. 8vo. *Holmiae*, 1764.
 — Mus. Adolph. Frid. 8vo. *Holmiae*, 1764.
 — *Reise durch Schwedische Provinzen.* (Ed. Schreber.) 2 vols. 8vo. *Halle*, 1764-65.
 — *Mantissa plantarum.* 8vo. *Holmiae*, pt. 1, 1767; pt. 2, pp. 445-588, 1771.
 — *Delic. Naturae.* 8vo. *Stock.* 1773.
 — *Abh. schädli. Insecten.* 2 pts. 8vo. *Salzburg*, 1783.
 — *Amoenitates Acad.* (Ed. Schreber.) 10 vols. 8vo. *Erlangen*, 1787-1790.
 [Other eds. are mere reprints of his separately published tracts.]
- Lisbon.* Acad. Real. Sci.
 Mem. agric. 2 vols. 8vo. 1788, 91. }
 Mem. econ. 3 vols. 4to. 1789-91. } [No sp. nn.]
 Mem. 2 vols. 4to. 1797-99. }
- Lister, M. *Hist. meth. Conchyl.* fo. *Oxonii*, 1770.
 — *Naturges. der Spinnen.* (Trans. and ed. by Martini and Goeze.) 8vo. *Qued.* 1778.
- Loefling, P. *Iter Hispan.* 8vo. *Stock.* 1758. [No sp. nn.]
 — *Reise Span. Ländern.* 8vo. *Berl.* 1776. [No sp. nn.]
- London.* Linnean Soc.
 — *Trans.* 4to. Vols. I-V, 1791-1800.
 — Nordisk Selskab in London.
 — *Samling.* 1 vol. 8vo. *Köb.* 1788. [No sp. nn.]
 — Royal Soc.
 — *Phil. Trans.* To vol. 92 (1802).
 — Soc. Antiquaries.
 — *Archaeologia.* 4to. Vols. I-XIII (1800).
 — Soc. Arts.
 — *Trans.* Vols. I-XVIII (1800). [No sp. nn.]
 — Soc. Phys. Experim.
 — *Minutes.* 1 vol. 8vo. 1795. [Physics.]
- Lonicer, A. *Kreuterbuch.* fo. *Ulm*, 1770. [n. b.]
 — — fo. *Ulm*, 1783. [n. b.]

- Lord, T. Syst. of Ornith. fo. *Lond.* 1791. [No sp. nn.]
- Lottinger, A. J. Le Coucou. 8vo. *Nancy*, 1775. [No sp. n.] [Reprinted in German, 8vo. *Strassb.* 1776.]
- Loys de Cheseaux, —. Discours phil. Physique. 8vo. *Lausanne*, 1762; and in German, 8vo. *Augsb.* 1762. [No sp. nn.]
- Luc, D., and D. de Luc. Relat. diff. Voy. Alpes. 8vo. *Maestr.* 1776. [No. sp. nn.]
- Luc, J. A. de. Reise Eisgebirge. 8vo. *Leipz.* 1777. [No sp. nn.]
- Ludwig, C. F. Diatribe de Antemis. 8vo. *Lips.* 1778. [No sp. nn.]
- Delectus Opusculorum. 1 vol. 8vo. *Lips.* 1790. [No n. spp.]
- Grundriss Naturges. Menschenspecies. 8vo. *Leipz.* 1796. [No n. spp.]
- Erste Aufz. Sachsen-Insekt. 8vo. *Leipz.* 1799.
- Luidius, E. Lithophyl. Brit. Ed. alt. 8vo. *Oxonii*, 1760. [No sp. nn.]
- Lumtitzer, S. Diss. de rer. nat. 8vo. *Posonii*, 1777. [No sp. nn.]
- Lund.* Physiogr. Salskapet.
Handl. 1 vol. 8vo. 1776-86.
Magazin. 1781-1784.
- Lyon.* Acad. Sci.
Mém. cour. en 1786. 1 vol. 8vo. 1787. [n. z.]
- Lyonet, P. Catal. Cab. Coquille. 8vo. [*La Haye*], 1796. [No sp. nn.]
- Macquer and Duchesne. *See* Manuel du Nat.
- Macri, S. N. oss. polmone marino. 8vo. *Nap.* 1778. [No sp. nn.]
- Mader, J. Raupenkalender. Ed. 2 by Kleemann. 8vo. *Nürnb.* 1785. [No n. spp.]
- Madrid.* R. Soc. Econ.
Mem. Vols. I—V. 4to. 1780-95. [Agric.]
- Magasin encyclopédique. 1 vol. 8vo. *Paris*, 1792-93. Followed by
Magasin encyclopédique (Millin's). Vols. I—VI (6). 1795-1801.
- Magazin f. allgem. Natur. u. Thierges. (Müller's). 6 pts. 8vo. *Gött.* 1789-96. [No n. spp.]
- Magazin f. Freunde d. Naturlehre (Weigel's). 4 vols. 8vo. *Berlin*, 1794-97. [Vol. I. seen.]
- Magazin f. d. Liebhaber d. Entom. (Fuessly's). 2 vols. 8vo. *Zürich*, 1778-79. Followed by
Neues Magazin.... 3 vols. 8vo. *Zürich*, 1782-87.
- Magazin (N.) f. d. Liebhaber d. Entom. (Schneider's). 5 pts. 8vo. *Stralsund*, 1791-1794.
- Magazin f. Naturges. (Russicé). 10 vols. 8vo. *St Petersburg*, 1788-92. ["Ich habe den 9 u. 10 Band gesehen. Keine neuen Arten," Mag. F. Schmidt, *in litt.*]
- Magazin f. d. Naturges. d. Menschens (Grosse's). 3 vols. 8vo. *Zittau*, 1788-90. [No sp. nn.]
- Magazin f. d. naturk. Helvetiens (Höpfner's). 4 vols. 8vo. *Zürich*, 1787-89. [No sp. nn.]
- Magazin f. d. naturk. u. Oekon. Meklenburgs. 2 vols. 8vo. *Schwerin*, 1791-95.
- Magazin f. d. neueste aus der Physik (Lichtenburg and Voigt). 11 vols. 12mo. *Gotha*, 1781-99.
- Magazin f. d. neuesten Zustand d. Naturk. (Voigt's). 12 vols. 12mo. *Jena* and *Weimar*, 1797-1806.
- Magazin f. Thierges. Thieranat. u. Thierarz. (Meyer's). 2 pts. 8vo. *Gött.* 1790-94.
- Manchester.* Lit. Phil. Soc.
Mem. Vols. I—V. 1789-1802.
- Mangold, C. A. Opusc. Med.-Phys. 8vo. *Altenb.* 1769. [No n. spp.]
- Mannheim.* Acad. Theod. Palat.
— Acta (Hist. and Comm.). 11 vols. 4to. 1766-94. [No n. spp.]
— Kurpfälz. phys. oek. Ges.
Vorlesungen. 5 vols. 1785-91. [No sp. nn.]
- Mannigfaltigkeiten. 4 vols. 8vo. *Berlin*, 1770-73.
Continued as Neue Mannigf. 4 vols. 1774-77.
as Neueste Mannigf. 4 vols. 1778-81.
as Alle-neueste Mannigf. 4 vols. 1781-85. [No n. spp.]
- Mantova.* R. Accad. Sci.
Mem. 1 vol. 4to. 1795. [No sp. nn.]
- Manuel du Naturaliste. [By Duchesne and Macquer.] 4 vols. 8vo. *Paris*, 1796. [Dict. of terms.]

- Maratti, J. F. De Plantis Zooph. 8vo. *Romae*, 1776.
- Marchi, F. Razze dei Cavalli Veneto. 12mo. *Venez.* 1770. [This is apparently an edition of "Libro de marchi de Cavalli." See Huth, Hippology, 1887, p. 9. Or a jest?]
- Marggraf, G. L. Diss. de morbis Vermibus. 4to. *Viteb.* 1799. [No sp. nn.] *Marseilles.* Acad.
- Rec. des pièces...pour les Prix. 8vo. 1777. [Botany.]
- Marsigli, L. F. Nat. Besch. Zeen. fo. 's *Grav.* 1786. [No sp. nn.]
- Martin, B. Nat. Hist. of England. 2 vols. 8vo. *Lond.* 1759-63. [No sp. nn.]
- Martin, M. Aurelians Vade Mecum. 8vo. *Exeter*, 1785. [No n. spp.]
- Obs. Marine Vermes. 4to. *Exeter*, 1786.
- Martinet, —. Dorades. See Savigny.
- Martini, F. H. W. Neues Syst. Conchyl.-Cabinet. Vols. I—III. 1769—77. Continued by J. H. Chemnitz. Vols. IV—XI. 1780—95. Continued by Schubert and Wagner. Vol. XII. 1829. [Last vol. only binominal.]
- Verz. Nat. Hof's Stahl Konchylienkab. 8vo. *Berl.* 1774. [n. b.]
- Allgem. Gesch. Natur. 11 vols. 8vo. *Berl.* 1774-93. [An encyclopedia of then existing names, binominal or otherwise.]
- Verz. ausserl. Samml. naturalien. 8vo. *Berlin*, 1774. [n. b.]
- Martini and Goeze. Spinnen. See Lister.
- Martyn, Thos. (Prof. at Cambridge). Elem. Nat. Hist. Pt. 1. Mammalia. 4to. *Cambr.* 1775. [No n. spp.]
- Heads of Course of Lectures. 8vo. *Cambr.* 1782. [No sp. nn.]
- Martyn, Thos. (Zoologist). Univ. Conchologist. 4 vols. fo. *Lond.* With tables, &c.
- I. 40 pls. & table. 1784 [not 1769 as often quoted].
- II. 40 pls. & table. 1788.
- III. 40 pls. & table. 1789.
- IV. 40 pls., table & 2 pls. of medals. 1792(?)
- [I have seen a unique example of this book, dated 1789, which contains 110 of the 160 plates, bound up with the engraved T. P. and the Dedication to the King. It is uncoloured, shows the plates to be highly finished mezzotints, and has a label on the cover which reads: "About 120 plates | of | figures | of | nondescript shells, | collected in the Different Voyages to the | South Seas | since the year 1764. | By | Thomas Martyn. | Price Two Guineas." |]
- Short account of a private establishment. 4to. *Lond.* 1789.
- [This is the "Advert." found in his "Univ. Conch." and contains Born's letters and the plates of medals.]
- English Entomologist. fo. *Lond.* 1792. [No n. spp.]
- Aranei. 4to. *Lond.* 1793. [n. spp.]
- Psyche. 4to. *Lond.* 1797. [See Ann. Mag. Nat. Hist. [7] 1, 1898, pp. 106 & 184.]
- Martyn, W. F. New Dict. of Nat. Hist. 2 vols. fo. *Lond.* 1785. [No sp. nn.]
- Mastalirz, J. Diss. Api mellifica. 8vo. *Viennae*, 1783. [No n. spp.]
- Matani, A. Prod. Nat. Pistoyese. 4to. *Pistoja*, 1762. [No sp. nn.]
- Maton, W. G. Obs. Nat. Hist. Western Countries. 2 vols. 8vo. *Salisbury*, 1797.
- Maty, P. H. Account of the Giants. 8vo. *Lond.* 1766. [Not seen; but Coyer's reply shows it is useless for systematic purposes.]
- Maude, T. Obs. subject Nat. Hist. (Giraffe). 4to. *Lond.* 1792. [No sp. nn.]
- Mauduyt, P. J. E. D. 'Dict. Ornith.' and 'Discours prélim. du Dict. Insectes' are *ex Ency. Méth.*
- May, J. Zuf. ... Fossilien Eberstadt. 4to. *Darmstadt*, 1784. [No sp. nn.]
- Mayer, J. F. Den Mayenkäfer. 12mo. *Schwabach*, 1786. [No sp. nn.]
- (La) Médecine éclairée (Fourcroy's). 4 vols. 8vo. *Paris*, 1791-2. [n. spp.]
- Medical and Physical Journ. 8vo. *Lond.* Vols. I.—VI, 1799-1801.
- Medical Repository. 8vo. *New York*, 1798-1812.
- Medicinisches-Chirurg. Journ. (Tode's). 5 vols. 8vo. *Köpen.* 1793-1804. [No sp. nn.]
- Medicinisches u. Phys. Journ. (Boldingger's). 12 vols. 8vo. *Gött.* 1784-1800. [n. z.]
- Medizinische Nat. Zeit. 4to. *Altenburg*, 1798-1801. [Med.]
- Meerburgh, N. Afbeeld. Zeldzame Gewassen. Fo. *Leyden*, 1775.
- Plantae rariores. fo. *Lugd. Bat.* 1789. [New issue of last; new T. P.]

- Meerburgh, N. *Plant. select. icones.* 1798. [n. z.]
- Meidinger, C. v. *Icones pisc. Austr.* 5 pts. *Viennae*, 1785-1794.
— *Nomenclat. Linneisches Natursyst.* 8vo. *Wien*, 1787.
- Meigen, J. G. *Nouv. class. Mouches.* 8vo. *Paris*, An VIII (1800).
- Memorial Literario... Madrid. 4 vols. 8vo. *Madrid*, 1784-85. [n. z.]
- Memorias polit. y econ. España (Larruga's). 45 vols. 4to. *Madrid*, 1787-1800.
[Econ. & agric.]
- Merian, M. S. *Birds.* See *Jouston.*
- Merck, J. H. 3 *Lettres* os foss. de Darmstadt. 4to. *Darmstadt*, 1782-84-86. [No sp. nn.]
- Mercurio Peruano. 12 vols. 4to. *Lima*, 1791-94. [n. z.]
- Merrem, B. *De anim. scythicis.* 4to. *Gött.* 1781.
— *Verm. abh. Thierges.* 4to. *Gött.* 1781. [No sp. nn.]
— *Beytr. Gesch. Vögel.* 2 pts. 4to. *Gött.* 1784-86.
— *Avium rar. et minus cogn. Icones et descript.* 4to. *Lips.* I. 1786, II. 1786. [A Latin ed. of the foregoing but which contains n. gg. et spp.]
— *Vers. grund. Gesch. Vögel.* 2 vols. fo. *Leipz.* 1787-88. [No n. spp.]
— *Beytr. Naturges. Amphib.* 3 pts. *Duisberg*, 1790, *Lemgo*, 1790, and *Essen*, 1829. [There were other issues of pt. 2 in 1820, 1821 & 1829, and Duméril and Bibron say pt. 3 was first issued in 1821, but I have not seen a copy so dated.]
— *Vers. syst. Amphib.* 8vo. *Marburg*, 1800. [?a "ghost"; Merrem says in the Preface to the 1820 ed. that he was asked in 1800 to contribute to Bechstein's ed. of Lacepède's *Buffon.*]
- Mesny, B. *Obs. dents foss. Elephants.* 8vo. *Toscane* [?1760]. [No sp. nn.]
- Metzger, C. *Furia infernalis.* 4to. *Regiom.* 1790.
- Meuschen, D. C. *Catal. Syst. Coquilles Oudaan.* 8vo. [?Rott. or Amst., 1766.] [Not Linnean.]
— *Catal. Syst. Coquilles Leers (Mus. Leersiani).* 8vo. [*Amst.* 1767.] [Not Linnean.]
— *Mus. Gronovianum.* 8vo. *Lugd. Bat.* 1778. [n. spp.] *Expressed not pub. (is) and not before opinion 260 21*
— *Meuschenii schediasma syst. testaceorum.* See *Museum Geversianum.*
- Meyer, F. A. A. *Spinner d. Götting. Gegend.* 8vo. *Gött.* 1790.
— *Tent. ord. Insect.* 4to. *Gött.* 1792.
— *Gemein. Nat. Gift. Insekt.* 8vo. *Berl.* 1792.
— *Vollst. Naturg. Hausthiere.* 8vo. *Gött.* 1792.
— *Syst. Uebers. zool. Entdeck. New Holland.* 8vo. *Leipz.* 1793.
— *Teut. Monogr. Meloes.* 8vo. *Gött.* 1793.
— *Zool. Annalen.* 8vo. *Weimar*, 1793.
— *Syn. Rept.* 8vo. *Gött.* 1795.
— *Zool. Archiv.* 2 pts. 8vo. *Leipz.* 1796.
- Meyer, N. *Prod. Anat. Murium.* 4to. *Jenae*, 1800. [No n. spp.]
- Michaelis, J. D. *Fragen Gesell. gelehrten Männer.* 8vo. *Frankf.* 1762. [No n. spp.]
- Mikan, J. C. *Monogr. Bombyliorum.* 8vo. *Prag.* 1796.
Milan. Soc. patriot.
— *Atti.* 3 vols. 4to. 1783-89-93. [No sp. nn.]
- Millar, G. H. *A new... body, or Syst. Nat. Hist. fo. Lond.* [17 . .] [No sp. nn.]
- Miller, J. *Icones Insect.* fo. *Lond.* 1759-60. [10 pls. & text; n. spp.]
- Miller, J. F. [*Icones anim. et plant.*] fo. [*Lond.*] 1776-82. [This is the "Various subjects of Nat. Hist." (Engelmann, *Bibl. Hist. Nat.* 1846, p. 182).]
- Millin [de G.] A. L. *Elém. Hist. Nat.* Ed. 2. 8vo. *Paris*, An v (1797). [No sp. nn.]
- Minassi, A. *Diss. de Timpanetti.* 8vo. *Nap.* 1775. [No sp. nn.]
- Miscelanea Instructiva. 9 vols. 8vo. I-III. *Alcala*; IV-IX. *Madrid*, 1796-1800. [n. z.]
- Mitchell, J. *Diss. Brevis de Princip. Bot. et Zool.* 4to. *Norimb.* 1769. [Bot. n. g.]
- Modeer, A. *Bibl. Helminth.* 8vo. *Erlang.* 1786. [Bibliogr.]
- Moehring, P. H. G. *Geschlachten d. Vogelen (Nozeman & Vosmaer's ed.).* 8vo. *Amst.* 1758.]
- Mohr, N. *Forsog til en Islandsk Naturhist.* 8vo. *Kiøb.* 1786.
- Molina, G. I. *Compend. Stor. Nat. Chile.* 8vo. *Bologna*, 1776. [No sp. nn.]
— *Saggio Stor. Nat. Chili.* 8vo. *Bologna*, 1782.
— *Vers. Naturges. Chili.* 8vo. *Leipz.* 1786.

- Molina, G. I. Essai hist. nat. Chili. 8vo. *Paris*, 1789.
- Moller, C. H. Lexicon Entom. 8vo. *Erfurt*, 1795. [Techn. terms.]
- Moll, K. E. v. Oberdeutsche Beytr. Naturg. 8vo. *Salzburg*, 1787. [n. spp. by Schrank.]
— See Fichtel.
- Mongez, A. Mém. Cygnes qui chantent. 8vo. *Paris*, 1783. [ex Journ de Phys.]
- Monro, A. Struct. & Phys. Fishes. fo. *Edin.* 1785. [No sp. nn.]
— Baues u. Phys. Fische (ed. Schneider). 4to. *Leipz.* 1787. [No sp. nn.]
- Monti, I. Dialoghi...le Lucertole. 8vo. *Pavia*, 1764. [No sp. nn.]
- Montpellier.* Soc. Roy. Sci.
Hist. et Mém. IV. 4to. *Lyon*, 1766. [No sp. nn.]
Assemblée publique. fo. 1774, 79, 80, 81, 88. [No sp. nn.]
- Moore, J. Treatise on Pigeons. 8vo. *Lond.* 1765. [See Treatise.]
- Moux di Loche, —. Mém. Entom. 8vo. *Turin*, 1790. [No sp. nn.]
- Mozo, A. Notic. Hist. Nat. ... Philipinos. 4to. *Madrid*, 1763. [No sp. nn.]
- Mueller, C. L. v. Entom. Taschenbuch. 8vo. *Breslau*, 1800.
- Mueller, J. Die vorzüglichsten Sing-Vögel Teutschlands. 4to. *Nürnberg*. 1799. [No n. spp.]
— Lepidopt. Silesiaca. I (1) Papiliones. 4to. *Breslau*, 1773; III (1) Bombyces. 4to. *Breslau*, 1802.
- Mueller, P. L. S. Dubra Coralliorum. 4to. *Erlang.* 1770. [No sp. nn.]
— Delic. Nat. Selectae. See Knorr.
- Muller, O. F. Efterret...om Svampe. 4to. *Kiøb.* 1763. [n. z.]
— Fauna Insect. Fridr. 8vo. *Havniae*, 1764.
— Flora Fridrickdal. 8vo. *Argent.* 1767. [Fauna on pp. 232-237.]
— Von Würmern. 4to. *Köpen.* 1771.
— Pile Larven. 4to. *Kiøb.* 1772.
— Vermium terrest. 2 vols. 4to. *Havniae*, 1773, 1774.
— Zool. Dan. Prodr. 8vo. *Havniae*, 1776. [Many copies want the Addendum.]
— Zoologiae Danicae. Ed. 1. Pt. 1, fo. *Havniae*, 1777, 40 pls.; pt. 2, 1780, no text, 40 pls.
— — Text in 8vo. with fo. pls. *Havniae*, I. 1779; II. 1784.
— — (in Danish). Ed. 2. *Kiøb.* 1781. [170 pp. & 40 pls.]
— — Ed. 3. fo. *Havniae*, I. 1788; II. 1788; III. 1789; IV. (by Ratke) 1806.
[Vols. I. & II. identical with previous issue; III. descr. et tab. add. Abildgaard; IV. descr. et tab. add. Ratke. Many copies of this ed. have part of the text supplied in photo-lithography.]
— Hydrachnae. 4to. *Lips.* 1781.
— Kleine Schriften (ed. Goeze). 8vo. *Dessau*, 1782.
— Entomostraca. 4to. *Lips.* 1785.
— Anim. Infusor. (ed. Fabricius). 4to. *Havniae*, 1786.
- Munich.* K. bay. Akad.
Abh. Churfürstl.-baier. Ak. Wiss. 10 vols. 4to. 1763-76. [No n. spp.]
Neue Phil. Abhand. 7 vols. 4to. 1778-97.
— Privatgesell. Nat. Oberdeutsch.
Abhand. (ed. Schrank). 1 vol. 8vo. 1792.
- Murray, J. A. De Verm. in Lepra. 8vo. *Gött.* 1769. [No sp. nn.]
— Opuscula. 2 vols. 8vo. *Gött.* 1785-86. [No sp. nn.]
- Museum Boltenianum. See Bolten.
— Geversianum. 8vo. [à la Haye, 1787.] [Contains Meuschen's Schediasma syst. Testac. This part has been accepted, Meuschen's trinominals are his binominals plus "forma" = "varietas," and precisely similar to the trinominals used by mammalogists in the present day.]
— Gottwald. See Schroeter.
— Gronovianum. See Meuschen.
— Kirkeriani. fo. *Romae* (Coll. Soc. Romana), 1763-65. [Is a book on Greek mirrors, &c.]
— Leersianum. See Meuschen.
— Leskeanum. See Karsten.
— Oudaanum. See Meuschen.

- Nancy*. Soc. Sci.
Mém. 8vo. 1754-59. [No sp. nn.]
- Naples*. Accad. Sci.
Atti. 1 vol. 4to. 1788. [No sp. nn.]
- Nardo, J. D. De Cantharidibus [quoted as a separate work; but see *Isis*, 1834, p. 671].
- Nature (La) Considérée (or Journ. Hist. Nat.) (Bertholon's). 9 vols. 8vo. *Paris*, 1787-89.
— (Buchoz'). 8 vols. 8vo. *Paris*, 1771-72. [No sp. nn.]
- Naturforscher. 30 vols. 8vo. *Halle*, 1774-1804.
- Naturgeschichte (Kurzgef.) schädll. Waldinsekten. 8vo. *München*, 1800. [No n. spp.]
- Natuurk. Verhandl. Verz. van Stubben de Natuurk. 5 vols. 8vo. *Amst.* 1772-77. [No n. spp.]
- Nau, B. S. N. Entdeck. Physik. 1 vol. 8vo. *Frankf.* 1791.
— Oek. Nat. Fische Mainz. 8vo. *Mainz*, 1787 (120 pp.).
- Naumann, J. A. Beschr. Wald- Feld- und Wasser-Vögel. 4 vols. & Nachtrag. 8vo. *Cothen*, 1797-1805. [n. b.]
- Necker, N. J. de. Mém. animalcules. 4to. *Munich*, 1787. (ex Acta Theod. Palat.)
- New (A) System of Nat. Hist. 3 vols. 8vo. *Edinb.* 1791-92.
- New Holland. The Hist. of N. H. ... with a Discourse on Banishment by Wm. Eden. 8vo. *Lond.* 1787. [No sp. nn.]
- Nicolson, (Père). Essai Hist. Nat. St Dominique. 8vo. *Paris*, 1776. [No sp. nn.]
- Niebuhr, C. Beschr. Arabien. 4to. *Köpen.* 1772. [No sp. nn.]
— Descr. Arabie. 4to. *Cöpen.* 1773. [No sp. nn.]
— Reisebeschr. Arabien. 2 vols. 4to. *Köpen.* 1774, 1778. [No sp. nn.]
— Voy. Arabie. 2 vols. 8vo. "en Suisse," 1780. [No sp. nn.]
- [Niesen, C.] Naturges. Kohlraupe von eines Landmannes. 8vo. *Mannheim*, 1768. [No sp. nn.]
- "No. 6." See Rebenstichern.
- Noel de la Morinière, S. B. J. Hist. Eperlan Seine inf. 8vo. *Rouen*, An VI (1798). No n. spp.
— Rapport...Hareng. 8vo. *Rouen*, An VII. (1799). [No sp. nn.]
- Nordische Beyträge Wachst. Naturk. 4 pts. 8vo. *Altona*, 1756-58. [No sp. nn.]
- Nordisches Archiv Nat. Arzney und Chir. 8vo. *Köpen. & Leipz.* vols. I-IV. 1799-1805. [Medical.]
- Nose, C. W. Orogr. Briefe Sauerland. 4to. *Frankf.* 1791. [Mineral.]
— Orogr. Briefe Siebengebirge. 4to. *Frankf.* 1789-90. [Geological.]
— Beschr. Samml. vulk. Fossil. fo. *Frankf.* 1797. [Mineral.]
- Nozemann, C., & Houuttuyn. Nederlandsche Vogelen. 5 vols. fo. *Amst.* 1779-1829. [Probably begun in 1770; dates unknown at present.]
- Observations sur la Physique. 18 vols. 12mo. *Paris*, 1770-72.
— Ed. 2. 2 vols. 4to. *Paris*, 1777.
Continued as: Obs. et Mém. sur la Physique. 1 vol. 4to. 1773.
" " Obs. sur la Physique. Vols. II-XLIII. 1773-1793.
" " Journ. de Physique. Vols. XLIV-LI. 1793-1800.
- Odmann, S. Djur-Rikets slagtskaper. 8vo. *Stock.* (K. Vet. Ak.), 1785. [No sp. nn.]
- Oehme, K. J. De Corp. Nat. 4to. *Lips.* 1772. [No sp. nn.]
- Olafsen, E. (& Porelsens). Reise Island. 4to. *Soroe*, 1772. [n. b.]
— Reise Island. 2 vols. 4to. *Köpen.* 1774-75. [n. b.]
- Olivì, G. Zool. Adriat. 4to. *Bassano*, 1792.
- Olivia, G. P. Amusemens Innocens. 12mo. *Paris*, 1774. [No sp. nn.]
- Olivier, A. G. Entomologie. 6 vols. 4to. *Paris*, 1789-1808.
— (German by Illiger). 2 pts. 4to. *Braunschweig*, 1800 & 1802. [No n. spp.]
- Ornithologia Britannica [by M. Tunstall]. T. P. & 2 single sheets with an engraving of *Turdus cinctus*. [fo. *Lond.* 1771.]
- Ornith. method. Digesta. 5 vols. fo. *Florent.* 1767-76. [n. b.]
- Orrelius, M. Djur Känningen. 8vo. *Stock.* 1776. [No n. spp.]
- Osbeck, P. Reise nach Ostindien. Ed. 2. 8vo. *Rostock*, 1765 [ed. 1 is 1757].

- Osbeck, P. Reise nach China, &c. (ed. Forster). 2 vols. 8vo. *Lond.* 1771.
- Oserczkowski & Svergin. *Naturges. Thiere* (Russicé). 7 vols. 8vo. *St Petersburg.* 1791-94.
 ["In unserer Bibliothek nicht vorhanden," Magr. F. Schmidt—possibly a translation of Buffon.]
- "Packischefsky, P. H." *Catal. Mus. Zool. Hamburgi*, 1796. [In Linnean Soc. London: this is part 3 of Lichtenstein's *Catal. rerum nat.*]
- Paiua*. *Ces. Imp. Reg. Acad. Sci.*
 Saggi Sci. Vols. I.-III. 4to. 1786-94. [No sp. nn.]
- Pallas, P. S. *Diss. de Infestis*. 4to. *Lugd.* 1760.
 — Another ed. in Sandifort, Theo. *Diss. Progr. I.* 1768.
 — *Miscell. Zool.* 4to. *Hagae Com.* 1766.
 — *Elenchus Zoophyt.* 8vo. *Hagae Com.* 1766.
 — *Syst. Plant. Dieren* (Boddaert's trans.). 8vo. *Utrecht*, 1768.
 — *Spicil. Zool.* 14 pts. 4to. *Berol.* 1767-1780.
 — *Naturges. Merkw. Thiere.* 11 pts. only. 4to. *Berlin*, 1769-79.
 — *Dierkund. Mengelwerk.* 6 pts. 4to. *Utrecht*, 1767-70.
 — *Natuurlyke Hist. Dieren.* (Boddaert's trans.). Ed. 2. 4to. *Amst.* 1779.
 — *Reise Prov. Russ. Reichs.* 3 vols. 4to. *St Petersburg.* 1771, 1773, 1776.
 — — — 3 vols. 8vo. *Frankf.* 1776-78. [No editor's name; seems a reprint of ed. 1.]
 — *Voyage de Pallas, Russie* (trans. by Gauthier de la Peyrouse). 5 vols. 4to. *Paris*, 1788-93. [A trans. of ed. 1, with notes on the spp. by Lacepède in French.]
 — *Voyages du Prof. Pallas. Russie.* 8 vols. 8vo. *Paris*, An II (1794). [Important ed. with notes throughout by Lamarck.]
 — *Bemerk. Reise südlich. Statth. Russ. Reichs.* 2 vols. 4to. *Leipz.* 1799-1801. [No n. spp.]
 — *Reise Prov. Russ. Reichs.* Vol. I. 4to. *St Petersburg.* 1801. [Seems to be a reprint of vol. I. of ed. 1, perhaps to make up for deficiency of ed. 1.]
 — *Trav. prov. Russ. Empire.* 2 vols. 4to. *Lond.* 1802, 1803. [No n. spp.]
 — *Neue nordische Beyträge* (the last 3 vols. *Neueste...*). 7 vols. 8vo. *St Petersburg.* 1781-96.
 — *Icones Insectorum.* 4to. *Erlangae*, 1781-98. [See *Ann. Mag. Nat. Hist.* [6], vii, 1891, p. 236.]
 — *Nov. Spec. Quad.* 2 pts. 4to. *Erlangae*, 1778, 1779. [See *Ann. Mag. Nat. Hist.* [6], vii, 1891, p. 236.]
 — — — Ed. 2. 1784 [n. T. P. only; Eichwald refers to ed. 3, 1799, but this I cannot trace.]
 — *Charact. Thierpflanzen.* 4to. *Nürnb.* 1787.
 — *Account of diff. Sheep.* 8vo. *Edinb.* 1794. [No n. spp.]
 — *Tabl. phys. topogr. Tauride.* 4to. *St Petersburg.* 1796. [No sp. nn.]
 — *Tabl. Prov...mer Caspienne.* 4to. *St Petersburg.* 1798. [No n. spp.]
- Palmer, J. F. *Tent. Med. de Verm. Intest.* 4to. *Edinb.* 1766. [No n. spp.]
- Palteau, G. L. de F. de. *Ruche des Bois.* 12mo. *Metz*, 1777. [Beehives only.]
- Panzer, G. W. F. J. E. Voet's *Beschr. Hartschaal. Insekten.* 5 pts. 4to. *Nürnb.* [Erlangen], 1782-1802. [The pts. 1-3 are a trans. of Voet's ed. 1, there are no n. spp. and the work is as much multi-nominal as the original: pts. 4 & 5 are a new work by Panzer, pt. 4 is quoted as 1797, and the single n. sp. in pt 5 is quoted as 1801.]
 — *Nov. Insect. Spec.* 1790 [is by Uddman, q. v.]
 — *Fauna Insect. German.* 110 pts. 8vo. (in cases), *Nürnb.* 1792-1823. Continued by Herrich-Schäffer, pts. 111-190, 1829-1844. [Dates exceedingly difficult to discover, those printed may be taken as accurate; when completed I will put dates into print.]
 — *Symbol. Entom.—Beyr. z. Ges. Insekten.* 4to. *Erlang.* 1794. [Fasc. 1, Bog. A-C, pls. I-VI. 1793, only one seen; n. spp. on plates.]
 — *Fauna Insect. Amer. boreal.* 4to. *Norimb.* 1794.
 — *Deutschlands Insectenfauna oder Entom. Taschenbuch*, f. 1795. 8vo. *Nürnb.* [n. d. but preface dated 19 Dec. 1794, so quote 1795].

Paris. Acad. Roy. Sci.

- Collect. Academique. Partie Etrangère. 13 vols.
 V. 1758 Swammerdam.
 VI. 1761 *ex* various Academies.
 VII. 1766 *ibid.* [Medical.]
 VIII. 1770 } Prussian Academies.
 IX. 1770 }
 X. 1773 Bologna Academy.
 XI. 1772 Stockholm Academy.
 XII. 1774 Prussian Academies.
 XIII. 1779 Turin Academy. [All are Translations of Mémoires.]
 Hist. avec Mém. 40 vols. 1754-1790.
 Mém. donnés à l'Acad. ... non imprimés dans leur temps. [Mathematical.]
 Mém. Math. Phys. présentés. 11 vols. 1750-86.
 Pièces qui ont remporté les prix. Vols. 7-9. 1769-1777.
 Rec. des Mém. ou Coll. des Pièces Academique. (L'abrégé de l'Hist.) Partie
 Française. Vols. I-XVI. 1754-1787. [By Berryat.]
 Suite des Mém. 7 vols. 1720-1764.
 Courtanvaux, — de. Journ. Voy. l'Aurore... par ordre de l'Academie. 1 vol.
 4to. *Paris*, 1768.
 Institut National.—Mémoires I-III. 1798-1801.
 — Soc. Agric. de Paris.
 Compte Rendu. 1788-93. [By Lefebure.] 1 vol. 8vo. An VII. [No n. spp.]
 Mém. d'Agric. 25 vols. 8vo. *Paris*, 1785-91. [No n. spp.]
 — Soc. Agric. dép. Seine.
 Mém. d'Agric. Vols. I.-XVIII. An IX.—1815. 8vo.
 — Soc. Nat. Hist. Paris.
 Actes. Vol. I, pt. 1 (all issued). fo. 1792.
 Mém. 1 vol. 4to. An VII (1799).
 — Soc. Philom.
 Bull. des Sci. Nos. 1-96. 1797-1805. [In numbers as dated.]
 Bull. Soc. Philom. à ses Correspondans. 1 vol. pp. 1'-119'. [1803 *not* 1797.]
 Rapport général des Travaux. 4 vols. 1788-1800.
 Parizek, P. A. Kurz. Naturges. Böhmens. 8vo. *Prag*, 1784. [No sp. nn.]
 Parkinson, S. Journ. Voy. S. Seas. 4to. *Lond.* 1773. [No sp. nn.]
 Parra, A. Descrip. Piezas Hist. Nat.... Ramo Maritimo.... 4to. *Havana*. 1787. [No sp. nn.]
 Passeri, G. Storia Fossile Agro Pesaresi. Ed. 2. 4to. *Bologna*, 1775. [No sp. nn.]
 Pasumont, F. Voy. Pyrenées. 8vo. *Paris*, 1797. [Mineral.]
 Paterson, W. Narrative 4 Journ. Country Hottentots. 4to. *Lond.* 1789. [No sp. nn.]
 [Pauw, C. de.] Rech. phil. sur les Americains... Hist. l'espèce humaine par Mr de P***.
 2 vols. 8vo. *Berl.* 1768, 1769. [No sp. nn.]
 Paykull, G. Monogr. Staphyl. 8vo. *Upsal*. 1789.
 — Monogr. Carab. 8vo. *Upsal*. 1790.
 — Monogr. Curcul. 8vo. *Upsal*. 1792.
 — Djur. Kännedomen Hist. for Linnés tid. 8vo. *Stock.* 1797. [No sp. nn.]
 — Fauna Suecica. Insecta. 3 vols. 8vo. *Upsal.*:
 I. [1798] [Lord Walsingham's copy of this vol. states that it was issued
 Nov. 1798.]
 II. [1799].
 III. [1800].
 Peck, W. D. Nat. Hist. Slug Worm. 8vo. *Boston*, 1799. [No sp. nn.]
 Peerboom, C. Descr. et Icon. Verm. Stomach. 8vo. *Amst.* 1780. [No sp. nn.]
 Pennant, T. The British Zoology. fo. *Lond.* 1766. [No sp. nn.]
 [—] Explan. of plates in first publication of the British Zoology. 8vo. *Lond.* 1763. [No
 sp. nn.]
 — British Zoology. Ed. 2. 2 vols. 8vo. *Lond.* 1768. [No sp. nn.]
 — — Ed. 3. 4 vols. 8vo. *Lond. & Chester*, 1768-1770. [No sp. nn.]
 — Zool. Brit. Tab. aeneis 132 illust. fo. *Augsb.* 1771-76. [Trans. from ed. 3 with

- add. and notes by Murr. Folio plates copied from ed. 1. The only copy (imperfect) I have seen has been used as a target! It is now in Brit. Mus. (N. H.).]
- Pennant, T. Brit. Zool. Ed. 4. 4 vols. 8vo. *Warrington*, 1776 & 1777. [In vol. 4 P. uses binominals.]
- Indian Zoology. fo. *Lond.* (14 pp., 12 pls.) [1769].
- Spec. Faunula India. See Forster.
- Indian Zoology. Ed. 2. 4to. *Lond.* 1790. [Pref. dated 1 March, 1791, and so quoted.]
- Syn. Quad. 8vo. *Chester*, 1771. [No sp. nn.]
- Hist. Quad. 2 vols. 4to. *Lond.* 1781. [No sp. nn.]
- — Ed. 3. 4to. *Lond.* 1793. [No sp. nn.]
- Allgem. Uebers. vierfüssigen Thiere (Bechstein's trans. of ed. 3, with add. & notes, many n. spp.). 2 vols. 4to. *Weimar*, 1799, 1800.
- Genera of Birds. 8vo. *Edinb.* 1773. [No sp. nn.]
- — 4to. *Lond.* 1781.
- Arctic Zoology. 2 vols. 4to. *Lond.* 1784, 85. [No sp. nn.]
- — Supplement. 4to. *Lond.* 1787. [No sp. nn., but contains a reprint of Forster's list.]
- Thierges. Polarlande. 2 vols. 4to. *Leipz.* 1787. [Zimmermann's ed. but not binominal.]
- Introd. Arctic Zool. Ed. 2. 3 vols. 4to. *Lond.* 1792. [No sp. nn.]
- [—] A Catalogue of British Birds. 8 pp., no place or date. [No sp. nn.]
- Index to Planches enlum. See Daubenton.
- Pennsylvania (The) Mag. 1 vol. 8vo. *Philad.* 1775. [No sp. nn.]
- Pereboom, N. E. Disq. de Ascaridibus. 4to. *Amst.* 1789, [No sp. nn.]
- Pernetty (Abbé). Hist. Voy. Malouines. Ed. 2. 8vo. *Paris*, 1770. [No sp. nn.]
- Perrault, C. Mém. Hist. Nat. Animaux. 3 vols. 4to. *Amst.* 1758. [Anatomical.]
- Petagna, V. Spec. Insect. Calabria. 4to. *Neap.* 1786.
- — 4to. *Francof.* 1787. [New T. P. & re-engraved plate, pagination as 1786 ed.]
- Instit. Entom. 8vo. *Neap.* 1792.
- Petersen, J. D. Balthischer Vögel. 4to. *Altona*, 1766.
- Petiver, J. Opera. *Lond.* 1764. [No sp. nn.]
- — *Lond.* 1767. [No sp. nn.]
- Pfeifer, J. B. Verz. europ. Schmett. 8vo. *Augsb.* 1800. [List.]
- Pfeiffer, C. L. Der Orang-Outang. 8vo. *Mannheim*, 1787. [No sp. nn.]
- Phelsum, M. V. Hist. phys. Ascarid. 8vo. *Leovard.* 1762. [No sp. nn.]
- Nat. Verhand. Wormen. 8vo. *Leeuwarden*, 1763. [No sp. nn.]
- Brief...aan Houuttuyn. 8vo. *Leeuwarden*, 1770. [No sp. nn.]
- Brief aan...Nozemann...Zee-egelen. 8vo. *Rotterd.* 1774.
- [The genera *Echinaneus* and *Echinocyamus* occur; Louis Agassiz invented many others by Latinizing Dutch words; Alex. Agassiz has properly explained the matter in "Revision Echini," *Mus. Comp. Zool. Harvard.*]
- Naturg. Springwürmer (Weise's ed.). 2 vols. 8vo. *Gotha.* 1781-82. [No sp. nn.]
- Philadelphia.* Amer. Phil. Soc.
Trans. Vols. I-V. 1771-1802, & vol. I. ed 2, 1789.
- Phillip, A. Voy. to Botany Bay. 4to. *Lond.* 1789. [No sp. nn.]
- Philosophical Mag. 8vo. *Lond.* vols. I-VIII. 1798-1800.
- Phipps, C. J. Voy. North Pole. 4to. *Lond.* 1774.
- Physicalische (N.) Belustigungen. 2 vols. 8vo. *Prag*, 1770-71.
- Physik.-Oek. Bibliothek (Beckmann's). 23 vols. 8vo. *Gött.* 1770-1806. [Reviews.]
- Physik. Tagbuch Freunde Natur. (Hübner's). 4 vols. 8vo. *Salzburg*, 1784-88. [No sp. nn.]
- [Pichou, T.] Lettres et Mém....Cap Breton. 12mo. *La Haye*, 1760. [No sp. nn.]
- [—] Letters & Mem.... 8vo. *Lond.* 1760. [No sp. nn.]
- Picot de la Peyrouse, P. Hist. Nat. Lagopède. 4to. *Toulouse*, 1774 [ex Mém. Toulouse].
- Tables Méth. Mamm. Oiseaux Garonne. *Toulouse*, An VII. [A review in Millin's Mag. Ency. An. VII (2), 1799, p. 278, says his order is the same as Cuvier's though he does not mention that author.]
- Pilati, C. Saggio Stor. nat. Bresciana. 4to. *Brescia*, 1769. [No sp. nn.]
- — — 1773 ed. [Not seen.]

- Piller, M., & L. Mitterpacher. *Iter Poseg*. 4to. *Budae*, 1783.
- Pinera y Siles, B. *Descr. Hist. nueva especie de Corea*. 4to. *Madrid*, 1787. [No sp. nn.]
- Pini, E. *Di alcuni fossili Lombardia*. 8vo. *Milano*, 1790. [No sp. nn.]
- Plançus, J. *De Conchis minus notis*. Ed. 2. 4to. *Romae*, 1760. [No sp. nn.]
- Poda, N. *Insect. Mus. Graec*. 8vo. *Gracii*, 1761.
- Poli, J. X. *Tert. utriusq. Siciliae. fo. Parma*.
- I. pp. 1-90, 1-50, i-lxxiii, pls. i-viii. 1791.
- II. pp. 1-264, i-lxxvi, pls. ix-xxxix. 1795.
- III. By Chiaje. Pt. 1, pp. 1-44, i-xlviii. 1826. Pt. 2, pp. 1-56. 1827.
- Pontoppidan, E. *Danske Atlas*. 7 vols. 4to. *Kiob*. 1763-81. [Vol. 1 contains the n. spp. zool.]
- *Danischer Atlas* (trans. Scheiben). 2 vols. 4to. *Kopen*. 1765-67.
- *Kurzgef. Nachr. Naturhist. Dännemark*. 4to. *Kopen*. 1765.
- *Vers. Nat. Hist. Norwegen*. 2 vols. 8vo. *Fiensb*. 1769. [No sp. nn.]
- Porret [J. L. M.]. *Voy. Barbarie*. 2 vols. 8vo. *Paris*, 1789.
- Portland. *Catal. of the Portland Museum*. 4to. *Lond*. 1786.
- [Many nomina nuda of Testacea by Solander, which it seems inadvisable to introduce into literature.]
- Posselt, C. F. *Ueber Grönland. Wallfischfang*. 8vo. *Kiel*, 1796. [Econ.]
- *Diss. Forficulae*. 4to. *Jenae*, 1800. [No sp. nn.]
- Potkoniczky, A. *De Metallis petrif*. 4to. *Jenae*, 1775. [Mineral.]
- Prague*. K. Böhmischen Ges. Wiss.
- Abh. Privates Gesellschaft. 6 vols. 8vo. 1775-84.
- Abh. Böhm. Ges. Wiss. 4 vols. 4to. 1785-88.
- Neuere Abh.... 3 vols. 4to. 1791-98.
- Drey Abhand. über Physic, &c. von Böhmen. 4to. *Prag & Dessau*, 1786.
- Preyßler, J. D. *Verz. böhm. Insect*. 4to. *Prag*, 1790.
- Pringle, J. *Discourse on the Torpedo*. 4to. *Lond*. 1775. [General.]
- *De Torpedine*. 4to. *Witt*. 1779. [Probably a trans. of last.]
- Prochaska, G. *Beob. wasserblasen Thiere*. 4to. *Prag*, 1791. (*ex N. Abh. böhm. Ges.*)
- Prunner, L. v. *Lepid. Pedemont*. 8vo. *Aug. Taur*. 1798.
- Pulteney, R. *Catal. Birds, Shell, &c. of Dorsetshire. fo. Lond*. 1799. [*ex Hutchin's Hist. of Dorset.*]
- Quatremere-Disjonval, —. *Aranéologie*. 8vo. *Paris*, 1797. [No sp. nn.]
- *Araneologie*. 8vo. *Frankf*. 1798. [No sp. nn.]
- Quensel, C. *Diss. Ignotis Insect*. 4to. *Lund*, 1790.
- R., F. S. C. (i.e. H. L. Fischer, q. v.).
- Raab. *Catal. foss. Madlle. de Raab*. [By I. v. Born.] 2 vols. 8vo. *Vienne*, 1790. [n. b.]
- Rackstrow. *A Descr. Catal. of Rackstrow's Museum*. 8vo. [*Lond.*] 1794. [Anat. & Med.]
- *Museum Sale Catal*. 8vo. *Lond*. 1799.
- Ranieri, D. *Mem. sopra Insetti*. 1784. [Reprinted in *Opus. Scelti*, VII.]
- Raspe, R. E. *Spec. hist. nat. globi terraquei*. 8vo. *Amst*. 1763. [Geological.]
- Raub, D. C. *De Ascaride lumbricoide*. 8vo. *Gött*. 1779. [No n. spp.]
- Raulin, —. *Exam. Coquilles Touraine*. 12mo. *Amst*. 1776. [No sp. nn.]
- Ray, P. A. F. *Zool. Universelle*. 4to. *Paris*, 1788. [No sp. nn.]
- Razoumoussky, G. de. *Voy. min. phys. Bruxelles*. 8vo. *Lausanne*, 1783. [Mineral.]
- *Oeuvres: cont. Voy. min. Bruxelles*. 2 vols. 8vo. *Lausanne*, 1784. [Mineral.]
- *Hist. Nat. Jorat*. 2 vols. 8vo. *Lausanne*, 1789.
- “Rebenstichern, von den.” *Vier Preiſſchriften...By Breuchel, Walther, Brauer, & “No. 6.”*
- 8vo. *Mannheim*, 1767. [No sp. nn.]
- Receuil 133 Oiseaux. *fo. Romae*, 1775. [No sp. nn.]
- Redi, F. *Lettere*. Ed. 2. 3 vols. 4to. *Firenze*, 1779-95. [No sp. nn.]
- Regenfuss, F. M. *Auserlesene Schnecken-Muscheln. fo. Copen*. 1758. [n. b.]
- Reguart, A. S. *Dicc. hist. Artes Pesca Nacional*. 5 vols. *fo. Madrid*, 1791-95. [No sp. nn.]

- Reich (Das) der Natur. 12 pts. 8vo. *Halle*, 1757-62. [General.]
- Reich, G. C. Mag. des Thierreiches. 4to. *Erlangen*, 1793. [Engelmann says 3 pts. 1793-4-5; I have only found 140 pp., all dated 1793.]
- Mant. Insectorum. 8vo. *Norib.* 1797.
- Reimarus, H. S. Die voorn. waarheid...Gods-Dienst. 8vo. *Leyden*, 1765.
- Betracht. thierischen Kunststreibe. Ed. 3. 8vo. *Hamb.* 1773. [No sp. nn.]
- — — — — Ed. 4. 8vo. *Hamb.* 1798. [No sp. nn.]
- Reiner, J., & S. v. Hohenwarth. Botan. Reise Alpen. 2 vols. 8vo. *Klagenfurt*, 1792 & 1812.
- Renier, S. A. Lettere il Botrillo. [ex Opus. scelti, xvi. p. 256.]
- Renovantz, H. M. Min. geogr....Altai. 4to. *Reval*, 1788. [Mineral.]
- Repertorium f. d. öffentl. u. gerichtl. Arzneiwiss. 3 vols. 8vo. *Berl.* 1789-92. [Mainly Veterinary.]
- Retzius, A. J. Inled. Djur-Riket...Linné's Lärogr. 8vo. *Stock.* 1772. [No n. spp.]
- Lect. publ. de Verm. intest. 8vo. *Holmiae*, 1786.
- Diss. Nova Testac. gen. 4to. *Lundae*, 1788.
- Anim. Class. Mamm. Linn. 4to. *Lundae*, 1796.
- Anim. circa Crocodylum. 4to. *Lundae*, 1797.
- Diss. obs. Zool. 4to. *Lund. Gött.* 1798.
- Reuss, F. A. Ergo Spiritum Anim. Hypoth., &c. 4to. 1783. [ex Klinckosch, Diss. Prog. II.]
- Samm. Nat. Hist. Aufsätze. 8vo. *Prag*, 1796. [Mineral.]
- Reynier, —, and Struve. Mém. Hist. Nat. Suisse. 8vo. *Lausanne*, 1788. [Bot. and Min.]
- Rheinisches Magazin (Borkhausen's). 8vo. *Giessen*, 1793.
- Richard, J. Hist. Nat. Tonquin. 2 vols. 12mo. *Paris*, 1778. [n. b.]
- Richter, A. D. Lehrb. Nat. Hist. 8vo. *Leipz.* 1772. [No sp. nn.]
- — — — — 8vo. *Leipz.* 1775. [No sp. nn.]
- — — — — 8vo. *Frankf.* 1786. [No sp. nn.]
- — — — — 8vo. *Würzb.* 1791. [Not seen.]
- Richter, J. G. O. Vischkundige Onderwysen. 4to. *Dord.* 1780. [No sp. nn.]
- Riedel, G. F. Samml. f. Federvieh. fo. *Augsb.* 1773. [Econ.]
- Riedinger, J. E. Vorst. Besch. Schul...Pferden. 4to. *Augsb.* 1760. [Econ.]
- — — — — 4to. *Aug. Vind.* [1775]. [Econ.]
- Vorst...Hirschen. fo. *Augsb.* [1740-61]. [No sp. nn.]
- Versch. arten Hunden. fo. *Augsb.* 1761. [Sport.]
- Riegels, N. D. De Erinaceo 1799: De inspir. cutan. 1800. 8vo. *Hafniae*. [No sp. nn.]
- Roberts, W. Account of first discovery of Florida. 4to. *Lond.* 1763. [No sp. nn.]
- Rocca, — della. Traité des Abeilles. 2 vols. 8vo. *Paris*, 1790-92. [No sp. nn.]
- Roederer, J. G. De Taenia. See Trampel.
- and Wagler. Tractatus de Morbo mucosa... (ed. Wrisberg). 8vo. *Gött.* 1783.
- Roemer, J. J. Gen. Insect. 4to. *Vitoduri*, 1789.
- Roesel v. Rosenhof, A. J. Hist. Nat. Ranarum. fo. *Norimb.* 1758.
- Insecten Belustigungen. 4 pts. 4to. *Nurnb.* 1746-61. [No sp. nn.]
- Natur Hist. Insect. (Kleemann's ed.) 4 vols. 4to. *Haarlem*, [1764-68].
- — — — — 4 vols. 4to. *Haarlem* [1782].
- Romans, B. Concise Nat. Hist. of Florida. 8vo. *N. York*, 1775. [No sp. nn.]
- Romé Delisle, —. Lettre Polypes d'eau Douce. 12mo. *Paris*, 1766. [No sp. nn.]
- Roques de Maumont, J. E. Mém. Polypiers de Mer. 8vo. *Zelle*, 1782. [No sp. nn.]
- Seepolypengehausen. 8vo. *Zelle*, 1783. [No sp. nn.]
- Rosa, M. Delle Porpore. 4to. *Modena*, 1786. [No sp. nn.]
- Rosa, V. Lettere Zool. 4to. *Pavia*, 1794. [ex Opus. scelti, xvii.]
- Rosenblad, E. De Taenia. 4to. *Lund.* 1782. [n. b.]
- Rosenmüller, J. C. Quaedam de Ossibus, &c. 4to. *Lips.* 1794.
- Beitr. Kennt. foss. Knochen. 8vo. *Leipz.* 1795. [No n. spp.]
- and A. v. Tilesius. Besch. merkw. Höhlen. 8vo. *Leipz.* 1799-1805. [Caves.]
- Roskoschnik, J. Nachr. Boutzhida Siebenburgen Zughenschrecken. 8vo. *Pressburg*, 1782. [No sp. nn.]
- Rosler, G. F. Beytr. Naturg. Wirtemberg. 3 vols. 8vo. *Tubingen*, 1788-91. [No sp. nn.]
- Rossi, P. Fauna Etrusca. 2 vols. 4to. *Liburni*, 1790.

- Rossi, P. Fauna Etrusca. Ed. 2. 8vo. *Helmstadt*, 1795 and 1807, Nachricht 2 pp., 1808.
 [A reprint of ed. 1 and of vol. 1 of the Mantissa up to p. 103.]
 — Mant. Insect. 2 vols. 4to. *Pisis*, 1792 and 1794.
 — Obs. Entom. 8vo. *Pisa*, 1798. [Reprint from Mem. Soc. Stat. VIII.]
 [Roth v. Schreckenstein] Verz. Schmett. Donau. 8vo. *Tubingen*, 1800.
Rouen. Soc. Emul.
 — Mém. 3 vols. 1798–1800. [No sp. nn.]
 — Soc. Roy. Agric.
 Délibérations. 1 vol. 8vo. 1763.
 Roukens, T. L. Laus vespertilionis. 4to. *Noviomagi*, 1768. [No sp. nn.]
 Rousselot de Surgy, — Mélanges intéress. 10 vols. 8vo. *Paris*, 1763–66. [No sp. nn.]
 Rudolphi, C. A. Obs. Verm. Intest. 2 pts. 4to. *Gryph*. 1793–95.
 Rumpel, L. F. E. Prog. de Cantharid. [In Baldinger's Sylloge select. Opus., V. 1780.]
 [No sp. nn.]
 Rumphius, G. E. Amboin Raritäten-Kammer (Trans. by Müller,—emend. by Chemnitz).
 fo. *Wien*, 1766.
 Russell, A. Nat. Beschriſt. Aleppo. 8vo. *Leyde*, 1762. [n. b.]
 — Nat. Hist. Aleppo. Ed. 2. 4to. *Lond*. 1794. [Few spp. by Solander.]
 — Naturg. Aleppo (ed. Gmelin). 2 vols. 8vo. *Gött*. 1797–98.
 Russell, P. Indian Serpents. fo. *Lond*. 1796. [No sp. nn.]
 Ruttly, T. Essay Nat. Hist. Dublin. 2 vols. 8vo. *Dublin*, 1772.
 Rymdyk, J. and A. Mus. Britan. fo. *Lond*. 1778. [No sp. nn.]
 — — (ed. Bayle). Ed. 2. fo. *Lond*. 1791. [No sp. nn.]
- “A. v. P. S.” Schreiben...Dethmaris...Juliae et Montium. 8vo. *Frankf*. 1780. [No sp. nn.]
 St Amans, J. F. Phil. Entom. 8vo. *Agén*, An VII (1799). [No n. spp.]
St Petersburg. Acad. Sci.
 Nov. Comm. 1758–1776.
 Acta. 1777–1782.
 Nova Acta. 1782–1806 (vol. XV.)
- St Pierre, J. H. B. de. Etudes de la Nature. 3 vols. 8vo. *Paris*, 1784. [No sp. nn.]
 — — Ed. 2, 12mo. *Paris*, 1787; ed. 3, 12mo. *Paris*, [1787]; ed. 4, 12mo.
Paris, 1791–92; ed. 5, 8vo. *Paris*, An XII (1804). [No sp. nn.]
 Salerne, F. Hist. Nat. Ornith. 4to. *Paris*, 1767. [No sp. nn.]
 Salis von Marschlins, C. U. v. Beitr. Nat. Sicilien. 2 vols. 8vo. *Zurich*, 1790. [No sp. nn.]
 — Reise Neapel. 8vo. *Zurich*, 1793.
 — Trav. Naples. 8vo. *Lond*. 1795.
- Salzburger gelehrte Zeitung. 4to. [Have seen parts of vol. II.; these were quite general,
 and n. z.]
- Samlinger (Suhm's). 2 vols. 8vo. *Kiob*. 1771–75. [No sp. n.]
 Sammler (Der). 8vo. *Chur*. 6 vols. 1779–84. [No sp. nn.]
 Sammlung phys. Aufsätze (Mayer's). 5 vols. 8vo. *Dresden*, 1791–98.
 Sammlung Physik und Naturg. 4 vols. 8vo. *Leipz*. 1779–92. [Some Zool. but chiefly physics.]
 Sanders, H. Naturg. Rusfolken. 8vo. *Carlsruhe*, 1778. [In his Kleine Schriften.]
 — Von Einhorn. 8vo. *Carlsruhe*, 1779. [*ibid.*]
 — Gesam. Kleine Schriften. 2 vols. 8vo. *Dessau*, 1784–85. [No n. spp.]
 Santi, G. Viag. Montamiata. 3 vols. 8vo. *Pisa*, 1795–1806. [No sp. nn.]
 — — 2 vols. 8vo. *Lyon*, 1802. [No. sp. nn.]
- Sauri (Abbé). Précis Hist. Nat. 12mo. *Yverdon*, 1779. [No sp. nn.]
 Saussure, H. de. Voy. Alpes. 8vo. *Neuch*. 1779–96. [n. z.]
 — Reise Alpen. 4 vols. 8vo. *Leipz*. 1781–88. [n. z.]
 — Voy. Alpes. 8 vols. 8vo. *Genève et Neuchatel*, 1787–96. [n. z.]
- Sauvages, F. B. de. Nosologia. 8vo. *Amst*. 1768. [Med.]
 Savigny, M. J. C. L. de [Savigny]. Hist. Nat. Dorades. 4to. *Paris*, 1780. [Plates
 engraved by Martinet, to whom the book is often erroneously ascribed.]
- Scelta Opus. interess. 36 vols. 8vo. and 7 vols. 4to. *Milano*, 1775–84. [No n. spp.]
 Schacht, C. P. Orat. de utili....Hist. Nat. 4to. *Harder*, 1793. [No n. spp.]

- Schaeffer, J. C. Epist. Ichthyol. 4to. *Ratisb.* 1760. [No sp. nn.]
 — Pisc. Bavar.-Ratisbon. 4to. *Ratisb.* 1761.
 — Die Egelschnecken. Ed. 2. 4to. *Regensb.* 1762. [No sp. nn.]
 — Der Altenholzbock. Ed. 2. 4to. *Regensb.* 1763. [Ed. 1, 1755 seen; ed. 2 a reimpression of this; no sp. nn.]
 — Die armpolypen. 4to. *Regensb.* 1763; ed. 2, 1763. [No sp. nn.]
 — Erlaut. Vorschläge Nat. 4to. *Regensb.* 1763. [No spp. nn.]
 — Opus Entom. 4to. *Regensb.* 1764. [List of works.]
 — Abhandl. Insecten. 4to. *Regensb.* 1764-79. [No sp. nn.]
 — Zweifel u. Schwierigk. Insectenlehre. 4to. *Regensb.* 1766. [No n. spp.]
 — Fernere Zweifel... 4to. *Regensb.* 1766. [No n. spp.]
 — Elem. Entom. 4to. *Ratisb.* 1766.
 — — Appendix (the ed. 2). 4to. *Ratisb.* 1777.
 — — cum Appendice (the ed. 3). 4to. *Ratisb.* 1780.
 — Icones Insect. Ratisbon. 5 pts. 4to. *Regensb.* 1766-79.
 — Erstere Vers. Schnecken. 4to. *Regensb.* 1768. [No sp. nn.]
 — Fernere... 4to. *Regensb.* 1769. [No sp. nn.]
 — Nachtrag... 4to. *Regensb.* 1770. [No sp. nn.]
 — Erstere und Fernere... mit Nachtrage. Ed. 2 4to. *Regensb.* 1770. [No sp. nn.]
 — Elem. Ornith. 4to. *Ratisb.* 1774. [No sp. nn.]
 — — Ed. 2. 4to. *Ratisb.* 1779. [T. P. only new.]
 — Mayenwurmkäfers. 4to. *Regensb.* 1778. [No sp. n.]
 — Mus. Ornith. 4to. *Ratisb.* 1789. [T. P. M.D.CCLXXIXX.]
- Schellenberg, J. R. Helvet. Entom. 2 vols. 8vo. *Zurich*, 1798 and 1806. [French trans. by Clairville in same vol.]
 — Cicum in Helvet. 8vo. *Turici*, 1800.
- Scherffer, P. C. De Cellulis Apium. 4to. *Vien.* 1760. [No sp. nn.]
- Schinz, S. Abh. Nützen Naturw. 8vo. *Zurich*, 1780. [No sp. nn.]
 — Diss. Phys. de Itin. Helvet. 3 pts. 4to. *Turici*, 1781-84. [No sp. nn.]
- Schirach, A. G. Melitto-Theologia. 8vo. *Dresden*, 1767. [No sp. nn.]
 — Nat. Ges. Erd- Feld- oder Ackerschnecken. 8vo. *Leipz.* 1772. [Econ.]
- Schirow, J. J. De Cantharid. 4to. *Trajecti ad V.* 1794. [No n. spp.]
- Schloezer, A. J. Briefwechsel meist statist. Inhalts. 8vo. *Göttingen*, 1775.
 Continued as Schloezer's Briefwechsel, 10 Theile, *ibid.* 1776-82. [Contains Rothmann's *Mus gundi.*]
- Schlösser, J. A. De Lacerta amboin. 4to. *Amst.* 1768.
- Schluga, J. B. Primae lineae Insect. 8vo. *Vien.* 1767. [No n. spp.]
- Schmidel, C. C. Vorst. Verstein. 4to. *Nürnb.* 1780. [No sp. nn.]
 — Vorst. merkw. Verstein. 4to. *Erlangen*, 1793. [No sp. nn.]
 — Fortgez. Vorst. merkw. Verstein. 4to. *Erlang.* 1793. [No sp. nn.]
 — Descr. itin. Helvet. 4to. *Erlang.* 1794. [Bot.]
- Schmidt, F. C. Hist. Min. Jena. 8vo. *Gotha*, 1779. [Mineral.]
- Schmidt, F. W. Samml. phys. oek. Aufsätze. 8vo. *Prag*, 1795.
- Schmiedlein, G. B. Taschenbuch Insect. 8vo. *Leipz.* 1784. [No n. spp.]
 — Einleit. Kennt. Insect. 8vo. *Leipz.* 1786. [No n. spp.]
 — Insect. Terminol. 8vo. *Leipz.* 1789. [No n. spp.]
 — Spec. Faun. Insect. Lips. 8vo. *Lips.* 1790. [No n. spp.]
 — Schediasma... Insect. 8vo. *Lips.* 1790. [No n. spp.]
 — Vollst. Lehrbuch Entom. 8vo. *Leipz.* 1795. [No n. spp.]
 — Tagebuch... Schmett. 8vo. *Leipz.* 1800.
- [Schneider, D. H.] Nomen. Entom. 4to. *Stralsund*, 1785.
 [—] Syst. Besch. europ. Schmett. 8vo. *Rostock*, 1785.
 [—] Verz. Parthei Insect. 8vo. [*Strals.*] 1800. [Some n. spp. by Holthuysen; all with diagnoses recorded.]
- Schneider, J. G. Solemn. Anniv. Natalis magin: praecedit Disput. de Achlide, &c. 4to. *Trajecti ad V.* 1781. [No sp. nn.]
 — Ichthy. Vet. Spec. 4to. *Francof. ad V.* [1782]. [No sp. nn.]
 — Allg. Naturg. Schildkröten. 8vo. *Leipz.* 1783.

- Schneider, J. G. Erster Beytrage z. Nat. Schildkroten. 8vo. *Leipz.* 1787, 16 pp., 2 pls.
 ——— Zweiter.... 8vo. *Leipz.* 1789, 32 pp., 1 pl.
 ——— Samml. verm. Abh. Zool. 8vo. *Berlin*, 1784.
 ——— Amphib. Physiol. Spec. I. 4to. *Trajecti ad V.* 1790.
 ——— ——— Spec. II. 4to. *Trajecti ad V.* 1792.
 ——— ——— Spec. II. Ed. 2. 4to. *Zullich.* 1797.
 ——— Samml. Anat. &c. Fischkunde. 8vo. *Leipz.* 1795. [No n. spp.]
 ——— Beytr. Nat. Wallfischarten. 8vo. *Leipz.* 1795.
 ——— Hist. Amphib. 2 pts. 8vo. *Jenae*, 1799 and 1801.
 ——— *See* Artedi.
- Schönbauer, J. Conspect. Ornith. Hungaricae. 4to. *Budae*, 1795. [No n. spp.]
 Schönbauer, J. A. Ges. Kolumbatezer Mücken. 4to. *Wien*, 1795.
- Schoepf, J. D. Reise N. Amer. 8vo. *Erlangen*, 1788.
 ——— Hist. Testudinum. 4to. *Erlang.* pp. 1—32, 1792; —80, 1793; —112, 1795; —136, 1801.
- Schrank, F. v. P. Beytr. Naturges. 8vo. *Leipz.* 1776. [pp. 59—120 contain 3 complete papers which are accepted as binominal.]
 ——— Weise Naturg. zu Studiren. 8vo. *Regensb.* 1780. [n. z.]
 ——— Enum. Insect. Austr. 8vo. *Aug. Vind.* 1781.
 ——— Allgem. Anleit. Naturges. 8vo. *Münch.* 1783. [No spp. nn.]
 ——— Baierische Reise. 8vo. *Münch.* 1786.
 ——— Verz. Eingeweidewürmer. 8vo. *Münch.* 1788.
 ——— Reise südl. Gebirge Baiern. 8vo. *Münch.* 1793.
 ——— Briefe Donaunmoor. 4to. *Mannheim*, 1795.
 ——— Samml. nat. phys. Aufsätze. 8vo. *Nürnb.* 1796.
 ——— Nachr. berühm. Gelehrten. 8vo. *Nürnb.* 1797. [Valuable Biographies.]
 ——— Fauna Boica. 8vo. *Nürnb.*; *Ingolstadt*; *Landshut.* I, 1798; II (1) 1801; II (2) 1802; III (1 and 2) 1803.
 ——— Privatgesell. *See* München.
 ——— and K. E. v. Moll. Naturhist. Briefe Oesterreich. 2 vols. 8vo. *Salzburg*, 1785.
- Schreber, D. G. Reise Carlsbad. 8vo. *Leipz.* 1771. [No n. spp.]
- Schreber, J. C. D. Lithogr. Halensis. 4to. *Halae*, 1758. [No n. spp.]
 ——— Nov. Spec. Insect. 4to. *Halae Mag.* 1759.
 ——— Die Säugthiere. 4to. *Erlangen*. [For dates, *see* Proc. Zool. Soc., 1891, pp. 587—592.]
 ——— Hist. Nat. Quad. (trans. Isenflamme). I, 216 pp., 1775; II, 108 pp., 1776; III (1), 100 pp., 1780. [Mere translation.]
- Schreibers, K. Vers. Conchyl. Linnés Syst. 2 vols. 8vo. *Wien*, 1793.
- Schröckig, L. Hist. Moschi. 4to. *Aug. Vind.* 1782. [No n. spp.]
- Schoder, F. J. Hierozoici ex Bocharto. 3 pts. 8vo. *Tubingen*, 1784—5—6. [No n. spp.]
- Schroeder, T. G. De Hydatidibus. 8vo. *Rintelli*, 1790. [The names merely refer to place of habitat.]
- Schroeter, H. E. A. De Verm. corp. human. intest. 8vo. *Halae*, 1787. [Names not used specifically.]
- Schroeter, J. S. Lithogr. Beschr. Gegend. Thangelstedt. 8vo. *Jena*, 1768. [No sp. nn.]
 ——— Vers. Syst. Erdconchyl. 8vo. *Berl.* 1771. [No sp. nn.]
 ——— Vollst. Gesch. Steine. 4 vols. 4to. *Allenb.* 1774 &c. [No sp. nn.]
 ——— Etwas zu Nutzen...Naturges. 8vo. *Weimar*, 1775. [No sp. nn.]
 ——— Abh....Naturges. 2 vols. 8vo. *Halle*, 1776, 1777. [No sp. nn.]
 ——— Die Gesch. Flussconchyl. 4to. *Halle*, 1779. [Not binom.]
 ——— Lithol. Real- und Verballexicon. 4 vols. 8vo. *Frankfurt*, 1779—88. [Dictionary.]
 ——— Mus. Gottwald. fo. *Nürnb.* 1782. [No sp. nn.]
 ——— Innere Bau Flusssschnecken. 4to. *Frankf.* 1783. [No n. spp.]
 ——— Einleit. Conchyl. Kennt. nach Linné. 3 vols. 8vo. *Halle*, 1783, 1784, 1786. [Not binom.]
 ——— Namen Register...Conch. Cabinets. 4to. *Nürnb.* 1788.
 ——— Unterhalt. Conchyl. 8vo. *Erlang.* 1789.
 ——— Namen Register...Thierpflanzen Pallas. 4to. *Nürnb.* 1798.

- Schroeter. *See* Journ. [Schroeter was not a binominalist, he quotes binominals and multi-nominals indiscriminately.]
- Schülte, J. H. Oryct. Jenensis. 8vo. *Jenae*, 1761. [No sp. nn.]
- Schütz, A. G. Besch. nordamerik. Fossilien. 8vo. *Leip.* 1791. [Min.]
- Schultes, J. A. Vers. naturges. Menschens. 8vo. *Regensb.* 1799. [No sp. nn.]
- [Schultz, E. C.] Taschen-Krebse. 4to. *Hamb.* [1780]. [No sp. n.]
- Espèce des Crabes. 4to. *Hamb.* [1780]. [No sp. n.]
- Schultze, C. F. Verst. Seesterne. 4to. *Warschau*, 1760. [Genera considered valid.]
- Schultze, J. D. Bemerk. Waschbären. 8vo. *Hamb.* 1787. [No n. spp.]
- Schwab, J. Petref. in ord. Syst. digesta. 8vo. *Heidelberg*, 1778. [No sp. nn.]
- Schwabisches Mag. gelehrt. Sachen. 8vo. *Stutt.* 1774-80. [Lit. and Gen.]
- Schwaegrichen, C. F. Topogr. Bot. et Entom. Lips. 2 pts. 8vo. *Lips.* 1799. [No n. spp.]
- Schwarz, C. Neuer Raupenkalender. 2 vols. 8vo. *Nürnb.* 1791.
- Nomencl. Roesel. 4to. *Nürnb.* Class 1, 1793; 2, 1810; 3, 1830.
- Beytr. Nat. Insect. Gesch. *See* Kleeman. [Schwarz' part came out pp. 1-84, 1793; 85-196, 1794.]
- Schwarzburg-Rudolstadt. Die Conchyl. in Cabin. des Herrn...S.-R. 8vo. *Rudolstadt*, 1786. [No sp. nn.]
- Schwedische Annal. Med. Nat. (Rudolphi's). 8vo. *Berl.* 1800. [No n. spp.]
- Schweighaeuser, J. F. Amphib. *See* Hermann, J.
- Schweizerisches Museum. 6 vols. 8vo. *Zurich*, 1783-90, contd. as:—
- Neues Schw. Mus. 3 vols. 8vo. *Zurich*, 1794-96. [Lit.]
- Scientific Receiptacle (Whiting's). 2 vols. 8vo. *Lond.* 1791-1809. [No zool.]
- Scilla, A. De corp. marin. lapid. 4to. *Romae*, 1759. [No sp. nn.]
- Scopoli, J. A. Entom. Carn. 8vo. *Virid.* 1763.
- Introd. Nat. Hist. 8vo. *Pragae*, 1777.
- Einleit. Kennt. Fossilien. 8vo. *Riga*, 1769. [Min.]
- Anni 1-v. 8vo. *Lips.* 1769-72.
- Bemerk. Naturges. 8vo. *Wien*, 1770, 1781, 1781.
- Delic. Flor. et Faun. fo. *Ticini*, 1786, 1786, 1788.
- Abh. Bienen. 8vo. *Wien*, 1787. [ex Annus IV, 1770.]
- Scriba, A. G. Beytr. Insekt. 3 pts. 4to. *Frankf.* 1790, 1791, 1793.
- Seba, A. Locuplet. rerum nat. 4 vols. fo. *Amst.* 1734-65. [Not binom.]
- Segovia.* R. Soc. Econ. Amig. Pais.
- Actes y Mem. 4 vols. 4to., 1785-93. [Agric.]
- Seligmann, J. M. Samml. Vögel. 9 pts. fo. *Nürnb.* 1749-76. [No sp. nn.]
- Selle, C. G. N. Beytr. zur nat. Arznei. 3 pts. 8vo. *Berlin*, 1782-86. [No z.]
- Semler, J. S. Vers. Diarium...Insect. im Winter. 8vo. *Halle*, 1782; Fortsetz. 1782. [No n. spp.]
- Nachlese Bonnet. Insect. 8vo. *Halle*, 1783. [No sp. nn.]
- Sepp. [Sepp & Sons, Snellen, & others.] Nederlandsche Insecten. 8 vols. 4to. *Amst.* 1762-1860. [No n. spp.]
- Serao di San Cipriano, F. Opuscula. 4to. *Nap.* 1766. [No sp. nn.]
- Sestini, D. Agric. Prod. Sicilia. 8vo. *Firenze*, 1771. [No sp. nn.]
- Descr. Mus. Biscari. 8vo. *Livorno*, 1776. [No sp. nn.]
- — Ed. 2. 8vo. *Livorno*, 1787. [No sp. nn.]
- Lettere...Sicilie e Turchia. 7 vols. 12mo. *Livorno* & *Firenze*, 1799-84. [No sp. nn.]
- Lettere...Cizico &c. 8vo. *Livorno*, 1785. [No sp. zool.]
- Opuscula. 12mo. *Firenze*, 1785. [No n. spp.]
- Descr. Prov. Sicilia. 8vo. *Firenze*, 1788. [No sp. nn.]
- Severini, J. Tent. Zool. Hungaricae. 8vo. *Posonii*, 1779. [No n. spp.]
- Seville.* R. Soc. Med. Cien.
- Mem. 7 vols. 8vo. 1766-89. [n. z.]
- R. Soc. patriotica.
- Mem. 2 pts. 4to. 1779. [Agric.]
- Shaw, G. Nat. Miscell. 24 vols. 8vo. *Lond.* [For dates see Ann. Mag. Nat. Hist. [6] xv, 1895, p. 375.]

- Shaw, G. Spec. Linn. 4to. *Lond.* 1790.
 — Mus. Leverianum. 4to. *Lond.* 1792-96.
 — Zool. New Holland. 4to. *Lond.* 1794.
 — Cimelia Physica. fo. *Lond.* 1796. [Previously issued as J. F. Miller, "Various Objects in Nat. Hist., 1785"; this is "Icones Anim." 1776-82. See Dryander, Cat. Bibl. Banks, 1. p. 198.]
- Shaw, Th. Reisen...Bereberei. 4to. *Leipz.* 1765. [Not seen: see next entry.]
 — Reizen Barbaryen (ed. Boddaert). 2 vols. 4to. *Utrecht*, 1773. [n. b.]
 — Trav. Barbary. Sir T. H. Moore, Coll. of Travels. 2 vols. fo. *Edinb.* 1785.
 [No sp. nn.]
 — Trav. Barbary. 2 vols. 8vo. *Edinb.* 1808. [n. b.]
- [Sibbold, R.] Phalainologia. 8vo. *Lond.* 1773. [No sp. nn.]
- Siemssen, A. C. Beytr. Nat. Vogel Kurland. 8vo. *Mitau*, 1792. [Author's name should be Beseke, *q.v.*]
 — Handb. Mecklenb. Vogels. 8vo. *Rostock*, 1794.
 — Die Fische Mecklenb. 8vo. *Rostock*, 1794. [No n. spp.]
- Siena.* Acc. Sci. Fisiocritici.
 Atti. Vols. I—X. 1761-1841. [No sp. nn.]
- Sierstorpf, K. H. Insektenarten. 8vo. *Helm.* 1794.
- Sigwart, G. F. De Balneis. See Hotz.
 — and J. H. Weysser. De Verm. intest. 4to. *Tubingen*, 1770. [No sp. nn.]
- Slabber, M. Natuur. Verlust. 18 pts. 4to. *Haarl.* 1769-78.
 — Physik. Belust. 4to. *Nürnb.* 1781.
- Sloane, H. Britt. Mus. beschr. 8vo. *Berl.* 1764. [n. z.]
- Smeathman, H. Mém. Termes. 8vo. *Paris*, 1785. [Translated by Rigaud from Trans. Linn. Soc.]
 — Sendschreiben an Joseph Banks. 8vo. *Gött.* 1789. [Apparently a trans. of the same paper. See Fibig and Nau, Bibl. Gesammt. Naturges. I. (3) 1789, p. 556.]
- Smellie, W. Philos. Nat. Hist. 4to. *Edinb.* 1790. [No sp. nn.]
 — [Zimmermann's trans.] 8vo. *Berl.* 1791. [No sp. nn.]
- Smith, C. Ancient and present state of Waterford. Ed. 2. 8vo. *Dublin*, 1774. [n. b.]
 — Kerry. 8vo. *Dublin*, 1774. [No n. spp.]
- Smith, J. E. Sketch of a Tour on Continent. 3 vols. 8vo. *Lond.* 1793. [No sp. nn.]
 — Ed. 2. 1807. [No sp. nn.]
 — Tracts relating to Nat. Hist. 8vo. *Lond.* 1798. [No sp. nn.]
- Smith, L. Ueber Nat. Bestim. Thiere. 8vo. *Kopen.* 1790. [General.]
- Soemmering, S. T. Ueber Korp. versch. Negers. 8vo. *Frankf.* 1785. [No sp. nn.]
- Solander, D., and G. Brander. Foss. Hanton. 4to. *Lond.* 1766.
- Soldani, A. Saggio Oritt. 4to. *Siena*, 1780. [n. b.]
 — Testaceographia. 4 vols. 4to. *Senis*, 1789-98. [n. b.]
- Sonnerat, P. Voy. Nouvelle Guinée. 4to. *Paris*, 1776. [No sp. nn.]
 — Reise Neuginea (trans. Ebeling). 4to. *Leipz.* 1777. [n. g. et spp.]
 — Account of Voy. to Spice Islands and New Guinea. 8vo. *Bury St Ed.* 1781.
 [Latin diagnoses but no sp. nn.]
 — Voy. Indes Orientales. 2 vols. 4to. *Paris*, 1782. [No sp. nn.]
- Sonnini, C. S. Voy. Egypte. 3 vols. 8vo. *Paris*, An. VII. (1798-99). [No sp. nn.]
- Sotzmann, D. Natur. Abbild. Insect. *Berlin*, 1785. 144 pls. [These plates are no doubt those used by Herbst in Borowski's Gemein. Nat. Thierreichs.]
- Spain.* R. Soc. Bascongada Amigos Pais de Vergara.
 Extr. Juntas Generales. 12 vols. 4to. *Vitoria*, 1773-84. [Mining, farming, &c.: a peripatetic Soc. like Brit. Assoc.]
 pallanzani, L. Saggio osserv. Micros. 4to. [*Modena*, 1766]. [No sp. nn.]
 — Nouvelles Recherches. 2 vols. 8vo. *Londres*, 1769. [No sp. nn.]
 — Opusc. fisica anim. 2 vols. 8vo. *Modena*, 1776. [No sp. nn.]
 — Opusc. phys. anim. 2 vols. 8vo. *Genève*, 1777. [No sp. nn.]
 — Opusc. fisica anim. 3 vols. 8vo. *Venez.* 1782. [No sp. nn.]
 — Phys. Beobacht. Insel Cytherea. 8vo. *Strassb.* 1789. [No sp. nn.]
 — Diss. relative to Nat. Hist. 2 vols. 8vo. *Lond.* 1784. [No sp. nn.]

- Spallanzani, L. Viag. due Sicilie. 5 vols. 8vo. *Pavia*, 1792-7. [No sp. nn.]
 — Reise beyde Sicilien. 5 pts. 8vo. *Leipz.* 1795-98. [No sp. nn.]
 — Trav. in two Sicilies. 4 vols. 8vo. *Lond.* 1798. [n. b.]
 — Voy. deux Siciles. 6 vols. 8vo. *Paris*, An VIII. (1800). [n. b.]
 — Opusc. supra diversi anim. [*ex Viag. Sicilie.*]
 — Tracts on Nat. Hist. of anim. 8vo. *Edinb.* 1799. [No sp. nn.]
 — — Ed. 2. 8vo. *Edinb.* 1803. [No sp. nn.]
- Spalowsky, J. J. N. Vorbote der Naturges. 4to. *Wien*, 17-- . [No sp. nn.]
 — Beitr. Naturges. Vogel. 6 pts. 4to. *Wien*, 1790, 91, 92, 92, 95, 95. [n. b.]
 — Erste Beitr. Nat. Vierfüß. Thiere. 4to. *Wien*, 1794. [n. b.]
 — Prod. Syst. Hist. Testac. fo. *Wien*, 1795.
 — Naturg. Vierfüß. Thiere, Vogel, Amph. und Conch. 10 vols. 4to. *Wien*. [Engelmann, *Bibl. Hist. Nat.* 1846, p. 310: I cannot hear of this: ? the circular of a projected work of which the above formed part.]
- Sparman, A. Resa till Goda Hopps Udden. 8vo. *Stock.* I. 1783; II. 1802; III. 1818. [No n. spp.]
 — Reisen (trans. Groskurd). 8vo. *Berlin*, 1784. [mere trans.]
 — Voyage. 2 vols. 4to. *Lond.* 1785. [trans. only.]
 — — Ed. 2. 2 vols. 4to. *Lond.* 1786.
 — Voyage au Cap. 2 vols. 4to. *Paris*, 1787. [trans. only.]
 — — 3 vols. 8vo. *Paris*, 1787. [trans. only by le Tourneur.]
 — Voyage. 2 vols. 12mo. *Perth*, 1789. [trans. only.]
 — Mus. Carlson. 4 pts. fo. *Holmiae*, 1786-89.
 — Utvalda allm. Merendels Rön Med. Nat. 2 vols. 8vo. *Stock.* 1797-1801. [The vol. 2 is the vol. 2 of his "Resa."]
- Speechly, W. Treatise on Pine-apple...Insects. 8vo. *York*, 1779. [No sp. nn.]
 — — Ed. 2. 8vo. *York*, 1796. [No sp. nn.]
- Stedman, J. G. Narrative...Negros of Surinam. 2 vols. 4to. *Lond.* 1796. [No sp. nn.]
 — Voy. à Suriname (trans. Henry). 3 vols. 8vo. *Paris*, An VII. [No sp. nn.]
 — Surinam Negers. 8vo. *Halle*, 1797. } [Not seen.]
 — — 8vo. *Hamburg*, 1797. }
- Narrative... Ed. 2. 2 vols. 4to. *Lond.* 1806. [No sp. nn.]
- Steiner, J. F. R. Vers...Borkenkäfers. 8vo. *Jena*, 1785. [No n. spp.]
- Steinmetz, J. F. Phys. Unters....Bienen. 8vo. *Nürnb.* 1772. [No sp. nn.]
 — Nähere Aufklärung...Bienen. 8vo. *Breslau*, 1776. [No sp. nn.]
- Steller, G. W. Besch. Kamschatka. 8vo. *Frankf.* 1774. [No sp. nn.]
- Stephan, C. F. De Raiis. 8vo. *Leipz.* 1779.
- Stillingfleet, B. Misc. Tracts Nat. Hist. 8vo. *Lond.* 1762. [No sp. nn.]
 — — Ed. 3. 8vo. *Lond.* 1775. [No sp. nn.]
- Stockholm.* K. Vet. Akad.
 Handlingar. 1758-79. Nya Handl. 1780-1800. 44 vols.
 Tall halne i vidpraesid. aflagning. 1759-92.
 Svar pa Fragan. 1761-73. [Replies to various questions propounded: I cannot see any n. spp. in the series.]
 — K. Vitterhets Hist. Antiq. Akad.
 Handl. Vols. I-VII. 1789-1800. [n. z.]
 — Regia Sci. Acad.
 Analecta transalpina. 2 vols. 8vo. *Venet.* 1762.
- Stoll, C. Natuurlijke...Cicaden. 4to. *Amst.* 1788 &c. [No sp. nn.]
 — Natuurlijke...Wantzen. 4to. *Amst.* 1788 &c. [No sp. nn.]
 — Nat....Spoken. 4to. *Amst.* 1788-1813. [The names in the Indexes are probably by Houttuyn, and were published in 1813.]
 — See Cramer.
- Storia Nat. Ucelli. See Ornith.
- Storr, G. K. C. Entwurf...Naturges. 8vo. *Frankf.* 1777. [Mineral.]
 — Bearbeit. Naturges. 8vo. *Stuttg.* 1780. [No sp. nn.]
 — Alpenreise vom Jahre 1781. 2 vols. 4to. *Leipz.* 1784-6.

- Storr, G. K. C. Prod. Meth. Anim. 4to. *Tubingae*, 1780. [This tract, dated "July 1780," predates Zimmermann, Geogr. Gesch., vol. II., by 2 months—that is dated "Sept."]
 [Stossich, —.] Elenco sist. Anim. Adriatico. 4to. [no place or date]. [No sp. nn.]
 Stralsundisches Magazin. 2 vols. 8vo. *Strals.* 1767–76. [No n. spp.]
 Strassgut, A. Diss. Med. Hist. Verm. 4to. *Vindob.* 1774. [No sp. nn.]
 Ström, H. Phys. Econ. Beskr. Sondmør. 2 vols. 4to. *Soræe*, 1762, 1766. [n. b.]
 Struve, H. Meth. anal. fossiles. 8vo. *Paris*, 1799. [Mineral.]
 Stubner, J. C. Geogr. Nat. Harzgeb. 2 vols. 8vo. *Leipz.* 1800. [No sp. nn.]
 Stütz, A. N. Einrichtung...Nat. Samm. Wien. 8vo. *Wien*, 1793. [No sp. nn.]
 Sturm, J. Insecten Kabinet. 12mo. *Nürnb.* 1791–92.
 — Verz. mein. Insect. Sammlung. 8vo. *Nürnb.* 1796. [No n. spp.]
 — — 12mo. [*Nürnb.*] 1798. [No n. spp.]
 — — 8vo. *Nürnb.* 1800.
 — Verz. ein. z. Tausch. Insect. &c., being pp. 5–16 of Nachr. aus des Entom. Publikum. fo. *Nürnb.* Nov. 1799.
 — Deutschlands Fauna.
 II. Vogel. 1829–1834.
 III. Amphib. 1797–1828.
 VI. Würmer. 1803–1829.
- Suckow, G. A. Anfangsgr. Naturges. Thiere. 6 vols. 8vo. *Leipz.*
 I. Mamm. 1797.
 II. Birds 1800 & 1801. } [Apparently a compilation.]
 III. Amphib. 1798. }
 IV. Fish 1799, 1799. }
- Sulzer, F. G. Vers. Naturges. Hamsters. 8vo. *Gött.* 1774. [No sp. nn.]
 Sulzer, J. H. Kennzeich. Insekten. 4to. *Zürich*, 1761.
 — Geschichte Insecten. 4to. *Winterthur*, 1776. (32 pls.)
 — — Suppl. (of pls. 33–37). [Is in Roemer, Genera Insect., 1789.]
- Swammerdam, J. Bibl. Natura: Hist. Nat. Insect. 4to. *Dijon* and *Paris*, 1758. [In Coll. Acad. Sci. Paris, no sp. nn.]
 — Book of Nature (Hill's ed.). fo. *Lond.* 1758. [No sp. nn.]
 — Nat. Hist. Insects. 8vo. *Perth*, 1792. [No sp. nn.]
- Swartz, O. Tal om Nat.-Hist. Sverige. 8vo. *Stock.* 1794. [No sp. nn.]
 — Tal om Hushalls-Nyttan...Daggande Djuren. 8vo. *Stock.* (K. Vet. Ak.), 1798. [No n. spp.]
- Targioni-Tozzetti, G. Relaz. Viag. Toscana. (Ed. 2.) 12 vols. 8vo *Firenza*, 1768–79. [n. b.]
 — Voy. min. Toscana. 8vo. *Paris*, 1792. [No sp. nn.]
- Tauber, J. Beitr. Naturk. Zelle. 8vo. *Zelle*, 1766. [No n. spp.]
 — Beitr. Nat. Lüneburg. 8vo. *Zelle*, 1769. [No n. spp.]
- Taubenbuch, Nütliches und Vollst. 8vo. *Ulm*, 1790. [No sp. nn.]
 Terechowsky, M. Diss. de Chao. 4to. *Argent.* 1775. [No sp. nn.]
 Testa, D. (3) Lettere del Sig. Testa...pesci Mte Bolca. 4to. *Venez.* 1793. [No sp. nn.]
 Theil, M. Diss. de Vermibus canal. intest. 4to. *Erfordiaie*, 1770. [No sp. nn.]
 — Abh. Würmern Gedarme mensch. Leibes. 8vo. *Berl.* 1786 (not 1766). [General and med.]
- Thibault de Chanvalon, —. Voy. Martinique. 4to. *Paris*, 1763. [No sp. nn.]
 Thiery de Menonville, N. J. Traité culture Nopal, &c. 2 vols. 8vo. *Cap Français*, 1787. [No sp. nn.]
- Thunberg, C. P. Diss. Nov. Spec. Insect. 6 pts. 4to. *Ups.* 1781–91.
 — Diss. Insect. Suecica. 9 pts. 4to. *Ups.* 1784–95.
 — D. D. Mus. Acad. Upsal. 35 Dissert. and 25 Appendices. 4to. *Upsal.* 1787–98, irregularly paged.
 — — Ed. 2. 8vo. *Gött.* 1799–1801. [Reprint of above.]
 — Diss. de Muraena. 4to. *Ups.* 1789.
 — Peric. Entom. 4to. *Ups.* 1789.

- Thunberg, C. P. Char. Gen. Insect. (Meyer's ed., the ed. 2 of preceding.) 8vo. *Gött.* 1791.
- Char. Gen. Ins. (in Swedish by Törner). 8vo. *Ups.* 1793.
- Resa Europa, &c. 4 vols. 8vo. *Ups.* 1788-93.
- Reise... 2 vols. 8vo. *Berl.* 1792-3. [Trans. by Groskurd of preceding.]
- Voyage... 8vo. *Paris*, 1794. [Selections from the "Resa."]
- Travels... 4 vols. 8vo. *Lond.* [1794-95]. [Mere translation.]
- Voyage... 4 vols. 8vo. *Paris*, An VI (1796). [Nat. Hist. revised by Lamarck.]
- Beskr. Svenske Djur. 8vo. *Ups.* 1798.
- De Falcone Canoro. 4to. *Ups.* 1799.
- Tilesius, W. G. Verz. merkw. Seeproducte. 8vo. *Leipz.* 1800.
- Titius, J. D. De divis. anim. gen. 4to. *Witt.* 1760. [No sp. nn.]
- De Rebus petrif. 4to. *Witt.* 1766. [No sp. nn.]
- Gemein. Abh....nat. Dinge. 8vo. *Leipz.* 1768. [No sp. nn.]
- Lehrbegriff Naturges. 8vo. *Leipz.* 1777. [Mostly vernacular; not accepted.]
- Toderini, G. Diss....legno fossile. 8vo. *Modena*, 1770. [Botany.]
- Torre, G. M. della. N. osserv. Stor. Nat. 8vo. *Nap.* 1763. [No sp. nn.]
- — 8vo. *Nap.* 1768. [No sp. nn.]
- N. osserv. Micros. 4to. *Nap.* 1776. [No sp. nn.]
- Torrubia, J. Naturg. Spanien. 4to. *Halle*, 1773. [No sp. nn.]
- Toulouse.* Acad. Sci.
- Hist. et Mém. 4 vols. 4to. 1782-90. [No sp. nn.]
- Tours.* Soc. Roy. Agric.
- Recueil. 1 vol. 8vo. 1763. [Agriculture.]
- Townson, R. Trav. Hungary. 4to. *Lond.* 1797.
- Voy. Hongrie. 3 vols. 8vo. *Paris*, 1799.
- Tracts and Obs. Nat. Hist. 8vo. *Lond.* 1799. [Physiology.]
- Obs. physiol. de Amphibiis. 2 pts. 4to. *Gött.* 1794-95. [No n. spp.]
- Trampel, J. E. Diss. de Taenia. 4to. *Gött.* 1760. [No sp. nn.]
- Treatise on Domestic Pigeons. 8vo. *Lond.* 1765. [No sp. nn.]
- Trembley, —. Abh. Gesch. Polypenart. [Trans. Goeze.] 8vo. *Qued.* 1775. [No sp. nn.]
- Treutler, F. A. De Echinorhynchorum. 8vo. *Lips.* 1791. [No sp. nn.]
- Obs....Helminth. 4to. *Lips.* 1793.
- Troil, U. Resu til Island. 4to. *Ups.* 1777. [n. b.]
- Letters on Iceland. 8vo. *Lond.* 1780. [No sp. nn.]
- Trotter, T. Med. Nautica. 3 vols. 8vo. *Lond.* 1797-1803. [No sp. nn.]
- Turin.* Accad. Sci.
- Miscell. Taurin. (Phil.-math.). 5 vols. 4to. 1759-74.
- Mém. Vols. VI—XI. 1784-1804.
- Accad. Unanimiti.
- Saggi. 2 vols. 8vo. 1793. [No sp. nn.]
- Turner, G. Mem. on mammoth bones. 1799. [ex Mem. Phil. Soc. Philad.]
- Turpin, F. R. Hist....Siam. 2 vols. 12mo. *Paris*, 1771. [No sp. nn.]
- Tychsen, O. G. Physiol. Syrus. 8vo. *Rostochii*, 1795. [No sp. nn.]
- Uddman, J. Nov. Insect. Spec. Ed. 2 by Panzer. 4to. *Norimb.* 1790. [No n. spp. : ed. 1 was 1753.]
- — Ed. 2 [3] by Panzer. 4to. *Erlangen*, 1793. [New T. P. only.]
- Uitzgezogte Verhand. Soc. Wet. Europa. 10 vols. 8vo. *Amst.* 1757-65. [Reprints of papers in various academies.]
- Ulloa, A. de. Voy. S. America. 2 vols. 8vo. *Lond.* 1758. [No sp. nn.]
- — 2 vols. 8vo. *Lond.* 1760. [No sp. nn.]
- — 2 vols. 8vo. *Lond.* 1772. [These two editions are reprints of ed. 1.]
- Noticias Americanas. 4to. *Madr.* 1772. [No sp. nn.]
- Phys. Hist. America. 2 vols. 8vo. *Leipz.* 1781. [Not seen; see *infra*.]
- Mém. phil....Amérique. 2 vols. 8vo. *Paris*, 1787. [No sp. nn.]
- Ungrisches Magazin. 4 vols. 8vo. *Pressburg*, 1781-88.

- Upsala.* Soc. Reg. Sci.
Nova Acta. Vols. I—VI. 4to. 1773–99.
- Ure, D. Hist. of Rutherglen. 8vo. *Glasgow*, 1793. [n. b.]
- Uslar, J. v. *Pyralis Hercyniana*. 8vo. *Hannover*, 1798.
- Utrecht.* Prov. Utrechtsch Genoots.
Verh. 10 vols. 8vo. 1781–1821. [No sp. nn.]
— Soc. rheno-trajectina.
Acta literaria. Vols. I—IV. 8vo. 1793–1803. [Lit.]
- Valencia.* Soc. Econ.
Extract. de las actas. 4to. 1785–91. [No sp. nn.]
Junta publica. 4to. 1799–1806. [No sp. nn.]
- Valentyn, F. Abh. Schnecken. fo. *Wien*, 1773. [No sp. nn.]
- Valmont de Bomare, —. Dict. raisonnée. 9 vols. 8vo. *Paris*, 1775.
— — Ed. 3. 9 vols. 8vo. *Lyon*, 1776.
— — Ed. 4. 8 vols. 4to. *Lyon*, 1791.
— — (? Ed. 5.) 10 vols. 8vo. *Paris*, 1800.
— Almind. Naturhist. (Danish ed. of above.) 8 vols. 8vo. *Kjob.* 1767–70. [V. de B. is not binom.]
- Vandelli, D. De Quibusdam Insect. Diss. tres. 8vo. *Patavia*, 1758. [No sp. nn.]
— Epist. de Holothurio. 4to. *Pat.* 1761. [No sp. nn.]
— Dicc. termos techn. Hist. Nat. 4to. *Coimbra*, 1788. [No sp. nn.]
- Veltheim, A. F. v. Goldgrab. Ameisen. 8vo. *Helms*, 1799. [No sp. nn.]
- Venegas, M. Nat. Hist. Californiae. 2 vols. 8vo. *Lond.* 1759. [No sp. nn.]
— Hist. Nat. California. 3 vols. 12mo. *Paris*, 1767. [No sp. nn.]
— Nat. Hist. California [in Dutch]. 2 vols. 8vo. *Amst.* 1777. [No sp. nn.]
- Verona.* Soc. Ital.
Mem. Vols. I—X. 1782–1803.
- Verzeichniss Fische u. Krebse Adriat. Meerbusen. 12mo. *Triest*, 1796. [No n. spp.]
- Vetensk. Hand. Lakare och Faltskaur (Hedin's). 6 vols. 8vo. *Stock.* 1793–99. [Med.]
- [Vidaure, P.] Comp. Stor. Nat. Chili. 8vo. *Bologna*, 1776. [No sp. nn.]
- Vienna.* Theresianische Akad.
Verz. foss. Gebäude. 8vo. 1776. [min.]
— Phys. Arbeit Freunde in Wien. (Born's.) 4 vols. 4to. 1783–88.
- Viewveg, C. F. Tabell. Verz. Brandenburg. Schmett. 2 pts. 4to. *Berlin*, 1789, 90.
- Villers, C. de. Insectes de France. 4 vols. 4to. *Lyon*s, 1781–83. [Never issued, *vide* Hagen.]
— C. Linnæi Entom. 4 vols. 8vo. *Lugd.* 1789.
— Nomenclat. Iconum Ent. Linn. 12 pts. fo. [1789], [is the Atlas to above.]
- Vio, G. Della natura d. Spongie: [is pp. ix–xxi of Olivi, Zool. Adriat.]
- Vittorio.* Soc. Bascongada Amigos Pais.
Ensayo. 1 vol. 8vo. 1768. [No sp. nn.]
- Voet, J. E. Catal. Coleopt. 3 pts. 4to. *Amst.* 1766–1806. [n. b.]
— *see* Panzer.
- Vogel, B. C. Samml. deutschen Vögel (illustr. by Dietzschin). 2 pts. fo. *Nürnb.* 1772–75. [n. b.]
- Voigt, G. De Piscibus fossil. 4to. *Witt.* 1767. [No sp. nn.]
- Voigt, J. C. W. Erklär. Verz. Cabinet Gebirgsarten. 8vo. *Weimar*, 1792. [min.]
— — ed. 2. 8vo. *Weimar*, 1797. [min.]
- Von der Hagen, T. P. Beschr. Kalkbrüche Rudersdorf. 4to. *Berl.* 1785. [Hist.]
- Vosmaer, A. Natuurk. berchr. Gedierten Prinz Orange. 31 pls. & descr. 4to. *Amst.* 1766–87. [No sp. nn.]
— Descript. diff. anim. ... *ibid.* 1767–87. [same; in French.]
— — 4to. *Amst.* 1804. [same as 2, with additions.]
— Regnum Animale. [Another T. P. to above.]
- Vries, J. de. Natuurk. ... Martinet's Katechismus d. Natuur. 8vo. *Amst.* 1779–78–79. [No sp. nn.]

- Vroeg, A. *Catalogus...Verzam....Vogelen...dieren...verz. door A. Vroeg.* 8vo. 's *Grav.* 1764. [N. spp. in the "Adumbratiuncula."]
- Wad, G. *Foss. Aegyptica.* 4to. *Velit.* 1794. [min.]
 — Tab. syn. Oryct. Werner. fo. *Hafn.* 1798. [No sp. nn.]
- Walch, J. E. I. *Das Steinreich.* 8vo. *Halle*, I. 1762; II. 1764. [No sp. nn.]
 — Ed. 2. Th. 1. 8vo. *Halle.* 1769. [No sp. nn.]
- Walcott, J. *Petrif. Bath.* 8vo. *Bath* [1779]. [No sp. nn.]
 — *Exotic Anim.* *Lond.* 1788. [No n. spp.]
 — Syn. Brit. Birds. 4to. *Lond.* 1789-92. [No n. spp.]
- Waldin, J. G. *Frankenburg. Verstein.* 4to. *Marburg*, 1778. [No sp. nn.]
- Walker, G. & W. Boys. *Tert. Min. rar.* 4to. *Lond.* [1784].
- Walker, J. *Classes Fossil.* 8vo. *Edinb.* 1787. [Mineral.]
- Wallbaum, J. J. *Beschr. Taubentäuchern.* 8vo. *Lubeck*, 1778. [No sp. nn.]
 — *Chelonographia.* 4to. *Lubeck* [1782].
- Wallerius, J. G. *Mineral.* 8vo. *Berl.* 1763. [Ed. 2 by Denso, 1778, n. b.]
- Wallis, J. *Nat. Hist. Northumb.* 2 vols. 4to. *Lond.* 1769. [No sp. nn.]
- Wallmann, J. A. *Abh. Alterthum...Quedlinburg.* 8vo. *Qued.* 1776. [No sp. nn.]
- Walpurger, J. G. *Der grosse Gott im Kleinen.* 8vo. *Chemnitz*, 1762. [A Book on Bees.]
- [Wartel, P.] *Mém. foss. Artois.* 12mo. *Arras*, 1765. [No n. spp.]
- Weber, F. *Nomencl. Entom....Fabricii.* 8vo. *Chil.* 1795.
- Wecko *Skriften for Lakare och Naturf.* 8vo. *Stock.* 1781-1805. [Med. & Reviews.]
- Weiler, J. F. *De anim. nocivis Alsatiæ.* 4to. *Argent.* 1768. [No n. spp.]
- Weissenborn, J. F. *De Verm. Corp. human.* 8vo. *Erford.* 1797. [No sp. nn.]
- Werner, A. G. *Traité carac. fossil.* 8vo. *Dijon.* 1790. [Mineral.]
 — *Verz. Min. Kabinet Ohain.* 8vo. *Freib.* 1791. [Mineral.]
 — *Kennz. Fossil.* *Wien*, 1795. [Mineral.]
- Werner, J. B. *Diss. de Moscho.* 4to. *Gött.* 1784. [No sp. nn.]
- Werner, P. C. F. *Verm. intest.* 8vo. *Lips.* I. 1782; Cont. 1782; Cont. 2, 1786; Cont. 3, 1788 (the last 2 by Fischer).
- West, H. *Bidrag....Ste Croix.* 8vo. *Kjob.* 1793. [No n. spp.]
 — *Beytr....Ste Croix.* 8vo. *Kjob.* 1794. [No n. spp.]
- White, G. *Nat. Hist. Selborne.* 4to. *Lond.* 1789.
 — *Naturalists' Calendar.* 8vo. *Lond.* 1795.
- White, J. *Voy. to N. S. Wales.* 4to. *Lond.* 1790. [See *Ann. Mag. Nat. Hist.* [6] VII. 1891.]
 — *Voy. N. Galles de Sud.* 8vo. *Paris*, An III. (1795). [No n. spp.]
- Whitehurst, J. *Unters. Zustand u. Bildung d. Erde.* 8vo. *Leipz.* 1788. [No sp. nn.]
- Widenmann, J. F. W. *Handb. Oryct.* 8vo. *Leipz.* 1794. [Mineral.]
 — *La Oryctognosia.* 8vo. *Madrid*, 1797-98. [Mineral.]
- Wilcke, S. G. *Diss. Entomothologiae.* 8vo. *Gryph.* 1763. [No sp. nn.]
- Wilckens, C. F. *Nachr. Verstein.* 8vo. *Berlin*, 1769. [No sp. nn.]
- Wild, F. S. *Essai Mont salif. Aigle.* 8vo. *Geneve*, 1788. [Geol.]
 — *Vers. Salzgebirge.* 8vo. *Nurem.* 1793. [Geol.]
- Wilhelm, G. T. *Unterhalt. Naturges.* 20 vols. 8vo. *Augsb.* 1796-1821. [Appears to be a compilation.]
- Wilkes, B. 120 copper plates of Moths &c. 4to. *Lond.* 1773. [Of various years, but no n. spp.]
- Willughby, F. *Ichthyographia.* fo. *Augsb.* 1783, &c. [No sp. nn.]
- Winterschmidt, A. W. *Stubenfliege.* 20 pp. & 8 pp., 1765. [Usually forms part of *Ledermüller's Mikros. Gemuths.* ed. 1763.]
- Wissing, A. L. *Nestern.* See Günther.
- Wohlfahrt, J. A. *De Verm. per nares excretis.* 4to. *Halae*, 1768. [No sp. nn.]
- Wolf, J. & J. F. *Frauenholz. Abbild. u. Beschr....Vogel.* 3 pts. 4to. *Nürnb.* 1799, 1800, 1802.
- Wolf, J. C. *Reise Zeilan.* 2 pts. 8vo. *Berl.* 1782, 84. [No sp. nn.]
- Wolff, J. F. *Icones Cimicum.* 5 pts. 4to. *Erlangae*, 1800, 1, 2, 4, 11.

- Wolff, J. F. Abbild. Wanzer. [Same place and date: trans.]
 Wrede, E. G. F. Geol. Result. Subbaltländer. 8vo. *Halle*, 1794. [Mineral.]
 Wright, T. Fossil moose horns in Ireland. [In pt. 3 of his *Louthiana*, 1758; no sp. nn.]
 Wrisberg, H. A. Anim. infusor. 8vo. *Gött.* 1765. [No sp. nn.]
 Wünsch, C. E. Unterhalt. Menschen. Ed. 2. 2 vols. 8vo. *Leipz.* 1796 & 1798. [No sp. nn.]
 Wulfen, F. X. Descr. Capen. Insect. 4to. *Erlang.* 1786.
 — Abh. Kärnthenschen...Helminth. 4to. *Erlang.* 1793. [There seem to have been several issues of this book.] [n. b.]
 Wulff, J. C. Ichthyologia. 8vo. *Regiom.* 1765.
 Wytttenbach, J. S. Beitr. Naturg. Schweiz. 8vo. *Bern*, 1775. [No sp. nn.]

Xamarro, J. B. Conoc. Aves menoses de jaula. 12mo. *Madrid*, 1772. [Cage birds.]

- Yeats, T. P. Inst. Entom. 8vo. *Lond.* 1773. [No sp. nn.]
 — Catal. Coll. Birds and Quadr. Cayenne. 8vo. *Lond.* 1782. [No n. spp.]

Zeder. Eingeweidewürmer. See Goeze.

Zeno, F. Fossils of Prague. See Physic. (N.) Belust.

- (*) Zimmermann, E. A. W. Spec. Zool. 4to. *Lugd.* 1777. [The words used in this book are not used in a generic sense. They signify "The Marmot," "The Rhinoceros" etc. Compare the "Geogr. Gesch." where *Marmotta*, *Rattus*, *Cricetus*, &c. are not used.]
 — Geogr. Geschichte. 3 vols. 8vo. *Leipz.* 1778-80-83.
 — Kurze Erklär. Zool. Weltcharte. "Anhang" to 2. 8vo. *Leipz.* 1783, paged 1-32.
 — Zool. Geogr. 8vo. *Cassel*, 1784. [Consists of the article on Man from 2.]
 Zinke, G. G. Naturg...Nadelholzinsecten. 8vo. *Weimar*, 1798. [No n. spp.]
 — Bemerk. schädli. Waldraupe. 8vo. *Jena*, 1797. [No sp. nn.]
 Zopf, C. Die Nonne. 8vo. *Leipz.* 1798. [No n. spp.]
 Zschach, J. J. Insecta Mus. Leske. See Karsten.
 Zückert, J. F. Naturges. Oberharzes. 8vo. *Berl.* 1762. [No. n. spp.]
 — Naturges. Unterharzes. 8vo. *Berl.* 1763. [No n. spp.]
 Zürich. Helvet. Gesell.
 — Verhand. 1764. [No n. spp.]
 — Nat. Gesell.
 — Abhand. 3 vols. 1761-66. [No n. spp.]

Suppressed as not denominial. Opinion 257 18:11:1953.

ADDITIONS AND CORRECTIONS.

References to "Cuvier, Leçons Anat. Comp.," refer to *table not page*.

Lacepède in a letter dated 1831 signed "b. g. é. l. cte de lacepède": this spelling and accentuation should be adhered to.

Zeber should read "Zeder."

***Acus** (Pisces), P. L. S. Müller, Del. Nat. II. 1767, 141.

Aedemera A. G. Olivier, Entom. III. 1795,—see "Oedemera".

albicans Lanarius, Daudin :—should read "lanarius Falco, *var.* albicans".

albicollis Otus, Daudin :—should read "otus Strix, *var.* albicollis".

albus Buteo, Daudin :—should read "buteo Falco, *var.* albus".

albus Falco, Daudin :—should read "Chrysaetos Falco, *var.* albus".

americanus Sacer, Daudin :—should read "sacer Falco, *var.* americanus".

Anadema dele "*err. pro* Diadema".

†**Anchyceros** A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 45.—Col.

annotata Tipula, Linnaeus, Syst. Nat., ed. 12, III. 1768, *errata*.

†**Anomala** L. H. von Bloch in Becker, Plau. Grund. 1799, 119.—Hym.

Antribus A. F. de Fourcroy, Ent. Paris, 1785, 136.—*vide* Anthribus.

***Aptenodyta** J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 559.

***Aptenodytes** J. F. Miller, Icon. Anim. pl. 23 (1778).

aruensis Vespa :—should read "I. 1787".

†**Asper** J. C. Schaeffer, Pisc. Bavar. 1761, 69.—P.

ater Milvus, Daudin :—should read "milvus Falco, *var.* ater".

aureus Gypaetos, Daudin :—should read "alpinus Gypaetos, *var.* aureus".

austriacus Milvus, Daudin :—should read "milvus Falco, *var.* austriacus".

***Balanus** Da Costa, Brit. Conch. 1778, 249; Bock in Boddaert, Natuurbeschouwer, II. 1781, 44; F. C. Meuschen, Mus. Gevers. 1787, 478.

***B[ipes]** B. G. E. de Lacepède, Quad. Ovip. &c. I. 1788, Syn. Meth.

borealis Corax, Daudin :—should read "corax Corvus, *var.* borealis".

boschadis Festuca :—should read "Festucaria".

***Brentus** Panzer in Drury, Exot. Ins. 1785, 159.

†**Calandra** B. S. Barton, N. H. Pennsylv. 1799, 19.—A.

candida Corone, Daudin :—should read "corone Corvus, *var.* candida".

candidus Corax, Daudin :—should read "corax Corvus, *var.* candidus".

castaneus Gypaetos, Daudin :—should read "alpinus Gypaetos, *var.* castaneus".

Cataphractus (Pisces), F. C. Meuschen, Mus. Gronov. 1778, 56.

Cateretes = Kateretes :—Illiger in Kugelann. Käfer Preuss. 1798, 395.

cayennensis Accipiter, Daudin :—should read "nisus Falco, *var.* cayennensis".

* The asterisk means that the reference is earlier than that given in the main index.

† The dagger means that the generic word was omitted in the main index; the species are therein included.

- †**Centrogaster** M. Houuttuyn, Verh. Holl. Maat. Weet. Haarlem, XX. (2) 1782, 333.—P.
- †**Cete** J. G. Schneider, Beytr. nat. Wallfisch. 1795, 135.—M.
cinereus Buteo, Daudin :—should read “buteo Falco, *var.* cinereus”.
- ***Clava** T. Martyn, Univ. Conch. I. 1784, fig. 12.—G.
clerica Corone, Daudin :—should read “corone Corvus, *var.* clerica”.
- †**Clytus** J. N. Laicharting, Tyrol, Ins. II. 1784, 88.—Col.
Colliurus should read *Colliuris*, C. de Geer, Hist. Ins. IV. 1774, v & 80.
- ***Corallium** Marsigli in Müller, Del. Nat. I. 1766, 128.—Cor.
- ***Cossyphus** A. G. Olivier, Ency. Meth. VI. (Ins.), 1791, 121.—Col.
crucirostra Corax, Daudin :—should read “corax Corvus, *var.* crucirostra”.
- ***Cynocephalus** (Mamm.), E. Geoffroy & Cuvier, Mag. Ency. III. (12), 1795, 462.
- †**Dagysa** J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3131.—Moll.
decemmaculata Buprestis, P. Rossi, Mant. Ins. II. 1794, 101.
domestica Martes, Pinel :—delete this entry.
- ***Dorippe** F. Weber, Nomen. Fabricii, 1795, 93.
- †**Dorylus** J. C. Fabricius, Ent. Syst. II. 1793, 365.—Hym.
dschindschicus *v.* *gingicus*.
- Elephorus** = *Elophorus* :—G. Paykull, Fauna Suec. I. 1798, 240.
- †**Euryala** F. Weber, Nomen. Fabricii, 1795, 94.—Cr.
eurytus Papilio, Fab. 1793 :—should read “eurytris”.
- fulicaria** Columbus :—should read “Columba”.
- Fungidora** should read “*Fungivora*”.
- †**Fungites** Martini, Berlin Mag. I. 1765, 268.—Cor.
- ***Fusus** P. L. S. Müller, Del. Nat. I. 1766, 129.
- Galleruca** = *Galeruca* :—J. C. Fabricius, Suppl. Ent. Syst. I. (2), 1792.
- †**Gallina** Linnaeus in Hasselquist, Palast. 1762, 327.—A.
gallinarius Buteo, Daudin :—should read “buteo Falco, *var.* gallinarius”.
- †**Gazella** P. S. Pallas, Nov. Comm. Petrop. XIII. 1769, 468.—[? used generically.]
Gobiomaroides should read “*Gobiomorus*”.
- Gobiomarus** should read “*Gobiomorus*”.
- graminis-canini** Phalaena, J. G. Gladbach in Kuehn, Kurz. Anleit. Ins., ed. 2, 1783, 155 [*n. n.*].
- gravidus Cataretus** should read “*Cateretes*”.
- ***Harpa** P. S. Pallas, Spic. Zool. X. 1774, 33.
Helmintholithus it has been found convenient to quote these groups.
- Helodes** = *Elodes* :—G. Paykull, Fauna Suec. II. 1799, 84; III. 1800, 451.
- †**Hydroides** J. E. Gunnerus, K. Norske Vid. Selsk. Skrift. IV. 1768, 52.—Ver.
- †**Ibex** P. S. Pallas, Spic. Zool. XI. 1776, 31.—M. [? used generically].
- ***Idotea** F. Weber, Nomen. Fabricii, 1795, 94.
iomaculata Buprestis :—should read “*decemmaculata*”.
- ***Ips** C. de Geer, Mem. Ins. V. 1775, 194.
italicus Otus, Daudin :—should read “*otus Strix, var. italicus*”.
- Iulus** *vide* *Julus*.
- Lacertus** = *Lacerta* :—B. G. E. de Lacepède, Quad. Ovip. &c. I. 1788, Syn. Meth.
lacteus Accipiter, Daudin :—should read “*nisus Falco, var. lacteus*”.
- lasiurus** Nycterus :—should read “*Nycteris*”.
- ***Leucophra** O. F. Müller, Zool. Dan. II. 1784, 97.
- ***Ligniperda** P. S. Pallas, Spic. Zool. IX. 1772, 6.
Lygdus = *Lyctus* :—J. C. Fabricius, Actes Soc. H. N. Paris I. (1), 1792, 33.
- ***Machla** A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 67.

- Macrocephalus** Swederus, is an Hemipteron.
- ***Milvus** C. Nozeman in Nozeman & Houttuyn, Ned. Vogel. I. (177-), 15.
miniata Serratula, C. F. Schulze, Dresdnisches Mag. II. 1765, 460.
minor Leopardus, T. Pennant :—delete this entry.
- †**Monotama** G. W. F. Panzer, Ins. Germ. I. 1792, no. 24.—Col.
- Musidora** should read "**Musivora**".
- Myrmeleo** = Myrmeleon :—P. S. Pallas, Reise Russ. I. 1771, 469.
- naevius** Buteo, Daudin :—should read "**buteo Falco, var. naevius**".
- Necrophorus** = Nicrophorus :—Hausmann, Entom. Bemerk. 1799, 33.
nigra Serratula, C. F. Schulze, Dresdnisches Mag. II. 1765, 460.
- ***Notocanthus** M. E. Bloch, Abh. böhm. Ges. Wiss. 1787 (1788), 278.
- †**Nyctemene** J. M. Bechstein in Pennant, Uebers. 4 füss. Thiere, II. 1800, 615 & 736.—M.
- ***Oliva** T. Martyn, Univ. Conch. III. 1789, fig. 111.
- ***Orbis** P. L. S. Müller, Del. Nat. II. 1767, 141.—P.
- ***Orthocera** (Rhiz.), A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 63.
- ***Orycteropus** G. Cuvier, Tabl. élém. 1798, 144.
- ***Otus** T. Pennant, Ind. Zool. 1769, 3.
- ***Pecten** P. Osbeck, Reise Ost-Ind. China, 1765, 391.
pennatus Buteo, Daudin :—should read "**buteo Falco, var. pennatus**".
petosius should read "**petosiris**".
- †**Physis** J. A. Scopoli, Del. Insub. I, 1786, 46.—Ver.?
- ***Pithecus** E. Geoffroy and Cuvier, Mag. Ency. III. (12), 1795, 462.
podae Aranea *vide* "R. P. Podae, p. 840".
prima Querquedula :—delete this entry.
- recticornis** Gazella :—should read "XIII. 1769, 468".—[? used generically.]
- russicus** Milvus, Daudin :—should read "**milvus Falco, var. russicus**".
- ***Ruticilla** Bartram in Barton, N. H. Pennsylv. 1799, 19.—A.
- †**Sagra** J. F. W. Herbst, in Jablonsky, Nat. Ins. (Käfer), VII. 1797, 265.) Col.
- Saphyga** should read "**Sapyga**".
somaidia should read "**somacola**".
sorocensis should read "**soroensis**".
- ***Spio** Koenig in O. F. Müller, Würm. 1771, 188.
- surcitorator** Tetrao :—delete this entry.
- ***Tapir** J. F. Blumenbach, Handb. Naturges. 1779, 129.
tortuosa Trisidos (Gm.), J. F. Bolten, Mus. Bolten. II. 1798, 175.—Arca.
- varia** Corone, Daudin :—should read "**corone Corvus, var. varia**".
varius Corax, Daudin :—should read "**corax Corvus, var. varius**".

INDEX

NOMINUM ANIMALIUM.

- aalge** Colymbus, E. Pontoppidan, Danske Atlas, I. 1763, 621; & Danischer Atlas, I. 1765, 401.
- abacus** Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 32.
- abadonna** Sphinx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 435.
- abaris** [Papilio], P. Cramer, Utitl. Kapellen, I (8) 1776, 146.
- abas** Bombyx (Cr.), J. C. Fabricius, Spec. Ins. II. 1781, 173.—Phalaena.
- abas** [Phalaena], P. Cramer, Utitl. Kapellen, I (7) 1775, 121.
- abasia** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 103.
- abbadon** Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 262.
- abbas** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 750.
- abbaticus** Lituus, J. J. N. A. Spalowsky, Prod. Test. 1795, 9.
- abbreviana** Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 278.
- abbreviator** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 153. [1787.
- abbreviator** Molorchus, J. C. Fabricius, Ent. Syst. I (2) 1792, 356.—Leptura abbreviata, Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3478.
- abbreviatum** Calendra (Fab.), J. R. Schellenberg, Helvet. Entom. I. 1798, 64.—Curculio.
- abbreviata** Cantharis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1900.
- abbreviatus** Carabus, J. C. Fabricius, Reise Norwegen. 1779, 263. [—Lymexylon.
- abbreviata** Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 147.
- abbreviata** Cicada, J. C. Fabricius, Mant. II. 1787, 271.
- abbreviata** Coccinella, J. C. Fabricius, Mant. I. 1787, 54.
- abbreviatus** Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 386; ed. 12, 1767, 618.
- abbreviatus** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 436.
- abbreviatus** Dytiscus, J. C. Fabricius, Mant. I. 1787, 191.
- abbreviata** Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 97.
- abbreviatus** Hister, J. C. Fabricius, Syst. Ent. 1775, 53.
- abbreviatus** Ichneumon, J. C. Fabricius, Ent. Syst. IV. 1794, 456.
- abbreviata** Leptura, J. C. Fabricius, Syst. Ent. 1775, 199.
- abbreviata** Leptura, J. C. Fabricius, Mant. I. 1787, 160.
- abbreviatus** Lyctus, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 21.
- abbreviatus** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 150.
- abbreviata** Lymexylon, J. C. Fabricius, Mant. I. 1787, 164.
- abbreviata** Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 45.
- abbreviata** Nitidula, J. C. Fabricius, Spec. Ins. I. 1781, 91.
- abbreviatus** Ptinus, F. v. P. Schrank, F. Boica, I. 1798, 542. [Curculio.
- abbreviatus** Rynchophorus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 11.—
- abbreviatus** Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1566.—
- abbreviatus** Scarabaeus, C. G. Jablonsky, Nat. Ins. (Käfer) II. 1789, 53. [Melolontha.
- abbreviatus** Strongylus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 190.—
- abbreviatus** Tenebrio, J. C. Fabricius, Syst. Ent. 1775, 256. [Nitidula.
- abbreviatus** Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 8.
- abbreviata** Vespa, C. de Villers, Linn. Ent. III. 1789, 281.
- abdita** Madrepora, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 162.
- abdominalis** Aedemera, A. G. Olivier, Entom. III. 1795, 14.

- abdominale** Anisotoma, G. Paykull, Faun. Suec. III. 1800, 436.—Sphaeridium, 1798.
abdominalis Bruchus, J. C. Fabricius, Spec. Ins. I. 1781, 76.
abdominale Callidium, A. G. Olivier, Entom. IV. 1795, 70.
abdominalis Cantharis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 67.
abdominalis Carabus, J. C. Fabricius, Mant. I. 1787, 201.
abdominalis Ceria, J. C. Fabricius, Suppl. Ent. Syst. 1798, 557.—Syrphus, 1794.
abdominalis Cicada, E. Donovan, Ins. China, 1798.
abdominalis Coccinella, C. P. Thunberg, Ins. Suecica (9), 1795, 111.
abdominalis Coluber, F. C. Meuschen, Mus. Gronov. 1778, 15.
abdominalis Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 151. [Crioceris.
abdominalis Cryptocephalus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1719.—
abdominalis Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 433.
abdominalis Erotylus, J. C. Fabricius, Ent. Syst. I (2) 1792, 38.
abdominalis Fasciola, J. A. E. Goeze, Eingeweidewürm. 1782, 187.
abdominalis Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 590.—Crioceris.
abdominalis Hemerobius, J. C. Fabricius, Syst. Ent. 1775, 310.
abdominalis Hylaeus, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 18.
abdominalis Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 409.
abdominalis Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 183.
abdominalis Lacerta, C. P. Thunberg, K. Vet. Ac. Nya Handl. VIII. 1787, 127.
abdominalis Lacerta, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 29.
abdominalis Lagria, J. C. Fabricius, Mant. I. 1787, 93.
abdominalis Ligula (Goeze), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3043.—
Fasciola varr. *cobitidis*; *cyprinorum*; *gobionis*; *trincae*; *carassii*; *leucisci*; *alburni*;
vimbae; *bramae*.
abdominalis Malachius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 71.
abdominalis Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 640.
abdominalis Melolontha, J. C. Fabricius, Spec. Ins. II. 1781, 496.
abdominalis Melyris (Fab.), A. G. Olivier, Entom. II. 1790, 4.—Lagria.
abdominalis Mordella, J. C. Fabricius, Syst. Ent. 1775, 264.
abdominalis Necydalis, A. G. Olivier, Entom. IV. 1795, 8.
abdominalis Oxyporus, J. C. Fabricius, Spec. Ins. II. 1781, 501.
abdominalis Psocus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 204.—Hemerobius, 1775.
abdominalis Salamandra, P. A. Latreille, Salamand. France, 1800, 29 & 50.
abdominalis Scarabaeus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1559.—
abdominale Sphaeridium, J. C. Fabricius, Ent. Syst. I (1) 1792, 79. [Melolontha.
abdominale Sphaeridium, G. Paykull, Faun. Suec. I. 1798, 71.
abdominalis Sphex, D. Drury, Ill. Nat. Hist. I. 1770, index & 108. [Oxyporus.
abdominalis Staphylinus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2037.—
abdominalis Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 307.
abdominalis Tenthredo, J. C. Fabricius, Suppl. Ent. Syst. 1798, 216.
abdominalis Tiphia, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 5.
abdominalis Thynnus, J. C. Fabricius, Ent. Syst. II. 1793, 245.
abebalus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 145.
abessinicus v. *abyssinicus*.
abiecta v. *abjecta*.
abies Gorgonia, Linnaeus, Syst. Nat., ed. 10, 1758, 802; ed. 12, 1767, 1290. [Ellis.]
abies Gorgonia, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 161.—[Pabietina,
abietana Geometra [Denis & Schiffermüller], Schmett. Wien, 1775, 101. [*n. et f.*].
abietana Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 160
abietana Phalaena [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
abietana Pyralis, J. C. Fabricius, Mant. II. 1787, 237.
abietana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 532.
abietella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 138.
abietinus Bostrichus, J. C. Fabricius, Ent. Syst. I (2) 1792, 367.
abietina Gorgonia, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 96.
abietina Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 808; ed. 12, 1767, 1307.
abietina Sphex, Scopoli, Ent. Carn. 1763, 296.

- abietina** Tenthredo, J. L. Christ, Nat. Ins. 1791, 447.
abietis Anobium, J. C. Fabricius, Ent. Syst. I. (1) 1792, 238.
abietis Bombyx [Denis & Schiffermüller], Schmett. Wien, 1775, 55.
abietis Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 454; ed. 12, 1767, 728.
abietis Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 450; ed. 12, 1767, 732.
abietis Coccinella, G. Paykull, K. Vet. Ac. Nya Handl. XIX. 1798, 154.
abietis Coccus, A. Modeer, Götheborg Samhalls Hand. (Wet. Afd.) I. 1778, 27.
abietis Cryptocephalus, G. Paykull, Faun. Suec. III. 1800, 356.—Dermestes, 1798.
abietis Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 383; ed. 12, 1767, 613.
abietis Dermestes, G. Paykull, Faun. Suec. I. 1798, 291.
abietis Miris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 187.—Cimex.
abietis Phalaena Bombyx, J. Hübner, Beitr. Schmett. I (3) [1788], 3.
abietis Psylla, O. F. Müller, Z. Dan. Prod. 1776, 109.
abietis Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 558; ed. 12, 1767, 923.
abildgaardii Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 22.
abildgaardiana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 274.
abildgaardiana Tellina, L. Spengler, Skr. nat. Selsk. [Copen.] IV (2) 1798, 90.
abjecta Mantis, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 4.
abiecta Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 176.
ablectus Musca, M. Harris, Exp. Eng. Ins. 1776, 41.
abolla Papilio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 162.
abrogator Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 367.
abrotani Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 73.
abrotonoides Madrepora, Boerh., P. L. S. Müller, Del. Nat. I. 1766, 127.
abruptaria Phalaena, C. P. Thunberg, Ins. Suecica (4) 1792, 59.
abruptaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 117.
abruptella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 83.
abrupta Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.
abscissa Silpha, J. N. Laicharting, Tyrol. Ins. I. 1781, 91.
absconditus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2—5) 1783, 138.
absinthiana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 34
absinthiata [Phalaena], C. Clerck, Icones, I. 1759, pl. viii. 9. [u. et f.]
absinthii Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 735.
absinthii Aphis, Scopoli, Ent. Carn. 1763, 137.
absinthii Chrysomela, P. S. Pallas, Reise Russ. II. 1773, 725.
apsinthii (*sic*) Curculio, G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 9.
absinthii Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 586.—Chrysomela.
absinthii Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 610.—Phalaena.
absinthii Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1763, 314.
absinthii Phalaena (Noctua), O. F. Müller, F. Ins. Frid. 1764, 44.
absolon Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 56.
abstergens Hydrachna, O. F. Müller, Hydrachnae, 1781, 61.
abstergens Trombidium (Muell.), J. C. Fabricius, Ent. Syst. II. 1793, 406.—Hydrachna.
abu-dafur Chaetodon, P. Forskal, Descr. Anim. 1775, 65; and *varr.* hannii; jahud.
Abu-defdud P. Forskal, Descr. Anim. 1775, 59.—P.
abu-kohhla Tetraodon, P. Forskal, Descr. Anim. 1775, xvii.—[*n. n.*]
abu-mgaterin Sciaena, P. Forskal, Descr. Anim. 1775, 51.
abu-samf Sciaena, P. Forskal, Descr. Anim. 1775, 49.
abutillon Cimex, P. Rossi, Fauna Etrus. II. 1790, 242.
abyssinicus Buceros, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 358.
abysinnica Coracias, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 379.
abyssinica Coracias, F. M. Daudin, Traité élém. Orn. 1800, 260.
abyssinicus Dipus, F. A. A. Meyer, Zool. Entdeck. 1793, 86.
abessinicus Dipus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 711.
abyssinica Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 927.
abyssinica Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 860.
abyssinicus Sciurus, P. Boddaert, Elench. 1785, 117.
abessinicus Sciurus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 149.

- abyssinicus** Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 824.
abyssinus Cancer (Gammarellus) (Fabr.), J. F. W. Herbst, Vers. Nat. Krab. II (4)
abyssinus Oniscus, O. Fabricius, F. Groen. 1780, 261. [1793, 141.—Oniscus.
acachnoideus *v.* **arachnoideus**.
acaciae Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 279.
acaciae Papilio, J. C. Fabricius, Mant. II. 1787, 69.
acadian Cottus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 393.
acadica Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 947.
acadica Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, p. 296.
acadiensis Strix, *id.* *ac* **acadica**, Gm., J. Latham, Index Orn. 1790, 65.
acamas Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 8.
Acantharis P. Browne, Hist. Jamaica, ed. 2, 1789, 434.—Hym.
acantharis Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 444; ed. 12, 1767, 720.
acantharis Reduvius (L.), J. C. Fabricius, Syst. Ent. 1775, 732.—Cimex.
Acanthia J. C. Fabricius, Syst. Ent. 1775, 693.—Hem.
acanthias Gasterosteus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1328.
acanthias Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 233; ed. 12, 1766, 397.
acanthina Macerophyllum, F. C. Meuschen, Mus. Gev. 1787, 432.
acanthinus Strombus, F. C. Meuschen, Mus. Gev. 1787, 292.
Acanthis M. B. Borkhausen, Deutsch. Fauna, I. 1797, 248.—A.
Acanthocephalus I. T. Koelreuter, Nov. Comm. Ac. Sci. Petrop. XV. 1771, 500 &
acanthodes Syrphus, P. Rossi, Mant. Ins. II. 1794, 63. [503.—Ver.
Acanthonotus G. Cuvier, Leçons Comp. Anat. I. 1800, 4 [*n. n.*].—P.
Acanthus E. Acharius, K. Vet. Ac. Nya Handl. I. 1780, 50.—Ver.
Acanthurus P. Forskal, Descr. Anim. 1775, 59.—P.
acanthurus Cancer, P. Forskal, Descr. Anim. 1775, 94.
acanthurus Cancer (Astacus) Forsk., J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 67.
acanthurus Erinaceus, P. Boddaert, Elench. 1785, 129.
Acanthus M. E. Bloch, Nat. ausl. Fische, IX. 1795, 105.—P.
acanthus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 302.—Papilio.
acantus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 179.
Acarauna G. Edwards in M. Catesby, Carol. II. 1771, 31.—P.
Acardo J. G. Bruguière, Ency. Méth. (Vers) (2) 1789, 1.—L. [*see* **Arcardo**.]
Acardo Lamarck, Mem. Soc. H. N. Paris, 1799, 81.—L.
acaroides Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 29.
acaroides Phalangium, Linnaeus, Syst. Nat., ed. 12, 1767, 1028.
acaroides Scorpio (L.), J. C. Fabricius, Spec. Ins. I. 1781, 552.—Phalangium.
acarorum Acarus, F. v. P. Schrank, Ins. Aust. 1781, 524.
acarorum Ichneumon (L.), J. C. Fabricius, Syst. Ent. 1775, 344.—Mutilla.
acarorum Ichneumon Mutilla (L.), J. L. Christ, Nat. Ins. 1791, 376.—Mutilla.
acarorum Mutilla, Linnaeus, Syst. Nat., ed. 10, 1758, 583; ed. 12, 1767, 968.
Acarus Linnaeus, Syst. Nat., ed. 10, 1758, 615; ed. 12, 1767, 1022.—Ar.
acarus Himantopus, O. F. Müller, An. Infus. 1786, 248.—Trichoda, 1773.
acarus Trichoda, O. F. Müller, Verm. I (1) 1773, 79.
acastus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 335.—Papilio.
acastus [Papilio], P. Cramer, Utitl. Kapellen, I (4) 1775, 65.
acastus Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 487.—[P. (Danaus), ed.
accedula Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 39.—Mus. [12].
accedula Mus, P. S. Pallas, N. sp. Quad. II. 1779, 257.
accentifer Prionus, A. G. Olivier, Entom. IV. 1795, 8.
Accentor J. M. Bechstein, Getreue Abbild. heft 13 [? 1795], 47.—A.
accessella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 141.
accinctus Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 317.
accinctum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 125.
Accipiter M. J. Brisson, Ornith. I. 1760, 310.—A.
accipitrinus Curculio, G. C. Reich, Mant. Ins. 1797, 5.
accipitrinus Falco, F. E. Daudin, Traité élém. Orn. 1800, 87.
accipitrina Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 66.

- accipitrina** Phalaena Noct., E. J. C. Esper, Die Schmett. IV (48) 1796, 393.
accipitrinus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 102; ed. 12, 1766, 148.
accipitrinus Psittacus, R. Kerr, Anim. Kingd. 1792, 606.—*var.* loricatus.
accipitrina Stryx, P. S. Pallas, Reise Russ. I. 1771, 455.
accius Papilio, J. E. Smith in Abbot, Ins. Georgia, 1797, 45.
accraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [mea sententia 1796], fig. 185
accusator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 172. [*n. et f.*]
acephala Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 192.
acephala Empis, C. de Villers, Linn. Ent. III. 1789, 572.
acephala Empis, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 24.
acephala Rana, J. G. Schneider, Hist. Amph. I. 1799, 146.
aceraria Geometra [Denis & Schiffermüller], Schmett. Wien, 1775, 102.
aceraria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 520.
acerina Perca, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIX. 1775, 455.
aceris Aphis, Linnaeus, Faun. Suec., ed. 2, 1761, 262.
aceris Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 454; ed. 12, 1767, 739.
aceris Coccus, H. Modeer, Götheborg. Samhalle Hand. (Wet. Afd.) I. 1778, 22.
aceris Coccus, J. C. Fabricius, Ent. Syst. IV. 1794, 225.
aceris Cynips, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2652.
aceris Papilio, Esper in H. G. Lang, Verz. Schmett., ed. 3, 1789, 31. [142.
aceris Papilio, N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. 1783,
aceris Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 514; ed. 12, 1767, 846.
acerosa Gorgonia, P. S. Pallas, Elench. 1766, 173.
acerosa Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 159.
acervorum Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 579; ed. 12, 1767, 960.
acervorum Blatta, Bloch in G. W. F. Panzer, Ins. Germ. heft 68 [1799], tab. 24.
acervorum Formica, J. C. Fabricius, Ent. Syst. II. 1793, 358.
acesta Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 479; ed. 12, 1767, 782.
acetabulum Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 793.
acetabulum Tubularia, Linnaeus, Syst. Nat., ed. 12, 1767, 1303.
aceti Anguillula, O. F. Müller, An. Infus. 1786, 63.
aceti Vibrio, O. F. Müller, Naturforscher, XIX. 1783, 162.
acetimuscarum Ichneumon, J. L. Christ, Nat. Ins. 1791, 371.
acetosae Aphis, Linnaeus, Syst. Nat., ed. 12, 1767, 734.
acetosae Curculio, G. W. F. Panzer, Ins. Germ. heft 42 [1797], tab. 9.
acetosellae Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 84.
achaeus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 273.—Papilio acheus.
achariana Tortrix, C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 168.
acharia [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (29) 1781, 108.
acharon Zygaena, J. C. Fabricius, Syst. Ent. 1775, 556.
achataea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 266.
achatalis Phalaena Pyralis, J. Hübner, Beitr. Schmett. II. 1790, 15.
achatalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 6 & 5 [2].
achatana Phalaena Tort., C. de Villers, Linn. Ent. II. 1789, 418.
achatana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 239.—Phalaena.
achatana Tortrix [Denis and Schiffermüller], Schmett. Wien, 1775, 131.
achatana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 49 [*n. et f.*].
achatata Phalaena, J. J. Roemer, Gen. Ins. 1789, 75.
achates Conus, F. C. Meuschen, Mus. Gev. 1787, 354.
achates Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 164.
achates [Papilio], P. Cramer, Utit. Kapellen, II (16) 1777, 130.
achates Papilio Eques, J. H. Sulzer, Gesch. Ins. 1776, 141.
achates Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 133.
Achatina Lamarck, Mém. Soc. H. N. Paris, 1799, 75.—G.
achatinata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 301
 [*n. et f.*].
achatinata Phal. Geom., J. Hübner, Samml. Vogel u. Schmett. 1793, 14 [*n. et f.*].
achatina Achatina (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 75.—Bulla.

- achatina** Ampulla (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, p. 110.—Bulla.
achatinum Buccinum (Linn.), O. F. Müller, Verm. II. 1774, 140.—Bulla.
achatinus Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 358.—Bulla.
achatina Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 728; ed. 12, 1767, 1186.
achatinus Colus, J. F. Bolten, Mus. Bolten. (2) 1798, 117.
achatinus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3386.
achatinus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 43.—Conus.
achatinum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 154.
achatina Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3665.
achatina Noctua (Cr.), J. C. Fabricius, Ent. Syst. III. (2) 1794, 16.—Phalaena.
achatina [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 145.
achatina Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 153.
achatina Phalaena Noct., J. H. Sulzer, Gesch. Ins. 1776, 160.
achatina Rhinoceros, F. C. Meuschen, Mus. Gev. 1787, 264.
achatina Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 110.
achelous Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 172.—Phalaena.
achelous [Phalaena], P. Cramer, Uitl. Kapellen, II (10) 1777, 22.
achemenides [Sphinx], P. Cramer, Uitl. Kapellen, III (19) 1779, 53.
achemon Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 51.
achemon Zygæna, J. C. Fabricius, Spec. Ins. II. 1781, 162.
acheronta Papilio, J. C. Fabricius, Syst. Ent. 1775, 501.
Acheta J. C. Fabricius, Syst. Ent. 1775, 279.—Or.
Acheta *v.* Gryllus.
achetoides Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 85.
acheus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 121.
achilleae Aphis, J. C. Fabricius, Gen. Ins. 1777, 302.
achilleae Leptura, N. J. Brahm, Ins. Kal. I (2) 1791, 141.
achilleae Sphinx, E. J. C. Esper, Die Schmett. II (14) [1781] 189.
achilles Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 463; ed. 12, 1767, 752.
achine Papilio, Scopoli, Ent. Carn. 1763, 156.
achine [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 94.
achirus Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 268.
aciculare Buccinum, O. F. Müller, Z. Dan. Prod. 1776, 243.
acicularis Cypræa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3421.
acicularis Ichneumon, A. F. de Fourcroy, Ent. Paris, 1785, 424.
acicularis Nautilus (Lituus), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 16.
aciculatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3593.
aciculatus Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 123.
acicula Ascaris, J. G. Bruguière, Ency. Méth. (Vers. Int. 1791), 94.
acicula Buccinum, O. F. Müller, Verm. II. 1774, 150.
acicula Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3503.
acicula Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers.) (1), 1789, 311.—Buccinum.
acicula Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3668.
acicula Nautilus, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 252.
acinacidella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 46.
acinaria Sertularia, P. S. Pallas, Elench. 1766, 123.
acinosus Brachionus, P. S. Pallas, Elench. 1766, 100. [onus.
acinosa Vorticella (Pall.), F. v. P. Schrank, Naturforscher, XXVII. 1793, 26.—Brachi-
Acipenser Linnaeus, Syst. Nat., ed. 10, 1758, 237; ed. 12, 1766, 403.—Arteri, Icth. 1738,
 gen. xliii. 65.
acis Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 295.—Papilio.
acis Papilio, D. Drury, Ill. Nat. Hist. I. 1770, index & 2.
acis Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 182.
acis Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 504.
acis Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 56.
acmon Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 284.—Papilio.
acmon [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 81.
acmon Papilio, J. C. Fabricius, Mant. II. 1787, 70.

- acoli** Falco, F. M. Daudin, *Traité élém. Orn.* 1800, 176.
- aconthea** [Papilio], P. Cramer, *Uitl. Kapellen*, II (12) 1777, 59.
- acontia** Coluber (Laur.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1093.—
- acontius** Papilio (D.), Linnaeus, *Mant. II.* 1771, 537. [Vipera.]
- acontia** Vipera, J. N. Laurenti, *Syn. Rept.* 1768, 102.
- aconyta** Bombyx (Cr.), A. G. Olivier, *Ency. Méth. V (Ins.)* 1790, 45.—Phalaena.
- aconyta** [Phalaena], P. Cramer, *Uitl. Kapellen*, II (11) 1777, 51.
- acornis** Copris, A. F. de Fourcroy, *Ent. Paris.* 1785, 14.
- acouchy** Cavia, J. C. P. Erxleben, *Syst. Anim.* 1777, 354.
- akouchi** Cavia, E. A. W. Zimmermann, *Spec. Zool.* 1777, 508.
- acuschy** Cavia, J. F. Gmelin, *Linn. Syst. Nat.*, ed. 13, I. 1788, 121.
- acraensis** Apis, J. C. Fabricius, *Ent. Syst. II.* 1793, 329.
- acrea** Phalaena, D. Drury, *Ill. Nat. Hist. I.* 1770, index & 7.
- acredula** Motacilla, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 189.
- acredula** Mus, Pall. [*id. ac accedula*], J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, [137.]
- acredula** Mus (Cricetus), R. Kerr, *Anim. Kingd.* 1792, 242.
- acredula** Sylvia (L.), J. Latham, *Syn. Birds, Suppl. I.* 1787, 288.—Motacilla.
- acreon** Hesperia, J. C. Fabricius, *Ent. Syst. III (1)* 1793, 301.
- acreon** Papilio, J. C. Fabricius, *Mant. II.* 1787, 76.
- acria** Bombyx, J. C. Fabricius, *Ent. Syst. III (1)* 1793, 451.
- Acrida** *v.* Gryllus.
- acridea** Mantis, A. A. H. Lichtenstein, *Cat. rerum Nat. III.* 1796, 80.
- Acridium** E. L. Geoffroy, *Hist. Insect. Paris, I.* 1762, 390.—Or.
- Acrydium** J. C. Fabricius, *Syst. Ent.* 1775, 278.—Or.
- acridulus** Curculio, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 378; ed. 12, 1767, 607.
- acrion** Papilio, E. Pontoppidan, *Danske Atlas, I.* 1763, 685.
- acrion** Papilio, O. F. Müller, *Z. Dan. Prod.* 1776, 115.
- acris** Apis, M. Harris, *Exp. Eng. Ins.* 1776, 135.
- Acrochordus** C. F. Hornstedt, *K. Vet. Ac. Nya Handl. VIII.* 1787, 306.—R.
- Acrocordon** G. Cuvier, *Leçons Comp. Anat. I.* 1800, 3 [*n. n.*].—R.
- acron** [Phalaena], P. Cramer, *Uitl. Kapellen*, III (19) 1779, 59.
- acropora** Madrepora, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 1276.
- Acrydium** *v.* Acridium.
- actaeon** Geotrupes, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 12.—Scarabaeus.
- actaeon** Papilio, J. C. Fabricius, *Syst. Ent.* 1775, 829.
- acteon** Papilio, S. A. v. Rottemberg, *Naturforscher, VI.* 1775, 30.
- aktäon** [Papilio], J. A. B. Bergstrasser, *Nom. Ins. IV.* 1780, 37.
- actaeon** Scarabaeus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 345; ed. 12, 1767, 541.
- actaea** Papilio (N. G.), E. J. C. Esper, *Die Schmett. I (Bd. 2) Forts. Tagschmett.* [1780], 37.
- actaea** Papilio, H. G. Lang, *Verz. Schmett.*, ed. 2, 1789, 23.
- actea** Papilio, L. Prunner, *Lep. Pedemont.* 1798, 72.
- acteus** [Sphinx], P. Cramer, *Uitl. Kapellen*, III (21) 1779, 93.
- Actinia** P. S. Pallas, *Misc. Zool.* 1766, 152.
- Actinia** Linnaeus, *Syst. Nat.*, ed. 12, 1767, 1088.—Coel.
- Actinophorus** C. Creutzer, *Entom. Vers.* 1799, 79.—Col.
- actorion** Papilio, Linnaeus, *Amoen. Acad. VI.* 1763, 409.
- actorion** [Papilio], C. Clerck, *Icones, II.* 1764, pl. xxxvi.
- actoris** Hesperia (Cr.), J. C. Fabricius, *Ent. Syst. III (1)* 1793, 316.—Papilio.
- actoris** [Papilio], P. Cramer, *Uitl. Kapellen*, I (8) 1776, 146.
- aculeator** Ichneumon, J. C. Fabricius, *Ent. Syst. II.* 1793, 159.
- aculeata** Anomia, O. F. Müller, *Z. Dan. Prod.* 1776, 249.
- aculeata** Aphrodita, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 655; ed. 12, 1767, 1084.
- aculeata** Aphrodita, E. Pontoppidan, *Kurz. Nachr. N.-H. Dänneemark* 1765, 194 [*n. n.*].
- [**aculeatus** Araneus, C. Clerck, *Aran. Svec.* 1757, 87.]
- aculeata** Aranea, J. Fabricius, *Syst. Ent.* 1775, 435.
- aculeata** Arca, J. G. Bruguière, *Ency. Méth. (Vers) (1)* 1789, 107.
- aculeata** Asterias, Linnaeus, *Syst. Nat.*, ed. 12, 1767, p. 1101.
- aculeata** Asterias, T. Pennant, *Brit. Zool.*, ed. 4, IV. 1777, 54.

- aculeatus** Balistes, Linnaeus, Syst. Nat., ed. 10, 1758, 328; ed. 12, 1766, 406.
aculeatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 302.
aculeatus Cancer, O. Fabricius, F. Groen. 1780, 239.
aculeatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 248.
aculeatus Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 464.
aculeatus Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 63.
aculeatum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, see emend. 824 (679).
aculeatum Cardium, Linnaeus, Syst. Nat., ed. 12, 1767, 1122.
aculeatus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1863.
aculeatum Cerastoderma (L.), J. X. Poli. Test. Sicil. II. 1795, 253 & 258.—Cardium.
aculeata Chama, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 368.
aculeata Chama, J. X. Poli, Test. Sicil. II. 1795, 123.
aculeatus Chiton, Linnaeus, Syst. Nat., ed. 10, 1758, 667; ed. 12, 1767, 1106.
aculeatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2149.
aculeata Conops, Linnaeus, Faun. Suec., ed. 2, 1761, 468.
aculeatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1804.
aculeata Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 498.
aculeatus Gasterosteus, Linnaeus, Syst. Nat., ed. 10, 1758, 295; ed. 12, 1766, 489.
aculeatus Gekko, M. Houltyn, Verh. Zeeuwsch Genoot. Wet. Vlissingen, IX. 1782, 324.
aculeata Helix, O. F. Müller, Verm. II. 1774, 81.
aculeatus Inachus, F. Weber, Nomen Fabricii, 1795, 93.—Cancer, 1793.
aculeata Lepas, P. G. Lindroth, Mus. Grill. 1788, 15 [*n. n.*].
aculeatus Lophius, J. G. Walbaum, Artdi. Ichth. (3), ed. 2, 1792, 496.
aculeatus Macrognathus (Bl.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 283.—
aculeata Membracis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 669. [Ophidium].
aculeata Mordella, Linnaeus, Syst. Nat., ed. 10, 1758, 420; ed. 12, 1767, 682.
aculeata Myrmecophaga, G. Shaw, Nat. Misc. III. 1792, pl. 109.
aculeata Nerita, O. F. Müller, Verm. II. 1774, 193.
aculeata Nerita (*ex. Chem.*), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3686.
aculeatus Oniscus, I. Lepechin, Acta Ac. Sci. Petrop. 1778 (1), 1780, 247.
aculeatum Ophidium, M. E. Bloch, Nat. ausl. Fische, II. 1786, 72.
aculeata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3320.
aculeata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3693.
aculeatus Porcus, P. L. S. Müller, Del. Nat. II. 1767, 142.
aculeatus Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 221.
aculeata Pterotrachea, P. Forskal, Descr. Anim. 1775, 118.
aculeata Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3751.
aculeatus Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 51.
aculeatus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 157.
aculeata Spongia, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348; ed. 12, 1767, 1297.
aculeatus Strombus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3523.—
aculeatus Syngnathus, J. G. Walbaum, Artdi. Ichth. (3), ed. 2, 1792, 8. [Nerita].
aculeata Thrips, T. Marshall, Tr. Linn. Soc. [Lond.] III. 1797, 247 [*n. n.*].
aculeata Tubipora, H. Ström, Nye Saml. K. Norske Vid. Selsk. Skrift. II. 1788, 350.
aculeatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3600.
aculeata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3293.
acuminator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 157.
acuminator Ichneumon, J. C. Fabricius, Mant. I. 1787, 268.
acuminatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 501.
acuminata Akis (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 129.—
acuminata Anguis, F. C. Meuschen, Mus. Gronov. 1778, 12. [Pimelia].
acuminata Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2789.
acuminata Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 12.
acuminata Bulla, J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 376.
acuminata Buprestis, C. de Geer, Mém. Ins. IV. 1774, 133.
acuminata Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. IV. 1787, 52.
acuminata Caecilia, F. C. Meuschen, Mus. Gronov. 1778, 17.
acuminatum Callidium, J. C. Fabricius, Syst. Ent. 1775, 194.

- acuminatum** Callidium, J. C. Fabricius, Gen. Ins. 1777, 231.
- acuminatus** Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 340.
- acuminatus** Carabus, G. Paykull, Faun. Suec. I. 1798, 166.
- acuminatum** Cerambyx (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1847.—
- acuminata** Cetonia, J. C. Fabricius, Syst. Ent. 1775, 50. [Callidium.]
- acuminatus** Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 272; ed. 12, 1766, 460.
- acuminata** Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 691.
- acuminata** Cicada (Fabr.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2094.—
- acuminata** Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 36. [Membracis.]
- acuminatus** Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 446; ed. 12, 1767, 723.
- acuminatus** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 688.
- acuminatus** Curculio, J. C. Fabricius, Syst. Ent. 1775, 152.
- acuminata** Cymothoa, J. C. Fabricius, Ent. Syst. II. 1793, 508.
- acuminatus** Dermestes (Kug.), G. Paykull, Faun. Suec. I. 1798, 299.—Latridium.
- acuminata** Eurychora (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791.
- acuminata** Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 571. [119.—Pimelia.]
- acuminata** Fusaria, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 47.
- acuminatus** Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 429; ed. 12, 1767, 697.
- acuminatus** Hister, J. C. Fabricius, Suppl. Ent. Syst. 1798, 37. [696.]
- acuminata** Idotea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 303—Cymothoa. 1793.
- acuminatus** Latridius, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's] V. 1794, 575.
- acuminata** Leptura, A. G. Olivier, Entom. IV. 1795, 20.
- acuminata** Locusta (L.), C. de Geer, Mém. Ins. III. 1773, 442.—Gryllus.
- acuminata** Membracis, J. C. Fabricius, Syst. Ent. 1775, 675.
- acuminatus** Murex, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 108.
- acuminata** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2867.
- acuminatus** Parnus, J. C. Fabricius, Ent. Syst. I (1) 1792, 246.
- acuminata** Pimelia, J. C. Fabricius, Mant. 1, 1787, 209.
- acuminata** Rhinoceros, F. C. Meuschen, Mus. Gever. 1787, 266.
- acuminatus** Scarabaeus (Fabr.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1573.—
- acuminatus** Tenebrio, C. de Geer, Mém. Ins. V. 1775, 31. [Cetonia.]
- acuminatus** Tenebrio (Fabr.), C. de Villers, Linn. Ent. IV. 1789, 361.—Pimelia.
- acuminata** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3454.
- acu-picta** Cochlea, T. Martyn, Univ. Conch. IV. [1792], fig. 145.
- acu-pictus** Nerita, T. Martyn, Univ. Conch. III. [1789], fig. 107.
- acupunctatus** Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1917.
- Acus** G. Edwards in M. Catesby, Carol. II. 1771, 30.—P.
- Acus** [G. Humphreys], Mus. Calonn. 1797, 31.—G.
- acus** Ascaris, M. E. Bloch, Beschäf. Ges. Nat. Freunde, IV. 1779, 544.
- acus** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3502.
- acus** Cimex, C. de Geer, Mém. Ins. III. 1773, 322.
- acus** Fusaria (Bloch), J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 39.—
- acus** Gymnotus, M. T. Brünnich, Ich. Massil. 1768, 13. [Ascaris.]
- acus** Murex, C. U. v. Salis, Reise Neapel, 1793, 373.
- acus** Syngnathus, Linnaeus, Syst. Nat., ed. 10, 1758, 337; ed. 12, 1766, 416.
- acus** Vibrio, O. F. Müller, An. Infus. 1786, 59.
- acus** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3451.
- acuschy** Cavia, Gm., v. **acouchy**.
- acustris** Nereis, v. **lacustris**, Linnaeus, Syst. Nat., ed. 12, 1767, 1085.
- acutangulus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2147.
- acutangulum** Epitonium (Gm.), J. F. Boltzen, Mus. Boltzen. (2) 1798, 92.—Turbo.
- acutangulus** Monoceros (L.), F. C. Meuschen, Mus. Gever. 1787, 290.—Turbo.
- acutangula** Palmipes, C. F. Schultze, Verst. Seest. 1760, 51.
- acutangulus** Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 766; ed. 12, 1767, 1239.
- acutauricularis** Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 102.
- acuti** Cavia, P. S. Pallas, Misc. Zool. 1766, 31 [v. *et. aguti*].
- acutipennis** Caprimulgus, P. Boddaert, Tab. Planch. Enl. 1783, 46.
- acutissimum** Epitonium, J. F. Boltzen, Mus. Boltzen. (2) 1798, 95.

- acutissima Fusaria, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 51.
 acutissima Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 75.
 acutorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 158.
 acuta Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 126; ed. 12, 1766, 202.
 acuta Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 302.
 acuta Ascaris, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 53.
 acutus Bulimus (Müll.), J. G. Bruguière, Ency. Meth. (Vers) (1) 1789, 323.—Helix.
 acuta Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 52.
 acuta Buprestis, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 99.
 acutus Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1031.
 acutus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 34.
 acutus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 201.
 acuta Coryphaena, Linnaeus, Syst. Nat., ed. 12, 1766, 448.
 acutus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1773.
 acutum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 93.
 acutus Gryllus (Locusta), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2087.
 acuta Helix, O. F. Müller, Verm. II. 1774, 100.
 acuta Helix, E. M. da Costa, Brit. Conch. 1778, 55.
 acuta Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1023.
 acuta Leucophaea, O. F. Müller, An. Infus. 1786, 151.
 acutum Paramecium, J. Hermann, Naturforscher, XX. 1784, 156.
 acuta Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 140 [*n. n.*].
 ada [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 142.
 adactylus Cancer (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2994.—Hippra.
 adactyla Hippra, J. C. Fabricius, Mant. I. 1787, 329.
 adactila Idotea (Fab.), F. Weber, Nomen. Fabricii, 1795, 94.—Hippra.
 adaena Bombyx *z.* advena.
 adaequata Phalaena Geometra, M. B. Borkhausen, Nat. Eur. Schmett. V. 1794, 444.
 adamanteus Crotalus, de Beauvois, Trans. Amer. Phil. Soc. IV. 1799, 368.
 adamovichiana Meloides, M. Piller and L. Mitterpacher, Iter Poseg. 1783, 39.
 adansonii Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 479.
 adansonii Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3239.
 adansonii Vermetus, F. M. Daudin, Rec. Mém. Moll. 1800, 35.
 adansoniiella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 527.
 Adela P. A. Latreille, Préc. Car. Ins. 1796, 147.—Lep.
 adelais Libellula, A. F. de Fourcroy, Ent. Paris. 1785, 345.
 Adelphozion P. Osbeck, Reise Ostindien, 1765, 108.—Ver. [*gen. caelebs*].
 adhaerens Scolopendra, P. Forskal, Descr. Anim. 1775, 87.
 adiaphora Musca, Mayer, Abh. privat. Ges. Bohmen. IV. 1779, 184.
 adiaphorus Scarabaeus, N. Poda, Ins. Mus. Graec. 1761, 20.
 Adimonia J. N. Laicharting, Tyrol. Ins. I. 1781, 190.—Col.
 adiposa Ascaris, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 122.
 adiposa Ascidia, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 257.
 adippe Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 12, 1767, 786.
 adippes [Papilio], J. A. B. Bergstraesser, Ic. Pap. III. 1781, 8.
 adive Canis, R. Kerr, Anim. Kingd. 1792, 141.
 adjutrix [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 144.
 admetus Papilio, E. J. C. Esper, Die Schmett., Forts. Tagschmett. (1783—1785) 148.
 admirabilis [Phalaena], P. Cramer, Utitl. Kapellen, II (9) 1777, 11.
 admirabilis Sphex, J. L. Christ, Nat. Ins. 1791, 298.
 admirella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 526.
 adnata Tubipora, H. Ström, Nye Saml. K. Norske Vid. Selsk. Skrift. II. 1788, 349.
 adonia [Papilio], P. Cramer, Utitl. Kapellen, III (22) 1779, 109.
 adonidis Chrysomela, P. S. Pallas, Reise Russ. I. 1771, 462.
 adonidum Chrysis, P. Rossi, Fauna Etrus. II. 1790, 79.
 adonidum Coccus, Linnaeus, Syst. Nat., ed. 12, 1767, 740.
 adonis Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 299.—Papilio.
 adonis Papilio [Denis & Schiffermüller], Schmett. Wien, 1775, 184.

- adonis *Papilio*, P. Cramer, Uitl. Kapellen, I (6) 1775, 95.
adpendiculatus *v.* **appendiculatus**.
adrastus [*Papilio*], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 62.
adriatica *Hirudo*, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 255.
adriaticus *Labrus*, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1297.
adriatica *Nereis*, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 272.
adriatica *Tellina*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3243.
adriatica *Trigla*, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1346.
adscendens *Cynips*, J. C. Fabricius, Mant. I. 1787, 251.
adscendens *Fulgora*, J. C. Fabricius, Mant. II. 1787, 260.
adscensionis *Cancer*, P. Osbeck, Reise Ost-Ind. China, 1765, 389.
adscensionis *Diomedea*, P. Osbeck, Reise Ost-Ind. China, 1765, 382.
ascensionis *Holocentrus* (Osb.), G. A. Suckow, Naturges. IV. 1799, 532.—*Perca*.
ascensionis *Nerita*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3683.
adscensionis *Ostrea*, P. Osbeck, Reise Ost-Ind. China, 1765, 389.
adscensionis *Pecten*, P. Osbeck, Reise Ost-Ind. China, 1765, 391.
adscensionis *Perca*, P. Osbeck, Reise Ost-Ind. China, 1765, 388.
adscensionis *Scomber*, J. R. Forster in Osbecks Voy. China, II. 1771, 94 [said to be
adscensionis *Squalus*, P. Osbeck, Reise Ost-Ind. China, 1765, 385. [O.'s sp.].
adscensionis *Trachinus*, P. Osbeck, Reise Ost-Ind. China, 1765, 388.
Adscita A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 35.—*Lep*.
adscitella *Tinea* [Denis & Schiffermüller], Schmett. Wien, 1775, 138.
adscitus *Psittacus*, J. Latham, Index Orn. 1790, 126.
adsmililis *Muscicapa*, H. Lichtenstein, Cat. rerum Nat. I. 1793, 48.
adsociaria *Phalaena Geometra*, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 78.
adspergillus *Crambus*, Bosc., Bull. Sci. Soc. Philom. [Paris] no. 39, 1800, 114.
adspersaria *Geometra*, C. de Villers, Linn. Ent. IV. 1789, 496.
adspersaria *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 206
adspersaria *Phalaena*, J. C. Fabricius, Mant. II. 1787, 189. [*n. et f.*].
adspersus *Anthrenus*, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 332.
adspersum *Buccinum*, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 265.
adspersa *Buprestis*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 137.
adspersus *Cancer*, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 264.
adspersus *Carabus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1968.
adspersus *Cerambyx*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1863.
adspersus *Cimex*, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 53.
adspersus *Curculio*, J. C. Fabricius, Syst. Ent. 1775, 149.
adspersus *Dytiscus*, Kugelann in G. W. F. Panzer, Ins. Germ. heft 38 [1796], tab. 18.
adspersus *Elater*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 37.
adspersus *Labrus*, J. G. Walbaum, Artedi, Ichth. (3), ed. 2. 1792, 254.
adspersus *Musca*, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2865.
adstrictor *Dermestes*, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 140.
adstrictor *Trixagus* (Herbst), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794.
adulterator *Ichneumon*, C. de Villers, Linn. Ent. III. 1789, 192. [535.—*Dermestes*.
adumbrata *Phalaena* [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
adumbrata *Phalaena* (Geom.), C. de Villers, Linn. Ent. II. 1789, 384.
adumbrata *Phalaena* (Noct.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2584.
adumbrata *Tellina*, T. Martyn, Univ. Conch. IV [1792], fig. 160.
adunata *Musca*, A. F. de Fourcroy, Ent. Paris. 1785, 488.
adunca *Anas*, Linnaeus, Syst. Nat., ed. 10, 1758, 128; ed. 12, 1766, 206.
adunca *Anas*, A. Vroeg, Catal. Vogel. 1764, Adumb. 5.
adunca *Apis*, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 5.
aduncum *Buccinum*, F. C. Meuschen, Mus. Gever. 1787, 304.
aduncus *Nautilus*, L. v. Fichtel & P. C. v. Moll, Test. Micr. 1798, 115.
adunca *Orthocera*, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 150.
adustata *Geometra* [Denis & Schiffermüller], Schmett. Wien, 1775, 114.
adustata *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 75
adusta *Albula*, J. F. Bolten, Mus. Bolten. (2) 1798, 20 [*n. n.*]. [*n. et f.*].

- adustus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2148.
adustus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2185.
adusta Crioceris, C. Creutzer, Ent. Vers. 1799, 121.
adustus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2699.
adusta Leptura, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1872.
adusta Necydalis, G. W. F. Panzer, Deutsch. Ins. [1795], 279.
adusta Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797–1800], 483.
advenaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 45
advenaria Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 70. [*u. et f.*].
[advenus]
adaena Bombyx, J. C. Fabricius, Mant. II. 1787, 123.
advena Bombyx, C. de Villers, Linn. Ent. IV. 1789, 451.
advena Elater, Scopoli, Ent. Carn. 1763, 94.
advena Elater, J. C. Fabricius, Mant. I. 1787, 174.
advena Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 33.
advena Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 77.
advena Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 615.
adversata Phalaena, J. G. Schaller, Naturforscher, XXIII. 1788, 52. [—Noctua.
adversus Turbo, E. M. da Costa, Brit. Conch. 1778, 96.
aeacus Sphinx [Denis & Schiffermüller], Schmett. Wien, 1775, 45.
aeacus Sphinx, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 207.
aeacus Sphinx, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 8.
aeas [Sphinx], P. Cramer, Utitl. Kapellen, III (19) 1779, 57.
aeacas [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 102.
aedea Papilio, Linnaeus, Amoen. Acad. VI. 1763, 403.
aedea Papilio, C. Clerck, Icones, II. 1764, pl. xli.
Aedemera *id. ac Oedemera*.
aedificator Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 275.
aedilis Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 392; ed. 12, 1767, p. 628.
aedilis Lamia (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 23.—Cerambyx.
aedon Muscicapa, P. S. Pallas, Reise Russ. III. 1776, 695.
aegeon Geotrupes (Dru.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 9.—Scarabaeus.
aegeon Scarabaeus, D. Drury, Ill. Nat. Hist. II. 1773, index & 54.
aeagropila Cancer, J. C. Fabricius, Mant. I. 1787, 322.
aeagropila Dromia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 360.—Cancer, 1787.
Aegagrus P. S. Pallas, Spic. Zool. XI. 1776, 43 & Zoogr. I. 1811, 226.—M.
aegagrus Capra, J. C. P. Erxleben, Syst. Anim. 1777, 260.
aegagrus Capra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 193.—*varr.* hircus,
 angorensis, mambrica, depressa, reversa, capricornus.
aegagrus Hircus, P. Boddæert, Elench. 1785, 146.
aegagrus Tragus (Erx.), F. v. P. Schrank, F. Boica, I. 1798, 80.—Capra.
aegeria Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 473; ed. 12, 1767, 771.
aegina Bombyx (Cr.), A. G. Olivier, Ency. Méth. V. (Ins.) 1790, 52.—Phalaena.
aegina [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 191.
aegisthus Papilio, Linnaeus, Amoen. Acad. VI. 1763, 401.
aegisthus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 20.
aegistus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 69.
aegithalodes Pipra, H. Lichtenstein, Cat. rerum Nat. I. 1793, 52.
aegle Papilio, J. C. Fabricius, Gen. Ins. 1777, 255.
aegle Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 170.
aeglefini Fasciola, O. F. Müller, Z. Dan. Prod. 1776, 224.
aeglefinus Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 251; ed. 12, 1766, 435.
aegocephala Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 147; ed. 12, 1766, 246.
aegon Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 324.
aegon Papilio [Denis & Schiffermüller], Schmett. Wien, 1775, 185.
aegon Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 130.
aegophthalmus Helix, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3614.
aegopodii Aphis, Scopoli, Ent. Carn. 1763, 137.

- aegrota** Chrysomela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 87.
aegypta Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 489.
aegypti Culex, Linnaeus in Hasselquist, Palast. 1762, 470.
aegypti Cynips, Linnaeus in Hasselquist, Palast. 1762, 466.
aegyptiaca Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 512.
aegyptiacus Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 118.
aegyptiaca Blatta, Linnaeus, Syst. Nat., ed. 10, 1758, 424; ed. 12, 1767, 687.
aegyptiaca Buprestis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1928.
aegyptiacum Callidium, J. C. Fabricius, Syst. Ent. 1775, 194. [—Callidium.
aegyptiacus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1855.
aegyptiacus Cimex, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2196.—Reduvius
aegyptiacus Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 124. [aegyptius, Fab.
aegyptiaca Columba, J. Latham, Index Orn. 1790, 607.
aegyptiaca Formica, J. C. Fabricius, Syst. Ent. 1775, 393.
aegyptiacus Gryllus (Locusta), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2074.
aegyptiaca Numida, J. Latham, Index Orn. 1790, 622.
aegyptiaca Perca, Linnaeus in Hasselquist, Palast. 1762, 401.
aegyptiaca Tringa, Linnaeus in Hasselquist, Palast. 1762, 395.
aegyptiacus (sic) Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 89.
aegyptiacus Vespertilio, Linnaeus in Hasselquist, Palast. 1762, 276.
aegyptica Anas, Linnaeus, Syst. Nat., ed. 12, 1766, 197.
aegyptica Caudiverbera, J. N. Laurenti, Syn. Rept. 1768, 43.
aegypticus Corvus, Linnaeus in Hasselquist, Palast. 1762, 296.
aegyptica Simia, Linnaeus in Hasselquist, Palast. 1762, 269.
aegyptius Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 615; ed. 12, 1767, 1022.
aegyptia Alcedo, Linnaeus in Hasselquist, Palast. 1762, 300.
aegyptius Chameleo, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 31.
aegyptius Charadrius, Linnaeus, Syst. Nat., ed. 10, 1758, 150; ed. 12, 1766, 254.
aegyptius Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 447; ed. 12, 1767, 727.
aegyptius Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 420.
aegyptius Dipus, R. Kerr, Anim. Kingd. 1792, 274.
aegyptius Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 261.
aegyptius Gryllus (Locusta), Linnaeus, Mus. Lud. Ulr. 1764, 138.
aegyptia Lacerta, Linnaeus in Hasselquist, Palast. 1762, 353.
aegyptius Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 155.—Cimex.
aegyptius Merops, P. Forskal, Descr. Anim. 1775, 1.
aegyptius Papilio, J. C. D. Schreber, Nov. Spec. Ins. 1759, 12.
aegyptius Reduvius, J. C. Fabricius, Syst. Ent. 1775, 732.
aegyptius Salmo, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1386.
aegyptia Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 569; ed. 12, 1767, 942
aegyptius Tenebrio, P. Forskal, Descr. Anim. 1775, 78.
aegyptius Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3573.
aeilus [Papilio], C. Stoll in Cramer, Utl. Kapellen, IV (27) 1780, 56.
aelianus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 280.
aelothorax v. aeolothorax.
aemilia [Phalaena], C. Stoll in Cramer, Utl. Kapellen, IV (34) 1782, 230.
aemulella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 52.
aemula Apis, P. Rossi, Mant. Ins. I. 1792, 140.
aemullus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 322.
aemula Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 314.
aemula Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
aenealis Pyralis [Denis & Schiffermüller], Schmett. Wien, 1775, 123. [789.—Noctua.
aeneana Phalaena Tort., C. de Villers, Linn. Ent. II. 1789, 417.
aeneas Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 461; ed. 12, 1767, 747.
aeneas Scarabaeus, G. W. F. Panzer, Beytr. Ges. Ins. I. 1793, pl. v. [n. cf.].
aeneella Phalaena, Scopoli, Ent. Carn. 1763, 255.
aeneella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
aeneella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 31.

- aeneicollis** Buprestis, C. de Villers, Linn. Ent. I. 1789, 340.
aeneicollis Elater, G. A. Olivier, J. Nat. Hist. (Choix des Mém.), I. 1792, 264.
aeneipennis Apis, C. de Geer, Mém. Ins. III. 1773, 573.
aenipennis Galleruca, K. Illiger, Archiv. Zool. (Wiedemann), I (2) 1800, 134.
aeneipennis Vespa, J. L. Christ, Nat. Ins. 1791, 244.
aeneocephalus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 137.
aeneocephalus Staphylinus, C. de Geer, Mém. Ins. IV. 1774, 23.
aeneo-niger Elater, C. de Geer, Mém. Ins. IV. 1774, 159.
aeneo-oculatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 502.
aeneopectinicornis Elater, C. de Geer, Mém. Ins. IV. 1774, 145.
aeneopunctatus Carabus, C. de Geer, Mém. Ins. IV. 1774, 88.
aeneo-punctata Leptura, G. A. Harrer, Besch. Schaeffer Icones, 1784, 232.
aenea Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 5.—Lagria.
aenea Aedemera, A. G. Olivier, Entom. III. 1795, 14.
aenea Alcedo, A. Vroeg, Catal. Vogel. 1764, Adumb. 1.
aenea Altica, A. F. de Fourcroy, Ent. Paris. 1785, 102.
aenea Andrena (L.), J. C. Fabricius, Syst. Ent. 1775, 376.—Apis.
aeneus Anthribus (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 160.—Nitidula.
aenea Antipat[h]es (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 81.—Gorgonia.
aeneum Apion (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 101.—Attelabus.
aenea Apis, Linnaeus, Faun. Suec., ed. 2, 1761, 421.
aenea Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 277.
aeneus Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 389.—Curculio, 1787.
aenea Bibio, J. C. Fabricius, Gen. Ins. 1777, 305.
aeneus Bombylius, P. Rossi, Mant. Ins. II. 1794, 78.
aeneus Bruchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 159.
aenea Buprestis, Linnaeus, Faun. Suec., ed. 2, 1761, 213.
aenea Buprestis, J. A. Scopoli, Annus V. 1772, 106.
aenea Buprestis, J. C. Fabricius, Spec. Ins. I. 1781, 275.
aeneus Byrrhus, J. C. Fabricius, Syst. Ent. 1775, 60.
aeneum Callidium, in Fuessly, Arch. Ins. V. 1784, 96.
aeneum Callidium, J. C. Fabricius, Mant. I. 1787, 151.
aeneus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 630; ed. 12, 1767, 1048.
aenea Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 402; ed. 12, 1767, 648.
aeneus Carabus, C. de Geer, Mém. Ins. IV. 1774, 98.
aeneus Carabus, J. C. Fabricius, Syst. Ent. 1775, 245.
aenea Cassida, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 391.
aeneus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 89.
aenea Certhia, A. Sparrman, Mus. Carls. IV. 1789, no. lxxviii.
aenea Cetonia, L. G. Schriba, J. Lieb. Ent. I. 1790, 69.
aenea Cetonia, J. D. Andersch in D. H. Hoppe, Ent. Taschenbuch, 1797, 157.
aenea Chalcis, P. Rossi, Fauna Etrus. II. 1790, 59.
aenea Chrysis, J. C. Fabricius, Mant. I. 1787, 284.
aenea Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 369; ed. 12, 1767, 587.
aenea Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 61.
aeneus Cimex, Scopoli, Ent. Carn. 1763, 122.
aenea Cistela (Fab.), J. N. Laicharting, Tyrol. Ins. I. 1781, 73.—Byrrhus.
aenea Cistela, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 604.
aeneus Clerus (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. III. 1794, 134.—
aenea Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 283. [Lagria.
aeneus Conops, Scopoli, Ent. Carn. 1763, 356.
aeneus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 163.—Scarabaeus.
aenea Cryptocephalus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1729.—
 Lagria (1775).
aeneus Cryptocephalus, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. 1792, 220.
aeneus Kryptophagus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 173.—Ips.
aeneus Curculio, J. C. Fabricius, Syst. Ent. 1775, 131.
aeneus Dermestes, C. de Villers, Linn. Ent. I. 1789, 61.

- aenea** Diaperis (Panz.), G. Paykull, Faun. Suec. III. 1800, 359.—Scolytus.
aenea Donacia, J. J. Zschach, Mus. Lesk. 1788, 27.
aenea Donacia, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 292.
aenea Donacia, D. H. Hoppe, Ins. Elyt. 1795, 44.
aeneus Dytiscus, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 166.
aeneus Dytiscus, Kugelann in G. W. F. Panzer, Ins. Germ. heft 38 [1796], tab. 16.
aeneus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 406; ed. 12, 1767, 655.
aenea Gorgonia, Linnaeus, Syst. Nat., ed. 10, 1758, 802; ed. 12, 1767, 1290.
aeneus Helops, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 46.
aeneus Hister, J. C. Fabricius, Syst. Ent. 1775, 53.
aeneus Hydrophilus, C. de Geer, Mém. Ins. IV. 1774, 379.
aenea Ips (Schaller), J. C. Fabricius, Mant. I. 1787, 46.—Silpha.
aenea Lagria, J. C. Fabricius, Syst. Ent. 1775, 124.
aenea Lagria, J. C. Fabricius, Mant. I. 1787, 94.
aenea Lagria, J. C. Fabricius, Suppl. Ent. Syst. 1798, 119.
aenea Leptura, G. A. Harrer, Besch. Schaeffer Icones, 1784, 231.
aenea Leptura, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 320.
aenea Leptura (Zsch.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1867.—Donacia.
aeneus Lethrus, J. C. Fabricius, Ent. Syst. I (1) 1792, 2.
aenea Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 544; ed. 12, 1767, 902.
aeneus Lucanus, J. A. Pollich, Bemerck. Kuhrpfalz. phys.-oek. Ges. 1779 (1781), 278.
aeneus Malachius (L.), J. C. Fabricius, Syst. ent. 1775, 207.—Cantharis.
aeneus Malacopteryx (L.), J. R. Forster, Cat. Brit. Ins. 1770, 7.—Cantharis.
aenea Melolontha, J. C. Fabricius, Syst. Ent. 1775, 34.
aeneus Melyris, A. G. Olivier, Entom. II. 1790, 11.
aenea Melyris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 60.
aenea Musca, Scopoli, Ent. Carn. 1763, 347.
aenea Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2879.
aenea Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 335.
aeneus Nemotelus, C. de Geer, Mém. Ins. VI. 1776, 194.
aenea Nitidula, J. C. Fabricius, Syst. Ent. 1775, 78.
aenea Nitidula (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 116.—Ips.
aenea Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 85.
aenea Patella, T. Martyn, Univ. Conch. I. [1784 non 1769], fig. 17.
aenea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3708.
aenea Phalaena Noctua, J. Hübner, Beitr. Schmett. I (3) [1788], 10.
aeneus Sargus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 566.—Musca, 1794.
aeneus Scarabaeus, Linnaeus, Mus. Lud. Ulr. 1764, 29.
aeneus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 277.
aeneus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 34.
aeneus Scolytus, G. W. F. Panzer, Ins. Germ. heft 8, 1793, tab. 2.
aenea Silpha, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 254.
aenea Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 87.—Nitidula.
aenea Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 232.—Ips.
aeneum Sphaeridium, J. C. Fabricius, Ent. Syst. I. (1) 1792, 83.
aeneus Staphylinus, C. de Geer, Mém. Ins. IV. 1774, 23.
aeneus Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 98.
aeneus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 168.
aeneus Staphylinus, P. Rossi, Fauna Etrus. I. 1790, 249.
aeneus Staphylinus, A. G. Olivier, Entom. III. 1795, 10.
aeneus Sturnus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 310.—Turdus.
aeneus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 302.
aeneus Telephorus (L.), C. de Geer, Mém. Ins. IV. 1774, 73.—Cantharis.
aenaus Thelephorus, O. F. Müller, Z. Dan. Prod. 1776, 62.
aeneus Tenebrio, Scopoli, Ent. Carn. 1763, 82.
aeneus Tenebrio, C. de Geer, Mém. Ins. V. 1775, 53.
aeneus Tenebrio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 48.
aenea Trogossita, A. G. Olivier, Entom. II. 1790, 7.

- aeneus** Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 818.
aenea Upis (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 28.—Tenebrio.
aenipennis *v.* **aeneipennis**.
aenippa [Papilio], P. Cramer, Utitl. Kapellen, II (9) 1777, 13; & II (14) 1777, 95.
aenobarbus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 16.—Scarabaeus, 1792.
aenobarbus Scarabaeus, J. C. Fabricius, Ent. Syst. I. 1792, 13.
aenoburbus Scarabaeus *err. pro* aenobarbus, Fabr., J. C. Fabricius, Mant. I. 1787, 6.
aenobarus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 10.
aeolicum Cardium, I. v. Born, Index Mus. Caes. Vind. 1778, 36.
aeolicum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3254.
Æolidia G. Cuvier, Tab. Elém. 1798, 388.—Nud.
“**Æolis**, Cuvier, 1798,” Herrmannsen; *v.* **Æolidia**.
aeolothorax Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 57.
aeolothorax Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 25.
aeolothorax Ichneumon, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 196.
aeolus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 284.
aeolus Papilio, J. C. Fabricius, Syst. Ent. 1775, 522.
aequalis Bombylius, J. C. Fabricius, Spec. Ins. II. 1781, 473.
aequalis Cimex, C. de Villers, Linn. Ent. I. 1789, 529.
aequatorialis Manatus, B. G. E. de Lacépède, Tabl. Mamm. 1799, 17.
aequatus Attelabus (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 388.—Curculio.
aequatus Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 607.
aequatus Involuculus (L.), F. v. P. Schrank, F. Boica, I. 1798, 477.—Curculio.
aequatus Rynchites (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 132, sign.
aequilatera Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3311. [I 2.—Attelabus.
aequinoctialis Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 112.—Chrysomela.
aequinoctialis Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 144; ed. 12, 1766, 240.
aequinoctialis Buprestis, A. G. Olivier, Entom. II. 1790, 56.
aequinoctialis Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 229.
aequinoctialis Carabus, J. F. Gmelin in Linn. Syst. Nat. I. 1789, 1976.
aequinoctialis Cetonina, A. G. Olivier, Entom. I. 1789, 50.
aequinoctialis Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 374; ed. 12, 1767, 596.
aequinoctialis Cicada, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2112.
aequinoctialis Cicindela, Linnaeus, Amoen. Acad. VI. 1763, 395.
aequinoctialis Cimex, Scopoli, Ent. Carn. 1763, 132.
aequinoctialis Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 265.
aequinoctialis Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 494.
aequinoctialis Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 28.—Chrysomela.
aequinoct[ialis] Melolontha [D. II. Schneider], Nom. Ent. 1785, 2 [*n. n.*].
aequinoctialis Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 62.
aequinoctialis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 972.
aequinoctialis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 598; ed. 12, 1767, 995.
aequinoctialis Nematelus (L.), C. de Geer, Mém. Ins. VI. 1776, 207.—Musca.
aequinoctialis Procellaria, Linnaeus, Syst. Nat., ed. 10, 1758, 132; ed. 12, 1766, 213.
aequinoctialis Procellaria, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 80.
aequinoctialis Scyllarus, N. T. Lund, Skr. nat. Selsk. [Copen.] II (2) 1793, 21.
aequinoctialis Scyllarus, F. Weber, Nomen. Fabricii, 1795, 94 [*n. n.*].
aequinoctialis SpheX, Scopoli, Ent. Carn. 1763, 292.
aequinoctialis Sylvia (Gm.), J. Latham, Index Orn., 1790, 541.—Motacilla.
aequinoctialis Sylvia, J. Latham, Index Orn. 1790, 553.
aequorea Medusa, Linnaeus, Syst. Nat., ed. 10, 1758, 659; ed. 12, 1767, 1097.
aequoreus Syngnathus, Linnaeus, Syst. Nat., ed. 10, 1758, 337; ed. 12, 1766, 417.
aerata Buprestis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 35.
aerata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 456.
aerata Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797–1800] 468.
aeratus Scarabaeus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1570.
aerdan Lacerta, P. Forskal, Descr. Anim. 1775, ix. [*n. n.*].
aerealis Phal. Pyr., J. Hübner, Samml. Vögel u. Schmett. 1793, 7 [*n. et f.*].

- aerealis** *Pyralis*, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 11 & 29.
- aerea** *Donacia*, F. v. P. Schrank, F. Boica, I. 1798, 684.
- aereus** *Libellula*, M. Harris, Exp. Eng. Ins. 1776, 98.
- aereus** *Turbo*, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 66.
- aeropus** [Papilio], P. Cramer, Utl. Kapellen, III (22) 1779, 108.
- aeropa** *Papilio* (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 475; P. (Danaus) ed. 12,
- aerosa** *Buprestis*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1928. [1767, 768.]
- aerosa** *Chrysomela*, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1690.
- aerubescens** *Phalaena*, [D. H. Schneider] Nom. Ent. 1785, 44 [n. n.].
- aerugana** *Geometra*, [Denis & Schiffermüller] Schmett. Wien, 1775, 101.
- aeruginalis** *Pyralis*, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 26.
- aeruginalis** [Pyralis], J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], pl. 20, f. 133 [n. et f.].
- aeruginaria** *Geometra*, [Denis & Schiffermüller] Schmett. Wien, 1775, 314. [n. et f.].
- aeruginaria** *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 46.
- aeruginaria** *Geometra*, J. Hübner, Europ. Schmett. 5 Horde [me judice 1800], 17.
- aeruginaria** *Phalaena Geometra* (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
- aerugineus** *Carabus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1986. [43.—*Geometra*.
- aeruginea** *Cetonia*, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 156.
- aeruginea** *Cetonia*, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 216.
- aeruginea** *Chrysomela*, J. C. Fabricius, Ent. Syst. I (1) 1792, 330.
- aerugineus** *Cimex*, A. F. de Fourcroy, Ent. Paris. 1785, 208.
- aeruginea** *Cistela*, J. C. Fabricius, Syst. Ent. 1775, 117. [—*Cistela*.
- aerugineus** *Cryptocephalus* (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1715.
- aeruginea** *Galleruca*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 96.—*Cistela*, 1775.
- aerugineus** *Scarabaeus*, C. de Villers, Linn. Ent. IV. 1789, 209.
- aeruginosus** *Accipiter* (L.), J. C. Schaeffer, Mus. Orn. 1789, 8.—*Falco*.
- aeruginosa** *Buprestis*, J. F. W. Herbst, Schrift Berlin. Ges. Nat. Freunde, I. 1780, 91.
- aeruginosus** *Buprestis*, A. F. de Fourcroy, Ent. Paris. 1785, 54.
- aeruginosus** *Carabus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1969.
- aeruginosus** *Carabus* (Four.), C. de Villers, Linn. Ent. I. 1789, 378.—*Buprestis*.
- aeruginosa** *Cetonia* (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 221.—*Scara-*
- aeruginosus** *Cimex*, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 5. [bacus.]
- aeruginosus** *Cryptocephalus* (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789,
- aeruginosus** *Curculio*, G. Bonsdorff, Curc. Suec. 1785, 23. [1725.—*Luperus*.
- aeruginosus** *Elater*, [D. H. Schneider] Nom. Ent. 1785, 19 [n. n.].
- aeruginosus** *Elater*, A. G. Olivier, Entom. II. 1790, 33.
- aeruginosus** *Falco*, Linnaeus, Syst. Nat., ed. 10, 1758, 91; ed. 12, 1766, 130.
- aeruginosus** *Helops*, J. C. Fabricius, Mant. I. 1787, 213.
- aeruginosa** *Leptura*, O. F. Müller, Z. Dan. Prod. 1776, 95.
- aruginosa** *Lunatica*, J. F. Bolten, Mus. Bolten. (2) 1798, 101.
- aeruginosus** *Luperus*, O. F. Müller, Z. Dan. Prod. 1776, 84.
- aeruginosa** *Mantis*, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [n. n.].
- aeruginosus** *Melolontha* (L.), V. Petagna, Spec. Ins. ult. Calab. 1786, 4.—*Scarabaeus*.
- aeruginosus** *Milvus*, C. Nozeman in Nozeman & Houttuyn, Ned. Vogel. I [177-] 15.
- aeruginosus** *Pilularius*, F. v. P. Schrank, F. Boica, I. 1798, 396. [Helops.]
- aeruginosa** *Pimelia* (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2009.—
- aeruginosus** *Psittacus*, Linnaeus, Syst. Nat., ed. 10, 1758, 98; ed. 12, 1766, 142.
- aeruginosus** *Scarabaeus*, Linnaeus, Syst. Nat., ed. 12, 1767, 558.
- aeruginosus** *Scarabaeus* (*Cetonia*), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1581.
- aeruginosus** *Trochus*, J. F. Bolten, Mus. Bolten. (2) 1798, 83.
- aerugula** *Phal. Bom.*, J. Hübner, Samml. Vögel u. Schmett. 1793, 11 [n. et f.].
- “**Aesalon**, Brisson, 1760,” Ag. [not used in a generic sense].
- aesalon** *Accipiter*, J. C. Schaeffer, Mus. Orn. 1789, 8. [caribaeorum, falconarium.]
- aesalon** *Falco*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 284, *varr. noveboracensis*,
- aesculapii** *Coluber*, Linnaeus, Syst. Nat., ed. 10, 1758, 220; ed. 12, 1766, 380.
- aesculapii** *Natrix* (Linn.), J. N. Laurenti, Syn. Rept. 1768, 76.—*Coluber*.
- aesculapius** *Copris*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 172.

- aesculapius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 347.
 aesculapius Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 154.
 aescularia Geometra, [Denis & Schiffermüller] Schmett. Wien, 1775, 102. [*n. et f.*].
 aescularia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 189
 aesculi Bombyx (L.), E. J. C. Esper, Die Schmett. III (25) 1786, 311.—Phalaena.
 aesculi Bostrichus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 525.
 aesculi Cossus (L.), J. C. Fabricius, Ent. Syst. III (2) 1794, 4.
 aesculi Hepialus (L.), J. C. Fabricius, Syst. Ent. 1775, 590.—Phalaena.
 aesculi Phalaena, J. A. Scopoli, Del. Insub. I. 1786, 54.
 aesculi Phal. (Hepialus), Herbst, Einl. Ins. II. 1785, 103.
 aesculi Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 833.
 aesculus Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 56.
 Aeshna J. C. Fabricius, Syst. Ent. 1775, 424.—Neur.
 aesopus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 307.
 aesopus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 125.
 aestivalis Naucoris, J. C. Fabricius, Ent. Syst. IV. 1794, 66. [*n. et f.*].
 aestivaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 9
 aestivaria Geometra, J. Hübner, Europ. Schmett. 5 Horde [me judice 1800], 16.
 aestivaria Phalaena Geometra, J. Hübner, Beitr. Schmett. I (4) 1789, 22.
 aestivationis Musca, Linnaeus, Faun. Suec., ed. 2, 1761, 454.
 aestivus Asilus, Scopoli, Ent. Carn. 1763, 365.
 aestivus Carabus, O. F. Müller, Z. Dan. Prod. 1776, 77.
 aestivus Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 387.
 aestivus Dermestes, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 39.
 aestiva Melolontha, A. G. Olivier, Entom. I. 1789, 17.
 aestiva Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 996.
 aestiva Musca, O. F. Müller, F. Ins. Frid. 1764, 86.
 aestiva Nitidula (L.), J. C. Fabricius, Syst. Ent. 1775, 77.—Silpha.
 aestiva Nitidula (Herbst), F. v. P. Schrank, F. Boica, I. 1798, 445.—Strongylus.
 aestiva Nitidula, Illiger in Kugelann, Käfer Preuss. 1798, 385.
 aestiva Peltis, O. F. Müller, Z. Dan. Prod. 1776, 64.
 aestivus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 101; ed. 12, 1786, 146.
 aestivus Psittacus (L.), R. Kerr, Anim. Kingd. 1792, *var. jamaicensis* (598), *guianensis*
 brasilienis, *varius*, *amazonicus* (599), *magnus*, *flavicollo*, *simulatus* (600).
 aestiva Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 362; ed. 12, 1767, 574.
 aestivus Strongylus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 186.
 aestiva Sylvia (Gm.), J. Latham, Index Orn. 1790, 551.—Motacilla.
 aestiva Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 889.
 aestivus Tenebrio, O. F. Müller, Z. Dan. Prod. 1776, 74.
 aestuans Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 579; ed. 12, 1767, 961.
 aestuans Asilus, Linnaeus, Amoen. Acad. VI. 1763, 413.
 aestuans Cerambyx, A. G. Olivier, Entom. IV. 1795, 123.
 aestuans Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 371; ed. 12, 1767, 593.
 aestuans Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1684.
 aestuans Curculio, J. C. Fabricius, Ent. Syst. I. (2) 1792, 445.
 aestuans Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 27.
 aestuans Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 600; ed. 12, 1767, 997.
 aestuans Sciurus, Linnaeus, Syst. Nat., ed. 12, 1766, 88.
 aestuans Sciurus, P. B. C. Graumann, Introd. H. N. 1779, 66.
 aestuans Sciurus (L.), R. Kerr, Anim. Kingd. 1792, *var. fasciatus* 263.
 aestuans Tettigonia, J. C. Fabricius, Ent. Syst. IV. 1794, 20.
 aestuans Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 462.
 aestuata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 525; ed. 12, 1767, 867
 aethale Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 92.
 aethale Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 202.
 aethalurus Ichneumon, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 196.
 aethereus Phaëthon, Linnaeus, Syst. Nat., ed. 10, 1758, 134; ed. 12, 1766, 219.
 aethiopa Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 136.

- aethiopata** Phalaena, Scopoli, Ent. Carn. 1763, 231.
aethiopicus Aper, P. S. Pallas, Misc. Zool. 1766, 16.
aethiopica Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 43.
ethiopicus (*sic*) Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 563.
aethiopicum Cymbium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 151.—Voluta.
aethiopica Globosa (L.), F. C. Meuschen, Mus. Gever. 1787, 382.—Voluta.
aethiopica Locusta, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 103.
aethiopicus Scarabaeus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1574.
aethiopicus Sus, Linnaeus, Syst. Nat., ed. 12, III. 1768, App. 223.
aethiopicus Tabanus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 91.
aethiopicus Tantalus, J. Latham, Index Orn. 1790, 706.
aethiopicus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 824.
aethiopica Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 733; ed. 12, 1767, 1195.
aethiopiassa Altica, F. v. P. Schrank, Naturforscher, XXIV. 1789, 69.
aethiops Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 259.—Bibio, 1781.
aethiops Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 130.
aethiops Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2791.
aethiops Asilus, P. S. Pallas, Reise Russ. I. 1771, 474.
aethiops Bibio, J. C. Fabricius, Spec. Ins. II. 1781, 415.
aethiops Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 141.
aethiops Cerambyx, Scopoli, Ent. Carn. 1763, 53.
aethiops Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1830.—Lamia.
aethiops Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 38.—Simia.
aethiops Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 309.
aethyops Cicada, F. v. P. Schrank, Ins. Aust. 1781, 255.
aethiops Cimex, J. C. Fabricius, Mant. II. 1787, 296.
aethiops Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 48.
aethiops Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [*u. u.*]; Essai Fourmis, 1798, 35.
aethiops Fringilla, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 10.
aethiops Fulica, A. Sparrman, Mus. Carls. I. 1786, no. xiii.
aethiops Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 120.
aethiops Lamia, J. C. Fabricius, Syst. Ent. 1775, 174.
aethiops Lamia, J. N. Laicharting, Tyrol. Ins. II. 1784, 19.
aethiops Leptura, N. Poda, Ins. Mus. Graec. 1761, 38.
aethiops Merganser (Scop.), J. C. Schaeffer, Mus. Orn. 1789, 67.—Mergus.
aethiops Mergus, J. A. Scopoli, Annus I. 1769, 70.
aethiops Musca (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2831.—Bibio.
aethiops Papilio, E. J. C. Esper, Die Schmett. I (9) 1779, 312.
aethiops Papilio (Pleb.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2360.
aethiops minor Papilio, L. Prunner, Lep. Pedemont. 1798, 70.
aethiops Papiro, E. A. W. Zimmermann, Geogr. Ges. Mensch, II. 1780, 180.
aethiops Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 28 [=cephus, ed. 12].
aethiops Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 67 & *var.* torquatus.
aethiops Tenthredo, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2662.
aethiops Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 121.
aethiops Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3596.
aethiops Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 87.
aetolus *v.* *etolus*.
[afer-ra-rum].
afrum Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 232.
afra Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 258.
afra Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3308.
afra Cantharis (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 280.—Meloe.
afer Carabus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 73.
afer Cerambyx, Linnaeus, Mant. II. 1771, 532.
afer Cerambyx, *id. ac* ater, L., J. C. Fabricius, Syst. Ent. 1775, 166.
afra Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 186.

- afra** Cicada, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2101.
afer Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 66.
afra Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 284.
afra Coracias, J. Latham, Index Orn. 1790, 172.
afer Corvus, Linnaeus, Syst. Nat., ed. 12, 1766, 157.
afra Crioceris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 61.
afer Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 418.
afer Curculio, X. Wulfen, Descr. Cap. Ins. 1786, xv.
afer Epinephelus, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 12.
afer Erodium, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 121.
afra Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 905.
afer Gryllus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2057.
afer Gymnothorax, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 85.
afra Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3651.
afra Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 857.
afra Lytta (L.), J. C. Fabricius, Syst. Ent. 1775, 260.—Meloe.
afer Meloe, Linnaeus, Syst. Nat., ed. 12, 1767, 680.
afra Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 962.
afer Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3558.
afra Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 940.
afra Myrmecophaga, P. S. Pallas, Misc. Zool. 1766, 64.
afer Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3358.
afra Otis, Linnaeus, Syst. Nat., ed. 10, 1758, 155; ed. 12, 1766, 264.
afer [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 49.
afer Papilio, N. G., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1784],
afer Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1010. [161].
afra Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3715.
afra Perdix, J. Latham, Index Orn. 1790, 648.
afer Scarabaeus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1578.
afer Scorpio, Linnaeus, Syst. Nat., ed. 10, 1758, 624; ed. 12, 1767, 1038.
afra Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3745.
afer Tetrao, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 129.
afer Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 119.
afer Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3577.
afer Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3602.
afra Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3295.
afer Vermetus (Gm.), F. M. Daudin, Rec. Mém. Moll. 1800, 35.—Serpula.
- affiniaria** Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 136.
affiniata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 294.
affinis Ammophila, W. Kirby, Tr. Linn. Soc. [Lond.] IV. 1798, 201.
affinis Apis, Linnaeus, Mus. Lud. Ulr. 1764, 417.
affinis Bruchus, J. A. Frolich, Naturforscher, XXVIII. 1799, 55.
affine Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3490.
affinis Buprestis, J. C. Fabricius, Ent. Syst. IV. 1794, 450.
affinis Carabus, F. v. P. Schrank, Ins. Aust. 1781, 212.
affinis Cassida, J. C. Fabricius, Syst. Ent. 1775, 88.
affinis Cetonia, J. D. Andersch in D. H. Hoppe, Ent. Taschenbuch, 1797, 152.
affinis Chrysomela, O. F. Müller, Z. Dan. Prod. 1776, 82.
affinis Chrysomela, J. C. Fabricius, Mant. I. 1787, 67.
affinis Clytra, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 611.
affinis Coccinella, G. Paykull, K. Vet. Ac. Nya Handl. XIX. 1798, 153.
affinis Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3391.
affinis Copris, J. Sturm, Verz. Ins. Samml. 1800, 102.
affinis Crabro, P. Rossi, Mant. Ins. I. 1792, 137.
affinis Curculio, F. v. P. Schrank, Ins. Aust. 1781, 121.
affinis Curculio [D. H. Schneider], Nom. Ent. 1785, 12 [n. n.].
affinis Curculio, G. Paykull, Mon. Curc. 1792, 68.
affinis Curculio, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 15.

- affinis** Cynips, P. Rossi, Mant. Ins. II. 1794, 107.
affinis Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3420.
affinis Doris, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3106.
affinis Dytiscus, G. Paykull, Faun. Suec. I. 1798, 211.
affinis Echinorhynchus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3050.
affinis Elater, G. Paykull, Faun. Suec. III. 1800, 12.
affinis Galeruca, G. Paykull, Faun. Suec. II. 1799, 109.
affinis Hallominus, G. Paykull, Faun. Suec. II. 1799, 181.
affinis Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3621.
affinis Hydrophilus, C. P. Thunberg, Ins. Suecica (6) 1794, 73.
affinis Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 183.
affinis Leptura, G. A. Harrer, Besch. Schaeffer Icones, 1784, 209.
affinis Lycus, G. Paykull, Faun. Suec. II. 1799, 176.
affinis Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3532.
affinis Myxalbris, A. G. Olivier, Entom. III. 1795, 8.
affinis Nerita, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3675.
affinis Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 609.—Phalaena.
affinis Papilio, J. C. Fabricius, Syst. Ent. 1775, 511.
affinis Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2289.
affinis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3726.
affinis Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 848.
affinis Phalaena Noctua, J. Hübner, Beitr. Schmett. I (1) 1786, 10.
affinis Portunus, F. Weber, Nomen. Fabricii. 1795, 93.
affinis Scarabaeus, N. J. Brahm, Ins. Kal. (1) 1790, 66.
affinis Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 203.
affinis Sphinx, Panzer in Drury, Exot. Ins. 1785, 97.
affinis Staphylinus, G. Paykull, Mon. Staph. 1789, 24.
affinis Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3520.
affinis Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 284.
affinis Tenebrio, P. Rossi, Fauna Etrus. I. 1790, 232.
affinis Thereva, J. C. Fabricius, Suppl. Ent. Syst. 1798, 561.—Syrphus, 1794.
affinis Tubularia, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3834.
affinis Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3278.
affinis Vespa, J. C. Fabricius, Mant. I. 1787, 287.
afra *v.* **afer**.
africana Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 798.
africana Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 522.
africanus Anser, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 119.
africana Apis, J. C. Fabricius, Spec. Ins. I. 1781, 477. [mota.
africana Arctomis (Th.), Lamarck in Thunberg, Voy. Japon &c. IV. 1796, 348.—Mar-
africana Biphora (Forsk.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 182.—Salpa.
africana Blatta, Linnaeus, Syst. Nat., ed. 10, 1758, 424; ed. 12, 1767, 688.
africanus Buceros, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 359.
africana Buphaga, Linnaeus, Syst. Nat., ed. 12, 1766, 154.
africana Camelopardalis, B. G. E. de Lacépède, Tabl. Mamm. 1799, 14.
africanus Carabus, C. P. Thunberg, D.D. Mus. Ac. Upsal. 1787, 49.
africanus Cerambyx, X. Wulfen, Descr. Cap. Ins. 1786, xvi.
africanus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1860.
africana Cetonia (Drury), J. C. Fabricius, Syst. Ent. 1775, 48.—Scarabaeus.
africanus Chamaeleo, J. N. Laurenti, Syn. Rept. 1768, 46.
africana Clupea, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 45.
africanus Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.), 1790, 49.
africanus Conus, F. C. Meuschen, Mus. Gev. 1787, 354.
africana Coracias, G. Shaw, Nat. Misc. XI. 1799, pl. 401.
africana Coronella, J. N. Laurenti, Syn. Rept. 1768, 87.
africanus Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 374.
africanus Corvus, F. M. Daudin, Traité élém. Orn. 1800, 240.
africanus Crocodylus, J. N. Laurenti, Syn. Rept. 1768, 54.

- africanus** Elephas, J. F. Blumenbach, Hand. Naturg., ed. 5, 1797, 125.
africana Emberiza, Linnaeus in Hasselquist, Palast. 1762, 336.
africana Formica, C. P. Thunberg, D.D. Mus. Ac. Upsal. 1788, 82.
africanus Hippopotamus, B. G. E. de Lacépède, Tabl. Mamm. 1799, 12. [Chameleo.
africana Lacerta (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I (3) 1789, 1069.—
africana Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 856.
africana Marmota, C. P. Thunberg, Resa Europa, etc. I. 1788, 293.
africana Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 958.
africana Mylabris. A. G. Olivier, Entom. III. 1795, 12.
africanus Numenius (Gm.), J. Latham, Index Orn. 1790, 712.—Scolopax.
africana Parra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 709.
africana Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8 [*n. n.*].
africanus Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 577.
africanus Phasianus, J. Latham, Index Orn. 1790, 631.
africanus Rhinoceros, J. F. Blumenbach, Hand. Naturg., ed. 5, 1797, 126.
africana Salpa, P. Forskal, Descr. Anim. 1775, 116.
africanus Scarabaeus, D. Drury, Ill. Nat. Hist. II. 1773, index & 54.
africana Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 655.
africana Solpuga, J. F. W. Herbst, Nat. ungefl. Ins. (1) 1797, 44.
africanus Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1494.
africana Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 605.
africanus Sus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 220.
africana Sylvia (Gm.), J. Latham, Index Orn. 1790, 518.—Motacilla.
africanus Turdus, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 29.
africana Viverra, H. F. Link, Beytr. Nat. I (2) 1795, 85.
afrum *v. afer*.
afzeliana Phalaena (Tinea), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 276.
agama Iguana, F. C. Meuschen, Mus. Gronov. 1778, 8.
agama Iguana (L.), F. A. A. Meyer, Syn. Rept. 1795, 16.—Lacerta.
agama Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 207; ed. 12, 1766, 367.
agamemnon Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 462; ed. 12, 1767, 748.
agami Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 629.
agapenor Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 26.
agarici Ptinus, F. v. P. Schrank, F. Boica, I. 1798, 542.
agarici Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 97.
agarici Tipula, C. de Villers, Linn. Ent. III. 1789, 393.
agaricicola Opalium *id. ac* O. agricola, Fab., A. G. Olivier, Entom. III. 1795, 11.
agariciformis Millepora, P. S. Pallas, Elench. 1766, 263.
agaricinus Dermestes (Linn.), Scopoli, Ent. Carn. 1763, 16.—Silpha.
agaricinum Scaphidium (L.), A. G. Olivier, Entom. II. 1790, 5.—Silpha.
agaricinum Scaphidium, Hellwig in G. W. F. Panzer, Ins. Germ. heft 2, 1792, tab. 2.
agaricina Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 360; ed. 12, 1767, 570.
agaricina Spongia, P. S. Pallas, Elench. 1766, 397.
agaricites Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 795; ed. 12, 1767, 1274.
agaricorum Acarus, Scopoli, Ent. Carn. 1763, 391.
agaricum Alcyonium, Linnaeus, Syst. Nat., ed. 12, 1767, 1294.
agaricum Madepora *id. ac* agaricites, L., J. F. Maratti, Plant. Zooph. Med. 1776, 48.
agarista [Phalaena], P. Cramer, Uitl. Kapellen, II (15) 1777, 112.
agatha [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 76.
agatha Papilio, J. C. Fabricius, Mant. II. 1787, 54.
Agathidium Illiger in Kugelann, Käfer Preuss. 1798, 81.—Col.
agathinus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 114.
agathina [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 76.
agathina [Papilio], P. Cramer, Uitl. Kapellen, II (14) 1777, 109.
agave [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 31.
agave Papilio, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 210.
agave Papilio (*ex* Esper tab.), C. C. Jung, Alph. Verz. Schmett. I. 1791, 14.
agavus Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 11.

- agavus** [Papilio], C. Stoll, *Aanhang*, Cramer's Uitl. Kapellen, IV. 1790, 144.
- agenor** Papilio (Eques), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 460; ed. 12, 1767, 747.
- agenor** Scarabaeus, A. G. Olivier, *Entom. I.* 1789, 178.
- agestis** Papilio [Denis & Schiffermüller], Schmett. *Wien*, 1775, 184.
- agestis** Papilio, H. G. Lang, *Verz. Schmett.*, ed. 2, 1789, 54.
- aggregata** Sabella, L. T. Gronovius, *Zooph. III.* 1781, 352.
- aggressor** Cimex, J. F. Fabricius, *Syst. Ent.* 1775, 706.
- agilis** Ameiva (L.), F. A. A. Meyer, *Syn. Rept.* 1795, 28.—*Lacerta*.
- agilis** Apis, M. Harris, *Exp. Eng. Ins.* 1776, 163.
- agilis** Aranea, F. A. A. Meyer in Schriba, J. Lieb, *Ent. III.* 1791, 256.
- agilis** Bombylius, A. G. Olivier, *Ency. Méth. IV (Ins.)* 1789, 328.
- agilis** Cancer, F. X. de Wulfen, *Nova Acta Acad. Caes. VIII.* 1791, 337.
- agilis** Carabus, O. F. Müller, *Z. Dan. Prod.* 1776, 76.
- agilis** Carabus, C. P. Thunberg, *Nov. Ins. Spec.* (4) 1784, 70.
- agilis** Carabus, J. C. Fabricius, *Mant. I.* 1787, 204.
- agilis** Cerastes (Linn.), J. N. Laurenti, *Syn. Rept.* 1768, 82.—*Coluber*.
- agilis** Cimex, Scopoli, *Ent. Carn.* 1763, 126.
- agilis** Cimex, J. C. Fabricius, *Spec. Ins. II.* 1781, 374.
- agilis** Coluber, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 220; ed. 12, 1766, 381.
- agilis** Dytiscus, J. C. Fabricius, *Ent. Syst. I (1)* 1792, 194.
- agilis** Gryllus, J. F. Gmelin, *Linn. Syst. Nat.*, ed. 13, I. 1789, 2071.
- agilis** Ichneumon, J. C. Fabricius, *Syst. Ent.* 1775, 344.
- agilis** Ichneumon, J. L. Christ, *Nat. Ins.* 1791, 369.
- agilis** Ichneumon Mutilla, J. L. Christ, *Nat. Ins.* 1791, 376.
- agilis** Lacerta, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 203; ed. 12, 1766, 363.
- agilis** Locusta, C. de Geer, *Mém. Ins. III.* 1773, 457.
- agilis** Lygaeus, J. C. Fabricius, *Ent. Syst. IV.* 1794, 182.—*Cimex*, 1781.
- agilis** Musca, M. Harris, *Exp. Eng. Ins.* 1776, 86.
- agilis** Musca, P. Rossi, *Fauna Etrus. II.* 1790, 311.
- agilis** Muscicapa, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 948.
- agilis** Oniscus, Persoon in G. W. F. Panzer, *Ins. Germ. heft 9*, 1793, tab. 24.
- agilis** Phalaena (Noct.), C. de Villers, *Linn. Ent. II.* 1789, 285.
- agilis** Psittacus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 99; ed. 12, 1766, 143.
- agilis** Ptomaphagus, Illiger in Kugelann, *Käfer Preuss.* 1798, 88.
- agilis** Seps (L.), F. v. P. Schrank, F. Boica, I. 1798, 285.—*Lacerta*.
- agilissima** Apis, J. A. Scopoli, *Annus IV.* 1770, 14.
- agilitas** Musca, M. Harris, *Exp. Eng. Ins.* 1776, 108.
- agino** Apis, M. Harris, *Exp. Eng. Ins.* 1776, 163.
- agis** [Papilio], D. Drury, *Ill. Nat. Hist. III.* 1782, index & 34.
- agis** [Phalaena], P. Cramer, *Uitl. Kapellen, I (3)* 1775, 49.
- agitabilis** Apis, M. Harris, *Exp. Eng. Ins.* 1776, 163.
- agitator** Ichneumon, A. G. Olivier, *Ency. Méth. VII (Ins.)* 1792, 179.
- Agkisthodon** *err. pro* Agkistrodon, de Beauvois, *Trans. Amer. Phil. Soc. IV.* 1799, 370.—R.
- Agkistrodon** de Beauvois, *Trans. Amer. Phil. Soc. IV.* 1799, 381.—R.
- aglaja** Papilio (Heliconius), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 465.
- aglaja** Papilio (Nymphalis), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 481; ed. 12, 1767, 785.
- aglauros** Papilio, M. B. Borkhausen, *Nat. eur. Schmett. I.* 1788, 95.
- aglaura** [Phalaena], P. Cramer, *Uitl. Kapellen, III (22)* 1779, 126.
- aglea** [Papilio], C. Stoll in Cramer, *Uitl. Kapellen, IV (32)* 1782, 173.
- Aglossa** P. A. Latreille, *Préc. Car. Ins.* 1796, 145.—*Lep.*
- agnatus** Strombus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3523.
- agnes** [Papilio], C. Stoll in Cramer, *Uitl. Kapellen, IV (28)* 1780, 73.
- Agouti** B. G. E. de Lacépède, *Tabl. Mamm.* 1799, 9.—M.
- agraria** Aranea, A. G. Olivier, *Ency. Méth. IV (Ins.)* 1789, 214.
- agrarius** Mus, P. S. Pallas, *Reise Russ. I.* 1771, 454.
- agrarius** Mus, R. Kerr, *Anim. Kingd.* 1792, 231, *var. americanus*.
- agrarius** Mus, J. M. Bechstein in Pennant, *Uebers. 4füss. Thiere, II.* 1800, 507 & 716, *varr. albostratus, maculatus*.

- agresta** Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 52.—Phalaena.
agresta [Phalaena], P. Cramer, Uitl. Kapellen, IV (26) 1780, 32.
agrestis Alauda, J. Latham, Syn. Birds, Suppl. I. 1787, 287.
agrestis Apis, A. F. de Fourcroy, Ent. Paris. 1785, 446.
agreste Callidium, J. C. Fabricius, Mant. I. 1787, 152.
agrestis Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 344.
agrestis Carabus, C. Creutzer, Ent. Vers. 1799, 110.
agrestis Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 308.—Callidium.
agrestis Hirundo, C. Nozeman in Nozeman & Houttuyn, Ned. Vogel. I. [177-], 33.
agrestis Hirundo, J. F. Blumenbach, Hand. Naturg., ed. 2, 1782, 238.
agrestis Limax, Linnaeus, Syst. Nat., ed. 10, 1758, 652; ed. 12, 1767, 1082.
agrestis Mus, Linnaeus, Faun. Suec., ed. 2, 1761, 11.
agrestis Nomada, J. C. Fabricius, Mant. I. 1787, 306.
agrestis Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 87.
agrestorius Ichneumon, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 279.
agrestorius Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2679.
agricola Bolitophagus (Herbst), Illiger in Kugelann, Käfer Preuss. 1798, 106.—Opatrum.
agricola Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 337.
agricola Curculio, G. Paykull, Faun. Suec. III. 1800, 260.
agricola Melolontha (Poda), J. C. Fabricius, Syst. Ent. 1775, 37.—Scarabaeus.
agricola Melolontha, J. N. Laicharting, Tyrol. Ins. I. 1781, 39.
agricola Opatrum, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 35.
agricola Pimelia (Scop.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2002.—Tenebrio.
agricola Scarabaeus, N. Poda, Ins. Mus. Graec. 1761, 21.
agricola Silpha (Herbst), C. de Villers, Linn. Ent. IV. 1789, 233.—Opatrum.
agricola Tenebrio, J. A. Scopoli, Annus V. 1772, 108.
agricolator Ichneumon, Linnaeus, Syst. Nat., ed. 12, 1767, 937.
Agrion J. C. Fabricius, Syst. Ent. 1775, 425.—Neur.
agrippa Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 259.
agrippina [Phalaena], P. Cramer, Uitl. Kapellen, I (8) 1776, 136.
agrius Bombyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 39.
agrius Zygaena, J. C. Fabricius, Spec. Ins. II. 1781, 159.
agrorum Apis, F. v. P. Schrank, Ins. Aust. 1781, 397.
agrorum Apis, J. C. Fabricius, Mant. I. 1787, 301.
agrorum Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 44.
agrorum Carabus (Four.) C. de Villers, Linn. Ent. I. 1789, 376.—Buprestis.
agrorum Musca (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2869.—Syrphus.
agrorum Syrphus, J. C. Fabricius, Mant. II. 1787, 335.
agrotera [Papilio], J. A. B. Bergstraesser, Nom. Ins. IV. 1780, 13.
agrotera [Papilio], J. A. B. Bergstraesser, Ic. Pap. III. 1781, 7.
agua Buffo, B. G. E. de Lacepède, Quad. Ovip. &c. I. 1788, Syn. méth.
aguti Cavia (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 353.—Mus.
aguti Cavia, E. A. W. Zimmermann, Spec. Zool. 1777, 507.
aguti Cavia, R. Kerr, Anim. Kingd. 1792, *varr.* cunicularis, 217; leporina, americana, 218.
aguti Mus, Linnaeus, Syst. Nat., ed. 12, 1766, 80.
aguti *v. et acuti*.
Agyrtus J. A. Frolich, Naturforscher, XXVIII. 1799, 15.—Col.
agyrtus Papilio, Cramer, Uitl. Kapellen, II (11) 1777, 40.
ahaetulla Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 225; ed. 12, 1766, 387.
ahaetulla Natrix (Linn.), J. N. Laurenti, Syn. Rept. 1768, 79.—Coluber.
ahenella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
ahornerella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 55.
aiaia *v. ajaja*.
ain Phalaena, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785, 337.
aivus Hesperia, *err. pro avius*, J. C. Fabricius, Ent. Syst. III (1) 1793, 301.
ajaja Platalea, Linnaeus, Syst. Nat., ed. 10, 1758, 140; ed. 12, 1766, 231.
aiaia Platalea, C. Cuvier, Tab. Elém. 1798, 259.
ajar Cardita, J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 406.

- ajax** Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 462; ed. 12, 1767, 750.
ajax Scarabaeus, A. G. Olivier, Entom. I. 1789, 27.
ajereba Raja, J. G. Walbaum, Artedi, Ichth. (3) ed. 2, 1792, 535.
ajugae Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 172.
Akera O. F. Müller, Z. Dan. Prod. 1776, xxix. & 242.—Moll.
akera Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3434.
Akis Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 124.—Col.
akouchi *v.* *acouchy*.
aktäon *v.* *actäon*.
ala-avis Paphia, J. F. Bolten, Mus. Bolten. (2) 1798, 175.
alabastrella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
alabastrina Coralina, W. G. Tilesius, Verz. Merkw. Seeprod. 1800, 6.
alabastrina Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 18 [*n. n.*].
alabastrina Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 284.
alacer Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1967.
alactacha [Mus], S. G. Gmelin, Reise Russ. I (1770) 26.
alactaga Dipus, Olivier, Bull. Sci. Soc. Philom. [Paris] no. 40, 1800, 121.
alandica Anas, A. Sparrman, Mus. Carls. III. 1788, no. 1x.
ala-papilionis Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 146.
ala-papilionis Nerita, C. U. v. Salis, Reise Neapel, 1793, 379.
ala-papilionis Paphia, J. F. Bolten, Mus. Bolten. (2) 1798, 175.
alaphasiani Isogonum, J. F. Bolten, Mus. Bolten. (2) 1798, 168.
alapi Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 826.
alardus [Papilio], C. Stoll, Aanh. Cramer's Utl. Kapellen, V. 1790, 171.
Alaria F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, "Gattungen" & § 2.—Ver.
alario Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 179.
alario Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 319.
Alata F. C. Meuschen, Mus. Gever. 1787, 334 [*v. et.* Cat. Coll. Coq. Oudaan, 1766, 42].—G.
Alatites J. Gesner, Tract. Petref. 1758, 56.—Moll.
alatinga Scomber, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1330.
Alatus [G. Humphreys], Mus. Calonn. 1797, 38 [*n. n.*].—G.
alata Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 76.
alata Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 274.
alatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3497.
alatus Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2984.—Pagurus.
alatus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 106.
alatus Crabro, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 6.
alatum Distoma (Goeze), J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800,
alatus Murex, F. C. Meuschen, Mus. Gever. 1787, 322. [177.—Planaria.
alatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3562.
alata Musca *id. ac elata*, Fab., J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2843.
alata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3339.
alatus Pagurus, J. C. Fabricius, Syst. Ent. 1775, 411.
alata Prima, F. C. Meuschen, Mus. Gever. 1787, 410.
alata Planaria, J. A. E. Goeze, Eingeweidewürm. 1782, 177.
alata Ploiaria, J. A. Scopoli, Del. Insub. III. 1788, 51.
alata Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 144.
alatus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2036.
alatus Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3513.
alata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3236.
alata Trigla, M. Houttyn, Verh. Holl. Maat. Weet. Haarlem, XX (2) 1782, 336.
alata Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124 [*n. n.*].
Alauda Linnaeus, Syst. Nat., ed. 10, 1758, 165; ed. 12, 1766, 287.—A.
alauda Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 74.
alauda Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 411.
alaudae Acarus, F. v. P. Schrank, Ins. Aust. 1781, 515.
alaudae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3034.
alaudae Filaria, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 1.

- alaudae** Pediculus, F. v. P. Schrank, Beitr. Nat. 1776, 115.
alaudaria Phalaena, [D. H. Schneider] Nom. Ent. 1785, 51 [*n. n.*].
Alaudarius F. v. P. Schrank, Reise südl. Gebirg. Baiern, 1793, 40.—A.
alaudarius Accipiter, J. C. Schaeffer, Mus. Orn. 1789, 7.
alaudarius Cacus, F. M. Daudin, Traité élém. Orn. 1800, 325.
alaudarius Falco, F. W. Schmidt (*ex* Briss.), Samml. phys.-oek. Aufsätze, I. 1795, 33.
alaudipes Upupa, R. L. Desfontaines, Mém. Ac. Roy. Sci. [Paris], 1787 (1789), 504.
alba *v.* **albus**.
albacares Scomber, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 140.
albacorus Scomber, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 599.
albago Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 74.
albana Phalaena (Tortrix), O. F. Müller, F. Ins. Frid. 1764, 53.
albana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 476.
albaria Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 321.
albastrata Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 379.
albator Curculio, P. S. Pallas, Icon. Ins. 1781, 36.
albator Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
albator Trombidium (Muell.), J. C. Fabricius, Ent. Syst. II. 1793, 403.—Hydrachna.
albatorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 152.
albatorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 156.
albatorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 137.
albatrilineata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 50.
Albatrossa M. T. Brünnich, Fund. Zool. 1772, 80.—A.
Albatrus M. J. Brisson, Ornith. VI. 1760, 126.—A.
albatrus Diomedea, P. S. Pallas, Spic. Zool. V. 1769, 28.
albatrus Diomedea, J. R. Forster, Mém. présentés Ac. Roy. Sci. [Paris] X. 1785, 569.
albata Phalaena (Geometra), O. F. Müller, Z. Dan. Prod. 1776, 129.
albella Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 768; ed. 12, 1767, 1242.
albellus Merganser (L.), J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 104.—Mergus.
albellus Mergus, Linnaeus, Syst. Nat., ed. 10, 1758, 129; ed. 12, 1766, 209.
albellus Mergus, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 111 [M. minutus, L.].
albella Phalaena (Tinea), O. F. Müller, Z. Dan. Prod. 1776, 137.
albella Phalaena (Tinea), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
albellus Scarabaeus, P. S. Pallas, Reise Russ. I. 1771, 461.
albella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 79.
albens Beroe, A. Modeer, K. Vet. Ac. Nya Handl. XI. 1790, 41.
albeolata Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 381.
albeola Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 124; ed. 12, 1766, 199.
albeola Colus, J. F. Bolten, Mus. Bolten. (2) 1798, 117 [*n. n.*].
albeolus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 47.
albeola Mutilla, P. S. Pallas, Reise Russ. II. 1773, 730.
albeola Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 289.
alber Tantalus, Linnaeus, Syst. Nat., ed. 12, 1766, 241.
alberganus Papilio, L. Prunner, Lep. Pedemont. 1798, 71.
albertiana [Phalaena], C. Stoll in Cramer, Utl. Kapellen, IV (31) 1781, 163.
albertiana Phal. (Tort.), Herbst, Einl. Ins. II. 1785, 128.
albescens Cardium, F. C. Meuschen, Mus. Gever. 1787, 442.
albescens Falco, P. Boddaert, Tab. Planch. Enl. 1783, 25.
albescens Falco, F. M. Daudin, Traité élém. Orn. 1800, 45.
albicans Anas, J. F. Gmelin in Linn. Syst. Nat., I. 1788, 516.
albicans Apis, O. F. Müller, Z. Dan. Prod. 1776, 166.
albicans Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 125.
albicans Balaena, O. F. Müller, Z. Dan. Prod. 1776, 7.
albicans Cantharis, Linnaeus, Syst. Nat., ed. 12, 1767, 649.
albicans Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
albicans Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1771.
albicans Delphinus, J. P. Bonnaterre, Ency. Méth. (Cet.), 1789, 25.
albicans Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 276.

- albicans** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3666.
albicans Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2717.
albicans Lanarius, F. M. Daudin, *Traité élém. Orn.* 1800, 102.
albicans Physter (*ex* Briss.), G. H. Borowski, *Gem. Nat. Thiere*, II. 1781, 31.
albicans Scomber, J. G. Walbaum, *Artedi, Ichth.* (3), ed. 2, 1792, 216.
albicans Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3238.
albicans Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3290.
albicapilla Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 775.
albicapilla Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 964.
albicapilla Sylvia (Gm.), J. Latham, *Index Orn.* 1790, 532.—*Motacilla*.
albicaudis Curculio, C. de Geer, *Mém. Ins.* V. 1775, 223.
albicaudus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 258.
albicauda Falco (Aquila), R. Kerr, *Anim. Kingd.* 1792, 486. [*n. et f.*]
albicillata Geometra, J. Hübner, *Europ. Schmett. (Geom.)* [me judice 1796] fig. 76.
albicillata Phalaena (Geometra), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 527; ed. 12, 1767, 870.
albicilla Aquilla (L.), S. Odmann, *N. Acta Soc. Sci. Upsal.* V. 1792, 53.—*Vultur*.
albicilla Falco, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 89.
albicilla Falco (Gypaetus), R. Kerr, *Anim. Kingd.* 1792, 480.
albicilla Nerita, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 778; ed. 12, 1767, 1254.
albicilla Vultur, Linnaeus, *Syst. Nat.*, ed. 12, 1766, errata, end of vol. i.—[*albizilla*.]
albicillae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3033.
albicincta Evania, P. Rossi, *Fauna Etrus.* II. 1790, 57.
albicincta Musca, P. Rossi, *Mant. Ins.* II. 1794, 69.
albicincta Phalaena Noctua, M. B. Borkhausen, *Nat. eur. Schmett.* IV. 1792, 257.
albicincta Tenthredo, F. v. P. Schrank, *Beitr. Nat.* 1776, 85.
albicincta Tenthredo, J. L. Christ, *Nat. Ins.* 1791, 455.
albicollis Altica, J. C. Fabricius, *Syst. Ent.* 1775, 112.
albicollis Altica (Fab.), A. G. Olivier, *Ency. Méth.* IV (Ins.) 1780, 105.—*Chrysomela*, 1787.
albicollis Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1030.
albicollis Chrysomela, J. C. Fabricius, *Spec. Ins.* I. 1781, 133.—*Altica*, 1775.
albicollis Chrysomela, J. C. Fabricius, *Mant.* I. 1787, 76.
albicollis Cimex, J. C. Fabricius, *Spec. Ins.* II. 1781, 347.
albicollis Corvus, J. Latham, *Index Orn.* 1790, 151.
albicollis Falco, J. Latham, *Index Orn.* 1790, 36.
albicollis Falco, F. M. Daudin, *Traité élém. Orn.* 1800, 112.
albicollis Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 921.
albicollis Galleruca, J. C. Fabricius, *Ent. Syst.* I (2) 1792, 27.—*Chrysomela*, 1787.
albicollis Galleruca, J. C. Fabricius, *Ent. Syst.* I (2) 1792, 29.—*Chrysomela*, 1787.
albicollis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 983.
albicollis Noctua, J. C. Fabricius, *Spec. Ins.* II. 1781, 218.
albicollis Noctua, C. F. Viewveg, *Tabl. Verz. Brand. Schmett.* II. 1790, 19.
albicollis Otus, F. M. Daudin, *Traité élém. Orn.* 1800, 213.
albicollis Saperda, A. A. H. Lichtenstein, *Cat. rerum Nat.* III. 1796, 48.
albicollis SpheX, J. L. Christ, *Nat. Ins.* 1791, 260.
albicollis Sylvia (Gm.), J. Latham, *Index Orn.* 1790, 535.—*Motacilla*.
albicollis Tantalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 653.
albicornis Cervus, J. M. Bechstein in Pennant, *Uebers. 4füss. Thiere*, I. 1799, 112.
albicornis Cymothoa, J. C. Fabricius, *Ent. Syst.* II. 1793, 509.—*Oniscus*, 1787.
albicornis Empis, P. Rossi, *Mant. Ins.* II. 1794, 77.
albicornis Galleruca, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 96.
albicornis Idotea, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 303.—*Cymothoa*, 1793.
albicornis Oniscus, J. C. Fabricius, *Mant.* I. 1787, 241.
albicornis Phryganea, Scopoli, *Ent. Carn.* 1763, 265.
albicornis Sorex, J. C. Fabricius, *Spec. Ins.* I. 1781, 419.
albicornis Tenthredo, J. C. Fabricius, *Spec. Ins.* I. 1781, 412.
albicornis Tenthredo, A. F. de Fourcroy, *Ent. Paris.* 1785, 371.
albidalis Phalaena (Pyr.), C. de Villers, *Linn. Ent.* II. 1789, 448.
albidalis Pyralis, J. Hübner, *Europ. Schmett.* 6 Horde [me judice, 1796], 27.

- albidaria** Phalaena, J. C. Fabricius, Mant. II. 1787, 188.
albidella Libellula, C. de Villers, Linn. Ent. III. 1789, 15.
albidella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 137.
albida Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 391.
albidum Calopodium, J. F. Bolten, Mus. Bolten. (2) 1798, 166.
albidum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3256.
albida Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2115.
albida Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 755.
albidus Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 56.
albidus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2161.
albidus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
albida Coccinella, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1646.
albidus Curculio, J. C. Fabricius, Mant. I. 1787, 114.
albidus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1801.
albida Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3404.
albida Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 178.
albidus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 267.
albidus Gadus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1171.
albida Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107 [*n. n.*].
albidus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2705.
albida Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 62 [*n. n.*].
albida Motacilla, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 23.
albida Phalaena Bomb. J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2433.
albida Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 675; ed. 12, 1767, 1117.
albidus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3576.
albidus Turbo, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 637.
albida Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
albida Uria, M. B. Borkhausen, Deutsch. Fauna, I. 1797, 594.
albida Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3287.
albifrons Anas, A. Vroeg, Catal. Vogel. 1764, Adumb. 5.
albifrons Anas, J. Latham, Syn. Birds, Suppl. I. 1787, 297.
albifrons Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 114.
albifrons Apis, J. R. Forster, N. Sp. Ins. 1771, 94.
albifrons Apis, J. L. Christ, Nat. Ins. 1791, 191.
albifrons Aranea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2958.
albifrons Asilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2901.
albifrons Bombylius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2904.
albifrons Branta, J. A. Scopoli, Annus I. 1769, 69.
albifrons Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 437; ed. 12, 1767, 709.
albifrons Gryllus (Tettig.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2066.
albifrons Gymnotus, Linnaeus, Syst. Nat., ed. 12, 1766, 428.
albifrons Lemur, E. Geoffrey, Mag. encyclop. I (1) 1796, 48.
albifrons Locusta, J. C. Fabricius, Syst. Ent. 1775, 286.
albifrons Malachius, A. G. Olivier, Entom. II. 1790, 13.
albifrons Motacilla, J. M. Bechstein, Gem. Nat. Deutschl. IV. 1795, 583.
albifrons Musca, Linnaeus, Faun. Suec., ed. 2, 1761, 452.
albifrons Muscicapa, A. Sparrman, Mus. Carls. I. 1786, no. xxiv.
albifrons Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 159.
albifrons Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 549; ed. 12, 1767, 910.
albifrons Pipra, Linnaeus, Syst. Nat., ed. 12, 1766, 339.
albifrons Psittacus, A. Sparrman, Mus. Carls. III. 1788, no. lii.
albifrons Sphex, C. de Villers, Linn. Ent. III. 1789, 228.
albifrons Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 207.
albifrons Sterna, A. Vroeg, Catal. Vogel. 1764, Adumb. 6.
albifrons Strix, G. Shaw, Nat. Misc. V. 1794, pl. 171.
albifrons Tanagra, J. Latham, Index Orn. 1790, 431.
albifrons Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 822.
albifrons Vespa, J. C. Fabricius, Syst. Ent. 1775, 366.

- albifrons** Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 179.—Musca.
albigularis Falco, F. M. Daudin, Traité élém. Orn. 1800, 131.
albiguttata Cetonia, J. D. Andersch in D. H. Hoppe, Ent. Taschenbuch, 1797, p. 158.
albilabris Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 23.
albilabris Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 302.
albilabris Hylaeus, J. C. Fabricius, Ent. Syst. II. 1793, 305.
albilabris Nomada, J. C. Fabricius, Ent. Syst. II. 1793, 349.
albimacula Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 149.
albimana Musca (Fabr.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2876.—Syrphus.
albimanus Syrphus, J. C. Fabricius, Spec. Ins. II. 1781, 434.
albimana Tipula, J. C. Fabricius, Mant. II. 1787, 323.
albinella [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 163.
albinella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 541; ed. 12, 1767, 897.
albinella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 664.—Phalaena.
albin Aranea, Scopoli, Ent. Carn. 1763, 396.
albinigrella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 143.
albinus Anthribus (L.), J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 220.—Curculio.
albina Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 85.—Phalaena.
albinus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 208.
albinus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 385; ed. 12, 1767, 616.
albina Helix, O. F. Müller, Verm. II. 1774, 25.
albina [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 234.
albina Vorticella, O. F. Müller, An. Infus. 1786, 272.
albiocellaria Phalaena Geometra, J. Hübner, Beitr. Schmett. I (4) 1789, 3.
albipennis Cercopis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 524.
albipennis Ephemera, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 57.
albipennis Ephemera, J. C. Fabricius, Ent. Syst. II. 1793, 70.
albipennis Formica, J. C. Fabricius, Ent. Syst. II. 1793, 354.
albipennis Hirtea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 553.—Tipula, 1794.
albipennis Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 250.
albipes Acrydium, C. de Geer, Mém. Ins. III. 1773, 487.
albipes Andrena (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 139.—Apis.
albipes Antilope, J. C. P. Erxleben, Syst. Anim. 1777, 280.
albipes Apis, J. C. Fabricius, Spec. Ins. I. 1781, 486.
albipes Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 345.
albipes Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2186.
albipes Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 535.
albipes Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 544.
albipes Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 390.
albipes Ephemera, Scopoli, Ent. Carn. 1763, 264.
albipes Forficula, J. C. Fabricius, Mant. I. 1787, 224.
albipes Gryllus (Locusta), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2086.
albipes Hylaeus, J. C. Fabricius, Ent. Syst. II. 1793, 306.—Apis, 1781.
albipes Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 398.
albipes Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2701.
albipes Musca, C. de Villers, Linn. Ent. III. 1789, 426.
albipes Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 89.
albipes Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 382.
albipes Sciurus, R. Kerr, Anim. Kingd. 1792, 257.
albipes Sorex, R. Kerr, Anim. Kingd. 1792, 208.
albipes Stratiomys, A. F. de Fourcroy, Ent. Paris. 1785, 468.
albipes Tabanus, F. v. P. Schrank, Ins. Aust. 1781, 480.
albipes Tabanus, A. F. de Fourcroy, Ent. Paris. 1785, 456.
albipes Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 364.
albipes Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 371.
albipes Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
albipes Tipula, H. Strom, K. Norske Vid. Selsk. Schrift. IV. 1768, 351.
albipunctata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 526.

- albipunctata Phalaena, S. A. v. Rottemberg, Naturforscher, XI. 1777, 74.
albipunctella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
albipunctella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 39.
albipuncta Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 84.
albirostris Alcedo, J. Latham, Index Orn. 1790, 245.
albirostris Anthribus (Schaller), J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 220.
albirostris Curculio, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 287. [—Curculio.
albirostris Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 80.
albirostris Lanius, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 5 [n. n.].
albirostris Macrocephalus (Schaller), B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 605.—
albirostris Tanagra, Linnaeus, Mus. Adolph. Frid. II. 1764, 31. [Curculio.
albiscutatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2708.
albisetia Musca, Scopoli, Ent. Carn. 1763, 341.
albiulla Vultur, Linnaeus, Syst. Nat., ed. 12, 1766, 123.—*err. pro* albicilla.
albiventer Phoca, P. Boddaert, Elench. 1785, 170.
albiventris Alcedo, J. A. Scopoli, Del. Insub. II. 1786, 90.
albiventris Apis, J. L. Christ, Nat. Ins. 1791, 171.
albiventris Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 19.
albiventris Fulica, J. A. Scopoli, Annus I. 1769, 105.
albiventris Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2708.
albiventris Pediculus, Scopoli, Ent. Carn. 1763, 385.
albivittis Meloe, P. S. Pallas, Icon. Ins. 1798, 101.
alboarctuata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 295.
albodactylus Pterophorus, J. C. Fabricius, Ent. Syst. III (2) 1794, 348.
albofasciata Aranea (Phalangium), C. de Geer, Mém. Ins. VII. 1778, 287.
albofasciatus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 82.
albofasciatus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 106.
albofasciatus Cimex, C. de Geer, Mém. Ins. III. 1773, 335.
albofasciatus Cimex, J. C. Fabricius, Mant. Ins. II. 1787, 299.
albofasciatus Crabro, P. Rossi, Mant. Ins. I. 1792, 138.
albofasciatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 220.
albofasciatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 153.—Cimex, 1787.
albofasciatus Pterophorus, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 35.
albofasciatus Reduvius, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 6.
albofasciata Vespa, P. Rossi, Fauna Etrus. II. 1790, 87.
alboflava Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 51.
albofulminata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 49.
albofuscus Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 94.
albogalerus Conulus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 162.
albogalerus Echinites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xviii.
albogalerus Echinus (Leske), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3181.—
albogalerus Patella, F. C. Meuschen, Mus. Gever. 1787, 244. [Conulus.
alboguttatus Carabus, C. de Geer, Mém. Ins. VII. 1778, 624.
[albolinearia Phalaena (G.), MS.], T. Martyn, Psyche, 1797, fig. 80.
albolineatus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 342.
albolineatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 490.
albolineata Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17 [n. n.].
albolunata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 301.
albomaculata Apis, C. de Geer, Mém. Ins. VII. 1778, 607.
albomaculata Aranea, C. de Geer, Mém. Ins. VII. 1778, 257.
albomaculata Cicada, F. v. P. Schrank, Beitr. Nat. 1776, 76.
albomaculata [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 106.
albomaculata Sphex, F. v. P. Schrank, Beitr. Nat. 1776, 91.
albomaculata Tipula, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's] I (3) 1782, 301.
albomarginatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 480.
albomarginatus Cimex, F. v. P. Schrank, Beitr. Nat. 1776, 80.
albomarginatus Cimex, J. D. Preyssel in Mayer's Samml. Phys. Aufsätze, III. 1793, 219.
albomarginatus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 123.

- albomarginatus** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 180.
albomarginata Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 174.
albomarginellus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 123.
albonigricans Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 299.
albo-ochracea Fringilla, J. F. E. v. Jacquin, Beyt. Gesch. Vögel. 1784, 9.
albopictus Papilio, C. C. Jung, Alph. Verz. Schmett. 1791, 17.
allopunctata Apis, P. Rossi, Mant. Ins. I. 1792, 142.
allopunctata Buprestis, C. de Geer, Mém. Ins. IV. 1774, 132.
allopunctatus Byrrhus, J. C. Fabricius, Ent. Syst. I (1) 1792, 84.
allopunctatus Byrrhus, C. P. Thunberg, Ins. Suecica (5) 1794, 69.
allopunctata Cetonia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 129.
allopunctatus Cimex, C. de Geer, Mém. Ins. III. 1773, 331.
allopunctatus Curculio, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1778.
allopunctata Locusta, G. A. Harrer, Besch. Schaeffer Icones, 1784, 271.
allopunctata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
allopunctatus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 301.
allopunctatus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 641.
allopunctatus Scarabaeus, M. Piller & L. Mitterpacher, Iter. Poseg. 1783, 66.
allopunctata Taenia, F. A. Treutler, Obs. Helminth. human. corp. 1793, 1.
albor Cyprinus, J. A. Scopoli, Del. Insub. I. 1786, 73.
alboradiata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3702.
albotorquatus Phasianus, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 184.
albovittatum Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 126.—Curculio,
albovittatus Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 74. [1784.
Albula L. T. Gronovius, Zooph. I. 1763, 102.—P.
Albula J. F. Bolten, Mus. Bolten. (2) 1798, 20.—G. [N. Albula, D. & S.
albulalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 7 & 8 [2].—
albulata Geometra [Denis & Schiffermüller], Schmett. Wien, 1775, 109.
albulata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 257
albulata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 616. [u. et f].
albula Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 146.
albula Colus, J. F. Bolten, Mus. Bolten. (2) 1798, 117 [u. n.].
albulus Mergus, J. A. Scopoli, Annus I. 1769, 71.
albula Mugil, Linnaeus, Syst. Nat., ed. 12, 1766, 520.
albula Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 69.
albula [Papilio], P. Cramer, Utit. Kapellen, I (3) 1775, 43.
albula Phal. Bom., J. Hübner, Samml. Vögel u. Schmett. 1793, 15 [u. et f].
albula Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 310; ed. 12, 1766, 512.
albulus Turbo, O. Fabricius, F. Groen. 1780, 394.
albumen Albula (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 20.—Nerita.
albumen Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 776; ed. 12, 1767, 1252.
albumen Neritaeformis (L.), F. C. Meuschen, Mus. Gever. 1787, 274.—Nerita.
Albunea F. Weber, Nomen. Fabricii, 1795, 94.—Cr.
Alburnus G. Edwards in M. Catesby, Carol. II. 1771, 12.—P.
alburnum Alcyonium, P. S. Pallas, Elench. 1766, 346.
alburnus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 325; ed. 12, 1766, 531.
alburnus Perca, Linnaeus, Syst. Nat., ed. 12, 1766, 482.
alba Actinia (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3134.—Priapus
alba Alauda, E. Pontoppidan, Kurz. Nachr. N.-H. Dänemark, 1765, 173 [u. n.].
alba Amphisbaena, Linnaeus, Syst. Nat., ed. 10, 1758, 229; ed. 12, 1766, 393.
alba Anguis (Linn.), J. N. Laurenti, Syn. Rept. 1768, 73.—Coluber.
alba Apis, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 223.
alba Aranea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2961.
alba Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 144; ed. 12, 1766, 239.
alba Blatta, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 66.
albus Buceos, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 361.
albus Buteo, F. M. Daudin, Traité élém. Orn. 1800, 155.
albus Cadus, J. F. Bolten, Mus. Bolten. (2) 1798, 151 [u. n.].

- albus** Chiton, Linnaeus, Syst. Nat., ed. 12, 1767, 1107.
alba Ciconia, J. C. Schaeffer, Mus. Orn. 1789, 55.
albus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 218; ed. 12, 1766, 378.
alba Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 780.
albus Corvus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 85.
albus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 370.
albus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 372.
albus Echinus, G. I. Molina, Sag. stor. nat. Chili, 1782, 200.
alba Ephemera, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 299.
albus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 257.
albus Falco, G. Shaw in White, Journ. N.S.W. 1790, 250.
albus Falco, F. M. Daudin, Traité élém. Orn. 1800, 94.
alba Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 485.
alba Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 38.—Motacilla.
alba Fulica, G. Shaw in White, Journ. N.S.W. 1790, 238.
alba Gallinula, J. Latham, Index Orn. 1790, 768.
albus Gordius, J. Miller, Icones Insect. VI. 1759 & text.
albus Gymnotus, B. Zuiew, Nova Acta Ac. Sci. Petrop. V. 1789, 270.
albus Gymnotus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1137 [?=Zuiew's sp.].
albus Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3625.—Planorbis.
albus Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 551; ed. 12, 1767, 911.
alba Hirudo, W. Kirby, Tr. Linn. Soc. [Lond.] II. 1794, 316.
albus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 423.
albus Lanius, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 71.
albus Lanius, J. A. Scopoli, Del. Insub. II. 1786, 86.
albus Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 307.
albus Larus, J. A. Scopoli, Annus I. 1769, 80.
albus Larus, J. F. Miller, Icon. Anim. pl. 12 (1776).
albus Larus, P. L. S. Müller in Linn. Syst. Nat. Suppl. (1776), 108.
albus Larus, J. C. Schaeffer, Mus. Orn. 1789, 65.
alba Lima, G. Cuvier, Tab. Elém. 1798, 421.
albus Limax, Linnaeus, Syst. Nat., ed. 12, 1767, 1081.
albus Limax, O. F. Müller, Verm. II. 1774, 4.
alba Meles, F. A. A. Meyer, Zool. Archiv, II. 1796, 44.
alba Melolontha (Pall.), A. G. Olivier, Entom. I. 1789, 10.—Scarabaeus.
albus Monoceros, F. C. Meuschen, Mus. Gever. 1787, 290.
alba Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 185; ed. 12, 1766, 331.
alba Muraena, B. Zuiew, Nova Acta Ac. Sci. Petrop. VII. 1793, 299.
alba Muscicapa, A. Sparrmann, Mus. Carls. III. 1788, no. lxxiv.
albus Mytilus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3356.
alba Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
alba Nerita, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 67.
alba Notonecta, P. Forskal, Descr. Anim. 1775, xxiii.
alba Paradisea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 402.
alba Phalaena (Geometra), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 84.
alba Phryganea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 201.
[alba] Planaria (Kirby), G. Shaw, Tr. Linn. Soc. [Lond.] II. 1794, 320.—Hirudo.
albus Planorbis, O. F. Müller, Verm. II. 1774, 164.
alba Platatea, J. A. Scopoli, Del. Insub. II. 1786, 92.
albus Priapus, P. Forskal, Descr. Anim. 1775, 101.
alba Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 565.
albus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 76.
albus Ramphastos, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 357.
alba Recurvirostra (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 694.—
alba Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 145. [Scolopax.
alba Scolopax, Linnaeus, Syst. Nat., ed. 12, 1766, 247.
albus Scolopax, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1334.
albus Scarabeus, P. S. Pallas, Reise Russ. II. 1773, 718.

- albus** Spondylus, K. Schreibers, Vers. Conch. II. 1793, 155.
alba Sterna, A. Sparrman, Mus. Carls. I. 1786, no. xi.
alba Strix, J. A. Scopoli, Annus I. 1769, 21.
albus Strombiformis (Penn.), E. M. da Costa, Brit. Conch. 1778, 116.—Turbo.
alba Talpa, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 37.
albus Tantalus, Linnaeus, Syst. Nat., ed. 12, 1766 [errata, end of vol. 1] [v. albert].
alba Tellina, T. Martyn, Univ. Conch. IV. [1792] fig. 157.
albus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 750.
alba Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2828.
albus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 488.
alba Trynga, A. Vroeg, Catal. Vogel. 1764, adumb. 7.
alba Tulipa, K. Schreibers, Vers. Conch. II. 1793, 347.
albus Turbo, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 113.
albus Turbo, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 66.
albus Ursus, O. F. Müller, Z. Dan. Prod. 1776, 3.
albus Ursus, E. A. W. Zimmermann, Spec. Zool. 1777, 489.
alba Vaginalis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 705.
alba Voluta, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 639.
albus Vultur, F. M. Daudin, Traité élém. Orn. 1800, 21.
Alca Linnaeus, Syst. Nat., ed. 10, 1758, 130; ed. 12, 1766, 210.—A.
alcae Ascaris, O. F. Müller, Z. Dan. Prod. 1776, 214. [Ascaris.
alcae Echinorhynchus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3045.—
alcae Proboscidia (Müll.), J. G. Bruguière, Ency. Méth. (Vers Int. 1791) 98.—Ascaris.
alcae Taenia, O. Fabricius, F. Groen. 1780, 318.
alcae-arcticae Pediculus, O. F. Müller, Z. Dan. Prod. 1776, 185.
alcae-picae Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 45.
alcandor [Papilio], P. Cramer, Utitl. Kapellen, I (4) 1775, 64.
alcanor [Papilio], P. Cramer, Utitl. Kapellen, II (14) 1777, 107.
Alcatras J. Hermann, Tab. aff. Anim. 1783, 156 & 235.—A.
alcata Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 14.
Alce G. Edwards in M. Catesby, Carol. I. 1771, xxvii.—M.
Alce J. F. Blumenbach, Hand. Naturg., ed. 6, 1799, 697.—M.
alce Alca, *err. pro alle*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 554.
alce Ascaris, v. *alcae*, Müll., O. Fabricius, F. Groen. 1780, 276.
alceae Hesperia (Esp.), J. C. Fabricius, Ent. Syst. III (1) 1793, 351.—Papilio.
alceae Musca, J. D. Preyßler in Mayer, Samm. Phys. Aufsätze, I. 1791, 129.
alceae Papilio, Pl. Urb., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1780] 4.
Alcedo Linnaeus, Syst. Nat., ed. 10, 1758, 115; ed. 12, 1766, 178.—A.
alcedo Galbula, *err. pro galbula* Alcedo, B. C. Otto in Buffon, Nat. Vögel. XXIV. 1796,
alcella v. *aleella*. [244.
alces Cervus, Linnaeus, Syst. Nat., ed. 10, 1758, 66; ed. 12, 1766, 92.
alces Cervus, R. Kerr, Anim. Kingd. 1792, 296, *var. fossilis*.
alces Copris (Fab.), J. Sturm, Verz. Ins. Samml. 1800, 92.—Scarabaeus.
alces Lucanus, J. C. Fabricius, Syst. Ent. 1775, 1.
alces Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 56.
alces Tenthredo, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 85.
alcesta [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 175.
alcestris Agrion, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 191.
alchata Tetrao, Linnaeus, Syst. Nat., ed. 12, 1766, 276.
alchimiella (*sic*) Phalaena, Scopoli, Ent. Carn. 1763, 254.
alchemillae Phalaena *id. ac* alchemillata, L., A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 42.
alchemillaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 379,
 alchemillata, L. *est*. [v. *et f.*]
alchemillata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 261
alchemillata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 526; ed. 12, 1767,
alchymista Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 89. [869-
alciabiades Papilio, J. C. Fabricius, Mant. II. 1787, 8.
albicornis Millepora, Linnaeus, Syst. Nat., ed. 10, 1758, 791; ed. 12, 1767, 1282.

- alcicornis** Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 248.
alcidamas [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 62.
alcides Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 8.—Scarabaeus, 1781.
alcides Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 283.—Papilio.
alcides [Papilio], P. Cramer, Uitl. Kapellen, I (8) 1776, 150.
alcides Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 4.
alcinoe Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 30.—Phalaena.
alcinoe [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 67.
alcionea [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 38.
alciphron Papilio, S. A. Rottentburg, Naturforscher, VI. 1775, 11.
alciphron [Phalaena], P. Cramer, Uitl. Kapellen, II (12) 1777, 58.
alcippe [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 207.
alcuppus [Papilio], P. Cramer, Uitl. Kapellen, II (11) 1777, 45.
alcithoe [Papilio], P. Cramer, Uitl. Kapellen, I (7) 1775, 126.
alcmene [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 104.
alcmeone [Papilio], P. Cramer, Uitl. Kapellen, II (12) 1777, 71.
alcmon [Papilio], P. Cramer, Uitl. Kapellen, III (22) 1779, 120.
alcon Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 293.—Papilio.
alcon Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 182.
alcyon Alcedo, Linnaeus, Syst. Nat., ed. 10, 1758, 115; ed. 12, 1766, 180.
alcyone [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 89.
alcyone Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 169.
alcyone Papilio, J. C. Fabricius, Mant. II. 1787, 38.
alcyone Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 96.
Alcyonia = Alcyonium P. S. Pallas, Char. Thierpfl. II. 1787, 158.
Alcyonium Linnaeus, Syst. Nat., ed. 10, 1758, 803; ed. 12, 1767, 1293.—Coel.
aldrovandella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 526.
aldrovandi Aranea, Scopoli, Ent. Carn. 1763, 394.
aldrovandi Lucifer, Linnaeus, Amoen. Acad. VI. 1760, 70, pl.
alea Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 31.
alecto Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 492; ed. 12, 1767, 802.
alecton [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 184.
“Alector, B. Merrem, Aves Rarior. 1786,” *Ag. errore*, the word is quoted in the synonymy in Merrem, Beytr. Gesch. Vögel, II. 1786, 42.
Alector F. v. P. Schrank, F. Boica, I. 1798, 135.—A.
alector Crax, Linnaeus, Syst. Nat., ed. 12, 1766, 269.
aleella Phalaena (T.), J. D. Schulzens, Naturforscher, IX. 1776, 106.
alella Tinea (Schulzens), J. C. Fabricius, Spec. Ins. II. 1781, 509.—Phalaena aleella.
alella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 317.
alepecurus Noctua (*ex* Esper tab.), C. C. Jung, Alph. Verz. Schmett. I. 1791, 21.
alepidotus Chaetodon, Linnaeus, Syst. Nat., ed. 12, 1766, 460.
“alepidotus Cyprinus,” M. E. Bloch, Nat. Fische Deutschl. III. 1784, 178.
alepidotus Rhombus (L.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 321.—
aletta [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 221. [Chaetodon].
alevarias Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 232.
alexandri Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 97; ed. 12, 1766, 141.
alexandri Psittacus, R. Kerr, Anim. Kingd. 1792, *varr.* roseocollari, purpureocollari, duplocollari, 571; cyanocephalus, javanicus, 572.
alexandrina Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 542.
alexandrinus Charadrius, Linnaeus, Syst. Nat., ed. 10, 1758, 150; ed. 12, 1766, 253.
alexandrinus Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 684, *varr.* aegyptius and erythropus.
alexandrinus Scarabaeus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1576.
alexandrinus Tenebrio, P. Forskal, Descr. Anim. 1775, 80.
alexis Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 336.
alexis Papilio, Scopoli, Ent. Carn. 1763, 179.
alexis Papilio, S. A. Rottentburg, Naturforscher, VI. 1775, 10.
alexis Papilio, J. C. Fabricius, Syst. Ent. 1775, 533.

- alexis** Papilio, N. G., E. J. C. Esper, Die Schmett. I (9) 1779, 369.
alexis [Papilio], C. Stoll, Aanhang. Cramer, Uitl. Kapellen, V. 1790, 167.
alexis Papilio (Plebeius), N. Poda, Ins. Mus. Graec. 1761, 77.
Aleyrodes P. A. Latreille, Préc. Car. Ins. 1796, 93.—Lep.
alga Millepora, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3789.
alga Uria, M. T. Brünnich, Orn. Boreal. 1764, 28.
algae Noctua, J. C. Fabricius, Syst. Ent. 1775, 614.
algae Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 721.
algerinus Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 250.
algericus Meloe, Linnaeus, Syst. Nat., ed. 10, 1758, 420; ed. 12, 1767, 681.
algorica Mylabris (L.), J. C. Fabricius, Spec. Ins. I. 1781, 330.—Meloe.
algora Ameiva (L.), F. A. A. Meyer, Syn. Rept. 1795, 29.—Lacerta.
algora Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 258.
algorus Asilus, Linnaeus, Syst. Nat., ed. 12, 1767, 1006.
algorus Brachycerus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 185.—Curculio.
algorus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 364.
algorus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 380; ed. 12, 1767, 611.
algorus Curculio, J. C. Fabricius, Mant. I. 1787, 120.
algora Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 769; ed. 12, 1767, 1242.
algora Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 203; ed. 12, 1766, 363.
algora Noctua (L.), D. Cyriilo, Ent. Neap. (typogr. ed.) 1787, 3.—Phalaena.
algora Noctua (L.), E. J. C. Esper, Die Schmett. IV (32) 1787, 61.—Phal.
algora Phalaena, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1790, 2547.
algora Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 836.
algora Scincus, F. C. Meuschen, Mus. Gronov. 1778, 7.
alicina Sertularia, *err. pro* halecina, L., J. F. Maratti, Plant. Zooph. Med. 1776, 28.
alidras Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 217; ed. 12, 1766, 376.
alienata Noctua, J. C. Fabricius, Mant. II. 1787, 152.
alimena Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 478; ed. 12, 1767, 780.
alinda Bombyx (Dr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 26.—Phalaena.
alinda Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 24.
alle Alca, Linnaeus, Syst. Nat., ed. 10, 1758, 131; ed. 12, 1766, 211.
allevo Musca, M. Harris, Exp. Eng. Ins. 1776, 147.
alliariae Apion (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 104.—Curculio.
alliariae Attelabus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 281.—Curculio.
alliariae Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 378; ed. 12, 1767, 606.
alliarus Mus, P. S. Pallas, N. sp. Quad. II. 1779, 252.
alliciens Ammodytes, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 273.
allica Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 244.
allica Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, III. 1768, app., 225.
alligator Crocodilus, J. P. Bonnaterre, Ency. Méth. (Erp.), 1789, 33.
alligator Crocodylus (Bl.), F. A. A. Meyer, Syn. Rept. 1795, 21.—Lacerta.
alligator Lacerta, J. F. Blumenbach, Hand. Naturg. 1779, 263.
alligata Phalaena [D. H. Schneider], Nom. Ent. 1785, 51 [*u. n.*].
allionana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 262.
allionella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 321.
allioni Cimex, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2132.
allioni Gryllus (Acheta), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2062.
allionia Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 83.
allobrox Scarabaeus, Giorna, Cal. Ent. 1791, 106.
Allucita J. Hill, Decade Curious Insects, 1773, 21.
almana Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 472; ed. 12, 1767, 769.
almon [Sphinx], P. Cramer, Uitl. Kapellen, III (19) 1779, 52.
alnella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 515.
alneti Curculio, F. v. P. Schrank, Ins. Aust. 1781, 115.
alneti Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 487.
alneti Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 335.
alneti Tenthredo, J. L. Christ, Nat. Ins. 1791, 443.

- alni Aphis, C. de Geer, Mém. Ins. III. 1773, 47.
- alni Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 195.—Leptura.
- alni Cerambyx (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1855.—Leptura
- alni Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 454; ed. 12, 1767, 738.
- alni Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 369; ed. 12, 1767, 587.
- alni Cimex, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 69.
- alni Coccus, A. Modeer, Götheborg. Samhalle Hand. (Wet. Afd.) I. 1778, 23.
- alni Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 90.
- alni Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 381; ed. 12, 1767, 611.
- alni Curculio, J. C. Fabricius, Syst. Ent. 1775, 144.
- alni Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 16.—Chrysomela.
- alni Involvulus, F. v. P. Schrank, F. Boica, I. 1798, 474.
- alni Leptura, Linnaeus, Syst. Nat., ed. 12, 1767, 639.
- alni Luperus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 83.—Chrysomela.
- alni Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 175.
- alni Musca, Scopoli, Ent. Carn. 1763, 332.
- alni Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 845.
- alni Psylla, O. F. Müller, Z. Dan. Prod. 1776, 109.
- alni Rhinomacer, O. F. Müller, Z. Dan. Prod. 1776, 91.
- alni Salius (L.), F. v. P. Schrank, F. Boica, I. 1798, 509.—Curculio.
- alni Stenocorus, J. A. Scopoli, Del. Insub. II. 1786, 32.
- alni Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 559; ed. 12, 1767, 925.
- alniiana Tortrix [Denis & Schiffermüller], Schmett. Wien, 1775, 132. [*n. et f.*]
- alniaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796], fig. 26
- alniaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 519; ed. 12, 1767, 860.
- alnifoliella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me giudice 1796] 57.
- aloes Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
- aloeus Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 14.—Scarabaeus.
- aloëus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 345; ed. 12, 1767, 542.
- aloëus Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 3.
- alope Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 229.
- alope [Phalaena], P. Cramer, Uitl. Kapellen, III (24) 1780, 168.
- alope Sphinx, D. Drury, Ill. Nat. Hist. I. 1770, index & 58.
- alopecias Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 15.
- alopecuroides Antipathes, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 102.
- alopecurus Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. [1797–1800] 473.
- alopex Canis, Linnaeus, Syst. Nat., ed. 10, 1758, 40; ed. 12, 1766, 59.
- alopex Melolontha, J. C. Fabricius, Mant. I. 1787, 19.
- alopex Scarabaeus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1564.—Melo-
- alosa Clupea, Linnaeus, Syst. Nat., ed. 10, 1758, 318; ed. 12, 1766, 523. [lontha.
- alosae Echinorhynchus, J. Hermann, Naturforscher, XVII. 1782, 179.
- alosae Fasciola, J. Hermann, Naturforscher, XIX. 1783, 46.
- alosaurae Mazocraes, J. Hermann, Naturforscher, XVII. 1782, 182.
- Alouatta B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.—M.
- alouina Volema, J. F. Bolten, Mus. Bolten. (2) 1798, 58.
- alpella Alucita (D. & S.), J. C. Fabricius, Mant. II. 1787, 254.—Tinea.
- alpella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
- alpestralis Phalaena, J. C. Fabricius, Mant. II. 1787, 217.
- alpestralis Pyralis, C. de Villers, Linn. Ent. IV. 1789, 520.
- alpestris Alauda, Linnaeus, Syst. Nat., ed. 10, 1758, 166; ed. 12, 1766, 289.
- alpestris Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 466.—Phalaena alpestralis.
- alpestris Hirundo, P. S. Pallas, Reise Russ. II. 1773, 709.
- alpestris Motacilla, F. W. Schmidt, Samml. phys.-oek. Aufsätze, I. 1795, 58.
- alpestris Panorpa, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's] II (4) 1785, 325.
- alpestris Salamandra (Laur.), J. G. Schneider, Hist. Amph. I. 1799, 71.—Triton.
- alpestris Tipula, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's] II (4) 1785, 342.
- alpestris Triton, J. N. Laurenti, Syn. Rept. 1768, 38 & 142.
- alphaea Bombyx, J. C. Fabricius, Syst. Ent. 1775, 573.

- alphaea** [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 49.
- alphenor** [Papilio], P. Cramer, Uitl. Kapellen, I (8) 1776, 141.
- alphenor** Papilio, J. C. Fabricius, Spec. Ins. II. 1781. 4.
- Alpheus** F. Weber, Nomen. Fabricii, 1795, 91.—Cr.
- alphea** [Phalaena], P. Cramer, Uitl. Kapellen, III (21) 1779, 99.
- alpheus** Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 333.—Papilio.
- alpheus** [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 131.
- alphinata** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 197
- alphonsus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 308. [*n. et f.*].
- alpicola** Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 30.
- alpicola** Phalaena, Scopoli, Ent. Carn. 1763, 205.
- alpinalis** Pyralis [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
- alpinaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 178
- alpinaria** Phalaena, J. J. Roemer, Gen. Ins. 1789, 75. [*n. et f.*]
- alpinaria** Phalaena Bombyx, M. B. Borkhausen in Schriba, Beitr. Ins. III. 1793, 215.
- alpinata** Geometra [Denis & Schiffermüller], Schmett. Wien, 1775, 115.
- alpinata** Phalaena, Scopoli, Ent. Carn. 1763, 228.
- alpina** Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 579; ed. 12, 1767, 961.
- alpina** Arctomys, B. G. E. de Lacépède, Tabl. Mamm. 1799, 10.
- alpina** Cantharis, G. Paykull, Faun. Suec. I. 1798, 259.
- alpina** Capra, D. Girtanner, Mag. Neuste Phys. u. Nat. IV (2) 1787, 30.
- alpinus** Carabus, G. Paykull, Mon. Carab. 1790, 119.
- alpinus** Carabus, G. Paykull, Mon. Curc. 1792, 150.
- alpinus** Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 392; ed. 12, 1767, 628.
- alpinus** Cimex, Scopoli, Ent. Carn. 1763, 129.
- alpina** Cistela, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's] II (2) 1784, 176.
- alpinus** Clytus (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 88.—Cerambyx.
- alpinus** Cryptocephalus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1716.
- alpinus** Cuculus, S. L. B. de Hohenwart, Nova Acta Acad. Caes. VIII. 1791, 228.
- alpinus** Dytiscus, G. Paykull, Faun. Suec. I. 1798, 226.
- alpina** Fasciola, Linnaeus, Syst. Nat., ed. 12, III. 1768, app., 227.
- alpina** Fringilla, J. A. Scopoli, Del. Insub. III. 1788, 37.
- alpina** Gypaetos, F. M. Daudin, Traité élém. Orn. 1800, 25.
- alpina** Hirudo, Rozier, Obs. sur la Phys. I (pt. 1) 1771, 165; & ed. 2, I. 1777, 54.
- alpina** Hirundo, J. A. Scopoli, Annus I. 1769, 166.
- alpinus** Lepus, P. S. Pallas, Reise Russ. II. 1773, 701.
- alpina** Marmota, J. F. Blumenbach, Hand. Naturg. 1779, 80.
- alpina** Melolontha, A. G. Olivier, Entom. I. 1789, 84.
- alpina** Motacilla, Picot de la Peirouse, K. Vet. Ac. Nya Handl. III. 1782, 117.
- alpinus** Mus, K. Hablizl in P. S. Pallas, N. nord. Beytr. IV. 1783, 50.
- alpina** Ochotona (Pall.), H. F. Link, Beytr. Nat. I (2) 1795, 74.—Lepus.
- alpinus** Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (3) 1799, 3.
- alpinus** Parus, K. Hablizl in P. S. Pallas, N. nord. Beytr. IV. 1783, 49.
- alpina** Phalaena, Giorna, Cal. Ent. 1791, 105.
- alpina** Phalaena Bomb., J. H. Sulzer, Gesch. Ins. 1776, 159.
- alpina** Phal. Noct., J. Hübner, Samml. Vögel u. Schmett. 1793, 7 [*n. et f.*].
- alpinus** Pika, B. G. E. de Lacépède, Tabl. Mamm. 1799, 9.
- alpina** Rana, J. N. Laurenti, Syn. Rept. 1768, 133.
- alpinus** Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 309; ed. 12, 1766, 510.
- alpinus** Scarabaeus, Scopoli, Ent. Carn. 1763, 9.
- alpinus** Scarabaeus, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's] I (2) 1782, 139.
- alpinus** Staphylinus, G. Paykull, Mon. Carab. 1790, 134.
- alpinus** Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 526.
- alpinus** Syrphus, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 14.
- alpinus** Tabanus, Scopoli, Ent. Carn. 1763, 372.
- alpina** Tringa, Linnaeus, Syst. Nat., ed. 10, 1758, 149; ed. 12, 1766, 249.
- alpinus** Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 508.—Alucita alpella, 1794
= Tinea, D. & S.

- alpium** Phalaena Noctua, P. Osbeck, Götheborg. Samhalle Hand. (Wet. Afd.) I. 1778, 52.
alsarius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 343.
alsines Phalaena Noctua, N. J. Brahm, Ins. Kal. II (1) 1791, 114.
alstromeriana [Phalaena], C. Clerck, Icones, I. 1759, pl. x. 1.
alstroemeriana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 12, 1767, 879. [1761, 348.
alstromiana Phalaena (Tort.)=alstromeriana, Clerck, Linnaeus, Faun. Suec., ed. 2,
alstroemiana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 653.—Phalaena.
alsus Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 295.—Papilio.
alsus Papilio [Denis & Schiffermüller], Schmett. Wien, 1775, 184.
alsus Papilio, J. Hübner, Beitr. Schmett. I (1) 1786, 20.
alsus Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 55.
alsus [Phalaena], P. Cramer, Utitl. Kapellen, II (10) 1777, 26.
altajensis Leptura, E. Laxmann, Nov. Comm. Sci. Petrop. XIV (1) 1770, 597.
altavela Raja, Linnaeus, Syst. Nat., ed. 10, 1758, 232.
alterabilis Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2843.
altercator Apis, M. Harris, Exp. Eng. Ins. 1776, 164.
alterna Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 287.
alternans Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 146.
alternans Chrysomela, J. C. Fabricius, Ent. Syst. IV. 1794, 447.
alternans Chrysomela, Creutzer, G. W. F. Panzer, Ins. Germ. heft 67 [1799], tab. 16.
alternans Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 85.
alternans Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 434.
alternans Hylaeus, J. C. Fabricius, Ent. Syst. II. 1793, 393.
alternata Geometra [Denis & Schiffermüller], Schmett. Wien, 1775, 106.
alternatus Ichneumon, F. v. P. Schrank, Beitr. Nat. 1776, 87.
alternata Musca, F. v. P. Schrank, Ins. Aust. 1781, 448.
alternata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 285.
alternata Phalaena (Geometra), O. F. Müller, F. Ins. Frid. 1764, 51.
alternatus Syrphus (Schr.), P. Rossi, Fauna Etrus. II. 1790, 297.—Musca.
alternella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
alternella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 62.
althaea Aphis, M. Harris, Exp. Eng. Ins. 1776, 66.
althea [Papilio], P. Cramer, Utitl. Kapellen, I (8) 1776, 141.
althaeae Papilio, Pl. Urb., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
Altica E. L. Geoffroy, Hist. Insect. Paris. I. 1762, 244.—Col. [1783, 149.
altica Cantharis, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 82.
altica Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 84.
altica Phalaena (Noct.), H. Sparrmann in Linn. Amoen. Acad. VII. 1769, 502.
altica Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 290.
alti-collum Membracis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 667.
altivolans Vespertilio, G. White, N. H. Selborne, 1789, 93.
altrix [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 36.
altus Echinanthus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 189.
altus Echinus (Leske), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3187.—Echinanthus
Alucita J. C. Fabricius, Syst. Ent. 1775, 667.—Lep.
Alucita *v.* **Allucita**.
Alucita *v.* **Phalaena (Alucita)**, Linnaeus.
alucitella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 144.
[aluco.]
alueo Bombyx, J. C. Fabricius, Spec. Ins. II. 1781, 174.
aluco Cerithium (L.), J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 476.—Murex
aluco Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 755; ed. 12, 1767, 1225.
aluco Noctua, J. C. Fabricius, Syst. Ent. 1775, 591.
aluco Strix, Linnaeus, Syst. Nat., ed. 10, 1758, 93; ed. 12, 1766, 132.
aluco Strombus (L.), F. C. Meuschen, Mus. Gever. 1787, 292.—Murex.
alucoides Murex, G. Olivi, Zool. Adriat. 1792, 153.
alucionis Echinorhynchus, O. F. Müller, Zool. Dan. II. 1784, 86.
alueo *v.* **aluco**.

- alurnoides** Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 63.
- Alurnus** J. C. Fabricius, Syst. Ent. 1775, 94.—Col.
- alveare** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3570.
- alvearifex** Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 378.
- alveariformis** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 394.
- alvearia** Galleria, J. C. Fabricius, Suppl. Ent. Syst. 1798, 463.
- “**alveatus** Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 166.
- alveolaris** Lepas, P. G. Lindroth, Mus. Grill. 1788, 15 [n. u.].
- alveolata** Sabella, Linnaeus, Syst. Nat., ed. 12, 1767, 1268.
- Alyselminthus** J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 221.—Vers.
- amabilis** [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 24.
- amabilis** Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 23.
- amadis** Conus, F. C. Meuschen, Mus. Gever. 1787, 364.
- amadis** Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3388.
- amadis** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 689.
- amadis** Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 45.—Conus.
- amadis** [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 216.
- amalia** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 129.
- amalia** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 186.
- amalthæa** Apis, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 78.
- amalthæa** Apis, J. C. Fabricius, Ent. Syst. II. 1793, 325.
- amanda** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 186.
- amandava** Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 180; ed. 12, 1766, 319.
- amandava** Loxia (L.), F. M. Daudin, Traité élém. Orn. 1800, 437.—Fringilla.
- amando** [Phalaena], P. Cramer, Uitl. Kapellen, III (21) 1779, 92.
- amaranthina** Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162 [n. u.].
- amarata** Porcellana, F. C. Meuschen, Mus. Gever. 1787, 402.
- amarula** Buccinum (Linn.), O. F. Müller, Verm. II. 1774, 137.—Helix.
- amarula** Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 309.—Helix.
- amarula** Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 774; ed. 12, 1767, 1249.
- amarula** Melania (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 75.—Helix.
- amarula** Rhinoceros (L.), F. C. Meuschen, Mus. Gever. 1787, 262.—Helix.
- amarula** Thiara (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 109.—Helix.
- amarus** Cyprinus, M. E. Bloch, Nat. Fische Deutschl. I. 1782, 52.
- amarus** Cyprinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1433.
- amaryllis** [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 210.
- amaryllis** Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 240.
- amaryllis** Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 80.
- amaryllis** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 189.
- amasene** [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 68.
- Amasia** J. G. Meigen, N. Class. Mouches, 1800, 20.—Dip.
- amasia** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 136.
- amasia** Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 179.
- amasia** Phalaena Noctua, E. J. C. Esper, Die Schmett. IV, Abschn. 2 [post 1796], 55.
- amasis** Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 183.—Phalaena.
- amasis** [Phalaena], P. Cramer, Uitl. Kapellen, III (18) 1779, 23. [n. et f.].
- amataria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 52
- amataria** Phalaena, J. G. Gladbach in Kuehn, Kurz Anleit. Ins., ed. 2, 1783, 157 [n. u.].
- amataria** Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 322.
- amataria** Phalaena (Geometra), O. F. Müller, F. Ins. Frid. 1764, 47.
- amathea** Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 478; ed. 12, 1767, 779.
- amathonte** [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 29.
- amathusia** [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777, 124.
- amathusia** Papilio, N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
- amator** Ichneumon, P. Rossi, Mant. Ins. I. 1792, 118. [1784], 170.
- amatorio** Phalaena, E. Donovan, Brit. Ins. I. 1792, 74.
- amatorius** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 151.
- amatorius** Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1015.

- Amatotus** J. E. Guettard, *Mém. diff. Sci.* III. 1770, 65.
- amata** Papilio, J. C. Fabricius, *Syst. Ent.* 1775, 476.
- amata** [Phalaena], P. Cramer, *Uitl. Kapellen*, III (19) 1779, 62.
- amata** Phalaena, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 458.
- amata** Phalaena (Geometra), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 524.
- amazonicus** Psittacus, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 147.
- amazonicus** Psittacus, J. Latham, *Index Orn.* 1790, 119.
- amazonia** Alcedo, J. P. Bonnaterre, *Ency. Méth. (Orn.)* 1791, 292.
- amazona** Alcedo, J. Latham, *Index Orn.* 1790, 257.
- amazona** Emberiza, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 311.
- amazonus** Scarabaeus, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 551.
- ambidexter** Cancer, P. Forskal, *Descr. Anim.* 1775, 93.
- ambiguella** Tinea, J. Hübner, *Europ. Schmett.* 8 Horde [me giudice 1796], 64.
- ambiguorius** Ichneumon, C. de Villers, *Linn. Ent. III.* 1789, 157.
- ambiguus** Angarius (L.), F. C. Meuschen, *Mus. Gever.* 1787, 260.—Helix.
- ambiguum** Buccinum, D. Solander in G. Brander, *Foss. Hant.* 1766, 28 & 30.
- ambiguum** Buccinum, R. Pulteney, *Cat. Birds &c. Dorset*, 1799, 42.
- ambigua** Bulla, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3431.
- ambiguus** Carabus, G. Paykull, *Mon. Carab.* 1790, 130.
- ambigua** Cicada, E. Donovan, *Ins. China*, 1798.
- ambiguus** Coluber, C. Weigel, *Abh. Hallisch. Nat. Ges. I.* 1783, 62.
- ambigua** Cypraea, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3409.
- ambiguus** Elater, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1916.
- ambigua** Helix, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 775; ed. 12, 1767, 1251.
- ambigua** Madrepora, J. Ellis & D. Solander, *Nat. Hist. Zooph.* 1786, 162.
- ambigua** Muraena, J. G. Walbaum, *Artedi, Ichth.* (3), ed. 2, 1792, 152.
- ambiguus** Nautilus, L. v. Fichtel & J. P. C. v. Moll, *Test. Micr.* 1798, 62.
- ambigua** Noctua [Denis & Schiffermüller], *Schmett. Wien*, 1775, 77.
- ambigua** Patella, J. F. Gmelin, *Linn. Syst. Nat.*, ed. 13, I. 1790, 3712.
- ambiguus** Strombus, D. Solander in G. Brander, *Foss. Hant.* 1766, 32.
- ambigua** Tenthredo, O. F. Müller, *Z. Dan. Prod.* 1776, 150.
- ambigua** Trichoda, O. F. Müller, *An. Infus.* 1786, 200.
- ambiguus** Turbo, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 1237.
- amblecephala** Boa, J. A. Donndorff, *Zool. Beyt. III.* 1798, 149.
- amboinensis** Carabus, Herbst, *Einl. Ins. I.* 1784, 169.
- amboinense** Cardium, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3255.
- amboinensis** Certhia, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 480.
- amboinensis** Coscoes, B. G. E. de Lacépède, *Tabl. Mamm.* 1799, 5.
- amboinensis** Columba, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 286.
- amboinensis** Columba, P. L. S. Müller in *Linn. Syst. Nat., Suppl.* (1776), 132.
- amboinensis** Iguana (Sch.), F. A. A. Meyer, *Syn. Rept.* 1795, 16.—Lacerta.
- amboinensis** Lacerta, J. A. Schlosser, *De Lacerta amboinensi*, 1768.
- amboinensis** Lacerta, J. F. Bolten, *Mus. Bolten.* (1) [1798], 8.
- amboinensis** Prionus, A. A. H. Lichtenstein, *Cat. rerum Nat. III.* 1796, 39.
- amboinensis** Psittacus, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 141.
- amboinensis** Psittacus, T. Pennant in Forster, *Ind. Zool.* 1781, 40 [n. n.].
- amboinensis** Tanagra, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 896.
- amboinensis** Trigla, G. A. Suckow, *Naturges. IV.* 1799, 606.
- amboinensis** Trochilus, T. Pennant in Forster, *Ind. Zool.* 1781, 41 [n. n.].
- amboinensis** Turdus, T. Pennant in Forster, *Ind. Zool.* 1781, 41 [n. n.].
- amboinensis** Turdus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 820.
- ambrosiaca** Hirundo, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 1021.
- ambulans** Chrysomela (Fab.), C. de Villers, *Linn. Ent. IV.* 1789, 264.—Lagria.
- ambulans** Cryptocephalus (Fab.), J. F. Gmelin, *Linn. Syst. Nat.*, ed. 13, I. 1789, 1730.—
- ambulans** Lagria [D. H. Schneider], *Nom. Ent.* 1785, 11 [n. n.]. [Lagria.]
- ambulans** Lagria, J. C. Fabricius, *Mant. I.* 1787, 93.
- ambulans** Musca, O. F. Müller, *Z. Dan. Prod.* 1776, 177.
- ambulans** Podura, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 609; ed. 12, 1767, 1014.

- ambulans** Syrphus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 562.
ambulans Tillus, J. C. Fabricius, Ent. Syst. I (2) 1792, 78.—Lagria, 1787.
ambulator Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1828.—
ambulator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 157. [Lamia.
ambulator Lamia, J. C. Fabricius, Syst. Ent. 1775, 171.
ambulatoria Crotophaga, Linnaeus, Syst. Nat., ed. 12, 1766, 155.
ambulatorius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 329.
ambustus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 252.
ambustus Falco (Gypaetus), R. Kerr, Anim. Kingd. 1792, 478.
ambustus Gypaetos, F. M. Daudin, Traité élém. Orn. 1800, 26.
ambusta Meloe, P. S. Pallas, Icon. Ins. 1798, 102.
ambusta Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 88.
ambusta Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
ambustus Vultur (Gm.), J. Latham, Index Orn. 1790, 8.—Falco. [651.—Noctua.
Ameiva F. A. A. Meyer, Syn. Rept. 1795, 27.—R.
ameiva Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 202; ed. 12, 1766, 362.
amelia [Papilio], P. Cramer, Utit. Kapellen, II (12) 1777, 61.
amentaria Musca, Scopoli, Ent. Carn. 1763, 335.
[amentatus Araneus, C. Clerck, Aran. Svec. 1757, 96.]
amentatus Araneus, T. Martyn, Aranei, 1793, 44.
amentorum Curculio, F. v. P. Schrank, F. Boica, I. 1798, 488.
ameriana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 531; ed. 12, 1767, 877.
ameriana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 647.—Phalaena.
americanorum Apis, J. C. Fabricius, Syst. Ent. 1775, 380.
americanus Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 615; ed. 12, 1767, 1022.
americana Agrion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 287.
americana Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 451.
americana Ameiva, F. A. A. Meyer, Syn. Rept. 1795, 28.
americana Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 526.
americana Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 142; ed. 12, 1766, 234.
americanus Balistes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1473.
americanus Basiliscus, J. N. Laurenti, Syn. Rept. 1768, 50.
americana Bembex, J. C. Fabricius, Ent. Syst. II. 1793, 250.
americana Blatta, Linnaeus, Syst. Nat., ed. 10, 1758, 424; ed. 12, 1767, 687.
americana Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 433.
americanus Bos, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 204.
americanus Callorhynchus, L. T. Gronov, Acta Helvet. VII. 1772, 49.
americana Cantharis, J. R. Forster, N. Sp. Ins. 1771, 50.
americanus Caprimulgus, Linnaeus, Syst. Nat., ed. 10, 1758, 193; ed. 12, 1766, 346.
americanus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 415; ed. 12, 1767, 671.
americanus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1854.
americanus Chelifer, C. de Geer, Mém. Ins. VII. 1778, 353.
americana Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 372; ed. 12, 1767, 592.
americana Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2115.
americanus Coluber, G. A. Suckow, Naturges. III. 1798, 249.
americanus Crocodylus, J. N. Laurenti, Syn. Rept. 1768, 54.
americanus Cryptocephalus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1715.
americanus Cucujus, A. G. Olivier, Entom. IV. 1795, 7.
americanus Cuculus, Linnaeus, Syst. Nat., ed. 10, 1758, 111; ed. 12, 1766, 170.
americana Cymothoa, J. C. Fabricius, Ent. Syst. II. 1793, 507.
americanus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 321; ed. 12, 1766, 530.
americanus Dipus, B. S. Barton, Trans. Amer. Phil. Soc. IV. 1799, 115.
americanus Elephas, R. Kerr, Anim. Kingd. 1792, 116.
americana Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 872.
americanus Eques, M. E. Bloch, Nat. aüsl. Fische, VII. 1793, 91.
americanus Esox, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1390.
americanus Falco, B. Boddaert, Tab. Planch. Enl. 1783, 25.
americanus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 257.

- americana Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 485.
 americana Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 704.
 americanus Gekko (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 22.—Lacerta.
 americana Gorgonia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3799.
 americanus Gyrinus, Linnaeus, Syst. Nat., ed. 12, 1767, 568.
 americana Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1017.
 americanus Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 345.—Oriolus.
 americana Idotea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 302.—Cymothoa, 1793.
 americana Lacerta (Houtt.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1065.—
 Salamandra.
 americanus Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 308.
 americanus Lanius, J. Latham, Index Orn. 1790, 69.
 americana Leptura, J. R. Forster, Cat. Anim. N. Amer. 1771, 27 [*n. n.*].
 americanus Lepus, J. C. P. Erxleben, Syst. Anim. 1777, 330.
 americana Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 545; ed. 12, 1767, 904.
 americanus Libellula, D. Drury, Ill. Nat. Hist. I. 1770, index & 128.
 americana Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 863.
 americanus Malacopteryx, J. R. Forster, Cat. Anim. N. Amer. 1771, 26 [*n. n.*].
 americanum Megatherium, G. Cuvier, Mag. encyclop. 1796, I (3), 310. [Mylabris.
 americana Meloe (Herbst), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2019.—
 americana Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 66.
 americanus Merops, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 95.
 americanus Moschus, J. C. P. Erxleben, Syst. Anim. 1777, 324.
 americana Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 960.
 americanus Mus, R. Kerr, Anim. Kingd. 1792, 227.
 americana Musca, J. C. Fabricius, Syst. Ent. 1775, 774.
 americana Musca (Syrphus), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 288.
 americana Mutilla, Linnaeus, Syst. Nat., ed. 10, 1758, 583; ed. 12, 1767, 966.
 americana Myceteria, Linnaeus, Syst. Nat., ed. 10, 1758, 140; ed. 12, 1766, 232.
 americana Mylabris, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 146.
 americanus Myrmeleon, D. Drury, Ill. Nat. Hist. I. 1770, index & 111.
 americanus Nichophorus, A. G. Olivier, Entom. II. 1790, 6.
 americanus Noctilio, Linnaeus, Syst. Nat., ed. 12, 1766, 88 [leporinus Vespertilio, ed. 10].
 americana Notonecta, J. C. Fabricius, Syst. Ent. 1775, 690.
 americanus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 386.
 americana Panorpa, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 278.
 americanus Parus, Linnaeus, Syst. Nat., ed. 10, 1758, 190; ed. 12, 1766, 341.
 americana Perca, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1308.
 americana Perca, F. v. P. Schrank, Abh. Privatges. Nat. Oberdeutschl. I. 1792, 100.
 americana Pipa, J. N. Laurenti, Syn. Rept. 1768, 25.
 americanus Pleuronectes, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 113.
 americana Recurvirostra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 693.
 americana Rhea, J. Latham, Index Orn. 1790, 665.
 americana Ruticilla, Bartram, B. S. Barton, N. H. Pennsylv. 1799, 19.
 americanus Sacer, F. M. Daudin, Traité élém. Orn. 1800, 97. [1782, 330.
 americana Salamandra, M. Houttyn, Verh. zeeuwsch genoot. Wet. Vlissingen, IX.
 americana Scorpæna, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1220.
 americanus Scorpio, *id. ac* americanus, L., J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790,
 americana Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 360; ed. 12, 1767, 570. [2962.
 americanus Sorex, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 36.
 americana Spheg (L.), J. A. E. Goeze in de Geer, Gesch. Insekt. III. 1780, 383.—
 americanus Spondylus, J. Hermann, Naturforscher, XVI. 1781, 51. [Mutilla.
 americanus Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1503.
 americana Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 288.
 americanus Struthio, Linnaeus, Syst. Nat., ed. 10, 1758, 155.
 americana Sylvia (Gm.), J. Latham, Index Orn. 1790, 520.—Motacilla.
 americanus Tabanus, D. Drury, Ill. Nat. Hist. I. 1770, index & 104.
 americanus Tabanus, J. R. Forster, N. Sp. Ins. 1771, 100.

- americana** Talpa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 36.
americanus Tapir, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 216.
americanus Tapirus, B. G. E. de Lacépède, Tabl. Mamm. 1799, 12.
americana Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 555; ed. 12, 1767, 921.
americanus Tragulus, P. Boddaert, Elench. 1785, 132.
americanus Trichechus, H. F. Link. Beytr. Nat. I (2) 1795, 109 [*n. n.*].
americanus Triton, J. N. Laurenti, Syn. Rept. 1768, 40.
americanus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3581.
americanus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 140.
americanus Turdus, J. Latham, Index Orn. 1790, 342.
americanus Ursus, P. S. Pallas, Spic. Zool. XIV. 1780, 5.
americana Vespa, J. C. Fabricius, Syst. Ent. 1775, 370.
americanus Vespertilio, R. Kerr, Anim. Kingd. 1792, 100.
americanus Scorpio, Linnaeus, Syst. Nat., ed. 10, 1758, 624; ed. 12, 1767, 1038.
amerinae (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 768.—Tenthredo.
amerinae Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 554; ed. 12, 1767, 919.
amerinae Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 220.
amerinae Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 555; ed. 12, 1767, 921.
amesis [Papilio], P. Cramer, Utitl. Kapellen, II (9) 1777, 13.
amestris [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 26.
amethystea Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 720; ed. 12, 1767, 1174.
amethystea Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 398.—Cypraea.
amethystines Erotylus, J. C. Fabricius, Syst. Ent. 1775, 124.
amethystina Apis, J. C. Fabricius, Ent. Syst. II. 1793, 325.
amethystina Buprestis, A. G. Olivier, Entom. II. 1790, 83.
amethystinum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 321.
amethystinus Carabus, J. C. Fabricius, Mant. I. 1787, 203.
amethystina Chrysis, J. C. Fabricius, Syst. Ent. 1775, 359.
amethystina Chrysomela, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1688.
amethystinus Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 103.
amethystinus Cryptocephalus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1728.—Erotylus.
amethystinus Erotylus, J. C. Fabricius, Syst. Ent. 1775, 124.
amethystinus Helops (Fab.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 47.—Erotylus.
amethystinus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 247.—Sphex, 1793.
amethystina Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 35.
amethystina Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 210.
amethystinus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 496.
amethystina Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3281.
Amia Linnaeus, Syst. Nat., ed. 12, 1766, 500.—P.
Amia G. Cuvier, Leçons Comp. Anat. I. 1800, 4.—P. [*n. n.*].
amia Scomber, Linnaeus, Syst. Nat., ed. 10, 1758, 299; ed. 12, 1766, 495.
amiatus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 347.
amictus Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 341.
amictus Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1793, 237.—Ichneumon, 1775.
amiculatus Chiton, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 241.
amicula Musca, M. Harris, Exp. Eng. Ins. 1776, 158.
amica Musca, Linnaeus, Amoen. Acad. VIII. 1771, 91.
amica [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 158.
amica Phal. (Geom.), Herbst, Einl. Ins. II. 1785, 123.
amilia Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 53.—Phalaena.
amilia [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 130.
amiralis *v.* **ammiralis**.
ammios Attelabus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1812.—Clerus.
ammios Clerus, J. C. Fabricius, Mant. I. 1787, 126.
ammiralis Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 625.
ammiralis Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 713; ed. 12, 1767, 1167. *varr.*
summus; **ordinarius**; **occidentalis**; **cedonulli**.

- ammiralis** Conus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3378. *varr.* larvatus, americanus (3378); anglicus, coronatus, regius (3379); guineensis, surinamensis (3380).
- ammiralis** Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 45.—Conus.
- amiralis** Papilio, P. Forskal, Descr. Anim. 1775, xxiii.
- amiralis** Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 31.
- Ammodytes** Linnaeus, Syst. Nat., ed. 10, 1758, 247; ed. 12, 1766, 430 [Artedi, Ichth.
- Ammodytes** L. T. Gronov, Acta Helvet. IV. 1760, 259.—P. [1738, gen. xiii, 16].—P.
- ammodytes** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 216; ed. 12, 1766, 376.
- ammon** Capra, Linnaeus, Syst. Nat., ed. 10, 1758, 70; ed. 12, 1766, 97.
- ammon** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 161.—Scarabaeus.
- ammon** Formica, J. C. Fabricius, Syst. Ent. 1775, 394.
- ammon** Ovis (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 250.—Capra.
- ammon** Ovis, R. Kerr, Anim. Kingd. 1792, 331. *varr.* europaea.
- ammon** [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 79.
- ammon** Scarabaeus, P. S. Pallas, Reise Russ. III. 1776, 707.
- ammon** Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 24.
- ammonia** [Phalaena], P. Cramer, Uitl. Kapellen, III (21) 1779, 98.
- ammonia** Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3750.
- Ammonites** J. Gesner, Tract. Petref. 1758, 47.—Ceph.
- Ammonites** H. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xvi & 28.—Ceph.
- Ammonites** Lamarck, Mém. Soc. H. N. Paris, 1799, 79.—Ceph.
- “Ammonoides** Da Costa, 1776”; Hermannsen. [not binom.].—Ceph.
- ammonoides** Nautilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3371.
- ammonoita** Sabella, K. Schreibers, Vers. Conch. I. 1793, 379.
- Ammophila** W. Kirby, Tr. Linn. Soc. [Lond.] IV. 1798, 199.—Hym.
- amnicum** Cardium (Müll.), R. Pulteney, Cat. Birds, &c. Dorset, 1799, 31.—Tellina.
- amnica** Tellina, O. F. Müller, Verm. II. 1774, 205.
- Amodytes** *v.* **Ammodytes** [Artedi, Ichth. 1738, gen. 16].—P.
- amoenissima** Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 188.
- amoenita** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 47.
- amoenus** Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 64.
- amoenus** Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 342.
- amoenus** Curculio, J. C. Fabricius, Syst. Ent. 1775, 142.
- amoenus** Dytiscus, A. G. Olivier, Entom. III. 1795, 32.
- amoena** Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 33.
- amoena** Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 51.
- amoenus** Staphylinus, A. G. Olivier, Entom. III. 1795, 26.
- amor** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 260.
- amor** Papilio, J. C. Fabricius, Syst. Ent. 1775, 518. *varr.* *Amor, amor*
- amorea** Gobius, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 205.
- amorosus** Parus *id. ac* amatorius Gm., J. Latham, Index Orn. 1790, 568.
- amosis** [Papilio], P. Cramer, Uitl. Kapellen, III (23) 1780, 139.
- amouretta** Harpa, J. F. Bolten, Mus. Bolten. (2) 1798, 150.
- Ampelis** Moehring, Geslach. Vögel. (Nozem. & Vosm. ed.) 1758, 2 & 25.—A.
- Ampelis** Linnaeus, Syst. Nat., ed. 12, 1766, 297.—A.
- Ampelis** B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 6.—A.
- ampelis** Lanius, P. Forskal, Descr. Anim. 1775, 7.
- “Amphibiolithus”** Linnaeus, Syst. Nat., ed. 12, III. 1768, 158.—R.
- amphibia** Aranea, O. F. Müller, Z. Dan. Prod. 1776, 194.
- amphibius** Arvicola (L.), B. G. E. de Lacépède, Tabl. Mamm. 1799, 10.—Mus.
- amphibius** Blennius, J. A. Donndorff, Zool. Beyt. III. 1798, 314.
- amphibia** Cicada, E. Pontoppidan, Danske Atlas, I. 1763, 681.
- amphibius** Hippopotamus, Linnaeus, Syst. Nat., ed. 10, 1758, 74; ed. 12, 1766, 101.
- amphibius** Microtus (L.), F. v. P. Schrank, F. Boica, I. 1798, 72.—Mus.
- amphibius** Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 61; ed. 12, 1766, 82.
- amphibius** Mus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 132. *varr.* terrestris, paludosus, niger, maculatus.
- amphibius** Mus, J. M. Bechstein in Pennant, Uebers. 4flüss. Thiere, II. 1800, 714. *varr.* albus, rufus, canus.

- amphibia** Tipula, C. de Geer, Mém. Ins. VI. 1776, 380.
- amphicede** [Papilio], P. Cramer, Utitl. Kapellen, II (13) 1777, 80.
- amphidamas** Papilio P. R., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
- amphimachus** Papilio, J. C. Fabricius, Syst. Ent. 1775, 457. [1780], 46.
- amphimedon** [Papilio], P. Cramer, Utitl. Kapellen, III (17) 1779, 2.
- [amphimedon** Papilio, MS.], T. Martyn, Psyche, 1797, fig. 40 & 45.
- amphimone** Bombyx, J. C. Fabricius, Syst. Ent. 1775, 563.
- Amphinome** J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, viii & 44.—Moll.
- Amphinome** J. G. Meigen, N. Class. Mouches, 1800, 15.—Dip.
- amphinome** [Papilio], P. Cramer, Utitl. Kapellen, III (20) 1779, 68.
- amphinome** Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 12, 1767, 779.
- amphiochrus** Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 104.
- amphion** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 301.
- amphion** Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 486.
- amphion** Papilio, Pl. Rur., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
- amphione** Papilio, P. Cramer, Utitl. Kapellen, III (12) 1777, 68. [1780, 18.
- Amphipera** F. C. Meuschen, Mus. Gronov. 1778, 109.—G.
- Amphiperas** L. T. Gronovius, Zooph. III. 1781, 293.—G.
- Amphisbaena** Linnaeus, Syst. Nat., ed. 10, 1758, 229; ed. 12, 1766, 392.—R.
- Amphisbasnae** ? **Amphisbaena**, Linnaeus, Anim. Spec. disposit. 1759, 70.
- Amphisilen** (ex Klein), J. G. Walbaum, Artedi. Ichth. (3), ed. 2, 1792, 582.—P.
- amphitrion** [Papilio], P. Cramer, Utitl. Kapellen, I (1) 1775, 10.
- Amphitrite** O. F. Müller, Würm. 1771, 8.—Ver.
- amphix** [Phalaena], P. Cramer, Utitl. Kapellen, II (12) 1777, 59.
- amphorata** Clava, Bosc, Bull. Sci. Soc. Philom. [Paris]. No. 2, 1797, 9.
- amphrysus** [Papilio], P. Cramer, Utitl. Kapellen, III (19) 1779, 43.
- amplana** Tortrix, J. Hübnér, Europ. Schmett. (Tort.) [me judice 1796], fig. 24.
- amplectens** Cancer (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2985.—
- amplectens** Galathea, J. C. Fabricius, Ent. Syst. II. 1793, 473. [Pagurus.
- amplectens** Ostrea, F. C. Meuschen, Mus. Gever. 1787, 420.
- amplectens** Pagurus, J. C. Fabricius, Syst. Ent. 1775, 412.
- ampliata** Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 157.
- amplissimus** Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 69.
- amplus** Strombus, D. Solander in G. Brander, Foss. Hant. 1766, 34.
- ampla** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3467.
- amplustre** Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 727; ed. 12, 1767, 1184.
- "Ampulla"** Schroeter, Vollst. Einl. Verst. IV. 384," Herrmannsen: *error*.—G.
- Ampulla** J. F. Bolten, Mus. Bolten. (2) 1798, 110.—G.
- ampulla** Ascidia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 148.
- ampulla** Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 727; ed. 12, 1767, 1183.
- ampulla striata** Bulla, J. F. Bolten, Mus. Bolten. (2) 1798, 15.
- ampulla** Cancer, C. J. Phipps, Voy. N. Pole, 1774, 191. [—Cancer
- ampulla** Cancer (Gammarellus) (Ph.), J. F. W. Herbst, Vers. Nat. Krab. II (4), 1793, 116.
- ampulla** Gammarus (Phipps), J. C. Fabricius, Spec. Ins. I. 1781, 515.—Cancer.
- ampulla** Vorticella, O. F. Müller, An. Infus. 1786, 283.
- ampullacea** Ampullaria (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 76.—Helix.
- ampullacea** Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 256.—Helix; & *varr.*
glaucus; costatus.
- ampullaceus** Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 297.—Helix.
- ampullacea** Bulla, Linnaeus, Amoen. Acad. VIII. 1771, 142, II. 9.
- ampullacea** Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 771; ed. 12, 1767, 1244.
- ampullacea** Nerita (Linn.), O. F. Müller, Verm. II. 1774, 172.—Helix.
- ampullacea** Pila (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 146.—Helix.
- Ampullaria** Lamarck, Mém. Soc. H. N. Paris, 1799, 76.—G.
- ampullatum** Buccinum (ex List.), P. L. S. Müller, Del. Nat. I. 1766, 129.
- ampullata** Globosa, F. C. Meuschen, Mus. Gever. 1787, 382.
- amputator** Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 276.
- ampyx** Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 11.

- amsteinii* Sph[inx], T. G. v. Scheven, N. Mag. Lieb. Ent. [Fuessly's] I (1) 1781, 54
amulia [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777, 128.
amulius Papilio, T. Martyn, Psyche, 1797, 5.
amulius Papilio E. T., E. J. C. Esper, Ausl. Schmett. (8) 1792, 113.
Amusium J. F. Bolten, Mus. Bolten. (2) 1798, 165.—L.
amusium Pecten, F. C. Meuschen, Mus. Gever. 1787, 414.
amusus Murex, F. C. Meuschen, Mus. Gever. 1787, 326.
amyclas Papilio, P. Cramer, Uitl. Kapellen, III (17) 1777, 13.
amycus [Papilio], P. Cramer, Uitl. Kapellen, III (19) 1779, 60.
 "Amygdala v. Phelsum 1774," Ag.; does not occur: a Latinization by Leske in Klein, 1778, but not used generically.
amygdala Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 450.
amygdala Echinus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3201.
amydala Porcellana, F. C. Meuschen, Mus. Gever. 1787, 400.
amygdali Chermes, A. F. de Fourcroy, Ent. Paris. 1785, 228.
amygdali Chermes, J. C. Fabricius, Mant. II. 1787, 318.
amygdalumtostum Arca, J. F. Bolten, Mus. Bolten. (2) 1798, 175.
Amymone O. F. Müller, Z. Dan. Prod. 1776, xxvii & 198.—Cr.
amynta [Phalaena], P. Cramer, Uitl. Kapellen, III (21) 1779, 100.
amyntas Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 162.
amyntas Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 285.—Papilio.
amyntas Papilio, J. C. Fabricius, Syst. Ent. 1775, 533.
amyntas Papilio [Denis & Schiffermüller], Schmett. Wien, 1775, 185.
amyntas Papilio, J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 292.
amyntas Papilio (Plebeius), N. Poda, Ins. Mus. Graec. 1761, 79.
amyntas Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 127.
amyntor Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 290.—Papilio.
amyntor [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 76.
amyntor Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 121.
Anableps [Artedi, Ichth. 1738, gen. xx, 25].—P.
Anableps F. C. Meuschen, Mus. Gronov. 1778, 36.—P.
anableps Anableps, F. C. Meuschen, Mus. Gronov. 1778, 36.
anableps Cobitis, Linnaeus, Syst. Nat., ed. 10, 1758, 303; ed. 12, 1766, 499.
anaca Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 349.
anacardii Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 467; ed. 12, 1767, 758.
anachoreta Bombyx [Denis & Schiffermüller], Schmett. Wien, 1775, 56.
anachoreta Scarabaeus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 1.
anacreon Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 268.
Anadema *err. pro* Diadema, F. C. Meuschen, Mus. Gever. 1787, 480.—[Echinus, L.]
Anaethetus P. Browne, Hist. Jamaica, ed. 2, 1789, 481.—A.
anaethetus Sterna, J. A. Scopoli, Del. Insub. II. 1786, 92.
anagnostes Phalaena [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
analis Anthrax, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 215.
analis Apis, J. C. Fabricius, Syst. Ent. 1775, 384.
analis Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 377.
analis Attelabus, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's] V. 1794, 616.
analis Bombylius, A. G. Olivier, Ency. Méth. IV. (Ins.) 1789, 327.
analis Bombylius, J. C. Fabricius, Ent. Syst. IV. 1794, 408.
analis Bruchus, J. C. Fabricius, Spec. Ins. I. 1781, 75.
analis Bruchus, J. Latham in T. Pennant, Ind. Zool., ed. 2, 1791, 103 [*n. n.*].
analis Cantharis, J. C. Fabricius, Ent. Syst. I (1) 1792, 214.
analis Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 342.
analis Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 155.
analis Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1841.—Saperda.
analis Cerambix, A. G. Olivier, Entom. IV. 1795, 37.
analis Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 49.
analis Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 592.
analis Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 39.

- analis** Cistela, J. C. Fabricius, Syst. Ent. 1775, 117.
analis Coccinella, J. C. Fabricius, Mant. I. 1787, 60.
analis Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 73.
analis Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 144.—Scarabaeus.
analis Cryptocephalus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1714.—Cistela.
analis Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 489.
analis Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 230.
analis Hydrophilus, G. Paykull, Faun. Suec. I. 1798, 187.
analis Malachus, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 6.
analis Necydalis, A. G. Olivier, Entom. IV. 1795, 7.
analis Oxyporus, J. C. Fabricius, Mant. I. 1787, 222.
analis Phryganea, J. C. Fabricius, Syst. Ent. 1775, 306.
analis Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 246.—Sphex, 1793.
analis Rynchophorus (Ol.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 28.—Curculio.
analis Saperda, J. C. Fabricius, Spec. Ins. I. 1781, 233.
analis Scarabaeus, J. C. Fabricius, Mant. I. 1787, 8.
analis Sphex, J. C. Fabricius, Spec. Ins. I. 1781, 447.
analis Staphylinus, J. C. Fabricius, Mant. I. 1787, 221.
analis Staphylinus (Fab.), C. de Villers, Linn. Ent. IV. 1789, 372.—Oxyporus.
analis Tenthredo. J. C. Fabricius, Ent. Syst. II. 1793, 115.
analis Thereva, J. C. Fabricius, Suppl. Ent. Syst. 1798, 561.
analis Vespa, J. C. Fabricius, Syst. Ent. 1775, 363.
analis Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 261.
ananas Astroites, J. E. I. Walch, Naturforscher, V. 1775, 52.
ananas Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 119.
ananas Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 797; ed. 12, 1767, 1275.
ananchytis Echinus (Leske), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3199.—
ananchytis Spatangus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 243. [Spatangus.
anaphus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 343.—Papilio.
anaphus [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777, 126.
Anarchichas v. **Anarhichas** [Artedi, Ichth. 1738, gen. 23].—P.
Anarhichas Linnaeus, Syst. Nat., ed. 10, 1758, 247; ed. 12, 1766, 430 [Artedi, Ichth. 1738, gen. xvii, 23].—P.
Anarichas v. **Anarhichas** [Artedi, Ichth. 1738, gen. [86].—P.
Anarrhichas L. T. Gronov, Acta Helvet. IV. 1760, 259.—P.
Anas Linnaeus, Syst. Nat., ed. 10, 1758, 122; ed. 12, 1766, 194.—A.
anas Trichoda, O. F. Müller, Verm. I (1) 1773, 95.
anas Vibrio, O. F. Müller, An. Infus. 1786, 72.
Anaspis E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 315.—Col.
anastatica Brachionus, J. F. Blumenbach, Mag. Neuste Phys. u. Nat. VI (1) 1790, 54.
anastatica Brachionus (Linn.), P. S. Pallas, Elench. 1766, 99.—Isis.
anastatica Isis, Linnaeus, Syst. Nat., ed. 10, 1758, 800.—[Vorticella, ed. 12.]
anastatica Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1317.
anastomosis Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 575.—Phalaena.
anastomosis Mylabris, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 112.
anastomosis Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 506; ed. 12, 1767,
anastomozans Dityscus, J. Well in Jacquin, Misc. Aust. II. 1781, 386. [824.
Anastomus Bonnatere, Ency. Méth. (Orn.) I. 1790, xciii.—A.
anathema Sphex, P. Rossi, Fauna Etrus. II. 1790, 65.
Anatifa J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xii & 60.—Cirr.
Anatifera F. C. Meuschen, Mus. Gever. 1787, 476. [v. et. Cat. Coll. Coq. Oudaan, 1766,
anatifera Anatifa (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 91.—Lepas. [107.
anatiferus Balanus (L.), E. M. da Costa, Brit. Conch. 1778, 253.—Lepas.
anatifera Bernicla (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 198.—Lepas.
anatifera Lepas, Linnaeus, Syst. Nat., ed. 10, 1758, 668; ed. 12, 1767, 1109.
anatifera Mya, J. P. Falk, Reise Russ. (5) 1786, 447 [n. n. = Lepas].
anatinus Anodontites (L.), G. Cuvier, Tab. Elém. 1798, 425.—Mytilus.
anatina Laternula (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 155.—Solen.

- anatinum** Linnaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 253 & 259.—Mytilus.
anatinus Musculus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 157.—Mytilus.
anatina Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3221.
anatinus Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 706; ed. 12, 1767, 1158.
anatina Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3333.
anatinus Platypus, G. Shaw, Nat. Misc. X. 1799, pl. 385.
anatina Riparia (L.), F. C. Meuschen, Mus. Gev. 1787, 468.—Mytilus.
anatinus Solen, Linnaeus, Syst. Nat., ed. 10, 1758, 673; ed. 12, 1767, 1115.
anatipennella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 68.
anatis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3033. [—Fasciola.
anatis Distoma (Gm.), J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 196.
anatis Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 26.
anatis Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3055.
anatis Pediculus, F. v. P. Schrank, Ins. Aust. 1781, 503.
anatis Pediculus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 571.
anatis Taenia, O. F. Müller, Naturforscher, XIV. 1780, 179.
anatis Taenia, Müll., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, *varr.* fasciolaris;
lineata; malleus; avium. 3076.
anatis Trichocephalus, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 119.
anator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 169.
anatum Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2-5) 1783, 93.
anaxarete [Papilio]. P. Cramer, Utitl. Kapellen, I (8) 1776, 148.
anaxibia Papilio, E. A., E. J. C. Esper, Ausl. Schmett. (15) 1798, 223.
[anceaus]
anceus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 158.
anceaea [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 93.
anceaus [Papilio], P. Cramer, Utitl. Kapellen, III (19) 1779, 48.
anceaus Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VI. 1793, 98.
anceaus Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 486 [P. (Nymphalis), ed. 12].
ancea [Phalaena]. C. Stoll in Cramer, Utitl. Kapellen, IV (27) 1780, 72.
anceus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 116.
anceus [Sphinx], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 124.
anceps Coluber, J. A. Scopoli, Del. Insub. III. 1788, 39.
anceps Cucujus, M. Piller & Mitterpacher, Iter Poseg. 1783, 85.
anceps Gorgonia, P. S. Pallas, Elench. 1766, 183.
anceps Ichneumon, C. de Villers, Linn. Ent. III. 1789, 204.
anceps Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 81.
anceps Paramecium, J. Hermann, Naturforscher, XX. 1784, 157.
anceps Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3726.
anceps Phalaena [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
anceta [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 136.
anceus *v.* **anceaus**.
anchemolus [Sphinx], P. Cramer, Utitl. Kapellen, III (10) 1779, 50.
anchises Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 460; ed. 12, 1767, 746.
anchisiades Papilio, E. T., E. J. C. Esper, Ausl. Schmett. (4) 1788, 53.
anchora *v.* **ancora**.
anchorago Brentus (L.), J. C. Fabricius, Mant. Ins. I. 1787, 96.—Curculio.
anchorago Cimex, J. C. Fabricius, Syst. Ent. 1775, 699.
anchorago Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 383; ed. 12, 1767, 613 [co.].
anchorago Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 108.
anchusae Galeruca, G. Paykull, Faun. Suec. II. 1799, 101.
ancilioidea Coluber, F. C. Meuschen, Mus. Gronov. 1778, 14.
Ancilla F. C. Meuschen, Mus. Gev. 1787, 246.—[Patella, L.]
Ancilla Lamarck, Mem. Soc. H. N. Paris, 1799, 70.—G.
ancilla Noctua (L.), E. J. C. Esper, Die Schmett. IV (32) 1787, 51.—Phal.
ancilla Noctua, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 72.
ancilla [Phalaena], P. Cramer, Utitl. Kapellen, II (13) 1777, 84. [P. (Noctua).
ancilla Phalaena (Bomb.) (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1790, 2443.—

- ancilla** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 835.
ancilla Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 52.
ancipites Gorgonia *id. ac* anceps, L., J. F. Maratti, Plant. Zooph. Med. 1776, 10.
[ancora]
anchora Carabus, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 120.
anchora Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 47.
ancora Tetratoma, J. C. Fabricius, N. Mag. Lieb. Ent. [Schneider's] I. 1791, 20.
Ancylus E. L. Geoffroy, Traité Coq. 1767, 13.—G.
Ancylus O. F. Müller, Verm. II. 1774, 199.—G.
andalusica Perdix (Gm.), J. Latham, Index Orn., 1790, 656.—Tetrao.
andalusicus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 766.
andalusica Turnix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 7.
andersonii Physeter, Borowski, Gem. Nat. Thiere. II. 1781, 33.
andraenae Pediculus, J. C. Mikán, N. Abh. Böhm. Ges. Wiss. III. 1798, 136.
andreae Buprestis, A. G. Olivier, Entom. II. 1790, 53.
andreae Carabus, J. C. Fabricius, Spec. Ins. I. 1781, 311.
andreae Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 448; ed. 12, 1767, 727.
andreae Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 56.
andremona [Papilio], P. Cramer, Utitl. Kapellen. IV (25) 1780, 16.
andremona [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 132.
Andrena J. C. Fabricius, Syst. Ent. 1775, 376.—Hym.
“androdamas Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 165.
androgea [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV. (26) 1780, 42.
androgeos Papilio, P. Cramer, Utitl. Kapellen. I (8) 1776, 142.
androgeus [Papilio], P. Cramer, Utitl. Kapellen. I (2) 1775, 24.
androgynus Crabro, P. Rossi, Mant. Ins. I. 1792, 138.
andromacha Papilio, J. C. Fabricius, Syst. Ent. 1775, 466.
andromachus [Papilio], P. Cramer, Utitl. Kapellen. I (5) 1775, 87.
andromacha Zygæna, J. C. Fabricius, Syst. Ent. 1775, 830.
andromeda Medusa, P. Forskal, Descr. Anim. 1775, 107.
andromeda Papilio, J. C. Fabricius, Syst. Ent. 1775, 467.
andromeda [Papilio], P. Cramer, Utitl. Kapellen, I (8) 1776, 149.
andromeda Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 184.
androsace Corallina, P. S. Pallas, Elench. 1766, 431.
anella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
anella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 18.
anella Tinea [Roth v. Schreckenstein], Schmett. Donau, 1800, 37 [*u. u.*].
anelytra Blatta, F. v. P. Schrank, Beitr. Nat. 1776, 73. [1767, 436].
anemone Actinia, Ellis & Solander, Nat. Hist. Zooph. 1786, 6 [v. Phil. Trans. LVII].
anemone Hydra (Ellis), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3869.—Actinia.
anethana Phalaena Tortrix, N. J. Brahm, Ins. Kal. II (1) 1791, 91.
aneus Johnius, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 135.
Angaha G. Cuvier, Leçons Comp. Anat. I. 1800, 3 [*u. u.*].—R.
angalla Sus, P. Boddaert, Elench. 1785, 158.
Angaria J. F. Bolten, Mus. Bolten. (2) 1798, 71.—G.
Angarius F. C. Meuschen, Mus. Gever. 1787, 254 [v. *et*. Cat. Coll. Coq. Oudaan, 1766,
angaria Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 109. [10].—[Helix, L.].
anged Mugil, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1398.
angelica [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 204.
angelicae Musca, Scopoli, Ent. Carn. 1763, 329.
anglicana Chrysomela, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1693.—Altica
anglicana Phalaena Tort., C. de Villers, Linn. Ent. II. 1789, 417. [anglica, Fab.]
anglica Altica, J. C. Fabricius, Syst. Ent. 1775, 114.
anglicum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3494.
anglicum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 111.
anglicus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1844.
anglica Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 135.—Altica, 1775.
anglica Chrysomela, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1689.

- anglica Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 32.—Chrysomela, 1781.
 anglica Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 319.
 anglica Pimelia, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2011.
 angulus Charadrius, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776) 117.
 angulator Cerambix, A. G. Olivier, Entom. IV. 1795, 71.
 angolensis Capra, Linnaeus in Hasselquist, Palast. 1762, 285.
 angolensis Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 885.
 angolensis Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 252.
 angolensis Falco (Gypaetus), R. Kerr, Anim. Kingd. 1792, 479.
 angolensis Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 182; ed. 12, 1766, 323.
 angolensis Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 918.
 angolensis Gypaetos (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 27.—Falco.
 angolensis Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 303.
 angolensis Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 463.
 angolensis Vultur (Gm.), G. Shaw, Mus. Lever. I. 1792, 153.—Falco.
 angorensis Capra, J. R. Forster, Phil. Trans. LVII (2) 1768, 344.
 angorensis Capra, G. Shaw, Mus. Lever. I. 1792, 46.—var. hirci.
 angorensis Cuniculus, E. A. W. Zimmermann, Spec. Zool. 1777, 190.
 anguiformis Coluber (Laur.), J. P. Bonnatere, Ency. Méth. (Oph.), 1790, 60.—Coronella.
 anguiformis Coronella, J. N. Laurenti, Syn. Rept. 1768, 85.
 "Anguilla Thunberg, 1797, Ag." Does not occur: is Shaw, 1804.
 angvilla Muraena, Linnaeus, Syst. Nat., ed. 10, 1758, 245; ed. 12, 1766, 426.
 anguilla Ophichthus (L.), C. P. Thunberg, De Muraena, 1789, 11.—Muraena.
 anguillae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3035.
 anguillae Cucullanus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 15.
 anguillae Echinorhynchus, O. F. Müller, Zool. Dan. II. 1784, 84.
 anguillae Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3056.
 anguillae Rhytelminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 215.
 anguillae Taenia, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3078.
 anguillararis Gobius, Linnaeus, Syst. Nat., ed. 10, 1758, 264; ed. 12, 1766, 450.
 anguillararis Mystus, F. C. Meuschen, Mus. Gronov. 1778, 38.
 anguillararis Platystacus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 61.
 anguillararis Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 305; ed. 12, 1766, 502.
 anguilliformis Gobioides (L.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 576.—
 Gobius anguillararis.
 anguilloides Mormyrus, Linnaeus, Syst. Nat., ed. 10, 1758, 327; ed. 12, 1766, 522.
 Anguillula O. F. Müller, An. Infus. 1786, 63.—Ver.
 anguillula Chaos, J. F. Blumenbach, Hand. Naturg. 1779, 447.
 anguillula Vibrio, O. F. Müller, Verm. I (1) 1773, 41.
 Anguina J. A. Scopoli, Intr. Hist. Nat. 1777, 374.—Ver.
 anguinalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 9 & 13 [2].
 anguina Cellularia (L.), P. S. Pallas, Elench. 1766, 78.—Sertularia.
 anguina Chalcida (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 31.—Lacerta.
 anguinus Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 610.
 anguina Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 210; ed. 12, 1766, 371.
 anguina Lacerta, Gmelin in Linn. Syst. Nat., ed. 13, I (3) 1789, 1079.
 anguina Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 167.
 anguinus Proteus, J. N. Laurenti, Syn. Rept. 1768, 37.
 anguina Scincus, F. C. Meuschen, Mus. Gronov. 1778, 7.
 anguina Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 787; ed. 12, 1767, 1267.
 anguina Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 816; ed. 12, 1767, 1317.
 anguina Siliquaria (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 79.—Serpula.
 anguina Vermiculus (L.), F. C. Meuschen, Mus. Gever. 1787, 236.—Serpula.
 Anguis Linnaeus, Syst. Nat., ed. 10, 1758, 227; ed. 12, 1766, 390.—R.
 anguis [Helix], T. Martyn, Univ. Conch. II [1788], fig. 70.
 anguis Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3602 [? Helix, Mart.].
 angualis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796] 4 [2].
 angulana Phalaena Tort., C. de Villers, Linn. Ent. II. 1789, 417.

- angularis Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3661.—Nerita.
- angularis Nerita, O. F. Müller, Verm. II. 1774, 187.
- angularis Staphylinus, G. Paykull, Faun. Succ. III. 1800, 395.
- angularia Geometra [Denis & Schiffermüller], Schmett. Wien, 1775, 103.
- angularia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 22
- angularia Phalaena, C. P. Thunberg, Ins. Suecica (4) 1792, 59. [*n. et. f.*].
- angularia Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 326.
- angulatorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 154.
- angulatus Alpheus (Penn.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
- angulata Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 703; ed. 12, 1767, 1154.
- [angulatus Araneus, C. Clerck, Aran. Svec. 1757, 22.]
- angulata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 620; ed. 12, 1767, 1031.
- angulata Arca, F. C. Meuschen, Mus. Gever. 1787, 426.
- angulata Arca, Bruguière, Ency. Méth. (Vers) (1) 1789, 113.
- angulatus Atteblabus, J. C. Fabricius, Mant. I. 1787, 124.
- angulata Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 481.
- angulata Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 136.
- angulatum Callidium, J. C. Fabricius, Syst. Ent. 1775, 192.
- angulatum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 335.
- angulatus Cancer, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 5.
- angulata Cantharis, J. C. Fabricius, Mant. I. 1787, 168.
- angulata Capsa (L.), Lamarek, Mem. Soc. H. N. Paris, 1799, 84.—Tellina.
- angulatus Carabus, J. C. Fabricius, Spec. Ins. I. 1781, 302.
- angulata Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 53.
- angulatus Chiton (L.), Spengler, Skr. nat. Selsk. [Copen.] IV (1) 1797, 71.
- angulata Cicada, C. de Geer, Mém. Ins. VII. 1778, 613.
- angulata Cicindela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 62.
- angulatus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 217; ed. 12, 1766, 377.
- angulata Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 185 [*n. n.*].
- angulatus Cordylus (L.), F. A. A. Meyer, Syn. Rept., 1795, 17.—Lacerta.
- angulatus Elater, D. Drury, Ill. Nat. Hist. III. 1782, index & 69.
- angulata Fasciola, O. F. Müller, Verm. I (2) 1774, 58.
- angulatus Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 118.
- angulatum Gafrarium, J. F. Bolten, Mus. Bolten. (2) 1798, 177.
- angulatus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2084.
- angulatus Hepialus, J. C. Fabricius, Spec. Ins. II. 1781, 506.
- angulata Hispa, J. C. Fabricius, Mant. II. 1787, 379.
- angulata Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 204; ed. 12, 1766, 364.
- angulatus Malachus, J. C. Fabricius, Ent. Syst. I (1) 1792, 223.
- angulata Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 13.
- angulata Melolontha, A. G. Olivier, Entom. I. 1789, 32.
- angulatus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 24.
- angulata Mya, L. Spengler, Skr. nat. Selsk. [Copen.] III (1) 1793, 35.
- angulatus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 113.
- angulata Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 18.
- angulata Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 443.
- angulata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 604.
- angulata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 270.
- angulata Phalaena, J. C. Fabricius, Mant. II. 1787, 196.
- angulata Phalaena (Geometra), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 83.
- angulata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
- angulata Phasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 187.—Mantis, 1793.
- angulata Pimelia, J. C. Fabricius, Syst. Ent. 1775, 252.
- angulata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.—Fasciola, 1774.
- angulatus Prionus, A. G. Olivier, Entom. IV. 1795, 31.
- angulata Saperda, F. v. P. Schrank, Naturforscher, XXIV. 1789, 77.
- angulatus Scutigera, F. C. Meuschen, Mus. Gever. 1787, 240.
- angulata Serpula, P. Forskal, Descr. Anim. 1775, xxxiv.

- angulata* Serpula, E. M. da Costa, Brit. Conch. 1778, 20.
angulata Stratiomys, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 19.
angulata Tellina, Linnaeus, Syst. Nat., ed. 12, 1767, 1116.
angulata Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 187 [*n. n.*].
angulatus Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 418; ed. 12, 1767, 677.
angulata Zonitis, J. C. Fabricius, Ent. Syst. I (2) 1792, 49.—*Cantharis*, 1787.
angulella Phalaena (Tinea), O. F. Müller, Z. Dan. Prod. 1776, 137.
angulella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
angulella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 83.
angulosa Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3315.
angulosa Asterias, O. F. Müller, Zool. Dan. II. 1784, 3.
angulosa Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 92, *var. minor* (94).
angulosus Echinocyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 215.
angulosus Echinus (Leske), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3170.—
angulosa Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 97. [Cidaris.
angulosa Madrepora, P. S. Pallas, Elench. 1766, 299.
angulosa Nerita, F. C. Meuschen, Mus. Gever. 1787, 274.
angulosa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3707.
angulosa [Phalaena], C. Stoll in Cramer, Util. Kapellen, IV (30) 1781, 137.
angulosa Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 304.
angulosa Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 165.
angulosa Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3244.
angulosa Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 187.—*angulata*, L.
angulus Trichoda, O. F. Müller, Verm. I (1) 1773, 81.
angustalis Phalaena, J. C. Fabricius, Mant. II. 1787, 222.
angustalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 120. [*n. et f.*].
angustana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796] fig. 74
angustata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 301.
angustatus Bostrichus, Herbst in Jablonsky, Nat. Ins. (Käfer) V 1793, 111.
angustatus Bostrichus, Hellwig in Sierstorff, Insektenarten, 1794, 61.
angustata Calappa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 347.
angustatum Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 252.
angustatus Carabus, [D. H. Schneider], Nom. Ent. 1785, 21 [*n. n.*].
angustatus Carabus, J. C. Fabricius, Mant. I. 1787, 205.
angustata Cassida, Linnaeus, Syst. Nat., ed. 12, 1767, 578.
angustatus Cicindela, J. C. Fabricius, Ent. Syst. I (1) 1792, 169.—*Carabus*, 1787.
angustatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 59.
angustatus Cimex, J. C. Fabricius, Mant. II. 1787, 308.
angustata Cistela, J. C. Fabricius, Spec. Ins. I. 1781, 148.
angustatus Cryptocephalus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789,
angustatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 135. [1715.—*Cistela*.
angustata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3421.
angustata Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [*n. n.*]:
 Essai Fourmis, 1798, 34.
angustata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 315.
angustatus Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 191.—*Cimex*, 1787.
angustatus Inachus, F. Weber, Nomen. Fabricii, 1795, 93.—*Cancer*.
angustata Lepas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3212.
angustatus Paederus, G. Paykull, Faun. Suec. III. 1800, 431.—*Staphylinus*, 1789.
angustata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
angustata Pimelia, J. C. Fabricius, Syst. Ent. 1775, 253.
angustatus Rynchites, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 140.
angustatus Staphylinus, F. v. P. Schrank, Ins. Aust. 1781, 233.
angustatus Staphylinus, G. Paykull, Mon. Staph. 1789, 36.
angustata Stenosis (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 161.—
angustatus Tenebrio, C. de Villers, Linn. Ent. I. 1789, 396. [Pimelia.
angustella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 33.
angusticlavia Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 64.

- angustipennella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1790]. 69.
- angustus** Cimex, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2193.
- angustus** Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 201.
- angustus** Coluber, G. A. Suckow, Naturges. III. 1798, 253.
- angustus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 45.
- angusta** Helix, Studer in Coxé, Trav. Switz. III. 1789, 388 [n. n.].
- angusta** Mantis, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2055.
- angustus** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3556.
- angusta** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3730.
- angusta** Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3236.
- angusta** Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
- anhelans** Spongia, G. Vio in G. Olivi, Zool. Adriat. 1792, xxx.
- Anhima** M. J. Brisson, Ornith. V. 1760, 518.—A.
- Anhima** M. T. Brünnich, Fund. Zool. 1772, 74.—A.
- Anhinga** M. J. Brisson, Ornith. VI. 1760, 476.—A.
- Anhinga** M. T. Brünnich, Zool. Fund. 1772, 80.—A.
- anhinga** Plotus, Linnaeus, Syst. Nat., ed. 12. 1766, 218.
- ani** Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 12.
- ani** Crotophaga, Linnaeus, Syst. Nat., ed. 10, 1758, 105; ed. 12, 1766, 154.
- ani** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 409.
- aniculus** Cancer (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2982.—Pagurus.
- aniculus** Pagurus, J. C. Fabricius, Mant. I. 1787, 327.
- anifurca** [Noctua], C. C. Jung, Alph. Verz. Schmett. 1791, 36.
- anilis** Bibio (L.), J. C. Fabricius, Syst. Ent. 1775, 757.—Musca.
- anile** Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 95.
- anilis** Musca, Linnaeus, Faun. Suec., ed. 2, 1761, 442.
- anilis** Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 21.
- anilis** Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 82.
- animosa** Formica, P. Forskal, Descr. Anim. 1775, 85.
- Anisotoma** Knoch in Kugelann, Käfer Preuss. 1798, 69.—Col.
- anius** Papilio, C. C. Jung, Alph. Verz. Schmett. I. 1791, 36.—*err. pro avius*, Cr.
- anketeri** Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 43.
- anna** [Papilio], P. Cramer, Utitl. Kapellen, III (24) 1780, 158.
- annalicornis** Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
- annexa** Musca, O. F. Müller, Z. Dan. Prod. 1776, 173.
- annonae** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 358.
- annoni** Cyprinus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 32.
- annularis** Apis, D. Drury, Ill. Nat. Hist. II. 1773, index & 71.
- annularis** Aranea, C. de Villers, Linn. Ent. IV. 1789, 128.
- annulare** Callidium, J. C. Fabricius, Mant. I. 1787, 156.
- annularis** Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 164.
- annularis** Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1855.—
- annularis** Chaetodon, M. E. Bloch, Nat. ausl. Fische III. 1787, 114. [Callidium.
- annularis** Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 215.
- annularis** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 40.
- annularis** Eschara, P. S. Pallas, Elench. 1766, 48.
- annularis** Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 568.
- annularis** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 398.
- annularis** Ichneumon, A. A. H. Lichtenstein, Cat. rerum Nat., III. 1796, 196.
- annularis** Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 169.
- annularis** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3561.
- annularis** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 262.
- annularis** Phryganea, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 558.
- annularis** Podura, A. F. de Fourcroy, Ent. Paris. 1785, 524.
- annularis** Saperda (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 120.—
- annularis** Saperda, A. G. Olivier, Entom. IV. 1795, 11. [Callidium.
- annularis** Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 278; ed. 12, 1766, 467.
- annularis** Spheg, N. Poda, Ins. Mus. Graec. 1761, 107.

- annularis Sphex, J. L. Christ, Nat. Ins. 1791, 315.
annularis Tenthredo, F. v. P. Schrank, Beitr. Nat. 1776, 85.
annularis Tipula, C. de Geer, Mém. Ins. VI. 1776, 379.
annularis Vespa, Linnaeus, Amoen. Acad. VI. 1763, 413.
annularis Vorticella, O. F. Müller, Verm. I (1) 1773, 121.
annularia Phalaena, J. C. Fabricius, Syst. Ent. 1775, 625.
annulatella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 521.
annulator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 157.
annulator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 158.
annulator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 151.
annulatorius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 330.
annulatum Acrydium (Herbst), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 235.—Gryllus.
annulata Aeshna, J. C. Fabricius, Suppl. Ent. Syst. 1798, 286.
annulata Andrena (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 138.—Apis.
annulata Anguis, J. N. Laurenti, Syn. Rept. 1768, 69.
annulata Aphroditia, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 38.
annulata Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 578; ed. 12, 1767, 958.
annulata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 230.
annulatus Asilus, J. C. Fabricius, Syst. Ent. 1775, 794.
annulata Bombyx, J. C. Fabricius, Gen. Ins. 1777, 281.
annulata Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 113.
annulata Cellepora, O. Fabricius, F. Groen. 1780, 436.
annulatus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1860.—
annulatus Cerambix, A. G. Olivier, Entom. IV. 1795, 95.—Lamia, 1792. [Stenocorus.
annulata Chalcis, J. C. Fabricius, Ent. Syst. II. 1793, 197.
annulata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1699.
annulatus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 447; ed. 12, 1767, 725.
annulatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 704.
annulatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2186.
annulata Coccinella, Linnaeus, Syst. Nat., ed. 12, 1767, 579.
annulatus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 224; ed. 12, 1766, 386.
annulata Conops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2895.
annulatus Crabro, A. F. de Fourcroy, Ent. Paris. 1785, 362.
annulatus Crabro, P. Rossi, Mant. Ins. II. 1794, 123.
annulatus Culex, F. v. P. Schrank, Beitr. Nat. 1776, 97.
annulatus Culex, A. F. de Fourcroy, Ent. Paris. 1785, 516.
annulatus Culex, J. C. Fabricius, Mant. II. 1787, 363.
annulatus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 382; ed. 12, 1767, 613.
annulatum Dentalium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3738.
annulatus Echinorhynchus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3048.
annulata Ephemera, O. F. Müller, Z. Dan. Prod. 1776, 143.
annulata Forficula, J. C. Fabricius, Ent. Syst. II. 1793, 4.
annulatus Gryllus, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 195.
annulata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3622.
annulatus Hylaeus (L.), J. C. Fabricius, Ent. Syst. II. 1793, 305.—Apis.
annulatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2072.
annulatus Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 179.
annulatus Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 342.—Oriolus.
annulata Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 465.
annulata Muraena, C. P. Thunberg, De Muraena, 1789, 8.
annulatus Musca, M. Harris, Exp. Eng. Ins. 1776, 40.
annulata Musca, F. v. P. Schrank, Ins. Aust. 1781, 477.
annulata Musca, J. C. Fabricius, Mant. II. 1787, 348.
annulatus Musca (De G.), C. de Villers, Linn. Ent. III. 1789, 418.—Nemotelus.
annulata Myopa, J. C. Fabricius, Ent. Syst. IV. 1794, 399.
annulatus Nemotelus, C. de Geer, Mém. Ins. VI. 1776, 104.
annulata Nepa, J. C. Fabricius, Spec. Ins. II. 1781, 333.
annulata Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 47.

- annulatus** Oniscus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 301.
annulatus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 385.
annulata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3338.
annulatus Papilio Pleb., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2359.
annulatus Perca, F. C. Meuschen, Mus. Gronov. 1778, 42.
annulata Phalaena, J. D. Schulzens, Naturforscher, VI. 1775, 92.
annulata Phalaena, J. C. Fabricius, Ent. Syst. III. (2) 1794, 212.
annulatum Phalangium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 459.
annulata Pasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 189.
annulata Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2637.
annulatus Pleuronectes, J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 110.
annulata Podura, J. C. Fabricius, Syst. Ent. 1775, 302.
annulatus Portunus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
annulatus Portunus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 364.
annulatus Reduvius (L.), J. C. Fabricius, Syst. Ent. 1775, 730.—Cimex.
annulata Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 314.
annulata Scolia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 206.
annulata Simia, M. T. Brunnich, Dyr. Hist. 1782, 34.
annulata Simia, J. M. Bechstein in Pennant, Ubers. 4füss. Thiere, II. 1800, 661.
annulata Sphex, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 1.
annulata Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 200.
annulata Sphex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 245.
annulatus Spiroglyphus, F. M. Daudin, Rec. Mém. Moll. 1800, 50.
annulatus Stenocorus, J. C. Fabricius, Syst. Ent. 1775, 180.
annulatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99.
annulata Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122.
annulatus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 296.
annulata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 373.
annulata Tenthredo, J. C. Fabricius, Mant. I. 1787, 253.
annularis Tenthredo, C. de Villers, Linn. Ent. III. 1789, 117.
annulata Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2665.
annulata Tiphia, J. C. Fabricius, Ent. Syst. II. 1793, 225.
annulata Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 586; ed. 12, 1767, 973 [no. 16].
annulata Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 974 [no. 28].
annulatus Trochus, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 33.
annulatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3587.
annulatus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 767; ed. 12, 1767, 1240.
annulata Vespa, P. Rossi, Fauna Etrus. II. 1790, 88.
annulata Vipera, F. C. Meuschen, Mus. Gronov. 1778, 16.
annulata Viverra, R. Kerr, Anim. Kingd. 1792, 168.
annulata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3441.
annulata Zygæna, J. C. Fabricius, Syst. Ent. 1775, 551.
annulifera Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 332.
annulosa Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 302.
annulosus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2709.
annulus Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2790.
annulus Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 109.
annulus Cimex, J. C. Fabricius, Syst. Ent. 1775, 697.
annulus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 44 [u. u.].
annulus Cypræa, Linnaeus, Syst. Nat., ed. 10, 1758, 723; ed. 12, 1767, 1179.
annulus Porcellana (L.), F. C. Meuschen, Mus. Gev. 1787, 408.—Cypræa.
Anobium J. C. Fabricius, Syst. Ent. 1775, 62.—Col.
"Anodonta Brug. 1789, Ag."; is Lamarck, 1799.
Anodonta Lamarck, Mem. Soc. H. N. Paris, 1799, 87.—L.
Anodontites J. B. Bruguière, J. Nat. Hist. (Choix des Mém.) I. 1792, 134.—L.
Anodontites G. Cuvier, Tab. Elém. 1798, 424.—L.
anomalipes Sphex, G. W. F. Panzer, Ins. Germ. heft 52 [1798], tab. 23. [Curculio.
anomaloceps Brentus (Pall.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 182.—

- anomaloceps** Curculio, P. S. Pallas, Icon. Ins. 1781, 24.
anomalus Bostrichus, F. v. P. Schrank, Briefe Donaumoor, 1795, 136.
anomalus Cancer, Linnaeus in Hasselquist, Palast. 1762, 474.
anomalus Cervus, R. Kerr, Anim. Kingd. 1792, 304.
anomala Chrysis, L. H. v. Bloch in Becker, Plau. Grund. 1799, 106.
anomala Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 184.
anomalus Fucus, P. S. Pallas, Misc. Zool. 1766, 197.
anomala Lampyrus, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 157.
anomala Lernaea, P. C. Abildgaard, Skr. nat. Selsk. [Copen.] III (2) 1794, 58.
anomala Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 104.
anomala Orbicula (Müll.), G. Cuvier, Tab. Elém. 1798, 436.—Patella.
anomala Patella, O. F. Müller, Z. Dan. Prod. 1776, 237.
anomalus Ramphastos, B. C. Otto in Buffon, Nat. Vögel. XXIII. 1796, 307.
anomalus Sciurus, Gueldenstadt in Schreber, Saugth. IV (42), 781 (1785).
anomalus Sciurus, J. A. Donndorff, Zool. Beytr. I. 1792, 498.
anomala Simia, H. F. Link, Beytr. Nat. I (2) 1795, 60.
anomala Tellina, I. v. Born, Index Mus. Caes. Vind. 1778, 20.
anomalus Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 23.
Anomia Linnaeus, Syst. Nat., ed. 10, 1758, 700; ed. 12, 1767, 1150.—Moll.
Anomia C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 99.—Moll.
anomia Ehippium, J. F. Bolten, Mus. Bolten. (2) 1798, 166.
“anomites Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 163.
anonymus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48 [n. n.].
anonyma Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3329.
anonymus Sparus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 297.
Anostomus L. T. Gronovius, Zooph. I. 1763, 122.—P.
anostomus Anostomus, F. C. Meuschen, Mus. Gronov. 1778, 37.
anostomus Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 312; ed. 12, 1766, 514.
anquis Libellula, M. Harris, Exp. Eng. Ins. 1776, 78.
ansatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3556.
Anser M. J. Brisson, Ornith. VI. 1760, 262.—A.
Anser P. S. Pallas, Spic. Zool. (6) 1769, 21.—A.
anser Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 123; ed. 12, 1766, 197.
anser Vibrio, O. F. Müller, Verm. I (1) 1773, 46.
anserifera Lepas, Linnaeus, Syst. Nat., ed. 12, 1767, 1109.
anserifera Mya, L. Spengler, Skr. nat. Selsk. [Copen.] III (1) 1793, 32.
anseris Fasciola, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3055.
anseris Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 612; ed. 12, 1767, 1018.
anseris Strongylus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 81.
anseris Taenia, M. E. Bloch, Beschäf. Ges. Nat. Freunde, IV. 1779, 553.
anta Tapir, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 154.
antaeus Geotrupes (Dru.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 15.—Scarabaeus.
antaeus Scarabaeus, D. Drury, Ill. Nat. Hist. I. 1770, index & 74.
antaeus Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 197.
antaeus Sphex, Holthuisen, D. H. Schneider, Verz. Parthei Ins. 1800, 22.
antaeus Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 43.
Antalium J. E. Guettard, Mém. diff. Sci. III. 1770, 74.
antarctica Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 505.
antarctica Aptenodytes, J. R. Forster, Comm. Soc. R. Sci. Gott. III. 1781, 134.
antarcticus Canis, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, I. 1799, 271.
antarctica Columba, G. Shaw, Zool. N. Holland, 1794, 15. [Aptenodytes.
antarctica Pinguinaria (Miller) [=Forst.], G. Shaw in Miller, Cim. Phys. 1796, 78.—
antarctica Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 565.
antarcticus Scyllarus, N. T. Lund, Skr. nat. Selsk. [Copen.] II (2) 1793, 22.
antarcticus Scyllarus, F. Weber, Nomen. Fabricii, 1795, 94.—Astacus.
antarctica Sphex, Linnaeus, Syst. Nat., ed. 12, 1767, 944.
antarcticus Tabanus, Linnaeus, Syst. Nat., ed. 10, 1758, 602; ed. 12, 1767, 1001.
anteambulo Musca, M. Harris, Exp. Eng. Ins. 1776, 60.

- antecessor** *Gasterosteus*, Daldorf, Skr. nat. Selsk. [Copen.] II (2) 1793, 166.
- antidiluvianus** (*sic*) *Conus*, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 637.
- antennalis** *Phalaena*, J. C. Fabricius, Ent. Syst. III (2) 1794, 219.
- "Antennarius** Lacép. Hist. Nat. Poiss. I. 1798, 323; Ag." Lacépède is merely quoting Commerson MS. in synonymy.
- antennator** *Ichneumon*, J. C. Fabricius, Mant. I. 1787, 265.
- antennatus** *Cancer*, P. Forskal, Descr. Anim. 1775, 89.
- antennata** *Cistela*, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 8.
- antennatus** *Crambus*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 464.—*Phalaena antennalis*,
- antennata** *Eucera*, J. C. Fabricius, Ent. Syst. II. 1793, 345. [1794]
- antennata** *Scorpaena*, M. E. Bloch, Nat. ausl. Fische, III. 1787, 21.
- antennella** *Phal. Tin.*, J. Hübner, Samml. Vogel u. Schmett. 1793, 15 [*u. et. f.*].
- antennella** *Tinea* [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
- antennella** *Tinea*, J. C. Fabricius, Ent. Syst. III (2) 1794, 312.
- antennina** *Pennatula*, Linnaeus, Syst. Nat., ed. 12, 1767, 1323.
- antennina** *Sertularia*, Linnaeus, Syst. Nat., ed. 10, 1758, 811; ed. 12, 1767, 1310.
- antennulata** *Tinea*, A. F. de Fourcroy, Ent. Paris. 1785, 340.
- antenor** *Copris*, A. G. Olivier, Ency. Méth. V (Ins.), 1790, 152.
- antenor** [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 4.
- antenor** *Papilio*, J. Well in Jacquin, Misc. Aust. II. 1781, 387.
- antenor** *Scarabaeus* [Copris], A. G. Olivier, Entom. I. 1789, 97.
- Anthea** G. Edwards in M. Catesby, Carol. II. 1771, 25.—P.
- Anthea** M. Catesby, Pisc. &c. Imag. 1777, 52 (= 25).—P.
- antherinus** *Anthus* (L.), G. Paykull, Faun. Suec. I. 1798, 255.—*Meloe*.
- antherinus** *Cryptocephalus* (L.), J. F. Gmelin, Linn. Syst. Nat., ed. 13. I. 1789, 1731.—
- antherina** *Lagria* (L.), J. C. Fabricius, Syst. Ent. 1775, 126.—*Meloe*. [Meloe.]
- antherinus** *Meloe*, Linnaeus, Faun. Suec., ed. 2, 1761, 228.
- antherinus** *Notoxus* (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 45.—*Lagria*.
- antherinus** *Notoxus* (L.), J. C. Fabricius, Ent. Syst. I (1) 1792, 212.—*Meloe*.
- antheus** [Papilio], P. Cramer, Utit. Kapellen, III (20) 1779, 71.
- Anthias** M. E. Bloch, Nat. ausl. Fische, VI. 1792, 97.—P.
- Anthias** G. Cuvier, Leçons Comp. Anat. I. 1800, 4 [*u. n.*].—P.
- anthias** *Labrus*, Linnaeus, Syst. Nat., ed. 10, 1758, 282; ed. 12, 1766, 474.
- Anthicus** G. Paykull, Faun. Suec. I. 1798, 253.—*Col.*
- anthophyllites** *Madrepora*, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 151.
- anthophyllum** *Madrepora*, E. J. C. Esper, Pflanzenth. I (3) 1789, 143.
- anthracinalis** *Phalaena*, Scopoli, Ent. Carn. 1763, 239.
- anthracinalis** *Pyralis*, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 8.
- anthracinaria** *Phalaena Geometra*, E. J. C. Esper, Die Schmett. V (5) 1799, 127.
- anthracinella** *Phalaena*, *Tinea*, J. Hübner, Beitr. Schmett. I (1) 1786, 25.
- anthracinella** *Tinea* [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
- anthraciniformis** *Sphinx*, E. J. C. Esper, Die Schmett. Suppl., 2 Abschn. [1798], 29.
- anthracinus** *Curculio*, Scopoli, Ent. Carn. 1763, 30.
- anthracina** *Phalaena Bombyx*, J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 345.
- anthracina** *Sphex*, Scopoli, Ent. Carn. 1763, 294.
- Anthrax** Scopoli, Ent. Carn. 1763, 358.—*Dip.*
- Anthrax** J. C. Fabricius, Ent. Syst. IV. 1794, 256.—*Dip.*
- Anthrax** J. G. Meigen, N. Class. Mouches, 1800, 28.—*Dip.*
- anthrax** *Musca*, F. v. P. Schrank, Ins. Aust. 1781, 539.
- Anthrenus** E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 113.—*Col.*
- anthriboides** *Curculio*, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 72.
- Anthribus** E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 306.—*Col.*
- Anthrocera** J. A. Scopoli, Intr. Hist. Nat. 1777, 414.—*Lep.*
- Anthropolithus** Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 386.—*M.*
- anthropomorpha** *Siren*, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 359.
- anticlea** [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 36.
- anticus** *Ichneumon*, A. F. de Fourcroy, Ent. Paris. 1785, 420.
- antidiluvianus** *v.* **antediluvianus**.

- antigone Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 142; ed. 12, 1766, 235.
- antigone [Papilio], P. Cramer, Utitl. Kapellen, I (6) 1775, 105.
- antigonus Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.), X. 1800, 212.
- antiguanus Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 301.
- antiguana Simia, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, I. 1799, 227.
- antiguensis Apis, J. C. Fabricius, Syst. Ent. 1775, 380.
- antiguensis Formica, J. C. Fabricius, Ent. Syst. II. 1793, 357.
- antiguensis Mutilla, J. C. Fabricius, Syst. Ent. 1775, 396.
- antiguensis Nepa, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2123.
- antillarum Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 47.
- antillarum Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 264.
- antillarum Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 493.
- antillarum Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3685.
- antillarum Trichechus, H. F. Link, Beytr. Nat. I (2) 1795, 109 [n. n.].
- antiloehus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 463; ed. 12, 1767, 751.
- antilopae Oestrus, *v.* antilopum, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2811.
- Antilope P. S. Pallas, Misc. Zool. 1766, 1.—M.
- antilope Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 531.
- antilope Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 32.
- antilope [Papilio], P. Cramer, Utitl. Kapellen, II (16) 1777, 132.
- antilope Vespa, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 9.
- antilopus Lucanus, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 186.
- antilopum Oestrus, P. S. Pallas, Reise Russ. I. 1771, 475.
- antimachus Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 1.
- antiochus Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 12, 1767, 1068.
- antiodontalgicus Curculio, R. Gerbi, Stor. Nat. nuovo Insetti, 1794, 92.
- antiodontalgicus Rhinomacer, R. Gerbi, Stor. Nat. Insetti, ed. 2, 1795, 44.—Curculio,
- Antiope J. G. Meigen, N. Class. Mouches, 1800, 32.—Dip. [1794.]
- antiopa Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 476; ed. 12, 1767, 776.
- antiorum Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 310.
- Antipathes P. S. Pallas, Elench. 1766, 205.—Coel.
- antipathes Gorgonia, Linnaeus, Syst. Nat., ed. 10, 1758, 801; ed. 12, 1767, 1291.
- antiphates [Papilio], P. Cramer, Utitl. Kapellen, I (6) 1775, 113.
- antiphus Papilio, J. C. Fabricius, Ent. Syst. III (I) 1793, 10.
- Antipus C. de Geer, Mém. Ins. VII. 1778, 659.—Col.
- antiquarius Trochus, F. C. Meuschen, Mus. Gever. 1787, 288.
- antiquata Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 694; ed. 12, 1767, 1141.
- antiquata Chama, Linnaeus, Syst. Nat., ed. 10, 1758, 691; ed. 12, 1767, 1138.
- antiquatus Hippopus (L.), F. C. Meuschen, Mus. Gever. 1787, 428.—Chama.
- antiquatum Limnaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 253 & 259.—Chama.
- antiquata Patella, Linnaeus, Syst. Nat., ed. 12, 1767, 1259.
- antiquata Patella, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3735.
- antiquatus Spondylus, Linnaeus, Mant. II, 1771, 547.
- antiquitatis Rhinoceros, J. F. Blumenbach, Handb. Naturg., ed. 6, 1799, 697.
- antiquitatus Solen, R. Pulteney, Cat. Birds &c. Dorset, 1799, 28.
- antiquorum Pristis, J. Latham, Tr. Linn. Soc. [Lond.] II, 1794, 277.
- antiqua Alca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 554.
- antiqua Auriformis, F. C. Meuschen, Mus. Gever. 1787, 250.
- antiqua Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 584.—Phalaena.
- antiquus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 42.
- antiqua Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 111.
- antiquus Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 390.
- antiquus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 754; ed. 12, 1767, 1222.
- antiqua Neptunea (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 115.—Murex.
- antiqua Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 503; ed. 12, 1767, 825.
- antiquum Tritonium (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 243.—Murex.
- antirrhini Curculio, G. Paykull, Faun. Suec. III. 1800, 257. [174.]
- antisepticus Chaoborus, A. A. H. Lichtenstein, Archiv Zool. (Wiedemann) I (1) 1800,

- antonoe** [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 94.
- antonoe** Papilio, P. Cramer, Uitl. Kapellen, II (16) 1777, 138.
- anubis** Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 180.
- anubus** [Sphinx], P. Cramer, Uitl. Kapellen, II (11) 1777, 46.
- anulala** Cimex, M. Harris, Exp. Eng. Ins. 1776, 89.
- Anus** v. **Anas**, S. G. Gmelin, Reise Russ. II. 1774, 182.
- anus** Cassis (L.), F. C. Meuschen, Mus. Gever. 1787, 386.—Murex.
- anus** Distorsio (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 133.—Murex.
- anus** Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 750; ed. 12, 1767, 1218.
- “**Aodon** Lacép., Hist. Nat. Poiss. I. 1798, 297; Ag.” Vernacular: not accepted.
- aonidum** Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 455; ed. 12, 1767, 739.
- aonis** Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 472; ed. 12, 1767, 769.
- aonalaschk-** v. **unalaschk**.
- Apalus** J. C. Fabricius, Syst. Ent. 1775, 127.—Col.
- apancora** Cancer, G. I. Molina, Sag. stor. nat. Chili, 1782, 206.
- aparea** v. **aperea**.
- aparines** Aphis, J. C. Fabricius, Syst. Ent. 1775, 735.
- apastris** [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 22.
- Apate** J. C. Fabricius, Syst. Ent. 1775, 54.—Col.
- apedia** Papio (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 20.—Simia.
- apedia** Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 25; ed. 12, 1766, 35.
- apedia** Simia (Papio) L., R. Kerr, Anim. Kingd. 1792, 59.
- apelina** Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3236.
- apella** Cebus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 50.—Simia.
- apella** Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 28; ed. 12, 1766, 42.
- apella** Simia (Sapajus) L., R. Kerr, Anim. Kingd. 1792, 77.
- apelles** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 167.—Scarabaeus.
- apelles** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 290.
- apelles** Onitis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 26.—Scarabaeus, 1781.
- apelles** Papilio, J. C. Fabricius, Syst. Ent. 1775, 524.
- apelles** Papilio Rur., C. de Villers, Linn. Ent. II. 1789, 536.
- apelles** Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 13.
- Aper** P. S. Pallas, Misc. Zool. 1766, 16.—M.
- Aper** E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 469.—M.
- aper** Labrus, A. J. Retzius in Linnaeus, F. Suec. 1800, 335.
- aper** Zeus, Linnaeus, Syst. Nat., ed. 10, 1758, p. 267; ed. 12, 1766, 455.
- aperea** Cavia, P. S. Pallas, Misc. Zool. 1766, 31.
- aparea** Cuniculus, E. A. W. Zimmermann, Spec. Zool. 1777, 192.
- aperea** Mus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 40.
- aperta** Bulla, Linnaeus, Syst. Nat., ed. 12, 1767, 1183.
- apertum** Cardium (ex Chem.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 226.
- aperta** Chama, J. Barbut, Gen. Verm. II. 1788, 47.
- aperta** Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 399.
- apertus** Trochus, D. Solander in G. Brander, Foss. Hant. 1766, 9.
- apex** Buccinum, F. C. Meuschen, Mus. Gever. 1787, 296.
- aphanes** Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 59.
- aphanes** Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 44.
- aphidioides** Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 616; ed. 12, 1767, 1023.
- aphidioides** Hemerobius, F. v. P. Schrank, Ins. Aust. 1781, 314.
- aphidioides** Musca, Scopoli, Ent. Carn. 1763, 349.
- aphidis** Acarus, C. de Geer, Mém. Ins. VII. 1778, 122.
- aphidivorus** Hemerobius, F. v. P. Schrank, Ins. Aust. 1781, 313.
- aphidivora** Musca, A. F. de Fourcroy, Ent. Paris. 1785, 481.
- aphidula** Phalaena Bombyx, N. J. Brahm, Ins. Kal. II (1) 1791, 72.
- aphidum** Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 388.
- aphidum** Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 378.—Ichneumon.
- aphidum** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 568; ed. 12, 1767, 940.
- Aphis** Linnaeus, Syst. Nat., ed. 10, 1758, 451; ed. 12, 1767, 733.—Hem.

- aphodioides** Melolontha, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 109.
- Aphodius** Illiger in Kugelann, Käfer Preuss. 1798, 15.—Col.
- Aphrodita** Linnaeus, Syst. Nat., ed. 10, 1758, 655; ed. 12, 1767, 1084.—Ver.
- aphrodite** Papilio, J. C. Fabricius, Mant. II. 1787, 62.
- aphroditoides** Nereis, O. Fabricius, F. Groen. 1780, 296.
- aphroditois** Nereis, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 229.
- aphroditois** Terebella (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3114.—
- aphya** Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 323; ed. 12, 1766, 528. [Nereis.]
- aphya** Gobius, Linnaeus, Syst. Nat., ed. 10, 1758, 263; ed. 12, 1766, 450.
- apiarius** Attelabus, Linnaeus, Syst. Nat., ed. 10, 1758, 388; ed. 12, 1767, 620.
- apiarium** Cerion, J. F. Bolten, Mus. Bolten. (2) 1798, 90.
- apiarius** Clerus (L.), J. C. Fabricius, Syst. Ent. 1775, 158.—Attelabus.
- apiarius** Dermestes (L.), F. v. P. Schrank, Ins. Aust. 1781, 21.—Attelabus.
- apiaria** Musca (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2867.—Syrphus.
- apiaria** Sphex, Scopoli, Ent. Carn. 1763, 294.
- apiarius** Syrphus, J. C. Fabricius, Spec. Ins. II. 1781, 422.
- apiarius** Trichodes (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 156.—Attelabus.
- Apiaster** M. J. Brisson, Ornith. IV. 1760, 532.—A.
- apiaster** Merops, Linnaeus, Syst. Nat., ed. 10, 1758, 117; ed. 12, 1766, 182.
- apicalis** Phalaena, J. C. Fabricius, Mant. II. 1787, 223.
- apicaris** Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 204.
- apicaris** Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 376.
- apicaris** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 402.
- apicatus** Hister, F. v. P. Schrank, F. Boica, I. 1798, 452.
- apicella** Phalaena, E. Donovan, Brit. Ins. II. 1793, 54.
- apicella** Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 136.
- apicana** Phal. Tort., J. Hübner, Samml. Vögel u. Schmett. 1793, 10 [n. et f.].
- apicana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 87 [n. et f.].
- apiciaria** Geometra [Denis & Schiffermüller], Schmett. Wien, 1775, 104.
- apiciaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 47 [n. et f.].
- apiciaria** Phalaena Geometra, J. Hübner, Beitr. Schmett. I (3) [1788], 21. [et f.].
- Apiculum** [G. Humphreys], Mus. Calonn. 1797, 26.—G. [n. n.].
- apidania** [Phalaena], P. Cramer, Utitl. Kapellen, III (21) 1799, 103.
- apidanus** Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 280.—Papilio.
- apidanus** [Papilio], P. Cramer, Utitl. Kapellen, II (12) 1777, 63.
- apiella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 39.
- apifalco** Sphex, J. L. Christ, Nat. Ins. 1791, 270.
- apiformis** Bombyx, P. Rossi, Fauna Etrus. II. 1790, 178.
- apiformis** Chalcis, J. C. Fabricius, Ent. Syst. II. 1793, 195.
- apiformis** Masaris, J. C. Fabricius, Ent. Syst. II. 1793, 284.
- apiformis** Musca, C. de Geer, Mém. Ins. VI. 1776, 128.
- apiformis** Musca, F. v. P. Schrank, Ins. Aust. 1781, 459.
- apiformis** Sesia (L.), J. C. Fabricius, Syst. Ent. 1775, 549.—Sphinx.
- apiformis** Sp[hinx], C. Clerck, Icones, I. 1759, pl. ix. 2.
- apiformis** Sphinx, Linnaeus, Faun. Suec., ed. 2, 1761, 289.
- apiformis** Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 20.
- apiformis** Syrphus, P. Rossi, Fauna Etrus. II. 1790, 287.—
- apiformis** Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 300.
- apilinguaria** Vespa, J. L. Christ, Nat. Ins. 1791, 224.
- Apion** Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 100.—Col.
- Apis** Linnaeus, Syst. Nat., ed. 10, 1758, 575; ed. 12, 1767, 953.—Hym.
- apis** Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 614; ed. 12, 1767, 1020.
- Apivora** J. G. Meigen, Class. Mouches, 1800, 37.—Dip.
- apivorus** Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 91; ed. 12, 1766, 130.
- apivora** Musca, C. de Geer, Mém. Ins. VI. 1776, 56.
- apivorus** Philanthus, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris] no. 31, 1799, 50.
- aplustre** Buccinum, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 3.
- aplustre-pacis** Chama, F. C. Meuschen, Mus. Gever. 1787, 450.

- Aplysia** J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3103.—Moll. [v. Laplyisia.]
- apoda** Coryphaena, G. S. Volta, Itt. Veron. (2) (circa 1800), cxlvii.
- apoda** Lacerta, P. S. Pallas, Nov. Comm. Sci. Petrop. XIX. 1775, 435.
- apoda** Paradisaea, Linnaeus, Syst. Nat., ed. 10, 1758, 110; ed. 12, 1766, 166.
- apoda** Perca, G. Edwards in M. Catesby, Carol. II. 1771, Cat., 1.
- apollinus** Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) IX. 1798, 156.
- apollo** Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 10, 1758, 465; ed. 12, 1767, 754.
- apollonia** Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 31.—Phalaena.
- apollonia** [Phalaena], P. Cramer, Utit. Kapellen, III (21) 1779, 97.
- aponogetonis** Patella, M. Vahl, Skr. nat. Selsk. [Copen.] IV (2) 1798, 154.
- Apora** J. E. Gunnerus, K. Norske Vid. Selsk. Skrift. IV. 1768, 72.—Cor.
- Aporrhais** E. M. Da Costa, Brit. Conch. 1778, 136.—G.
- Apos** J. A. Scopoli, Intr. Hist. Nat. 1777, 404.—Cr.
- apparens** Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 37.
- apparitor** Cimex, C. de Villers, Linn. Ent. I. 1789, 535.
- apparitorius** Ichneumon, C. de Villers, Linn. Ent. III. 1789, 143.
- appellata** Phalaena [D. H. Schneider] Nom. Ent. 1785, 51 [u. n.].
- appendicens** Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 212.
- appendiculatus** Acarus, F. v. P. Schrank, Ins. Aust. 1781, 518.
- appendiculatus** Ascalaphus, J. C. Fabricius, Ent. Syst. II. 1793, 96.
- appendiculata** Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 210.
- appendiculatus** Cimex, C. de Villers, Linn. Ent. I. 1789, 488.
- appendiculata** Donacia, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 17.
- appendiculata** Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 104.
- appendiculatus** Malachus, F. v. P. Schrank, F. Boica. I. 1798, 586.
- appendiculata** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 5 [u. n.].
- appendiculata** Phalaena [D. H. Schneider], Nom. Ent. 1785, 51 [u. n.].
- appendiculata** Silpha, J. C. Fuessly, Schweiz. Ins. 1775, 6.
- appendiculata** Silpha, J. H. Sulzer, Gesch. Ins. 1776, 28.
- appendiculata** Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1783, [227].
- Appendigaster** P. Browne, Hist. Jamaica, ed. 2, 1789, 439.—Hym.
- appendigaster** Evania (L.), J. C. Fabricius, Syst. Ent. 1775, 345.—Sphex.
- appendigaster** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 566.
- appendigaster** Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 217.
- appendigaster** Sphex, Linnaeus, Syst. Nat., ed. 12, 1767, 943.—Ichneumon. 1758.
- applanella** Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 484.—Pyralis aplana 1777.
- aplana** Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 414.—Pyralis.
- aplana** Pyralis, J. C. Fabricius, Gen. Ins. 1777, 294.
- aplana** Tortrix, C. P. Thunberg, Ins. Suecica (3) 1792, 52.
- approximana** Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 478.
- approximator** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 162.
- apri** Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3032.
- apri** Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3063.
- apri** Trichocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3038.
- aprica** Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 273.
- apricans** Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 127.
- apricans** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 201.
- apricarium** Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 234.—Gryllus.
- apricarius** Carabus, G. Paykull, Mon. Carab. 1790, 125.
- apricarius** Charadrius, Linnaeus, Syst. Nat., ed. 10, 1758, 150; ed. 12, 1766, 254.
- apricarius** Gryllus, Linnaeus, Reise Schwed. (ed. Schreber) I. 1764, 174.
- apricarius** Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 433; ed. 12, 1767, 702.
- aprilina** Locusta (L.), A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 84.—Gryllus.
- aprilina** Meloe, F. A. A. Meyer, Tent. Monogr. Meloes, 1793, 21.
- aprilina** Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 614.—Phalaena.
- aprilina** Noctua, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 71.
- aprilina** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 514; ed. 12, 1767, 847.
- aprilis** Phalaena *id. ac* aprilina, L., A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 48.

- aprinum Dentalium, Linnaeus, Syst. Nat., ed. 12, 1767, 1263.
- aprinum Tubulus (L.), F. C. Meuschen, Mus. Gever. 1787, 238.—Dentalium.
- apronia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 222.
- apsinthii *v.* absinthii.
- Aptenodyta J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 66.—A.
- Aptenodytes J. R. Forster, Comm. Soc. R. Sci. Gott. III. 1781, 133.—A.
- Apterodita J. A. Scopoli, Del. Insub. II. 1786, 91.—A.
- Apteronomus B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 208.—P.
- apteronum Acrydium, C. de Geer, Mém. Ins. III. 1773, 474.
- aptera Blatta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2046.
- apterus Brachycerus (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 183.—Curculio
- apterus Bruchus, A. F. de Fourcroy, Ent. Paris. 1785, 57.
- aptera Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 54.
- aptera Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 438; ed. 12, 1767, 710.
- aptera Cicindela, A. G. Olivier, Entom. II. 1790, 7.
- aptera Cicindela, N. T. Lund, Skr. nat. Selsk. [Copen.] I (1) 1790, 76.
- apterus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 447; ed. 12, 1767, 727.
- apterus Cimex, M. Harris, Exp. Eng. Ins. 1776, 91.
- aptera Coccinella, G. Paykull, K. Vet. Ac. Nya Handl. XIX. 1798, 154.
- apterus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 386; ed. 12, 1767, 619
- apterus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 117.
- aptera Cynips, P. Forskal, Descr. Anim. 1775, 83.
- aptera Cynips, J. C. Fabricius, Ent. Syst. II. 1793, 104.
- apterus Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 193.
- apterus Hister, Scopoli, Ent. Carn. 1763, 13.
- apterus Ichneumon, E. Pontoppidan, Kurz. Nachr. N.-H. Dännemark, 1765, 225.
- apterus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 425.
- aptera Locusta, J. C. Fabricius, Ent. Syst. II. 1793, 45.
- apterus Lucanus, E. Laxmann, Nov. Comm. Sci. Petrop. XIV (1) 1770, 594.
- apterus Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 161.—Cimex.
- apterus Ptinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1608.
- apterus Reduvius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 546.
- apterygia Caecula, M. Vahl, Skr. nat. Selsk. [Copen.] III (2) 1794, 156.
- apua Bodianus, M. E. Bloch, Nat. ausl. Fische IV. 1790, 50.
- apuanus Cimex, P. Rossi, Mant. Ins. II. 1794, 54.
- apulus Bombylius, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 7.
- apulus [Sphinx], P. Cramer, Uitl. Kapellen, I (8) 1776, 139.
- Apus (*ex* Bellon.), J. A. Scopoli, Intr. Hist. Nat. 1777, 483.—A.
- Apus G. Guvier, Leçons Comp. Anat. I. 1800, 2 [*n. n.*].—A.
- Apus *v.* Apos.
- apus Binoculus (L.), A. F. de Fourcroy, Ent. Paris. 1785, 539.—Monoculus.
- apus Chalcida (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 31.—Lacerta.
- apus Coryphaena, M. T. Brünnich, Nye Saml. K. Danske Skrifter, II. 1783, 319.
- apus Curculio [D. H. Schneider], Nom. Ent. 1785, 12 [*n. n.*].
- apus Hirundo, Linnaeus, Syst. Nat., ed. 10, 1758, 192; ed. 12, 1766, 344.
- apum Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 69.
- apus Lacerta, J. G. Gmelin in Linn. Syst. Nat., ed. 13, I (3) 1789, 1079 [=apoda, Pall.].
- apus Monoculus, Linnaeus, Syst. Nat., ed. 10, 1758, 635; ed. 12, 1767, 1058.
- apus Pinctada, J. F. Bolten, Mus. Bolten. (2) 1798, 167.
- aquaetice Salamandra, F. C. Meuschen, Mus. Gronov. 1778, 8.
- aquana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 17 [*n. et f.*].
- Aquarius J. R. Schellenberg, Cimic. Helvet. 1800, 20.—Hem.
- aquarius Acarus, O. F. Müller, Z. Dan. Prod. 1776, 188.
- aquaticus Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 617; ed. 12, 1767, 1025.
- aquaticus Accentor, J. M. Bechstein, Getreue Abbild. heft 13 [? 1795], 47.
- aquatica Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 623; ed. 12, 1767, 1036.
- aquaticus Asellus, A. F. de Fourcroy, Ent. Paris. 1785, 541.
- aquaticus Asilus (Scop.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 272.—Erax.

- aquatica** Buprestis, Scopoli, Ent. Carn. 1763, 64.
aquaticus Calopus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 55.
aquaticus Canis, L. F. Jauffret, Zoograph. 1800, 16.
aquatica Cicindela, Linnaeus, Syst. Nat., ed. 10, 1758, 408; ed. 12, 1767, 658.
aquaticus Cimex, G. de Razoumowsky, Hist. Nat. Jorat. 1789, 186.
aquaticus Coccus, Linnaeus, Reise Schwed. (ed. Schreber) I. 1764, 199.
aquaticus Corvus, M. Houttuyn in Nozeman & Houttuyn, Ned. Vogel. I. no. 49 Inhoud
aquaticus Crotalus, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 3. [eerste deel (1779)].
aquaticus Cryptocephalus (Müll.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1725.
 —Galeruca.
aquatica Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 505.—Oniscus.
aquaticus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 21.
aquatica Donacia (L.), C. P. Thunberg, N. Acta Soc. Sci. Upsal. V. 1792, 118.—
aquaticus Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 127. [Leptura.
aquaticus Dytiscus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 321.
aquaticus Elaphrus (L.), J. C. Fabricius, Syst. Ent. 1775, 227.—Cicindela.
aquaticus Elophorus (L.), J. C. Fabricius, Syst. Ent. 1775, 66.—Silpha.
aquaticus Erax, Scopoli, Ent. Carn. 1763, 362.
aquatica Galeruca, O. F. Müller, Z. Dan. Prod. 1776, 83.
aquatica Galeruca, A. F. de Fourcroy, Ent. Paris. 1785, 103.
aquaticus Gekko (L.), F. A. A. Meyer, Syn. Rept. 1795, 24.—Lacerta.
aquaticus Gordius, Linnaeus, Syst. Nat., ed. 10, 1758, 647; ed. 12, 1767, 1075.
aquaticus Hemerobius, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 59.
aquatica Idotea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 303.—Oniscus.
aquatica Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 206; ed. 12, 1766, 370.
aquatica Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 397; ed. 12, 1767, 637.
aquatica aenea Leptura, C. de Villers, Linn. Ent. I. 1789, 259.
aquatica fasciata Leptura, C. de Villers, Linn. Ent. I. 1789, 259.
aquatica mutica Leptura, C. de Villers, Linn. Ent. I. 1789, 259.
aquaticus Limnochares (L.), P. A. Latreille, Préc. Car. Ins. 1796, 181.—Acarus.
aquatica Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 953.
aquatica Musca, A. F. de Fourcroy, Ent. Paris. 1785, 478.
aquatica Nitidula (L.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1628.—Silpha.
aquaticus Oniscus, Linnaeus, Syst. Nat., ed. 10, 1758, 637; ed. 12, 1767, 1061.
aquaticus Pediculus, E. Pontoppidan, Danske Atlas, I. 1763, 699.
aquatica Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 65.—Silpha.
aquatica Podura, Linnaeus, Syst. Nat., ed. 10, 1758, 609; ed. 12, 1767, 1014.
aquaticus Pulex, O. F. Müller, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785, 192.
aquaticus Rallus, Linnaeus, Syst. Nat., ed. 10, 1758, 153; ed. 12, 1766, 262.
aquatica Salamandra (L.), F. C. Meuschen, Mus. Gronov. 1778, 8.—Lacerta.
aquatica-nera Salamandra, G. I. Molina, Sag. stor. Nat. Chili, 1782, 217.
aquaticus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 353.
aquaticus Scarabaeus, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 50.
aquatica Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 362; ed. 12, 1767, 573.
aquaticus Sorex, Linnaeus, Syst. Nat., ed. 10, 1758, 53; ed. 12, 1766, 74.
aquaticus Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 88.
aquatica Sylvia (Gm.), J. Latham, Index Orn. 1790, 510.—Motacilla.
aquaticum Trombidium (L.), J. C. Fabricius, Syst. Ent. 1775, 431.—Acarus.
aquatilis Elaphrus, Illiger in Kugelann, Käfer Preuss. 1798, 232.
aquatilis Podura, O. F. Müller, Z. Dan. Prod. 1776, 184.
aquea Acheta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 192.
aquella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
Aquila Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 3 & 34.
Aquila M. J. Brisson, Ornith. I. 1760, 420.—A.
Aquila R. Kerr, Anim. Kingd. 1792, 481.—A.
Aquila B. G. E. Lacépède, Tabl. Oiseaux, 1799, 4.
Aquila G. Cuvier, Leçons Comp. Anat. I. 1800, 2 [n. n.].—A.
aquila Falco, J. M. Bechstein, Gem. Nat. Deutschl. II. 1791, 212.

- aquila** Raja, Linnaeus, Syst. Nat., ed. 10, 1758, 232; ed. 12, 1766, 396.
aquilae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3033.
aquilella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 24.
aquilinus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 280.
aquilinus Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 430; ed. 12, 1767, 697.
aquilina Locusta (L.), C. de Geer, Mém. Ins. III. 1773, 450.—Gryllus.
aquilina Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 80. [381.—Noctua.
aquilina Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
aquilus Pelecanus, Linnaeus, Syst. Nat., ed. 10, 1758, 133; ed. 12, 1766, 216.
aquosa Cochlea, T. Martyn, Univ. Conch. IV. [1792], fig. 131.
"Ara Brisson, 1760," Ag. [not used in a generic sense].
Ara B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 1.
Ara G. Cuvier, Leçons Comp. Anat. I. 1800, 2 [*n. n.*].—A.
arabica Anadema, F. C. Meuschen, Mus. Gever. 1787, 480.
arabica Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 542.
arabicum Buccinum, T. Martyn, Univ. Conch. II. [1788], fig. 52.
arabica Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 84.
arabicus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 1102.
arabicus Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 13.
arabica Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 718; ed. 12, 1767, 1173.
arabicus Gobius, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I, 1789, 1198.
arabicus Gryllus, Linnaeus in Hasselquist, Palast. 1762, 452.
arabica Helix, P. Forskal, Descr. Anim. 1775, 127.
arabicus Lutjanus (Gm.), G. A. Suckow, Naturges. IV. 1799, 548.—Perca.
arabica Meloe, P. S. Pallas, Icon. Ins. 1782, 89.
arabicus Murex, F. C. Meuschen, Mus. Gever. 1787, 328.
arabica Perca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I (3) 1789, 1312.
arabica Phalaena, Hufnagel, Berl. Mag. III. 1767, 412.
arabica Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 404.—Cypraea.
arabica Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3461.
arabs Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 442; ed. 12, 1767, 716.
arabs Otis, Linnaeus, Syst. Nat., ed. 10, 1758, 154; ed. 12, 1766, 264.
arabs Scarites, J. C. Fabricius, Syst. Ent. 1775, 250.
arabs Tenebrio (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I, 1789, 1994.—Scarites.
aracanga Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 313.
aracari Ramphastos, Linnaeus, Syst. Nat., ed. 10, 1758, 104; ed. 12, 1766, 151.
arachne Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 448.
arachne [Papilio], P. Cramer, Utit. Kapellen, I (4) 1775, 75.
arachne Papilio [Denis & Schiffermüller], Schmett. Wien, 1775, 169.
arachnoides Solpuga, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 217.
"Arachnoides Klein, Ag." J. T. Klein, Nat. Disp. Ech., ed. Leske, 1778, 26. The
 addit. only of this book accepted.—Ech.
arachnoides Astroites, J. E. I. Walch, Naturforscher, V. 1775, 59.
arachnoides Astrophyton, C. F. Schultze, Verst. Seest. 1760, 53.
arachnoides Copris, A. F. de Fourcroy, Ent. Paris. 1785, 15.
arachnoides Madrepora, P. S. Pallas, Char. Thierpfl. II. 1787, 135.
acachnoideus (*sic*) Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3388.
arachnoideus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 39.—Conus.
arachnoidea Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3674.
arachnoidea Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 61.
arachnoidea Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 36.
aracanthus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 344.
aracanthus Papilio, J. C. Fabricius, Gen. Ins. 1777, 271.
arada Turdus, J. Latham, Index Orn. 1790, 358.
aragonica Perdix, J. Latham, Index Orn. 1790, 645.
aramaca Pleuronectes, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 121.
aranacea Phalaena Bom., D. Drury, Ill. Nat. Hist. I. 1770, index.
aranciaca Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 662; ed. 12, 1767, 1100.

- Aranea** Linnaeus, Syst. Nat., ed. 10, 1758, 619; ed. 12, 1767, 1030.—Ar.
araneorum Acarus, J. A. E. Goeze, Beschäft. Ges. Nat. Freunde, II. 1776, 280.
araneorum Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 69.
araneiformis Callidium, A. G. Olivier, Entom. IV. 1795, 61.
araneiformis Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2984.—
araneiformis Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 625. [Pagurus.
araneiformis Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 116.
araneiformis Curculio, F. v. P. Schrank, Ins. Aust. 1781, 125.
araneiformis Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3173.
araneiformis Lamia (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 271.
araneiformis Pagurus, J. C. Fabricius, Syst. Ent. 1775, 411.
araneodes Acarus, P. S. Pallas, Spic. Zool. IX. 1772, 41.
araneoides Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2194.
araneoides Galeodes (Pall.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 580.—Phalangium.
araneoides Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 181.
araneoides Phalangium, P. S. Pallas, Spic. Zool. IX. 1772, 37.
araneosus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 612.
araneosus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 38.
[Araneus C. Clerck, Aran. Svec. 1757, 22.]—Ar.
araneus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 628; ed. 12, 1767, 1044.
araneus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 433.
aranea Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 368.
araneus Inachus, F. Weber, Nomen Fabricii, 1795, 93.—Cancer.
aranea Lamia [D. H. Schneider], Nom. Ent. 1785, 15 [*u. n.*].
aranea Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 97.
aranea Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 168.
aranea Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8 [*u. n.*].
aranea Scolopendra, Scopoli, Ent. Carn. 1763, 418.
araneus Sorex, Linnaeus, Syst. Nat., ed. 10, 1758, 53; ed. 12, 1766, 74.
aranipes Pimelia, A. G. Olivier, Entom. III. 1795, 17.
ararauna Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 96; ed. 12, 1766, 139.
ararauna Psittacus, R. Kerr, Anim. Kingd. 1792, *var. caeruleus*, 561.
arator Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 379.
arator Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 49.
arator Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 18.
arator Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 9.
arator Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 283.
aratoria Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 344.
aratum Alata, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 1.
aratum Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 64.
arata Chama, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3304.
aratus Elater, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 37.
arata Ostrea, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3327.
aratus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 144.
araucanus Camelus, G. I. Molina, Sag. stor. nat. Chili, 1782, 316.
arausiacus Conus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3392.
arausiacus Murex, F. C. Meuschen, Mus. Gever. 1787, 326.
arausiaca Muscicapa, P. L. S. Müller in Linn. Syst. Nat. Suppl. (1776), 171.
arausiacus Psittacus, P. L. S. Müller in Linn. Syst. Nat. Suppl. (1776), 79.
arausiacus Spondylus, F. C. Meuschen, Mus. Gever. 1787, 434.
arausiaca Voluta, G. Shaw, Nat. Misc. II. 1790, pl. 52.
arbas [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 177.
arbates [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 198.
arbitcola Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 171.
arborator Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 51.
arborescens Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 56.
arborescens Cochlea, T. Martyn, Univ. Conch. IV. [1792], fig. 137.
arborescens Doris, O. F. Müller, Z. Dan. Prod. 1776, 229.

- arborescens** Spongia, G. Olivi, Zool. Adriat. 1792, 264.
arboreti Curculio, J. C. Fabricius, Mant. I. 1787, 122.
arborea Alauda, Linnaeus, Syst. Nat., ed. 10, 1758, 166; ed. 12, 1766, 287.
arboreum Alcyonium, Linnaeus, Syst. Nat., ed. 10, 1758, 803; ed. 12, 1767, 1293.
arborea Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 128; ed. 12, 1766, 207.
arboreus Bufo, J. G. Schneider, Hist. Amph. I. 1799, 231.
arboreus Calamita, J. G. Schneider, Hist. Amph. I. 1799, 153.
arboreus Carabus, C. Quesnel, Diss. ignotus insectorum species, 1790, 18.
arborea Cenchrus, F. C. Meuschen, Mus. Gronov. 1778, 17.
arboreus Cimex, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2160.
arborea Gorgonia, F. C. Meuschen, Mus. Gever. 1787, 526.
arboreus Gryllus, J. C. Fuessly, Schweitz. Ins. 1775, 23.
arboreum Litophyton, P. Forskal, Descr. Anim. 1775, 139.
arboreus Passer, C. Nozeman in Nozeman & Houttuyn, Ned. Vogel. I. (177-), 79.
arborea Peltis, O. F. Müller, Z. Dan. Prod. 1776, 64.
arborea Podura, Linnaeus, Syst. Nat., ed. 10, 1758, 609; ed. 12, 1767, 1014.
arborea Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 213; ed. 12, 1766, 357.
arboreus Tenebrio, F. v. P. Schrank, Ins. Aust. 1781, 219.
arborum Coccus, F. v. P. Schrank, Ins. Aust. 1781, 295.
arborum Termes, D. Solander, Phil. Trans. LXXI (1) 1781, 141.
arbustella Phalaena, Scopoli, Ent. Carn. 1763, 256.
arbustella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 293.
arbustorum Apis, J. C. Fabricius, Gen. Ins. 1777, 246.
arbustorum Apis, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791, 126.
arbustorum Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 472.—Tinea arbustella, 1794.
arbustorum Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 771; ed. 12, 1767, 1245.
arbustorum Hylaeus, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 14.
arbustorum Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 175.
arbustorum Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 591; ed. 12, 1767, 984.
arbustorum Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 765.—Musca.
arbustorum Thelephorus, O. F. Müller, Z. Dan. Prod. 1776, 62.
arbustorum Tenthredo, J. A. Pollich, Bemerk. Kuhrpfalz. phys.-oek. Ges. 1779 (1781),
arbustorum Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 123. [275.
arbustorum Vespa, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 5.
arbutella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 538; ed. 12, 1767, 889.
arbutella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 661.—Phalaena.
arbuti Noctua, J. C. Fabricius, Syst. Ent. 1775, 619.
arbuti Phalaena Noctua (Fab.), E. J. C. Esper, Die Schmett. IV. [1797-1800], 555.—
Arca Linnaeus, Syst. Nat., ed. 10, 1758, 693; ed. 12, 1767, 1140.—L. [Noctua.
arca Cardium, J. F. Bolten, Mus. Bolten. (2) 1798, 190 [n. n].
arcadia [Papilio], P. Cramer, Utitl. Kapellen, II (10) 1777, 29.
arcalaus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 211.
arcania Papilio, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 206.
arcania Papilio (Helic.), Linnaeus, Faun. Suec., ed. 2, 1761, 273.
Arcardo J. G. Bruguère, Ency. Méth. (Vers) (1) 1789, xiii [see Acardo].—L.
arcas Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 311.
arcas [Papilio], D. Drury, Ill. Nat. Hist. I. 1770, index & 38.
arcas [Papilio], P. Cramer, Utitl. Kapellen, II (15) 1777, 127.
arcas Papilio, E. J. C. Esper, Die Schmett. I (9) 1779, 338.
arcas [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 6.
arcas [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 8.
arcas Papilio, J. C. Fabricius, Mant. II. 1787, 30.
arcas Papilio, J. C. Fabricius, Mant. II. 1787, 80.
arcas [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 174.
arcas Scarabaeus, A. G. Olivier, Entom. I. 1789, 44.
arcella Tinea, J. C. Fabricius, Gen. Ins. 1777, 295.
arcensia [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 8.
arcensis Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 132.

- arcesilaus** Papilio, J. C. Fabricius, Mant. II. 1787, 28.
arcesilaus Papilio Eques, J. H. Sulzer, Gesch. Ins. 1776, 142.
archada [Phalaena], C. Stoll, A nhang. Cramer's Utit. Kapellen, II. 1790, 55.
archangelicae Aphis, Scopoli, Ent. Carn. 1763, 137.
archesia [Papilio], P. Cramer, Utit. Kapellen, III (19) 1779, 44.
archesia [Phalaena], P. Cramer, Utit. Kapellen, III (23) 1780, 145.
archias [Papilio], P. Cramer, Utit. Kapellen, II (16) 1777, 129.
archias [Sphinx], C. Stoll, A nhang. Cramer's Utit. Kapellen, II. 1790, 66.
archiepiscopus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 747.
archimedes Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 320.
archippus [Papilio], P. Cramer, Utit. Kapellen, I (2) 1775, 24.
archippus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 49.
Architectonica J. F. Bolten, Mus. Bolten. (2) 1798, 78.—G.
archithalassus indiae Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 43.
architymas [Papilio], C. Stoll, A nhang. Cramer's Utit. Kapellen, I. 1787, 25.
Arcidia F. C. Meuschen, Mus. Gronov. 1778, 50.
arcinella Chama, Linnaeus, Syst. Nat., ed. 12, 1767, 1139.
arcinella Macerophyllum (L.), F. C. Meuschen, Mus. Gever. 1787, 432.—Chama.
arcinella Tridachnes (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 172.—Chama.
arcus Papilio, Linnaeus, Amoen. Acad. VI. 1763, 409.
Arctica Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 5 & 53.—A.
arctica Alca, Linnaeus, Syst. Nat., ed. 10, 1758, 130; ed. 12, 1766, 211.
arctica Argonauta, O. Fabricius, F. Groen. 1780, 386.
arcticus Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 178.
arcticus Carabus, A. G. Olivier, Entom. III. 1795, 97.
arctica Cardita (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 411.—Mya.
arctica Coccinella, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 383.
arctica Coccinella, J. C. Fabricius, Ent. Syst. IV. 1794, 446.
arcticus Colymbus, Linnaeus, Syst. Nat., ed. 10, 1758, 135; ed. 12, 1766, 221.
arcticus Curculio, O. Fabricius, F. Groen. 1780, 188.
arcticus Curculio, G. Paykull, Mon. Curc. 1792, 32.
arctica Cypraea, R. Pulteney, Cat. Birds &c. Dorset, 1799, 39.
arcticus Dytiscus, G. Paykull, Faun. Suec. I. 1798, 201.
arctica Emberiza, J. Latham, Index Orn. 1790, 414.
arctica Fratercula (L.), J. C. Schaeffer, Mus. Orn. 1789, 61.—Alca.
arcticus Gymnogaster, M. T. Brünnich, Nye Saml. K. Danske Skrifter, III. 1788, 408.
arcticus Mergus (L.), J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 71.—Colymbus.
arcticus Monoculus, P. S. Pallas, Reise Russ. III. 1776, 709.
arctica Mya, Linnaeus, Syst. Nat., ed. 12, 1767, 1113.
arcticus Salmo, O. Fabricius, F. Groen. 1780, 177.
arcticus Salmo (Truttac.), P. S. Pallas, Reise Russ. III. 1776, 706.
arcticus Scarites, G. Paykull, Faun. Suec. I. 1798, 85.
arcticus Sorex, R. Kerr, Anim. Kingd. 1792, 206, and *var.* cinereus.
arctica Strix, A. Sparrman, Mus. Carls. III. 1788, no. li.
arcticus Tabanus, O. F. Müller, F. Ins. Frid. 1764, 86.
arctii Musca, C. de Geer, Mém. Ins. VI. 1776, 42.
Arctomys J. C. D. Schreber, Säugth. IV. 721 (1782); pl. 207 (1780).—M.
Arctomys B. G. E. de Lacépède, Tabl. Mamm. 1799, 10.—M.
arctomys Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 40.—Mus.
arctomys Mus, P. S. Pallas, N. sp. Quad. II. 1779, 75.
arctophonus [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 8.
arctophylax [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 6.
arcticus Cancer, *errore* arctus, Linn., O. F. Müller, Z. Dan. Prod. 1776, 196.
arctos Melolontha (Pall.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 138.—Scara-
arctos Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 16. [baeus.
arctos Ursus, Linnaeus, Syst. Nat., ed. 10, 1758, 47; ed. 12, 1766, 69.
arctos Ursus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 100, *varr.* niger, fuscus,
arctos Ursus, R. Kerr, Anim. Kingd. 1792, 184, *var.* griseus. [albus, variegatus.

- arctous** Papilio, J. C. Fabricius, Syst. Ent. 1775, 489.
- arctus** Astacus (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 14.—Cancer.
- arctus** Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 633; ed. 12, 1767, 1053.
- arctus** Cancer (Astacus) L., J. F. W. Herbst, Vers. Nat. Krab. II (3) 1792, 80.
- arctus** Scyllarus (L.), J. C. Fabricius, Syst. Ent. 1775, 413.—Cancer.
- arcualis** Phal. Pyr., J. Hübner, Samml. Vögel u. Schmett. 1793, 12 [*n. et f.*].
- arcualis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 14 & 21.
- arcuanus** Chaetodon *id. ac* ariuanus, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
- arcuana** Phalaena (Tort.), Linnaeus, Faun. Suec., ed. 2, 1761, 344. [1250.]
- arcuana** Phalaena (Tortrix), O. F. Müller, F. Ins. Frid. 1764, 52.
- arcuana** Phalaena Tortrix, J. Hübner, Beitr. Schmett. I (2) [1787], 18.
- arcuana** Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 649.—Phalaena.
- arcuana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 33 [*n. et f.*].
- arcuaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 137 [*n. et f.*].
- arcuaria** Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2466.
- arcuato-lineata** Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778,
- arcuata** Apis, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. III. 1794, 141. [294.]
- [**arcuatus** Araneus, C. Clerck, Aran. Svec. 1757, 125.]
- arcuata** Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 425.
- arcuatus** Araneus, T. Martyn, Aranei, 1793, 59.
- arcuatus** Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 387.
- arcuatum** Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 192.—Leptura.
- arcuata** Cassida, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 193.
- arcuata** Cassida, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 393.
- arcuatus** Cerambyx (L.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1853.—Leptura
- arcuatus** Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 273; ed. 12, 1766, 462.
- arcuata** Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 691.
- arcuata** Cicada, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2094.
- arcuatus** Cimex, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2181.
- arcuatus** Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 83.
- arcuatus** Clytus (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 95.—Leptura.
- arcuata** Coccinella, J. C. Fabricius, Mant. I. 1787, 55.
- arcuata** Coccinella, P. Rossi, Mant. Ins. II. 1794, 88.
- arcuata** Crioceris, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 200.
- arcuatus** Curculio, G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 6.
- arcuatum** Dentalium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3738.
- arcuatus** Dytiscus, G. W. F. Panzer, Ins. Germ. heft 26 [1795], tab. 1.
- arcuata** Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 912.
- arcuatus** Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 208.
- arcuata** Lepas, O. Fabricius, Skr. nat. Selsk. [Copen.] IV (2) 1798, 38.
- arcuata** Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 399; ed. 12, 1767, 640.
- arcuata** Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 80.
- arcuata** Leptura, Hellwig in G. W. F. Panzer, Ins. Germ. heft 8, 1793, tab. 12.
- arcuata** Leptura, A. G. Olivier, Entom. IV. 1795, 32.
- arcuatus** Lygaeus, J. C. Fabricius, Suppl. Ent. Syst., 1798, 538.
- arcuata** Meloe, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2019.
- arcuatus** Mulio, (L.), J. C. Fabricius, Suppl. Ent. Syst., 1798, 558.—Musca.
- arcuata** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 592; ed. 12, 1767, 985.
- arcuata** Musca, J. C. Fabricius, Spec. Ins. II. 1781, 451.
- arcuata** Musca, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 15.
- arcuata** Noctua, J. C. Fabricius, Mant. II. 1787, 145.
- arcuata** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 316.
- arcuata** Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 380.
- arcuata** Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2492.
- arcuatus** Prionus, J. C. Fabricius, Mant. I. 1787, 129.
- arcuatus** Scarabaeus, K. E. v. Moll in Schrank & Moll, Nat. Briefe Oesterreich, I. 1785,
- arcuata** SpheX (Fab.), J. L. Christ, Nat. Ins. 1791, 312.—Vespa. [103.]

- arcuatus** Stenocorus (Linn.), J. A. Scopoli, Annus V. 1772, 97.—Leptura.
arcuatus Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 767.—Musca.
arcuata Tenthredo, J. R. Forster, Cat. Brit. Ins. 1770, 13 [*n. n.*].
arcuata Tenthredo, J. R. Forster, N. Sp. Ins. 1771, 79.
arcuatus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 829.
arcuata Vespa, J. C. Fabricius, Syst. Ent. 1775, 371.
arcucanus Camelus, *id. ac* araucanus, Mol.
arcuella [Phalaena], C. Clerck, Icones I. 1759, pl. x. 8.
arcuella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
arcuinna Phalaena Noctua, J. Hübner, Beitr. Schmett. II. 1790, 93.
arcularia Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 737; ed. 12, 1767, 1200.
arcularia Cassis, F. C. Meuschen, Mus. Gev. 1787, 388.
arcularia Distorsio (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 133.—Buccinum.
arda Termes, P. Forskal, Descr. Anim. 1775, 96.
arda Termes, J. C. Fabricius, Spec. Ins. I. 1781, 397.
Ardea Linnaeus, Syst. Nat., ed. 10, 1758, 141; ed. 12, 1766, 233.—A.
ardea Rhagio, J. C. Fabricius, Ent. Syst. IV. 1794, 272.
ardeae Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3046.
ardeae Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3055.
ardeae Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 613; ed. 12, 1767, 1019.
ardens Trochus, C. U. v. Salis, Reise Neapel, 1793, 376.
arduinna Papilio N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1784], p. 169.
area [Phalaena], P. Cramer, Utit. Kapellen, I (5) 1775, 88. [1784], p. 169.
areata Cetonia, J. C. Fabricius, Syst. Ent. 1775, 50.
areata Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 327.
areata Coccinella, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 7.
areata Phalaena, *id. ac* area, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 256.
areatus Scarabaeus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1572.—
arenacearia Geometra [Denis & Schiffermüller], Schmett. Wien, 1775, 102. [Cetonia.
arenacearia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 114
arenacea Phalaena, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1790, 2432. [*n. cf. f.*]
arenacea Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 12, 1767, 828.
Arenaria M. J. Brisson, Ornith. V. 1760, 132.—A.
arenarius Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 22.—Scarabaeus.
arenarius Aphodius, C. Creutzer, Ent. Vers. 1799, 18.
arenarius Cancer, O. Toreen in P. Osbeck, Reise Ost-Ind. China, 1765, 479.
arenaria Cancer, F. C. Meuschen, Mus. Gronov. 1778, 84.
arenarius Cancer, E. A. W. Zimmermann in Cavolini, Abh. Erzeug. Fische, 1792, 117.
arenarius Cancer (Gammarellus) (O. Fab.), J. F. W. Herbst, Vers. Nat. Krab. II (4), 1793, 133.—Oniscus.
arenarius Cancer (Mantis), J. F. W. Herbst, Vers. Nat. Krab. II (3), 1792, 96.
arenarius Carabus, Scopoli, Ent. Carn. 1763, 90.
arenarius Carabus, J. C. Fabricius, Syst. Ent. 1775, 241.
arenarius Cerambyx, Scopoli, Ent. Carn. 1763, 53.
arenaria Chama (L.), E. M. da Costa, Brit. Conch. 1778, 232.—Mya.
arenaria Cicindela, J. C. Fuessly, Schweiz. Ins. 1775, 17.
arenaria Cicindela, J. C. Fabricius, Ent. Syst. I (1) 1792, 171.
arenarius Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 448; ed. 12, 1767, 729.
arenarius Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 152.—Scarabaeus.
arenarius Crabro, J. C. Fabricius, Mant. I. 1787, 297.
arenarius Cryptocephalus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 39 [1797], tab.
arenarius Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 82. [19.
arenarius Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 558.
arenaria Formica, J. C. Fabricius, Mant. I. 1787, 310.
arenarius Gordius, O. F. Müller, Verm. I (2) 1774, 33.
arenaria Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3644.
arenaria Helix, G. Olivii, Zool. Adriat. 1792, 178.
arenarius Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 39.—Mus.

- arenaria** Lamia, J. N. Laicharting, Tyrol. Ins. II. 1784, 20.
arenarius Lumbricus, O. F. Müller, Z. Dan. Prod. 1776, 216.
arenarius Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 170.—Cimex.
arenarius Mellinus, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 12.
arenarius Mus, P. S. Pallas, Reise Russ. II. 1773, p. 704.
arenarius Mus (Cricetus), K. Kerr, Anim. Kingd. 1792, 244.
arenaria Mutilla, J. C. Fabricius, Mant. I. 1787, 312.
arenaria Mya, Linnaeus, Syst. Nat., ed. 10, 1758, 670; ed. 12, 1767, 1112.
arenarius Oniscus, O. Fabricius, F. Groen. 1780, 259.
arenarium Opatrum, J. C. Fabricius, Syst. Ent. 1775, 76.
arenaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 518.
arenarius Philanthus (L.), J. C. Fabricius, Ent. Syst. II. 1793, 290.—Sphex.
arenarius Philanthus, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 225.—
arenarius Scarabaeus, J. C. Fabricius, Mant. I. 1787, 11. [Crabro, 1787.
arenarius Scarabaeus (Fab.), C. de Villers, Linn. Ent. IV. 1789, 210.—Trox.
arenarius Scarites, J. C. Fabricius, Syst. Ent. 1775, 249.
arenaria Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 787; ed. 12, 1767, 1266.
arenaria Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 571; ed. 12, 1767, 946.
arenaria Sphex, J. C. Fabricius, Mant. I. 1787, 273.
arenarius Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 172.
arenarius Staphylinus, G. Paykull, Faun. Suec. III. 1800, 382.
arenarius Tamarindiformis, F. C. Meuschen, Mus. Gev. 1787, 412.
arenaria Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 160.
arenaria Teredo, P. J. Bergius, K. Vet. Ac. Handl. XXVI. 1765, 230.
arenaria Teredo, P. Forskal, Descr. Anim. 1775, 99.
arenaria Tetrao, P. S. Pallas, Nov. Comm. Sci. Petrop. XIX. 1775, 418.
arenaria Tringa, Linnaeus, Syst. Nat., ed. 12, 1766, 251.
arenarius Trox, J. C. Fabricius, Mant. I. 1787, 18.
arenarius Vermetus (L.), F. M. Daudin, Rec. Mém. Moll. 1800, 35.—Serpula.
arenaria Vermiculus (L.), F. C. Meuschen, Mus. Gev. 1787, 236.—Serpula.
arenaria Vespa, J. C. Fabricius, Syst. Ent. 1775, 365.
arenatus Oniscus, M. Slabber, Nat. Verlust. 1769-78, 92.
arenatus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 621.
arenatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 49.
arenata Phalaena, J. C. Fabricius, Mant. II. 1787, 197.
arenata Voluta (*ex* Rumph), P. L. S. Müller, Del. Nat. I. 1766, 129.
arenella Tinea [Denis & Schiffermüller], Schmett. Wien. 1775, 137.
arenooides Julus, P. S. Pallas, Spic. Zool. IX. 1772, 85.
arenosum Alcyonium, G. Shaw, Nat. Misc. VIII. 1796, pl. 272.
arenosus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, p. 1985 [arenarius,
arenosus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 40. [Scop.].
arenosa Flustra, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 17.
arenosa Madrepora, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3766.
arenosus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3558.
arenosus Scarabaeus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1586 [arenarius
arenosa Sphex, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2724. [Trox, Fab. *est*.
arenosa Tubipora, Linnaeus, Syst. Nat., ed. 10, 1758, 790.
arenosa Vespa, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2764.
areola Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 736; ed. 12, 1767, 1199.
areola Cassidea (L.), J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 424.—Buccinum.
areolus (*sic*) Cassis (L.), F. C. Meuschen, Mus. Gev. 1787, 392.—Buccinum.
areola Madrepora *v.* areolata, Linnaeus, Syst. Nat., ed. 12, 1767, 1274.
areola Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797-1800], 448.
areola Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3575.
areolatus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 31.
areolatus Carabus, C. Creutzer, Ent. Vers. 1799, 115.
areolatus Cylindrus, F. C. Meuschen, Mus. Gev. 1787, 376.
areolata Eschara, P. S. Pallas, Elench. 1766, 41.

- areolata** Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 795; ed. 12, 1767, 1274
- areolata** Madrepora=areola Linn., P. S. Pallas, Elench. 1766, 295. [areola].
- areolatus** Papilio, J. E. Smith in Abbot, Ins. Georgia, 1797, 25.
- areolata** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3716.
- areolata** Perca, P. Forskal, Descr. Anim. 1775, 42.
- areolata** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 269.
- areolata** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 301.
- areolata** Testudo, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 29.
- areolata** T[estudo], C. P. Thunberg, K. Vet. Ac. Nya Handl. VIII. 1787, 180.
- areos** [Phalaena], P. Cramer, Utitl. Kapellen, II (11) 1777, 50.
- aresiaria** Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 303.
- areta** Papilio, J. C. Fabricius, Mant. II. 1787, 42.
- arete** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (27) 1780, 50.
- arete** Papilio (Nymphalis), O. F. Müller, F. Ins. Frid. 1764, p. 36.
- Aretusa** (*sic*) P. Browne, Hist. Jamaica, ed. 2, 1789, 386.—Acal.
- arethusia** [Papilio], P. Cramer, Utitl. Kapellen, I (7) 1775, 122.
- arethusia** Papilio [Denis & Schiffermüller], Schmett. Wien, 1775, 169.
- arithusa** (*sic*) [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 35.
- argali** Ovis, P. Boddaert, Elench. 1785, 147.
- argala** Ardea, J. Latham, Index Orn. 1790, 676.
- argalus** [Papilio], J. A. B. Bergstraesser, Nom. Ins. III. 1779, 18.
- argante** Papilio, J. C. Fabricius, Syst. Ent. 1775, 470.
- argante** [Papilio], P. Cramer, Utitl. Kapellen, III (17) 1779, 19.
- Argas** P. A. Latreille, Mag. encyclop. III (13) 1795, p. 18.—Ar.
- arge** Bombyx (Dr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 93.—Phalaena.
- arge** Papilio Nymphalis, J. H. Sulzer, Gesch. Ins. 1776, 144.
- arge** Papilio, V. Petagna, Spec. Ins. ult. Calab. 1786, 36.
- arge** Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 35.
- arge-russiae** Papilio, L. Prunner, Lep. Pedemont. 1798, 70.
- argenissa** [Papilio], C. Stoll, Anhang. Cramer's Utitl. Kapellen, IV. 1790, 130.
- argentalis** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 161.
- argentalis** Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 275.
- argentalis** Phalaena (Pyr.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 442.—Phalaena.
- argentana** [Phalaena], C. Clerck, Icones, I. 1759, pl. xi, 14.
- argentana** Phalaena [D. H. Schneider], Nom. Ent. 1785, 53 [*u. n.*].
- argentana** Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2517.
- [argentana]** Phalaena (Tort.) MS., T. Martyn, Psyche, 1797, figs. 95, 96.
- argentana** Tortrix [Denis & Schiffermüller], Schmett. Wien, 1775, 127.
- argentana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 86 [*u. et f.*].
- argentatella** Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
- argentata** Apis, J. C. Fabricius, Ent. Syst. II. 1793, 336.
- argentata** Aranea, J. C. Fabricius, Syst. Ent. 1775, 433.
- argentata** Callithrix (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 61.—Simia.
- argentata** Cebus (L.), H. F. Link, Beytr. Nat. I (2) 1795, 63.—Simia.
- argentatus** Centrogaster, M. Houttyn, Verh. Holl. Maat. Weet. Haarlem, XX (2) 1782,
- argentatus** Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 47. [334]
- argentata** Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 759.
- argentata** Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 38.
- argentatus** Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 384; ed. 12, 1767, 615.
- argentatus** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1779.
- argentatus** Larus, E. Pontoppidan, Danske Atlas, I. 1763, 622.
- argentatus** Larus, M. T. Brünnich, Orn. Boreal. 1764, 44.
- argentata** Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 102.
- argentata** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2843.
- argentata** Mutilla, C. de Villers, Linn. Ent. III. 1789, 343.
- argentata** Mylabris, J. C. Fabricius, Ent. Syst. I (2) 1792, 90.
- argentata** Perca, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 86.
- argentata** Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 25.

- argentata** Phalaena, J. C. Fabricius, Syst. Ent. 1775, 638.
argentata Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2636.
argentata Sciaena, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1300.
argentata Simia, Linnaeus, Mant. II. 1771, 521.
argentatus Simia (Sagoinus) L., R. Kerr, Anim. Kingd. 1792, 82.
argentatus Sparus, M. Houttyn, Verh. Holl. Maat. Weet. Haarlem, XX (2) 1782, 319.
argentata Sphex, J. C. Fabricius, Mant. I. 1787, 274.
argentata Stratiomys, J. C. Fabricius, Ent. Syst. IV. 1794, 266.
argentella [Phalaena], C. Clerck, Icones, I, 1759, pl. xi, 13.
argentella [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (30) 1781, 135.
argentella Phalaena (Tinea), Linnaeus, Faun. Suec. ed. 2, 1761, 367.
argentella Tinea, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 3.
argentella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 658.—Phalaena.
argenteo-lineata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 51.
argentea Ammophila, W. Kirby, Tr. Linn. Soc. [Lond.] IV, 1798, 201.
argentea Aranea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2959.
argentea Aranea, V. Petagna, Inst. Ent. 1792, 436.
argentea Arca, J. X. Poli, Test. Sicil. II. 1795, 147.
argenteus Bodianus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 57.
argenteus Canis, J. C. D. Schreber, Säugth. III. 360 (1776) & 585 (1777).
argentea Cantharis, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 84.
argentea Cetonia, A. G. Olivier, Entom. I. 1789, 50.
argenteus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 272; ed. 12, 1766, 461.
argentea Chimaera, P. Ascanius, Icon. II. 1772, 6.
argentea Cicada, C. de Villers, Linn. Ent. I. 1789, 473.
argenteus Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 471.—Tinea argentella
argenteus Culex, J. L. M. Poiret, Obs. sur la Physique, XXX. 1787, 245.
argenteus Cuniculus, F. A. A. Meyer, Nat. Haushier. 1792, 94.
argentea Donax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3265.
argenteus Esox, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1393.
argentea Glycymeris, E. M. da Costa, Brit. Conch. 1778, 170.
argenteus Gymnocephalus, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 30.
argenteus Lepidopus, J. P. Bonnatere, Ency. Méth. (Ich.) 1788, 58.
argentea Melolontha (Poda), J. C. Fabricius, Syst. Ent. 1775, 38.—Scarabaeus.
argentea Melolontha (Petagn.), A. G. Olivier, Entom. I. 1789, 67.—Scarabaeus.
argenteus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3361.
argentea Noctua (Herbst), J. C. Fabricius, Spec. Ins. II. 1781, 507.—Phalaena.
argentea Noctua, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 72.
[argenteus Papilio, MS.], T. Martyn, Psyche, 1797, fig. 34.
argentea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3704.
argentea Pennatula, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 66.
argentea Perca, Linnaeus, Syst. Nat., ed. 10, 1758, p. 294; ed. 12, 1766, 488.
argenteus Petromyzon, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 74.
argentea Phalaena, J. F. W. Herbst in Fuessly, Arch. Ins. I. 1781.
argentea [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (34) 1782, 242.
argentea Phalaena (N.), A. W. Knoch, Beitr. Insektenges. I. 1781, 45.
argentea Pleuronectes, J. P. Bonnatere, Ency. Méth. (Ich.) 1788, 77.
argenteus Scarabaeus, N. Poda, Ins. Mus. Graec. 1761, 20.
argenteus Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 8.
argentea Scarabaeus, V. Petagna, Ins. Calab. 1787, 4.
argentea Sciaena, P. Forskal, Descr. Anim. 1775, 51. [var. of cupressina].
argentea Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 809; ed. 12, 1767, 1308 [as
argenteus Stromateus, B. A. Euphrasen, K. Vet. Ac. Nya Handl. IX. 1788, 53.
argenteus Sygnathus, P. Osbeck, Reise Ost-Indien China, 1765, 396.
argenteus Sygnathus, Osb., J. P. Bonnatere, Ency. Méth. (Ich.) 1788, 32.
argentea Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3295.
argenthona Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 200.
argenticollis Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 31.

- [**argentiflua** Sphinx, MS.], T. Martyn, Psyche, 1797, figs. 82 & 83.
argenti-maculata Sciaena, P. Forskal, Descr. Anim. 1775, 47.
Argentina Linnaeus, Syst. Nat., ed. 10, 1758, 315; ed. 12, 1766, 518 [Artedi, Ichth. 1738, gen. v, p. 8].—P.
argentinae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3037.
argentinae Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3049.
argentina Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 524.
argentinetta Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 341.
argentina Bombyx [Denis & Schiffermüller], Schmett. Wien, 1775, 62.
argentinus Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 73.
argentina Noctua, J. C. Fabricius, Mant. II. 1787, 162.
argentina Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792.
argentinus Salmo, Linnaeus, Syst. Nat., ed. 12, 1766, 511. [796.—Noctua.
[argentomacularis Phalaena (N.) MS.], T. Martyn, Psyche, 1797, fig. 39.
argenteratensis Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 918.
argentula Phalaena Noctua, J. Hubner, Beitr. Schmett. I (2) [1787], 9.
argentula Phalaena Noct., H. G. Lang, Verz. Schmett., ed. 2, 1789, 158.
argus Coluber z. argus, Linnaeus, Syst. Nat., ed. 10, 1758, 227.
argester [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 1.
argia Papilio, J. C. Fabricius, Syst. Ent. 1775, 470.
argiades Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 300.
argiades Papilio, J. C. Fabricius, Mant. II. 1787, 76.
argiades Papilio (Pleb.), P. S. Pallas, Reise Russ. I. 1771, 472.
argillacea Apis, Scopoli, Ent. Carn. 1763, 305.
argillaceus Gordius, Linnaeus, Syst. Nat., ed. 10, 1758, 647; ed. 12, 1767, 1075.
argillacea Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 569 [argillosa Apis, ed. 12].
argillosa Apis, Linnaeus, Syst. Nat., ed. 12, 1767, 957.
argiolus Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 26.
argiolus Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 295.—Papilio.
argiolus Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 52.
argiolus Nassa, J. F. Bolten, Mus. Bolten. (2) 1798, 132 [*n. n.*].
argiolus Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 483; ed. 12, 1767, 790.
argiopes Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 104.
argiphontes [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 1.
 “Argo Bohadsch, 1761,” Herrmannsen, z. Argus.
argo Argonauta, Linnaeus, Syst. Nat., ed. 10, 1758, 708; ed. 12, 1767, 1161.
argo Chaetodon, P. Boddaert, De Chaet. argo, 1770.
argo Doris, Linnaeus, Syst. Nat., ed. 12, 1767, 1083.
argo buccinum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 127.
Argoderma J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—L.
Argonauta Linnaeus, Syst. Nat., ed. 10, 1758, 708; ed. 12, 1767, 1161.—Ceph.
argonautaea Sepia, F. C. Meuschen, Mus. Gronov. 1778, 46.
argopoeus [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 3.
argulata Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 172.—Phalaena.
argulata Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 80.
argulata [Phalaena], P. Cramer, Uil. Kapellen, I (6) 1775, 96.
Argulus O. F. Müller, Entom. 1785, 121.—Cr.
argulus Monoculus, J. C. Fabricius, Ent. Syst. II. 1793, 489.
arguro metopa Sphex, C. de Villers, Linn. Ent. III. 1789, 250.
Argus J. B. Bohadsch, Anim. Marin. 1761, 65.—Nud.
Argus J. A. Scopoli, Intr. Hist. Nat. 1777, 432.—Lep.
Argus J. X. Poli, Test. Sicil. I. 1791, Introd. 32. A generic term applied to fleshy parts of
argus Anthias, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 111. [*Pectines*, etc.
argus Bombyx, J. C. Fabricius, Spec. Ins. II. 1781, 170.
argus Cassida, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 66.
argus Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 278.
argus Chaetodon, Linnaeus, Syst. Nat., ed. 12, 1766, 464.
argus Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 67.

- argus** Coccinella, A. F. de Fourcroy, Ent. Paris. 1785, 145.
argus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 227 [arges]; ed. 12, 1766, 389.
argus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 47.
argus Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 719; ed. 12, 1767, 1173.
argus Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 296.—Papilio.
argus Labrus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 261.
argus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3547.
argus Muriciformis, F. C. Meuschen, Mus. Gev. 1787, 320.
argus Natrix, J. N. Laurenti, Syn. Rept. 1768, 78.
argus Papilio, Scopoli, Ent. Carn. 1763, 176.
argus Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 483; ed. 12, 1767, 789.
argus Phasianus, Linnaeus, Syst. Nat., ed. 12, 1766, 272.
argus Pleuronectes, M. E. Bloch, Nat. Fische Deutschl. II. 1783, 51.
argus Porcellana (L.), F. C. Meuschen, Mus. Gev. 1787, 404.—Cypraea.
argus Saperda, J. A. Frolich, Naturforscher, XXVII. 1793, 155.
argus Seps, J. N. Laurenti, Syn. Rept. 1768, 61 & 161.
arguta Ameiva (Pall.), F. A. A. Meyer, Syn. Rept. 1795, 28.—Lacerta.
arguta Lacerta, P. S. Pallas, Reise Russ. II. 1773, 718.
argutus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 12.
argyna Purpura, F. C. Meuschen, Mus. Gev. 1787, 312.
argynellus Curculio *err. pro* argyrellus, Spar., J. F. Gmelin, Linn. Syst. Nat., ed. 13, I.
argynnus [Papilio], D. Drury, Ill. Nat. Hist. I. 1770, index & 13. [1789. 1794-
argynnus Zygaena, J. C. Fabricius, Spec. Ins. II. 1781, 161.
argyra [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 78.
argyrana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 46 [*u. et f.*].
argyraspis Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 40.
argyrata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 303.
argyrellus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 56.
argyrella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
argyrella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
Argyreus J. A. Scopoli, Intr. Hist. Nat. 1777, 431.—Lep.
argyreus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 471.—Tinea argyrella, D. & S.
argyreus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 384; ed. 12, 1767, 615.
argyria Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 53.
argyrios Papilio Eques, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2248.
argyritis Noctua, E. J. C. Esper, Die Schmett. IV (42) 1791, 218.
argyrius Papilio, A. Sparrman in Linn. Amoen. Acad. VII. 1769, 502.
argyrobis [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 2.
argyrocapelus [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 76.
argyrocnemus Asilus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 212.
argyrocopus [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 77.
argyrodactyla Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 320.
argyroela [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 76.
argyrognomon [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 76.
argyrognomonis [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 6.
argyropeza Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 209.
argyrophalara [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 7.
argyrophalara [Papilio], J. A. B. Bergstraesser, Nom. Ins. III. 1779, 10.
argyrophalax [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 4.
argyrophthalmus Corvus, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 1.
argyrops Sparus, Linnaeus, Syst. Nat., ed. 12, 1766, 471.
argyrosticta Cicada, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 99.
argyrosticta Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 199.
argyrostoma Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 102.
argyrostoma Musca, F. v. P. Schrank, Ins. Aust. 1781, 460.
argyrostoma Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 200.
argyrostomus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3583.
argyrostomus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 764; ed. 12, 1767, 1236.

- argyrostoma** Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2766.
- argyrotoxus** [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 77.
- ariabilis** Parra *err. pro* variabilis, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, [708].
- ariadne** Papilio, Linnaeus, Amoen. Acad. VI. 1763, 407.
- ariadne** [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777, 128.
- ariarathes** Papilio (E. T.), E. J. C. Esper, Ausl. Schmett. (4) 1788, 57.
- aricye** [Papilio], P. Cramer, Uitl. Kapellen, I (8) 1776, 147.
- aridella** Galeruca, G. Paykull, Faun. Suec. II. 1799, 111.
- aridella** Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
- aridella** Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 83.
- Aries** M. J. Brisson, Reg. Anim. 1762, 12.—M.
- Aries** G. C. C. Storr, Prod. 1780, 41 & tab. C.—M.
- aries** Adscita, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 35.
- aries** Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 19.—Scarabaeus, 1781.
- aries** Ichneumon, J. L. Christ, Nat. Ins. 1791, 339.
- aries** Musmon (L.), F. v. P. Schrank, F. Boica, I. 1798, 81.—Ovis.
- aries** Ovis, Linnaeus, Syst. Nat., ed. 10, 1758, 70; ed. 12, 1766, 97; & *varr.* *anglica*; *africana*; *hispanica*; *laticaudata*; *polycerata*; *rustica*.
- aries kirgicusus** Ovis, P. S. Pallas, Spic. Zool. XI. 1776, 80.
- aries** Ovis, J. C. P. Erxleben, Syst. Anim. 1777, *varr.* *longicaudata* 249. *caspensis* 250.
- aries** Ovis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 198-9, *varr.* *guineensis*, *bucharica*.
- aries** Ovis, R. Kerr, Anim. Kingd. 1792, 326; & *varr.* *steatopyga* (328); *barbata*; *jubata*
- aries** Papilio, C. de Geer, Mém. Ins. VII. 1778, 591. [1330].
- aries** Scarabaeus, J. C. Fabricius, Spec. Ins. II. 1781, 495.
- arietinum** Dentalium, O. F. Müller, Z. Dan. Prod. 1776, 236.
- arietinus** Nautilus (Lituus), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 15.
- arietina** Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 169.
- arietis** Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 193.—Leptura.
- arietis** Cerambyx (L.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1853.—Leptura.
- arietis** Clytus (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 92.—Leptura.
- arietis** Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 399; ed. 12, 1767, 640.
- arietis** Stenocorus (Linn.), J. A. Scopoli, Annus V. 1772, 96.—Leptura.
- arietis** Vespa, J. C. Fabricius, Syst. Ent. 1775, 373.
- arietis** Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 676.
- ariminensis** Helix, O. Fabricius, Nye Saml. K. Danske Skrifter, IV (1) 1793, 90.
- arinas** [Papilio], P. Cramer, Uitl. Kapellen, II (9) 1777, 6.
- arinus** Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 336.—Papilio arinas.
- ariolator** Cerambyx (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1832.—Lamia
- ariolator** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 563; ed. 12, 1767, 933.
- ariolator** Lamia, J. C. Fabricius, Syst. Ent. 1775, 172.
- arion** Angaria, J. F. Bolten, Mus. Bolten. (2) 1798, 71.
- arion** Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 293.—Papilio.
- arion** Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 483; ed. 12, 1767, 789.
- arion** Turbinis, F. C. Meuschen, Mus. Gever. 1787, 280.
- arionis** [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 6.
- aristatus** Labrus, A. Sparrman in Linn. Amoen. Acad. VII. 1769, 505.
- aristella** Alucita (L.), J. C. Fabricius, Syst. Ent. 1775, 669.—Phalaena.
- aristella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 894.
- aristeus** [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 60.
- aristeus** [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 139.
- aristides** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 86.
- aristolochiae** Papilio, J. C. Fabricius, Syst. Ent. 1775, 443.
- aristolochiae** Papilio [D. H. Schneider], Besch. europ. Schmett. I. 1785, 50.
- aristolochiae** Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 113.
- aristotelis** Pelecanus, E. Pontoppidan, Danske Atlas, I. 1763, 621.
- aristus** [Papilio], C. Stoll, Aahang. Cramer's Uitl. Kapellen, V. 1790, 170.
- aritheusa** *v.* *arethusia*.

- arithmetica** Cetonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 13.
arius [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 51.
arlequinatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 427.
arlequinetta Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 321.
“Armadillo Brisson, 1762:” Ag.—Not used as generic word, see pp. 12 & 13, Regn.
Armadillo G. Cuvier, J. Nat. Hist. (Choix des Mém.) II. 1792, 27.—Cr. [Anim.—M.
armadillo Curculio, P. Rossi, Mant. Ins. I. 1792, 43.
armadillo Oniscus, Linnaeus, Syst. Nat., ed. 10, 1758, 637; ed. 12, 1767, 1062.
armadillo Oniscus, G. Cuvier, J. Nat. Hist. (Choix des Mém.) II. 1792, 23.
Armadillus Illiger in Kugelann, Käfer Preuss. 1798, 501.—Cr.
armadillus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2—5) 1783, 139.
armadillus Dermestes, C. de Geer, Mém. Ins. IV. 1774, 220.
armatorius Ichneumon, J. R. Forster, Cat. Brit. Ins. 1770, 14 [n. n.].
armatorius Ichneumon, J. R. Forster, N. Sp. Ins. 1771, 82.
armatorius Ichneumon, J. C. Fabricius, Mant. I. 1787, 260.
armata Andrena, G. W. F. Panzer, Ins. Germ. heft 70 [1799], tab. 22.
armatum Anisotoma, J. G. Kugelann, Käfer Preuss. 1798, 74.—Volvoxis, 1794.
armata Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2790.
armata Apis, J. C. Fabricius, Ent. Syst. II. 1793, 326.
armata Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 205.
armatus Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 464.
armatus Cerambyx, A. G. Olivier, Entom. IV. 1795, 121.
armatus Chaetodon, G. Shaw in White, Journ. N. S. W. 1790, 254.
armata Ciada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 748.
armatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 702.
armatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2189.
armatus Cucullanus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 92.
armatus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 123.
armata Donacia, G. Paykull, Faun. Suec. II. 1799, 194.
armata Fasciola, C. A. Rudolphi, Obs. Ver. Intest. 1793, 26.
armata Fulgora, D. Drury, Ill. Nat. Hist. III. 1782, index & 76.
armata Leptura, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 101.
armatus Macrogathus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 283.
armata Membracis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 668.
armata Muriciformis, F. C. Meuschen, Mus. Gev. 1787, 318.
armatum Opatrum, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 2.
armata Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 202.
armata Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 76.
armata Sciaena, P. Forskal, Descr. Anim. 1775, 53.
armatum Sphaeridium (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 27.—Tetratoma.
armatus Staphylinus, G. W. F. Panzer, Ins. Germ. heft 66 [1799], tab. 17.
armata Tetratoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 83.
armata Vespa, J. H. Sulzer, Gesch. Ins. 1776, 196.
armata Volvoxis (Herbst), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
armeniaca Curculio, J. C. Fabricius, Ent. Syst. I. (2) 1792, 405. [536.—Tetratoma.
armida Bombyx, J. C. Fabricius, Mant. II. 1787, 109.
armida [Phalaena], P. Cramer, Uitl. Kapellen, III (17) 1779, 6.
armiger Argulus, O. F. Müller, Entom. 1785, 124.
armiger Brentus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 196.
armiger Cancer, J. C. Fabricius, Mant. I. 1787, 319.
armiger Cancer (Gammarellus), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 109.
armiger Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 348.
armiger Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 128.—Cimex, 1781.
armiger Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 130.
armiger Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 58.
armiger Lucanus, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 301.
armiger Lumbricus, O. F. Müller, Z. Dan. Prod. 1776, 215.
armiger Monoculus (Müll.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3005.—Argulus,

- armiger** Portunus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 368.—Cancer, 1787.
- armiger** Scarabaeus, J. A. Scopoli, Annus V. 1772, 78.
- armiger** Scarabaeus, S. v. Hochenwarth, Schrift. Berlin Ges. Nat. Freunde, VI. 1785, 358.
- armiger** Sphex, J. L. Christ, Nat. Ins. 1791, 255.
- armigera** Idotea, F. Weber, Nomen. Fabricii, 1795, 94.
- armilla** Leucophaea, O. F. Müller, Zool. Dan. II. 1784, 99.
- armilla** Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 156.
- armillaris** Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
- armillatum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3496.
- armillatus** Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 622.
- armillata** Certhia, A. Sparrman, Mus. Carls. II. 1787, no. xxxvi.
- armillatus** Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 44.
- armillatus** Prionus (L.), J. C. Fabricius, Syst. Ent. 1775, 162.—Cerambyx.
- arminia** Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 35.—Phalaena.
- arminius** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 155.
- arminia** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 126.
- armipes** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 164.
- “Armodilla** Wagner, Mus. Baruth. 1763;” Ag.: Book not seen so cannot verify.—M.
- armoraciae** Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 369; ed. 12, 1767, 588.
- armus** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1805.
- arnaca** Papilio, J. C. Fabricius, Gen. Ins. 1777, 260.
- arnak** Raja, P. Forskal, Descr. Anim. 1775, ix.
- arné** [Papilio], P. Cramer, Utitl. Kapellen, I (2) 1775, 23.
- arnea** [Phalaena], P. Cramer, Utitl. Kapellen, I (3) 1775, 59.
- arnee** Bos, R. Kerr, Anim. Kingd. 1792, 336.
- arnicae** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 600; ed. 12, 1767, 997.
- arnicae** Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 107.
- arnicae** Staphylinus, Scopoli, Ent. Carn. 1763, 102.
- arnobia** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 188.
- arogeus** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 85.
- aromatica** Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 778.
- aromatica** Volema, J. F. Bolten, Mus. Bolten. (2) 1798, 57.
- aromatica** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 158.
- arontes** [Sphinx], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 184.
- arquata** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 396.
- arquatus** Numenius (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 291.—Scolopax.
- arquata** Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 145; ed. 12, 1766, 242.
- arria** Libellula, D. Drury, Ill. Nat. Hist. II. 1773, index & 84.
- arriaca** Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 18.
- arrian** Vultur, Picot de la Peirouse, K. Vet. Ac. Nya Handl. III. 1782, 105.
- arrianus** Vultur, F. M. Daudin, Traité élém. Orn. 1800, 18.
- arrogans** Musca, Linnaeus, Syst. Nat., ed. 12, I. 1767, 995.
- arrogator** Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 429.
- arrosor** Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (6) 1796, 170.
- arsalte** Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 469; ed. 12, 1767, 762.
- arsilache** Papilio (N. Ph.), E. J. C. Esper, Die Schmett. (Bd. 2) Forts. Tagschmett. [1780],
- arsinoe** [Papilio], P. Cramer, Utitl. Kapellen, II (14) 1777, 100. [35.]
- artaxerxes** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 297.
- artaxerxes** [Papilio], W. Lewin, Papilios, 1795, 82.
- artemides** Papilio, C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 211.
- Artemis** v. **Arthemis**.
- artemis** Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 322.
- artemisa** [Papilio], C. Stoll, Aanh. Cramer's Utitl. Kapellen, IV. 1790, 123.
- artemisaria** Phalaena, J. F. W. Herbst in Fuessly, Arch. Ins. II. 1782.
- artemisida** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 101.
- artemisida** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 223.
- artemisidae** Coccus, P. Rossi, Mant. Ins. II. 1794, 56.
- artemisidae** Curculio, Hellwig in G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 10.

- artemisiae** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 101.
artemisiae Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 351.
artemisiae Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 312. [287.—Noctua.
artemisiae Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
artenice [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 168.
artenuatus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 131.
artesiaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 102.
artesiaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796], fig. 15 [*n. et f.*].
Arthemiderma J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—L.
Arthemis J. X. Poli, Test. Sicil. I. 1791, Introd. 30. A generic term applied to the
fleshy part of *Venus exoleta*.
arthemis [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 17.
arthriticus Crabro, P. Rossi, Fauna Etrus. II. 1790, 93.
arthritica Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 67.
arthritica Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 44.
arthriticus Scarabaeus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1565.—
articilla [Larus]? *id. ac* atricilla, S. G. Gmelin, Reise Russ. I (1770) 72. [Melolontha.
articularius Psittacus, *err. pro* cubicularius in Forster's ed. of Toreen's Voy. (O-beck's Voy.
articulatus Cancer, F. C. Meuschen, Mus. Gronov. 1778, 84. [II. 1771], 200.
articulatus Carabus, G. W. F. Panzer, Deutsch. Ins. [1795], 64.
articulata Corallina, F. C. Meuschen, Mus. Gever. 1787, 534.
articulatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 461.
articulata Hydra, Bosc, Bull. Sci. Soc. Philom. [Paris], no. 2, 1797, 10.
articulatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 408.
articulata Mutilla, P. A. Latreille, J. Nat. Hist. (Choix des Mém.) II. 1792, 100.
articulata Sertularia, P. S. Pallas, Elench. 1766, 137.
artica Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 108. —? arectica.
artifex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
artificiosa Dromia, F. Weber, Nomen. Fabricii, 1795, 92.
artificiosa Dromia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 360.
Artocrea F. C. Meuschen, Mus. Gever. 1787, 488.—Ech.
artocreas Echinanthus, F. C. Meuschen, Mus. Gronov. 1778, 91.
atricilla Chrysomela, *err. pro* atricilla, L., J. C. Fabricius, Mant. I. 1787, 77.
atrisiosa Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 275.
aruanus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 275; ed. 12, 1766, 464.
aruanus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 753; ed. 12, 1767, 1222.
aruana Syrix (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 121.—Murex.
aruensis Mellinus, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 227.—Vespa, 1787.
aruensis Vespa, J. C. Fabricius, Mant. Ins. II. 1787, 291.
aruginosus *v.* **aeruginosus**.
aruncella Phalaena, Scopoli, Ent. Carn. 1763, 254.
arunci Cicada, Scopoli, Ent. Carn. 1763, 113.
arunco Bufo, J. G. Schneider, Hist. Amph. I. 1799, 226.
arunco Rana, G. I. Molina, Sag. stor. nat. Chili, 1782, 216.
arundinacea Antilope, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 81.
arundinacea Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 620; ed. 12, 1767, 1031.
arundinacea Emberiza, S. G. Gmelin, Reise Russ. II. 1774, 175.
arundinacea Motacilla, J. Lightfoot, Phil. Trans. LXXV (1) 1785, 11.
arundinacea Pennatula, A. Modeer, K. Vet. Ac. Nya Handl. VII. 1786, 297.
arundinacea Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3751.
arundinacea Sylvia (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 288.—Motacilla.
arundinaceus Tenebrio, P. Forskal, Descr. Anim. 1775, 78.
arundinaceus Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 170; ed. 12, 1766, 296.
arundinata Phalaena, C. P. Thunberg, Ins. Suecica (4) 1792, 61.
arundineti Tipula, Linnaeus, Faun. Suec., ed. 2, 1761, 434.
arundinis Aphis, J. C. Fabricius, Syst. Ent. 1775, 734.
arundinis Curculio, G. Paykull, Mon. Curc. 1792, 47.
arundinis Donacia, [D. H. Schneider] Nom. Ent. 1785, 16 [*n. n.*].

- arundinis** Noctua, J. C. Fabricius, Mant. II. 1787, 141.
arundinum Antilope, P. Boddaert, Elench. 1785, 141.
arusa Chaetodon, P. Forskal, Descr. Anim. 1775, 62.
arvalis Mus, P. S. Pallas, N. sp. Quad. II. 1779, 78.
arvalis Mus, R. Kerr, Anim. Kingd. 1792, 239, *var. nigricans*.
arvensis Alauda, Linnaeus, Syst. Nat., ed. 10, 1758, 165; ed. 12, 1766, 287.
arvensis Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2786.
arvense Callidium, G. W. F. Panzer, Naturforscher, XXIV. 1789, 30.
arvensis Carabus, J. C. Fabricius, Mant. I. 1787, 196.
arvensis Cicada, O. F. Müller, Z. Dan. Prod. 1776, 103.
arvensis Curculio, O. F. Müller, Z. Dan. Prod. 1776, 88.
arvensis Mellinus (L.), J. C. Fabricius, Ent. Syst. II. 1793, 287.—Vespa.
arvensis Phalaena, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1790, 2569.
arvensis Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74.
arvensis Sphex, O. F. Müller, Z. Dan. Prod. 1776, 161.
arvensis Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 573; ed. 12, 1767, 950.
Arvicola B. G. E. de Lacépède, Tabl. Mamm. 1799, 10.—M.
arvicola Callidium, A. G. Olivier, Entom. IV. 1795, 64.
arvicola Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 42. [Melolontha.
arvicola Scarabaeus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1559.—
arvorum Musca (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2869.—Syrphus.
arvorum Syrphus, J. C. Fabricius, Mant. II. 1787, 335.
Asaphis A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 176.—L.
asbestinum Alcyonium, P. S. Pallas, Elench. 1766, 344.
Ascalaphus J. C. Fabricius, Syst. Ent. 1775, 313.—Neur.
ascanias Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 275.
ascanii Blennius, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 173.
ascanii Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 610.
ascanii Gymnetrus, P. G. Lindroth, K. Vet. Ac. Nya Handl. XIX. 1798, 288.
ascanius Papilio, A. Sparrman in Linn. Amoen. Acad. VII. 1769, 500.
ascanius [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 20.
ascanius Simia, J. B. Audebert, Hist. Nat. Singes, 1799, sign. V.
Ascaris Linnaeus, Syst. Nat., ed. 10, 1758, 648; ed. 12, 1767, 1076.—Ver.
ascaroides Cucullanus, J. A. E. Goeze, Eingeweidewürm. 1782, 40 & 134.
ascensionis *v. adconsionis*.
asceta Murex, F. C. Meuschen, Mus. Gev. 1787, 332.
Ascia J. A. Scopoli, Intr. Hist. Nat. 1777, 434.—Lep.
Ascidia Linnaeus, Syst. Nat., ed. 12, 1767, 1087 [not 1758 as stated by Agassiz.]—Tun.
ascidioides Alcyonium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3816.
Ascidium (*ex* Baster), L. T. Gronov, Acta Helvet. V. 1762, 379.—Tun.
Ascidium L. T. Gronov, Zooph. III. 1781, 245.—Tun.
ascillar Madrepora, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 160.
ascita Mystus, F. C. Meuschen, Mus. Gronov. 1778, 38.
ascita Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 306; ed. 12, 1766, 505.
asclepiadea Chrysomela, P. S. Pallas, Reise Russ. II. 1773, 725.
asclepiadeus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 205.
asclepiadis Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 91.
asclepiadis Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 46.
aselenos Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 197.
aselliformis Musca, A. F. de Fourcroy, Ent. Paris. 1785, 475.
aselliformis Sesia, P. Rossi, Mant. Ins. II. 1794, 16.
asellina Lernaea, Linnaeus, Syst. Nat., ed. 10, 1758, 655; ed. 12, 1767, 1093.
Asellus E. L. Geoffroy, Hist. Ins. II. 1762, 671.—Cr.
Asellus E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 401.—Cr.
asella Bombyx [Denis & Schiffermüller], Schmett. Wien, 1775, 65.
asellus Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3206.
asellus Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 722; ed. 12, 1767, 1178.
asellus Hepialus (D. & S.), J. C. Fabricius, Ent. Syst. III (2), 1794, 7.—Bombyx.

- asellus** Oniscus, Linnaeus, Syst. Nat., ed. 10, 1758, 637; ed. 12, 1767, 1061.
- asellus** Oniscus, G. Cuvier, J. Nat. Hist. (Choix des Mém.) II. 1792, 23.
- asella** Phalaena Bombyx (Fab. *non* Esp.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 450.—Bombyx.
- asellus** Porcellana, F. C. Meuschen, Mus. Gever. 1787, 402.—Cypraea.
- asellus** Squilla, C. de Geer, Mém. Ins. VII. 1778, 496.
- asfur** Chaetodon, P. Forskal, Descr. Anim. 1775, 61.
- asiatica** Blatta, P. S. Pallas, Reise Russ. II. 1773, 727.
- asiaticus** Caprimulgus, J. Latham, Index Orn. 1790, 588.
- asiaticum** Cardium, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 224.
- asiatica** Certhia, J. Latham, Index Orn. 1790, 288.
- asiaticus** Charadrius, P. S. Pallas, Reise Russ. II. 1773, 715.
- asiatica** Chrysomela, P. S. Pallas, Reise Russ. I. 1771, 462.
- asiaticus** Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 94.
- asiatica** Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 163.
- asiatica** Columba, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 133.
- asiatica** Columba, J. Latham, Index Orn. 1790, 597.
- asiaticus** Cursorius, J. Latham, Index Orn. 1790, 751.
- asiaticus** Elephas, J. F. Blumenbach, Hand. Naturg., ed. 5, 1797, 124.
- asiatica** Emberiza, J. Latham, Index Orn. 1790, 419.
- asiaticus** Falco, J. Latham, Index Orn. 1790, 14.
- asiatica** Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 493.
- asiatica** Fringilla, J. Latham, Index Orn. 1790, 447.
- asiaticus** Gymnotus, Linnaeus, Syst. Nat., ed. 10, 1758, 246; ed. 12, 1766, 428.
- asiatica** Libellula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 283.
- asiatica** Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 858.
- asiaticus** Mergus, S. G. Gmelin, Reise Russ. II. 1774, 188.
- asiatica** Mycteria, J. Latham, Index Orn. 1790, 670.
- asiatica** Perdix, J. Latham, Index Orn. 1790, 649.
- asiaticus** Psittacus, J. Latham, Index Orn. 1790, 130.
- asiaticus** Rhinoceros, J. F. Blumenbach, Hand. Naturg., ed. 5, 1797, 126.
- asiatica** Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 569; ed. 12, 1767, 942.
- asiatica** Sylvia, J. Latham, Index Orn. 1790, 554.
- asiatica** Talpa, Linnaeus, Syst. Nat., ed. 10, 1758, 53; ed. 12, 1766, 73.
- asiatica** Trigla, Linnaeus, Syst. Nat., ed. 10, 1758, 301; ed. 12, 1766, 497.
- asiaticus** Trogon, J. Latham, Index Orn. 1790, 201.
- asiliformis** Musca (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2871.—Syrphus.
- asiliformis** Musca, J. D. Preyssler in Mayer, Samm. Phys. Aufsätze, I. 1791, 99.
- asiliformis** Sphinx, J. C. Fabricius, Syst. Ent. 1775, 830.
- asiliformis** Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 305.
- asiliformis** Sphinx, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's] II (2) 1784, p. 201.
- asiliformis** Stomoxys, J. C. Fabricius, Ent. Syst. IV. 1794, 395.
- asiliformis** Syrphus, J. C. Fabricius, Gen. Ins. 1777, 306.
- asiloides** Nematelus, C. de Geer, Mém. Ins. VI. 1776, 204.
- Asilus** Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 2 & 28.—A.
- Asilus** Linnaeus, Syst. Nat., ed. 10, 1758, 605; ed. 12, 1767, 1006.—Dip.
- asilus** Asellus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 253.—Oniscus.
- asilus** Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 504.—Oniscus.
- asilus** Oniscus, Linnaeus, Syst. Nat., ed. 10, 1758, 636; ed. 12, 1767, 1059.
- asinana** [Phalaena], C. Clerck, Icones, I. 1759, pl. ii. 4.
- asinana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 101 [*n. et f.*]
- asinata** Geometra, C. de Villers, Linn. Ent. IV. 1789, 506.
- asinella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 60.
- asini** Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 612; ed. 12, 1767, p. 1018.
- asinina** Auriformis (L.), F. C. Meuschen, Mus. Gever. 1787, 250.
- asinina** Haliotis, Linnaeus, Syst. Nat., ed. 10, 1758, 780; ed. 12, 1767, 1256.
- asinium** Haliotis *err. pro* asinina Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
- asinus** Chama, J. Barbut, Gen. Verm. II. 1788, 47. [3688.

- asinus** Equus, Linnaeus, Syst. Nat., ed. 10, 1758, 73; ed. 12, 1766, 100.
asinus Equus, J. C. P. Erxleben, Syst. Anim. 1777, *varr.* ferus 212, domesticus 213, mulus 215, hinnus 216.
“asinus Hercocervus,” A. v. P. S., Schreiben Dethmaris Juliae et Mont. 1780, 39.
asina Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 85.
Asio M. J. Brisson, Ornith. I. 1760, 486.—A.
asio Strix, Linnaeus, Syst. Nat., ed. 10, 1758, 92; ed. 12, 1766, 132.
Asiraca P. A. Latreille, Préc. Car. Ins. 1796, 202.—Hem.
asius Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 5.
asotus Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 304; ed. 12, 1766, 501.
aspalax Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 40.—Mus.
aspalax Mus, P. S. Pallas, Reise Russ. III. 1776, 692.
aspalax Mus (Myotalpa), R. Kerr, Anim. Kingd. 1792, 247.
“Aspalomys. Laxmann.” Palmer—I cannot find this genus [see Gervais, Voy. Bonite,
asparagi Attelabus (Linn.), Scopoli, Ent. Carn. 1763, 36.—Chrysomela. [Zool. II. 55.]
asparagi Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 376; ed. 12, 1767, 601.
asparagi Crioceris (L.), J. C. Fabricius, Syst. Ent. 1775, 121.—Chrysomela.
asparagi Cryptocephalus (L.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1723.—Chrysomela.
asparagi Lema (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 93.—Chrysomela.
asparagi Phalaena, J. G. Gladbach in Kuehn, Kurz. Anleit. Ins., ed. 2, 1783, 123 [*n. n.*].
asparagi Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 288.
aspasia Papilio, J. C. Fabricius, Mant. II. 1787, 15.
aspasia Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 38.
aspasia [Papilio], C. Stoll, A nhang. Cramer’s Utit. Kapellen. V. 1790, 148.
asper Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 21.—Scarabaeus.
aspera Asterias, O. F. Müller, Z. Dan. Prod. 1776, 234.
asperum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3503.
asper Cancer, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 7.
asper Cerambyx, J. H. Sulzer, Gesch. Ins. 1776, 44.
asperum Cerithium (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 475.—Murex.
asper Chaetodon, G. S. Volta, Itt. Veron. (2) (circa 1800), xc.
asper Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 151.—Scarabaeus.
asper Cyprinus, F. W. Schmidt, Samml. phys.-oek. Aufsätze, I. 1795, 67.
aspera Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3657.
aspera Lamia, J. J. Roemer, Gen. Ins. 1789, 46.
aspera Lamia (Sulz.), J. A. Frolich, Naturforscher, XXVI. 1792, 147.—Cerambyx.
aspera Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 156.
aspera Millepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1282.
asper Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 756; ed. 12, 1767, 1226.
asper Murex, D. Solander in G. Brander, Foss. Hant. 1766, 35.
asper Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3543.
aspera Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 10.
asper Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 290; ed. 12, 1766, 482.
asper Perca, P. S. Pallas, Reise Russ. I. 1771, p. 461.
asper Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 20.
aspera Sphex, J. L. Christ, Nat. Ins. 1791, 292.
aspera Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3237.
asper Tenebrio, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 48.
asper Trochus, F. C. Meuschen, Mus. Gever. 1787, 286.
asper Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3583.
asper Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 80.
asperalis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 451.
asperana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 409.—Pylalis.
asperana Pylalis, J. C. Fabricius, Gen. Ins. 1777, 292.
asperana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 130.
asperatus Curculio, G. Bonsdorff, Curc. Suec. 1785, 34.
asperella Alucita (L.), J. C. Fabricius, Mant. II. 1787, 255.—Phalaena.

- asperella** Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 369.
 "Aspergillum, Lamarck, 1799," Scudder: is 1818.
- aspernata** Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
- asperrimus** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3559.
- asperrimus** Tenebrio, P. S. Pallas, Icon. Ins. 1781, 55.
- aspersa** Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 225.
- aspersa** Helix, O. F. Müller, Verm. II. 1774, 59.
- aspersa** Madrepora, Ellis & Solander, H. N. Corall. 1786, 156.
- aspersa** Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 18 [n. n.]
- Asperulus** J. C. Schäffer, Piscium Bavar. 1761, 58.—P.
- Asperulus** J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 584.—P.
- Aspis** J. N. Laurenti, Syn. Rept. 1768, 105.—R.
- Aspis** G. Cuvier, Leçons Comp. Anat. I. 1800, 3 [n. n.]—R.
- aspis** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 218; ed. 12, 1766, 378.
- aspis** Coluber, P. A. Latreille, Salamand. France, 1800, xix.
- aspis** Libellula, M. Harris, Exp. Eng. Ins. 1776, 92.
- aspilus** Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 325; ed. 12, 1766, 530.
- Aspredo** L. T. Gronovius, Zooph. I. 1763, 102.—P.
- aspredo** Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 304; ed. 12, 1766, 502.
- assaricus** [Papilio], P. Cramer, Uitl. Kapellen, III (22) 1779, 120.
- assarica** [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 142.
- assasi** Balistes, P. Forskal, Descr. Anim. 1775, 75.
- asseclana** Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
- asseclana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me giudice 1796], fig. 19 [n. et f.].
- assectator** Foenus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 240.—Ichneumon.
- assectator** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 566; ed. 12, 1767, 937.
- assertorius** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 140.
- assiduus** Apis, M. Harris, Exp. Eng. Ins. 1776, 138.
- assimilator** Ichneumon, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 280.
- assimilis** Acheta, J. C. Fabricius, Syst. Ent. 1775, 280.
- assimilis** Brentus, J. C. Fabricius, Mant. I. 1787, 95.—Curculio, 1775.
- assimilis** Cantharis, G. Paykull, Faun. Suec. I. 1798, 261.
- assimilis** Carabus, G. Paykull, Mon. Carab. 1790, 53.
- assimilis** Columba, H. Lichtenstein, Cat. rerum Nat. I. 1793, 40.
- assimilis** Cryptocephalus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 63.
- assimilis** Curculio, J. C. Fabricius, Syst. Ent. 1775, 134.
- assimilis** Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 77.
- assimilis** Curculio, G. A. Harrer, Besch. Schaeffer Icones, 1784, 184.
- assimilis** Curculio, G. Paykull, Mon. Curc. 1792, 69.
- assimilis** Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 510.—Oniscus.
- assimilis** Dermestes, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 67.
- assimilis** Dytiscus, G. Paykull, Faun. Suec. I. 1798, 236.
- assimilis** Gryllus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2060.—Acheta.
- assimilis** Kolpoda, O. F. Müller, An. Infus. 1786, 101.
- assimilis** Lamia, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. IV. 1796, 148.
- assimilis** Leptura, F. v. P. Schrank, Ins. Aust. 1781, 156.
- assimilis** Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 83.
- assimilis** Oniscus, Linnaeus, Syst. Nat., ed. 12, 1767, 1061.
- assimilis** Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 479; ed. 12, 1767, 782.
- assimilis** Passalus, D. H. Schneider, Verz. Parthei Ins. 1800, 3.
- assimilis** Scarabaeus, D. H. Hoppe, Ins. Elyt. 1795, 28.
- assimile** Sphaeridium, P. Rossi, Mant. Ins. II. 1794, 82.
- assimilis** Spheg, J. C. Fabricius, Mant. I. 1787, 276.
- assimilis** Staphylinus, G. Paykull, Faun. Suec. III. 1800, 409.
- assimilis** Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 263.—Spheg, 1787.
- assimulans** Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 209.
- assio** *err. pro asio*.
- associata** Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 372.

- assulatus** Echinus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3178.
astacaria Oscana, Bosc, Bull. Sci. Soc. Philom. [Paris], No. 2, 1797, 10.
Astacolithus Gesner, Tract. Petref. 1758, 59.—Cr.
Astacus L. T. Gronov, Acta Helvet. IV. 1760, 23.—Cr.
Astacus J. C. Fabricius, Syst. Ent. 1775, 413.—Cr.
astacus Astacus (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 15.—Cancer.
astacus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 631; ed. 12, 1767, 1051.
astarte [Papilio], P. Cramer, Utit. Kapellen, III (22) 1779, 110.
Astatus P. A. Latreille, Préc. Car. Ins. 1796, 114.—Hym.
astenous Papilio, J. C. Fabricius, Syst. Ent. 1775, 448.
aster Actinia, Ellis & Solander, H. N. Zooph. 1786, 6 [v. Phil. Trans. LVII. 1767, 436].
aster Hydra (Ellis), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3868.—Actinia.
aster Muriciformis, F. C. Meuschen, Mus. Gev. 1787, 316.
aster Pentadactylus, C. F. Schultze, Verst. Seest. 1760, 51.
aster Rotula, F. C. Meuschen, Mus. Gev. 1787, 490.
“asteria-columnaris Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 168.
“asteriae Helmintholithus,” J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 393.
Asterias Linnaeus, Syst. Nat., ed. 10, 1758, 661; ed. 12, 1767, 1098.—Ech.
asterie Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 472; ed. 12, 1767, 769.
asteris Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 312.
asteris Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
asteria Encrinus, J. F. Blumenbach, Hand. Naturg. 1779, 435. [310.—Noctua.
asteria Isis, Linnaeus, Syst. Nat., ed. 12, 1767, 1288.
asterius [Papilio], C. Stoll in Cramer, Utit. Kapellen, IV (33) 1782, 194.
asterizans Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 141.
asterizans Echinus (Leske), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3178.—
asterizans Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 37. [Cidaris.
asteroides Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3723.
astina Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 81.
astiniax [Papilio], C. Stoll in Cramer, Utit. Kapellen, IV (29) 1781, 91.
astinous Papilio, D. Drury, Ill. Nat. Hist. I. 1770, index & 22.
astrachanensis Mus, J. C. P. Erxleben, Syst. Anim. 1777, 403.
“Astraea, Gmelin, 1789,” Agassiz *errore*. This genus was founded by Lamarck in 1801;
Astraea J. F. Bolten, Mus. Bolten. (2) 1798, 79.—G. [see *Astrea*.
astragali Attelabus, G. Paykull, Faun. Suec. III. 1800, 180.
astragali Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 14.
astralagi Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 98.
astrarche [Papilio], J. A. B. Bergstraesser, Nom. Ins. III. 1779, 4.
astrarche [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 6.
Astrea P. Browne, Hist. Jamaica, ed. 2, 1789, 392.—Cor.
astrea Noctua (Drury), J. C. Fabricius, Syst. Ent. 1775, 594.—Sphinx.
astrea [Papilio], P. Cramer, Utit. Kapellen, I (2) 1775, 33.
astrea Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 11.
astreus Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 49.
astrild Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 173; ed. 12, 1766, 303.
“astrion Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 166.
Astroites J. E. I. Walch, Naturforscher, V. 1775, 41 & 42.—Cor.
astroites Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 796; ed. 12, 1767, 1276.
astroites Madrepora, P. S. Pallas, Elench. 1766, 320.
astroites Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 299.
astroites Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 375.
astrolepas Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 12.
Astropecten C. F. Schultze, Verst. Seest. 1760, 50.—Ech.
Astrophyton C. F. Schultze, Verst. Seest. 1760, 53.—Ech.
Astur B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 4.—A.
astur [Phalaena], P. Cramer, Utit. Kapellen, II (10) 1777, 35.
astuta Dorippe, F. Weber, Nomen. Fabricii, 1795, 93 [v. n.].
astuta Dorippe, J. C. Fabricius, Suppl. Ent. Syst. 1798, 361.

- astyagus** [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 48.
astyanax Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 172.
astyanax Papilio, J. C. Fabricius, Syst. Ent. 1775, 447.
astyanax Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 188.
astylos [Papilio], P. Cramer, Utitl. Kapellen, III (24) 1780, 160.
astylus Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 45.
astynome Bombyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 43.
asychis [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 87.
asylas [Phalaena], P. Cramer, Utitl. Kapellen, II (12) 1777, 62.
Atagen Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1753, 8 & 74.—A.
ataja Sciaena, P. Forskal, Descr. Anim. 1775, 48.
atak Ascaris, O. F. Müller, Z. Dan. Prod. 1776, 214.
Atalanta J. G. Meigen, N. Class. Mouches, 1800, 31.—Dip.
atalanta Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 478; ed. 12, 1767, 779.
atalanta Papilio, P. Cramer, Utitl. Kapellen, I (7) 1775, 132.
atalantae Ichneumon, N. Poda, Ins. Mus. Graec. 1761, 106.
atra Acanthia, J. C. Fabricius, Mant. II. 1787, 278.
atra Altica, J. C. Fabricius, Syst. Ent. 1775, 115.
atra Anguis, J. N. Laurenti, Syn. Rept. 1768, 71.
atrum Anobium, C. Bjerkander, K. Vet. Ac. Nya Handl. IV. 1783, 247.
atra Antipathes, F. C. Meuschen, Mus. Gev. 1787, 528.
ater Antrilus, A. F. de Fourcroy, Ent. Paris. 1785, 137.
ater Aphodius (de G.), Illiger in Kugelann, Käfer Preuss. 1798, 19.—Scarabaeus.
ater Aphodius, C. Creutzer, Ent. Vers. 1799, 18.
atra Apis, Scopoli, Ent. Carn. 1763, 299.
atra Apis, O. F. Müller, Z. Dan. Prod. 1776, 165.
atra Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 641.
ater Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 605; ed. 12, 1767, 1007.
ater Attelabus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 278.
ater Bombylius, Scopoli, Ent. Carn. 1763, 376.
ater Bombylius, A. Modeer, Physiogr. Sölsk. Handl. I. (4) 1786, 299.
atra Bombyx (L.), P. Rossi, Fauna Etrus. II. 1790, 172.—Phalaena (Bombyx).
ater Bostrichus, P. Rossi, Mant. Ins. I. 1792, 19.
ater Bostrichus, J. C. Fabricius, Ent. Syst. I (2) 1792, 368.
ater Bruchus, L. G. Schriba, J. Lieb. Ent. II. 1790, 162.
ater Bulimus, J. G. Bruguière, Actes Soc. H. N. Paris, I (1) 1792, 126.
atra Buprestis, Linnaeus, Syst. Nat., ed. 12, 1767, 663.
ater Byrrhus, J. C. Fabricius, Spec. Ins. I. 1781, 69.
atrum Callidium, A. G. Olivier, Entom. IV. 1795, 8.—Cerambyx, 1790.
atra Cantharis, Linnaeus, Syst. Nat., ed. 12, 1767, 649.
ater Carabus, O. F. Müller, Z. Dan. Prod. 1776, 78.
ater Carabus, C. de Villers, Linn. Ent. I. 1789, 364.
ater Cerambyx (Scop.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1858.—Prionus.
ater Cerambyx, J. L. M. Poiret, Voy. Barbarie, I. 1789, 300.
ater Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 309.
atra Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 50.
atrum Cerithium (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 485.—Strombus.
atra Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 137.—Altica, 1775.
atra Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 719.
atra Cicada, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2101.
atra Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 759.
ater Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 447; ed. 12, 1767, 725.
ater Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 211.
ater Cimex (Fab.), C. de Villers, Linn. Ent. IV. 1789, 398.—Acanthia.
atra Cistela, A. F. de Fourcroy, Ent. Paris. 1785, 28.
atra Cistela, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 6.
atra Coccinella, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1664.
atra Coccinella (Kug.), Illiger in Kugelann, Käfer Preuss. 1798, 413.—Scymnus, 1794—

- ater** Coluber, F. C. Meuschen, Mus. Gronov. 1778, 18.
atra Conops (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3894.—Myopa.
ater Crabro, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 517.
ater Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 473.—Tinea atrella, 1794.
ater Cucujus, A. F. de Fourcroy, Ent. Paris. 1785, 34.
ater Cucujus, A. G. Olivier, Entom. IV. 1795, 9.
ater Cuculus, P. Boddaert, Tab. Planch. Enl. 1783, 30.
ater Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 415.
ater Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 385; ed. 12, 1767, 617.
ater Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 332.
atra Cynipis, O. F. Müller, F. Ins. Frid. 1764, 68.
ater Dermestes, C. de Geer, Mém. Ins. IV. 1774, 223.
ater Dermestes, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 4.
ater Dermestes, A. G. Olivier, Entom. II. 1790, 9.
ater Dermestes (Herbst), G. W. F. Panzer, Ins. Germ. heft 23, 1794, tab. 9.—Kateretes.
ater Dermestes (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 96.—Megatoma.
ater Dermestes, G. Paykull, Faun. Succ. I. 1798, 298.
ater Dytiscus, J. R. Forster, N. Sp. Ins. 1771, 54.
ater Dytiscus, C. de Geer, Mém. Ins. IV. 1774, 401.
ater Dytiscus, Kugelann in G. W. F. Panzer, Ins. Germ. heft 38 [1796], tab. 15.
ater Elater, A. F. de Fourcroy, Ent. Paris. 1785, 38.
ater Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 262.
atra Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 491.
atra Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 918.
atra Fulica, Linnaeus, Syst. Nat., ed. 10, 1758, 152; ed. 12, 1766, 257.
atra Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 34.—Altica, 1775.
ater Gryllus, C. de Geer, Mém. Ins. III. 1773, 520.
atra Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3655.
ater Helops, J. C. Fabricius, Syst. Ent. 1775, 258.
atra Hispa, Linnaeus, Syst. Nat., ed. 12, 1767, 603.
ater Hister, C. de Geer, Mém. Ins. IV. 1774, 342.
ater Hydrophilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1944.
ater Hydrophilus, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 125.
ater Hydrophilus, J. C. Fabricius, Ent. Syst. I (1) 1792, 183.
atra Ips, P. Rossi, Mant. Ins. I. 1792, 23.
ater Kateretes, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 15.
atra Lagria, J. C. Fabricius, Mant. I. 1787, 94.
atra Lampyris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1888.
atra Lampyris, A. G. Olivier, Entom. II. 1790, 27.
ater Latridius (Herbst), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's] V. 1794, 577.
atra Leptura, J. C. Fabricius, Syst. Ent. 1775, 197. [—Kateretes.
atra Leucospis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 259.
ater Limax, Linnaeus, Syst. Nat., ed. 10, 1758, 652; ed. 12, 1767, 1081.
atra Loxia, M. T. Brünnich, Orn. Boreal. 1764, 67.
ater Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 177.—Cimex.
atra Megatoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 95.
atra Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 84.
ater Melyris (Fab.), A. G. Olivier, Entom. II. 1790, 9.—Lagria.
ater Milvus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 149.—Falco.
atra Mordella, J. C. Fabricius, Ent. Syst. I (2) 1792, 115.
ater Musca, M. Harris, Exp. Eng. Ins. 1776, 58.
atra Musca, C. de Villers, Linn. Ent. III. 1789, 551.
atra Muscicapa, P. L. S. Müller in Linn. Syst. Nat. Suppl. (1776), 169.
atra Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 946.
atra Myopa, J. C. Fabricius, Syst. Ent. 1775, 799.
ater Mytilus, G. I. Molina, Sag. stor. nat. Chili, 1782, 202.
atra Nectydalis, Linnaeus, Syst. Nat., ed. 12, 1767, 642.
ater Nematelus, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 5.

- atra** Nepa, Linnaeus, Syst. Nat., ed. 10, 1758, 440; ed. 12, 1767, 713.
atra Nerita (Linn.), O. F. Müller, Verm. II. 1774, 188.—Strombus.
atra Noctua, C. C. Jung, Alph. Verz. Schmett. 1791, 63.
ater Notoxus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 45.
ater Notoxus, Hellwig in G. W. F. Panzer, Ins. Germ. heft 31 [1796], tab. 15.
ater [Papilio], C. C. Jung, Alph. Verz. Schmett. 1791, 61.
atra Paradisea, P. Boddaert, Tab. Planch. Enl. 1783, 38.
ater Parus, Linnaeus, Syst. Nat., ed. 10, 1758, 190; ed. 12, 1766, 341.
atra Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3724.
atra Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 12, 1767, 823.
ater Philanthus, J. C. Fabricius, Ent. Syst. II. 1793, 292.
atra Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 358.
atra Pimelia (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2011.—Helops.
atra Plotia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 95.—Strombus.
atra Podura, Linnaeus, Syst. Nat., ed. 10, 1758, 608; ed. 12, 1767, 1013 [atra of ed. 12 seems to be fusca of F. Suec. 1761, 473].
ater Prionus, J. A. Scopoli, Annus V. 1772, 100.
ater Prionus, A. G. Olivier, Entom. IV. 1795, 11.
ater Psittacus, J. A. Scopoli, Del. Insub. II. 1786, 87.
ater Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 314.
ater Ptilinus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 9.
atra Rana, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 9.
atra Salamandra, J. N. Laurenti, Syn. Rept. 1768, 42 & 149.
ater Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 270.
ater Scarabaeus, C. de Villers, Linn. Ent. I. 1789, 21.
ater Sciurus, J. M. Bechstein in Pennant, Übers. 4füss. Thiere, II. 1800, 463.
ater Scymnus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's] V. 1794, 548.
ater Scymnus, C. P. Thunberg, Ins. Suecica (9) 1795, 105.
atrum Sphaeridium (Herbst), G. Paykull, Faun. Suec. I. 1798, 67.—Tetratoma.
atra Sphex, J. C. Fabricius, Ent. Syst. IV. 1794, 457.
atra Stenosis, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 164.
ater Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 746; ed. 12, 1767, 1213.
ater Strongylus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 188.
ater Tabanus, P. Rossi, Fauna Etrus. II. 1790, 320.
atra Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 898.
ater Telephorus (L.), A. G. Olivier, Entom. II. 1790, 13.—Cantharis.
ater Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2000.
atra Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 557; ed. 12, 1767, 924.
atra Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 372.
atra Tetratoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 86.
atra Thrips, J. A. E. Goeze in de Geer, Gesch. Insekt. III. 1780, 4.
atra Tipula, O. Fabricius, F. Groen. 1780, 203.
atra Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 508.
atra Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 513.
atra Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 673.
ater Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 831.
atra Vespa, J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1790, 2765.
atra Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 674.
aterea [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 158.
atereus [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 240.
aterrima Altica, F. v. P. Schrank, F. Boica, I. 1798, 561.
aterrima Andrena, G. W. F. Panzer, Ins. Germ. heft 64 [1799], tab. 19.
aterrima Apis, J. L. Christ, Nat. Ins. 1791, 189.
aterrima Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 15.
aterrima Blatta, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 185.
aterrimus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 140.
aterrima Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 294.
aterrimus Cimex, J. R. Forster, N. Sp. Ins. 1771, 71.

- aterrimus** Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 35.
- aterrimus** Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 378; ed. 12, 1767, 607.
- aterrimus** Cynips, F. v. P. Schrank, Ins. Aust. 1781, 320.
- aterrimus** Elater, Linnaeus, Faun. Suec. ed. 2, 1761, 206.
- aterrima** Fulica, Linnaeus, Syst. Nat., ed. 12, 1766, 258.
- aterrimus** Ichneumon, J. R. Forster, Cat. Brit. Ins. 1770, 14 [*n. n.*].
- aterrimus** Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 541.
- aterrima** Musca, C. de Villers, Linn. Ent. III. 1789, 548.
- aterrima** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 334.
- aterrima** Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3679.
- aterrimus** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 330.
- aterrimus** Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1579.
- aterrima** Spheg, P. Rossi, Fauna Etrus. II. 1790, 63.
- athalia** Papilio, S. A. Rottenburg, Naturforscher, VI. 1775, 5.
- athamantae** Sphinx (*ex* Esper tab.), C. C. Jung, Alph. Verz. Schmett. I. 1791, 61.
- athamas** Papilio, D. Drury, Ill. Nat. Hist. I. 1770, index & 5.
- athemon** Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 318.—Papilio.
- athemon** Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 484; ed. 12, 1767, 792.
- athene** [Papilio], C. C. Jung, Alph. Verz. Schmett. 1791, 62.
- Atherina** Linnaeus, Syst. Nat., ed. 10, 1758, 315; ed. 12, 1766, 519.—P.
- atherinoides** Clupea, Linnaeus, Syst. Nat., ed. 12, 1766, 523.
- atherinoides** Silurus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 48.
- atheroma** Porcellana, F. C. Meuschen, Mus. Gever. 1787, 402.
- athleta** Strombus, D. Solander in G. Brander, Foss. Hant. 1766, 31.
- athulia** Papilio, J. C. Fabricius, Mant. II. 1787, 59.
- atinga** Diodon, M. E. Bloch, Nat. ausl. Fische, I. 1785, 67.
- atlanticus** Callorhynchus, L. T. Gronov, Acta Helvet. VII. 1772, 52.
- atlanticus** Glaucus, J. F. Blumenbach, Abb. nat. Gegen. no. 48, 1800.
- atlantica** Mya, L. Spengler, Skr. nat. Selsk. [Copen.] III (1) 1793, 39.
- atlas** Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 14.—Scarabaeus.
- atlas** Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 808.
- atlas** Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 495.—[P. (Attacus), ed. 12.]
- atlas** Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 345; ed. 12, 1767, 542.
- atlita** Papilio, J. C. Fabricius, Mant. II. 1787, 37.
- atlites** Papilio, Linnaeus, Amoen. Acad. VI. 1763, 407.
- atomalis** Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2527.
- atomana** Phalaena (Tort.), A. W. Knoch, Beitr. Insektenges. III. 1783, 112.
- atomaria** Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 52.
- atomaria** Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 212.
- atomarium** Callidium, Panzer in Drury, Exot. Ins. 1785, 156.
- atomarium** Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 332.
- atomarius** Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1968.
- atomarius** Cerambyx, D. Drury, Ill. Nat. Hist. I. 1770, index & 93.
- atomarius** Cerambyx, C. de Geer, Mém. Ins. V. 1775, 65.
- atomarius** Cerambyx (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. IV. 1796,
- atomaria** Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 37. [148.—Lamia.]
- atomarius** Cimex, J. C. Fabricius, Syst. Ent. 1775, 712.
- atomaria** Conops, Linnaeus, Syst. Nat., ed. 12, 1767, 1005.
- atomarius** Curculio, Linnaeus, Faun. Suec., ed. 2, 1761, 183.
- atomarius** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1741.
- atomarius** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1759.
- atomaria** Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3412.
- atomarius** Dermestes, C. de Geer, Mém. Ins. IV. 1774, 218.
- atomarius** Dermestes (Fab.), C. P. Thunberg, Ins. Suecica (6) 1794, 78.—Mycetophagus.
- atomaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 136 [*n. n.*].
- et f.*
- atomarius** Hister, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's] III. 1792, 305.
- atomaria** Ips, J. C. Fabricius, Mant. I. 1787, 46.

- atomaria** Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 271.
atomaria Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 43.
atomarius Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 498.—Ips, 1787.
atomaria Notonecta, P. S. Pallas, Reise Russ. I. 1771, 469.
atomaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 510.
atomaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 521; ed. 12, 1767,
atomaria Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2637. [862].
atomaria Phryganea, J. C. Fabricius, Ent. Syst. II. 1793, 78.
atomaria Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74.
atomaria Saperda, R. Townson, Trav. Hungary, 1797, 470.
atomarius Scarabaeus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1564.—
atomaria Silpha, Linnaeus, Syst. Nat., ed. 12, 1767, 574. [Melolontha].
atomaria Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 231.—Ips.
atomaria Silpha (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1625.—
atomarium Sphaeridium (L.), J. C. Fabricius, Syst. Ent. 1775, 67.—Silpha. [Sphaeridium].
atomaria Tipula, C. de Geer, Mém. Ins. VII. 1778, 602.
atomata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 190.
atomata Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 379.
atomata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2492.
atomata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 282.
atomata Tipula, O. F. Müller, F. Ins. Frid. 1764, 80.
atomella Phalaena (Tinea), O. F. Müller, F. Ins. Frid. 1764, 58.
atomella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2614.
atomella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 137.
atomella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 16.
atomifera Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 277.
atomos Astacus (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 17.—Cancer.
atomos Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1056.
atomos Hister, P. Rossi, Mant. Ins. I. 1792, 15.
atomos Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 54.
atomosa Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 282.
Atomus P. A. Latreille, Mag. encyclop. III (13) 1795, 18.—Ar.
Atomus P. A. Latreille, Préc. Car. Ins. 1796, 177—Ar.
atomus Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 391.—Ichneumon.
atomus Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 142 [*n. n.*]; Essai
atomus Ichneumon, Linnaeus, Syst. Nat., ed. 12, 1767, 941. [Fourmis, 1798, 44].
atomus Monas, O. F. Müller, An. Infus. 1786, 2.
Atopa G. Paykull, Faun. Suec. II. 1799, 116.—Col.
atra *v.* **ater**.
atralis Phalaena, J. C. Fabricius, Syst. Ent. 1775, 645.
atralis Phalaena Pyralis, J. Hübner, Beitr. Schmett. I (3) [1788], 16.
atralis Pyralis (Fab.), C. P. Thunberg, Ins. Suecica (1) 1784, 17.—Phalaena.
atralis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 10 & 12 [2].
atramentarius Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 211.
atramentata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
atraxaxidis Chrysomela, P. S. Pallas, Reise Russ. II. 1773, 725.
atraxaxidis Clytra (Pall.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 33.—Chrysomela.
atraxaxidis Cryptocephalus (Pall.), J. C. Fabricius, Spec. Ins. I. 1781, 138.—Chrysomela.
atraria Holocentrus, F. C. Meuschen, Mus. Gronov. 1778, 25.
atrarius Lutjanus (L.), G. A. Suckow, Naturges. IV. 1799, 547.—Perca.
atraria Perca, Linnaeus, Syst. Nat., ed. 12, 1766, 485.
atratella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 523.—Tinea, Fourcroy.
atratella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 337.
atrator Ichneumon, J. R. Forster, Cat. Brit. Ins. 1770, 14 [*n. n.*].
atrator Ichneumon, J. R. Forster, N. Sp. Ins. 1771, 84.
atrator Ichneumon, J. C. Fabricius, Mant. I. 1787, 266.
atratorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 142.
atratorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 134.

- atratura Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 89.
 atratura Anas, J. Latham, Index Orn. 1790, 834.
 atratura Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 275.
 atraturus Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 380.
 atratura Cantharis (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 280.—Lytta.
 atraturus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1992.
 atratura Cassida, J. C. Fabricius, Mant. I. 1787, 62.
 atraturus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 624.
 atraturus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1818.
 atraturus Cerambyx, L. H. v. Bloch in Becker, Plau. Grund. 1799, 103.
 atraturum Cerithium (Born), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 480.—Murex.
 atratura Chrysomela (Four.), C. de Villers, Linn. Ent. I. 1789, 165.—Crioceris.
 atratura Cicada, J. C. Fabricius, Mant. II. 1787, 269.
 atratura Cicada (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 755.—Tettigonia.
 atratura Cicindela, P. S. Pallas, Reise Russ. I. 1771, 465.
 atraturus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2185.
 atraturus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1103.
 atratura Crioceris, A. F. de Fourcroy, Ent. Paris. 1785, 96.
 atraturus Cryptocephalus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1718.
 atraturus Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 106.
 atraturus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 50.
 atraturus Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 665; ed. 12, 1767, 1103.
 atraturus Elaphrus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 63.
 atratura EMBERIZA, Linnaeus, Syst. Nat., ed. 10, 1758, 178.—[Tanagra, ed. 12.]
 atratura Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 581; ed. 12, 1767, 965.
 atraturus Hemerobius (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2638.—
 atraturus Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 436. [Semblis.
 atraturus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2688.
 atratura Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 84.
 atratura Lytta, J. C. Fabricius, Syst. Ent. 1775, 260.
 atratura Meloe, P. S. Pallas, Reise Russ. II. 1773, 722.
 atratura Melolontha, J. C. Fabricius, Suppl. Ent. Syst. 1798, 132.
 atratura Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 988.
 atraturus Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 329.
 atraturus Musca, M. Harris, Exp. Eng. Ins. 1776, 37.
 atratura Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 333.
 atratura Mutilla, Linnaeus, Syst. Nat., ed. 12, 1767, 966.
 atratura Mylabris (Pall.), A. G. Olivier, Entom. III. 1795, 15.—Meloe.
 atratura Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3683.
 atratura Nitidula, A. G. Olivier, Entom. II. 1790, 18.
 atratura Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3735.
 atratura Peltis, A. F. de Fourcroy, Ent. Paris. 1785, 29.
 atratura Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 63.—Silpha. [ed. 12.
 atratura Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 524.—[chaerophyllata,
 atratura Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2493.
 atratura Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2634.
 atratura Phryganea, J. C. Fabricius, Ent. Syst. II. 1793, 78.
 atraturus Rhagio, J. C. Fabricius, Spec. Ins. II. 1781, 421.
 atraturus Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 11.
 atraturus Scaurus, J. C. Fabricius, Syst. Ent. 1775, 253.
 atratura Scolia, J. C. Fabricius, Syst. Ent. 1775, 355.
 atratura Semblis, J. C. Fabricius, Spec. Ins. I. 1781, 386.
 atratura Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 360; ed. 12, 1767, 571.
 atratura Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 267.—Scolia.
 atratura Sylvia (Gm.), J. Latham, Index Orn. 1790, 514.—Motacilla.
 atraturus Tabanus, J. C. Fabricius, Syst. Ent. 1775, 789.
 atratura Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 315.
 atraturus Tenebrio, J. C. Fabricius, Syst. Ent. 1775, 256.

- atrata** Tenthredo, J. R. Forster, Cat. Brit. Ins. 1770, 13 [*n. n.*].
atrata Tenthredo, J. R. Forster, N. Sp. Ins. 1771, 80.
atrata Tettigonia, J. C. Fabricius, Syst. Ent. 1775, 681.
atrata Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 586; ed. 12, 1767, 972.
atratus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3601.
atrata Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 262.
atrata Volucella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 570.
atrella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
atrella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
atrella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 298.
atricapilla Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 453.
atricapillus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 416; ed. 12, 1767, 673.
atricapillus Charaderius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 686.
atricapilla Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 875.
atricapilla Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 33.—Motacilla.
atricapillus Lanius, B. Merrem, Avium rar. Icones, II. 1786, 26.
atricapilla Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 187; ed. 12, 1766, 332.
atricapilla Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 326.
atricapillus Parus, Linnaeus, Syst. Nat., ed. 12, 1766, 341.
atricapilla Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1003.
atricapillus Psittacus, J. F. Miller, Icon. Anim. (1776), 4.
atricapillus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 317.
atricapillus Scarabaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 24.
atricapillus Staphylinus, J. C. Fabricius, Syst. Ent. 1775, 267.
atricapilla Sylvia (L.), J. A. Scopoli, Annus I. 1769, 156.—Motacilla.
atricapilla Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 899.
atricapillus Todus, H. Lichtenstein, Cat. rerum Nat. I. 1793, 19.
atricapilla Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 295.
atricapilla Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
atricilla Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 114.—Chrysomela.
atricilla Chrysomela, Linnaeus, Faun. Suec., ed. 2, 1761, 166.
atricilla Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 31.—Chrysomela.
atricilla Larus, Linnaeus, Syst. Nat., ed. 10, 1758, 136; ed. 12, 1766, 225.
atricilloides Larus, J. P. Falk, Reise Russ. (5) 1786, 355.
atricollis Columba, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 135.
atricollis Ramphastos, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 83.
atricornis Eucera, J. C. Fabricius, Ent. Syst. II. 1793, 344.
atricornis Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 308.
atringa Diodon, Linnaeus, Syst. Nat., ed. 10, 1758, 334; ed. 12, 1766, 412.
atriplicella Phalaena [D. H. Schneider], Nom. Ent. 1785, 55 [*n. n.*].
atriplicis Aphis, Linnaeus, Faun. Suec., ed. 2, 1761, 262.
atriplicis Aphis, J. C. Fabricius, Syst. Ent. 1775, 737.
atriplicis Curculio, J. C. Fabricius, Gen. Ins. 1777, 225.
atriplicis Melolontha, J. C. Fabricius, Mant. I. 1787, 19.
atriplicis Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 611.—Phalaena.
atriplicis Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 517; ed. 12, 1767, 854.
atriplicis Scarabaeus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1568.—
atrirostis Curculio, J. C. Fabricius, Spec. Ins. II. 1781, 499. [Melolontha.]
atro-apterus Curculio, C. de Geer, Mém. Ins. V. 1775, 243.
atromaculata Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 141.
atrophica Mantis, P. S. Pallas, Spic. Zool. IX. 1772, 12.
atrophica Phasma (Pall.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 188.—Mantis.
atrophica Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 264.
atropos Bombylius, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 92.
atropos Cobra (Linn.), J. N. Laurenti, Syn. Rept. 1768, 104.—Coluber.
atropos Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 216; ed. 12, 1766, 375.
atropos Musca, F. v. P. Schrank, Beitr. Nat. 1776, 94.
atropos Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 490; ed. 12, 1767, 799.

- atropos** Sphinx [? non L.], P. Cramer, Utitl. Kapellen, I (7) 1775, 123.
atropos Sphinx *var. fuisluniana*, H. W. Bergstraesser, Sphing. Europ. 1782, 6.
atropunctella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
atropurpureus Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
atropurpureus Psittacus, G. Shaw, Mus. Lever. I. 1792, 140.
atro-reticulata Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.), 1790, 29.
atro-rubens Scarabaeus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 314.
atrorufus Carabus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 331.
atrovenatus Papilio Eques, C. C. Jung, Alph. Verz. Schmett. 1791, 65.
atro-viridis Chiton, J. F. Bolten, Mus. Bolten. (2) 1798, 197 [*n. n.*].
atrox Aranea, C. de Geer, Mém. Ins. VII. 1778, 253.
atrox Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 222; ed. 12, 1766, 383.
atrox Sphex, D. Drury, Ill. Nat. Hist. III. 1782, index & 57.
atrox Termes, D. Solander, Phil. Trans. LXXI (1) 1781, 141.
atrox Vipera (L.), J. N. Laurenti, Syn. Rept. 1768, 103.—Coluber.
Attacus *v.* **Phalaena**.
attelaboides Carabus, J. C. Fabricius, Spec. Ins. I. 1781, 305.
attelaboides Cicindela, J. C. Fabricius, Ent. Syst. IV. 1794, 443.
attelaboides Cimex (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2198.—
attelaboides Curculio, J. C. Fabricius, Syst. Ent. 1775, 156. [Reduvius].
attelaboides Formica, J. C. Fabricius, Syst. Ent. 1775, 394.
attelaboides Reduvius, J. C. Fabricius, Syst. Ent. 1775, 731.
attelaboides Rhinomacer, J. C. Fabricius, Mant. I. 1787, 123.
Attelabus Linnaeus, Syst. Nat., ed. 10, 1758, 387; ed. 12, 1767, 619.—Col.
attenuata Buprestis, J. C. Fabricius, Ent. Syst. I. (2) 1792, 187.
attenuata Cancer, P. Forskal, Descr. Anim. 1775, 89.
attenuata Cantharis, A. F. de Fourcroy, Ent. Paris. 1785, 154.
attenuatus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 131.
attenuatus Cychrus, J. C. Fabricius, Ent. Syst. IV. 1794, 441.—Carabus, 1792.
attenuatus Cychrus, Zöcker in L. H. v. Bloch in Becker, Plau. Grund. 1799, 100.
attenuatus Cychrus, J. C. Fabricius, Skr. nat. Selsk. [Copen.] III (2) 1794, 70.
attenuatus Echinorhynchus, O. F. Müller, Z. Dan. I. 1779, 89.
attenuata Hydra, P. S. Pallas, Elench. 1766, 31.
attenuata Ips, A. G. Olivier, Entom. II. 1790, 9.
attenuata Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 398; ed. 12, 1767, 639.
attenuata Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 84.
attenuatus Prionus (Linn.), J. A. Scopoli, Annus V. 1772, 99.—Leptura.
attenuata Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 314.—Vespa.
attenuatus Turbo, G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 114.
attenuata Vespa, J. C. Fabricius, Syst. Ent. 1775, 372.
atthis Gracula, Linnaeus, Syst. Nat., ed. 10, 1758, 109; ed. 12, 1766, 165.
atthis Sturnus (L.), F. M. Daudin, Traité élém. Orn. 1800, 321.—Gracula.
atticus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 339.
atthorax Formicarius, P. Boddaert, Tab. Planch. Ent. 1783, 44.
atun Scomber, B. A. Euphrasen, K. Vet. Ac. Nya Handl. XII. 1791, 315.
atymnus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 283.—Papilio.
atymnus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 82.
atymnus Papilio (Fab.), E. Donovan, Ins. China, 1798.—Hesperia.
atys Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 267.—Papilio.
atys [Papilio], P. Cramer, Utitl. Kapellen, III (22) 1779, 117.
atys Simia, J. B. Audebert, Hist. Nat. Singes, 1799, sign. S.
auarus *v.* **avarus**.
Auchenia C. P. Thunberg, Peric. Ent. 1789, 9.—Col.
aucta Chrysomela, J. C. Fabricius, Mant. I. 1787, 72.
auctus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 351.
auctus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 139.—Cimex, 1781.
auctus Musca, M. Harris, Exp. Eng. Ins. 1776, 126.
aucta Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 272.

- audaculus** Musca, M. Harris, Exp. Eng. Ins. 1776, 121.
audax Apis, M. Harris, Exp. Eng. Ins. 1776, 130.
audax Apis, M. Harris, Exp. Eng. Ins. 1776, 137.
audax Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 934.
audens Apis, M. Harris, Exp. Eng. Ins. 1776, 130.
auge [Papilio], P. Cramer, Utitl. Kapellen, II (16) 1777, 141.
auge Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 248.
auge Sphinx, Linnaeus, Syst. Nat., ed. 12, 1767, 807.
auge Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 554.—Sphinx.
augias Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 327.—Papilio.
augias Papilio, Linnaeus, Amoen. Acad. VI. 1763, 410.
augias Scarabaeus, A. G. Olivier, Entom. I. 1789, 37.
augur Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 366.
augur Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 57.
augur Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 685.
augur Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 161.—Cimex, 1781.
augur Musca, J. C. Fabricius, Syst. Ent. 1775, 777.
augur Noctua, J. C. Fabricius, Syst. Ent. 1775, 604.
augur Trichoda, O. F. Müller, An. Infus. 1786, 202.
augusti Tipula, O. F. Müller, Z. Dan. Prod. 1776, 171.
augustus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 275.
augusta Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 42.
augusta Lampyris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 24.
augusta [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 227.
augustus Psittacus, G. Shaw, Mus. Lever. I. 1792, 57.
avius *v.* **avius**.
aulacea Crioceris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 47.
aulestes [Papilio], P. Cramer, Utitl. Kapellen, II (11) 1777, 47.
aulestes [Papilio], P. Cramer, Utitl. Kapellen, III (24) 1780, 161.
aulestes Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 576.—Phalaena.
aulicum Callidium, J. C. Fabricius, Syst. Ent. 1775, 190.
aulicus Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 254.—Callidium.
aulica Cetonia, J. C. Fabricius, Spec. Ins. I. 1781, 54.
aulicus Cimex, J. C. Fabricius, Syst. Ent. 1775, 718.
aulicus β crocatus, Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 55.
aulica Cistela, J. C. Fabricius, Spec. Ins. I. 1781, 148.
aulicus Clytus, J. N. Laicharting, Tyrol. Ins. II. 1784, 103.
aulicus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 220; ed. 12, 1766, 381.
aulicus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 717; ed. 12, 1767, 1171.
aulica Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 154.
aulicus Cryptocephalus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1715.—
aulicus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 50.—Conus. [Cistela.
aulicus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 151.—Cimex.
aulica Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 42.
aulicus Melyris (Fab.), A. G. Olivier, Entom. II. 1790, 7.—Crioceris.
aulica Natrix (Linn.), J. N. Laurenti, Syn. Rept. 1768, 74.—Coluber.
aulica Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 505; ed. 12, 1767, 829.
aulicus Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 555.
aulicus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1566.—Melo-
aulumniceus Muriciformis, F. C. Meuschen, Mus. Gev. 1787, 320. [lontha.
aunalaschk *v.* **unalaschk**.
aunus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 263.—Papilio.
aunus [Papilio], P. Cramer, Utitl. Kapellen, I (2) 1775, 36.
aunus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 134.
[aura ; a breeze or gale.]
aura [Phalaena], P. Cramer, Utitl. Kapellen, I (5) 1775, 85.
aura Vultur, Linnaeus, Syst. Nat., ed. 10, 1758, 86; ed. 12, 1766, 122.
aura Vultur, R. Kerr, Anim. Kingd. 1792, *var.* niger, 473.

- aurago** Noctua, [Denis & Schiffermüller] Schmett. Wien, 1775, 86.
aurana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 413.—*Pyralis*.
aurana *Pyralis*, J. C. Fabricius, Syst. Ent. 1775, 653.
aurana *Pyralis*, J. C. Fabricius, Ent. Syst. III (2) 1794, 248.
aurana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 22 [*n. et f.*].
aurantiaca Boa, J. N. Laurenti, Syn. Rept. 1768, 89.
aurantiacum *Cardium*, J. F. Bolten, Mus. Bolten. (2) 1798, 190 [*n. n.*].
aurantiaca *Chlamys* (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 164.—*Ostrea aurantia*.
aurantiaca Hyla, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
aurantiaca Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17 [*n. n.*].
aurantiaca Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 287.
aurantiacus *Spondylus*, J. F. Bolten, Mus. Bolten. (2) 1798, 195.
aurantiaca *Strix*, G. A. Suckow, Naturg. II (1) 1800, 214.
aurantiacus *Tinea*, A. F. de Fourcroy, Ent. Paris. 1785, 342.
aurantiacus *Turbo*, J. F. Bolten, Mus. Bolten. (2) 1798, 88 [*n. n.*].
aurantiagio Phalaena, E. Donovan, Brit. Ins. V. 1796, 15.
aurantiaria *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 184
aurantiata *Geometra*, C. de Villers, Linn. Ent. IV. 1789, 504. [*n. et f.*].
aurantiata Phalaena, J. C. Fabricius, Mant. II. 1787, 201.
aurantica Hyla, J. N. Laurenti, Syn. Rept. 1768, 35.
aurantiella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 524.
aurantii *Cynips*, A. F. de Fourcroy, Ent. Paris. 1785, 386.
aurantiomaculata *Noctua*, C. C. Jung, Alph. Verz. Schmett. 1791, 67.
aurantium *Albula*, J. F. Bolten, Mus. Bolten. (2) 1798, 21.
aurantium *Alcyonium*, P. S. Pallas, Elench. 1766, 357.
aurantius *Angarius*, F. C. Meuschen, Mus. Gever. 1787, 256.
aurantia *Aranea*, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 200.
aurantium *Ascidia*, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 246.
aurantius *Cancer*, J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 59.
aurantia *Certhia*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 472.
aurantia *Cetonia*, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 242.
aurantius *Cimex*, J. H. Sulzer, Gesch. Ins. 1776, 96.
aurantius *Conus*, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 606.
aurantium *Cypraea*, T. Martyn, Univ. Conch. II. [1788], fig. 59.
aurantium *Echinus*, J. A. Gyllenahl, K. Vet. Ac. Handl. XXXIII. 1772, 245 & 260.
aurantius *Falco*, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
aurantius *Falco*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 283.
aurantius *Falco*, R. Kerr, Anim. Kingd. 1792, *varr.* minor; *maculatus*, 522.
aurantia *Hydra*, J. F. Blumenbach, Hand. Naturg. 1779, 444.
aurantia *Isis*, E. J. C. Esper, Pflanzenth., Forts., II (9) 1798, 3.
aurantia *Lamia*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 44.
aurantius *Lanius*, J. Latham, Index Orn. 1790, 79.
aurantia *Loxia*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 853.
aurantia *Motacilla*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 965.
aurantia *Muscicapa*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 932.
aurantius *Mycetophagus*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 71.
aurantia *Ostrea*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3321.
aurantia *Patella*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3793.
aurantius *Picus*, Linnaeus, Syst. Nat., ed. 12, 1766, 174.
aurantius *Psittacus*, J. F. Miller, Icon. Anim. 5 (1776).
aurantius *Psittacus*, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 80.
aurantius *Reduvius*, J. Latham in T. Pennant, Ind. Zool., ed. 2, 1791, 139.
aurantius *Reduvius*, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 31 [*n. n.*].
aurantia *Sylvia* (Gm.), J. Latham, Index Orn. 1790, 531.—*Motacilla*.
aurantia *Trichoda*, O. F. Müller, An. Infus. 1786, 185.
aurantius *Trochilus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 489.
aurantius *Turdus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 832.
aurantia *Upupa*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 468.

- aurantia Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3290.
 aurantia Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3454.
 Aurata G. Edwards in M. Catesby, Carol. II. 1771, 16.—P.
 Aurata M. Catesby, Pisc. &c. Imag. 1777, 16.—P.
 auratana Phalaena, [D. H. Schneider], Nom. Ent. 1785, 53 [*n. n.*].
 auratella Phalaena (Tinea), O. F. Müller, Z. Dan. Prod. 1776, 138.
 auratella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2608.
 auratus Acarus, G. Shaw, Nat. Misc. IV. 1793, pl. 128.
 aurata Altica, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 107.
 auratus Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 387.
 aurata Buprestis, P. S. Pallas, Reise Russ. II. 1773, 719.
 aurata Buprestis, J. C. Fabricius, Mant. I. 1787, 178.
 aurata Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 52.
 auratus Carabus, Linnaeus, Faun. Suec., ed. 2, 1761, 219.
 auratus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 395; ed. 12, 1767, 635.
 aurata Cercopis, J. C. Fabricius, Mant. II. 1787, 274.
 aurata Cetonia (L.), J. C. Fabricius, Syst. Ent. 1775, 43.—Scarabaeus.
 auratus Chaetodon, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 122 (index).
 auratus Chiton, J. J. N. A. Spalowsky, Prod. Test. 1795, 88.
 aurata Chrysis, Linnaeus, Faun. Suec., ed. 2, 1761, 414.
 aurata Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 101.
 aurata Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 439; ed. 12, 1767, 711.
 aurata Columba, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 251.
 auratus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 740.
 auratus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 50.
 auratus Cuculus, Linnaeus, Syst. Nat., ed. 10, 1758, 112 [Picus, ed. 12].
 auratus Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 421.
 auratus Curculio, Scopoli, Ent. Carn. 1763, 26.
 auratus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 127.
 aurata Cynips, O. F. Müller, F. Ins. Frid. 1764, 68.
 auratus Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 380.
 aurata Cynips, G. W. F. Panzer, Ins. Germ. heft 51 [1798], tab. 1.
 auratus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 322; ed. 12, 1766, 527.
 auratus Elater, D. Drury, Ill. Nat. IIist. II. 1773, index & 65.
 aurata Empis, C. de Villers, Linn. Ent. III. 1789, 571.
 auratus Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 75.
 auratus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2684.
 auratus Ichneumon, P. Rossi, Mant. Ins. II. 1794, 111.
 auratus Ichneumon, G. W. F. Panzer, Ins. Germ. heft 52 [1798], tab. 1.
 aurata Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 209; ed. 12, 1766, 368.
 aurata Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 152.
 aurata Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 135.
 aurata Motacilla, G. Shaw in Miller, Cim. Phys. 1796, 73.
 aurata Musca, O. F. Müller, F. Ins. Frid. 1764, 86.
 aurata Musca, J. C. Fabricius, Mant. II. 1787, 347.
 aurata Mutilla, J. C. Fabricius, Syst. Ent. 1775, 397.
 auratus Nematelus, C. de Geer, Mém. Ins. VI. 1776, 202.
 aurata Perca, M. Park, Tr. Linn. Soc. [Lond.] III. 1797, 35.
 aurata Phalaena, Scopoli, Ent. Carn., 1763, 227.
 aurata Phalaena, *id. ac* aura, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 259.
 aurata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
 aurata Phalaena (Tinea), H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 342.
 auratus Picus, Linnaeus, Syst. Nat., ed. 12, 1766, 174 [Cuculus, ed. 10].
 auratus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 250.—Sphex, 1793.
 aurata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 33.
 auratus Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 220.
 auratus Rhinomacer, A. F. de Fourcroy, Ent. Paris. 1785, 113.
 aurata Saperda, Boeber in Reich's Mag. Thierreichs, I. 1793, 135.

- auratus** Sargus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 566.—Musca, 1787.
- auratus** Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 352; ed. 12, 1767, 557.
- auratus** Scarabaeus, O. F. Müller, F. Ins. Frid. 1764, 2.
- auratus** Scincus, F. C. Meuschen, Mus. Gronov. 1778, 7.
- auratus** Scomber, M. Houttyn, Verh. Holl. Maat. Weet. Haarlem, XX (2) 1782, 331.
- auratus** Sorex, G. Cuvier, Tab. Elém. 1798, 110.
- aurata** Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 277; ed. 12, 1766, 467.
- auratus** Sparus, M. Houttyn, Verh. Holl. Maat. Weet. Haarlem, XX (2) 1782, 318.
- aurata** Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 572 [Chrysis, ed. 12].
- aurata** Sphex, J. C. Fabricius, Mant. I. 1787, 276.
- auratus** [Sphinx], P. Cramer, Utit. Kapellen, III (22) 1779, 126.
- auratus** Stincus (L.), F. A. A. Meyer, Syn. Rept. 1795, 30.—Lacerta.
- auratus** Stro[m]bus, J. J. N. A. Spalowsky, Prod. Test. 1795, 43.
- auratus** Sturnus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 312.—Turdus.
- auratus** Syrphus, P. Rossi, Fauna Etrus. II. 1790, 288.
- auratus** Trichius (L.), F. v. P. Schrank, F. Boica, I. 1798, 413.—Scarabaeus.
- auratus** Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 487.
- auratus** Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776). 140.
- auratus** Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 819.
- aurata** Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 441.
- aurata** Vespa, J. C. Fabricius, Mant. I. 1787, 289.
- aurata** Voluccella, J. C. Fabricius, Ent. Syst. IV. 1794, 413.
- aureana** Phalaena (Tortrix), O. F. Müller, Z. Dan. Prod. 1776, 132.
- aureatella** Phalaena, Scopoli, Ent. Carn. 1763, 254.
- aurealianense** Blatta, A. F. de Fourcroy, Ent. Paris. 1785, 177.
- aurelius** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 47.
- aurelius** [Papilio], P. Cramer, Utit. Kapellen. II (14) 1777, 110.
- aurelia** Paramoecium, O. F. Müller, Verm. I (1) 1773, 54.
- aurella** Tinea, J. C. Fabricius, Syst. Ent. 1775, 666.
- aurella** Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 142.
- aureoargentata** Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 48.
- aureofasciata** Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 47.
- aureolaria** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 102.
- aureolaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 62 [*n. et f.*].
- aureolatus** Acarus, P. S. Pallas, Spic. Zool. IX. 1772, 40.
- [**aureolus** Araneus, C. Clerck, Aran. Svec. 1757, 133.]
- aureolus** Araneus, T. Martyn, Aranei, 1793, 63.
- aureola** Emberiza, P. S. Pallas, Reise Russ. II. 1773, 711.
- aureola** Melolontha (Pall.), J. A. Frolich, Naturforscher, XXVI. 1792, 85.—Scarabaeus.
- aureola** Parus, Linnaeus, Syst. Nat., ed. 10, 1758, 191 [Pipra, ed. 12].
- aureola** Pipra, Linnaeus, Mus. Adolph. Frid. II. 1764, 32.
- aureolus** Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 18.
- aureopolita** Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 68.
- aurea** Alcedo, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 94.
- aurea** Altica, A. F. de Fourcroy, Ent. Paris. 1785, 100.
- aureus** Asilus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 272.
- aureus** Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 378.
- aurea** Buprestis, C. de Geer, Mém. Ins. VII. 1778, 634.
- aureus** Canis, Linnaeus, Syst. Nat., ed. 10, 1758, 40; ed. 12, 1766, 59.
- aureus** Carabus, C. de Geer, Mém. Ins. IV. 1774, 91.
- aureus** Chaetodon, G. I. Molina, Sag. stor. nat. Chili, 1782, 227.
- aureus** Chaetodon, M. E. Bloch, Nat. ausl. Fische III. 1787, 49.
- aureus** Charadrius, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 118.
- aurea** Cicada, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2103.
- aureus** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 742.
- aurea** Coracias, Linnaeus, Syst. Nat., ed. 10, 1758, 108.
- aureus** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 49.
- aurea** Cytherea, J. C. Fabricius, Ent. Syst. IV. 1794, 414.

- aurea** Donacia, D. H. Hoppe, *Ins. Elyt.* 1795, 43.
aureus Gypaetos, F. M. Daudin, *Traité élém. Orn.* 1800, 25.
aurea Leptura, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1877.
aurea Leucophra, O. F. Müller, *An. Infus.* 1786, 145.
aurea Libellula, J. A. Scopoli, *Annus V.* 1772, 120.
aureus Limax, T. Martyn, *Univ. Conch.* III. [1789], fig. 115.
aureus Limax, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3102.
aurea Loxia, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 846.
aurea Meloe, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 2019.
aureus Nemotelus, O. F. Müller, *Z. Dan. Prod.* 1776, 179.
aureus Oriolus, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 163.
aurea Paradisea (L.), Borowski, *Gem. Nat. Thiere*, II. 1781, 122.—Oriolus.
aurea Paradisea, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 402.
aurea Phalaena Tinea, H. Ström, *Nye Saml. K. Danske Skrifter*, II. 1783, 89.
aurea Pluvialis, J. C. Schaeffer, *Mus. Orn.* 1789, 48.
aureus Psittacus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 329.
aurea Scolia, J. C. Fabricius, *Ent. Syst.* II. 1793, 231.
aureus Scomber, *id. ac auratus*, Houtt., B. G. E. de Lacépède, *Hist. Nat. Poiss.* II. 1800, [599].
aureus Staphylinus, J. C. Fabricius, *Mant. I.* 1787, 219.
aurea Talpa, P. S. Pallas in J. C. D. Schreber, *Säugeth.* III. 562 (1777).
aurea Tipula, O. F. Müller, *F. Ins. Frid.* 1764, 79.
aurea Venus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3288.
aureus Vultur, K. Hablizl (ex Briss.) in P. S. Pallas, *N. nord. Beytr.* IV. 1783, 64.
auricapillus Ichneumon, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2699.
aurichalceus Carabus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1991.
aurichalceus Cerambyx, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1857.
aurichalcea Cetonia, J. C. Fabricius, *Syst. Ent.* 1775, 49.
aurichalceus Scarabaeus (Fab.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1573.
auricollis Motacilla, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 984. [—Cetonia.
auricollis Sylvia (Gm.), J. Latham, *Index Orn.* 1790, 536.—Motacilla.
auricoma Amphitrite, O. F. Müller, *Z. Dan. Prod.* 1776, 216.
auricomus Cerambyx, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 629.
auricomus Conus, Hwass in J. G. Bruguière, *Ency. Méth. (Vers)* (2) 1792, 742.
auricoma Noctua, [Denis & Schiffermüller], *Schmett. Wien*, 1775, 67.
Auricula Lamarck, *Mem. Soc. H. N. Paris*, 1799, 76.—G.
auricula Buccinum (Linn.), O. F. Müller, *Verm.* II. 1774, 126.—*Helix auricularia*.
auricula Bulimus, J. G. Bruguière, *Ency. Méth. (Vers)* (1), 1789, 342.
auricula Cardium, P. Forskal, *Descr. Anim.* 1775, 122.
auricula Lucernaria, O. Fabricius, *F. Groen.* 1780, 341.
auricula Nautilus, L. v. Fichtel & J. P. C. v. Moll, *Test. Micr.* 1798, 108.
auricula Patella, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3694.
auricularis Phalaena, [D. H. Schneider], *Nom. Ent.* 1785, 48 [*n. n.*].
auricularis Strongylus, J. G. H. Zeber in Goetze, 1 Nachtr. *Eingeweidewürm.* 1800, 77.
auricularis Vultur, F. M. Daudin, *Traité élém. Orn.* 1800, 10.
auricularius Bulimus (L.), J. G. Bruguière, *Ency. Méth. (Vers)* (1), 1789, 304.—*Helix*.
auricularia Forficula, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 423; ed. 12, 1767, 686.
auricularia *Helix*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 774; ed. 12, 1767, 1250.
auricularius Unio, L. Spengler, *Skr. nat. Selsk. [Copen.] III* (1) 1793, 54.
auriculatus Cimex, C. de Geer, *Mém. Ins.* III. 1773, 273.
auriculatus Dermestes, A. F. de Fourcroy, *Ent. Paris.* 1785, 20.
auriculata Doris, O. F. Müller, *Z. Dan. Prod.* 1776, 229.
auriculata Dryops (Fourc.), A. G. Olivier, *Ency. Méth. VI (Ins.)* 1791, 298.—*Dermestes*.
auriculata Limacia, O. F. Müller, *Zool. Dan.* (Danish ed.) 1781, 66.—*Doris*, 1776.
auriculata Membracis, B. E. Manuel, *Ency. Méth. VII (Ins.)* 1792, 668.
auriculatus Parnus, G. W. F. Panzer, *Ins. Germ. heft 38 [1796]*, tab. 23.
auriculata Phalaena, A. F. de Fourcroy, *Ent. Paris.* 1785, 319.
auriculata Planaria, O. F. Müller, *Zool. Dan.* II. 1784, 81.
auriculata Vorticella, O. F. Müller, *Verm.* I (1) 1773, 111.

- aurifer Buprestis, A. G. Olivier, Entom. II. 1790, 13.
 aurifer Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 49.
 aurifer Curculio, D. Drury, Ill. Nat. Hist. I. 1770, index & 68.
 aurifer Curculio, C. de Villers, Linn. Ent. I. 1789, 216.
 auriferella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 28.
 auriflamma Mullus, P. Forskal, Descr. Anim. 1775, 30.
 auriflua Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 52.
 auriflua Phalaena (D. & S.), E. Donovan, Brit. Ins. I. 1792, 25.—Bombyx.
 Auriformis F. C. Meuschen, Mus. Gever. 1787, 248.—[Haliotis, L.].
 aurifrons Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2702.
 aurifrons Musca, C. de Villers, Linn. Ent. III. 1789, 549.
 auriga Chaetodon, P. Forskal, Descr. Anim. 1775, 60.
 auriger Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 49.
 aurinia Papilio, S. A. Rottemburg, Naturforscher, VI. 1775, 5.
 auripennis Sphex, C. de Geer, Mém. Ins. III. 1773, 585.
 Auris F. C. Meuschen, Cat. Coll. Coq. Oudaan. 1766, 6 [n. n.].—G.
 auriscalpium Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 767; ed. 12, 1767, 1240.
 auris-dianae Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 338.—Strombus.
 auris diana (*sic*) Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 64.—Strombus.
 auris-dianae Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 743; ed. 12, 1767, 1209.
 auris-felis Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 343.
 aurisiacus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 716; ed. 12, 1767, 1170.
 aurisiacus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 47.—Conus arausiacus.
 aurisicum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 154.
 aurisiaca Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 60.
 aurisiacus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 158.
 auris-judae Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 344.—Bulla.
 auris-judae Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 728 [Voluta, ed. 12].
 auris-judae Helix (Linn.), O. F. Müller, Verm. II. 1774, 109.—Voluta.
 auris-judae Rhinoceros (L.), F. C. Meuschen, Mus. Gever. 1787, 262.—Voluta.
 auris-judae Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1187 [v. Bulla].
 auris-leporis Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 346.
 auris-malchi Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 319.—Helix.
 auris-malchi Helix, O. F. Müller, Verm. II. 1774, 112.
 auris-malchi Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3437.
 auris-midae Auricula (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 76.—Voluta.
 auris-midae Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 342.—Bulla.
 auris-midae Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 728 [Voluta, ed. 12].
 auris-midae Bulla, O. F. Müller, Verm. II. 1774, 110.
 auris midae Rhinoceros (L.), F. C. Meuschen, Mus. Gever. 1787, 262.—Voluta.
 auris-midae Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1186 [v. Bulla].
 Auris-mustelae [G. Humphreys], Mus. Calonn. 1797, 22.—G.
 auris-sileni Bulimus (Born), J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 346.—Voluta.
 auris-sileni Voluta, I. v. Born, Index Mus. Caes. Vind. 1778, 197.
 Auris-veneris [G. Humphreys], Mus. Calonn. 1797, 20.—G.
 auritus Alpheus, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
 aurita Ameiva (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 29.—Lacerta.
 aurita Anas, P. Boddaert, Tab. Planch. Enl. 1783, 48.
 aurita Anatifa (?) (L.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 66.—Lepas.
 aurita Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 701; ed. 12, 1767, 1151.
 auritus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 331.—Nerita.
 auritus Cancer, J. C. Fabricius, Syst. Ent. 1775, 410.
 aurita Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 596.
 aurita Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 435; ed. 12, 1767, 706.
 aurita Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 189.
 aurita Clythra (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 113.—Chrysomela.
 aurita Coccinella, L. G. Scriba, Beitr. Ins. II. 1791, 105.
 auritus Colymbus, Linnaeus, Syst. Nat., ed. 10, 1758, 135; ed. 12, 1766, 222.

- auritus Corvus, J. Latham, Index Orn. 1790, 160.
- auritus Corvus, F. M. Daudin, Traité élém. Orn. 1800, 250.
- auritus Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 107.—Chrysomela.
- auritus Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 202.
- auritus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3189.—Echinodiscus.
- auritus Erinaceus, S. G. Gmelin, Nov. Comm. Sci. Petrop. XIV (1) 1770, 519.
- auritus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 283; ed. 12, 1766, 475.
- aurita Lacerta, J. F. Gmelin in Linn. Syst. Nat. I. 1789, 1073.
- aurita Lepas, Linnaeus, Syst. Nat., ed. 12, 1767, 1110.
- aurita Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 15.
- aurita Medusa, Linnaeus, Syst. Nat., ed. 10, 1758, 660; ed. 12, 1767, 1097.
- aurita Melolontha (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 43.—Chrysomela.
- aurita Membracis (L.), J. C. Fabricius, Syst. Ent. 1775, 676.—Cicada.
- aurita Nerita, O. F. Müller, Verm. II. 1774, 192.
- aurita Noctua, E. J. C. Esper, Die Schmett. IV (35) 1787, 102.
- aurita Noctua, J. C. Fabricius, Mant. II. 1787, 179.
- auritus Ostracion, G. Shaw, Nat. Misc. IX. 1798, pl. 338.
- aurita Otis, J. Latham, Index Orn. 1790, 660.
- auritus Pediculus, Scopoli, Ent. Carn. 1763, 383.
- aurita Phalaena Bombyx (Esp.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 256.—
- aurita Phasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 189.—Mantis, 1793. [Noctua.
- auritus Philanthus, J. C. Fabricius, Ent. Syst. IV. 1794, 459.
- aurita Phoca, J. M. Bechstein in Pennant, Uebers. 4fuss. Thiere, II. 1800, 590.
- aurita Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2006.—Tenebrio.
- auritus Podiceps (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 294.—Colymbus.
- auritus Pulex, O. Fabricius, Nye Saml. K. Danske Skrifter, II. 1783, 309.
- aurita Raia, G. A. Suckow, Naturges. IV. 1799, 78.
- auritus Scymnus, C. P. Thunberg, Ins. Suecica (9) 1795, 105.
- auritus Strombus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3522.—Nerita.
- auritus Tenebrio, P. S. Pallas, Icon. Ins. 1781, 40.
- auritus Triton, A. Modeer, K. Vet. Ac. Nya Handl. X. 1789, 56.—Cr.?
- auritus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 493.
- auritus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 827.
- auritus Vespertilio, Linnaeus, Syst. Nat., ed. 10, 1758, 32; ed. 12, 1766, 47.
- aurita Viverra, F. A. A. Meyer, Zool. Entdeck. 1793, 91.
- aurita Vorticella, O. F. Müller, An. Infus. 1786, 288.
- auropapilla Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 334.
- auropapillus Turdus (L.), J. Latham, Index Orn. 1790, 328.—Motacilla.
- auronitens Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 129.
- auronitens Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 198.
- auropunctatus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 131.
- auropunctella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 89.
- aurora Cerastes (Linn.), J. N. Laurenti, Syn. Rept. 1768, 82.—Coluber.
- aurora Cercopis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 102.
- aurora Chrysis, J. L. Christ, Nat. Ins. 1791, 405.
- aurora Coccinella, Creutzer in G. W. F. Panzer, Ins. Germ. heft 36, 1796, tab. 5.
- aurora Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 219; ed. 12, 1766, 379.
- aurora Curculio, [D. H. Schneider], Nom. Ent. 1785, 14 [n. n.].
- aurora Lampyrus (Herbst), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1887.—
- aurora Lycus, J. C. Fabricius, Ent. Syst. I (2) 1792, 108. [Pyrochroa.
- aurora [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 18.
- aurora Papilio D. C., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. 1784, 161.
- aurora Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8 [n. n.].
- aurora Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 173.
- aurora Psittacus, Linnaeus, Mant. II. 1771, 524.
- aurora Pyrochroa, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 105.
- aurorae Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 100.

- auroralis** *Pyralis*, [Denis & Schiffermüller], Schmett. Wien, 1775, 124.
- auroraria** *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 63 [*n. et f.*].
- auroraria** *Phalaena Geometra*, J. Hübner, Beitr. Schmett. I (2) [1787], 27.
- aurorea** *Motacilla*, P. S. Pallas, Reise Russ. III. 1776, 695.
- aurorea** *Sylvia* (Pall.), J. Latham, Index Orn., 1790, 527.—*Motacilla*.
- aurotus** *Bombyx*, J. C. Fabricius, Mant. II. 1787, 108.
- aurota** *Papilio*, J. C. Fabricius, Ent. Syst. III (1) 1793, 197.
- aurota** [Phalaena], P. Cramer, Uitl. Kapellen, I (1) 1775, 11.
- aurulenta** *Apis*, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 22.
- aurulentus** *Buprestis*, Linnaeus, Syst. Nat., ed. 12, 1767, 661.
- aurulenta** *Buprestis*, J. C. Fabricius, Mant. I. 1787, 182.
- aurulenta** *Cicada*, J. C. Fabricius, Mant. II. 1787, 269.
- aurulentus** *Curculio*, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 13.
- aurulenta** *Leptura*, J. C. Fabricius, Ent. Syst. I (2) 1792, 348.
- aurulenta** *Sphex*, J. C. Fabricius, Mant. I. 1787, 274.
- ausonia** [Phalaena], P. Cramer, Uitl. Kapellen, II (12) 1777, 66.
- auspex** *Constrictor*, J. N. Laurenti, Syn. Rept. 1768, 108.
- auspex** *Ichneumon*, O. F. Müller, Z. Dan. Prod. 1776, 154.
- austera** *Apis*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 209.
- austera** *Bombyx*, [Denis & Schiffermüller], Schmett. Wien, 1775, 310. [438.—*Bombyx*].
- austera** *Phalaena Bombyx* (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790.
- austera** *Phalaena Noctua*, E. J. C. Esper, Die Schmett. IV. [1797-1800], 452.
- australasiae** *Blatta*, J. C. Fabricius, Syst. Ent. 1775, 271.
- australasiae** *Bombyx*, J. C. Fabricius, Syst. Ent. 1775, 562.
- australasiae** *Dromia*, F. Weber, Nomen. Fabricii, 1795, 92.
- australasiae** *Helix*, A. A. H. Lichtenstein, Cat. rerum Nat. II. 1794, 96.
- australasiae** *Murex*, A. A. H. Lichtenstein, Cat. rerum Nat. II. 1794, 83.
- australasiae** *Scorpio*, J. C. Fabricius, Syst. Ent. 1775, 399.
- australasiaca** *Rana*, G. Shaw, Nat. Misc. VI. 1795, pl. 200.
- australis** *Ascalaphus*, J. C. Fabricius, Mant. I. 1787, 250.
- australis** *Atherina*, G. Shaw in White, Journ. N.S.W. 1790, 296.
- australe** *Buccinum*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3490.
- australis** *Bulimus*, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 347.
- australis** *Cancer* (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2994.—*Scyllarus*.
- australis** *Casuarus*, G. Shaw, Nat. Misc. III. 1792, pl. 99.
- australis** *Cerambyx*, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1849.
- australis** *Cimex*, J. C. Fabricius, Syst. Ent. 1775, 708.
- australis** *Clio*, J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 507.
- australis** *Columba*, Linnaeus, Mant. II. 1771, 526.
- australis** *Corvus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 365.
- australis** *Corvus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 377.
- australis** *Cottus*, G. Shaw in White, Journ. N.S.W. 1790, 266.
- australis** *Cryptocephalus*, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1721.
- australe** *Ellobium*, J. F. Bolten, Mus. Bolten. (2) 1798, 106.
- australis** *Falco*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 259.
- australis** *Falco* (*Aquila*), R. Kerr, Anim. Kingd. 1792, 487.
- australis** *Formica*, J. C. Fabricius, Syst. Ent. 1775, 393.
- australis** *Fringilla*, J. Latham, Index Orn. 1790, 466.
- australis** *Gryllus*, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2064.
- australis** *Gyrinus*, J. C. Fabricius, Syst. Ent. 1775, 235.
- australis** *Haliotis*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3689.
- australis** *Lampyrus*, J. C. Fabricius, Syst. Ent. 1775, 201.
- australis** *Lygaeus*, J. C. Fabricius, Ent. Syst. IV. 1794, 140.—*Cimex*, 1775.
- australis** *Manatus*, A. J. Retzius, K. Vet. Ac. Nya Handl. XV. 1794, 291.
- australis** *Motacilla*, G. Shaw in White, Journ. N.S.W. 1790, 239.
- australis** *Murex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3542.
- australis** *Musca*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2833.
- australis** *Mya*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3221.

- australis Mycteria, G. Shaw, Tr. Linn. Soc. [Lond.] V. 1800, 34.
 australis Myrmeleon (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2645.—
 australis Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3675. [Ascalaphus.
 australis Petaurus, G. Shaw, Nat. Misc. II. 1791, pl. 60.
 australis Phoca, E. A. W. Zimmermann, Geogr. Gesch. III. 1783, 276.
 australis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 329.
 australis Psittacus, J. Latham, Index Orn. 1790, 104.
 australis Rallus, A. Sparrman, Mus. Carls. I. 1786, no. xiv.
 australis Sciurus (Petaurus), R. Kerr, Anim. Kingd. 1792, 269.
 australis Scolopax, J. A. Scopoli, Annus I. 1769, 94.
 australis Scorpio, Linnaeus, Syst. Nat., ed. 10, 1758, 625; ed. 12, 1767, 1038.
 australis Scyllarus, J. C. Fabricius, Spec. Ins. I. 1781, 509.
 australis Sphex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2728.
 australis Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 608.
 australis Trachichthys, G. Shaw, Nat. Misc. X. 1799, pl. 378.
 australis Trichechus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 60.
 australis Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 679.
 australis Turdus, A. Sparrman, Mus. Carls. III. 1788, no. lxix.
 australis Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3282.
 austrasiae Rana, J. G. Schneider, Hist. Amph. I. 1799, 150.
 austriaca Andrena, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 19.
 austriaca Buprestis, Linnaeus, Syst. Nat., ed. 12, 1767, 661.
 austriaca Cassida, J. C. Fabricius, Ent. Syst. I (1) 1792, 293.
 austriaca Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2109.
 austriaca Cicindela, F. v. P. Schrank, Beitr. Nat. 1776, 69.
 austriacus Cimex, F. v. P. Schrank, Beitr. Nat. 1776, 78.
 austriaca Coccinella, F. v. P. Schrank, Beitr. Nat. 1776, 62. [Coronella.
 austriacus Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1114.—
 austriaca Copris (Panz.), J. Sturm, Verz. Ins. Samml. 1800, 103.—Scarabaeus.
 austriaca Coronella, J. N. Laurenti, Syn. Rept., 1768, 84 & 184.
 austriacus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 123.
 austriacus Elater, F. v. P. Schrank, Ins. Aust. 1781, 186.
 austriacus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 262.
 austriaca Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 491.
 austriaca Glareola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 695.
 austriacus Meloe, F. v. P. Schrank, Ins. Aust. 1781, 223.
 austriacus Meloe, C. de Villers, Linn. Ent. IV. 1789, 365.
 austriaca Melolontha, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 16.
 austriacus Milvus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 149.—Falco.
 austriaca Mutilla, G. W. F. Panzer, Ins. Germ. heft 62 [1799], tab. 20.
 austriacus Paederus, F. v. P. Schrank, F. Boica, I. 1798, 653.—Staphylinus, 1781.
 austriaca Phalaena Bom., E. J. C. Esper, Die Schmett. Suppl. 3 Abschn. [1797], 39.
 austriacus Scarabaeus (Herbst), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1561.—
 Melolontha.
 austriacus Scarabaeus, Schneider in G. W. F. Panzer, Ins. Germ. heft 12, 1793, tab. 6.
 austriaca Sphex, F. v. P. Schrank, Ins. Aust. 1781, 380.
 austriacus Staphylinus, F. v. P. Schrank, Ins. Aust. 1781, 237.
 austriaca Vespa, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 2.
 ausus Musca, M. Harris, Exp. Eng. Ins. 1776, 85.
 automedon [Papilio], P. Cramer, Utit. Kapellen, I (4) 1775, 65.
 automedon [Papilio], C. Stoll in Cramer, Utit. Kapellen, IV (33) 1782, 204.
 autonoe Papilio N. G., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1784],
 autumnalis Acarus, G. Shaw, Nat. Misc. II. 1790, pl. 42. [167.
 autumnalis Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 127; ed. 12, 1766, 205.
 autumnalis Apis, J. C. Fabricius, Ent. Syst. II. 1793, 324.
 autumnalis Aranea, F. A. A. Meyer, Spinner Gött. 1790, 12.
 autumnalis Charadrius, Linnaeus in Hasselquist, Palast. 1762, 308.
 autumnalis Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 320.

- autumnalis** Meloe, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 650.
autumnalis Musca, C. de Geer, Mém. Ins. VI. 1776, 83.
autumnalis Phalaena (Geometra), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 85.
autumnalis Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 102; ed. 12, 1766, 147.
autumnalis Psittacus, R. Kerr, Anim. Kingd. 1792, *varr.* cyanocephalus. cocho, 605.
autumnalis Salmo (Coreg.), P. S. Pallas, Reise Russ. III. 1776, 705.
autumnalis Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 6.
autumnalis Scarabaeus, D. E. Næzén, K. Vet. Ac. Nya Handl. XIII. 1792, 167.
autumnalis Tabanus, Linnaeus, Faun. Suec., ed. 2, 1761, 462.
autumnalis Tringa, Linnaeus in Hasselquist, Palast. 1762, 306.
autumnalis Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 509.
autumnata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 293.
auwawa Balistes, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 464.
auxo Sphinx, Linnaeus, Syst. Nat., ed. 12, 1767, 805.
avarus Alphaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 404.
avarus Crangon, F. Weber, Nomen. Fabricii, 1795, 94.
auarus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 170.
avarus Musca, M. Harris, Exp. Eng. Ins. 1776, 152.
avellana Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 297.
avellana Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3640.
avellana Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3730.
avellana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 531; ed. 12, 1767, 877.
avellana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 650.—Phalaena.
avellanae Attelabus, Linnaeus, Syst. Nat., ed. 12, 1767, 619.
avellanae Bombyx, J. C. Fabricius, Mant. II. 1787, 116.
avellanae Bombyx, C. de Villers, Linn. Ent. IV. 1789, 447.
avellanae Bruchus (L.), F. v. P. Schrank, Ins. Aust. 1781, 102.—Attelabus.
avellanae Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2183.
avellanae Curculio (L.), G. Paykull, Mon. Curc. 1792, 28.—Attelabus.
avellanae Curculio, E. Donovan, Brit. Ins. VI. 1797, 63.
avellanae Involvulus (L.), F. v. P. Schrank, F. Boica, I. 1798, 475.—Attelabus.
avellanae Phalaena Bombyx (Fab.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 468.—Bombyx.
avellanae Rhinomacer (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 91.—Attelabus.
avellanarius Glis, J. F. Blumenbach, Hand. Naturg. 1779, 79.
avellanarius Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 62; ed. 12, 1766, 83.
avellanarius Myoxus (L.), F. v. P. Schrank, F. Boica, I. 1798, 75.—Mus.
avellanella Phal. Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 12 [*n. et f.*].
avellanella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 18.
avenacea Anomia, O. F. Müller, Z. Dan. Prod. 1776, 249.
avenaceus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 355.
avenae Aphis, J. C. Fabricius, Syst. Ent. 1775, 736.
avenae Musca, C. Bjerkander, K. Vet. Ac. Nya Handl. II. 1781, 172.
aventina [Papilio], P. Cramer, Utitl. Kapellen, I (5) 1775, 92.
aversalis Pyralis, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 170. [*n. et f.*].
aversaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 56
aversata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 526; ed. 12, 1767, 869.
avicenniae Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 18.
Avicula J. C. Bruguière, Ency. Méth. (Tabl. Vers), pl. 177 (1791) [*n. et f.*].
avicula Lamarck, Mem. Soc. H. N. Paris, 1799, 82.—L.
avicularium Acarus, C. de Geer, Mém. Ins. VII. 1778, 107.
avicularia Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 622; ed. 12, 1767, 1034.
avicularia Cellaria (L.), J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 22.—Sertularia.
avicularia Cellularia (Linn.), P. S. Pallas, Elench. 1766, 68.—Sertularia.
avicularia Hippobosca, Linnaeus, Syst. Nat., ed. 10, 1758, 607; ed. 12, 1767, 1010.
avicularia Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 809; ed. 12, 1767, 1315.
avidus Empis, M. Harris, Exp. Eng. Ins. 1776, 151.
avida Noctua, J. C. Fabricius, Mant. II. 1787, 144.

- avidus** Syrphus, P. Rossi, Fauna Etrus. II. 1790, 292.
avitus Papilio, P. Cramer, Uitl. Kapellen, IV (30) 1781, 123.
avius Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 301.—Papilio.
avium Ligula, M. E. Bloch, Eingeweidewürmer, 1782, 4.
avia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 111.
aiuius [Papilio], P. Cramer, Uitl. Kapellen, I (8) 1776, 144.
avia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 35.
avium Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 87.
Avocetta M. J. Brisson, Ornith. VI. 1760, 538.—A.
Avosetta M. T. Brunnich, Zool. Fund. 1772, 72.—A. [avoc.]
avosetta Recurvirostra, Linnaeus, Syst. Nat., ed. 10, 1758, 151; ed. 12, 1766, 256
avosetta Scolopax (Linn.), J. A. Scopoli, Annus I. 1769, 92.—Recurvirostra.
awaou Gobius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 537.
awatcha Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 986.
awatcha Sylvia (Gm.), J. Latham, Index Orn. 1790, 553.—Motacilla.
axilella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 95.
axillaris Carabus, J. C. Fabricius, Ent. Syst. IV. 1794, 441.
axillaris Cistela, G. Paykull, Faun. Succ. II. 1799, 123.
axillaris Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 153.
Axinaea J. X. Poli, Test. Sicil. I. 1791, Introd. 32. A generic term applied to the fleshy part of certain *Arcae*.
Axinaeoderma J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—L.
Axine P. C. Abildgaard, Skr. nat. Selsk. [Copen.] III (2) 1794, 60.—Ver.
axis Cervus, J. C. P. Erxleben, Syst. Anim. 1777, 312.
axis Cervus, R. Kerr, Anim. Kingd. 1792, *var.* maculatus; unicolor; albus; major, 300.
axyridis Coccinella, P. S. Pallas, Reise Russ. II. 1773, 726.
aya Bodianus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 45.
aye Sciurus, J. A. Scopoli, Del. Insub. II. 1786, 85.
Aye-aye B. G. E. de Lacépède, Tabl. Mamm. 1799, 6.—M.
aygula Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 39.—Simia.
aygulus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 166.—Scarabaeus.
aygulus Onitis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 25.—Scarabaeus, 1781.
aygulus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 15.
aygula Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 27; ed. 12, 1766, 39.
aygula Simia (Cercop.), L., R. Kerr, Anim. Kingd. 1792, 68 & *var.* monea.
azaleae Sphinx, J. E. Smith in Abbot, Ins. Georgia, 1797, 53.
azureus Carabus, J. C. Fabricius, Syst. Ent. 1775, 244.
azureus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 110.
azureus Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.), 1790, 13.
azureus Cordylus (L.), F. A. A. Meyer, Syn. Rept. 1795, 17.—Lacerta.
azureus Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 621.
azurea Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 202; ed. 12, 1766, 362.
azurea Muscicapa, P. Boddaert, Tab. Planch. Enl. 1783, 41.
azureus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3361.
azurea Phryganea, Linnaeus, Faun. Succ., ed. 2, 1761, 380.
azurea Sphex, J. L. Christ, Nat. Ins. 1791, 256.
azurea Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 204.

baaderi Chrysomela, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 14; & 59 [1798],
baarula *v.* boarula. [tab. 2.]
babel Araneus, T. Martyn, Aranei, 1793, 13.
babylonicum Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 302.—Murex babylonius.
babylonicus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 100 [*n. n.*].
babylonica Turris, P. L. S. Müller, Del. Nat. I. 1766, 129.
babylonica Turris (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 123.—Murex babylonius.
babylonius Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 753; ed. 12, 1767, 1220.
babylonius Pleurotoma (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 73.—Murex.

- babyrussa** Sus, Linnaeus, Syst. Nat., ed. 10, 1758, 50; ed. 12, 1766, 104.
- bacarozzo** Carabus, F. v. P. Schrank, Baier. Reise, 1786, 22.
- baccarum** Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 617; ed. 12, 1767, 1025.
- baccarum** Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 445; ed. 12, 1767, 721.
- baccha** Amygone, O. F. Müller, Entom. 1785, 46.
- bacchus** Attelabus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 281.—Curculio.
- bacchus** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 171.—Scarabaeus.
- bacchus** Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 381; ed. 12, 1767, 611.
- bacha** Falco, F. M. Daudin, Traité élém. Orn. 1800, 43.
- bacchus** Geofroia (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 38.—Scarabaeus.
- bacchus** Involvlus (L.), F. v. P. Schrank, F. Boica. I. 1798, 474.—Curculio.
- bacchus** Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3004.—Amygone.
- bacchus** Rhinomacer (L.), J. N. Laicharting, Tyrol. Ins. I. 1781, 238.—Curculio.
- bachus** Rynchites (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 134.—Curculio.
- bachus** Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 32.
- Baccillaria** G. Cuvier, Tab. Elém. 1798, 662.—? Diatom.
- bacha** }
bachus } *v.* **bacchus**.
- bacillaris** Spongia, Linnaeus, Syst. Nat., ed. 12, 1767, 1299.
- bacillaris** Taenia, J. A. E. Goeze, Eingeweidewirm. 1782, 359.
- bacillus** Vibrio, O. F. Müller, Verm. I (1) 1773, 40.
- bactrianus** Camelus, Linnaeus, Syst. Nat., ed. 10, 1758, 65; ed. 12, 1766, 90.
- bactris** Bruchus, Linnaeus, Syst. Nat., ed. 12, 1767, 605.
- bactris** Dermestes, Linnaeus, Amoen. Acad. VI. 1763, 392.
- Baculites** Lamarck, Mem. Soc. H. N. Paris. 1799, 80.—Ceph.
- baculus** Mantis, C. de Geer, Mém. Ins. III. 1773, 405.
- badensis** Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 607.
- badensis** Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 873.
- badiana** Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 126.
- badiata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 111.
- badiata** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 291
- badiella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 39. [*v. et f.*]
- badierana** Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 263.
- badia** Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 644.
- badius** Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1862.
- badia** Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3414.
- badius** Elater, O. F. Müller, F. Ins. Frid., 1764, 17.
- badius** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 280.
- badia** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3639.
- badius** Labrus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 258.
- badius** Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 462.
- badius** Myoxus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 710.
- badia** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3700.
- badius** Simia (Cercop.), R. Kerr, Anim. Kingd. 1792, 74.
- badia** Testudo, J. A. Donndorff, Zool. Beyt. III. 1798, 34.
- badius** Ursus, F. v. P. Schrank, F. Boica, I. 1798, 55.
- badius** Vespertilio, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 631.
- badjing** Sciurus, R. Kerr, Anim. Kingd. 1792, 262.
- baelama** Clupea, P. Forskal, Descr. Anim. 1775, 72.
- baetaen** Coluber, P. Forskal, Descr. Anim. 1775, 15.
- Bagre** G. Edwards in M. Catesby, Carol. II. 1771, 23.—P.
- bagre** Mystus, F. C. Meuschen, Mus. Gronov. 1778, 38.
- bagre** Silurus, Linnaeus, Syst. Nat., ed. 12, 1766, 505.
- bahamensis** Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 124; ed. 12, 1766, 199.
- bahamensis** Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (1) 1791, 30.
- baicalensis** *v.* **baikalensis**.
- baikal** Anas, J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 154.

- baikalensis** Callionymus, P. S. Pallas, Reise Russ. III. 1776, 707.
baicalensis Callionymus, P. S. Pallas, Nova Acta Ac. Sci. Petrop. I. 1787, 349.
baikalensis Cemeophorus (L.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 312.—
baikalensis Spongia, P. S. Pallas, Reise Russ. III. 1776, 710. [Callionymus.
baikalensia [Spongia], P. S. Pallas, Char. Thierpfl. II. 1787, 235.—[baikalensis, 1776.]
baiularia v. bajularia.
baja Leptura, F. v. P. Schrank, F. Boica, I. 1798, 692.
baja Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 77.
bajad Silurus, P. Forskal, Descr. Anim. 1775, 66.
bajana Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3269.
bajaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 315 (linea 3).
bajaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 194 [*n. et f.*].
bajularia Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 97.
bajularia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 3 [*n. et f.*].
bajularia Noctua (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 213.—Phalaena.
bajularia Ph[alae]na, C. Clerck, Icones, II. 1764, pl. liv.
bajularia [Phalaena], P. Cramer, Utitl. Kapellen, II (15) 1777, 115. [39.—Geometra.
baiularia Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
bajulus Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 187.—Cerambyx.
bajulus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 396; ed. 12, 1767, 636.
bajula Cetonia, A. G. Olivier, Entom. I. 1789, 82.
bajula Leptura (Linn.), Scopoli, Ent. Carn. 1763, 48.—Cerambyx.
bakeri Brachionus, O. F. Müller, An. Infus. 1786, 359.
bakkamoena Otus, T. Pennant, Ind. Zool. [1769], 3.
bakkamuna Strix (Penn.), J. R. Forster, Ind. Zool. 1781, 13.—Otus bakkamoena, 1769.
Balaena Linnaeus, Syst. Nat., ed. 10, 1758, 75; ed. 12, 1766, 105.—M.
balaena Balanus, E. M. da Costa, Brit. Conch. 1778, 251.
balaena Priapus, F. C. Meuschen, Mus. Gronov. 1778, 46.
balaenae Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3045.
balaenae Phalangium, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 21 [*n. n.*].
balaenaris Lepas, O. F. Müller, Z. Dan. Prod. 1776, 250.
balaenarum Phalangium, Linnaeus, Syst. Nat., ed. 12, 1767, 1028.
balaenarum Pycnogonum (L.), J. C. Fabricius, Spec. Ins. II. 1781, 475.—Phalangium.
balaeni Squilla, C. de Geer, Mém. Ins. VII. 1778, 541.
balaenus Manati, P. Boddaert, Elench. 1785, 173.
Balanites J. Gesner, Tract. Petref. 1758, 37.—Cirr.
 “**Balanites** Brug. 1791,” Ag. Not used generically.
balanoides Balanus (L.), F. C. Meuschen, Mus. Gever. 1787, 478.—Lepas.
balanoides Lepas, Linnaeus, Faun. Suec., ed. 2, 1761, 515.
balanoides Lepas, Linnaeus, Syst. Nat., ed. 12, 1767, 1108.
Balanus J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xii & 158.—Cirr.
Balanus Lamarck, Mem. Soc. H. N. Paris, 1799, 90.—Cirr.
balanus Balanus (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 91.—Lepas.
balanus Lepas, Linnaeus, Syst. Nat., ed. 10, 1758, 667; ed. 12, 1767, 1107.
balaustina Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 676; ed. 12, 1767, 1119.
balaustinus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 88 [*n. n.*].
balbul Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 543.
baldu Papilio, J. C. Fabricius, Syst. Ent. 1775, 829.
Balearica M. J. Brisson, Ornith. V. 1760, 511.—A.
bali Coluber, B. G. E. de Lacépède, Quad. Ovip. & C. II. 1789, 120.
balicassius Corvus, Linnaeus, Syst. Nat., ed. 12, 1766, 157.
balista Cynipsichneumon, J. L. Christ, Nat. Ins. 1791, 386. [gen. xxxviii. 53].—P.
Balistes Linnaeus, Syst. Nat., ed. 10, 1758, 327; ed. 12, 1766, 404 [Artedi, Ichth. 1738,
ballan Labrus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 259.
ballerus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 326; ed. 12, 1766, 532.
ballus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 311.
ballus Papilio, J. C. Fabricius, Mant. II. 1787, 80.
balsaminthae Aphis, O. F. Müller, Z. Dan. Prod. 1776, 109.

- balsamitae** Aphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2210.—[A. *balsamitae* Cerambyx, C. de Geer, Mém. Ins. V. 1775, 111. [minthae, Müll.]
balteatus Cerambyx (*ex* De G.), Panzer in Drury, Exot. Ins. 1785, 143.
balteatus Cimex, Linnaeus, Mant. II. 1771, 534.
balteatus Cimex, C. de Geer, Mém. Ins. III. 1773, 334.
balteatus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 405; ed. 12, 1767, 654.
balteatus Elater, Herbst, Einl. Ins. I. 1784, 150.
balteatus Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 142.
balthaeus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 108.
balteatus Malachus, F. v. P. Schrank, F. Boica, I. 1798, 585.
balteata Meloe, P. S. Pallas, Icon. Ins. 1782, 88.
balteata Musca, C. de Geer, Mém. Ins. VI. 1776, 116.
balteata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 457.
balteatus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 642.
balteatus Staphylinus, C. de Geer, Mém. Ins. IV. 1774, 18.
balteatus Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 98.
balteus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 1067.
balthaeus *v.* **balteatus**.
balthus Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74.
balthica Alca, E. Pontoppidan, Danske Atlas, I. 1763, 621.
balthica Alca, M. T. Brünnich, Orn. Boreal. 1764, 25.
balthica Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 775; ed. 12, 1767, 1250.
balticus Larus, J. D. Petersen, Balth. Vögel, 1766, 8 [*u. n.*].
balthicus Nautilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3370.
balthicus Oniscus, P. S. Pallas, Spic. Zool. IX. 1772, 66.
balthica Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 677; ed. 12, 1767, 1120.
balthica Uria, M. T. Brünnich, Orn. Boreal. 1764, 28.
balticus *v.* **balthicus**.
baltimore Icterus (L.), F. M. Daudin, Traité élém. Orn. 1800, 348.—Oriolus.
baltimore Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 162.
bambla Formicarius, P. Boddaert, Tab. Planch. Enl. 1783, 44.
bambla Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 827.
bamffius Astacus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 14.
bamffius Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 58.
bananivora Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 951.
bananivora Sylvia (Gm.), J. Latham, Index Orn. 1790, 544.—Motacilla.
Banchus J. C. Fabricius, Suppl. Ent. Syst. 1798, 209.—Hym.
bankii *v.* **banksii**.
bancrofti Sciurus, R. Kerr, Anim. Kingd. 1792, 265.
bancrofti Trochilus, J. Latham, Index Orn. 1790, 317.
bandanus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 611.
bandensis Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*u. n.*].
bandevillaea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 275.
bandicota Mus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 498.
banian Gryllus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 194.
bankia *v.* **banksia**.
bankianus *v.* **banksianus**.
bankii *v.* **banksi**.
banksii Cerambyx (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1834.—Lamia.
bankii [banksi] Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 95.
banksi Cimex, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2197.
bankii [banksi] Lamia, J. C. Fabricius, Syst. Ent. 1775, 176.
bankii [banksi] Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 223.—[*Id. ac* Syst. Ent. 176.]
banksii Psittacus, J. Latham, Index Orn. 1790, 107.
banksii Psittacus, R. Kerr, Anim. Kingd. 1792, 585.—*varr.* *flavicollo*; *fuscus*, 586.
banksii Scarabaeus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1566.
bankia [banksia] Papilio, J. C. Fabricius, Syst. Ent. 1775, 499. [Pyralis.
bankiana [banksiana] Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 404.—

- bankiana [banksiana] Pyralis, J. C. Fabricius, Syst. Ent. 1775, 645.
 banksiana Raja, B. G. E. Lacépède, Hist. Nat. Poiss. II. 1800, 105.
 bantamensis Columba, A. Sparman, Mus. Carls. III. 1788, no. lxvii.
 Baphia F. C. Meuschen, Mus. Gever. 1787, 472.—[Mya, L.]
 barabensis Glis, P. B. C. Graumann, Introd. H. N. 1779, 60.
 barabensis Gryllus (Locusta), P. S. Pallas, Reise Russ. II. 1773, 728.
 barabensis Mus, P. S. Pallas, Reise Russ. II. 1773, 704.
 barallou Cervus, R. Kerr, Anim. Kingd. 1792, 304.
 barathrum Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 43.
 "Barbacou Levaillant, 1800," Ag., vernacular; is Cuvier, 1817.
 barbadensis Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 632.
 barbadense Ellobium, J. F. Bolten, Mus. Bolten. (2) 1798, 106.
 barbadense Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3729.
 barbadensis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 339.
 barbadensis Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3455.
 Barbala [G. Humphreys], Mus. Calonn. 1797, 59.—L.
 barbalis [Phalaena], C. Clerck, Icones, I. 1759, pl. v. 3.
 barbalis Phalaena (Pyr.), Linnaeus, Faun. Suec., ed. 2, 1761, 350.
 barbalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 5 & 3 [2].
 barbarae Chrysomela, Linnaeus, Faun. Suec., ed. 2, 1761, 169. [Chrysomela.
 barbarae Cryptocephalus (L.), J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 63.—
 barbarae Canis, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 274.
 barbarica Buprestis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1936.
 barbarica Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1683.
 barbaricus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2199.
 barbaricus Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 719.
 barbaricus Scarabaeus, F. C. Meuschen, Mus. Gronov. 1778, 58.
 barbaricus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 808.
 barbarossa Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 17.—Scarabaeus, 1775.
 barbarossa Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 12.
Barbarus ? **Papilio**.
 barbara Agrion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 286.
 barbara Apis, Linnaeus, Syst. Nat., ed. 12, 1767, 958.
 barbara Apis, J. C. Fabricius, Ent. Syst. II. 1793, 330.
 barbarus Ascalaphus (L.), J. C. Fabricius, Syst. Ent. 1775, 313.—Myrmeleon.
 barbarus Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 605; ed. 12, 1767, 1007.
 barbara Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 62.—Phalaena.
 barbarus Brachycerus (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 185.—Curculio.
 barbara Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 237.
 barbara Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 326.
 barbarus Cryptocephalus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1731.
 barbarus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 386; ed. 12, 1767, 617.
 barbarus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 534.
 barbarus Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 88; ed. 12, 1766, 125.
 barbara Formica, Linnaeus, Syst. Nat., ed. 12, 1767, 962.
 barbarus Gobius, Linnaeus, Syst. Nat., ed. 12, 1766, 450.
 barbara Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 773; ed. 12, 1767, 1249.
 barbarus Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 137.
 barbarus Mus, Linnaeus, Syst. Nat., ed. 12, 1766 [addenda, end of vol. i.].
 barbara Mustela, Linnaeus, Syst. Nat., ed. 10, 1758, 46; ed. 12, 1766, 67.
 barbara Mutilla, Linnaeus, Syst. Nat., ed. 10, 1758, 583; ed. 12, 1767, 967.
 barbara Mutilla, J. C. Fabricius, Ent. Syst. II. 1793, 370.
 barbarum Myrmeleon, Linnaeus, Syst. Nat., ed. 12, 1767, 914.
 barbara Necydalis, J. C. Fabricius, Ent. Syst. I (2) 1792, 351.
 barbara Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 111.
 barbarus Papilio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2352.
 barbara Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 782; ed. 12, 1767, 1258.
 barbara Perdix, J. P. Bonnatere, Ency. Méth. (Orn.) 1791, 208.

- barbara** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 151.
barbarus Syngnathus, Linnaeus, Syst. Nat., ed. 10, 1758, 337; ed. 12, 1766, 417.
barbarus Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 417; ed. 12, 1767, 675.
barbarus Vultur, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 250.
barbastellus Vespertilio, J. C. D. Schreber, Säugth. I. 168 (1774), pl. IV (1774).
barbatella Phalaena, Scopoli, Ent. Carn. 1763, 251.
barbator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 171.
Barbatula H. F. Linck, Mag. Neuste Phys. u. Nat. VI (3) 1790, 38.—P.
barbatula Barbatula (L.), H. F. Linck, Mag. Neuste Phys. u. Nat. VI (3) 1790, 38.—
barbatulus Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 259. [Cobitis.
barbatula Cobitis, Linnaeus, Syst. Nat., ed. 10, 1758, 303; ed. 12, 1766, 499.
barbata Antilope, B. Merrem, Anim. Scyth. 1781, 9.
barbata Aquila (Gm.), F. v. P. Schrank, F. Boica. I. 1798, 106.—Falco.
barbata Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 693; ed. 12, 1767, 1140.
barbatus Asilus, J. C. Fabricius, Mant. II. 1787, 358.
barbatus Balistes, J. G. Walbaum, Artdi. Ichth. (3), ed. 2, 1792, 464.
barbatus Blennius, G. A. Suckow, Naturges. IV. 1799, 259.
barbatus Bombylius, A. Modeer, Physiogr. Sölsk. Handl. I (4) 1786, 293.
barbatus Bombylius (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 330.—Tabanus.
barbatus Bos, R. Kerr, Anim. Kingd. 1792, 340.
barbatus Callidium, J. C. Fabricius, Syst. Ent. 1775, 189.
barbatum Callitricoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Mytilus.
barbatus Calolymus (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791, 123.
barbatus Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 460. [—Lymexylon.
barbata Cantharis (Fab.), C. de Villers, Linn. Ent. IV. 1789, 324.—Lymexylon.
barbatus Cerambyx (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1816.—
barbatus Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 300. [Prionus.
barbatus Cercopithecus, P. L. S. Müller, Del. Nat. II. 1767, 142.
barbata Cicada, J. C. Fabricius, Syst. Ent. 1775, 684.
barbata Corallina, Linnaeus, Syst. Nat., ed. 10, 1758, 806; ed. 12, 1767, 1305.
barbatus Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 464.—Phalaena barbialis.
barbatus Curculio, P. Rossi, Mant. Ins. II. 1794, 93.
barbatum Daphnoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 255 & 260.—Arca.
barbata Dircaea (Schall.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 121.—Mordella.
barbata Echinorhynchus (L.), P. C. Abildgaard, Skr. nat. Selsk. [Copen.] I (1) 1790,
barbata Emberiza, J. A. Scopoli, Annus I. 1769, 143. [38.—Fasciola.
barbatus Erax, Scopoli, Ent. Carn. 1763, 360. [Pimelia.
barbata Eurychora (Ol.), Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 38.—
barbatus Falco (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 252.—Vultur.
barbatus Falco (Gypaetus), R. Kerr, Anim. Kingd. 1792, 479, & *varr.* aureus; persicus.
barbata Fasciola, Linnaeus, Faun. Suec., ed. 2, 1761, 505.
barbata Formica, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 225.
barbata Fringilla, G. I. Molina, Sag. stor. nat. Chili, 1782, 247.
barbatus Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 252; ed. 12, 1766, 437.
barbatus Gobius, G. S. Volta, Itt. Veron. (1) 1796, xlviij.
barbatus Helops, J. C. Fabricius, Mant. I. 1787, 213.
barbatus Lonchurus, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 144.
barbatus Lophius, L. Montin, K. Vet. Ac. Handl. XL. 1779, 187.
barbatum Lymexylon (Schall.), J. C. Fabricius, Mant. I. 1787, 165.—Mordella.
barbata Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 161.—Scarabaeus, 1775.
barbata Mordella, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 322.
barbatus Mullus, Linnaeus, Syst. Nat., ed. 10, 1758, 299; ed. 12, 1766, 495.
barbata Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 933.
barbatus Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 705; ed. 12, 1767, 1156.
barbata Nais, O. F. Müller, Verm. I (2) 1774, 23.
barbata Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 37. [Ophidium.]
barbatum Ophidion, Linnaeus, Syst. Nat., ed. 10, 1758, 259; ed. 12, 1766, 431.—
barbata Ovis, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 640.

- barbatus** Parus, J. A. Scopoli, Annus I. 1769, 161.
barbatus Parus, S. G. Gmelin, Reise Russ. IV. 1784, 45 [*ibid.* II. 1774, 164, pl. x].
barbata Phoca, O. F. Müller, Z. Dan. Prod. 1776, vii.
barbata Pimelia (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2010.—Helops.
barbata Pimelia, G. A. Olivier, Entom. III. 1795, 26.
barbata Pipra, M. Vahl, Skr. nat. Selsk. [Copen.] IV (2) 1798, 157.
barbatus Pleuronectes, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 74.
barbatus Prionus, J. C. Fabricius, Spec. Ins. I. 1781, 208.
barbatus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 19.
barbata Scorpaena, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 70.
barbatus Serropalpus (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 127.—Helops.
barbata Simia, J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, I. 1799, 213.
barbatus Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1493.
barbata Strix, J. Latham, Index Orn. 1790, 62.
barbatus Tabanus, Linnaeus, Syst. Nat., ed. 12, 1767, 999.
barbatus Tabanus, C. P. Thunberg, D. Mus. Ac. Upsal. 1789, 91.
barbata Tellina, T. Martyn, Univ. Conch. IV [1792], fig. 158.
barbatus Tenebrio (Fab.), C. de Villers, Linn. Ent. IV. 1789, 361.—Helops.
barbata Trichoda, O. F. Müller, Z. Dan. Prod. 1776, 281.
barbatus Turdus, R. L. Desfontaines, Mém. Ac. Roy. Sci. [Paris], 1787 (1789), 500.
barbatus Vultur, Linnaeus, Syst. Nat., ed. 10, 1758, 87; ed. 12, 1766, 123.
barbella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 136.
barbella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 297.
barbella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 28.
barbi Echinorhynchus, F. v. P. Schrank, Naturforscher, XVIII. 1782, 83.
barbicornis Brentus, J. C. Fabricius, Mant. I. 1787, 95.—Curculio, 1775.
barbicornis Cerambyx, Linnaeus, Mus. Lud. Ulr. 1764, 68.
barbicornis Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2197.—
barbicornis Curculio, J. C. Fabricius, Syst. Ent. 1775, 134. [Reduvius.
barbicornis Lamia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 145.
barbicornis Reduvius, J. C. Fabricius, Syst. Ent. 1775, 730.
barbicornis Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 311.
barbicornis Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 974.
barbipes Cerambyx, F. v. P. Schrank, Ins. Aust. 1781, 148.
barbipes Vespertilio, Al. Brongniart, Actes Soc. H. N. Paris, I (1) 1792, 115. [Curculio.
barbirostris Brentus (Fab.), A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 58.—
barbirostris Cordyle, C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 47.
barbirostris Curculio, J. C. Fabricius, Syst. Ent. 1775, 135.
barbosus Trox, J. N. Laicharting, Tyrol. Ins. I. 1781, 31.
Barbus G. Cuvier, Tab. Elém. 1798, 234.—A.
barbus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 320; ed. 12, 1766, 525.
barcelonicus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 45.
bardana maxima Anadema, F. C. Meuschen, Mus. Gever. 1787, 480.
bardanae Cimex, J. D. Preyssler in Mayer, Samm. Phys. Aufsätze, I. 1791, 102.
bardanae Curculio, J. C. Fabricius, Mant. I. 1787, 104.
bardanae Curculio, R. Townson, Trav. Hungary, 1797, 474.—*var.* torquatus.
bardus Musca, M. Harris, Exp. Eng. Ins. 1776, 106.
Baristus P. Browne, Hist. Jamaica, ed. 2, 1789, 475.—A.
barita Gracula, Linnaeus, Syst. Nat., ed. 10, 1758, 109; ed. 12, 1766, 165.
barita Sturnus (L.), F. M. Daudin, Traité élém. Orn. 1800, 320.—Gracula.
barletta Falco, F. M. Daudin, Traité élém. Orn. 1800, 129.
baro Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 528.
barracuda Esox, G. Edwards in M. Catesby, Carol. II. 1771, Cat., 1.
bartholemica Certhia, A. Sparrman, Mus. Carls. III. 1788, no. lvii.
bartholini Siren, Linnaeus, Amoen. Acad. VII. 1766, 325, v. 2.
bartonii Astacus (Weber), J. C. Fabricius, Suppl. Ent. Syst. 1798, 407.—Homarus.
bartonii Homarus, F. Weber, Nomen. Fabricii, 1795, 94.
basilaris Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 426.

- basilea** [Papilio], P. Cramer, Utitl. Kapellen, II (16) 1777, 139.
- basilia** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 79.
- basilinea** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 78.
- basilinea** Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 510.
- Basiliscus** J. N. Laurenti, Syn. Rept. 1768, 50.—R. [—Noctua.]
- basiliscus** Iguana (Gm.), F. A. A. Meyer, Syn. Rept., 1795, 16.—Lacerta.
- basiliscus** Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 206; ed. 12, 1766, 366.
- basilissa** [Papilio], P. Cramer, Utitl. Kapellen, III (23) 1780, 132.
- basipunctata** Chrysomela, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 32.
- basipunctata** Chrysomela, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 37.
- bassani** Pediculus, O. F. Müller, Z. Dan. Prod. 1776, 185.
- bassanus** Pelecanus, Linnaeus, Syst. Nat., ed. 10, 1758, 133; ed. 12, 1766, 217.
- basta** Spongia, P. S. Pallas, Elench. 1766, 379.
- basteri** Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 87.
- B.-ata** Phalaena Geom. (*ex* Goeze), Panzer in Drury, Exot. Ins. 1785, 46.
- batatas** Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 617; ed. 12, 1767, 1026.
- batatas** Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 540.
- batavensis** Psittacus, J. Latham, Index Orn. 1790, 126.
- batavica** Columba, J. P. Bonnatere, Ency. Méth. (Orn.) 1791, 233.
- batavica** Psittaca, P. Boddaert, Tab. Planch. Enl. 1783, 49. [1788. 6.]
- bataviensis** Chrysomela, E. F. Hornstedt, Schrift. Berlin. Ges. Nat. Freunde, VIII.
- bataviensis** Cryptocephalus (Horn.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1710.—Chrysomela.
- batavus** Teredo, L. Spengler, Skr. nat. Selsk. [Copen.] II (1) 1792, 103.
- bates** Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 485.
- bathis** Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 272.—Papilio battus.
- bathseba** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 235.
- bathus** Papilio *err pro* battus, D. & S., J. C. Fabricius, Mant. II. 1787, 76.
- bathyllus** Papilio, J. E. Smith in Abbot, Ins. Georgia, 1797, 43.
- batis** Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 597.—Phalaena.
- batis** Phalaena, E. Donovan, Brit. Ins. I. 1792, 73.
- batis** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 509; ed. 12, 1767, 836.
- batis** Raja, Linnaeus, Syst. Nat., ed. 10, 1758, 231; ed. 12, 1766, 395.
- baton** [Papilio], J. A. B. Bergstraesser, Nom. Ins. III. 1779, 18.
- baton** [Papilio], J. A. B. Bergstraesser, Ic. Pap. II. 1780, 6.
- Batrachoides** B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 451.—P.
- Batrachus** (*ex* Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 580.—P.
- batrachus** Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 305; ed. 12, 1766, 502.
- Battus** J. A. Scopoli, Intr. Hist. Nat. 1777, 433.—Lep.
- battus** Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 390; ed. 12, 1767, 625.
- battus** Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 300.—Papilio.
- battus** [Papilio], P. Cramer, Utitl. Kapellen, I (5) 1775, 81.
- battus** Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 185.
- baucis** Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 15.
- baumanniana** Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 231.—Tortrix.
- baumanniana** Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 126.
- bavarus** Curculio, F. v. P. Schrank, F. Boica, I. 1798, 483.
- Bdella** P. A. Latreille, Mag. encyclop. III (13) 1795, 18.—Ar.
- Bdella** P. A. Latreille, Préc. Car. Ins. 1796, 180.—Ar.
- beatrice** [Phalaena], C. Stoll, Aanh. Cramer's Utitl. Kapellen, V. 1790, 173.
- beaumanniana** Tortrix (D. & S.), C. de Villers, Linn. Ent. IV. 1789, 526 [*v.* baumanniana].
- beccabungae** Chrysomela, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, [600.]
- beccabungae** Curculio, Linnaeus, Faun. Suec., ed. 2, 1761, 179.
- beccabungae** Helodes (Ill.), G. Paykull, Faun. Suec. III. 1800, 451.—Chrysomela.
- beccari** Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 710; ed. 12, 1767, 1162.
- bedeguaris** Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 379.
- bedeguaris** Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 382.—Ichneumon.
- bedeguaris** Diplolepis, A. F. de Fourcroy, Ent. Paris. 1785, 392.

- bedeguaris Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 567; ed. 12, 1767, 939.
- bedeguaris Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 425.
- bedeguaris Pteromalus (L.), N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 219.—
beelzebut *z.* belzebub. [Ichneumon.]
- begga [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 125.
- Beguina J. F. Bolten, Mus. Bolten. (2) 1798, 160.—L.
- behri Falco, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 5 [n. n.].
- belemia Papilio Dan., E. J. C. Esper, Die Schmett. Suppl. 1 Abschn. [1799], 92.
- belemnita Nautilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3373.
- Belemnites J. Gesner, Tract. Petref. 1758, 40.—Ceph.
- Belemnites Lamarck, Mem. Soc. H. N. Paris, 1799, 81.—Ceph.
- “belemnites Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 170.
- belgaria Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 92. [et f.]
- belgiaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 140 [n.
- belgica Amphitrite, J. G. Bruguière, Ency. Méth. (Vers.) (1), 1789, 56.—*vide* Nereis cylin-
- belgica Sabella, L. T. Gronovius, Zooph. III. 1781, 352. [draria *var.* belgica, Pall.
- belgica Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3749.
- belgica Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 663.
- belia Papilio (Danaus), Linnaeus, Syst. Nat., ed. 12, 1767, 761.
- belial Onitis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 27.
- belinus Papilio, L. Prunner, Lep. Pedemont. 1798, 77.
- belis Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 493.
- belis Sphinx, P. Cramer, Utitl. Kapellen, I (8) 1776, 147.
- belisama [Papilio], P. Cramer, Utitl. Kapellen, III (22) 1779, 114.
- belisama Ptilularius, F. v. P. Schrank, F. Boica, I. 1798, 394.
- belise [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 171.
- belladonna Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 180.
- bellargus [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 7.
- bellargus Papilio, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 226.
- bellator Cimex, J. C. Fabricius, Mant. II. 1787, 286.
- bellator Coccus, J. C. Fabricius, Ent. Syst. IV. 1794, 128.—Cimex, 1787.
- bellator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 158.
- bellatorius Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 169.
- bellatrix [Phalaena], P. Cramer, Utitl. Kapellen, IV (26) 1780, 32.
- bellicosa Aranea, F. A. A. Meyer, Zool. Entdeck. 1793, 77.
- bellicosus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 361.
- bellicosus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 154.
- bellicosus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 48.
- bellicosus Falco, F. M. Daudin, Traité élém. Orn. 1800, 38.
- bellicosus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 145.—Cimex, 1787.
- bellicosus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 103.
- bellicosus Termes, D. Solander, Phil. Trans. LXXI (1) 1781, 141.
- bellis Actinia, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 2.
- bellis Hydra (E. & S.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3868.—Actinia.
- bellis Sphinx, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 23.
- bellis Vorticella, O. F. Müller, Verm. I (1) 1773, 123.
- bellona [Papilio], P. Cramer, Utitl. Kapellen, I (2) 1775, 20.
- bellona Papilio, J. C. Fabricius, Syst. Ent. 1775, 517.
- bellone Esox, Linnaeus, Syst. Nat., ed. 10, 1758, 314; ed. 12, 1766, 517.
- bellones Axine, P. C. Abildgaard, Skr. nat. Selsk. [Copen.] III (2) 1794, 60.
- bellus Balistes, J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 467.
- bella Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 585.—Phalaena.
- bella Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 79.
- bella Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 605.
- bella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 534; ed. 12, 1767, 884.
- bella Tinea (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 77.—Bombyx.
- bella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 29.
- belone Esox, *z.* bellone; Linnaeus, Faun. Suec., ed. 2, 1761, 126.

- beltes** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 223.
- beluga** Acipenser, J. R. Forster, Phil. Trans. LVII (2) 1768, 354.
- belus** [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 23.
- [belzebub]**
- beelzebut** Alouatta, B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.
- belzebul** Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 260.
- belzebul** Cebus (Linn.), J. C. P. Exleben, Syst. Anim. 1777, 44.—Simia.
- belzebut** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 156.—Scarabaeus.
- belzebul** Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 23.
- belzebul** Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 37.
- beelzebut** Simia (Sapajus) L., R. Kerr, Anim. Kingd. 1792, 75.
- Bembex** J. C. Fabricius, Gen. Ins. 1777, 122.—Hym.
- bembiciformis** Masaris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 207.
- Bembyx** J. C. Fabricius, Syst. Ent. 1775, 361.—Hym.
- bengalensis** Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 450.
- bengalensis** Canis, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 273.
- bengalensis** Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 110.
- bengalensis** Charadrius, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 118.
- bengalensis** Coracias, Linnaeus, Syst. Nat., ed. 12, 1766, 159 [Corvus, ed. 10].
- benghalensis** Corvus, Linnaeus, Syst. Nat., ed. 10, 1758, 106 [Coracias, ed. 12].
- bengalensis** Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 412.
- bengalensis** Felis, R. Kerr, Anim. Kingd. 1792, 151.
- bengalensis** Felis (Lynx), R. Kerr, Anim. Kingd. 1792, 156.
- bengalensis** Fringilla, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- bengalensis** Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 102.
- benghalensis** Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 175; ed. 12, 1766, 305.
- bengalensis** Noctua, P. Rossi, Mant. Ins. II. 1794, 22.
- bengalensis** Otis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 724.
- benghalensis** Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 113; ed. 12, 1766, 175 [bengal.].
- bengalensis** Picus, M. Vahl, Skr. nat. Selsk. [Copen.] IV (1) 1797, 4.
- bengalensis** Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
- benghalensis** Rallus, Linnaeus, Syst. Nat., ed. 10, 1758, 153; ed. 12, 1766, 263.
- bengalensis** Scolopax, J. R. Forster in Latham & Davies, Faun. Ind. ed. 2, 1795, 11.
- bengalensis** Tantalus, H. Lichtenstein, Cat. rerum Nat. I. 1793, 31. [*n. n.*].
- bengalensis** Tringa, T. Pennant in Forster, Ind. Zool. 1781, 42 [*n. n.*].
- bengalensis** Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- bengalensis** Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3288.
- bengalensis** Vultur, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 245.
- bengalus** Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 323.
- bengalus** Loxia (L.), F. M. Daudin, Traité élém. Orn. 1800, 435.—Fringilla.
- benghalensis** *v.* **bengalensis**.
- beon** [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 61.
- berberata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.
- berberata** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 287
- berberidis** Cantharis, F. v. P. Schrank, Ins. Aust. 1781, 181. [*n. et f.*].
- berberiformis** Brachionus, P. S. Pallas, Elench. 1766, 103 [= *berberina* Hydra, Linn.].
- berberina** Hydra, Linnaeus, Syst. Nat., ed. 10, 1758, 818.
- berberina** Tipula, F. v. P. Schrank, Ins. Aust. 1781, 435.
- berberina** Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1319.
- berberina** Vorticella, J. G. Bruguière, Ency. Méth. (Vers Inf.) 1791, 76.
- berbicea** Saperda, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 48.
- berbicaeus** Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 227.
- berchtesgadensis** Cryptocephalus, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's],
- berda** Sparus, P. Forskal, Descr. Anim. 1775, 32. [II (4) 1785, 319.]
- berecynthia** [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 133.
- berecynthia** Papilio (Nymphalis), N. Poda, Ins. Mus. Graec. 1761, 75.
- berenice** Libellula, D. Drury, Ill. Nat. Hist. I. 1770, index & 114.
- berenice** [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 22.

- berenice Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 13.
- bergamotta Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 61.
- berg-galt *v.* bergylta.
- bergmanniana [Phalaena], C. Clerck, Icones, I. 1759, pl. x, 5.
- bergmanniana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 531; ed. 12, 1767,
- bergmanniana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 652.—Phalaena. [878.]
- bergstraesserella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 302.
- bergylta Labrus, P. Ascanius, Icon. I. 1767, 18.
- berg-galt Labrus, O. F. Müller, Z. Dan. Prod. 1776, 46.
- beringii Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 508.
- beringii Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 121.
- bernhardina Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 136.
- bernardus Astacus (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 18.—Cancer.
- bernardus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 631; ed. 12, 1767, 1049.
- bernardus Pagurus (L.), J. C. Fabricius, Syst. Ent. 1775, 410.—Cancer.
- bernardus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 72.
- “Bernicla Brisson, 1760,” Ag.; not used in a generic sense.
- Bernicla J. F. Bolten, Mus. Bolten. (2) 1798, 198.—Cirr.
- bernicla Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 124; ed. 12, 1766, 198.
- bernicla Anser (L.), J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 121.—Anas.
- bernicla Branta (Linn.), J. A. Scopoli, Annus I. 1769, 67.—Anas.
- bernouilliella Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 75.
- Beroe (*ex* Browne, 1756) L. T. Gronov, Acta Helvet. IV. 1760, 36.—Coel.
- Beroe O. F. Müller, Z. Dan. Prod. 1776, xxix. & 232.—Coel.
- Beroe J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xi.—Coel.
- beroe Medusa, Linnaeus, Syst. Nat., ed. 10, 1758, 660.
- beroe Medusa, P. Forskal, Descr. Anim. 1775, 111; *varr.* albens; densa; rufescens.
- beroe [Papilio], P. Cramer, Uitl. Kapellen, I (7) 1775, 125.
- beroe Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 111.
- beroe Volvox, Linnaeus, Syst. Nat., ed. 12, 1767, 1324 [Medusa, ed. 10].
- berolinensis Buprestis, J. F. W. Herbst, Beschäf. Ges. nat. Freunde, IV. 1779, 321.
- berolinensis Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1896.
- berolinensis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1725.
- berolinensis Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1799.
- berolinensis Melolontha, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 155.
- bertolis Papilio, L. Prunner, Lep. Pedemont. 1798, 75.
- berus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 217; ed. 12, 1766, 377.
- beryllina Chrysis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2747.
- beryllina Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 64.
- beryllinus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2148.
- beryllinus Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
- beryllus Cimex, J. C. Fabricius, Mant. II. 1787, 292.
- betulae Acanthia (L.), J. C. Fabricius, Syst. Ent. 1775, 695.—Cimex.
- betulae Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 735.
- betulae Aranea, J. H. Sulzer, Gesch. Ins. 1776, 254.
- betulae Attelabus, Linnaeus, Syst. Nat., ed. 10, 1758, 387; ed. 12, 1767, 620.
- betulae Attelabus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 280.—Curculio.
- betulae Bruchus (L.), F. v. P. Schrank, Ins. Aust. 1781, 101.—Attelabus.
- betulae Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 454; ed. 12, 1767, 738.
- betulae Chermes (L.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 442.—Coccus.
- betulae Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 369; ed. 12, 1767, 587.
- betulae Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 109.
- betulae Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 443; ed. 12, 1767, 718.
- betulae Cimex, C. de Geer, Mém. Ins. III. 1773, 261.
- betulae Cistela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 65.
- betulae Coccinella (Linn.), Scopoli, Ent. Carn. 1763, 71.—Chrysomela.
- betulae Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 455; ed. 12, 1767, 740.
- betulae albae Coccus, A. Modeer, Götheborg. Samhalle Hand. (Wet. Afd.) I. 1778, 23.

- betulae** Crioceris, J. C. Fabricius, Ent. Syst. I (2) 1792, 5.
betulae Cryptocephalus (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1716.—
betulae Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 381; ed. 12, 1767, 611. [Cistela.
betulae Curculio (L.), G. Paykull, Mon. Curc. 1792, 127.—Attelabus.
betulae Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 17.—Chrysomela.
betulae Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 277.—Papilio.
betulae Ichneumon, H. Ström, Nye Saml. K. Danske Skrifter, III. 1788, 278.
betulae Involvlus (L.), F. v. P. Schrank, F. Boica, I. 1798, 475.—Attelabus.
betulae Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 482; ed. 12, 1767, 787.
betulae Rhinomacer (L.), J. N. Laicharting, Tyrol. Ins. I. 1781, 239.—Curculio.
betulae Rhinomacer (L.), O. F. Müller, Z. Dan. Prod. 1776, 91.—Attelabus.
betulae Rynchites (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 133, sign. I 3.—
 Attelabus.
betulae Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 559; ed. 12, 1767, 927.
betulae Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 72.
betulae Tenthredo, H. Ström, Nye Saml. K. Norske Vid. Selsk. Skrift. II. 1788, 398.
betulana Phalaena Tortrix, J. Hübner, Beitr. Schmett. I (2) [1787], 3. [*n. et f.*].
betularia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 173
betularia Phalaena, J. G. Gladbach, in Kuehn, Kurze Anleit. Ins., ed. 2, 1783, 158 [*n. n.*].
betularia Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 521; ed. 12, 1767, 862.
betuleti Attelabus, *id. ac* betulae, J. C. Fabricius, Ent. Syst. I (2) 1792, 387.
betuleti Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 318.
betuleti Rynchites (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 136.—Curculio
betulifolia Phalaena B., E. J. C. Esper, Die Schmett. III (17) 1783, 63. [betulae].
betulinella Alucita, J. C. Fabricius, Mant. II. 1787, 255.
betulinella Phalaena (Tinea), G. Pajkull, K. Vet. Ac. Nya Handl. VI. 1785, 57.
betulinella Tinea (Fab.), C. de Villers, Linn. Ent. IV. 1789, 544.—Alucita.
betulinus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 715; ed. 12, 1767, 1169.
betulinus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3384, & *var.* medusa.
betulina Crioceris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 47.
betulinus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 40.—Conus.
betulinus Hemerobius, H. Ström, Nye Saml. K. Norske Vid. Selsk. Skrifter, II. 1788, 387.
betulina Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 78.
betulinus Luperus, A. F. de Fourcroy, Ent. Paris. 1785, 90.
betulinus Mus, P. S. Pallas, N. sp. Quad. II. 1779, 332.
betulinus Tetrao, J. A. Scopoli, Annus I. 1769, 119.
betuliperda Phalaena (Tortrix), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 85.
betulus Conus, F. C. Meuschen, Mus. Gever. 1787, 350.
bezoar Buccinum, Linnaeus, Syst. Nat., ed. 12, 1767, 1204.
bezoartica Antilope, P. S. Pallas, Misc. Zool. 1766, 8.
bezoartica Antilope (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 274.—Capra.
bezoartica Capra, Linnaeus, Syst. Nat., ed. 12, 1766, 96.
bezoarticus Cervus, Linnaeus, Syst. Nat., ed. 10, 1758, 67.
biaculeatus Balistes, M. E. Bloch, Nat. ausl. Fische, II. 1786, 17.
biaculeatus Chaetodon, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 11.
biaculeatus Syngnathus, M. E. Bloch, Nat. ausl. Fische, I. 1785, 10.
bianor [Papilio], P. Cramer, Uitl. Kapellen, II (9) 1777, 10.
biarcuata Leptura, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 112.
biarmicus Lanius, Linnaeus, Faun. Suec., ed. 2, 1761, 29.
biarmicus Parus, Linnaeus, Syst. Nat., ed. 10, 1758, 190; ed. 12, 1766, 342.
bias Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 307.
bias Papilio, J. C. Fabricius, Mant. II. 1787, 79.
bias Scarabaeus [Coprif], A. G. Olivier, Entom. I. 1789, 187.
bibens Melolontha (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 182.—Trichius.
bibens Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1584.—
bibens Trichius, J. C. Fabricius, Syst. Ent. 1775, 40. [Trichius].
bibiana [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 134.
Bibio E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 568.—Dip.

- Bibio** J. C. Fabricius, Syst. Ent. 1775, 756.—Dip.
bibioniformis Sphinx, E. J. C. Esper, Die Schmett. Suppl., 2 Abschn. [1797], 30.
biblis Papilio, J. C. Fabricius, Syst. Ent. 1775, 505.
biblis [Papilio], P. Cramer, Utit. Kapellen, II (15) 1777, 120.
bibula Argonauta, J. F. Bolten, Mus. Bolten. (2) 1798, 71.
bibulus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 307.
bibus Gadus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 365.
bicalcaratus Pavo, Linnaeus, Syst. Nat., ed. 10, 1758, 156; ed. 12, 1766, 268.
bicalcarata Perdix, J. R. Forster, Ind. Zool. 1781, 25.
bicalcarata Perdix (L.), J. Latham, Index Orn. 1790, 643.—Tetrao.
bicalcaratus Tetrao, Linnaeus, Syst. Nat., ed. 12, 1766, 277.
bicarinatus Buccinum, F. C. Meuschen, Mus. Gever. 1787, 298.
bicarinatus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 359.
bicarinata Buprestis, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 89.
bicarinatus Cordylus (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 17.—Lacerta.
bicarinata Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 201; ed. 12, 1766, 361.
bicarinatus Strombiformis, E. M. da Costa, Brit. Conch. 1778, 110.
bicaudalis Ostracion, Linnaeus, Syst. Nat., ed. 10, 1758, 330; ed. 12, 1766, 408.
bicaudatus Brachionus, F. v. P. Schrank, Beitr. Nat. 1776, 105.
bicaudata Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 507.—Oniscus.
bicaudatus Oniscus, Linnaeus, Faun. Suec., ed. 2, 1761, 500.
bicaudatus Oniscus, Scopoli, Ent. Carn. 1763, 413.
bicaudata Perla, A. F. de Fourcroy, Ent. Paris. 1785, 349.
bicaudata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 36.
bicaudata Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 548; ed. 12, 1767, 908.
bicaudata Semblis (L.), J. C. Fabricius, Syst. Ent. 1775, 305.—Phryganea.
bicaudatus Volvox, Linnaeus, Syst. Nat., ed. 12, 1767, 1325.
bicinctaria Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 325.
bicincta Apis, F. v. P. Schrank, Ins. Aust. 1781, 411.
bicincta Apis, J. C. Fabricius, Ent. Syst. II. 1793, 338.
bicinctus Asilus, O. F. Müller, Z. Dan. Prod. 1776, 181.
bicinctus Cerambix, A. G. Olivier, Entom. IV. 1795, 46.
bicincta Cicada, F. v. P. Schrank, Beitr. Nat. 1776, 75.
bicinctus Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 299.
bicinctus Crabro, P. Rossi, Mant. Ins. II. 1794, 123.
bicinctus Dermestes, C. P. Thunberg, Ins. Suecica (6), 1794, 79.
bicinctus Ichneumon, J. C. Fuessly, Schweitz. Ins. 1775, 49.
bicinctus Ichneumon, J. L. Christ, Nat. Ins. 1791, 346.
bicincta Lamia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 145.
bicinctus Mulio (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 557.—Musca.
bicincta Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 592; ed. 12, 1767, 985.
bicincta Phalaena (Noct.), A. Sparrman in Linn. Amoen. Acad. VII. 1769, 503.
bicincta Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 271.
bicincta Scolia, J. C. Fabricius, Syst. Ent. 1775, 356.
bicincta Sphex, J. A. Scopoli, Del. Insub. II. 1786, 61.
bicincta Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 268.—Scolia.
bicinctus Staphylinus, P. Rossi, Mant. Ins. I. 1792, 96.
bicinctus Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 767.—Musca.
bicincta Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 925.
bicincta Tenthredo, J. C. Fabricius, Suppl. Ent. Syst. 1798, 217.
bicincta Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 465.
bicincta Vespa, C. de Villers, Linn. Ent. III. 1789, 280.
bi clavatus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 214.
biclavatus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2036.
biclipeata Vespa, J. L. Christ, Nat. Ins. 1791, 223.
biclis [Papilio], D. Drury, Ill. Nat. Hist. I. 1770, index & 9.
bicolor Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 451.
bicolor Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 112.—Chrysomela.

- bicolor** Altica, A. F. de Fourcroy, Ent. Paris. 1785, 97.
bicolor Anaspis, A. F. de Fourcroy, Ent. Paris. 1785, 142.
bicolor Andrena, J. C. Fabricius, Syst. Ent. 1775, 376.
bicolor Anisotoma (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 80.—Sphaeridium.
bicolor Apis, F. v. P. Schrank, Ins. Aust. 1781, 400.
bicolor Apis, J. C. Fabricius, Spec. Ins. I. 1781, 483.
bicolor Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 230.
bicolor Aranea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 291.
bicolor Ascaris, C. A. Rudolphi, Obs. Vers. Intest. 1793, 13.
bicolor Asilus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 267.
bicolor Attelabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1809.
bicolor Attelabus, P. Rossi, Mant. Ins. I. 1792, 44.
bicolor Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 388.—Curculio, 1775.
bicolor Bostrichus, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 116.
bicolor Buprestis, J. C. Fabricius, Syst. Ent. 1775, 825.
bicolor Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 44.
bicolor Buprestis, J. C. Fabricius, Mant. I. 1787, 183.
bicolor Buprestis, F. v. P. Schrank, F. Boica, I. 1798, 603.
bicolor Calamita, J. G. Schneider, Hist. Amph. I. 1799, 156.
bicolor Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 258.
bicolor Cantharis, Linnaeus, Amoen. Acad. VI. 1763, 395.
bicolor Cantharis, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 81.
bicolor Cantharis, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 108.
bicolor Cantharis, Creutzer, G. W. F. Panzer, Ins. Germ. heft 39 [1797], tab. 13.
bicolor Cantharis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 69.
bicolor Carabus, J. C. Fabricius, Syst. Ent. 1775, 241.
bicolor Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 376.—Buprestis.
bicolor Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 83.
bicolor Cavia, P. Boddaert, Elench. 1785, 103.
bicolor Cerambyx, F. v. P. Schrank, Ins. Aust. 1781, 132.
bicolor Cerambyx, J. C. Fabricius, Mant. I. 1787, 134.
bicolor Cercopis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 523.
bicolor Cetonia, A. G. Olivier, Entom. I. 1789, 70.
bicolor Cetonia, J. A. Frolich, Naturforscher, XXVI. 1792, 113.
bicolor Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 94.
bicolor Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3204.
bicolor Chiton, L. Spengler, Skr. nat. Selsk. [Copen.] IV (1) 1797, 90.
bicolor Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 593.
bicolor Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 95.
bicolor Chrysomela, C. de Villers, Linn. Ent. I. 1789, 163.
bicolor Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2104.
bicolor Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 748.
bicolor Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 40.
bicolor Cicindela, J. C. Fabricius, Spec. Ins. I. 1781, 283.
bicolor Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 446; ed. 12, 1767, 722.
bicolor Cistela, J. C. Fabricius, Ent. Syst. IV. 1794, 447.
bicolor Clytra, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 36.
bicolor Cochlea, T. Martyn, Univ. Conch. IV. [1792], fig. 130.
bicolor Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 206.
bicolor Columba, J. A. Scopoli, Del. Insub. II. 1786, 94.
bicolor Colydium, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 285.
bicolor Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 145.—Scarabaeus.
bicolor Crioceris, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 165.
bicolor Crioceris, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 11.
bicolor Crioceris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 89.
bicolor Cryptocephalus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1728.
bicolor Curculio, D. Drury, Ill. Nat. Hist. I. 1770, index & 94. [—Erotylus.
bicolor Curculio, J. C. Fabricius, Syst. Ent. 1775, 131.

- bicolor** Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 75.
bicolor Curculio, G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 4.
bicolor Denticollis, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 86.
bicolor Dermestes, J. C. Fabricius, Spec. Ins. I. 1781, 64.
bicolor Donax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3265.
bicolor Dytiscus, C. de Villers, Linn. Ent. I. 1789, 354.
bicolor Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 195.
bicolor Elater, G. A. Harter, Besch. Schaeffer Icones, 1784, 76.
bicolor Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1917.
bicolor Elater (P. & M.), G. W. F. Panzer, Ins. Germ. heft 8, 1793, tab. 11.—Denticollis.
bicolor Erotylus, J. C. Fabricius, Syst. Ent. 1775, 124.
bicolor Formica, J. C. Fabricius, Ent. Syst. II. 1793, 351.
bicolor Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [*n. n.*]: Essai
bicolor Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 324. [Fourmis, 1798, 43.
bicolor Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 27.—Chrysomela.
bicolor Gobius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1197.
bicolor Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2088.
bicolor Gyrinus, J. C. Fabricius, Mant. I. 1787, 194.
bicolor Helix, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 4.
bicolor Helops (Fab.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 47.—Erotylus.
bicolor Helops, J. C. Fabricius, Ent. Syst. I (1) 1792, 118.
bicolor Hirudo, F. M. Daudin, Rec. Mém. Moll. 1800, 22.
bicolor Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 96.
bicolor Hister, A. G. Olivier, Entom. I. 1789, 13.
bicolor Hydrophilus, J. C. Fabricius, Ent. Syst. I (1) 1792, 184.
bicolor Hydus, J. G. Schneider, Hist. Amph. I. 1799, 242.
bicolor Hypophlaeus (Ol.), J. C. Fabricius, Ent. Syst. I (2) 1792, 501.—Ips.
bicolor Ichneumon, C. de Villers, Linn. Ent. III. 1789, 204.
bicolor Ichneumon, C. de Villers, Linn. Ent. III. 1789, 218.
bicolor Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1790, 2710.
bicolor Ips, A. G. Olivier, Entom. II. 1790, 12.
bicolor Lampyrus, Linnaeus, Syst. Nat., ed. 12, 1767, 646.—Cantharis, 1763.
bicolor Lanius, Linnaeus, Mant. II. 1771, 524.
bicolor Larus, J. A. Scopoli, Annus I. 1769, 81.
bicolor Latridium, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's] V. 1794, 577.
bicolor Lemur, J. F. Miller, Icon. Anim., pl. 32 (1782).
bicolor Leptura, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 37.
bicolor Leptura, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 197.
bicolor Leptura (Zsch.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1867.—Donacia
bicolor Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 176; ed. 12, 1766, 307. [bicolora.
bicolor Lucanus, A. G. Olivier, Entom. I. 1789, 22.
bicolor Lycus (L.), A. G. Olivier, Entom. II. 1790, 9.—Lampyrus.
bicolor Lytta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2016.
bicolor Meloe, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2021.
bicolor Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 111.
bicolor Melolontha, J. C. Fabricius, Syst. Ent. 1775, 34.
bicolor Mordella, J. C. Fuessly, Schweiz. Ins. 1775, 21.
bicolor Mordella, J. H. Sulzer, Gesch. Ins. 1776, 67.
bicolor Mordella, Herbst, Einl. Ins. I. 1784, 181.
bicolor Mulio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 559.—Syrphus, 1794.
bicolor Musca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 564.
bicolor Muscicapa, P. Boddaert, Tab. Planch. Enl. 1783, 19.
bicolor Muscicapa, A. Sparrman, Mus. Carls. II. 1787, no. xlvi.
bicolor Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 946.
bicolor Mutilla, P. S. Pallas, Reise Russ. I. 1771, 474.
bicolor Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 497.
bicolor Mytilus, J. G. Bruguière, Actes Soc. H. N. Paris, I (1) 1792, 126.
bicolor Necydalis, J. C. Fabricius, Ent. Syst. I (2) 1792, 354.

- bicolor** Nitidula, J. C. Fabricius, Gen. Ins. 1777, 216.
bicolor Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 69.
bicolor Notoxus, A. G. Olivier, Entom. III. 1795, 5.
bicolor Oniscus, C. de Villers, Linn. Ent. IV. 1789, 188.
bicolor Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (2) 1798, 15.
bicolor Oxyporus, P. Rossi, Fauna Etrus. I. 1790, 253.
bicolor Paederus, A. G. Olivier, Entom. III. 1795, 7.
bicolor Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2261.
bicolor Parus, Linnaeus, Syst. Nat., ed. 12, 1766, 340.
bicolor Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3734.
bicolor Phalangium, J. C. Fabricius, Ent. Syst. II. 1793, 429.
bicolor Phryganea, F. v. P. Schrank, Ins. Aust. 1781, 309.
bicolor Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 438.
bicolor Pinna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3366.
bicolor Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 204.
bicolor Pyrochroa (L.), J. C. Fabricius, Syst. Ent. 1775, 203.—Lampyrus.
bicolor Rana, P. Boddaert, De Rana bicolore, 1772, 19.
bicolor Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 379.
bicolor Rhagio, J. C. Fabricius, Ent. Syst. IV. 1794, 274.
bicolor Ripiphorus, A. G. Olivier, Entom. III. 1795, 5.
bicolor Rynchitis (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 131. sign. 1 2.
bicolor Saperda, A. G. Olivier, Entom. IV. 1795, 32. [—Attelabus.
bicolor Scaphidium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 179.
bicolor Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 15.
bicolor Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 9.
bicolor Sciurus, A. Sparrman, Götheborg. Samhalle Hand. (Wet. Afd.) I. 1778, 70.
bicolor Scolopax, Richard & Bernard, Actes Soc. H. N. Paris, I (1) 1792, 117.
bicolor Sicus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 555.
bicolor Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 86.—Nitidula.
bicolor Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627.
bicolor Sphaeridium, J. C. Fabricius, Ent. Syst. I (1) 1792, 82.
bicolor Sphex, J. C. Fabricius, Syst. Ent. 1775, 352.
bicolor Spongia, G. Vio in G. Olivi, Zool. Adriat. 1792, xxvi.
bicolor Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2027.
bicolor Staphylinus, G. Paykull, Mon. Staph. 1789, 21.
bicolor Stenocorus, A. G. Olivier, Entom. IV. 1795, 16.
bicolor Sturnus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 311.—Turdus.
bicolor Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 297.
bicolor Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2000.
bicolor Tenthredo, F. v. P. Schrank, Beitr. Nat. 1776, 84.
bicolor Tenthredo, J. L. Christ, Nat. Ins. 1791, 431.
bicolor Tritoma (Fab.), C. P. Thunberg, Ins. Suecica (8) 1794, 99.—Hypophlaeus.
bicolor Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 496.
bicolor Trogosita, J. C. Fabricius, Suppl. Ent. Syst. 1798, 50.
bicolor Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 835.
bicolor Vespa, J. C. Fabricius, Mant. I. 1787, 288.
bicolorana Phalaena, J. C. Fuessly, Schweiz. Ins. 1775, 41.
bicolorata Apis, P. Rossi, Fauna Etrus. II. 1790, 108.
bicolorata Phalaena, Hufnagel, Berl. Mag. III. 1767, 410.
bicolorata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 608.
bicolorata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 454.
bicolorata Phalaena *id. ac* bicolora, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 257.
bicolorata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
bicolorata Phalaena Geom., M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 396.
bicoloratus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1569 [*est*
bicolor Melolontha, Fab.]
bicolorata Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 324.
bicoloria Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 49.

- bicoloria** Phalaena B. (D. & S.), E. J. C. Esper, Die Schmett. III (2) 1785, 217.—
- bicoloria** Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 288. [Bombyx.]
- bicolora** Donacia, J. J. Zschach, Mus. Lesk. 1788, 27.
- bicolorus** Ichneumon, Linnaeus, Syst. Nat., ed. 12, 1767, 938.
- bicolora** Noctua, J. C. Fabricius, Mant. II. 1787, 140.
- bicolora** Phalaena Noct., J. H. Sulzer, Gesch. Ins. 1776, 161.
- bicordata** Cicada, Scopoli, Ent. Carn. 1763, 114.
- bicordatus** Echinus (Leske), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3199.—
- bicordata** Mactra, J. F. Bolten, Mus. Bolten. (2) 1798, 171 [*n. n.*]. [Spatangites.]
- bicordatus** Spatangites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 244.
- bicordatus** Spatangus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xx [repaged issue].
- bicornis** Actinia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3135.
- bicornis** Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 575; ed. 12, 1767, 954.
- bicornis** Apis, M. Harris, Exp. Eng. Ins. 1776, 162.
- bicornis** Aranea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2959.
- bicornis** Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 410.
- bicornis** Bostrichus, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. VI. 1798, 114.
- bicornis** Buceros, Linnaeus, Syst. Nat., ed. 10, 1758, 104; ed. 12, 1766, 153.
- bicornis** Buceros, R. Kerr, Anim. Kingd. 1792, 620, *var.* erythrorhynchos.
- bicornis** Cassida, Linnaeus, Amoen. Acad. VI. 1763, 393.
- bicornis** Chama, Linnaeus, Syst. Nat., ed. 10, 1758, 692; ed. 12, 1767, 1139.
- bicornis** Chama, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 393.
- bicornis** Cottus, G. S. Volta, Itt. Veron. (2) [circa 1800], clxiv.
- bicornis** Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 180.
- bicornis** Cynips, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 87.
- bicornis** Diaperis (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 273.—Hispa.
- bicornis** Geotrupes (Leske), J. C. Fabricius, Suppl. Ent. Syst. 1798, 13.—Scarabaeus.
- bicornis** Gryllus (Mantis), Linnaeus, Syst. Nat., ed. 10, 1758, 426.—[Mantis, ed. 12.]
- bicornis** Hispa, J. C. Fabricius, Gen. Ins. 1777, 215.
- bicornis** Hypophlaeus, J. C. Fabricius, Ent. Syst. I (2) 1792, 502.
- bicornis** Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 691.—[Gryllus, ed. 10.]
- bicornis** Planaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3089.
- bicornis** Rhinoceros, Linnaeus, Syst. Nat., ed. 10, 1758, 56; ed. 12, 1766, 104.
- bicornis** Rhinoceros, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 57.—*var.* unicoloris.
- bicornis** Saperda, A. G. Olivier, Entom. IV. 1795, 27.
- bicornis** Scarabaeus, N. G. Leske, Anfangs. Naturg. I. 1779, 418.
- bicornis** Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 235.
- bicornis** Serpula, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 633.
- bicornis** Staphylinus, L. H. v. Bloch in Becker, Plau. Grund. 1799, 118.
- bicornis** Terebella, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3114.
- bicornuta** Aranea *id. ac* bicornis (Gm.), S. I. Ljungh, K. Vet. Ac. Nya Handl. XX. 1799,
- bicostatium** Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 248. [148.]
- bicostatus** Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 473.—Tinea bicostella.
- bicostella** [Phalaena], C. Clerck, Icones, I. 1759, pl. iii. 15.
- bicostella** Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 368.
- bicostella** Tinea (Clerck), J. C. Fabricius, Syst. Ent. 1775, 661.—Phalaena.
- bicruciat** Clytra, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 127.
- bicruris** Phalaena, Hufnagel, Berl. Mag. III. 1767, 302.
- bicuspis** Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 380.
- bidactyla** Phalaena, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785, 336.
- bidellana** Phalaena Tort., C. de Villers, Linn. Ent. II. 1789, 418.
- bidella** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 320.
- bidella** Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 324.
- bidens** Apate, J. C. Fabricius, Suppl. Ent. Syst. 1798, 157.
- bidens** Bostrichus, J. C. Fabricius, Ent. Syst. I (2) 1792, 368.
- bidens** Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 352.—Helix.
- bidens** Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 112.
- bidens** Cerambyx (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1829.—Stenocorus.

- bidens** Cerion (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 90.—Turbo.
- bidens** Cetonia (Fab.), A. G. Olivier, Entom. I. 1789, 62.—Trichius bibens.
- bidens** Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 443; ed. 12, 1767, 718.
- bidens** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2149.
- bidens** Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 163.
- bidens** Curculio, J. C. Fabricius, Syst. Ent. 1775, 136.
- bidens** Donacia, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 291.
- bidens** Forficula, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 466.
- bidens** Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 581; ed. 12, 1767, 964.
- bidens** Gyrinus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 702.
- bidens** Helix (Linn.), O. F. Müller, Verm. II. 1774, 116.—Turbo.
- bidens** Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 97.
- bidens** Hispa, J. C. Fabricius, Ent. Syst. I (2) 1792, 73.
- bidens** Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 228.
- bidens** Lamia, J. C. Fabricius, Syst. Ent. 1775, 177.
- bidens** Lutjanus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 123.
- bidens** Macrocephalus, A. G. Olivier, Entom. IV. 1795, 13.
- bidens** Mantis, J. C. Fabricius, Syst. Ent. 1775, 277.
- bidens** Mytilus, Linnaeus, Syst. Nat., ed. 12, 1767, 1157.
- bidens** Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 778; ed. 12, 1767, 1254.
- bidens** Ptinus, A. G. Olivier, Entom. II. 1790, 8.
- bidens** Scarabaeus, P. S. Pallas, Reise Russ. I. 1771, 461.
- bidens** Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 130.
- bidens** Stenobothrus (Fab.), A. G. Olivier, Entom. IV. 1795, 10.—Bostrichus.
- bidens** Sphex, Linnaeus, Syst. Nat., ed. 12, 1767, 943.
- bidens** Stenocorus, J. C. Fabricius, Mant. I. 1787, 143.
- bidens[s]** Tabanus, J. C. Fabricius, Gen. Ins. 1777, 307.
- bidens** Trogosita, J. C. Fabricius, Ent. Syst. I (1) 1792, 116.
- bidens** Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 767; ed. 12, 1767, 1240.
- bidens** Vespa, Linnaeus, Syst. Nat., ed. 12, 1767, 951.
- bidentaria** Phalaena *id. ac* bidentata, L., J. C. Fabricius, Ent. Syst. III (2) 1794, 133.
- bidentator** Ichneumon, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 196.
- bidentata** Andrena, J. C. Fabricius, Syst. Ent. 1775, 377.
- bidentatum** Anobium, A. G. Olivier, Entom. II. 1790, 11.
- bidentata** Apis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2792.—
- bidentata** Apis, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 7. [Andrena.
- bidentatus** Bostrichus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 24.
- bidentatus** Bostrichus, A. G. Olivier, Entom. IV. 1795, 16.
- bidentatus** Bucco, G. Shaw, Nat. Misc. X. 1799, pl. 393.
- bidentatus** Cancer, P. Forskal, Descr. Anim. 1775, 90.
- bidentatus** Cerambyx, J. C. Fabricius, Syst. Ent. 1775, 165.
- bidentata** Chrysis, Linnaeus, Syst. Nat., ed. 12, 1767, 947.
- bidentatus** Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 196.
- bidentata** Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 151.
- bidentatus** Cryptocephalus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1719.
- bidentatus** Delphinus, J. P. Bonnaterre, Ency. Méth. (Cet.) 1789, 25. [—Crioceris.
- bidentatus** Dermestes (Fab.), C. de Villers, Linn. Ent. IV. 1789, 220.—Bostrichus.
- bidentatus** Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 233.
- bidentatus** Falco, J. Latham, Index Orn. 1790, 38.
- bidentata** Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 589.—Crioceris.
- bidentata** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3642.
- bidentatus** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2685.
- bidentata** Musca, C. de Villers, Linn. Ent. III. 1789, 429.
- bidentatus** Oniscus, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 8.
- bidentatus** (*sic*) Pediculus, Scopoli, Ent. Carn. 1763, 385.
- bidentata** [Phalaena], C. Clerck, Icones, I. 1759, pl. vii. 2.
- bidentata** Phalaena, Hufnagel, Berl. Mag. IV. 1767, 600.
- bidentata** Phalaena (Geom.), Linnaeus, Faun. Succ., ed. 2, 1761, 329.

- bidentata** Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2580.
bidentata Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 313.
bidentatus Solen, L. Spengler, Skr. nat. Selsk. [Copen.] III (2) 1794, 104.
bidentatus Tabanus, J. C. Fabricius, Spec. Ins. II. 1781, 459.
bidentatus Thelephorus, O. F. Müller, Z. Dan. Prod. 1776, 62.
bidentatus Turbo, H. Ström, Trondhiemske Selsk. Skrift. III. 1765, 436.
bidentorius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 331.
bierkandrana Pyralis (Thunb.), J. C. Fabricius, Mant. II. 1787, 236.—*Tinea bierkandrella*.
bierkandrana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 531.
bjerkandrella *Tinea*, C. P. Thunberg, Ins. Suecica (1) 1784, 24.
bifasciana Phalaena *Tinea*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2517.
bifasciana Phalaena Tortrix, J. Hübner, Beitr. Schmett. I (2) [1787], 16.
bifasciatum Acrydium, J. F. W. Herbst in Fuessly, Arch. Ins. VII, 1786, 190.
bifasciata Altica, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 106.
bifasciata Angaria, J. F. Bolten, Mus. Bolten. (2) 1798, 72.
bifasciatum Anobium, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 9.
bifasciatus Anthias, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 108.
bifasciatus Asilus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 263.
bifasciatus Attelabus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1811.—
bifasciatus Bostrichus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1603. [Clerus.
bifasciata Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3431.
bifasciata Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 51.
bifasciata Buprestis, A. G. Olivier, Entom. II. 1790, 46.
bifasciatum Callidium, J. C. Fabricius, Mant. I. 1787, 152.
bifasciata Cantharis, C. de Geer, Mém. Ins. VII. 1778, 647.
bifasciatus Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 347.
bifasciata Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 363; ed. 12, 1767, 576.
bifasciatus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 624.
bifasciatus Cerambyx (Fab.), J. H. Sulzer, Gesch. Ins. 1776, 45.—*Rhagium*.
bifasciatus Cerambyx, F. v. P. Schrank, Ins. Aust. 1781, 137.
bifasciatus Cerambix, A. G. Olivier, Entom. IV. 1795, 94.
bifasciata Cercopis (L.), J. C. Fabricius, Syst. Ent. 1775, 689.—*Cicada*.
bifasciatus Chaetodon, P. Forskal, Descr. Anim. 1775, 64.
bifasciata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 444.
bifasciata Chrysomela, C. de Geer, Mém. Ins. VII. 1778, 664.
bifasciata Chrysomela, J. C. Fabricius, Mant. I. 1787, 68.
bifasciata Chrysomela, E. F. Hornstedt, Schrift. Berlin. Ges. Nat. Freunde, VIII.
bifasciata Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 436; ed. 12, 1767, 706. [1788, 3.
bifasciata Cicada, F. v. P. Schrank, Beitr. Nat. 1776, 73.
bifasciatus Cimex, O. F. Müller, F. Ins. Frid. 1764, 29.
bifasciatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 725.
bifasciatus Cimex, F. v. P. Schrank, Ins. Aust. 1781, 281.
bifasciatus Clerus, J. C. Fabricius, Spec. Ins. I. 1781, 202.
bifasciata Clytra, K. Illiger, Archiv. Zool. (Wiedemann), I (2) 1800, 130.
bifasciata Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 95.
bifasciata Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1662.
bifasciatus Conops, J. A. Scopoli, Ent. Carn. 1763, 351.
bifasciatus Conus, F. C. Meuschen, Mus. Gever. 1787, 352.
bifasciatus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3392.
bifasciatus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 163.—*Scarabaeus*.
bifasciata Crioceris, J. C. Fabricius, Syst. Ent. 1775, 120.
bifasciatus Cryptocephalus, J. C. Fabricius, Spec. Ins. I. 1781, 145.
bifasciatus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 44.—*Conus*.
bifasciatus Curculio, J. C. Fabricius, Gen. Ins. 1777, 225.
bifasciatus Cylinderus, F. C. Meuschen, Mus. Gever. 1787, 368.
bifasciatus Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 388.
bifasciata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3405.
bifasciatus Dermestes, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 6.

- bifasciatus** Dermestes, P. Rossi, Mant. Ins. II. 1794, 79.
bifasciata Empis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 390.
bifasciata Empis, P. Rossi, Mant. Ins. II. 1794, 77.
bifasciatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 433.
bifasciatus Erotylus, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 370.
bifasciata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 27.
bifasciatus Grillus, C. Allioni, Misc. Taurin. III. 1766, 190.
bifasciata Helix, R. Pulteney, Cat. Birds &c. Dorset, 1799, 49.
bifasciatus Hypulus (Fab.), G. Paykull, Faun. Suec. I. 1798, 253.—Notoxus.
bifasciatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 405.
bifasciatus Ichneumon, C. de Villers, Linn. Ent. III. 1789, 192.
bifasciata Ips, J. C. Fabricius, Mant. I. 1787, 47.
bifasciatus Ips, F. v. P. Schrank, F. Boica, I. 1798, 513.
bifasciatus Kryptophagus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 175.
bifasciatus Labrus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 131. [—Ips.
bifasciata Lagria, P. Rossi, Fauna Etrus. I. 1790, 108.
bifasciata Lamia, J. C. Fabricius, Syst. Ent. 1775, 174.
bifasciata Larra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 252.
bifasciata Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 92.—Crioceris, 1775.
bifasciata Leptura, O. F. Müller, Z. Dan. Prod. 1776, 93.
bifasciata Leptura, F. v. P. Schrank, Ins. Aust. 1781, 159.
bifasciata Leptura, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 520.
bifasciata Libellula, J. C. Fabricius, Syst. Ent. 1775, 421.
bifasciatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 177.—Cimex, 1775.
bifasciata Lytta, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 141.
bifasciata Melasis, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 522.—
 Ptilinus, 1792.
bifasciata Meloe (De G.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2019.—
bifasciata Musca, J. C. Fabricius, Syst. Ent. 1775, 777. [Cantharis.
bifasciata Musca, F. v. P. Schrank, Beitr. Nat. 1776, 95.
bifasciata Mutilla, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 285.
bifasciatus Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 500.—Ips, 1787.
bifasciatus Mycetophagus, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 31.—Ips,
 1787.
bifasciata Mylabris (De G.), Herbst in Fuessly, Arch. Insect. VII. 1786, 179.—
bifasciata Mylabris, A. G. Olivier, Entom. III. 1795, 5. [Cantharis.
bifasciatus Necrophorus, [Hausmann] Entom. Bemerk. 1799, 33.
bifasciata Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3685.
bifasciata Noctua, V. Petagna, Spec. Ins. ult. Calab. 1786, 38.
bifasciata Noctua, C. C. Jung, Alph. Verz. Schmett. 1791, 79.
bifasciatus Notoxus, J. C. Fabricius, Ent. Syst. I (1) 1792, 210.
bifasciatus Notoxus, P. Rossi, Mant. Ins. I. 1792, 48.
bifasciatus Papilio Nym., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2290.
bifasciata Perca, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 352.
bifasciata [Phalaena], P. Cramer, Utitl. Kapellen, III (21) 1779, 104.
bifasciata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 300.
bifasciata Phalaena B., C. de Villers, Linn. Ent. II. 1789, 173.
bifasciata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2490.
bifasciata Phryganea, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 558.
bifasciatus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 248.—Sphex, 1793.
bifasciatus Prionus (L.), J. C. Fabricius, Syst. Ent. 1775, 162.—Cerambyx.
bifasciatus Psocus, A. J. Coquebert, Icon. Ins. (1) 1799, 11.
bifasciatus Ptilinus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 492.
bifasciatum Rhagium, J. C. Fabricius, Syst. Ent. 1775, 183.
bifasciatum Rhagium (L.), F. v. P. Schrank, F. Boica, I. 1798, 661.—Cerambyx.
bifasciatus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 25.
bifasciata Scolia (Swed.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2738.—Sphex.
bifasciata Scolia, P. Rossi, Mant. Ins. II. 1794, 120.

- bifasciatus** Serropalpus (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 129.—Notoxus.
bifasciata Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 232.—Ips.
bifasciata Sphex, O. F. Müller, Z. Dan. Prod. 1776, 162.
bifasciata Sphex (Scolia), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 281.
bifasciata Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 212.
bifasciata Sphinx, E. Donovan, Ins. China, 1799.
bifasciatus Syrphus (Scop.), G. W. F. Panzer, Ins. Germ. heft 2 [1792], tab. 6.—Conops.
bifasciatus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 305.
bifasciatus Tabanus, A. F. de Fourcroy, Ent. Paris. 1785, 458.
bifasciata Tenthredo, C. Allioni, Misc. Taurin. III. 1766, 195.
bifasciata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 366.
bifasciata Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2666.
bifasciatus Thelephorus, G. A. Harrer, Besch. Schaeffer Icones, 1784, 82.
bifasciata Tipula, F. v. P. Schrank, Ins. Aust. 1781, 428.
bifasciatus Trichodes (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 159.—
bifasciata Vespa, Linnaeus, Faun. Suec., ed. 2, 1761, 419. [Clerus.]
bifasciata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3436.
bifasciella Tinea, J. C. Fabricius, Mant. II. 1787, 249.
bifidialis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 232.
bifida Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 42.
bifida Ascaris, O. Fabricius, F. Groen. 1780, 273.
bifida Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 55.
bifida Cetonia, A. G. Olivier, Entom. I. 1789, 38.
bifidus Chameleo, Al. Brongniart, Bull. Sci. Soc. Philom. [Paris], no. 36, 1800, 90.
bifidus Cimex (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2200.—Reduvius.
bifidus Erodius, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 41.
bifidus Erodius, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 126.
bifida Millepora, F. C. Meuschen, Mus. Gev. 1787, 512.
bifida Phalaena, Brahm, N. Mag. Lieb. Ent. [Fuessly's], III (2) 1787, 161.
bifida Phalaena Bombyx (Brahm), M. B. Borkhausen, Nat. eur. Schmett. III. 1790,
 374.—Phalaena.
bifida Proboscidea (Müll.), J. G. Bruguière, Ency. Méth. (Vers Int. 1791), 97.—Ascaris.
bifidus Reduvius, J. C. Fabricius, Mant. II. 1787, 312.
bifidus Scarabaeus, N. Poda, Ins. Mus. Graec. 1761, 18 f.
bifissella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
biforis Echinus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3188.
bifrons Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 40.
bifrons Brentus, J. C. Fabricius, Mant. I. 1787, 96.
bifrons Cetonia, A. G. Olivier, Entom. I. 1789, 82.
bifrons Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 314.
bifrons Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2718.
bifrons Nereis, O. F. Müller, Z. Dan. Prod. 1776, 218.
bifrons Pholas, E. M. da Costa, Brit. Conch. 1778, 242.
bifurcata Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 41.
bifurcatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2181.
bifurcifer Culex, Linnaeus, Syst. Nat., ed. 10, 1758, 603; ed. 12, 1767, 1002
bifurcifer Stello, J. G. Schneider, Amph. Phys. sp. alt. 1792, 22.
bifurca Lepisma, N. Poda, Ins. Mus. Graec. 1761, 120.
bifurcum Opatrum, J. C. Fabricius, Suppl. Ent. Syst. 1798, 40.
bifurca Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8 [n. n.].
bifurca Phalaena, Esper in Lang, Verz. Schmett., ed. 2, 1789, 124 [n. et f.].
bifurca Phalaena Noct., E. J. C. Esper, Die Schmett. IV (47) 1794, 359.
biglobatus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 53.
biglumis Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 573; ed. 12, 1767, 951.
bigramma Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. [1797–1800] 490.
biguttata Altica, J. C. Fabricius, Syst. Ent. 1775, 821.
biguttatus Bruchus, A. G. Olivier, Entom. I. 1795, 21.
biguttata Buprestis, Scopoli, Ent. Carn. 1763, 65.

- biguttata** Buprestis, J. C. Fabricius, Gen. Ins. 1777, 237.
biguttata Buprestis, M. Piller & L. Mitterpacher, Iter Poesg. 1783, 38.
biguttata Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 402; ed. 12, 1767, 648.
biguttatus Carabus, J. C. Fabricius, Reise Norwegen, 1779, 232.
biguttatus Carabus, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (3) 1782, 269.
biguttata Cassida, J. C. Fabricius, Syst. Ent. 1775, 91.
biguttata Cercopis, J. C. Fabricius, Mant. II. 1787, 275.—Cicada, 1781.
biguttata Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 89.
biguttata Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 278.
biguttatus Chrysomela, J. C. Fabricius, Mant. Ins. I. 1787, 76.
biguttata Chrysomela (Scop.), C. de Villers, Linn. Ent. I. 1789, 157.—Buprestis.
biguttata Cicada, J. C. Fabricius, Spec. Ins. II. 1781, 325.
biguttata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2110.
biguttata Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 43.
biguttatus Cicindela, J. C. Fabricius, Spec. Ins. I. 1781, 288.
biguttata Cicindela, A. F. de Fourcroy, Ent. Paris, 1785, 62.
biguttatus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 446; ed. 12, 1767, 722.
biguttatus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 725.
biguttatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 720.
biguttatus Cimex, J. C. Fabricius, Mant. Ins. II, 1787, 296.
biguttatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2187.
biguttata Clytra, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 34.
biguttata Coccinella, J. C. Fabricius, Mant. I. 1787, 59.
biguttatus Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 129.
biguttatus Cryptocephalus (Schr.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 53.—
biguttatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 130. [Chrysomela.
biguttatus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1959.
biguttatus Dytiscus, A. G. Olivier, Entom. III. 1795, 26.
biguttata Forficula, J. C. Fabricius, Ent. Syst. II. 1793, 2.
biguttatus Elaphrus, J. C. Fabricius, Reise Norwegen, 1779, 231.
biguttatus Elaphrus (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 230.—Carabus.
biguttatus Elater, A. G. Olivier, Entom. II. 1790, 47.
biguttata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 25.—Chrysomela, 1787.
biguttatus Ichneumon, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 24.
biguttatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 158.—Cimex, 1787.
biguttatus Malacopteryx (L.), J. R. Forster, Cat. Brit. Ins. 1770, 7.—Cantharis.
biguttata Mordella, P. Rossi, Mant. Ins. II. 1794, 103.
biguttata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
biguttatus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 249.
biguttatus Pteromalus, N. S. Swederus, K. Vet. Ac Nya Handl. XVI. 1795, 216.
biguttatus Reduvius (L.), J. C. Fabricius, Syst. Ent. 1775, 731.—Cimex.
biguttatus Scarabaeus, I. C. H. Boerner, Oek. Nachr. Ges. Schlesien, IV. 1776, 199.—
biguttata Scolia, J. C. Fabricius, Mant. I. 1787, 282. [not seen.]
biguttata Silpha, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 9.
biguttatus Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 422; ed. 12, 1767, 685.
biguttatus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 170.
biguttatus Telephorus (L.), C. de Geer, Mém. Ins. IV. 1774, 77.—Cantharis.
biguttatus Telephorus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 61.—Cantharis.
biguttatus Trichius, J. C. Fabricius, Ent. Syst. IV. 1794, 449.
biguttata Vespa, J. C. Fabricius, Mant. I. 1787, 291.
biguttorius Ichneumon, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 86.
biguttulum Acrydium (L.), C. de Geer, Mém. Ins. III. 1773, 479.—Gryllus.
biguttulum Acridium, O. F. Müller, Z. Dan. Prod. 1776, 101.
biguttulus Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 433; ed. 12, 1767, 702.
bigutta Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. [1797–1800], 562.
bihamata Formica, D. Drury, Ill. Nat. Hist. II. 1773, index & 73.
bihamata Hispa, Linnaeus, Syst. Nat., ed. 12, 1767, 604.
bilabiata Helix, G. Olivi, Zool. Adriat. 1792, 177.

- bilamellata** Doris, Linnaeus, Syst. Nat., ed. 12, 1767, 1083.—Limax, 1761.
- bilamellatus** Limax, Linnaeus, Faun. Suec., ed. 2, 1761, 508.
- [bilinearis]** Phalaena (N.) MS], T. Martyn, Psyche, 1797, figs. 54 & 55.
- bilineatus** Anthias, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 3.
- bilineata** Bibio, J. C. Fabricius, Syst. Ent. 1775, 757.
- bilineatum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3476.
- bilineata** Cantharis, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 81.
- bilineatus** Carabus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 75.
- bilineata** Cassida, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 66.
- bilineatus** Cerambyx (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1817.—
- bilineatus** Cerambix, A. G. Olivier, Entom. IV. 1795, 17. [Prionus.]
- bilineatus** Chaetodon, J. A. Scopoli, Del. Insub. III. 1788, 45.
- bilineata** Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 597.
- bilineata** Chrysomela, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 319.
- bilineata** Cicada, C. de Villers, Linn. Ent. I. 1789, 473.
- bilineatus** Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 52.
- bilineatus** Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 88.
- bilineatus** Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1709.—
- bilineatus** Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 164. [Chrysomela.]
- bilineatus** Curculio, J. N. Laicharting, Tyrol. Ins. I. 1781, 235.
- bilineatus** Dytiscus, C. de Geer, Mém. Ins. IV. 1774, 400.
- bilineatus** Dytiscus, O. F. Müller, Z. Dan. Prod. 1776, 72.
- bilineatus** Erodium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 426.
- bilineata** Forficula, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 183. [*n. et f.*].
- bilineata** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 264
- bilineatus** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2698.
- bilineata** Lacerta, G. A. Suckow, Naturges. III. 1798, 135.
- bilineata** Leptura, J. A. Scopoli, Annus V. 1773, 102.
- bilineata** Leptura, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 36.
- bilineata** Musca, C. de Villers, Linn. Ent. III. 1789, 550.
- bilineata** Musca (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2830.—Bibio.
- bilineata** Musca, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2866.
- bilineata** Mydas, J. C. Fabricius, Ent. Syst. IV. 1794, 253.
- bilineatus** Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (2) 1798, 24.
- bilineata** Ostrea, J. F. Bolten, Mus. Bolten. (2) 1798, 170.
- biliniata** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 138.
- bilineata** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 525; ed. 12, 1767,
- bilineata** Phalaena Noct., Panzer in Drury, Exot. Ins. 1785, 51. [868.]
- bilineatum** Phalangium, J. C. Fabricius, Reise Norwegen, 1779, 360.
- bilineata** Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 549; ed. 12, 1767, 910.
- bilineatus** Planorbis, J. F. Bolten, Mus. Bolten. (2) 1798, 72.
- bilineatus** Pleuronectes, M. E. Bloch, Nat. ausl. Fische, III. 1787, 29.
- bilineatus** Prionus, J. C. Fabricius, Syst. Ent. 1775, 163.
- bilineata** Tipula, O. F. Müller, F. Ins. Frid. 1764, 80.
- biliguus** Linguatula, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 231.
- biliosata** Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 386.
- biliosus** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 39.
- biliosa** Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107.
- bilis** Fasciola (Br.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3054.—Planaria.
- bilis** Planaria, M. Braun, Schrift. Berlin. Ges. Nat. Freunde, X (1) 1790, 62.
- “**Bilobites**, Müll. 1775,” Scudder, does not occur.
- biloba** Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 703; ed. 12, 1767, 1154.
- bilobus** Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 245.
- bilobus** Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 691.
- bilobus** Cimex, F. v. P. Schrank, Ins. Aust. 1781, 268.
- bilobus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2149.
- bilobus** Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1958.
- biloba** Nitidula, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 238.

- bilobus** Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 544.
bilocularis Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 705; ed. 12, 1767, 1156.
bilocularis Perna (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788. 22.—Mytilus.
bilocularis Spheg, Scopoli, Ent. Carn. 1763, 296.
bilunaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (3) 1795, 73.
bilunis Trichoda, O. F. Müller, An. Infus. 1786, 204.
bimacularis Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2528.
bimacularia Geometra (ex Hübner tab.), Lang, Verz. Schmett., ed. 2, 1789, 196.
bimaculatum Acrydium, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 190.
bimaculatum Acridium, J. D. Preyßler in Mayer's Samml. Phys. Aufsätze, III. 1793, 351.
bimaculatum Antribus, A. F. de Fourcroy, Ent. Paris. 1785, 137.
bimaculatus Apalus (L.), J. C. Fabricius, Syst. Ent. 1775, 127.—Meloe.
bimaculatus Apate, J. C. Fabricius, Ent. Syst. I (2) 1792, 362.
bimaculatus Aphodius (Fab.), J. Sturm, Verz. Ins. Samml. 1800, 51.—Scarabaeus.
bimaculata Apis, G. W. F. Panzer, Ins. Germ. heft 55 [1798], tab. 17.
bimaculata Aranea, Linnaeus, Syst. Nat., ed. 12, 1767, 1033.
bimaculata Arca, J. X. Poli, Test. Sicil. II. 1795, 143.
bimaculatus Attelabus, P. S. Pallas, Reise Russ. I. 1771, 466.
bimaculatus Attelabus, A. F. de Fourcroy, Ent. Paris. 1785, 16.
bimaculatum Axinaeoderma, J. X. Poli, Test. Sicil. II. 1795, 254 & 260; = Arca of 143.
bimaculatus Bostrichus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 109.
bimaculatus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 33.
bimaculata Bruchus, A. G. Olivier, Entom. IV. 1795, 18.
bimaculata Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 410; ed. 12, 1767, 662.
bimaculata Buprestis, J. A. Scopoli, Annus V. 1772, 105.
bimaculatum Callidium, J. C. Fabricius, Spec. Ins. I. 1781, 240.
bimaculatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 246.
bimaculata Cantharis, J. C. Fabricius, Spec. Ins. I. 1781, 259.
bimaculatus Carabus, Scopoli, Ent. Carn. 1763, 89.
bimacul[atus] Carabus, Linnaeus, Mant. II. 1771, 532.
bimaculatus Carabus, C. de Geer, Mém. Ins. IV. 1774, 102.
bimaculatus Carabus, O. F. Müller, Z. Dan. Prod. 1776, 78 [no. 840].
bimaculatus Carabus, O. F. Müller, Z. Dan. Prod. 1776, 78 [no. 849].
bimaculata Cassida, C. de Geer, Mém. Ins. V. 1775, 182.
bimaculata Cassida, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 86.
bimaculata Cassida, J. C. Fabricius, Ent. Syst. I (1) 1792, 300.
bimaculata Cassida, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 88.
bimaculatus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1849.—
bimaculatus Cerambyx, J. C. Fabricius, Ent. Syst. I (2) 1792, 263. [Callidium].
bimaculata Cetonia (De G.), A. G. Olivier, Entom. I. 1789, 14.—Scarabaeus.
bimaculatus Chaetodon, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 9.
bimaculata Chrysomela, O. F. Müller, F. Ins. Frid. 1764, 8.
bimaculata Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 820. [1788, 4.
bimaculata Chrysomela, E. F. Hornstedt, Schrift. Berlin. Ges. Nat. Freunde, VIII.
bimaculata Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 156.—Cryptocephalus.
bimaculata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1691.
bimaculata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2106.
bimaculata Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 756.
bimaculatus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 449.
bimaculatus Cimex, C. de Villers, Linn. Ent. I. 1789, 529.
bimaculata Coccinella, E. Pontoppidan, Danske Atlas, I. 1763, 669.
bimaculatus Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 78.
bimaculata Conops, J. D. Preyßler in Mayer's Samml. Phys. Aufsätze, I. 1791, 133.
bimaculatus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 147.—Scarabaeus.
bimaculatus Cordylus (Sparr.), F. A. A. Meyer, Syn. Rept. 1795, 18.—Lacerta.
bimaculatus Cryptocephalus, J. C. Fabricius, Spec. Ins. 1781, 141.
bimaculatus Cucujus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 242.
bimaculatus Curculio, J. C. Fabricius, Mant. I. 1787, 98.

- bimaculatus Cyclopterus, J. A. Donndorff, Zool. Beyt. III. 1798, 818.
 bimaculatus Dermestes, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 7.
 bimaculatus Dytiscus, Linnaeus, Syst. Nat., ed. 12, 1767, 667.
 bimaculatus Dytiscus, F. v. P. Schrank, F. Boica, I. 1798, 715.
 bimaculatus Elater, A. F. de Fourcroy, Ent. Paris. 1785, 38.
 bimaculatus Elater, P. Rossi, Fauna Etrus. I. 1790, 182.
 bimaculata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 12.—Chrysomela.
 bimaculatus Gryllus, C. de Geer, Mém. Ins. III. 1773, 521.
 bimaculatus Hister, Linnaeus, Syst. Nat., ed. 10, 1758, 358; ed. 12, 1767, 567.
 bimaculatus Ichneumon, F. v. P. Schrank, Beitr. Nat. 1776, 86.
 bimaculatus Ichneumon, J. L. Christ, Nat. Ins. 1791, 340.
 bimaculatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2699.
 bimaculatus Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 186.
 bimaculatus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 285; ed. 12, 1766, 477.
 bimaculata Lacerta, A. Sparrman, K. Vet. Ac. Nya Handl. V. 1784, 167.
 bimaculata Leptura, O. F. Müller, Z. Dan. Prod. 1776, 95.
 bimaculatus Macrocephalus, A. G. Olivier, Entom. IV. 1795, 14.
 bimaculatus Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 637.
 bimaculatus Meloe, Linnaeus, Faun. Suec., ed. 2, 1761, 228.
 bimaculatus Meloe, Linnaeus, Syst. Nat., ed. 12, 1767, 680.
 bimaculatus Meloe, F. A. A. Meyer, Nat. Gift. Insect. 1792, 49.
 bimaculata Melolontha, O. F. Müller, Z. Dan. Prod. 1776, 58.
 bimaculata Melolontha (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 44.—Crypto-
 bimaculata Melolontha, J. C. Fabricius, Mant. I. 1787, 19. [cephalus.
 bimaculata Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 164.
 bimaculatus Melyris, P. Rossi, Fauna Etrus. I. 1790, 35.
 bimaculatus Membracis, J. C. Fabricius, Ent. Syst. IV. 1794, 10.
 bimaculata Mordella, J. C. Fabricius, Mant. I. 1787, 218.
 bimaculata Mordella, P. Rossi, Fauna Etrus. I. 1790, 245.
 bimaculata Musca, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 290.
 bimaculata Nitidula (L.), A. G. Olivier, Entom. II. 1790, 6.—Silpha.
 bimaculatus Ophilio, J. F. W. Herbst, Nat. ungefl. Ins. (2), 1798, 25.
 bimaculatus Oxyporus, J. C. Fabricius, Ent. Syst. I (2) 1792, 533.
 bimaculatus Pelecanus, E. Pontoppidan, Danske Atlas, I. 1763, 621.
 bimaculata Perca, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 82.
 bimaculata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 635.
 bimaculata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 298.
 bimaculata Phalangium, J. C. Fabricius, Syst. Ent. 1775, 440.
 bimaculata Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 548; ed. 12, 1767, 909.
 bimaculata Phryganea, Scopoli, Ent. Carn. 1763, 266.
 bimaculatus Psittacus, A. Sparrman, Mus. Carls. II. 1787, no. xxx.
 bimaculatus Psittacus, R. Kerr, Anim. Kingd. 1792, 577.
 bimaculatus Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 222.
 bimaculata Pyrochroa (L.), C. de Geer, Mém. Ins. V. 1775, 23.—Meloe.
 bimaculatus Ripiphorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 112.
 bimaculatus Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 311; ed. 12, 1766, 513.
 bimaculata Saperda, A. G. Olivier, Entom. IV. 1795, 21.
 bimaculatus Scarabaeus, E. Laxmann, Nov. Comm. Sci. Petrop. XIV (1) 1770, 593.
 bimaculatus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 639.
 bimaculatus Scarabaeus, J. C. Fabricius, Mant. I. 1787, 8.
 bimaculata Scarabaeus (Fab.) J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1568.—
 bimaculatus Scarabaeus, C. de Villers, Linn. Ent. IV. 1789, 207. [Melolontha.
 bimaculatus Scarabaeus, F. A. A. Meyer, Zool. Archiv (1) 1796, 201.
 bimaculata Scolia, J. C. Fabricius, Spec. Ins. I. 1781, 452.
 bimaculata Scolia, V. Petagna, Ins. Calab. 1787, 32.
 bimaculatus Scymnus, C. P. Thunberg, Ins. Suecica (9) 1795, 105.
 bimaculatus Scymnus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 340.
 bimaculata Silpha, Linnaeus, Syst. Nat., ed. 12, 1767, 569.

- 2-maculata** Silpha, V. Petagna, Spec. Ins. ult. Calab. 1786, 7.
bimaculatus Silurus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 24.
bimaculatum Sphaeridium, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 30.
bimaculata SpheX, J. C. Fuessly, Schweiz. Ins. 1775, 50.
bimaculata SpheX (Pet.). C. de Villers, Linn. Ent. IV. 1789, 551.—Scolia.
bimaculata SpheX, G. W. F. Panzer, Ins. Germ. heft 51 [1798], tab. 4.
bimaculatus Staphylinus, F. v. P. Schrank, F. Boica, I. 1798, 644.
bimaculatus Telephorus, C. de Geer, Mém. Ins. IV. 1774, 71.
bimaculatus Telephorus (Fab.), A. G. Olivier, Entom. II. 1790, 11.—Cantharis.
bimaculata Tellina, Linnaeus, Syst. Nat., ed. 10. 1758, 677; ed. 12. 1767, 1120.
bimaculatus Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 16.
bimaculata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 368.
bimaculata Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
bimaculata Tipula, Linnaeus, Faun. Suec., ed. 2, 1761, 433 [2 maculata, S. N., ed. 10].
bimaculata Tritoma, A. F. de Fourcroy, Ent. Paris. 1785, 152.
bimaculata Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 433.
bimaculata Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 678.
bimaculella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 89.
bimaculosella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 519.
bimaculosa Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 160.
bimaculosa Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 856.
bimaculosa Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 329.
bimorpha Medusa, O. F. Müller, Z. Dan. Prod. 1776, 233.
bimucronatus Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 13.
bimuricatus Muriciformis, F. C. Meuschen, Mus. Gev. 1787, 316.
binarius Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 404.
binaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 516.
binervosa Phryganea, C. de Villers, Linn. Ent. III. 1789, 44.
binny Cyprinus, F. A. A. Meyer, Zool. Entdeck. 1793, 142.
Binoculus E. L. Geoffroy, Hist. Insect. Paris. II. 1762, 658.—Cr.
binodis Fasciola, O. F. Müller, Z. Dan. Prod. 1776, 224.
binodis Formica, Linnaeus, Amoen. Acad. VI. 1763, 413.
binodis Formica, P. Forskal, Descr. Anim. 1775, xxiii.
binodis SpheX, J. C. Fabricius, Suppl. Ent. Syst. 1798, 243.
binodis Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 264.
binodulus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 247.
binotatus Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 486.
binotatus Carabus, J. C. Fabricius, Mant. I. 1787, 199.
binotata Cassida, J. C. Fabricius, Ent. Syst. I (1) 1792, 299.
binotata Chrysomela, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1687.
binotata Chrysomela, C. Quesnel, Diss. ignotus insect. species, 1790, 14.
binotata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2094.
binotatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2197.
binotatus Curculio, P. Rossi, Mant. Ins. I. 1792, 39.
binotatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 484.
binotatus Elater, P. Rossi, Mant. Ins. I. 1792, 59.
binotatus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2059.
binotatus Gryllus (Acheta), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2062.
binotatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 172.
binotata Phryganea, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 556.
binotata Silpha, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1618.
binotatus Staphylinus, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. IV. 1796, 147.
binotella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 95.
binubeculosa Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. [1797—1800], 528.
biocellatus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 72.
biocellatus Sparus, J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 298.
bioculata Buprestis, A. G. Olivier, Ency. Méth. V. (Ins.) 1790, 233.
bioculatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 715.

- bioculata Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 154. [Crioceris.
 bioculatus Cryptocephalus (F.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1722.—
 bioculata Ephemera, Linnaeus, Syst. Nat., ed. 10, 1758, 547; ed. 12, 1767, 906.
 bioculata Hirudo, O. F. Müller, Verm. I (2) 1774, 41.
 bion Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 432.
 bipalium Brachionus, O. F. Müller, An. Infus. 1786, 336.
 bipartitus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 429.
 bipartita Leptura, F. v. P. Schrank, Beitr. Nat. 1776, 68.
 bipartita Necdalis, F. v. P. Schrank, Ins. Aust. 1781, 171.—Leptura, 1776.
 bipastulata Scarabaeus, *err. pro* bipustulatus, Fabr., J. C. Fabricius, Mant. I. 1787, 17.
 B[ipes] J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 68.—R.
 bipes Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 227; ed. 12, 1766, 390 [bpes].
 bipes Cancer, O. Fabricius, F. Groen. 1780, 246 f.
 bipes Cancer (Gammarellus), Fabr., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 111.
 bipes Chalcida (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 31.—Lacerta.
 bipes Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1099.
 bipes Lacerta (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1079.—Anguis.
 Biphora J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, x. & 178.—Asc.
 biplicata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3454.
 bipunctalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 232.
 bipunctana Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2518.
 bipunctana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 250.
 bipunctaria Gometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 111.
 bipunctaria Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*u. u.*].
 bipunctatulus Carabus, N. J. Brahm, Ins. Kal. I (1) 1790, 15.
 bipunctatum Acrydium (L.), J. C. Fabricius, Syst. Ent. 1775, 278.—Gryllus. [236.
 bipunctatus Alyselminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800,
 Anthribus (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 161.—Nitidula.
 bipunctatus Aphodius (Fab.). Illiger in Kugelann, Käfer Preuss. 1798, 18.—Scarabaeus.
 bipunctata Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2780.
 bipunctata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 620; ed. 12, 1767, 1031.
 bipunctata Bitoma, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 28.—Dermes-
 bipunctatus Bombyx, C. C. Jung, Alph. Verz. Schmett. 1791, 80. [toides, 1783.
 bipunctatus Bruchus, J. C. Fuessly, Schweiz. Ins. 1775, 9.
 2-punctatus Bruchus, J. H. Sulzer, Gesch. Ins. 1776, 36.
 bipunctatus Bruchus, J. J. Koemer, Gen. Ins. 1789, 6.
 bipunctata Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 228.
 bipunctata Buprestis, A. G. Olivier, Entom. II. 1790, 81.
 bipunctata Cantharis, J. C. Fabricius, Syst. Ent. 1775, 206.
 bipunctata Cantharis, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 114.
 bipunctata Carabus, Linnaeus, Syst. Nat., ed. 12, 1767, 672.
 bipunctata Cassida, Linnaeus, Syst. Nat., ed. 12, 1767, 578.
 bipunctatus Cerambyx, D. Drury, Ill. Nat. Hist. II. 1773, index & 56.
 bipunctatus Cerambyx, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 36.
 bipunctata Cetonia, A. G. Olivier, Entom. I. 1789, 48.
 bipunctata Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 374; ed. 12, 1767, 597.
 bipunctata Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 127.
 bipunctata Chrysomela, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (2) 1782, 152.
 bipunctata Cicada, Scopoli, Ent. Carn. 1763, 115.
 bipunctata Cicada, Linnaeus, Syst. Nat., ed. 12, 1767, 28.
 bipunctata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
 bipunctatus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 444; ed. 12, 1767, 721
 bipunctatus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 358.
 bipunctatus Cimex, P. Rossi, Mem. Soc. Ital. IV. 1788, 129.
 bipunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 364; ed. 12, 1767, 580.
 bipunctatus Coccinella (Kugel.), G. W. F. Panzer, Ins. Germ. heft 24 [1794], tab. 11.—
 Scymnus.
 bipunctatus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 150.—Scarabaeus.

- bipunctatus** Crabro, J. C. Fabricius, Mant. I. 1787, 296.
bipunctatus *Cryptocephalus* (L.), J. C. Fabricius, Syst. Ent. 1775, 108.—*Chrysomela*.
bipunctatus *Cryptocephalus*, A. F. de Fourcroy, Ent. Paris. 1785, 91.
bipunctatus *Curculio*, Linnaeus, Syst. Nat., ed. 10, 1758, 380; ed. 12, 1767, 609.
bipunctatus *Curculio*, A. F. de Fourcroy, Ent. Paris. 1785, 118.
bipunctatus *Curculio*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1773.
bipunctatus *Curculio*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1801.
bipunctatus *Cyprinus*, M. E. Bloch, Nat. Fische Deutschl. I. 1782, 50.
bipunctatus *Dermestes*, C. de Geer, Mém. Ins. IV. 1774, 197.
bipunctatus *Dermestes*, F. v. P. Schrank, Beitr. Nat. 1776, 61.
bipunctatus *Dermestes*, F. v. P. Schrank, Ins. Aust. 1781, 27.
bipunctatus *Dermestes*, A. F. de Fourcroy, Ent. Paris. 1785, 18.
bipunctatus *Dermestes*, C. de Villers, Linn. Ent. I. 1789, 55.
bipunctatus *Dermestes*, J. C. Fabricius, Ent. Syst. I (1) 1792, 231.
bipunctatus *Dermestoides*, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 40.
bipunctatus *Dytiscus*, O. F. Müller, F. Ins. Frid. 1764, 20.
bipunctatus *Dytiscus*, O. F. Müller, Z. Dan. Prod. 1776, 71.
bipunctatus *Dytiscus*, J. C. Fabricius, Mant. I. 1787, 190.
bipunctatus *Elaphrus* (L.), Illiger in Kugelann, Käfer Preuss. 1798, 228.—*Carabus*.
bipunctatus *Elatr*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 140.
bipunctata *Flata* (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 518.—*Cicada*.
bipunctata *Forficula*, J. C. Fabricius, Spec. Ins. I. 1781, 340. [mela.
bipunctata *Galeruca* (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 587.—*Chryso-*
bipunctata *Geometra*, J. Hübner, Eur. Schmett. (Geom.) [me judice 1796] fig. 276 [n. et f.].
bipunctatus *Gryllus* (Bulla), Linnaeus, Syst. Nat., ed. 10, 1758, 427; ed. 12, 1767, 693.
bipunctatus *Gryllus*, C. de Geer, Mém. Ins. III. 1773, 523.
bipunctatus *Hallominus*, G. Paykull, Faun. Suec. II. 1799, 179.
bipunctatus *Hemerobius*, Linnaeus, Faun. Suec., ed. 2, 1761, 384.
bipunctatus *Hemerobius*, F. v. P. Schrank, Baier. Reise, 1786, 252.
bipunctata *Hispa*, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 96.
bipunctata *Hydrachna*, F. v. P. Schrank, in Moll, Oberdeutsche Beyträge, I. 1787, 140.
bipunctatus *Hydrophilus*, J. C. Fabricius, Syst. Ent. 1775, 229.
bipunctatus *Ichneumon*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2703.
bipunctata *Ips*, J. C. Fabricius, Mant. I. 1787, 45.
bipunctatus *Latridius* (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 10.—
bipunctata *Leptura*, J. C. Fabricius, Spec. Ins. I. 1781, 245. [Dermestes.
bipunctatus *Lygaeus*, J. C. Fabricius, Ent. Syst. IV. 1794, 172.—*Cimex*, 1781.
bipunctatus *Malachius*, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 108.
bipunctatus *Mellinus*, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 227.—
bipunctatus *Mellinus*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 265. [Crabro, 1787.
bipunctata *Melolontha* (Fab.), A. G. Olivier, Entom. I. 1789, 37.—*Trichius*.
bipunctata *Membracis*, J. C. Fabricius, Syst. Ent. 1775, 677.
bipunctata *Musca*, Scopoli, Ent. Carn. 1763, 341.
bipunctata *Musca*, O. F. Müller, Z. Dan. Prod. 1776, 174.
bipunctata *Mutilla*, P. A. Latreille, Actes Soc. H. N. Paris, I (1) 1792, 10.
bipunctata *Nitidula*, J. C. Fabricius, Mant. I. 1787, 52.
bipunctatus *Notoxus*, J. C. Fabricius, Ent. Syst. I (1) 1792, 212.
bipunctata *Opatrum*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1634.
bipunctatus *Papilio Pleb.*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2360.
bipunctata *Phalaena*, J. A. Pollich, Bemerk. Kuhrpfälz. phys.-oek. Ges. 1779 (1781),
bipunctata *Phalaena*, A. F. de Fourcroy, Ent. Paris. 1785, 267. [284.
bipunctata *Phalaena Geom.*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
bipunctata *Phryganea*, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 55.
bipunctata *Pimelia*, J. C. Fabricius, Spec. Ins. I. 1781, 316.
bipunctatus *Pompilus*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 251.—*Sphex*, 1793.
bipunctatus *Psocus* (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 204.—*Hemerobius*.
bipunctatus *Pteromalus*, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 205.
bipunctatus *Reduvius*, J. C. Fabricius, Mant. II. 1787, 312.

- bipunctatus** Ryzophagus, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 19.
bipunctata Saperda, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 16.
bipunctatus Scarabaeus, E. Pontoppidan, Kurz. Nachr. N.-H. Dänemark, 1765, pl.
bipunctatus Scarabaeus, O. F. Müller, Z. Dan. Prod. 1776, 55. [xvi.
bipunctatus Scarabaeus, J. C. Fabricius, Mant. Ins. I. 1787, 10.
bipunctatus Scarabaeus, C. de Villers, Linn. Ent. IV. 1789, 209.
bipunctatus Scymnus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 547.
bipunctatus Scymnus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 343.
bipunctata Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 359.
bipunctata Silpha, C. E. v. Möll, N. Mag. Lieb. Ent. [Fuessly's] II (2) 1784, 181.
bipunctata Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 230.—Ips.
bipunctata Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 234.—Nitidula.
bipunctatum Sphaeridium, C. P. Thunberg, Ins. Suecica (8) 1794, 102.
bipunctatus Spheg, J. C. Fabricius, Ent. Syst. II. 1793, 214.
bipunctatus Staphylinus, A. G. Olivier, Entom. III. 1795, 31.
bipunctatum Steridium, J. D. Preyssler in Mayer, Samml. Phys. Aufsätze, III. 1793, 267.
bipunctata Synchita (Herbst), J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's],
 IV. 1792, 405.—Dermestoides.
bipunctatus Thelephorus, G. A. Harrer, Besch. Schaeffer Icones, 1784, 83.
bipunctatus Telephorus (Fab.), A. G. Olivier, Entom. II. 1790, 15.—Cantharis.
bipunctata Tenthredo, O. F. Müller, Z. Dan. Prod. 1776, 149.
bipunctata Tenthredo, N. G. Leske, Reise Sachsen, 1785, 51.
bipunctata Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 978.
bipunctatus Trichius, J. C. Fabricius, Mant. I. 1787, 25.
bipunctata Vespa, J. C. Fabricius, Syst. Ent. 1775, 369.
bipunctata Vespa, P. Rossi, Fauna Etrus. II. 1790, 88.
bipunctatus Vibrio, O. F. Müller, An. Infus. 1786, 52.
bipunctella Alucita, J. C. Fabricius, Syst. Ent. 1775, 668.
bipunctella Phalaena (Tin.), (Fab.), C. de Villers, Linn. Ent. II. 1789, 504.—Alucita.
bipunctella Tinea, J. C. Fabricius, Gen. Ins. 1777, 296.
bipunctella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 481.—Alucita.
bipuncti-dactyla Phalaena, Scopoli, Ent. Carn. 1763, 257.
bipuncta Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 627.
bipustula Cassida, Linnaeus, Syst. Nat., ed. 12, 1767, 578.
bipustula Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
bipustulatus Attelabus, J. C. Fabricius, Gen. Ins. 1777, 229.
bipustulata Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 402; ed. 12, 1767, 648.
bipustulatus Carabus, J. C. Fabricius, Syst. Ent. 1775, 247.
bipustulatus Carabus, F. v. P. Schrank, F. Boica, I. 1798, 623.
bipustulata Cassida, Linnaeus, Amoen. Acad. VI. 1763, 392.
bipustulata Cassida *id. ac.* bipustula (L.), J. C. Fabricius, Syst. Ent. 1775, 93.
bipustulata Chrysomela, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 13.
bipustulata Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 44.
bipustulata Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 157.—*Crypto-*
bipustulata Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 45. [cephalus.
bipustulata Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 61.
bipustulatus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 443; ed. 12, 1767, 719.
2-pustulatus Cimex, E. Pontoppidan, Danske Atlas, I. 1763, 684.
bipustulata Cistela, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 606.
bipustulatus Clerus (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. III. 1794,
 134.—Hispa.
bipustulata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 367; ed. 12, 1767, 585.
bipustulatus Coccinella (Scymnus), Schneider in G. W. F. Panzer, Ins. Germ. heft 24,
 1794, tab. 10.
bipustulatus Copris (Fab.), A. G. Olivier, Ency. Méth. V. (Ins.), 1790, 179.—Scarabaeus.
bipustulatus Cryptoccephalus, J. C. Fabricius, Syst. Ent. 1775, 821.
bipustulatus Cucuius, Hellwig in G. W. F. Panzer, Ins. Germ. heft 4 [1792], tab. 13.
bipustulatus Curculio, P. Rossi, Mant. Ins. I. 1792, 39.

- bipustulatus** Dermestes, C. P. Thunberg, Nov. Ins. Spec. (1), 1781, 6.
bipustulatus Dermestes, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 4.
bipustulatus Dermestes, J. C. Fabricius, Mant. I. 1787, 45.
bipustulatus Dermestes (Fab.), C. de Villers, Linn. Ent. I. 1789, 54.—Sphaeridium.
bipustulatus Dermestes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 72.
bipustulatus Dermestes, G. Paykull, Faun. Suec. I. 1798, 286.
bipustulatus Dytiscus, Linnaeus, Syst. Nat., ed. 12, 1767, 667.
bipustulatus Dytiscus, O. F. Müller, Z. Dan. Prod. 1776, 71.
bipustulatus Elater, Linnaeus, Syst. Nat., ed. 12, 1767, 652.
bipustulatus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2070.
bipustulata Hispa, J. C. Fabricius, Spec. Ins. I. 1781, 82.
bipustulatus Hister, F. v. P. Schrank, Ins. Aust. 1781, 37.
bipustulatus Hister, A. G. Olivier, Entom. I. 1789, 10.
bipustulatus Hister, J. C. Fabricius, Suppl. Ent. Syst. 1798, 38.
bipustulata Ips, J. C. Fabricius, Mant. I. 1787, 45.
bipustulata Leptura, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 17.
bipustulatus Lyctus, J. C. Fabricius, Ent. Syst. I (2) 1792, 503.
bipustulatus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 108.
bipustulatus Lygdus, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 33.
bipustulata Malachius (L.), J. C. Fabricius, Syst. Ent. 1775, 208.—Cantharis.
bipustulatus Malacopteryx (L.), J. R. Forster, Cat. Brit. Ins. 1770, 7.—Cantharis.
bipustulata Nitidula (L.), J. C. Fabricius, Syst. Ent. 1775, 77.—Silpha.
bipustulatus Opatrum (ex Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1633.
bipustulata Ostoma, J. N. Laicharting, Tyrol. Ins. I. 1781, 106.
bipustulatus Oxyporus, J. C. Fabricius, Ent. Syst. I (2) 1792, 533.
bipustulata Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 64.—Silpha.
bipustulatus Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 379.
bipustulatus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 30.
bipust[ulata] Scarabaeus, [D. H. Schneider], Nom. Ent. 1785, 1 [n. n.].
bipustulatus Scarites, J. C. Fabricius, Suppl. Ent. Syst. 1798, 44.
bipustulatus Scymnus, C. P. Thunberg, Ins. Suecica (9) 1795, 105.
bipustulata Silpha, Linnaeus, Faun. Suec., ed. 2, 1761, 148. [1784, 79.—Nitidula.
bipustulata Silpha (Fab.), J. F. W. Herbst in Borowski, Gem. Nat. Thiere, VI.
bipustulata Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 230.—Ips.
2-pustulatum Sphaeridium, J. C. Fabricius, Spec. Ins. I. 1781, 78.
bipustulatus Sphaeridium, C. P. Thunberg, Ins. Suecica (8) 1794, 102.
bipustulatus Staphylinus, Linnaeus, Faun. Suec., ed. 2, 1761, 232.
bipustulatus Telephorus (L.), C. de Geer, Mém. Ins. IV. 1774, 75.—Cantharis.
bipustulata Tritoma, J. C. Fabricius, Syst. Ent. 1775, 68.
bipustulata Tritoma (Fab.), C. P. Thunberg, Ins. Suecica (8) 1794, 99.—Lyctus.
bipustulata Vespa, C. de Villers, Linn. Ent. III. 1789, 280.
biradiatum Cardium, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 231.
biradiata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 446.
biradiata Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 179.
biradiata Donax, P. Forskal, Descr. Anim. 1775, xxxi.
biramosa Cicindela, J. C. Fabricius, Spec. Ins. I. 1781, 286.
bi-ren Noctua, C. C. Jung, Alph. Verz. Schmett. 1791, 81.
Birita F. C. Meuschen, Mus. Gever. 1787, 490.—Ech.
birita Madrepora, F. C. Meuschen, Mus. Gever. 1787, 496.
birivia Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 71.
birivia Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 206.—
birivia Phal. Noct., J. Hübner, Samml. Vögel u. Schmett. 1793, 11 [n. et f.]. [Noctua.
biriviata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 384.
birostris Buceros, J. A. Scopoli, Del. Insub. II. 1786, 87.
birostris Bulla, Linnaeus, Syst. Nat., ed. 12, 1767, 1182.
birostris Raja, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 535.
birostris Volva (Gm.), J. F. Bolten, Mus. Bolten. (2), 1798, 22.—Bulla.
bisaltide [Papilio], P. Cramer, Uitl. Kapellen, II (9) 1777, 9.

- bisbipustulata** Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 288.
bisbiverrucata Coccinella, G. W. F. Panzer, Ins. Germ., ed. 2, heft 24 [1799], tab. 8.
biscutata Formica, J. C. Fabricius, Syst. Ent. 1775, 394.
biscutatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2679.
biselata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 618.
bisetis Psittacus, J. Latham, Index Orn. 1790, 102.
bisignata Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 164.
bisissella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
bislineatus Lacertus, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
biso Lucanus, *err. pro* bison, A. G. Olivier, Ency. Méth. VII (Ins.), 1792, 579.
Bison G. Edwards in M. Catesby, Carol. I. 1771, xxvii.—Mam.
bison Bos, Linnaeus, Syst. Nat., ed. 10, 1758, 72; ed. 12, 1766, 99.
bison americanus Bos, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 83.
bison Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 160.—Scarabaeus.
bison Lucanus, A. G. Olivier, Entom. I. 1789, 13.
bison Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 547.
bisperforatus Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 198.
bispinosus Alpheus (Herbst), F. Weber, Nomen. Fabricii, 1795, 91.—Cancer.
bispinosus Bostrichus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 110.
bispinosus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2—5) 1783, 144.
bispinosus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1990.
bispinosus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1859.
bispinosa Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2099.
bispinosus Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 529.
bispinosa Crioceris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 89.
bispinosa Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 502.
bispinosus Gasterosteus, J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 450.
bispinosa Mantis, J. C. Fabricius, Syst. Ent. 1775, 274.
bispinosus Monoculus, C. de Geer, Mém. Ins. VII. 1778, 463.
bispinosa Phasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 188.—Mantis.
bispinosus Tabanus, J. C. Fabricius, Gen. Ins. 1777, 308.
bispinus Cimex, G. W. F. Panzer, Ins. Germ., heft 26 [1795], tab. 23.
bispinus Curculio (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1804.—
bispinus Rhinomacer, O. F. Müller, Z. Dan. Prod. 1776, 91. [Rhinomacer.
bis-quinquepunctatus Cryptocephalus, G. A. Harrer, Besch. Schaeffer's Abbild. 1791,
 133, *id. ac* C. 10-punctatus, Fuessly.
bisseptemguttata Coccinella, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 265.
bissexguttata Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 284.
bissexpustulata Coccinella, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 303.
bisti Bruchus *err. pro* cisti, Fabr., J. C. Fabricius, Mant. I. 1787, 42.
bistigmata Phalaena Bom., C. de Villers, Linn. Ent. II. 1789, 184.
bistortata Geometra, C. C. Jung, Alph. Verz. Schmett. 1791, 81.
bistriata Buprestis, J. C. Fabricius, Syst. Ent. 1775, 222.
bistriata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2116.
bistriatus Coluber, G. A. Suckow, Naturges. III. 1798, 243.
bistriata Dorcatoma, G. Paykull, Faun. Suec. I. 1798, 319.
bistriata Haliotis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3689.
bistriata Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 50.
bistridentata Chrysis, L. H. v. Bloch in Becker, Plau. Grund. 1799, 119.
bistrigalis Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2527.
bistrigaria Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2459.
bistrigaria Phalaena, Giorna, Cal. Ent. 1791, 131.
bistrigata Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 440.
bistrigata Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 437.
bistrigata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2492.
bistrigata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
bistriguttatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 174.
bistripunctata Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 275.

- bistripustulata** Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 256.
- bisubulata** Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [n. n.].
- bituberculatus** Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 39.
- bisulcatus** Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 198.
- bisulcus** Cucujus, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 119.
- bisulcus** Equus, G. I. Molina, Sag. stor. nat. Chili, 1782, 320.
- bisulcus** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2698.
- bitia** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 69.
- bitias** [Papilio], P. Cramer, Uitl. Kapellen, II (9) 1777, 12.
- bitin** Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 22.
- bitinctus** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2719.
- bitis** Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1092.—Vipera.
- bitis** Vipera, J. N. Laurenti, Syn. Rept. 1768, 102.
- Bitoma** Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 25.—Col.
- biton** Papilio Plebejus, J. H. Sulzer, Gesch. Ins. 1776, 146.
- bituberculata** Cassida, J. C. Fabricius, Mant. II. 1787, 379.
- bituberculatus** Copris, L. G. Schriba, J. Lieb. Ent. I. 1790, 57.
- bituberculatus** Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 164.
- bituberculata** Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 151.
- bituberculatus** Cryptocephalus (F.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1781, 171. [1719.—Crioceris.
- bituberculata** Diaperis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 274.
- bituberculata** Formica, J. C. Fabricius, Suppl. Ent. Syst. 1798, 280. [Crioceris.
- bituberculata** Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 589.—
- bituberculatus** Rynchophorus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 29.
- bituberculatus** Scarabaeus (Copris), A. G. Olivier, Entom. I. 1789, 131. [—Curculio.
- biundularia** Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 162.—
- biundulata** Meloe, P. S. Pallas, Icon. Ins. 1782, 78. [P. G. biundulata, Vill. est.
- biundulata** Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 337.
- biungulatus** Scarabaeus, J. R. Forster, Cat. Anim. N. Amer. 1771, 24 [n. n.].
- bivenis** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2164.
- biverrucata** Coccinella, G. W. F. Panzer, Ins. Germ., ed. 2, heft 24 [1799], tab. 11.
- bivertex** Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 135 [n. n.].
- bivittata** Cantharis (Pall.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 281.—Meloe bivittis.
- bivittata** Cantharis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 69.
- bivittatus** Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 59.
- bivittata** Chrysomela, F. v. P. Schrank, Naturforscher, XXIV. 1789, 66.
- bivittata** Chrysomela, S. I. Ljungh, K. Vet. Ac. Nya Handl. XX. 1799, 146.
- bivittatus** Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 208.
- bivittatus** Curculio, J. C. Fabricius, Mant. I. 1787, 118.
- bivittatus** Labrus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 133.
- bivittatus** Scarabaeus (Melolontha), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787,
- bivittis** Meloe, P. S. Pallas, Icon. Ins. 1782, 93. [189.
- bivulnera** Meloe, P. S. Pallas, Icon. Ins. 1782, 94.
- bixae** Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 344.—Papilio.
- bixae** Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 485; ed. 12, 1767, 795.
- bizonata** Scolia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 205.
- bizonata** Scolia, Holthuisen, D. H. Schneider, Verz. Parthei Ins. 1800, 22.
- bjerkandrella** *v.* **bierkandrella**.
- bjoerkna** Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 326; ed. 12, 1766, 532.
- blackburniae** Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 977.
- blackburniae** Sylvia (Gm.), J. Latham, Index Orn. 1790, 527.—Motacilla.
- blackburnii** Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 20.
- blagrus** Falco, F. M. Daudin, Traité élém. Orn. 1800, 70.
- blancardella** Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 305.
- blancardi** Aranea, Scopoli, Ent. Carn. 1763, 402.
- blandella** Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 499.
- blandiata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 316.

- blandiata** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 258 [*n. et*].
- blandina** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 76. [*f.*].
- blandina** Papilio, J. C. Fabricius, Mant. II. 1787, 41.
- blandina** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 129.
- blandula** Cicada, P. Rossi, Fauna Etrus. II. 1790, 217.
- blanda** Buprestis, J. C. Fabricius, Spec. Ins. I. 1781, 276.
- blandus** Calopus, J. C. Fabricius, Syst. Ent. 1775, 182.
- blandus** Musca, M. Harris, Exp. Eng. Ins. 1776, 106.
- blanda** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 77.
- blanda** Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, [609.—Noctua].
- blanda** Tenthredo, J. C. Fabricius, Syst. Ent. 1775, 323.
- blapoides** Carabus, C. Creutzer, Ent. Vers. 1799, 112.
- Blaps** J. C. Fabricius, Syst. Ent. 1775, 254.—Col.
- blasius** Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 426.
- Blatta** Linnaeus, Syst. Nat., ed. 10, 1758, 424; ed. 12, 1767, 687.—Or.
- blattariae** Cionus (Fab.), J. R. Schellenberg, Helvet. Entom. I. 1798, 66.—Curculio.
- blattariae** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 435.
- blattinus** Staphylinus, F. v. P. Schrank, Ins. Aust. 1781, 236.
- blattoides** Buprestis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 34.
- blayensis** Ichneumon, Bory de St. V., Journ. Santé Bordeaux, III. 1798, 76.
- blennii** Ascaris (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3036.—Fasciola.
- blennii** Fasciola, O. F. Müller, Z. Dan. Prod. 1776, 224.
- blennioides** Batrachoides, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 451.
- blennioides** Gadus, P. S. Pallas, Spic. Zool. VIII. 1770, 47.
- Blennius** Linnaeus, Syst. Nat., ed. 10, 1758, 256; ed. 12, 1766, 441.—[Artedi, Ichth.
- blennoides** Gadus, M. T. Brünnich, Ich. Massil. 1768, 24. [1738, gen. xxii, 26.]—P.
- blennoides** Gymnocephalus (Walb.), G. A. Suckow, Naturges. IV. 1799, 562.—Perca.
- blennoides** Perca, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 336.
- Blennus** (*ex* Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 585.—P.
- blicca** Cyprinus, M. E. Bloch, Nat. Fische Deutschl. I. 1782, 65 & 193 (index).
- blochianus** Kurtus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 516.
- Blochius** G. S. Volta, Itt. Veron. (2) [circa 1800], liiii.—P.
- blockiella** Tinea, P. Rossi, Mant. Ins. II. 1794, 46.
- blockii** Cryptocephalus, P. Rossi, Mant. Ins. II. 1794, 91.
- blockii** Cyprinus, B. S. Nau, Oek. Nat. Fische Mainz, 1787, 91.
- blomfieldia** [blomfieldia] Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 84.
- blomiana** Tortrix, C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 169.
- blonda** Buprestis *err. pro* blanda, Fabr., J. C. Fabricius, Mant. I. 1787, 178.
- Boa** Linnaeus, Syst. Nat., ed. 10, 1758, 214; ed. 12, 1766, 373.—R.
- boa** Ascaris, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 120.
- boans** Calamita (L.), J. G. Schneider, Hist. Amph. I. 1799, 164.—Rana.
- boans** Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 213; ed. 12, 1766, 358.
- boarula** Motacilla, J. A. Scopoli, Annus I. 1769, 154.
- boas** Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 12.—Scarabaeus, 1787.
- boas** Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 8.
- boas** Scarabaeus, J. C. Fabricius, Mant. I. 1787, 14.
- bobac** Arctomys, J. C. D. Schreber, Säugth. IV. 738 (1782), pl. ccix (1780).
- bobak** Mus, P. L. S. Müller in Linn. Syst. Nat. Suppl. (1776), 40.
- boccamela** Mustela, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 395.
- bocchus** Papilio, Bosc, La médecine éclairée (Fourcroy's) I. 1791, 207.
- bochus** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 210.
- boddaerti** Chaetodon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1243.
- boddaerti** Coluber, U. J. Sentzen in Meyer, Zool. Archiv (2) 1796, 59.
- boddarti** Gobius, P. S. Pallas, Spic. Zool. VIII. 1770, 11.
- boddaerti** Testudo, J. G. Schneider, Leipz. Mag. 1786, 265.
- boddaerti** Testudo, J. G. Schneider, Schrift. Berlin. Ges. Nat. Freunde, X (3) 1792, 265.
- Bodianus** M. E. Bloch, Nat. ausl. Fische, IV. 1790, 31.—P.
- bodianus** Bodianus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 33.

- bodoensis** Doris, J. E. Gunnerus, Skrifter Kiøbenh. Selskab, X. 1770, 170.
- boebera** Bombyx, Boeber in Reich's Mag. Thierreichs, I. 1793, 140.
- boeberana** Pyralis, J. C. Fabricius, Mant. II. 1787, 239.
- boeberana** Tortrix, C. de Villers, Linn. Ent. IV. 1789, 534.
- boeberi** Coccinella, J. Cederhielm, F. Ingric. 1798, 50.
- boenak** Bodianus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 43.
- boerhaviae** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 152.
- boerhaviae** Sphinx, J. C. Fabricius, Syst. Ent. 1775, 542.
- boetica** Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 280.—Papilio.
- boeticus** Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, 1767, 789.
- boetonensis** Loxia, J. Latham, Index Orn. 1790, 376.
- bogaraveo** Sparus, M. T. Brünnich, Ich. Massil. 1768, 49.
- bohar** Sciaena, P. Forskal, Descr. Anim. 1775, 46.
- bohemicus** Asilus, J. D. Preyßler, Verz. böhm. Ins. 1790, 67.
- bohemicus** Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [n. n.].
- bohemicus** Coluber, F. W. Schmidt, Samml. phys.-oek. Aufsätze, I. 1795, 62.
- bohemicus** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1805.
- bohemicus** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 279.
- bohemica** Musca, J. D. Preyßler in Mayer, Samm. Phys. Aufsätze, III. 1793, 203.
- bohemus** Curculio, Mayer, Abh. privat. Ges. Bohmen. IV. 1779, 183.
- boiga** Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 102.
- boiquira** Crotalus, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 130.
- boiquira** Crotalus, de Beauvois, Trans. Amer. Phil. Soc. IV. 1799, 368.
- boja** Cicindela, F. v. P. Schrank, F. Boica, I. 1798, 707.
- bojobi** Boa, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 128.
- boletella** Phalaena Tinea, J. Hubner, Beitr. Schmett. II. 1790, 123.
- boletella** Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 287.
- boleti** Anobium (Scop.), J. C. Fabricius, Ent. Syst. I (1) 1792, 237.—Dermestes.
- boleti** Bostrichus (Scop.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 497.—Dermestes.
- boleti** Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 371; ed. 12, 1767, 591.
- bolati** Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 91.
- boleti** Dermestes, Scopoli, Ent. Carn. 1763, 17.
- boleti** Dermestes, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 52.
- boleti** Dermestes, C. de Villers, Linn. Ent. I. 1789, 56.
- boleti** Diaperis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 74.—Chrysomela.
- boleti** Noctua, J. C. Fabricius, Gen. Ins. 1777, 282.
- boleti** Noctua, J. C. Fabricius, Mant. II. 1787, 149.
- boleti** Phycis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 463.—Tinea boletella, 1794.
- boleti** Scaphidium, Persoon in G. W. F. Panzer, Ins. Germ. heft 12, 1793, tab. 16.
- boleti** Sylpha, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 113.
- boleti** Silphoides, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 41.
- boleti** Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 423; ed. 12, 1767, 686.
- boleti** Tenebrio, Scopoli, Ent. Carn. 1763, 84.
- boleti** Tenebrio (L.), C. de Geer, Mém. Ins. V. 1775, 49.—Chrysomela.
- boleti** Tipula, Scopoli, Ent. Carn. 1763, 323.
- boleti** Tipula, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 223.
- boletiformis** Madrepora, E. J. C. Esper, Pflanzenth. Forts. I (2) 1794, 61.
- boletus** Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 100.
- bolina** Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 479; ed. 12, 1767, 781.
- bolina** Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
- Bolitophagus** Illiger in Kugelann, Käfer Preuss. 1798, 100.—Col.
- boloniensis** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 282.
- boltenii** Encrinus, J. F. Blumenbach, Hand. Naturg. 1779, 436.
- bolteni** Vorticella, Linnaeus, Mant. II. 1771, 552.
- boltenianus** Planorbis, J. F. Bolten, Mus. Bolten. (2) 1798, 73.
- bomba** Phoebea, A. Modeer, K. Vet. Ac. Nya Handl. XIII. 1792, 114 [n. n.].
- bomba** Trichoda, O. F. Müller, Verm. I (1) 1773, 78.

- bombarda** Ampulla, J. F. Bolten, Mus. Bolten. (2) 1798, 110.
bombarda Carabus, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 112.
bombarda Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 76 [n. n.].
bombayus Scirus, P. Boddart, Elench. 1785, 117.
bombella Bombyx *err. pro* bombycella Tinea, D. & S., J. C. Fabricius, Mant. II. 1787, 132.
bombi- *v.* **bomby-**.
bombina Bufo (L.), F. v. P. Schrank, F. Boica, I. 1798, 272.—Rana.
bombina Curculio, J. C. Fabricius, Mant. I. 1787, 104.
bombina Rana, Linnaeus, Faun. Suec., ed. 2, 1761, 101.
bombinatrix Apis, L., for *varr. v.* J. L. Christ, Nat. Insekt. 1791, 108 et seqq.
bombycalis Crambus (D. & S.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 465.—Pyralis.
bombycalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 120.
bombycata Phalaena Geometra, J. Hübner, Beitr. Schmett. I (2) [1787], 14.
bombycella Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 289.—Tinea.
bombycella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 133.
bombiciformis Sphinx, A. F. de Fourcroy, Ent. Paris. 1785, 252.
bombyciformis Tipula, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 172.
bombacynus (*sic*) Cylindrus, F. C. Meuschen, Mus. Gev. 1787, 374.
bombycina Flustra, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 14.
bombycinus Pecten, T. Martyn, Univ. Conch. IV. [1792], fig. 153.
bombycina Phalaena, Hufnagel, Berl. Mag. III. 1767, 410.
bombycina Phalaena (Noctua), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 80.
bombicina Spongia, G. Olivi, Zool. Adriat. 1792, 265.
bombylans Apis, J. C. Fabricius, Syst. Ent. 1775, 386.
bombilans Conops (Linn.), Scopoli, Ent. Carn. 1763, 353.—Musca.
bombylans Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 591; ed. 12, 1767, 983.
bombylans Stromoxys, J. C. Fabricius, Suppl. Ent. Syst. 1798, 568.
bombylans Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 762.—Musca.
bombylans Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 178.—Musca.
bombyleus Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2771 [bombylans, Fab.].
bombyliformis Melolontha, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 32.
bombyliformis Musca, A. F. de Fourcroy, Ent. Paris. 1785, 479.
bombyliformis Scarabaeus. P. S. Pallas, Icon. Ins. 1781, 17.
bombyliformis Sesia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 382.—Sphinx.
bombyliformis Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 493.
bombyliformis [Sphinx], C. Stoll in Cramer, Utit. Kapellen, IV (34) 1782, 241.
bombyliformis Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 281.
Bombylius Linnaeus, Syst. Nat., ed. 10, 1758, 606; ed. 12, 1767, 1009.—Dip.
bombilius Asilus, C. de Geer, Mém. Ins. VI. 1776, 238.
bombylius Asilus, C. de Villers, Linn. Ent. III. 1789, 604.
bombylius Asilus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 212.
bombylius Melolontha, J. C. Fabricius, Mant. I. 1787, 25.
bombylius Musca, C. de Geer, Mém. Ins. VI. 1776, 133.
bombylius Reduvius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 112.
bombylius Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1567.—
bombilius Staphylinus, C. de Geer, Mém. Ins. IV. 1774, 20. [Melolontha.
bombyloides Musca, J. H. Sulzer, Gesch. Ins. 1776, 216.
bombynae Monostoma, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 160.
Bombyx *v.* Phalaena, Linnaeus, Syst. Nat., ed. 10, 1758, 495; ed. 12, 1767, 812.—Lep.
Bombyx J. C. Fabricius, Syst. Ent. 1775, 556.—Lep.
Bombyx [G. Humphreys], Mus. Calonn. 1797, 62.—G.
bomilcar [Papilio], C. Stoll, Aanh. Cramer's Utit. Kapellen, V. 1790, 170.
bonae spei Anomia, J. F. Bolten, Mus. Bolten. (2) 1798, 192.—capensis, Gm.
bonae-spei Chamaeleo, J. N. Laurenti, Syn. Rept. 1768, 46.
bonana Icterus (L.), F. M. Daudin, Traité élém. Orn. 1800, 332.—Oriolus.
bonana Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 162.
bonariensis Alauda, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 317.

- bonariensis** *Loxia*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 850.
- bonariensis** *Motacilla*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 951.
- bonariensis** *Sylvia* (Gm.), J. Latham, Index Orn. 1790, 543.—*Motacilla*.
- bonariensis** *Tanagra*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 898.
- bonasia** *Cicada* (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2095.—*Mem-*
- bonasia** *Lagopus* (L.), J. C. Schaeffer, Mus. Orn. 1789, 3.—*Tetrao*. [bracis.]
- bonasia** *Membracis*, J. C. Fabricius, Syst. Ent. 1775, 677.
- bonasia** *Papilio*, J. C. Fabricius, Syst. Ent. 1775, 464.
- bonasia** *Tetrao*, Linnaeus, Syst. Nat., ed. 10, 1758, 160; ed. 12, 1766, 275.
- bonasus** *Bos*, Linnaeus, Syst. Nat., ed. 10, 1758, 71; ed. 12, 1766, 99.
- bonasus** *Copris* (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 160.—*Scarabaeus*.
- bonasus** *Scarabaeus*, J. C. Fabricius, Syst. Ent. 1775, 23.
- bonnetella** *Phalaena* (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 541; ed. 12, 1767, 897.
- bonnetella** *Tinea* (L.), J. C. Fabricius, Syst. Ent. 1775, 665.—*Phalaena*.
- bononiensis** *Ardea*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 639.
- bononiensis** *Fringilla*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 919.
- bononiensis** *Tringa*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 670.
- bonsdorffii** *Curculio*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1795.
- bontia** *Helix*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3642.
- bontii** *Psittacus*, J. Latham, Index Orn. 1790, 92.
- bontii** *Troglodyta*, Linnaeus, Amoen. Acad. VI. 1760, 72, pl.
- boopis** *Cimex*, A. F. de Fourcroy, Ent. Paris. 1785, 197.
- boops** *Balaena*, Linnaeus, Syst. Nat., ed. 10, 1758, 76; ed. 12, 1766, 106.
- boops** *Labrus*, M. Houttyn, Verh. Holl. Maat. Weet. Haarlem, XX (2) 1782, 326.
- boops** *Sparus*, Linnaeus, Syst. Nat., ed. 10, 1758, 280; ed. 12, 1766, 469.
- boops** *Sphex*, F. v. P. Schrank, Ins. Aust. 1781, 384.
- borana** *Pyralis*, J. C. Fabricius, Mant. II. 1787, 234.
- borana** *Tortrix*, C. de Villers, Linn. Ent. IV. 1789, 530.
- borbonica** *Certhia*, P. Boddaert, Tab. Planch. Enl. 1783, 42.
- borbonica** (*sic*) *Certhia*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 471.
- borbonica** *Emberiza*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 886.
- borbonica** *Hirundo*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1017.
- borbonica** *Motacilla*, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- borbonica** *Motacilla*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 981.
- borbonica** *Muscicapra*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 939.
- borbonica** *Sylvia*, J. Latham, Index Orn., 1790, 533.
- borbonicus** *Turdus*, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- borbonicus** *Turdus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 821.
- bordella** *Tinea*, C. C. Jung, Alph. Verz. Schmett. 1791, 84.
- borealis** *Anas*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 512.
- borealis** *Anser*, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 122.
- borealis** *Carabus*, G. Paykull, Mon. Carab. 1790, 51.
- borealis** *Chamaeformis* (L.), F. C. Meuschen, Mus. Gev. 1787, 450.—*Venus*.
- borealis** *Clio* (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3148.—*Clione*.
- borealis** *Clione*, P. S. Pallas, Spic. Zool. X. 1774, 28.
- borealis** *Coccinella*, J. C. Fabricius, Syst. Ent. 1775, 82.
- borealis** *Coluber*, J. A. Donndorff, Zool. Beyt. III. 1798, 202.
- borealis** *Colymbus*, M. T. Brünnich, Orn. Boreal. 1764, 39.
- borealis** *Corax*, F. M. Daudin, Traité élém. Orn. 1800, 226.
- borealis** *Curculio*, G. Paykull, Mon. Curc. 1792, 57.
- borealis** *Echinorhynchus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3045.
- borealis** *Elater*, G. Paykull, Faun. Suec. III. 1800, 6.
- borealis** *Empis*, Linnaeus, Syst. Nat., ed. 10, 1758, 603; ed. 12, 1767, 1003.
- borealis** *Falco*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 266.
- borealis** *Manatus*, H. F. Link, Beitr. Nat. I (2) 1795, 110.
- borealis** *Motacilla*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 986.
- borealis** *Numenius* (Forst.), J. Latham, Index Orn. 1790, 712.—*Scolopax*.
- borealis** *Ostrea*, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 98 [*n. n.*].

- borealis** Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 83.
- borealis** Scolopax, J. R. Forster, Phil. Trans. LXII. 1772, 411 & 431.
- borealis** Sirene, H. F. Link, Beytr. Nat. I. 1794, 68.
- borealis** Spiorobis, F. M. Daudin, Rec. Mém. Moll. 1800, 38.
- borealis** Staphylinus, G. Paykull, Mon. Curc. 1792, 146.
- borealis** Sylvia (Gm.), J. Latham, Index Orn. 1790, 522.—Motacilla.
- borealis** Tabanus, J. C. Fabricius, Reise Norwegen, 1779, 192.
- borealis** Trichechus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 61.
- borealis** Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 674.
- borealis** Venus, Linnaeus, Syst. Nat., ed. 12, 1767, 1134.
- borealis** Vespertilio, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 20.
- boreas** Astacus (Phipps), J. C. Fabricius, Spec. Ins. I. 1781, 511.—Cancer.
- boreas** Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 170.—Phalaena.
- boreas** Cancer, C. J. Phipps, Voy. N. Pole, 1774, 190.
- boreas** Cancer (Astacus) Phipps, J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 73.
- boreas** Crangon (Phipps), J. C. Fabricius, Suppl. Ent. Syst. 1798, 409.—Cancer.
- boreas** [Phalaena], P. Cramer, Uitl. Kapellen, I (6) 1775, 110.
- boreus** Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 155.
- boreus** Scarabaeus (Copris), A. G. Olivier, Entom. I. 1789, 106.
- borin** Motacilla, P. Boddaert, Tab. Planch. Enl. 1783, 35.
- borkhausana** Phalaena Tortrix, N. J. Brahm, Ins. Kal. II (1) 1791, 446.
- bornella** Phalaena, J. A. Scopoli, Annus V. 1772, 118.
- borneo** Pongo, B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.
- borneus** Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 97; ed. 12, 1766, 141.
- borniana** Patella, G. S. Helbling, Abh. Privatges. Bohm. IV. 1779, 106.
- bornii** Tellina, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3231.
- Boros** Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 318.—Col.
- borowskiella** Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 84.
- borraginis** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 437.
- Bos** Linnaeus, Syst. Nat., ed. 10, 1758, 71; ed. 12, 1766, 98.—M.
- bosc** Gobius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 536.
- boscana** Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 269.
- boschadis** Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 27.
- boschadis** Festuca, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 332.
- boschadis** Festucaria, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 122.
- boschas** Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 127; ed. 12, 1766, 205.
- boschas** Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 538; *varr.* cirrhata, persica, major, grisea, naevia, nigra, 539.
- boscii** Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 529.
- bosquianus** Blennius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 459.
- bostoniana** Apis, J. H. Sulzer, Gesch. Ins. 1776, 198.
- Bostrichus** E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 301.—Col.
- Bostrichus** J. C. Fabricius, Syst. Ent. 1775, 59.—Col.
- Bostriculus** *v.* **Bostrichus**, J. C. Fabricius, Mant. I. 1787, 36.
- bostrigata** [Phal. Noct.], Panzer in Drury, Exot. Ins. 1785, 89.
- “**Bostrychoides**, Lacép. 1800,” Ag.; is 1802.
- “**Bostrychus**, Lacép. 1800,” Ag.; is 1802.
- “**Botauris**, Herm. Tabl. affn. Anim., ed. 2, 1783, 135,” Waterh.; not used in a generic sense, see tabl. pp. 165 & 235.—A.
- botaurulus** Ardea, F. v. P. Schrank, F. Boica, I. 1798, 221.
- “**Botaurus**, Brisson, 1760,” Waterhouse; not used in a generic sense.
- botaurus** Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 636.
- bothnica** Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 375; ed. 12, 1767, 598.
- botnica** Coccinella, G. Paykull, Faun. Suec. II. 1799, 34.
- bothnicus** Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 108.—Chrysomela.
- botrana** Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
- botroides** Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 55.
- Botryllus** Gaertner in Pallas, Spic. Zool. (10) 1774, 35.—Asc.

- botryoides** Alcyonium, G. Shaw, Nat. Misc. X. 1799, pl. 376.
- botryoides** Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 154.
- botryoides** Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3180.—
- botryotes** Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 172. [Cidaris.]
- botryoides** Spongia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 190.
- botryotes** *v.* **botryoides**.
- botrys** Cerion, J. F. Bolten, Mus. Bolten. (2) 1798, 90.
- bougainvillianus** Triurus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 200.
- boulboul** Lanius, J. Latham, Index Orn. 1790, 80.
- bulbul** Lanius, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 5 [n. n.].
- boulerot** Gobius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 536.
- bourbonensis** Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 154.
- bourbonensis** Muscivora, P. L. S. Müller in Linn. Syst. Nat. Suppl. (1776), 171.
- bouvreuil** Loxia, P. L. S. Müller in Linn. Syst. Nat. Suppl. (1776), 154.
- bovinus** Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 345.
- bovinus** Tabanus, Linnaeus, Syst. Nat., ed. 10, 1758, 601; ed. 12, 1767, 1000.
- bovina** Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3063.
- bovis** Oestrus, Linnaeus, Syst. Nat., ed. 10, 1758, 584; ed. 12, 1767, 969.
- bovis** Oestrus, C. de Geer, Mém. Ins. VI. 1776, 297.
- bovis** Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 611; ed. 12, 1767, 1017.
- “**bovis** Zoolithus,” Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 387.
- bovistae** Endomychus (Fab.), G. W. F. Panzer, Deutsch. Ins. 1795, 175.—Galleruca.
- bovistae** Endomychus, G. W. F. Panzer, Ins. Germ., ed. 2, heft 8, 1796, tab. 4.
- bovistae** Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 20.
- bovistae** Galleruca (Panz.), L. H. v. Bloch in Becker, Plau. Grund. 1799, 101.—Endo-
- boysii** Sterna, J. Latham, Index Orn. 1790, 806. [mychus.]
- braccatus** Cerambyx (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1858.—
- braccatus** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2705. [Prionus.]
- braccatus** Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 109.
- bracatus** Prionus, J. A. Scopoli, Annus V. 1772, 100.
- braccata** Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2666.
- braccata** Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2768.
- brachiata** Aranea, O. F. Müller, F. Ins. Frid. 1764, 94.
- brachiata** Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 82.
- brachiata** Medusa, Linnaeus, Syst. Nat., ed. 10, 1758, 660; ed. 12, 1767, 1098.
- Brachionus** P. S. Pallas, Elench. 1766, 89.—Rot.
- brachiurus** *v.* **brachyurus**.
- brachyacanthus** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2679.
- brachyacanthus** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2705.
- Brachyacerus** A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 36.—Col.
- Brachycerus** J. C. Fabricius, Ent. Syst. I (2) 1792, 379.—Col.
- brachyotos** Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 289.
- Brachypterus** J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 560.—Col.
- brachyptera** Anas, J. Latham, Index Orn. 1790, 834.
- brachyptera** Apis, C. de Villers, Linn. Ent. III. 1789, 331.
- brachyptera** Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 209.
- brachypterus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2186.
- brachypterus** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1741.
- brachypterus** Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 235.
- brachypterus** Gryllus, Linnaeus, Faun. Suec., ed. 2, 1761, 237. [Dermestes.]
- brachypterus** Kataretus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 13.—
- brachyptera** Locusta (L.), C. de Geer, Mém. Ins. III. 1773, 434.—Gryllus.
- brachyptera** Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 108.
- brachyptera** Mantis, P. S. Pallas, Reise Russ. II. 1773, 728.
- brachyptera** Musca, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 16.
- brachyptera** Spheg, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 200.
- brachypterus** Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 167.
- brachypterus** Serphus, F. v. P. Schrank, Schrift. Berlin. Ges. Nat. Freunde, I. 1780, 307.

- brachyrhynchos Anas, J. M. G. Beseke, Beitr. Vög. Kurlands, 1792, 50.
- brachyterus *v.* brachypterus.
- brachyura Coracias (L.), M. Vahl, Skr. nat. Selsk. [Copen.] III (2) 1794, 78.—Corvus.
- brachyurus Corvus, Linnaeus, Syst. Nat., ed. 12, 1766, 158. [gascariensis, 644.]
- brachyurus Corvus, R. Kerr, Anim. Kingd. 1792; *varr.* philippensis, bengalensis, mada-
- brachyuros Didelphys, J. C. D. Schreber, Säugth. III. 548 (1777), pl. cli. (1777).
- brachyura Didelphis, P. S. Pallas, Acta Ac. Sci. Petrop. 1780 (2), 1784, 235.
- brachyura Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 920.
- brachyurus Gymnotus, M. E. Bloch, Nat. ausl. Fische, II. 1786 (61), pl. clvii, f. 1.
- brachyura Hystrix, Linnaeus, Syst. Nat., ed. 10, 1758, 57.
- brachyurus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 352.
- brachyurus Lanius, P. S. Pallas, Reise Russ. III. 1776, 693.
- brachyurus Lynceus, O. F. Müller, Z. Dan. Prod. 1776, 199.
- brachyura Manis, J. C. P. Erxleben, Syst. Anim. 1777, 98.
- brachyurus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3007.
- brachyura Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 39. [—Lynceus.]
- brachyurus Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 444.
- bracteata Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2093.—
- bracteatus Falco, G. A. Suckow, Naturg. II [1] 1800, 190. [Membracis.]
- bracteata Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 84.
- bracteata Membracis, J. C. Fabricius, Mant. II. 1787, 263.
- bracteatus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3005.—
- bracteatus Nauplius, O. F. Müller, Z. Dan. Prod. 1776, 198. [Nauplius.]
- bracteella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 136.
- bractella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 540; ed. 12, 1767, 894.
- bractella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 662.—Phalaena.
- bractea Brachionus, O. F. Müller, An. Infus. 1786, 343.
- bractea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 314. [—Noctua.]
- bractea Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 775.
- Bradycebus—said to occur in Geoffroy & Cuvier, Mag. Ency. 1795, II. 164 &c.; but in error: I do not find this word in literature.
- Bradypus Linnaeus, Syst. Nat., ed. 10, 1758, 34; ed. 12, 1766, 50.—M.
- Brama (*ex* Klein), J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 586.—P.
- brama Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 326; ed. 12, 1766, 531.
- brama Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 77.
- bramae Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3050.
- bramae Fasciola, O. F. Müller, Z. Dan. Prod. 1776, 224.
- bramafama Papilio, L. Prunner, Lep. Pedemont. 1798, 76.
- braminea Libellula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 284.
- branchialis Lernaea, Linnaeus, Syst. Nat., ed. 12, 1767, 1092.
- branchialis Petromyzon, Linnaeus, Syst. Nat., ed. 10, 1758, 230; ed. 12, 1766, 394.
- branchiata Hirudo, H. Menzies, Tr. Linn. Soc. [Lond.] I. 1791, 188.
- “Branchiobdellion, Rudolphi,” Ag.; does not occur; quoted by Savigny, Descr. Egypte, H.N., I., Annelides, 107, from “Rudolphi collect.”
- branchiostega Coryphaena, Linnaeus, Syst. Nat., ed. 12, 1766, 448.
- brandaris Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 747; ed. 12, 1767, 1214.
- brandaris Purpura (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 143.—Murex.
- branderi Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 724.
- branderiana Caecilia, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 134.
- branderiana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 531; ed. 12, 1767, 877.
- branderiana Pyralis (L.), J. C. Fabricius, Suppl. Ent. Syst., 1798, 476.—Phalaena.
- Branta J. A. Scopoli, Annus Hist. Nat. I. 1769, 67 & Bemerk. Naturg. I. 1770, 73.—A.
- bresilia (*sic*) Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 314.
- brasiliae Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 90.
- brasilianorum Apis, Linnaeus, Syst. Nat., ed. 12, 1767, 961.
- brasilianus Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1031.
- brasilianus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1860.
- brasiliana Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 474.

- brasiliana** Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 181.
brasiliana Loxia, P. Boddaert, Tabl. Planch. Enl. 1783, 19.
brasiliana Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 848.
brasilianus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 385.
brasiliana Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 564.
brasilianus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1556.
brasiliana Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 289.
brasiliana Strix, F. M. Daudin, Traité élém. Orn. 1800, 220.
brasiliana Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 94.
brasiliana Tinamus, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 224.
brasiliana Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1790, 3289.
brasilienis Acheta, J. C. Fabricius, Syst. Ent. 1775, 280.
brasilienis Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 450.
brasilienis Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 517.
brasilienis Ardea, Linnaeus, Syst. Nat., ed. 12, 1766, 239.
brasilienis Blatta, J. C. Fabricius, Syst. Ent. 1775, 272.
brasilienis Bufo, J. N. Laurenti, Syn. Rept. 1768, 26.
brasilienis Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3255.
brasilienis Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2096.
brasilienis Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 98.
brasilienis Cordylus, J. N. Laurenti, Syn. Rept. 1768, 52.
brasilienis Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 171.
brasilienis Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 872.
brasilienis Esox, Linnaeus, Syst. Nat., ed. 10, 1758, 314; ed. 12, 1766, 517.
brasilienis Esox, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 93.
brasilienis Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 262.
brasilienis Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 491.
brasilienis Gryllus, D. Drury, Ill. Nat. Hist. II. 1773, index & 76.
brasilienis Gryllus (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 634.—Acheta.
brasilienis Hystrix, P. Boddaert, Elench. 1785, 128.
brasilienis Icterus (Lath.), F. M. Daudin, Traité élém. Orn. 1800, 343.—Oriolus.
brasilienis Labrus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 125.
brasilienis Lepus, Linnaeus, Syst. Nat., ed. 10, 1758, 58; ed. 12, 1766, 78.
brasilienis Lutra, E. A. W. Zimmermann, Geogr. Ges. Mensch. II. 1780, 316.
brasilienis Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 462.
brasilienis Momotus, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 299.
brasilienis Momotus, R. Kerr, Anim. Kingd. 1792, 618; & *var. variegatus*, 619.
brasilienis Mustela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 93.
brasilienis Mustela (Lutra), R. Kerr, Anim. Kingd. 1792, 172.
brasilienis Naja, J. N. Laurenti, Syn. Rept. 1768, 91.
brasilienis Oriolus *id. ac* brasilianus, Gm., J. Latham, Index Orn. 1790, 177.
brasilienis Parra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 708.
brasilienis Perca, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 84.
brasilienis Procellaria, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 80.
brasilienis Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 102; ed. 12, 1766, 147.
brasilienis Rana (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1049.—Bufo.
brasilienis Sorex, J. C. P. Erxleben, Syst. Anim. 1777, 127.
brasilienis Sorex, E. A. W. Zimmermann, Spec. Zool. 1777, 502.
brasilienis Stellio, J. G. Schneider, Amph. Phys. sp. alt. 1792, 34.
brasilienis Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 316.
brasilienis Tinamus, J. Latham, Index Orn. 1790, 633.
brasilienis Trochilus, J. Latham, Index Orn. 1790, 308.
brasilienis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 831.
brassicæ Altica, A. F. de Fourcroy, Ent. Paris. 1785, 98.
brassicæ Altica (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 111.—Chrysomela.
brassicæ Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 734.
brassicæ Chrysomela, J. C. Fabricius, Mant. I. 1787, 78.
brassicæ Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 437.

- brassicæ Dermestes, Scopoli, Ent. Carn. 1763, 17.
- brassicæ Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 34.
- brassicæ Nitidula (Scop.), L. G. Schriba, J. Lieb. Ent. II. 1790, 175.—Dermestes.
- brassicæ Noctua (L.), J. C. Fabricius, Spec. Ins. II. 1781, 225.—Phalaena.
- brassicæ Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 467; ed. 12, 1767, 759.
- brassicæ Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 516; ed. 12, 1767, 852.
- brassicæ Staphylinus, Scopoli, Ent. Carn. 1763, 102.
- brassicaria Musca, J. C. Fabricius, Syst. Ent. 1775, 778.
- brassicaria Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 97.
- brassicaria minor Papilio, P. Forskal, Descr. Anim. 1775, xxiii [n. n.].
- brassicariae Ichneumon, N. Poda, Ins. Mus. Graec. 1761, 105.
- brassicata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [n. n.].
- brassicata Papilio, J. C. Fabricius, Gen. Ins. 1777, 254.
- brattensburgensis Crania, A. J. Retzius, Schrift. Berlin. Ges. Nat. Freunde, II. 1781, 73.
- brecciaeformis Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [post 1796].
- Brechites J. E. Guettard, Mém. diff. Sci. III. 1770, 154.—Cor. [79.
- brenna [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 223.
- brennis [Sphinx], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 233.
- “Brenta Brisson, 1760,” Ag.; not used in generic sense.
- brenta Anas, M. Houttuyn in Nozeman & Houttuyn, Ned. Vogel. III (179-), 197.
- brentoides Rhinomacer, P. Rossi, Fauna Etrus. I. 1790, 135.
- Brentus J. C. Fabricius, Mant. I. 1787, 95.—Col.
- bresilia v. brasilia.
- brevicauda Didelphis, P. Boddaert, Elench. 1785, 77.
- brevicauda Ephemera, J. C. Fabricius, Ent. Syst. II. 1793, 69.
- brevicauda Formucarius (sic), P. Boddaert, Tab. Planch. Enl. 1783, 44.
- brevicauda Turdus, P. Boddaert, Tab. Planch. Enl. 1783, 6.
- brevicaudata Didelphis, J. C. P. Erxleben, Syst. Anim. 1777, 80.
- brevicaudata Fusaria, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 66.
- brevicandatus (sic) Indri, E. Geoffroy, Mag. encyclop. I (1) 1796, 46.
- brevi-caudata Testudo, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
- breviceps Rana, J. G. Schneider, Hist. Amph. I. 1799, 140.
- brevicollis Cantharis, G. Paykull, Faun. Suec. I. 1798, 269.
- brevicollis Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 150.
- brevicollis Galleruca, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 603.
- brevicollis Meloe, F. A. A. Meyer, Tent. Monogr. Meloes, 1793, 23.
- brevicollis Meloe, Hellwig in G. W. F. Panzer, Ins. Germ. heft 10, 1793, tab. 15.
- brevicollis Staphylinus, G. Paykull, Faun. Suec. III. 1800, 398.
- brevicornis Bibio (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 297.—Tipula.
- brevicorne Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 261.
- brevicorne Callidium (Fab.), A. G. Olivier, Entom. IV. 1795, 24.—Cerambyx.
- brevicornis Catops, G. Paykull, Faun. Suec. I. 1798, 346.
- brevicornis Cebrio, A. G. Olivier, Entom. II. 1790, 5.
- brevicornis Cerambyx, J. C. Fabricius, Syst. Ent. 1775, 169.
- brevicornis Cimex, J. C. Fabricius, Mant. II. 1787, 294.
- brevicornis Cyclops, O. F. Müller, Z. Dan. Prod. 1776, 200.
- brevicornis Dermestes (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 96.—Megatoma.
- brevicornis Eucera, J. C. Fabricius, Suppl. Ent. Syst. 1798, 278.
- brevicornis Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 398.
- brevicornis Hirtea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 551.—Tipula.
- brevicornis Hydra, O. F. Müller, Z. Dan. Prod. 1776, 230.
- brevicornis Mantis, C. de Geer, Mém. Ins. VII. 1778, 620.
- brevicornis Megatoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 95.
- brevicornis Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2998.—
- brevicornis Necdalis, Linnaeus, Syst. Nat., ed. 12, 1767, 643. [Cyclops.
- brevicornis Scarabaeus, F. v. P. Schrank, Naturforscher, XXIV. 1789, 62.
- brevicornis Tiphia, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 6.
- brevicornis Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 588; ed. 12, 1767, 976.

- brevicornis** Truxalis (L.), J. C. Fabricius, Syst. Ent. 1775, 279.—Gryllus.
- brevimanus** Palaemon, F. Weber, Nomen. Fabricii, 1795, 94.
- brevipennis** Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 536.
- brevipennis** Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 218.
- brevipes** Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 286.
- brevipes** Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 177.
- brevipes** Lacerta, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 21.
- brevipes** Melolontha, J. A. Frolich, Naturforscher, XXVI. 1792, 98.
- brevipes** Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 10.
- brevipes** Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2036.
- brevirostris** Anthribus, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 9.
- brevirostris** Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 130.
- brevirostris** Bombylius, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 328.
- brevirostris** Cicada, C. de Geer, Mém. Ins. III. 1773, 203.
- brevirostris** Curculio, P. Rossi, Mant. Ins. I. 1792, 42.
- brevis** Bostrichus, G. W. F. Panzer, Deutsch. Ins. [1795], 288.
- brevis** Bostrichus, G. W. F. Panzer, Ins. Germ. heft 34 [1796], tab. 20.
- breve** Buccinum, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 64.
- brevis** Cerambyx, J. H. Sulzer, Gesch. Ins. 1776, 45.
- brevis** Cerambyx, C. de Villers, Linn. Ent. I. 1789, 257.
- brevis** Cistela, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 608.
- brevis** Curculio *id. ac* abbreviatus, L., A. G. Olivier, Ency. Méth. V (Ins.) 1790, 549.
- brevis** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 127.
- brevis** Elophorus, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 141.
- breve** Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 91.
- brevis** Fusus, P. L. S. Müller, Del. Nat. I. 1766, 129.
- brevis** Lygaeus, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 8.
- brevis** Musca, P. Rossi, Fauna Etrus. II. 1790, 306.
- brevis** Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 104.
- briareus** Gorgonia, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 93.
- brigitta** [Papilio], C. Stoll in Cramer, Utit. Kapellen, IV (28) 1780, 82.
- brigitta** Papilio, S. I. Ljungh, K. Vet. Ac. Nya Handl. XX. 1799, 147.
- brino** [Papilio], C. Stoll in Cramer, Utit. Kapellen, IV (30) 1781, 122.
- briseis** Papilio (Nymphalis), Linnaeus, Mus. Lud. Utr. 1764, 276.
- brissoides** Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3200.—
- brissoides** Spatangus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 251. [Spatangus.
- brissoni** Loxia, F. M. Daudin, Traité élém. Orn. 1800, 414.
- Brissus** A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 14.—Ech.
- brissus** Spatangus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 246. *varr.* maculosus (247); unicolor (248); oratus (249); latecarinatus (249).
- britannicum** Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 113.
- britannica** Pennatula, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 61.
- brizae** Sphinx (Fab.), E. J. C. Esper, Die Schmett. Suppl., 2 Abschn. [1797], 27.
- brocattella** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 284.
- bromelia** Coccus, J. S. Kerner, Nat. Coccus bromelia, 1778, 52.
- bromeliae** Reduvius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 111.
- bromius** [Papilio], C. Stoll, Aanh. Cramer's Utit. Kapellen, I. 1787, 37.
- bromius** Tabanus, Linnaeus, Syst. Nat., ed. 10, 1758, 602; ed. 12, 1767, 1001.
- bromnus** Tabanus *err. pro* bromius, L., J. C. Fabricius, Mant. II. 1787, 355.
- bromus** [Sphinx], P. Cramer, Utit. Kapellen, I (3) 1775, 56.
- bromus** Zygaena (Cram.), J. C. Fabricius, Gen. Ins. 1777, 276.—Sphinx.
- bronchialis** Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3031.
- bronchialis** Sertularia, W. G. Tilesius, Verz. merkw. Seeprod. 1800, 6.
- brongniardella** Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 496.
- bronte** [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 4.
- bronte** Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 182.
- brontes** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 335.
- brontes** Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 160.

- brontes [Papilio], J. C. Fabricius, Mant. II. 1787, 87.
 brontes Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 53.
 Brontias N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 143.—Ech.
 brosmo Gados, O. F. Müller, Z. Dan. Prod. 1776, 41.
 brotea [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 68.
 broteas [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 161.
 broussonnetii Gobioides, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 576.
 brownella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 80.
 brownii Atherina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1397.
 bruante Fringilla, P. L. S. Müller in Linn. Syst. Nat. Suppl. (1776), 164.
 bruchoides Bostrichus, P. Rossi, Fauna Etrus. I. 1790, 38.
 bruchoides Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 85.
 Bruchus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 163.—Col.
 Bruchus Linnaeus, Syst. Nat., ed. 12, 1767, 604.—Col.
 bructeri Carabus, G. W. F. Panzer, Ins. Germ. heft 34 [1796], tab. 4.
 bructeri Elater, G. W. F. Panzer, Deutsch. Ins. [1795], 243.
 brucus Squalus, J. P. Bonnaterre, Ency. Méth. (Ich.), 1788, 11.
 brunii v. brunii.
 brumalis Alauda, J. A. Scopoli, Annus I. 1769, 129.
 brumalis Emberiza, J. A. Scopoli, Annus I. 1769, 145. [brumata, L.
 brumaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (?) [1799–1800], 208.—
 brumaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 214.
 brumata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 191 [n. et f.].
 brumata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 529; ed. 12, 1767, 874.
 brunella Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 64.
 brunii Didelphys, J. C. D. Schreber, Säugth. III. 551 (1777), pl. cliii (1777).
 brunii Didelphis, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 230. [—Didelphis.
 brunii Gerbua (Schr.), J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 686.
 brunneago Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [post 1796], 66.
 brunnearia Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 162.
 brunnearia Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 325.
 brunnearia Phalaena Geometra (Thun.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
 brunneator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 222. [563.—G. brunneata.
 brunneata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 9.
 brunneata Geometra, C. C. Jung, Alph. Verz. Schmett. 1791, 88.
 brunneata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 201.
 brunneolus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2718.
 brunneus Anguis, U. J. Sentzen in Meyer, Zool. Archiv (2) 1796, 60.
 brunneum Anobium, A. G. Olivier, Entom. II. 1790, 8.
 brunneus Asilus, J. C. Fabricius, Mant. II. 1787, 359.
 brunnea Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 436.
 brunneus Brentus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 190.
 brunnea Cassida, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 40.
 brunnea Cassida, C. P. Thunberg, Ins. Suecica (8) 1794, 104.
 brunnea Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 81.
 brunnea Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 30.
 brunneus Cerambyx (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. IV. 1796,
 brunneus Chiton, J. F. Bolten, Mus. Bolten. (2) 1798, 196. [148.—Saperda.
 brunnea Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162.
 brunnea Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 123.
 brunnea Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 43.
 brunnea Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 43.
 brunneus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 45.
 brunneus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2168.
 brunnea Cistela, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 38.
 brunnea Coccinella, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. VI. 1798, 114.
 brunneus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1108.
 brunnea Columba, J. Latham, Index Orn. 1790, 603.

- brunneus** Conus, F. C. Meuschen, Mus. Gever. 1787, 366.
brunnea Crioceris, J. C. Fabricius, Ent. Syst. I (2) 1792, 6.
brunneus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1718.
brunneus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 175.
brunneus Curculio, G. W. F. Panzer, Ent. Taschen. 1795, 308.
brunneus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 376.
brunnea Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 179 [u. u.].
brunneus Thyticus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 64.
brunneus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 404; ed. 12, 1767, 653.
brunneus Epinephelus, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 15.
brunneus Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 93 [u. u.].
brunnea Fasciola, O. F. Müller, Verm. terrest. I (2) 1774, 54.
brunnea Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [u. u.]; Essai
brunnea Gallerna, J. C. Fabricius, Suppl. Ent. Syst. 1798, 94. [Fourmis, 1798, 41.
brunnea Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107 [u. u.].
brunneus Hister, J. C. Fabricius, Syst. Ent. 1775, 52.
brunneus Lamia (Forst.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 463.—Cerambyx
brunnea Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 90.—Crioceris, 1792. [brunneus.
brunneus Lemur, H. F. Link, Beytr. Nat. I (2) 1795, 64.
brunnea Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 102.
brunneus Lyctus, J. C. Fabricius, Ent. Syst. I (2) 1792, 503.
brunneus Lygdus, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 33.
brunnea Melolontha (L.), J. C. Fabricius, Syst. Ent. 1775, 36.—Scarabaeus.
brunneus Merops, J. A. Scopoli, Del. Insub. II. 1786, 90.
brunnea Musca, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 89.
brunnea Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2859.
brunneus Mycetophagus, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 21.
brunnea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 83.
brunneum Opatrum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1634.
brunneus Oxyporus, J. C. Fabricius, Ent. Syst. I (2) 1792, 535.
brunnea Peltis (Thun.), G. Paykull, Faun. Suec. I. 1798, 340.—Cassida.
brunnea Phalaena, Hufnagel, Berl. Mag. III. 1767, 396.
brunnea [Phalaena], P. Cramer, Utitl. Kapellen, III (24) 1780, 171.
brunnea Phalaena [D. H. Schneider], Nom. Ent. 1785, 48 [u. u.].
brunnea Pimelia, A. G. Olivier, Entom. III. 1795, 14.
brunnea Pinctada, J. F. Bolten, Mus. Bolten. (2) 1798, 167.
brunnea Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.—Fasciola, 1774.
brunneus Ptinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1606.
brunnea Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 142 [u. u.].
brunnea Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 316.
brunneus Scarabaeus *err. pro brunneus*, Linnaeus, Amoen. Acad. VIII. 1771, 77.
brunneus Scarabaeus, O. F. Müller, Z. Dan. Prod. 1776, 55.
brunneus Scarabaeus, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's] I (2) 1782, 138.
brunnea Silpha, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 202.
brunneus Staphylinus, G. Paykull, Mon. Staph. 1789, 63.
brunnea Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99 [u. u.].
brunneus Tenebrio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 49.
brunnea Tettigonia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 517.
brunneus Trox (Fab.), F. v. P. Schrank, F. Boica, I. 1798, 401.—Melolontha.
brunneus Turdus, P. Boddaert, Tab. Planch. Enl. 1783, 32.
brunnea Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 264.
brunnichana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 12, 1787, 880.
brunnichana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 649.—Phalaena.
brunnichella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 898.
brunnichii Aranea, J. A. Scopoli, Annus V. 1772, 125.
brunnipes Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 384.
brunnipes Cetonia, A. G. Olivier, Entom. I. 1789, 77.
brunnipes Crioceris, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 118.

- brunnipes *Cryptocephalus*, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 618.
 brunnipes *Curculio*, G. W. F. Panzer, Deutsch. Ins. [1795], 329.
 brunnipes *Curculio*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 172.
 brunnipes *Hirtea*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 553.—*Tipula*, 1794.
 brunnipes *Paederus*, J. C. Fabricius, Ent. Syst. I (2) 1792, 537.
 brunnipes *Staphylinus*, J. C. Fabricius, Spec. Ins. I. 1781, 336.
 brunnipes *Tenebrio*, J. C. Fabricius, Mant. I. 1787, 212.
 brunnipes *Tipula*, J. C. Fabricius, Ent. Syst. IV. 1794, 250.
 brunnirostris *Curculio*, J. C. Fabricius, Ent. Syst. I (2) 1792, 404.
 brunus *Cerambyx*, J. R. Forster, N. Sp. Ins. 1771, 37.
 brunus *Scarabaeus*, Linnaeus, Syst. Nat., ed. 10, 1758, 352; ed. 12, 1767, 556.
 brunus *Scarabaeus* (*Melolontha*), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1568.
 brunus *Sesia* (*Cram.*), J. C. Fabricius, Spec. Ins. II. 1781, 155.—*Sphinx*.
 brunus [*Sphinx*], P. Cramer, Uitl. Kapellen, II (13) 1777, 81.
 brunsvicensis *Meloe*, F. A. A. Meyer, Tent. Monogr. Meloes, 1793, 25.
 brutia *Mutilla*, V. Petagna, Spec. Ins. ult. Calab. 1786, 33.
 bruttia *Buprestis*, V. Petagna, Spec. Ins. ult. Calab. 1786, 22.
 brutus [*Papilio*], P. Cramer, Uitl. Kapellen, III (21) 1779, 82.
 brutus *Papilio*, J. C. Fabricius, Spec. Ins. II. 1781, 13.
 Bryaxis J. G. Kugelann, N. Mag. Lieb. Ent. [*Schneider's*], V. 1794, 580.—*Col.*
 bryonia *Lambis* (*Gm.*), J. F. Bolten, Mus. Bolten. (2) 1798, 67.—*Strombus*.
 bryonia *Strombus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3520.
 bryorum *Apis*, J. C. Fabricius, Syst. Ent. 1775, 381.
 bryorum *Apis*, F. v. P. Schrank, Ins. Aust. 1781, 402.
 bubali *Pediculus id. ac* *bufali*, De G., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2916.
 bubalinus *Psittacus*, K. Kerr, Anim. Kingd. 1792, 577.
 bubalis *v.* *bubalus*.
 bubalis (*sic*) *Antilope*, P. S. Pallas, Spic. Zool. I. 1767, 12.
 bubalus *Antilope id. ac* *bubalis*, auct., B. Merrem, Anim. Scyth. 1781, 9.
 bubalis (*sic*) *Bos*, Linnaeus, Syst. Nat., ed. 10, 1758, 72; ed. 12, 1766, 99.
 bubalus *Bos*, R. Kerr, Anim. Kingd. 1792, 339.—*var.* *seminudus*, *anoa*, *guavera*.
 bubalus africanus *Bos*, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 92.
 bubalis (*sic*) *Cottus*, B. A. Euphrasen, K. Vet. Ac. Nya Handl. VII. 1786, 65.
 bubalus *Lucanus*, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 187.
 bubalus *Membracis*, J. C. Fabricius, Ent. Syst. IV. 1794, 14.
 bubastus [*Papilio*], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 84.
 bubastus [*Sphinx*], P. Cramer, Uitl. Kapellen, II (13) 1777, 84.
 bubil *Turdus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 830.
 bubo *Asio* (*L.*), J. C. Schaeffer, Mus. Orn. 1789, 10.—*Strix*.
 bubo *Noctua*, J. C. Fabricius, Syst. Ent. 1775, 591.
 bubo *Strix*, Linnaeus, Syst. Nat., ed. 10, 1758, 92; ed. 12, 1766, 131.
 bubo *Strix*, R. Kerr, Anim. Kingd. 1792, 526.—*var.* *atheniensis*; *nudipes*; *variegata*.
 bubo *Strix*, F. M. Daudin, Traité élém. Orn. 1800; *varr.* *sinensis*; *capensis* (209); *albus*; *ludovicianus*; *magellanicus* (210).
 bubo *Strombus*, F. C. Meuschen, Mus. Gever. 1787, 292.
 bubo *Strombus*, J. F. Bolten, Mus. Bolten. (2) 1798, 97.
 Bucardium P. Browne, Hist. Jamaica, ed. 2, 1789, 415.—*L.*
 buccae *Conops*, M. Harris, Exp. Eng. Ins. 1776, 71.
 "Buccardites Schroet. 1779," Herm.; not used in a generic sense.
 buccardium *Venus*, I. v. Born, Index Mus. Caes. Vind. 1778, 49.
 buccatus *Coluber*, Linnaeus, Syst. Nat., ed. 10, 1758, 217; ed. 12, 1766, 377.
 buccata *Conops*, Linnaeus, Syst. Nat., ed. 10, 1758, 605; ed. 12, 1767, 1006.
 buccata *Musca*, Scopoli, Ent. Carn. 1763, 342.
 buccata *Myopa* (*L.*), J. C. Fabricius, Syst. Ent. 1775, 799.—*Conops*.
 buccatus *Oestrus*, J. C. Fabricius, Gen. Ins. 1777, 305.
 buccatus *Sicus* (*Linn.*), Scopoli, Ent. Carn. 1763, 369.—*Conops*.
 buccinator *Ardea* (*Gm.*), P. L. S. Müller in Linn. Syst. Nat. Suppl. (1776), 110.
 buccinator *Hydrachna*, O. F. Müller, Z. Dan. Prod. 1776, 188.

- Buccinities** J. Gesner, Tract. Petref. 1758, 56.—G.
buccinoidea Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122.
"Buccinula Beuth, 1776"; Herm.; not used in a generic sense.
buccinulum Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 109.
buccinulum Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 140 [*n. n.*].
buccinulum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 125.
Buccinum Linnaeus, Syst. Nat., ed. 10, 1758, 734; ed. 12, 1767, 1196.—G.
Buccinum Lamarck, Mém. Soc. H. N. Paris, 1799, 71.—G.
Bucco M. J. Brisson, Ornith. IV. 1760, 92.—A.
Bucco Linnaeus, Syst. Nat., ed. 12, I. 1766, 168.—A.
bucco Corvus, G. A. Suckow, Naturg. II (1) 1800, 393.
"Buccodus Guett. 1774," Herm. ?*err. pro* Bunodus, *q. v.*—L.
[bucculentus Araneus, C. Clerck, Aran. Svec. 1757, 63.]
bucculentus Araneus, T. Martyn, Aranei, 1793, 29.
bucephala Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 125; ed. 12, 1766, 200.
bucephala Apis, J. C. Fabricius, Ent. Syst. II. 1793, 339.
bucephala Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 571.—Phalaena.
bucephalus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 141.
bucephala Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 276 (S 2).
bucephala Clythra, J. C. Fabricius, Suppl. Ent. Syst., 1798, 114.—Cryptoccephalus, 1787.
bucephalus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 153.—Scarabaeus.
bucephalus Cryptoccephalus (Schall.), J. C. Fabricius, Mant. I. 1787, 82.—Chrysomela.
bucephala Phalaena (Bombyx), Linnaeus, Faun. Suec. ed. 2, 1761, 295.—[P. (Noctua)
bucephala Phalaena (Bombyx), O. F. Müller, F. Ins. Frid. 1764, 40. [S. N. ed. 10].
bucephala Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 508.
bucephala Saperda, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 48.
bucephalus Scarites, A. G. Olivier, Entom. III. 1795, 12.
bucephalus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 24.
bucephalus Tenebrio (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1994.—
Buceros Linnaeus, Syst. Nat., ed. 10, 1758, 104; ed. 12, 1766, 153.—A. [Carabus.
bucida Carabus, P. S. Pallas, Reise Russ. III. 1776, 707.
budensis Cerambyx, G. F. Goetz, Naturforscher, XIX. 1783, 72.
bufali Pediculus, C. de Geer, Mém. Ins. VII. 1778, 68.
Bufo *v.* Bufo.
buffoni Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 277.
buffoni Macrotarsus, H. F. Link, Beitr. Nat. I (2) 1795, 66.
bufina Bufo (Müll.), J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 17.—Rana.
bufina Rana, O. F. Müller, Z. Dan. Prod. 1776, 35.
Bufo A. J. Roesel v. Rosenhof, Hist. Nat. Ranarum, 1758, 69.—Am.
Bufo J. N. Laurenti, Syn. Rept. 1768, 25.—Am.
Buffo B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.—Am.
bufo Bombyx, J. C. Fabricius, Mant. II. 1787, 121.
bufo Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 242.
bufo Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 165.
bufo Hepialus, J. C. Fabricius, Ent. Syst. III (2) 1794, 7.—Bombyx, 1787.
bufo Murex, J. G. Bruguière, Actes Soc. H. N. Paris, I (1) 1792, 126.
bufo Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 210; ed. 12, 1766, 354.
bufo Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 128.
"Bufocephalus Gm. 1779," Scudd.; not used in a generic sense.
bufoides Rana, F. C. Meuschen, Mus. Gronov. 1778, 10.
bufonia Bursa, J. F. Bolten, Mus. Bolten. (2) 1798, 129.
bufonis Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 11.
bufonis Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3077.
"bufonites Ichthyolithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 159.
bufonius Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3195.
bufonius Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3534.
buggenhagii Cyprinus, M. E. Bloch, Nat. Fische Deutschl. III. 1784, 137.
Bugo M. T. Brünnich, Zool. Fund. 1772, 202.—Hym.

- bulatmai Cyprinus, K. Hablitzl in P. S. Pallas, N. nord. Beytr. IV. 1783, 6.
- Bulbocerus E. Acharius, K. Vet. Ac. Nya Handl. II. 1781, 246.—Col.
- bulbosa Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 37.
- bulbul *v.* bouboul.
- Bulbus [G. Humphreys], Mus. Calonn. 1797, 31.—G.
- bulbus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 27.
- bulgarensis Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 70.
- bulgharensis Chrysomela, [Schrank sp.], J. C. Fabricius, Suppl. Ent. Syst. 1798, 88.
- Bulimus J. A. Scopoli, Intr. Hist. Nat. 1777, 392.—Moll.
- Bulimus A. G. Bruguère, Ency. Méth. (Vers) (1), 1789, xvi & 286.—G.
- Bulla Linnaeus, Syst. Nat., ed. 10, 1758, 725; ed. 12, 1767, 1181.—G.
- Bulla O. F. Müller, Z. Dan. Prod. 1776, xxix & 242.—G.
- Bulla J. G. Bruguère, Ency. Méth. (Vers) (1) 1789, xvi.—G.
- Bulla *v.* Gryllus.
- bullia Bulla, E. M. da Costa, Brit. Conch. 1778, 30.
- bullia Bursaria, O. F. Müller, Z. Dan. Prod. 1776, 280.
- bullia Cyclidium, O. F. Müller, Verm. I (1) 1773, 49.
- bullia Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 64.
- bullia Planorbis, O. F. Müller, Verm. II. 1774, 167.
- bullia Trichoda, O. F. Müller, An. Infus. 1786, 222.
- bullia Volvox, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3906.
- bullaris Ameiva (L.), F. A. A. Meyer, Syn. Rept. 1795, 29.—Lacerta.
- bullaris Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 208; ed. 12, 1766, 368.
- bullata Akera, O. F. Müller, Z. Dan. Prod. 1776, 242.
- bullatus Carabus, F. v. P. Schrank, F. Boica, I. 1798, 623.
- bullatus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 717; ed. 12, 1767, 1172.
- bullatus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 51.—Conus.
- bullata Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 22.
- bullata Flustra, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 16.
- bullata Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 95.
- bullata Pinna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3367.
- bullatus Solen, Linnaeus, Syst. Nat., ed. 10, 1758, 673; ed. 12, 1767, 1115.
- bullatus Trochus, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 38.
- bullata Voluta, I. v. Born, Index Mus. Caes. Vind. 1778, 205.
- bulliens Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 167.
- bullina Bursaria, O. F. Müller, An. Infus. 1786, 116.
- “Bullites Walch, 1768,” Herm.; not used in a generic sense.
- bullosa Voluta, C. U. v. Salis, Reise Neapel, 1793, 366.
- bulzanensis Prionus, J. N. Laicharting, Tyrol. Ins. II. 1784, 1.
- Bumbyx *v.* Bombyx, J. C. Fabricius, Gen. Ins. 1777, 277.
- Bunodus J. E. Guettard, Mém. diff. Sci. III. 1770, 76.—?L.
- buoliana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 230.—Tortrix.
- buoliana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 128.
- buparia Pimelia (Forst.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2012.—Tenebrio.
- buparius Tenebrio, J. R. Forster, N. Sp. Ins. 1771, 61.
- Buphaga Linnaeus, Syst. Nat., ed. 12, I. 1766, 154.—A.
- Buphagus Moehring, Gesläch. Vogel. (Nozem. & Vosm. ed.) 1758, 5 & 54.—A.
- Buphagus M. J. Brisson, Ornith. II. 1760, 437.—A.
- buphthalmi Musca, Linnaeus in Hasselquist, Palast. 1762, 471.
- buphthalmus Prionus, J. C. Fabricius, Ent. Syst. I (2) 1792, 246.
- buphthalmos Staphylinus, F. v. P. Schrank, Beitr. Nat. 1776, 72.
- bupleuraria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 97.
- bupleuraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 8
- Buprestis Linnaeus, Syst. Nat., ed. 10, 1758, 408; ed. 12, 1767, 659.—Col. [*n. et f.*]
- Buprestoides J. C. Schaeffer, Elem. Entom. 1777, pl. 136.—Col.
- buprestoides Attelabus, Linnaeus, Syst. Nat., ed. 10, 1758, 388; ed. 12, 1767, 621.
- buprestoides Blaps (Pall.), J. C. Fabricius, Ent. Syst. I (1) 1792, 107.—Tenebrio.
- buprestoides Carabus, Linnaeus, Syst. Nat., ed. 12, 1767, 670.

- buprestoides** Clytrix (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 113.—*Attelabus*.
buprestoides Elater, Linnaeus, Faun. Suec., ed. 2, 1761, 209.
buprestoides Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 234.
buprestoides Melasis (L.), A. G. Olivier, Entom. II. 1790, 4.—*Elater*.
buprestoides Ptilinus (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792.
buprestoides Scarabaeus, J. A. Scopoli, Bemerk. Naturg. II. 1781, 3. [490.—*Spondylis*.
buprestoides Spondylis (L.), J. C. Fabricius, Syst. Ent. 1775, 159.—*Attelabus*.
buprestoides Tenebrio, Scopoli, Ent. Carn. 1763, 82.
buprestoides Tenebrio, P. S. Pallas, Reise Russ. II. 1773, 719.
buprestoides Tenebrio, J. C. Fabricius, Spec. Ins. I. 1781, 323.
buprestoides Tenebrio (L.), F. v. P. Schrank, Ins. Aust. 1781, 219.—*Attelabus*.
buprestoides Xylita (Fab.), G. Paykull, Faun. Suec. I. 1798, 249.—*Elater*.
burbonica *v.* **borbonica**.
buris Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 64.
burmaniana [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 164.
burmanniana Pylalis (Cram.), J. C. Fabricius, Mant. II. 1787, 226.—*Phalaena*.
Bursa J. F. Bolten, Mus. Bolten. (2) 1798, 128.—*G*.
bursa Alcyonium, Linnaeus, Syst. Nat., ed. 10, 1758, 803; ed. 12, 1767, 1295.
bursa Lamarckia, G. Olivi, Zool. Adriat. 1792, 258.
Bursaria O. F. Müller, Verm. I (1) 1773, 62.—*Inf.*
bursaria Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 453; ed. 12, 1767, 736.
bursaria Cellaria (L.), J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 25.—*Sertularia*.
bursarius Mus, G. Shaw, Tr. Linn. Soc. [Lond.] V. 1800, 227.
bursaria Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 814; ed. 12, 1767, 1314.
bursata Leucopha, O. F. Müller, An. Infus. 1786, 143.
bursata Vorticella, O. F. Müller, An. Infus. 1786, 257.
busarellus Falco, F. M. Daudin, Traité élém. Orn. 1800, 168.
buselaphus Antilope, P. S. Pallas, Misc. Zool. 1766, 7.
busiris Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 345.
busirus [Papilio], P. Cramer, Utitl. Kapellen, III (22) 1779, 119.
buson Falco, F. M. Daudin, Traité élém. Orn. 1800, 168.
Busycon J. F. Bolten, Mus. Bolten. (2) 1798, 149.—*G*.
butanensis Loxia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [*n. n.*].
Buteo Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 7 & 69.—*A*.
Buteo B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 4.—*A*.
buteo Accipiter (L.), J. C. Schaeffer, Mus. Orn. 1789, 9.—*Falco*.
buteo Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 90; ed. 12, 1766, 127.
buteonis Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 9.
buteonis Cucullanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3051.
buteonis Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 23.
buteonis Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3054.
buteonis Pediculus, J. C. Fabricius, Gen. Ins. 1777, 309.
butes Papilio, C. Clerck, Icones, II. 1764, pl. xlv.
butes Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, 1767, 794 [= *arcius*, *q. v.*].
butskopf Delphinus, J. P. Bonnaterre, Ency. Méth. (Cet.), 1789, 25.
butus [Sphinx], P. Cramer, Utitl. Kapellen, II (13) 1777, 88.
butus Sphinx, J. C. Fabricius, Mant. II. 1787, 98.
butus Zygæna, J. C. Fabricius, Mant. II. 1787, 105.
butyracea Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 181; ed. 12, 1766, 321.
butyracea Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 174; ed. 12, 1766, 304.
buxi Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 454; ed. 12, 1767, 738.
buxi Scatopse, A. F. de Fourcroy, Ent. Paris. 1785, 503.
buxi Tipula, F. v. P. Schrank, Ins. Aust. 1781, 433.
buxi Tipula, C. de Villers, Linn. Ent. III. 1789, 399.
buxtus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 42.
bynni Cyprinus, P. Forskal, Descr. Anim. 1775, 71.
byringerana Phal. Tort., J. Hübner, Samml. Vögel u. Schmett. 1793, 15 [*n. et f.*].
byringerana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me justice 1796], fig. 61 [*n. et f.*].

- byron Ramphastos, P. L. S. Müller in Linn. Syst. Nat. Suppl. (1776), 82.
 byrrhinus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 42.
 Byrrhus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 108.—Col.
 Byrrhus Linnaeus, Syst. Nat., ed. 12, 1767, 568.—Col.
 byssifera Mya, O. Fabricius, F. Groen. 1780, 408.
 byssina Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 21.
 byssinus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 41.
 Byturus P. A. Latreille, Préc. Car. Ins. 1796, 69.—Col.
 byzas [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 79.
 byze [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 79.
 byzenus [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 8.
- caballus Equus, Linnaeus, Syst. Nat., ed. 10, 1758, 73; ed. 12, 1766, 100.
 caballus Equus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 210; *varr. ferus*,
 cabaret Fringilla, P. L. S. Müller in Linn. Syst. Nat. Suppl. (1776), 165. [domesticus].
 Cabestana J. F. Bolten, Mus. Bolten. (2) 1798, 130.—G.
 cabiai Mus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 40.
 cabrilla Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 294; ed. 12, 1766, 488.
 cacaliae Chrysomela, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 317.
 cacao Bruchus, J. C. Fabricius, Syst. Ent. 1775, 64.
 cacao Macrocephalus (Fab.), A. G. Olivier, Entom. IV. 1795, 15.—Bruchus.
 cacatotol Fringilla *id. ac* catotol, Gm., J. Latham, Index Orn. 1790, 453.
 "Cacatua Briss. 1760," Ag.; not used in a generic sense.
 cachinnans Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 90; ed. 12, 1766, 128.
 cachinnans Tetrao, A. J. Retzius in Linnaeus, F. Suec. 1800, 210.
 cachrus Papilio, J. C. Fabricius, Mant. II. 1787, 78.
 cachrys Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 306.
 Cacicus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 6.—A.
 cacticus Cetonia, A. G. Olivier, Entom. I. 1789, 8.
 cacti Coccinella, Linnaeus, Syst. Nat., ed. 12, 1767, 584.
 cacti Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 457; ed. 12, 1767, 742.
 cactus Madrepora, P. Forskal, Descr. Anim. 1775, 134.
 cacta Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 116.
 cacuminata Medusa, A. Modeer, K. Vet. Ac. Nya Handl. XII. 1791, 255.
 cacus [Sphinx], P. Cramer, Utitl. Kapellen, I (4) 1775, 73.
 cadaverinus Dermestes, J. C. Fabricius, Syst. Ent. 1775, 55.
 cadaverina Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 595; ed. 12, 1767, 989.
 cadaverina Peltis, O. F. Müller, Z. Dan. Prod. 1776, 64.
 cadaverinus Tenebrio, J. C. Fabricius, Ent. Syst. I (1) 1792, 113.
 cadaverina Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 178.—Musca.
 cadaverum Acarus, O. F. Müller, Z. Dan. Prod. 1776, 187.
 cadaverum Acarus, F. v. P. Schrank, Ins. Aust. 1781, 512.
 cadiga Papilio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 158.
 cadma [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 32.
 cadmus [Papilio], P. Cramer, Utitl. Kapellen, I (2) 1775, 33.
 cadmus Scarabaeus, A. G. Olivier, Entom. I. 1789, 43.
 Cadus J. F. Bolten, Mus. Bolten. (2) 1798, 150.—G.
 Caecilia Linnaeus, Syst. Nat., ed. 10, 1758, 229; ed. 12, 1766, 393.—R.
 Caecilia B. G. E. de Lacépède, H. N. Poiss. II. 1800, 134.—P.
 cecilia Libellula, A. F. de Fourcroy, Ent. Paris. 1785, 348.
 caecilia Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 34.
 caecimacula Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 81.
 coecimacula Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 565.—Noctua.
 caecimaculana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 27
 Caecula M. Vahl, Skr. nat. Selsk. [Copen.] III (2) 1794, 149.—P. [n. et f.]
 caeculus Tabanus, O. F. Müller, Z. Dan. Prod. 1776, 180.

[caecus]—

- coeca** Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 190.
caecus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1104.
coecus Curculio, G. C. Reich, Mant. Ins. 1797, 12.
coeca Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 25.
coecus Elater, J. C. Fabricius, Gen. Ins. 1777, 234.
coecus Gastrobranchus, M. E. Bloch, Nat. Fisch. IX. 1795, 67.
caecus Helops (Fab.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 45.—Elater.
coecus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 112.
caeca Muraena, Linnaeus, Syst. Nat., ed. 10, 1758, 245; ed. 12, 1766, 426.
coeca Nais, O. F. Müller, Z. Dan. Prod. 1776, 219.
caeca Nereis, O. Fabricius, F. Groen. 1780, 304.
caecus Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 245.
caeca Patella, O. F. Müller, Z. Dan. Prod. 1776, 237.
coecutiens Apis, J. C. Fabricius, Syst. Ent. 1775, 387.
caecutiens Sorex, E. Laxmann, Nova Acta Ac. Sci. Petrop. III. 1788, 285.
caecutiens Tabanus, Linnaeus, Syst. Nat., ed. 10, 1758, 602; ed. 12, 1767, 1001.
caedemadens Cassida, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 65.
caedemadens Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 108.
caelatium Buccinum, T. Martyn, Univ. Conch. III. [1789], fig. 94.
caelatus Cerambyx, A. G. Olivier, Entom. IV. 1795, 99.
caelata Cidaris (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 84.—Trochus.
caelata Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 13.
caelata Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 138 [*n. n.*].
caelatus Scarabaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 435.
caelatus Scarabaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 8.
caelatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3581.

[caelebs]—

- coelebs** Cimex, J. C. Fabricius, Syst. Ent. 1775, 711.
coelebs Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 179; ed. 12, 1766, 318.
coeleps (*sic*) Passer (L.), J. C. Schaeffer, Mus. Orn. 1789, 26.—Fringilla.
[coelebs Phalaena (B), MS.], T. Martyn, Psyche, 1797, fig. 25.
caelebs Phalaena Noctua, J. Hübner, Beitr. Schmett. I (4) 1789, 21.
caelebs Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 102.
coelestinus Curculio, Scopoli, Ent. Carn. 1763, 31.
coelestina [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 107.
coelestis Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 427.
coelestis Saperda, R. Townson, Trav. Hungary, 1797, 469.
caelibare Buccinum, F. C. Meuschen, Mus. Gever. 1787, 306.
caelipeta Alauda, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
caelodion Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 110.
Coelogaster F. v. P. Schrank, Schrift. Berlin. Ges. Nat. Freunde, I. 1780, 303.—Hym.
coelogaster Leucospis, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785,
coelum-pensile Medusa, A. Modeer, K. Vet. Ac. Nya Handl. XII. 1791, 106. [344
coelus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 102.
caementaria Aranea, P. A. Latreille, Mem. Soc. H. N. Paris, 1799, 121.
caementarius Cancer, G. I. Molina, Sag. stor. nat. Chili, 1782, 208.
coementaria Sphecx, D. Drury, Ill. Nat. Hist. I. 1770, index & 105.
caeneus Papilio (Danaus), Linnaeus, Syst. Nat., ed. 12, 1767, 766.—ceneus, 1764.
caeneus Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, 1767, 796.
caenea [Phalaena], D. Drury, Ill. Nat. Hist. III. 1782, index & 27.
caenguru *v.* kanguru.

caenis [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 33.

[caepa]—

- cepa** Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 701; ed. 12, 1767, 1151.
cepa Cadus, J. F. Bolten, Mus. Bolten. (2) 1798, 150.
cepa Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 31.
caepa Echonoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—Anomia.

- cepa** Fenestella (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 193.—Anomia.
cepa Helix, O. F. Müller, Verm. II. 1774, 74.
cepa Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 421.
Caepola G. Cuvier, Leçons Comp. Anat. I. 1800, 4 [*n. n.*].—P.
caerulans Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 225.—Gryllus.
caerulans Chrysomela, L. G. Schriba, J. Lieb. Ent. III. 1791, 286.
caerulans Clytra (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 35.—Cryptocephalus.
coerulans Cryptocephalus, J. C. Fabricius, Spec. Ins. I. 1781, 143.
caerulans Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 12, 1767, 701.
caerulata Libellula, D. Drury, Ill. Nat. Hist. III. 1782, index & 75.
coerulata Patella, E. M. da Costa, Brit. Conch. 1778, 7.
coerulata Phalaena, J. C. Fabricius, Gen. Ins. 1777, 288.
caeruleana (*sic*) Sphex, D. Drury, Ill. Nat. Hist. II. 1773, index & 74.
coeruleator Ichneumon, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 196.
caeruleipenne Acrydium, C. de Geer, Mém. Ins. III. 1773, 473.
coeruleipennis Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 72.
caeruleocephala Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 449. [Culio.
coeruleocephalus Attelabus (Schall.), J. C. Fabricius, Ent. Syst. I (2) 1792, 389.—Cur-
coeruleocephala Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 572.—Phalaena.
caeruleocephala Cantharis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 18.
caeruleocephala Columba, J. Latham, Index Orn. 1790, 610.
caeruleocephalus Curculio, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 282.
caeruleocephala Melolontha, A. G. Olivier, Entom. I. 1789, 36.
caeruleocephalus Merops, J. Latham, Index Orn. 1790, 274.
caeruleocephala Muscicapa, J. A. Scopoli, Del. Insub. II. 1786, 95. [1767, 826.
caeruleocephala Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 504; ed. 12,
caeruleocephalus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 100; ed. 12, 1766, 145.
coeruleocephalus Rhynchites (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797,
 130, sign. I 1.—Attelabus.
coeruleo-maculata Libellula, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 58.
coeruleopennis Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 263.
caeruleopthalmica Musca, Scopoli, Ent. Carn. 1763, 331.
coeruleo-punctatus Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 94.
caeruleo-striata Chrysomela, C. de Geer, Mém. Ins. V. 1775, 343.
caeruleo-violacea Chrysomela, C. de Geer, Mém. Ins. V. 1775, 316.
caerulescens Acridium (L.), G. A. Harter, Besch. Schaeffer Icones, 1784, 264.—Gryllus.
caerulescens Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 12.—Necydalis.
caerulescens Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 124; ed. 12, 1766, 198.
caerulescens Andrena (L.), J. C. Fabricius, Syst. Ent. 1775, 376.—Apis.
caerulescens Anser, J. P. Bonmaterre, Ency. Méth. (Orn.), 1790, 114.
caerulescens Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 576; ed. 12, 1767, 955.
caerulescens Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 210.
caerulescens Ardea, J. Latham, Index Orn. 1790, 690.
caerulescens Astacus, J. C. Fabricius, Syst. Ent. 1775, 414.
caerulescens Baphia, F. C. Meuschen, Mus. Gev. 1787, 472.
caerulescens Buprestis, Scopoli, Ent. Carn. 1763, 65.
caerulescens Byrrhus, A. F. de Fourcroy, Ent. Paris. 1785, 27. [Astacus.
caerulescens Cancer Fabr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2986.—
caerulescens Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 416; ed. 12, 1767, 672.
caerulescens Cerambyx (Scop.), F. v. P. Schrank, Ins. Aust. 1781, 144.—Leptura.
caerulescens Chrysis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 257.
caerulescens Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1698.
caerulescens Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 227; ed. 12, 1766, 389.
caerulescens Coluber, F. C. Meuschen, Mus. Gronov. 1778, 13.
caerulescens Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 178.
caerulescens Corvus, L. Bosc, Mag. encyclop. 1796, II (5), 26.
caerulescens Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1714.
caerulescens Curculio, Scopoli, Ent. Carn. 1763, 29.
caerulescens Dermestes, Scopoli, Ent. Carn. 1763, 18.

- caerulescens** Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 88; ed. 12, 1766, 125.
caerulescens Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 576.
caerulescens Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 432; ed. 12, 1767, 700.
caerulescens Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3667.
caerulescens Lacerta (Laur.), J. P. Bonnaterre, Ency. Méth. (Erp.), 1789, 46.—Seps.
caerulescens Lanius, Linnaeus, Syst. Nat., ed. 10, 1758, 95; ed. 12, 1766, 134.
coerulescens Lepas, L. Spengler, Skr. nat. Selsk. [Copen.] I (1) 1790, 191.
caerulescens Leptura, Scopoli, Ent. Carn. 1763, 49.
coerulescens Libellula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 285.
caerulescens Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 960.
caerulescens Musca, C. de Villers, Linn. Ent. III. 1789, 464.
caerulescens Natrix (Linn.), J. N. Laurenti, Syn. Rept. 1768, 77.—Coluber.
coerulescens Necydalis (L.), J. C. Fabricius, Syst. Ent. 1775, 208.—Cantharis caerulea.
caerulescens Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 716.
caerulescens Salmo, F. W. Schmidt, Samml. phys.-oek. Aufsätze, I. 1795, 65 [*n. n.*].
coerulescens Saperda (Scop.), J. N. Laicharting, Tyrol. Ins. II. 1784, 45.—Leptura.
caerulescens Saperda (Schrank), J. A. Frolich, Naturforscher, XXVII. 1793, 145.—
coerulescens Scarabaeus [Copriss], A. G. Olivier, Entom. I. 1789, 189. [Cerambyx.
caerulescens Seps, J. N. Laurenti, Syn. Rept. 1768, 62 & 171.
caerulescens Sylvia (Gm.), J. Latham, Index Orn. 1790, 520.—Motacilla.
coerulescens Tenthredo, J. C. Fabricius, Syst. Ent. 1775, 321.
coerulescens Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 373.
coerulescens Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 108.
caerulescens Vipera, J. N. Laurenti, Syn. Rept. 1768, 101.
caerulea Aedemera (L.), A. G. Olivier, Entom. III. 1795, 13.—Necydalis.
caerulea Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 454.
coerulea Altica, A. F. de Fourcroy, Ent. Paris. 1785, 100.
cerulea Anguis, J. N. Laurenti, Syn. Rept. 1768, 71.
caeruleum Anobium, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 10.
coeruleum Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 123.
caerulea Apis, C. de Villers, Linn. Ent. III. 1789, 319.
caerulea Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 143; ed. 12, 1766, 238.
coeruleus Attelabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 163.
caerulea Buprestis, C. P. Thunberg, Nov. Ins. Spec. (2) 1789, 91.
caerulea Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 218.
caerulea Buprestis, A. G. Olivier, Entom. II. 1790, 21.
caeruleus [Buprestis], Giorna, Cal. Ent. 1791, 84.
caerulea Buprestis, P. Rossi, Mant. Ins. I. 1792, 62.
caeruleum Callitricoderma, J. X. Poli, Test. Sicil. II. 1795, 259.
caerulea Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 403; ed. 12, 1767, 650.
caerulea Cantharis (Fab.), C. de Villers, Linn. Ent. IV. 1789, 325.—Cucujus.
coerulea Cantharis, Giorna, Cal. Ent. 1791, 113.
caeruleus Carabus, O. F. Müller, Z. Dan. Prod. 1776, 77.
caeruleus Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 299.
caeruleus Cerambix, A. G. Olivier, Entom. IV. 1795, 33.
caerulea Certhia, Linnaeus, Syst. Nat., ed. 10, 1758, 118; ed. 12, 1766, 185.
caerulea Certhia, A. Sparrman, Mus. Carls. IV. 1789, no. lxxxii.
coerulea Cetonia, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 19.
caerulea Chrysis, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 66.
caerulea Chrysomela (Fourc.), C. de Villers, Linn. Ent. I. 1789, 158.—Cryptocephalus.
caerulea Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 718.
coerulea Cicindela, P. S. Pallas, Reise Russ. II. 1773, 724.
caeruleus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 445; ed. 12, 1767, 722.
coeruleus Cistela, J. C. Fabricius, Mant. I. 1787, 85.
caeruleus Clerus, C. de Geer, Mém. Ins. V. 1775, 164.
coerulea Coccinella, [D. H. Schneider], Nom. Ent. 1785, 8 [*n. n.*].
caeruleus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 218; ed. 12, 1766, 377.
coerulea Coluber, F. C. Meuschen, Mus. Gronov. 1778, 14.

- caeruleus Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.), 1790, 30.
caerulea Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 776.
caerulea Coracias, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 380.
coerulea Coryphaena, G. Edwards in M. Catesby, Carol. II. 1771, Cat. 1.
coerulea Coryphaena, M. E. Bloch, Nat. ausl. Fische, II. 1786, 148.
coeruleus Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 92.
coeruleus Cryptocephalus *id. ac* coeruleans, Fabr. 1781, J. C. Fabricius, Mant. I. 1787, 81.
coeruleus Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 616.
coeruleus Cucuius, J. C. Fabricius, Mant. I. 1787, 166.
coeruleus Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 171.
coeruleus Curculio, C. de Geer, Mém. Ins. V. 1775, 251.
coeruleus Curculio (Fourc.), C. de Villers, Linn. Ent. IV. 1789, 288.—Rhinomacer.
coeruleus Cyclops, O. F. Müller, Z. Dan. Prod. 1776, 200.
coeruleus Dasytes (Fab.), G. Paykull, Faun. Suec. II. 1799, 157.—Lagria.
coeruleus Dermestes (Thunb.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1594.—
caerulea Donacia, J. J. Zschach, Mus. Lesk. 1788, 27. [Anobium.
caerulea Donacia, A. G. Olivier, Entom. IV. 1795, 10.
coeruleus Elater, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 111.
caerulea Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 876.
caeruleus Falco, R. L. Desfontaines, Mém. Ac. Roy. Sci. [Paris], 1787 (1789), 503.
coerulea Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 167.
caerulea Galeruca, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 590.
coerulea Galeruca, G. Paykull, Faun. Suec. II. 1799, 97.
caeruleus Gobius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 537.
caerulea Gracula, J. A. Scopoli, Del. Insub. II. 1786, 88.
caeruleus Grillus, C. Allioni, Misc. Taurin. III. 1766, 190.
caeruleus Gryllus, D. Drury, Ill. Nat. Hist. II. 1773, index & 79.
coeruleus Helops (L.), J. C. Fabricius, Syst. Ent. 1775, 257.—Tenebrio.
caerulea Hispa, J. C. Fabricius, Syst. Ent. 1775, 70.
caeruleus Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 339.—Oriolus.
coeruleus Labrus, P. Ascanius, Icon. II. 1772, 5.
caerulea Lagria, J. C. Fabricius, Ent. Syst. I (2) 1792, 81.
caerulea Leptura, J. A. Scopoli, Annus V. 1772, 102. [Donacia.
caerulea Leptura (Zsch.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1867.—
caerulea Libellula, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 90.
caerulea Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 175; ed. 12, 1766, 306.
caerulea Madrepora (Pall.), E. J. C. Esper, Pflanzenth. Forts. I (1) 1794, 3.—Millepora.
caeruleus Malacopteryx, J. R. Forster, Cat. Brit. Ins. 1770, 7 [n. n.].
caerulea Melolontha, A. F. de Fourcroy, Ent. Paris. 1785, 72.
caerulea Melolontha, A. G. Olivier, Entom. I. 1789, 36.
caerulea Melolontha (Dru.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 121.—
caeruleus Melyris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 46. [Scarabaeus.
caerulea Melyris (Fab.), Illiger in Kugellann, Käfer Preuss. 1798, 308.—Lagria.
caeruleus Mergus, J. Latham, Index Orn. 1790, 833.
caerulea Millepora, P. S. Pallas, Elench. 1766, 256.
caeruleus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2997.—
caerulea Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 337. [Cyclops.
caerulea Muscipapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 943.
caerulea Necydalis, Linnaeus, Syst. Nat., ed. 12, 1767, 642.
caerulea Nereis, Linnaeus, Syst. Nat., ed. 10, 1758, 654; ed. 12, 1767, 1086.
caeruleus Notoxus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 45.
caeruleus Notoxus, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 102.
coeruleus Oriolus, T. Pennant in Forster, Ind. Zool. 1781, 40 [n. n.].
caeruleus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 393.
caeruleus Parus, Linnaeus, Syst. Nat., ed. 10, 1758, 190; ed. 12, 1766, 341.
caerulea Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 782; ed. 12, 1767, 1259.
caerulea Pimelia (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2010.—
caerulea Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 33. [Tenebrio.]

- caerulea** Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 560.
caeruleus Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
caeruleus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 314.
caeruleus Ramphastos, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 357.
caerulea Rana, G. Shaw in White, Journ. N. S. W. 1790, 248.
coeruleus Rhinomacer, A. F. de Fourcroy, Ent. Paris. 1785, 114.
caeruleus Rhinomacer, V. Petagna, Spec. Ins. ult. Calab. 1786, 14.
caereuleus Scarabaeus, D. Drury, Ill. Nat. Hist. II. 1773, index & 59.
caeruleus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1557.
caeruleus Scarabaeus (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1582.—
caeruleus Seps, J. N. Laurenti, Syn. Rept. 1768, 63. [Cetonia.
caeruleus Sorex, R. Kerr, Anim. Kingd. 1792, 207.
caerulea Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 571; ed. 12, 1767, 946.
coeruleus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 164.
caerulea Sylvia (*L.*), J. Latham, Index Orn. 1790, 540.—Motacilla.
caerulea Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 891.
caeruleus Telephorus (*L.*), C. de Geer, Mém. Ins. IV. 1774, 76.—Cantharis.
caeruleus Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 418; ed. 12, 1767, 677.
coerulea Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 160.
caeruleus Telephorus (*Linnaeus*), O. F. Müller, Z. Dan. Prod. 1776, 62.—Cantharis.
caeruleus Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 444.
caeruleus Trochilus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
caerulea Trogossita, A. G. Olivier, Entom. II. 1790, 6.
caeruleus Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
caerulea Upupa, J. R. Forster in Latham and Davies, Faun. Ind., ed. 2, 1795, 7 [*n. n.*].
caesar Chrysis, J. L. Christ, Nat. Ins. 1791, 397.
caesar Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 340.
caesar Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 595; ed. 12, 1767, 989.
caesar Volucella (*Linnaeus*), O. F. Müller, Z. Dan. Prod. 1776, 178.—Musca.
caesarea Bombyx, C. C. Jung, Alph. Verz. Schmett. 1791, 93.
caesareus Staphylinus, J. Cederhielm, F. Ingric. 1798, 335.
caesarina Musca, Scopoli, Ent. Carn. 1763, 327.
caesiata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 112.
caesiata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796], fig. 275 [*n. et f.*].
caesiella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me giudice 1796], 64.
“Caesio Lacép. 1800,” Ag.; is 1802.
caesio Musca, M. Harris, Exp. Eng. Ins. 1776, 75.
“Caesiomorus Lacép. 1800,” Ag.; is 1802.
caesia Colus, J. F. Bolten, Mus. Bolten. (2) 1798, 117.
caesius Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48.
caesia Musca, P. Rossi, Fauna Etrus. II. 1790, 310.
caesia Nassa, J. F. Bolten, Mus. Bolten. (2) 1798, 132 [*n. n.*].
caesia Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 82.
caesia Phalaena Noctua (*D. & S.*), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 279.
caesia Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 36. [—Noctua.
caespitosa Madrepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1278.
caespitum Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 581; ed. 12, 1767, 963.
caesus Aphodius (*Creutz.*), J. Sturm, Verz. Ins. Samml. 1800, 57.—Scarabaeus.
caesus Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 40.
caesus Scarabaeus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 2.
caetata Cochlea, T. Martyn, Univ. Conch. IV. [1792], fig. 137.
cafer *v.* caffer.
[caffer]—
caffra Apis, Linnaeus, Syst. Nat., ed. 12, 1767, 959.
caffer Bos, A. Sparrman, K. Vet. Ac. Handl. XL. 1779, 79.
caffra Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 51.
cafer Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1825.
caffer Cerambyx, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 58

- caffra** (*sic*) *Certhia*, Linnaeus, Mant. II. 1771, 525.
caffra *Certhia*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 484 [*v. supra*].
cafra *Cicada*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 758.
caffer *Cimex*, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 59.
caffra *Coracias*, Linnaeus, Syst. Nat., ed. 10, 1758, 107; ed. 12, 1766, 159.
cafer *Corvus*, H. Lichtenstein, Cat. rerum Nat. I. 1793, 9.
caffer *Cucullus*, J. F. Bolten, Mus. Bolten. (2) 1798, 48.
cafer *Cuculus*, H. Lichtenstein, Cat. rerum Nat. I. 1793, 14.
caffer *Curculio*, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 42.
cafer *Curculio*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 475.
cafer *Dermestes*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1598.
cafer *Dipus* (Pall.), P. Boddaert, Elench. 1785, 115.—*Mus*.
cafer *Glis*, G. C. C. Storr, Prod. 1780, 39.
cafer *Gryllus* (*Locusta*), Linnaeus, Mus. Lud. Ulr. 1764, 148.
caffra *Loxia*, C. P. Thunberg, K. Vet. Ac. Nya Handl. V. 1784, 288.
cafer *Merops*, Linnaeus, Syst. Nat., ed. 10, 1758, 117; ed. 12, 1766, 183.
caffra *Motacilla*, Linnaeus, Mant. II. 1771, 527.
cafer *Mus*, P. S. Pallas, N. sp. Quad. II. 1779, 87.
cafra *Otis*, H. Lichtenstein, Cat. rerum Nat. I. 1793, 36.
caffra *Patella*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3730.
cafra *Phalaena*, D. Drury, Ill. Nat. Hist. III. 1782, index & 5.
cafer *Picus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 431.
cafer *Psittacus*, H. Lichtenstein, Cat. rerum Nat. I. 1793, 6.
cafer *Rynchophorus* (Ol.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 28.—*Curculio*.
cafer *Scarabaeus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1678.
cafra *Scolopax*, J. R. Forster in Levaillant, Erste Reise Afrika (Berlin, 1792), 22.
cafra *Simia*, J. M. Bechstein in Pennant, Uebers. 4fuss. Thiere, II. 1800, 663.
caffra *Sitta*, A. Sparrman, Mus. Carls. I. 1786, no. iv.
caffra *Sphinx*, Linnaeus, Mus. Lud. Ulr. 1764, 362.
caffra *Sphinx*, E. J. C. Esper, Die Schmett. II. 1781, 152.
caffra *Sylvia* (L.), J. Latham, Index Orn. 1790, 514.—*Motacilla*.
cafer *Turdus*, Linnaeus, Syst. Nat., ed. 12, 1766, 295.
caffra *Vespa*, Linnaeus, Syst. Nat., ed. 12, 1767, 951.
caffrum *Vexillum* (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 139.—*Voluta*.
cafra *Viverra*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 85.
caffra *Voluta*, Linnaeus, Syst. Nat., ed. 10, 1758, 732; ed. 12, 1767, 1192.
caffra *Zygaena* (L.), J. C. Fabricius, Syst. Ent. 1775, 551.—*Sphinx*.
caffra *v. caffer*.
caffraria [*Phalaena*], P. Cramer, Uitl. Kapellen, II (13) 1777, 82.
[caffraria] *Phalaena* (*Geometra*), Linnaeus, Mus. Lud. Ulr. 1764, 393.
caffraria *Phalaena* (*Geometra*), Linnaeus, Syst. Nat., ed. 12, 1767, 865.
caffrella *Apis*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 210.
caffrella *Apis*, Holthuysen, D. H. Schneider, Verz. Parthei Ins. 1800, 21.
[caffrensis]—
caffrensis *Tantalus*, H. Lichtenstein, Cat. rerum Nat. I. 1793, 31.
caffrum *v. caffer*.
cafra *v. caffer*.
caffrensis *v. caffrensis*.
cagennensis *v. cayennensis*.
cahirinus *Coluber*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1115.
caica *Psittacus*, J. Latham, Index Orn. 1790, 128.
caicus [*Sphinx*], P. Cramer, Uitl. Kapellen, II (11) 1777, 42.
caijensis *v. cayensis*.
[caius]—
caja *Bombyx* (L.), J. C. Fabricius, Syst. Ent. 1775, 581.—*Phalaena*.
cajus *Hesperia* (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 296.—*Papilio*.
caia *Libellula*, D. Drury, Ill. Nat. Hist. II. 1773, index & 82.
cajus [*Papilio*], P. Cramer, Uitl. Kapellen, II (13) 1777, 80.

- caja** Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 500; ed. 12, 1767, 819.
[caja] Phalaena (B.) MS., T. Martyn, Psyche, 1797, figs. 57 & 63.
cajus Sphinx, P. Cramer, Utitl. Kapellen, II (13) 1777, 80.
caja *v.* **caius**.
cajaneus }
cajeneus } *v.* **cayaneus**.
cajennensis *v.* **cayennensis**.
cajeta [Phalaena], P. Cramer, Utitl. Kapellen, I (3) 1775, 48.
cajetanus Chiton, J. X. Poli, Test. Sicil. I. 1791, xvii.
cajopolin *v.* **cayopolin**.
cajus *v.* **caius**.
calabra Phalaena, V. Petagna, Spec. Ins. ult. Calab. 1786, 38.
calabrararia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 49.
calabrararia Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 92. [n. et f.].
calais [Papilio], P. Cramer, Utitl. Kapellen, I (5) 1775, 84.
[calamariensis]—
calmariensis Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 600.
calamariensis Crioceris (L.), J. C. Fabricius, Syst. Ent. 1775, 119.—Chrysomela.
calmariensis Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1719.—Chrysomela.
calmariensis Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 23.—Chrysomela.
calmariensis Tipula, Linnaeus, Faun. Suec., ed. 2, 1761, 430.
calamaris Cidaris (Pall.), N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 115.—Echinus.
calamaris Echinus, P. S. Pallas, Spic. Zool. X. 1774, 31.
calamaris Tubularia, P. S. Pallas, Elench. 1766, 81.
calamaria Anguis (Linn.), J. N. Laurenti, Syn. Rept. 1768, 68.—Coluber.
calamarius Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 216; ed. 12, 1766, 375.
calamarius Echinus=calamaris, Pall., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790.
calamis Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 13. [3173.
Calamita J. G. Schneider, Hist. Amph. I. 1799, 151.—R.
calamita Bufo, J. N. Laurenti, Syn. Rept. 1768, 27 & 119.
calamita Buffo, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
Calamites J. E. Guettard, Mém. diff. Sci. II. 1770, 404.—Cor.
calamitosa Musca, C. Bierkander, K. Vet. Ac. Handl. XXXVIII. 1777, 32.
calamoxenus Turdus, C. Nozeman in Nozeman & Houttuyn, Ned. Vogel. II. (178-), 97.
calamus Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 13.
calamus Phasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 187.—Mantis, 1793.
"Calandra Schell." Ag.; *v.* Calendra.—Col.
calandra Alauda, Linnaeus, Syst. Nat., ed. 12, 1766, 288.
calandra Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 176.
calandre (*sic*) Alauda, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 137.
calandrotte Alauda, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 137.
Calao Bonnaterra, Ency. Méth. (Orn.) I. 1790, lxxxviii.—A.
Calappa F. Weber, Nomen. Fabricii, 1795, 92.—Cr.
Calappa J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 10.—Cr.
calappa Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 630; ed. 12, 1767, 1048.
calappoides Cancer (*ex* Rumph), P. L. S. Müller, Del. Nat. II. 1767, 139.
C-album Curculio, Scopoli, Ent. Carn. 1763, 32.
c-album Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 170.
C-album Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 477; ed. 12, 1767, 778.
C-album Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 288.
calcar Astraea, J. F. Bolten, Mus. Bolten. (2) 1798, 79.
calcar Buccinum, T. Martyn, Univ. Conch. I. [1784 non 1769], fig. 10.
calcar Curculio, J. C. Fabricius, Mant. I. 1787, 110.
calcar Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 709; ed. 12, 1767, 1162.
calcar Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
calcar Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 55.
calcar Trochus (L.), F. C. Meuschen, Mus. Gever. 1787, 288.—Turbo.

- calcar Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 762; ed. 12, 1767, 1234.
- calcarata Apis, Scopoli, Ent. Carn. 1763, 301.
- calcarata Blaps, J. C. Fabricius, Suppl. Ent. Syst. 1798, 46.
- calcaratus Bucco, J. Latham, Index Orn. 1790, 206.
- calcarata Buprestis, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 310. [Stenocorus.
- calcaratus Cerambyx (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1858.—
- calcaratus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 450; ed. 12, 1767, 732.
- calcaratus Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 109.
- calcaratus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 420.
- calcaratus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 485.
- calcarata Fringilla, P. S. Pallas, Reise Russ. II. 1773, 710.
- calcarata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 19.
- calcaratus Helops, J. C. Fabricius, Suppl. Ent. Syst. 1798, 52.
- calcaratus Ichneumon, P. Rossi, Mant. Ins. II. 1794, 111.
- calcarata Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 347.
- calcaratus Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 162.—Cimex.
- calcarata Melolontha, J. C. Fabricius, Suppl. Ent. Syst. 1798, 133.
- calcaratus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 320.
- calcaratus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 349; ed. 12, 1767, 551.
- calcaratus Scaurus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 42.
- calcaratus Stenocorus, J. A. Scopoli, Annus V. 1772, 98.
- calcaratus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 301.
- calcarata Testudo, J. G. Schneider, Samml. verm. Abh. 1784, 317.
- calcareus Bulimus (Born), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 328.—Helix.
- calcareum Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 402.
- calcareum Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191.
- calcareum Millepora, P. S. Pallas, Elench. 1766, 265.
- calcareum Pediculus, O. F. Müller, Z. Dan. Prod. 1776, 186.
- calcareum Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3236.
- calcareum Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 406.—Hydrachna.
- calcarifer Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 100.
- calcar-longum Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 50.
- calcar mediterraneo Turbo, C. U. v. Salis, Reise Neapel, 1793, 377.
- calcator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 158.
- calcatrippa Purpura, F. C. Meuschen, Mus. Gever. 1787, 312.
- calcatrippae Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 71.
- calceata Apis, Scopoli, Ent. Carn. 1763, 301.
- calceata Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 427.
- calceatus Crabro, P. Rossi, Mant. Ins. II. 1794, 122.
- Calceola Lamarck, Mem. Soc. H. N. Paris, 1799, 89.—Cor.
- calchas [Phalaena], P. Cramer, Uitl. Kapellen, IV (26) 1780, 26.
- calcitrans Conops, Linnaeus, Syst. Nat., ed. 10, 1758, 604; ed. 12, 1767, 1004.
- calcitrans Empis (L.), Scopoli, Ent. Carn. 1763, 368.—Conops.
- calcitrans Musca (L.), M. Harris, Exp. Eng. Ins. 1776, 141.—Conops.
- calcitrans Stomoxys (L.), J. C. Fabricius, Syst. Ent. 1775, 798.—Conops.
- calcographus *v.* chalcographus.
- calculator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 225.
- caledonica Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 626.
- caledonicus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 634.
- caledonicus Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 367.
- caledonica Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 944.
- caledonicus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 328.
- Calendra J. R. Schellenberg, Helvet. Entom. I. 1798, 62.—Col.
- “Calendula Briss. 1760,” Waterh.; not used in a generic sense.
- calendula Actinia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 7.
- calendula Hydra (Ellis), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3869.—Actinia.
- calendula Madrepora, J. Hermann, Naturforscher. XVIII. 1782, 122.
- calendula Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 337.

- calendula** Sylvia (L.), J. Latham, Index Orn. 1790, 549.—Motacilla.
- calens** Chrysis, J. C. Fabricius, Spec. Ins. I. 1781, 455.
- calens** Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 730.
- calens** Miris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 185.—Cimex.
- calens** Tabanus, Linnaeus, Syst. Nat., ed. 10, 1758, 601; ed. 12, 1767, 1000.
- calfat** Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 887.
- calibatus** Attelabus, R. Townson, Trav. Hungary, 1797, 473.
- caliciformis** *v.* calyciformis.
- “**Calidris** Briss. 1760,” Waterh.; not used in a generic sense.
- Calidris** G. Cuvier, Leçons Comp. Anat. I. 1800, 2 [*n. n.*].—A.
- calidris** Charadrius, Linnaeus, Syst. Nat., ed. 12, 1766, 255.
- calidris** Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 184; ed. 12, 1766, 329.
- calidris** Scolopax, Linnaeus, Syst. Nat., ed. 12, 1766, 245.
- calidris** Sylvia (L.), J. Latham, Index Orn. 1790, 543.—Motacilla.
- calidris** Tringa, Linnaeus, Syst. Nat., ed. 12, 1766, 252.
- calidus** Asilus, J. C. Fabricius, Mant. II. 1787, 358.
- calidus** Carabus, J. C. Fabricius, Syst. Ent. 1775, 237.
- calidus** Cimex, J. C. Fabricius, Mant. II. 1787, 292.
- calidus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 285.
- calidus** Falco, J. Latham, Index Orn. 1790, 41.
- calida** Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 28.
- calida** Meloe, P. S. Pallas, Icon. Ins. 1782, 85.
- calida** Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 574; ed. 12, 1767, 952.
- californianus** Vultur, G. Shaw, Nat. Misc. IX. 1797, pl. 301.
- californicus** Tetrao, G. Shaw, Nat. Misc. IX. 1798, pl. 345.
- caliginosata** Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 387.
- caliginosa** Bombyx, E. J. C. Esper, Die Schmett. III (26) 1786, 323.
- caliginosus** Carabus, J. C. Fabricius, Syst. Ent. 1775, 240.
- caliginosus** Curculio, J. C. Fabricius, Syst. Ent. 1775, 137.
- caliginosa** Lampyris, A. G. Olivier, Entom. II. 1790, 20.
- caliginosa** Phalaena B., C. de Villers, Linn. Ent. II. 1789, 175.
- caliginosa** Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 284.
- Caligus** O. F. Müller, Entom. 1785, 128.—Cr.
- calipso** *v.* calypso.
- calipyga** Venus, I. v. Born, Index Mus. Caes. Vind. 1778, 55.
- Calirrhoe** *v.* Callirrhoe.
- caliscertula** Lacerta, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 47.
- caliste** Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3277.
- calisto** [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 37.
- Callaeas** J. R. Forster, Ench. 1788, 35.—A.
- Callaeas** Bonnaterre, Ency. Méth. (Orn.) I. 1790, xci.—A.
- Callarias** (*ex* Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 583.—P.
- callarias** Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 252; ed. 12, 1766, 436.
- Callichthys** L. T. Gronovius, Zooph. I. 1763, 127.—P.
- callichthys** Callichthys, F. C. Meuschen, Mus. Gronov. 1778, 39.
- callichthys** Loricaria (L.), G. A. Suckow, Naturges. IV. 1799, 655.—Silurus.
- callichthys** Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 307; ed. 12, 1766, 506.
- Callidium** J. C. Fabricius, Syst. Ent. 1775, 187.—Col.
- callidus** Cynipsichneumon, J. L. Christ, Nat. Ins. 1791, 386.
- callida** Dorippe, F. Weber, Nomen. Fabricii, 1795, 93.
- callidus** Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 193.
- callida** Motacilla, B. S. Barton, Frag. N. H. Pennsylv. 1799, 12.
- calligrapha** Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 172.
- calligrapha** Phal. Noct., J. Hübner, Samml. Vögel u. Schmett. 1793, 9 [*n. et f.*].
- Calliodon** Gron. *v.* Callyodon.
- Calliomorus** B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 343.—P.
- Callionymus** Linnaeus, Syst. Nat., ed. 10, 1758, 249; ed. 12, 1766, 433.—P.
- calliope** Motacilla, P. S. Pallas, Reise Russ. III. 1776, 697.

- calliope Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 10, 1758, 466; ed. 12, 1767, 755.
 calliope Turdus (Pall.), J. Latham, Index Orn. 1790, 331.—Motacilla.
 Calirrhoe (*sic*) J. G. Meigen, N. Class. Mouches, 1800, 39.—Dip.
 callirrhoe Papilio, J. C. Fabricius, Syst. Ent. 1775, 473.
 Callista J. X. Poli, Test. Sicil. I. 1791, Introd. 30.—A generic term applied to the fleshy
 Callistoderma J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—L. [parts of certain Veneres.
 callithea ? Papilio, Cram.] *v.* C. C. Jung, Alph. Verz. Schmett. 1791, 96.
 Callithrix J. C. P. Erxleben, Syst. Anim. 1777, 55.—M.
 Callitriche J. X. Poli, Test. Sicil. I. 1791, Introd. 32.—A generic term applied to fleshy
 "Callitrichus Poli, 1791," Herm.; *see* Callitriche. [parts of Mytili, etc.
 Callitricoderma J. X. Poli, Test. Sicil. II. 1795, 254 & 259.—L.
 Callitrix G. Cuvier, Leçons Comp. Anat. I. 1800, 1 [*u. n.*].—M.
 Callorynchus L. T. Gronovius, Zooph. I. 1763, 31.—P.
 callorynchus Callorynchus, F. C. Meuschen, Mus. Gronov. 1778, 19.
 callorynchus Chimaera, Linnaeus, Syst. Nat., ed. 10, 1758, 236; ed. 12, 1766, 402.
 callosa Apis, J. C. Fabricius, Ent. Syst. IV. 1794, 460.
 callosa Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 28.
 callosus Musca, M. Harris, Exp. Eng. Ins. 1776, 61.
 callosus Solen, G. Olivi, Zool. Adriat. 1792, 98.
 callosus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3577.
 callycopis [Papilio], P. Cramer, Utit. Kapellen, II (16) 1777, 143.
 Callyodon L. T. Gronovius, Zooph. I. 1763, 72.—P.
 callyodon Perca, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 354.
 calmar- *v.* calamar-
 calodactyla Alucita, [Denis & Schiffermüller], Schmett. Wien, 1775, 146.
 calodactylus Pterophorus (D. & S.), J. C. Fabricius, Mant. II. 1787, 258.—Alucita.
 "Calohymus Thun. 1789," Ag.; *see* Calolymus.
 caloitium Trichoda *err. pro* calvitium, Müll., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
 Calolymus C. P. Thunberg, Peric. Ent. 1789, 10.—Col. [1790, 3886.
 Calopodium J. F. Bolten, Mus. Bolten. (2) 1798, 166.—L.
 Calopus J. C. Fabricius, Syst. Ent. 1775, 182.—Col.
 calotes Iguana (Linn.), J. N. Laurenti, Syn. Rept. 1768, 49.—Lacerta.
 calotes Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 207; ed. 12, 1766, 367.
 calthae Chermes, Linnaeus, Faun. Suec., ed. 2, 1761, 263.
 calthae Dermestes, Scopoli, Ent. Carn. 1763, 18.
 calthella Alucita, J. C. Fabricius, Mant. II. 1787, 256.
 calthella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 367.
 calthella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 663.—Phalaena.
 calumniator Coccus, J. C. Fabricius, Ent. Syst. IV. 1794, 131.
 calvaria Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 71. [168.—Noctua.
 calvaria Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 calvarialis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 316.
 calviger Scarabaeus *err. pro* claviger, Fabr., J. C. Fabricius, Mant. I. 1787, 4.
 calvipalpis Phalaena, Scopoli, Ent. Carn. 1763, 213.
 calvitium Kerona, O. F. Müller, An. Infus. 1786, 245.—Trichoda, 1773.
 calvitium Trichoda, O. F. Müller, Verm. I (1) 1773, 89.
 calva Amia, Linnaeus, Syst. Nat., ed. 12, 1766, 500.
 calvus Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 372.
 calvus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 55.
 calvus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 46.
 calva Gracula, Linnaeus, Syst. Nat., ed. 12, 1766, 164.
 calva Mutilla, C. de Villers, Linn. Ent. III. 1789, 343.
 calva Mutilla, P. A. Latreille, Actes Soc. H. N. Paris, I (1) 1792, 10.
 calvus Tantalus, P. Boddaert, Tab. Planch. Enl. 1783, 52.
 calvus Tantalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 649.
 calvus Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*u. n.*].
 calvus Vultur, J. A. Scopoli, Del. Insub. II. 1786, 85.
 calybia Buprestis, C. de Villers, Linn. Ent. I. 1789, 339.

- calycanthata** Phalaena, J. E. Smith in Abbot, *Ins. Georgia*, 1797, 207.
- calyciflorus** Brachionus, P. S. Pallas, *Elench.* 1766, 93.
- caliciformis** *Asilus* *err. pro* culiciformis, Fabr. 1775, J. C. Fabricius, *Mant.* II. 1787, 361.
- caliciformis** Spongia, E. J. C. Esper, *Pflanzenth. Forts.* I (8) 1797, 202.
- calycina** Aranea, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 620; ed. 12, 1767, 1030.
- calycinus** Notoxus, G. W. F. Panzer, *Ins. Germ.* heft 3, 1793, tab. 3.
- calycularis** Astroides (Pall.), J. E. I. Walch, *Naturforscher*, V. 1775, 49.—Madrepora.
- calycularis** Madrepora, P. S. Pallas, *Elench.* 1766, 318.
- calyculata** Cardita (L.), J. G. Bruguière, *Ency. Méth. (Vers)* (2) 1792, 408.—Chama.
- calyculata** Chama, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 692; ed. 12, 1767, 1138.
- calyculata** Gorgonia, J. Ellis and D. Solander, *Nat. Hist. Zooph.* 1786, 95.
- calyculatus** Hippopus (L.), F. C. Meuschen, *Mus. Gever.* 1787, 428.—Chama.
- calyculatum** Limnaeoderma (L.), J. X. Poli, *Test. Sicil.* II. 1795, 253 & 259.—Chama.
- calydonius** Carabus (Ross.), J. C. Fabricius, *Ent. Syst.* I (1) 1792, 144.—Scarites.
- calydonius** Scarites, P. Rossi, *Fauna Etrus.* I. 1790, 228.
- calipso** Bombyx, A. G. Olivier, *Ency. Méth.* V (Ins.) 1790, 91.
- calypso** Papilio, D. Drury, *Ill. Nat. Hist.* II. 1773, index & 30.
- Calyptra** [G. Humphreys], *Mus. Calonn.* 1797, 5 [*n. n.*].—G.
- calyptra** Patella, T. Martyn, *Univ. Conch.* I [1784 non 1769], fig. 18.
- Calyptroea** Lamarck, *Mem. Soc. H. N. Paris*, 1799, 78.—G.
- camaena** [Papilio], D. Drury, *Ill. Nat. Hist.* II. 1773, index & 12.
- cambayae** Columba, J. R. Forster in Latham & Davies, *Faun. Ind.*, ed. 2, 1795, 10 [*n. n.*].
- cambayae** Muscipapa, J. R. Forster in Latham & Davies, *Faun. Ind.*, ed. 2, 1795, 9 [*n. n.*].
- cambayensis** Columba, J. F. Gmelin in Linn. *Syst. Nat.*, ed. 13, I. 1788, 779.
- cambaiensis** Muscipapa, J. Latham, *Index Orn.* 1790, 490.
- cambaiensis** Perdix, J. Latham, *Index Orn.* 1790, 655.
- cambaiensis** Sylvia, J. Latham, *Index Orn.* 1790, 554.
- chameleon** *v.* **chameleon**.
- cameli** Pediculus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 611; ed. 12, 1767, 1017.
- camelina** Bombyx (L.), J. C. Fabricius, *Syst. Ent.* 1775, 575.—Phalaena.
- camelinus** Cucullus, J. F. Bolten, *Mus. Bolten.* (2) 1798, 48 [*n. n.*].
- camelina** Phalaena (Bombyx), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 507; ed. 12, 1767, 832.
- camellifolia** Locusta, J. C. Fabricius, *Syst. Ent.* 1775, 283.
- camellii** Mytilus, G. Shaw, *Nat. Misc.* IX. 1797, pl. 315.
- camellinum** Buccinum, J. F. Bolten, *Mus. Bolten.* (2) 1798, 114 [*n. n.*].
- Camellus** *v.* **Camelus**, G. I. Molina, *Sag. stor. nat. Chili*, 1782, 313.
- camelogigas** Sirex, J. L. Christ, *Nat. Ins.* 1791, 411.
- Camelopardalis** J. C. D. Schreber, *Säugeth.* IV (40, 41) 1784, pl. 255 [*n. et f.*].—M.
- Camelopardalis** P. Boddaert, *Elench.* 1785, 133.—M.
- camelopardalis** Cervus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 66; ed. 12, 1766, 92.
- camelopardalis** Giraffa, E. A. W. Zimmermann, *Geogr. Gesch.* II. 1780, 125.
- Camelus** Linnaeus, *Syst. Nat.*, ed. 10, 1758, 65; ed. 12, 1766, 90.—M.
- camelus** Copris (Fab.), Illiger in Kugelann, *Käfer Preuss.* 1798, 44.—Scarabaeus.
- camelus** Curculio, J. C. Fabricius, *Ent. Syst.* I (2) 1792, 406.
- camelus** Ichneumon, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 560.—[Sirex, ed. 12.]
- camelus** Lucanus, A. G. Olivier, *Entom.* I. 1789, 22.
- camelus** Scarabaeus, J. C. Fabricius, *Mant.* I. 1787, 13.
- camelus** Sirex, Linnaeus, *Faun. Suec.* ed. 2, 1761, 397.
- camelus** Struthio, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 155; ed. 12, 1766, 265.
- camelus** Trichoda, O. F. Müller, *Verm.* I (1) 1773, 80.
- Camerina** J. G. Bruguière, *Ency. Méth. (Vers)* (1) 1789, xvi.—Rh.
- camerta** [Papilio], P. Cramer, *Uitl. Kapellen*, IV (25) 1780, 10.
- camertus** [Sphinx], P. Cramer, *Uitl. Kapellen*, III (19) 1779, 53.
- camillifolia** Gryllus (Locusta) (Fab.), J. F. Gmelin in Linn. *Syst. Nat.*, ed. 13, I. 1789, 2064.—Locusta camellifolia.
- camilla** Papilio, [Denis & Schiffermüller], *Schmett. Wien*, 1775, 172.
- camilla** Papilio (Nymphalis), Linnaeus, *Mus. Lud. Ulr.* 1764, 304.

- camilla* Papilio N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1780],
camillus [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 20. [50.
camilla [Papilio], J. A. B. Bergstraesser, Ic. Pap. II. 1780, 8.
camillus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 11.
caminator Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 44.
camoena Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 16.
 "Campana v. Phelsum, 1774," Ag.; does not occur: a latinization by Leske in Klein, 1778,
 but not used in a generic sense.
campanella Medusa, G. Shaw, Nat. Misc. VI. 1795, pl. 196.
campanella Turdus, J. Latham, Index Orn. 1790, 359.
campanicus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3558.
campaniformis Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 312.—Vespa.
campaniformis Vespa, J. C. Fabricius, Syst. Ent. 1775, 371.
campanisona Rana, J. N. Laurenti, Syn. Rept. 1768, 30 & 133.
campanula Medusa, O. Fabricius, F. Groen. 1780, 366.
campanula Tubularia, *id. ac* campanulata, L., J. F. Maratti, Plant. Zooph. Med. 1776, 21.
campanulae Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 607.
campanulae Rhinomacer (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 90.—Curculio.
campanulator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 227.
campanulatus Brachionus, P. S. Pallas, Elench. 1766, 97.
campanulata Hydra, Linnaeus, Syst. Nat., ed. 10, 1758, 817.
campanulata Tubularia, Linnaeus, Syst. Nat., ed. 12, 1767, 1303.—Hydra, 1758.
campanulata Vorticella, G. Adams, Ess. Micr. 1787, 449.
campechiensis Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3312.
campechiense Cardium, J. F. Bolten, Mus. Bolten. (2) 1798, 191.
campechiensis Pholas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3216.
campechiensis Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3287.
campella Phal. Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 9 [*n. et f.*].
campella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judge 1796], 28.
campestris Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 75.
campestris Acheta (L.), J. C. Fabricius, Syst. Ent. 1775, 281.—Gryllus.
campestris Alauda, Linnaeus, Syst. Nat., ed. 10, 1758, 166; ed. 12, 1766, 288.
campestris Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 48.
campestre Callidium, A. G. Olivier, Entom. IV. 1795, 65.
campestris Carabus, J. Sturm in D. H. Hoppe, Ent. Taschenbuch, 1797, 248 [*n. n.*].
campestris Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 602.
campestris Cicindela, Linnaeus, Syst. Nat., ed. 10, 1758, 407; ed. 12, 1767, 657.
campestris Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 448; ed. 12, 1767, 728.
campestris Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 48.
campestris Crioceris (L.), J. N. Laicharting, Tyrol. Ins. I. 1781, 188.—Chrysomela.
campestris Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1723.
 —Chrysomela.
campestris Cuniculus, F. A. A. Meyer, Mag. Thiergesch. I (1) 1790, 52. *varr.* domes-
 ticus, angorensis, argenteus, russicus, dauricus (Lepus, Erx.) 53; and brasiliensis (Lepus,
 Erx.) 54.
campestris Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 36.
campestris Fringilla, F. v. P. Schrank, F. Boica, I. 1798, 181.
campestris Gryllus (Acheta), Linnaeus, Syst. Nat., ed. 10, 1758, 428; ed. 12, 1767, 695.
campestris Lema (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 94.—Chrysomela.
campestris Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 171.—Cimex.
campestris Mellinus, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 226.—Vespa,
campestris Melolontha, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 15. [1787.
campestris Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 184; ed. 12, 1766, 329.
campestris Passer, J. C. Schaeffer, Mus. Orn. 1789, 25.
campestris Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
campestris Sylvia (L.), J. Latham, Index Orn. 1790, 544.—Motacilla.
campestris Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 557; ed. 12, 1767, 924.
campestris Vespa, Linnaeus, Faun. Suec., ed. 2, 1761, 417.

- campestris** Vespa, J. C. Fabricius, Mant. Ins. I. 1787, 291.
- campoliana** Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 318.
- Campsiurus** H. F. Link, Beytr. Nat. I (2) 1795, 52.—M.
- Campulotus** J. E. Guettard, Mém. diff. Sci. III. 1770, 94.—G.
- campyloceros** Fulgora, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 96.
- Kampylodon** O. Fabricius, Skr. nat. Selsk. [Copen.] IV (2) 1798, 22.—P.
- campylopterus** Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 499.
- “**Campylotus** Guett. 1786,” Herm.; v. Campulotus.
- camtschatk-** v. kamtschatk-.
- canulus** Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 41.
- cana** v. canus.
- canace** Papilio, Linnaeus, Amoen. Acad. VI. 1763, 406.
- canace** Tetrao, Linnaeus, Syst. Nat., ed. 12, 1766, 275.
- canadensis** Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 123; ed. 12, 1766, 198.
- canadensis** Anser, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 114.
- canadensis** Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 141; ed. 12, 1766, 234.
- canadensis** Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 284.
- canadensis** Corvus, Linnaeus, Syst. Nat., ed. 12, 1766, 158.
- canadensis** Dipus, T. Davies, Tr. Linn. Soc. [Lond.] IV. 1798, 157.
- canadensis** Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 88.
- canadensis** Felis (Lynx), R. Kerr, Anim. Kingd. 1792, 157.
- canadensis** Fringilla, J. Latham, Index Orn. 1790, 434.
- canadensis** Glis, J. C. P. Erxleben, Syst. Anim. 1777, 363.
- canadensis** Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 134.
- canadensis** Lanius, J. Heckewelder, Trans. Amer. Phil. Soc. IV. 1799, 126.
- canadensis** Leptura, A. G. Olivier, Entom. IV. 1795, 8.
- canadensis** Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 304.
- canadensis** Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 334, no. 27.
- canadensis** Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 336, no. 42.
- canadensis** Mus, J. M. Bechstein in Pennant, Uebers. 4ftuss. Thiere, II. 1800, 490.
- canadensis** Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 327.
- canadensis** Mustela, J. C. D. Schreber, Säugth. III. 492 (1777), pl. cxxxiv (1776).
- canadensis** Mustela (Lutra), R. Kerr, Anim. Kingd. 1792, 173.
- canadensis** Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 437.
- canadensis** Sitta, Linnaeus, Syst. Nat., ed. 12, 1766, 177.
- canadensis** Sylvia (L.), J. Latham, Index Orn. 1790, 539.—Motacilla (42).
- canadensis** Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 159; ed. 12, 1766, 274.
- canadensis** Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 140.
- canadensis** Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 574; ed. 12, 1767, 952.
- canadensis** Vespertilio, E. A. W. Zimmermann, Spec. Zool. 1777, 457.
- canadus** Gasterosteus, Linnaeus, Syst. Nat., ed. 12, 1766, 491.
- canalicularis** Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 98; ed. 12, 1766, 142.
- canalicularis** Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 100.
- canaliculatus** B [ipes], B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
- canaliculatus** Brentus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 191.
- canaliculatum** Buccinum (L.), F. C. Meuschen, Mus. Gev. 1787, 302.—Murex.
- canaliculatum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3505.
- canaliculata** Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 727; ed. 12, 1767, 1185.
- canaliculata** Buprestis, P. S. Pallas, Icon. Ins. 1782, 65.
- canaliculata** Buprestis, J. C. Fabricius, Mant. I. 1787, 181.
- canaliculatum** Busycon (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 149.—Murex.
- canaliculata** Cassida, J. N. Laicharting, Tyrol. Ins. I. 1781, 109.
- canaliculata** Cassidea, J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 423. [Prionus.
- canaliculatus** Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1818.—
- canaliculatum** Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 497.
- canaliculata** Cetonina, A. G. Olivier, Entom. I. 1789, 69.
- canaliculatus** Chaetodon, M. Park, Tr. Linn. Soc. [Lond.] III. 1797, 33.
- canaliculata** Cicada, C. de Villers, Linn. Ent. I. 1789, 472.

- canaliculatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 40 [*n. n.*].
- canaliculatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 471.
- canaliculatum Cymatium, J. F. Bolten, Mus. Bolten. (2) 1798, 129.
- canaliculata Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 24.
- canaliculata Eurychora (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. VI.
- canaliculatus Helops, J. C. Fabricius, Mant. I. 1787, 213. [1798, 116.—Helops.
- canaliculatus Lyctus, J. C. Fabricius, Ent. Syst. I (2) 1792, 504.
- canaliculatus Lygdsus, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 34.
- canaliculatus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 753; ed. 12, 1767, 1222.
- canaliculata Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116 [*n. n.*].
- canaliculatum Opatrum, J. C. Fabricius, Suppl. Ent. Syst. 1798, 42.
- canaliculata Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 12 [*n. n.*]. [1785, 336.
- canaliculata Phalaena, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI.
- canaliculata Pimelia (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2010.
- canaliculatus Prionus, J. C. Fabricius, Mant. I. 1787, 130. [—Helops.
- canaliculata Saperda, J. A. Frolich, Naturforscher, XXVII. 1793, 144.
- canaliculatus Serropalpus (Fabr.), Illiger in Kugelann, Käfer Preuss. 1798, 127.—Helops.
- canaliculatus Staphylinus, J. C. Fabricius, Mant. I. 1787, 221.
- canaliculata Synchrona, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792,
- canaliculatus Tenebrio (Fabr.), C. de Villers, Linn. Ent. IV. 1789, 361.—Helops. [405.
- canaliculatus Trochus, T. Martyn, Univ. Conch. I. [1784 non 1769], fig. 32.
- canaliculatus Trochus, F. C. Meuschen, Mus. Gev. 1787, 284.
- canaliculatus Turbo, J. Hermann, Naturforscher, XVI. 1781, 52.
- canaliculatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3594.
- canaliculata Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 672.
- canaliculata Vorticella, O. F. Müller, Verm. I (1) 1773, 104.
- canaliculus Mytilus, T. Martyn, Univ. Conch. II [1788], fig. 78.
- canaliculus Mytilus (*ex Mart.*), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3363.
- canalis Bruchus, J. F. Gmelin, *err. pro. analis*, Fab.
- “Canalites, Vogel, 1762,” Herm.; not used in a generic sense.
- canalium Spongia, J. S. Schroeter, Naturforscher, XXIII. 1788, 149.
- canariensis Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 65. [*n. n.*]
- canarium Alata (L.), F. C. Meuschen, Mus. Gev. 1787, 336.—Strombus.
- canaria Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 181; ed. 12, 1766, 321.
- canarium Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 65.—Strombus.
- canaria Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 65 [*n. n.*].
- canarius Passer (L.), J. C. Schaeffer, Mus. Orn. 1789, 27.—Fringilla.
- canaria Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 99.
- canaria Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797—1800], 524.
- canarium Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 745; ed. 12, 1767, 1211.
- Cancellaria Lamarck, Mem. Soc. H. N. Paris, 1799, 71.—G.
- cancellata Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3308.
- cancellatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3489.
- cancellatus Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 30.
- cancellatus Carabus, Illiger in Kugelann, Käfer Preuss. 1798, 154.
- cancellatum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3256.
- cancellata Cassis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 30.—Buccinum.
- cancellata Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 31.
- cancellata Chama (L.), F. C. Meuschen, Mus. Gev. 1787, 452.—Venus.
- cancellata Chamaeformis, F. C. Meuschen, Mus. Gev. 1787, 450. [Cryptocephalus.
- cancellata Chrysomela (Gm.), A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 62.—
- cancellata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2117.
- cancellatus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 712.
- cancellatus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1727.
- cancellata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3414.
- cancellatum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 95.
- cancellata Harpa, J. F. Bolten, Mus. Bolten. (2) 1798, 150.
- cancellata Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 544; ed. 12, 1767, 902.

- cancellata** Mantis, J. C. Fabricius, Syst. Ent. 1775, 276.
cancellata Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 138.
cancellatus Murex, F. C. Meuschen, Mus. Gever. 1787, 322.
cancellatus Murex, D. L. G. Karsten, Mus. Lesk. I. 1789, 266.
cancellatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3548.
cancellata Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116 [n. n.].
cancellata Nerita, J. Hermann, Naturforscher, XVI. 1781, 56.
cancellata Patella, F. C. Meuschen, Mus. Gever, 1787, 240.
cancellata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3704.
cancellatus Phalaropus (Gm.), J. Latham, Index Orn. 1790, 777.—Tringa.
cancellatus Phalaropus, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 60.
cancellata Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 143.
cancellata Serpula, O. Fabricius, F. Groen. 1780, 383.
cancellata Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1622.
cancellatus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 162.
cancellata Spongia, Linnaeus, Syst. Nat., ed. 12, 1767, 1297.
cancellatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 98.
cancellata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3239.
cancellata Thiara, J. F. Bolten, Mus. Bolten. (2) 1798, 109.
cancellata Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 675.
cancellatus Turbo, E. M. da Costa, Brit. Conch. 1778, 104.
cancellata Venus, Linnaeus, Syst. Nat., ed. 12, 1767, 1130.
cancellata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3288.
cancellata Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1191.
Canellus G. Edwards, in M. Catesby, Carol. II. 1771, 33.—Cr.
canellus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2—5) 1783, 94. [125.—Oniscus].
canellus Cancer (Gammarellus), (Pall.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793.
canellus Gammarus (Pall.), J. C. Fabricius, Spec. Ins. I. 1781, 516.—Oniscus.
canellus Oniscus, P. S. Pallas, Spic. Zool. IX. 1772, 52.
Cancer Linnaeus, Syst. Nat., ed. 10, 1758, 625; ed. 12, 1767, 1038.—Cr.
cancharus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 632; ed. 12, 1767, 1053.
cancharus Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 66.
“cancri Entomolithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 160.
cancriformis Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 624; ed. 12, 1767, 1037.
cancriformis Cerambyx, J. C. Fabricius, Syst. Ent. 1775, 165.
cancriformis Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 272.
cancriforme Phalangium, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778.
cancrivorus Campsiurus, H. F. Link, Beitr. Nat. I (2), 1795, 87. [222].
cancrivora Didelphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 108.
cancrivorus Ursus, G. Cuvier, Tab. Elém. 1798, 113.
cancrivora Viverra, Al. Brongniart, Actes Soc. H. N. Paris, I (1), 1792, 115.
Cancroides C. de Geer, Mém. Ins. VII. 1778, 297.—Ar.
cancroides Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 616.—[Phalangium, ed. 12.]
cancroides Chelifer, A. F. de Fourcroy, Ent. Paris. 1785, 526.
cancroides Lucanus, J. C. Fabricius, Mant. I. 1787, 2.
cancroides Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 177.
cancroides Obiscum (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 501.—Scorpio.
cancroides Phalangium, Linnaeus, Syst. Nat., ed. 12, 1767, 1028.
cancroides Scorpio (L.), J. C. Fabricius, Syst. Ent. 1775, 400.—Phalangium.
Cancroma Linnaeus, Syst. Nat., ed. 12, 1766, 233.—A.
Cancroma B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 18.—A.
“Cancrophagus Briss. 1760,” Waterh.; not used in a generic sense.
cancrophaga Alcedo, J. Latham, Index Orn. 1790, 249.
cancrophaga Cancroma, Linnaeus, Syst. Nat., ed. 12, 1766, 233.
candaon [Papilio], J. A. B. Bergstrasser, Ic. Pap. I. 1779, 5.
candelabraria Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 405.
candelabrum Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2179.
candelaria Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 434.

- candelaria* Fulgora, Linnaeus, Syst. Nat., ed. 12, 1767, 703.—Cicada, 1758.
- candelaria* Laternaria, Linnaeus, Mus. Lud. Ulr. 1764, 153.
- candelisequa* Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 72.
- candelisequa* Phalaena Noctua, J. Hübner, Vögel u. Schmett. 1793, 11 [*n. et f.*].
- candelisequa* Phalaena Noctua (D. & S.), E. J. C. Esper, Die Schmett. IV. Abschn. 2 [post 1796], 39.—Noctua.
- candens* Buprestis, G. W. F. Panzer, Ins. Germ. heft 1, 1792, no. 9.
- candens* Chrysis, J. D. Preyßler, in Mayer's Samml. Phys. Aufsätze, I. 1791, 136.
- candens* Mytilus, F. C. Meuschen, Mus. Gever. 1787, 466.
- candens* Trochus, F. C. Meuschen, Mus. Gever. 1787, 282.
- candicans* Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 275; *var.* islandicus.
- candicans* Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3735.
- candidae* Scarabaeus, V. Petagna, Spec. Ins. ult. Calab. 1786, 3.
- candidana* Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 245.
- candidaria* Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 101 [*n.*].
- candidatus* Curculio, P. S. Pallas, Reise Russ. I. 1771, 462. [*et f.*].
- candidata* Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 110.
- candidata* Geometra, C. de Villers, Linn. Ent. IV. 1789, 513.
- candidata* Phalaena, J. C. Fabricius, Mant. II. 1787, 215. [327.—Geometra.
- candidata* Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
- candidissima* Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 633.
- candidissimus* Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 86.
- candidissima* Nerita, C. U. v. Salis, Reise Neapel, 1793, 380.
- candidissima* Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3709.
- candidissima* Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3231.
- candidulus* Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 82.
- candidula* Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 89.
- candidula* Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
- candida* Actinia, O. F. Müller, Z. Dan. Prod. 1776, 231. [196.—Noctua.
- candida* Alca, M. T. Brünnich, Orn. Boreal. 1764, 26.
- candida* Arca, G. S. Helbling, Abh. Privatges. Bohm. IV. 1779, 129.
- candida* Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3311.
- candida* Bombyx, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 5.
- candidum* Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 257.
- candidum* Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3485.
- candidus* Cancer, G. Olivi, Zool. Adriat. 1792, 51.
- candidus* Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1838.—
- candidus* Cerastes, J. N. Laurenti, Syn. Rept. 1768, 83. [Saperda.
- candidus* Chamaeleo, J. N. Laurenti, Syn. Rept. 1768, 46.
- candidus* Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 223; ed. 12, 1766, 384.
- candidus* Conus, I. v. Born, Index Mus. Caes. Vind. 1778, 130.
- candidus* Corax, F. M. Daudin, Traité élém. Orn. 1800, 226.
- candida* Corone, F. M. Daudin, Traité élém. Orn. 1800, 229.
- candidus* Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 50 [*n. n.*].
- candidus* Curculio, J. C. Fabricius, Syst. Ent. 1775, 146.
- candidus* Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 83.
- candida* Cypris, O. F. Müller, Z. Dan. Prod. 1776, 199.
- candida* Donax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3266.
- candidus* Echinorynchus, O. F. Müller, Z. Dan. Prod. 1776, 214.
- candida* Empis, P. Rossi, Fauna Etrus. II. 1790, 335.
- candidus* Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 258.
- candida* Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 485.
- candida* Fasciola, O. F. Müller, Verm. I (2) 1774, 71.
- candida* Flata, J. C. Fabricius, Suppl. Ent. Syst. 1798, 518.
- candida* Fringilla, A. Sparman, Mus. Carls. I. 1786, no. xx.
- candida* Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3616.
- candidus* Hemerobius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 202.
- candidus* Himantopus, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 24.

- candidus** Julus, O. F. Müller, Z. Dan. Prod. 1776, 201.
candida Leucophra, O. F. Müller, An. Infus. 1786, 153.
candida Melolontha, A. G. Olivier, Entom. I. 1789, 15.
candidus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3002.—
candidus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3228. [Cypris.]
candidus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3256.
candida Natrix, J. N. Laurenti, Syn. Rept. 1768, 74.
candida [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 82.
candidus Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 30.
candida Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3714.
candidus Pholas, Linnaeus, Syst. Nat., ed. 10, 1758, 669; ed. 12, 1767, 1111.
candidus Picus, B. C. Otto in Buffon, Natg. Vögel, XXIII. 1796, 191.
candida Planaria, O. F. Müller, Z. Dan. Prod. 1776, 223.—Fasciola, 1774.
candida Salamandra, J. N. Laurenti, Syn. Rept. 1768, 41.
candida Saperda, J. C. Fabricius, Mant. I. 1787, 147.
candida Scolopax, Linnaeus, Syst. Nat., ed. 12, 1766, 247.
candida Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 607.
candida Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3244.
candida Tringa, M. Houttuyn in Nozeman & Houttuyn, Ned. Vogel. III (179—), 267.
candida Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3290.
candiope [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 78.
candisatum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 126.
candybus [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 78.
Canellus W. Hayes, Nat. Hist. Brit. Birds. 1775, 7 [? *err. pro Vanellus*].—A.
canella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
canente [Phalaena], P. Cramer, Utitl. Kapellen, III (21), 1779, 98.
canescens Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2791.
canescens Bombylius, J. C. Mikan, Mon. Bomb. 1796, 54.
canescens Cantharis, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 302.
canescens Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 272; ed. 12, 1766, 460.
canescens Curculio, P. Rossi, Mant. Ins. I. 1792, 40.
canescens Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 240.
canescens Gryllus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 59.
canescens Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2703.
canescens Larus, Linnaeus in Hasselquist, Palast. 1762, 325.
canescens Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3724.
canescens Phalaena Noctua, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2536.
canescens Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 668.
canescens Spheg, J. A. Scopoli, Del. Insub. II. 1786, 66.
canescens Sylvia, J. Latham, Index Orn. 1790, 553.
canescens Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2666.
canescens Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2767.
cangura (canguru) *v.* kanguru.
canicula Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 234; ed. 12, 1766, 399.
canicula Vorticella, O. F. Müller, An. Infus. 1786, 300.
caniculae Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 10.
canicularis Musca, Linnaeus, Faun. Suec., ed. 2, 1761, 454.
canicularis Musca, M. Houttuyn, Nat. Hist. I (12) 1768, 506.
canicularis Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 30.
canicularis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 323.
canicularis Scarabaeus, J. A. Scopoli, Annus V. 1772, 77.
canidia Papilio (Dan.), A. Sparrman in Linn. Amoen. Acad. VII. 1769, 504.
canina Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 25.
canina Boa, Linnaeus, Syst. Nat., ed. 10, 1758, 215; ed. 12, 1766, 373.
caninus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (1) 1782, 78.
canina Cenchrus, F. C. Meuschen, Mus. Gronov. 1778, 16.
canina Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 107.
caninus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 467.

- canina** Musca, J. C. Fabricius, Spec. Ins. II. 1781, 440.
caninum Myrmeleon, J. C. Fabricius, Ent. Syst. II. 1793, 94.
canina Noctua, J. C. Fabricius, Ent. Syst. III (2), 1794, 43.
caninus Squalus, P. Osbeck, Reise Ost-Indien China, 1765, 102.
canina Stratiomys, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 23.
canina Taenia, Linnaeus, Syst. Nat., ed. 10, 1758, 820; ed. 12, 1767, 1324.
Canis Linnaeus, Syst. Nat., ed. 10, 1758, 38; ed. 12, 1766, 56.—M.
canis Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 7.
canis Pediculus (De G.), C. de Villers, Linn. Ent. IV. 1789, 33.—Ricinus.
canis Ricinus, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 202.
canis-familiaris Pediculus, O. F. Müller, Z. Dan. Prod. 1776, 184.
canis-marinus Squalus, P. Forskal, Descr. Anim. 1775, x.
canis-volans Vespertilio, J. F. Blumenbach, Hand. Naturg., ed. 2, 1782, 73.
canitia [Phalaena], P. Cramer, Utitl. Kapellen, IV (26) 1780, 28.
Canix *v.* **Canis**, Linnaeus, Syst. Nat., ed. 12, vol. III. 1768, App. 223.—M.
cannabina Acanthis (L.), M. B. Borkhausen, Deutsch. Fauna, I. 1797, 255.—Fringilla.
cannabina Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 182; ed. 12, 1766, 322.
cannabina Musca, Scopoli, Ent. Carn., 1763, 344.
cannabina Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 272.
cannabis Ichneumon, Scopoli, Ent. Carn. 1763, 288.
cannelletto Serpula, G. Olivi, Zool. Adriat. 1792, 195.
canonicus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 749.
canonicus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 43.
canonica Certhia, J. A. Scopoli, Del. Insub. II. 1786, 90.
canorus Cuculus, Linnaeus, Syst. Nat., ed. 10, 1758, 110; ed. 12, 1766, 168.
canorus Cuculus, J. C. Schaeffer, Mus. Orn. 1789, 45.—*varr.* junior & rufus.
canorus Falco, C. P. Thunberg, De Falcone canoro, 1799.
canora Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 858.
canora Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 896.
canorus Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 169; ed. 12, 1766, 293.
canrena Cochlis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 146.—Nerita.
canrena Natica (L.). Lamarek, Mém. Soc. H. N. Paris, 1799, 77.—Nerita.
canrena Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 776; ed. 12, 1767, 1251.
cantabrigiensis Scolopax, J. Latham, Syn. Birds, Suppl. I. 1787, 292.
cantans Gryllus, J. C. Fuessly, Schweiz. Ins. 1775, 23.
cantans Loxia, J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1788, 859.
cantans Tettigonia, J. C. Fabricius, Ent. Syst. IV. 1794, 20.
cantans Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 247.
cantans Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 825.
cantatar Formicarius, P. Boddaert, Tab. Planch. Enl. 1783, 44.
cantator Ichneumon, C. de Geer, Mém. Ins. VII. 1778, 594.
cantatrix Muscicapa, Bartram, B. S. Barton, N. H. Pennsylv. 1799, 18.
canterius Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 271.
cantharellus Staphylinus, Linnaeus, Syst. Nat., ed. 12, 1767, 685.
"Cantharidium Linn. 1759." Ag.; does not occur.
cantharinum Callidium, J. C. Fabricius, Spec. Ins. II. 1781, 500.
cantharinus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 637.
cantharinus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 108.
cantherina Leptura (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 95.—Cerambyx.
cantharinum Rhagium, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 93.
Cantharis Linnaeus, Syst. Nat., ed. 10, 1758, 400; ed. 12, 1767, 647.—Col.
Cantharis E. L. Geoffroy, Hist. Ins. I. 1762, 339.—Col.
cantharoides Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 165.—Crioceris.
cantharoides Crioceris, J. C. Fabricius, Syst. Ent. 1775, 120.
cantharoides Cryptocephalus (F.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1720.
cantharoides Elater, A. G. Olivier, Entom. II. 1790, 36. [—Crioceris.
cantharoides Leptura, Scopoli, Ent. Carn. 1763, 49.
cantharoides Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 108.

- cantharoides** *Necydalis*, F. v. P. Schrank, *Ins. Aust.* 1781, 167.
- Cantharus** J. F. Bolten, *Mus. Bolten.* (2) 1798, 132.—G.
- cantharus** *Sparus*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 280; ed. 12, 1766, 470.
- canthus** *Papilio* (*Danaus*), Linnaeus, *Syst. Nat.*, ed. 12, 1767, 768.
- cantiaca** *Sterna*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 606.
- cantilenosus** *Murex*, F. C. Meuschen, *Mus. Gever.* 1787, 326.
- cantillans** *Certhia*, J. Latham, *Index Orn.* 1790, 299.
- cantillans** *Motacilla*, A. Vroeg, *Catal. Vogel.* 1764, Adumb. 4.
- cantonensis** *Cyprinus*, P. Osbeck, *Reise Ost-Ind. China*, 1765, 155.
- cantonensis** *Fringilla*, J. R. Forster in Latham & Davies, *Faun. Ind.*, ed. 2, 1795, 9 [*n. n.*].
- cantor** *Cerambyx* (Fab.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1829.—*Lamia*.
- cantor** *Lamia*, J. C. Fabricius, *Mant. I.* 1787, 142.
- cantor** *Turdus*, E. Pontoppidan, *Danske Atlas*, I. 1763, 627 [*n. n.*].
- cantor** *Turdus*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 837.
- cana** *Anas*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 510.
- cana** *Apis*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2791.
- cana** *Aranea*, O. F. Müller, *Z. Dan. Prod.* 1776, 194.
- cana** *Ardea*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 643.
- canus** *Chaetodon*, G. S. Volta, *Itt. Veron.* (2) [circa 1800], cclxx.
- canus** *Coluber*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 221; ed. 12, 1766, 382.
- cana** *Columba*, J. R. Forster in Latham & Davies, *Faun. Ind.*, ed. 2, 1795, 10 [*n. n.*].
- canus** *Curculio*, J. F. W. Herbst in Fuessly, *Arch. Ins. V.* 1784, 73.
- cana** *Fringilla*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 920.
- canus** *Larus*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 136; ed. 12, 1766, 224.
- cana** *Loxia*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 175; ed. 12, 1766, 305.
- cana** *Motacilla*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 973.
- canus** *Musca*, M. Harris, *Exp. Eng. Ins.* 1776, 114.
- cana** *Muscicapa*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 940.
- cana** *Meritaeformis*, F. C. Meuschen, *Mus. Gever.* 1787, 276.
- cana** *Phalaena*, Scopoli, *Ent. Carn.* 1763, 236.
- cana** *Phalaena Noct.*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2580.
- canus** *Picus*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 434.
- canus** *Psittacus*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 350.
- [**cana** *Sphinx*, MS.], T. Martyn, *Psyche*, 1797, fig. 46.
- cana** *Sylvia* (Gm.), J. Latham, *Index Orn.* 1790, 543.—*Motacilla*.
- canus** *Tetrao*, A. Sparrman, *Mus. Carls. I.* 1786, no. xvi.
- canusina** *Tellina*, F. C. Meuschen, *Mus. Gever.* 1787, 458.
- “**Canutus** Briss. 1760,” Waterh.; not used in a generic sense.
- canutus** *Tringa*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 149; ed. 12, 1766, 251.
- caouana** *Testudo*, B. G. E. de Lacépède, *Quad. Ovip. &c. I.* 1788, *Syn. méth.*
- capanea** [*Papilio*], P. Cramer, *Uitl. Kapellen*, III (20) 1779, 74.
- caparoch** *Strix*, P. L. S. Müller in *Linn. Syst. Nat.*, *Suppl.* (1776), 69.
- capelanus** *Gadus*, B. G. E. de Lacépède, *Hist. Nat. Poiss. II.* 1800, 366.
- capella** *Vanellus*, J. C. Schaeffer, *Mus. Orn.* 1789, 49.
- capensis** *Acheta*, J. C. Fabricius, *Syst. Ent.* 1775, 281.
- capensis** *Alauda*, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 288.
- capensis** *Alauda*, P. Boddaert, *Tab. Planch. Enl.* 1783, 45.
- capensis** *Alcedo*, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 180. [*drica*, *var. capensis*, Pall.]
- capensis** *Amphitrite*, J. G. Bruguière, *Ency. Méth. (Vers)* (1) 1789, 55.—*v. Nereis cylindrica*.
- capensis** *Anas*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 527.
- capense** *Anobium*, C. P. Thunberg, *Nov. Ins. Spec.* (1) 1781, 9.
- capense** *Anobium*, J. C. Fabricius, *Mant. II.* 1787, 378.
- capensis** *Anomia*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3347.
- capensis** *Ascalaphus*, J. C. Fabricius, *Spec. Ins. I.* 1781, 400.
- capensis** *Blatta*, C. P. Thunberg, *Nov. Ins. Spec.* (4) 1784, 76.
- capensis** *Blennius*, J. R. Forster in Levaillant, *Erste Reise Afrika* (Berlin, 1792), 21! [*n. n.*].
- capensis** *Bomblyus*, Linnaeus, *Mus. Lud. Ulr.* 1764, 423.
- capensis** *Bombyx* (L.), J. C. Fabricius, *Syst. Ent.* 1775, 562.—*Phalaena*.

- capensis Bucco, Linnaeus, Syst. Nat., ed. 12, 1766, 168.
- capensis Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 49.
- capensis Cantharis (L.), C. de Geer, Mém. Ins. VII. 1778, 648.—Meloe.
- capensis Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1969.
- capensis Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 336.
- capensis Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 278.
- capensis Cavia, P. S. Pallas, Misc. Zool. 1766, 30.
- capensis Cerambyx, Linnaeus, Mus. Lud. Ulr. 1764, 74.
- capensis Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 185.
- capensis, *var. melanura* Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 473.
- capensis Cetonia (L.), J. C. Fabricius, Syst. Ent. 1775, 46.—Scarabaeus.
- capensis Chameleo, J. P. Bonnaterre, Ency. Méth. (Erp.), 1789, 32.
- capensis Chrysochloris, B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.
- capensis Cicada, Linnaeus, Mus. Lud. Ulr. 1764, 158.
- capensis Cicindela, Linnaeus, Mus. Lud. Ulr. 1764, 84.
- capensis Cicindela, C. de Villers, Linn. Ent. IV. 1789, 332.
- capensis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2158.
- capensis Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 16.
- capensis Coccus, Linnaeus, Amoen. Acad. VI. 1763, 401.
- capensis Coccus, A. Modeer, Götheborg. Samhalle Hand. (Wet. Afd.) I. 1778, 31.
- capensis Colius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 842.
- capensis Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 208.
- capensis Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 286.
- capensis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1719.
- capensis Cuculus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 90.
- capensis Curculio, Linnaeus, Mus. Lud. Ulr. 1764, 59.
- capensis Dermestes (Thunb.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1598.—
- capensis Elephas, G. Cuvier, Mém. Inst. [Paris], II (1798), 21. [Anobium.]
- capensis Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 310.
- capensis Felis, J. R. Forster, Phil. Trans. LXXI (1) 1781, 4.
- capensis Felis, G. Shaw in Miller, Cim. Phys. 1796, 76.
- capensis Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 165.
- capensis Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2061.—Acheta.
- capensis Gyrynus, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 27.
- capensis Gyrynus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 45.
- capensis Helops, J. C. Fabricius, Ent. Syst. IV. 1794, 440.
- capensis Hirudo, A. Sparrman, Resa till Goda Hopps-Udden, I. 1783, 701.
- capensis Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1019.
- capensis Hispa, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 66.
- capensis Hyaena, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 675.
- capensis Hyrax (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 166.—Cavia.
- capensis Hyrax (Pall.), J. C. D. Schreber, Säugth. IV. 920 (1792), pl. ccxl (1783).—
- capensis Jerboa, J. F. Miller, Icon. Anim., pl. 31 (1781). [Cavia.]
- capensis Lacerta, A. Sparrman, Resa till Goda Hopps-Udden, I. 1783, 749.
- capensis Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 40.—Mus.
- capensis Lamia (L.), J. C. Fabricius, Syst. Ent. 1775, 173.—Cerambyx.
- capensis Lampyrus, J. C. Fabricius, Syst. Ent. 1775, 201.
- capensis Lepus, Linnaeus, Syst. Nat., ed. 10, 1758, 58; ed. 12, 1766, 78.
- capensis Libellula, Linnaeus, Syst. Nat., ed. 12, 1767, 904.
- capensis Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 306.
- capensis Lucanus, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 5.
- capensis Mantis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2055.
- capensis Marmotta (Pall.), Lamarck in Thunberg, Voy. Japon &c. I. 1796, 320.—Mus.
- capensis Meloe, Linnaeus, Mus. Lud. Ulr. 1764, 104.
- capensis Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 333.
- capensis Mus, P. S. Pallas, N. sp. Quad. II. 1779, 172.
- capensis Mus (Myotalpa), R. Kerr, Anim. Kingd. 1792, 246.
- capensis Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 327.

- capensis** Mylabris (L.), J. C. Fabricius, Syst. Ent. 1775, 261.—Meloe.
capensis Myrmecophaga, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 53.
capense Myrmeleon, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 79.
capensis Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 163.
capensis Orycteropus (Gm.), G. Cuvier, Tab. Elém. 1798, 144.—Myrmecophaga.
capensis Paronpa, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 67.
capensis Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1011.
capensis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3720.
capensis Pelecanus, A. Sparrman, Mus. Carls. III. 1788, no. lxi.
capensis Perdix (Gm.), J. Latham, Index Orn. 1790, 643.—Tetrao.
capensis [Phalaena], P. Cramer, Utitl. Kapellen, II (14) 1777, 109.
capensis [Phalaena], P. Cramer, Utitl. Kapellen, IV (26) 1780, 24. [P. (Bombyx) Linn.
capensis Phalaena (Attacus) Linn., H. G. Lang, Verz. Schmett., ed. 2, 1789, 82.—
capensis Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 12, 1767, 813.
capensis Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 430.
capensis Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1004.
capensis Procellaria, Linnaeus, Syst. Nat., ed. 10, 1758, 132; ed. 12, 1766, 213.
capensis Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 80.
capensis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 350.
capensis Ptinus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1606.—Anobium.
capensis Raja, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1512.
capensis Rallus, Linnaeus, Mant. II. 1771, 525.
capensis Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3749.
capensis Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 352; ed. 12, 1767, 556.
capensis Sciurus, R. Kerr, Anim. Kingd. 1792, 266.
capensis Scolopax, Linnaeus, Syst. Nat., ed. 12, 1766, 246.
capensis Scorpaena, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1219.
capensis Scorpio, J. F. W. Herbst, Nat. ungefl. Ins. (4) 1800, 62.
capensis Sphex, Linnaeus, Mus. Lud. Ulr. 1764, 407.
capensis Sphinx, Linnaeus, Mus. Lud. Ulr. 1764, 349.
capensis Staphylinus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 53.
capensis Sturnus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 802.
capensis Sylvia, J. A. Scopoli, Del. Insub. II. 1786, 96.
capensis Tanagra, A. Sparrman, Mus. Carls. II. 1787, no. xlv.
capensis Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1997.
capensis Termes, C. de Geer, Mém. Ins. VII. 1778, 47.
capensis Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 759.
capensis Trochilus, Linnaeus, Mant. II. 1771, 525.
capensis Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3573.
capensis Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 295.
capensis Upupa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 466.
capensis Vespa, Linnaeus, Syst. Nat., ed. 12, 1767, 952.
capensis Viverra, J. C. D. Schreber, Säugth. III. 450 (1777), pl. cxxv (1776).
capensis Viverra, J. C. P. Erxleben, Syst. Anim. 1777, 493.
capensis Yerbua, J. R. Forster, K. Vet. Ac. Handl. XXXIX. 1778, 113 & 116.
caperans Brachycerus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 55.
caperans Brachycerus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 88.—[? Lichten-
caperata Ancilla, F. C. Meuschen, Mus. Gever. 1787, 246. [stein sp.]
caperata Chama, F. C. Meuschen, Mus. Gever. 1787, 452.
capicola Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 46. [Melolontha.
capicola Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1566.—
capillacea Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 7.—[capillaris, Gm.]
capillaceus Pectunculus, E. M. da Costa, Brit. Conch. 1778, 187.
Capillaria J. G. H. Zeder, 1 Nachtr. Goeze's Naturg. Eingew. 1800, 5.—Ver.
capillaris Ascaris, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 121.
capillaris Cimex, J. C. Fabricius, Syst. Ent. 1775, 725.
capillaris Gordius, O. Fabricius, F. Groen. 1780, 270.
capillaris Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 180.—Cimex, 1775.

- capillaris* Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3725.
capillata Amphinome, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 45.
capillata Medusa, Linnaeus, Syst. Nat., ed. 10, 1758, 660; ed. 12, 1767, 1097.
capillitiana Phalaena, Scopoli, Ent. Carn. 1763, 238.
Capisterium F. C. Meuschen, Mus. Gever. 1787, 462.—L.
capistratus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 275; ed. 12, 1766, 465.
capistratus Crabro, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 128.
capistrata Curculio, J. C. Fabricius, Mant. I. 1787, 120.
capistratus Simia (Cercop.), R. Kerr, Anim. Kingd. 1792, 73.
capistratus Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 281; ed. 12, 1766, 473.
capistrata Zygaena, J. C. Fabricius, Syst. Ent. 1775, 554.
capitalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 229.
capitalis Tanagra, J. Latham, Index Orn. 1790, 432.
capitaneus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 713; ed. 12, 1767, 1166.
capitaneus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 43.—Conus.
capitator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 335.
capitator Ichneumon, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 86.
capitatus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 52.
capitatus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 377.—Buprestis.
capitata Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 56.
capitata Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 754.
capitata Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 79.
capitatus Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 90.
capitatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 468.—Phalaena capitalis,
capitatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 51 [*n. n.*]. [1794-
capitatus Curculio, C. de Geer, Mém. Ins. V. 1775, 245.
capitata Fasciola, O. F. Müller, Verm. I (2) 1774, 70.
capitata Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 142 [*n. n.*]; Essai
 Fourmis, 1798, 46.
capitatus Gryllus (Tettig.) (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
capitatus Hemerobius, J. C. Fabricius, Ent. Syst. II. 1793, 82. [2071.—Locusta.
capitata Hispa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 117.
capitata Hydra, O. F. Müller, Z. Dan. Prod. 1776, 230.
capitata Locusta, C. de Geer, Mém. Ins. III. 1773, 455.
capitatus Lumbricus, O. Fabricius, F. Groen. 1780, 279.
capitatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 169.
capitata Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (4) 1795, 102.
capitata Musca, C. de Geer, Mém. Ins. VI. 1776, 23.
capitata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 638.
capitata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 223.—Fasciola, 1774.
capitatus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 263.
capitata Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 440. [1794-
capitatus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 509.—Alucita capitella,
capite-bifurcatus Lacertus, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
capite-niger Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 118.
capite-planus Lacertus, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
capite-rufo Buprestis, J. A. Scopoli, Annus V. 1772, 106.
capite-rufo Meloe, J. A. Scopoli, Annus V. 1772, 103.
capite-triangularis Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 112.
capitella Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 330.
capitellum Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 750.
capitella (*sic*) [Phalaena], C. Clerck, Icones, I. 1759, pl. xi. 1.
capitella Phalaena (Tinea), Linnaeus, Faun. Succ., ed. 2, 1761, 356.
capitella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 663.—Phalaena.
capitellum Vasum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 56.—Voluta.
capitellum Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1195.
capitellum Voluta, I. v. Born, Index Mus. Caes. Vind. 1778, 221.
capito Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 30.

- capito** Cyprinus, A. I. Gueldenstaedt, Acta Ac. Sci. Petrop. 1778 (2), 1781, 248.
- capito** Formica, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 211.
- capito** Musca, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 216.
- capitolina** Anas, F. v. P. Schrank, F. Boica, I. 1798, 241.
- capoeta** Cyprinus, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XVII. 1773, 508.
- caponica** Lamproyris, J. C. Fabricius, Mant. I. 1787, 162.
- caponis** Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 614; ed. 12, 1767, 1020.
- cappa** Sciaena, Linnaeus, Syst. Nat., ed. 10, 1758, 288; ed. 12, 1766, 480.
- cappana** Phalaena Tort., C. de Villers, Linn. Ent. II. 1789, 416.
- Capparis** P. E. Isert, Schr. Berlin. Ges. nat. Freunde. IX. 1789, 334.—A.
- cappatus** Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 216.
- cappata** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 303.
- Capra** Linnaeus, Syst. Nat., ed. 10, 1758, 68; ed. 12, 1766, 94.—M.
- capra** Copris (Fab.), L. G. Schriba, J. Lieb. Ent. I. 1790, 52.—Scarabaeus.
- capra** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 168.—Scarabaeus.
- capra** Lucanus, A. G. Olivier, Entom. I. 1789, 11.
- capra** Membracis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 514.
- capra** Scarabaeus, J. C. Fabricius, Mant. I. 1787, 15.
- caprana** Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 475.
- caprata** Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 335.
- caprata** Sylvia (L.), J. Latham, Index Orn. 1790, 524.—Motacilla.
- capraea** Lucanus, C. de Geer, Mém. Ins. IV. 1774, 335.
- capraea** Taenia, P. C. Abildgaard in Müller, Zool. Dan. ed. 3, III. 1789, 52.
- [**capraeae**].
- capraeae** Adimonia (Fabr.), F. v. P. Schrank, F. Boica, I. 1798, 557.—Cricocaris.
- capraeae** Aphis, J. C. Fabricius, Syst. Ent. 1775, 734.
- capraeae** Coccus, Linnaeus, Syst. Nat., ed. 12, 1767, 741. [cupraea S.N. XII. 600.
- capraeae** Cricocaris (L.), J. C. Fabricius, Syst. Ent. 1775, 118.—Chrysomela capraea.
- capraeae** Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1718.—
- capraeae** Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 168. [Chrysomela.
- capraeae** Cynips, Linnaeus, Faun. Suec., ed. 2, 1761, 388.
- capraeae** Galeruca, O. F. Müller, Z. Dan. Prod. 1776, 83.
- capraeae** Galeruca (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 591.—Chrysomela.
- capraeae** Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 21.—Cricocaris, 1775.
- capraeae** Noctua, J. C. Fabricius, Mant. II. 1787, 140.
- capraeae** Pteromalus (L.), N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 221.—
- capraeae** Tenebrio, Scopoli, Ent. Carn. 1763, 83. [Cynips.
- capraeae** Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 559; ed. 12, 1767, 928.
- Caprea** G. Edwards in M. Catesby, Carol. I. 1771, xxviii.—M. [capraea *erratis*.]
- caprea** Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 376.—[cupraea, ed. 12, *sed v.*
- caprearia** Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 350.
- capreolaria** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 105.
- capreolaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 204 [n.
- capreolicornis** Prionus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 38. [*et. f.*].
- capreolus** Antilope, J. R. Forster in Levaillant, Erste Reise Afrika (Berlin, 1792), 71.
- capreolus** Cervus, Linnaeus, Syst. Nat., ed. 10, 1758, 68; ed. 12, 1766, 94.
- capreolus** Lucanus, J. C. Fuessly, Schweiz. Ins. 1775, 3.
- capreolus** Scarabaeus, Linnaeus, Amoen. Acad. VI. 1763, 391.
- Capricerva** E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 448.—M.
- capricornis** Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 128.
- capricornis** Membracis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 98.
- caprifolii** Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer. 1783, 54.
- Caprimulgus** Linnaeus, Syst. Nat., ed. 10, 1758, 193; ed. 12, 1766, 346.—A.
- caprimulgus** Noctua, J. C. Fabricius, Syst. Ent. 1775, 591.
- caprina** Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3061.
- caprina** Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3069.—[capraea,
- Capriscus** [P. Artedi, Ichth. 1738, syn. 114].—P. [Abild. *est.*]
- Capriscus** (*ex* Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 580.—P.

- capriscus Balistes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1471.
- caprius Cuculus, P. Boddaert, Tab. Planch. Enl. 1783, 40.
- caprotina Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 7.
- caprotina Phalaena Bom., Panzer in Drury, Exot. Ins. 1785, 36.
- Capsa [G. Humphreys], Mus. Calonn. 1797, 59.—L.
- Capsa J. G. Bruguière, Ency. Méth. (Tabl. Vers), pl. 231 (1797) [*n. et f.*].—L.
- Capsa Lamarck, Mém. Soc. H. N. Paris, 1799, 84.—L.
- capsa Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 912.
- capsincola Bruchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 159.
- capsincola Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 84.
- capsincola Phalaena Noctua, J. Hübner, Beitr. Schmett. I (4) 1789, 19.
- Capsularia A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 256.—Pol.
- Capsularia J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 5 & 7.—Verm.
- Capsularia G. Cuvier, Leçons Comp. Anat. I. 1800, 9 [*n. u.*].
- capsularius Bruchus, F. v. P. Schrank, Naturforscher, XXIV. 1789, 70.
- capsuliflorus Brachionus, P. S. Pallas, Elench. 1766, 91.
- captivum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 230.—Gryllus.
- captivum Cyclops, O. F. Müller, Entom. 1785, 116.
- captiva Gryllus, J. C. Fabricius, Syst. Ent. 1775, 293. [Cyclops.]
- captivus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2998.—
- capucinella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 45.
- capucina Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 259.—Biblio, 1781.
- capucinus Apate, J. C. Fabricius, Spec. Ins. I. 1781, 62.
- capucinus Apate (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 493.
- capucina Biblio, J. C. Fabricius, Spec. Ins. II. 1781, 415. [—Bostrichus.]
- capucina Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 575.—Phalaena.
- capucinus Bostrichus, J. C. Fabricius, Mant. I. 1787, 36.
- capucinus Cebus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 48.—Simia.
- capucina Cetonia, J. C. Fabricius, Mant. I. 1787, 28.
- capucina Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 163 [*n. u.*].
- capucinus Conus, F. C. Meuschen, Mus. Gev. 1787, 354.
- capucinus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 159.—Scarabaeus.
- capucinus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1717.
- capucinus Curculio, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 283.
- capucinus Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 355; ed. 12, 1767, 562.
- capucinus Dermestes (Fab.), C. de Villers, Linn. Ent. I. 1789, 46.—Bostrichus.
- capucinus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1918.
- capucinus Ligniperda (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 34.—Dermestes.
- capucina Melolontha (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 183.—
- capucina Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 136. [Cetonia.]
- capucina Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2831.—Biblio.
- capucinus Papilio, J. E. I. Walch, Naturforscher, VI. 1775, 129.
- capucina Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 507; ed. 12, 1767, 832.
- capucina Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2581.
- capucinus Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 143.
- capucinus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 25.
- capucina Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 29; ed. 12, 1766, 42.
- capucinus Simia (Sapajus) L., R. Kerr, Anim. Kingd. 1792, 78 & *var.* albulus.
- capucinus Synodendron, J. C. Fabricius, Ent. Syst. I (2) 1792, 359.—Bostrichus, 1787.
- caput bovis Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 28 [*n. u.*].
- caput equinum Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 28.
- caput medusae Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 663; ed. 12, 1767, 1101.
- caput-mortuum Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1050.
- caput mortuum Dromia (L.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
- caput mortuum Pagurus (L.), J. C. Fabricius, Syst. Ent. 1775, 411.—Cancer.
- caput-mortuum Sphinx, Linnaeus in Hasselquist, Palast. 1762, 456.
- caput-serpentis Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 703; ed. 12, 1767, 1153.
- caput-serpentis Criopoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—Anomia.

- caput-serpentis** Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 720; ed. 12, 1767, 1175.
caput serpentis Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 408.—Cyprea.
caput serpentis Terebratula (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 13.—
capybara Cavia, P. S. Pallas, Misc. Zool. 1766, 31. [Anomia.
capybara Hydrochaerus, J. C. P. Erxleben, Syst. Anim. 1777, 193.
capys [Sphinx], P. Cramer, Utitl. Kapellen, I (5) 1775, 88.
capys Zygaena (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 166.—Sphinx.
carabi Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3040.
caraboides Cerambyx (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1858.—
caraboides Chrysomela, Linnaeus, Faun. Suec., ed. 2, 1761, 173. [Stenocorus.
caraboides Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 110.
caraboides Cicindela, F. v. P. Schrank, Ins. Aust. 1781, 193. [Chrysomela.
caraboides Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1731.—
caraboides Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 411; ed. 12, 1767, 664.
caraboides Elaphrus (Schr.), A. G. Olivier, Entom. II. 1790, 5.—Cicindela.
caraboides Helops, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 3.
caraboides Hydrophilus (L.), J. C. Fabricius, Syst. Ent. 1775, 228.—Dytiscus.
caraboides Hydrous, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 38.
caraboides Lucanus (Linn.), Scopoli, Ent. Carn. 1763, 2.—Scarabaeus.
caraboides Platycerus, A. F. de Fourcroy, Ent. Paris. 1785, 3.
caraboides Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 354.—[Lucanus, ed. 12.]
caraboides Serropalpus (L.), A. G. Olivier, Entom. III. 1795, 5.—Chrysomela.
caraboides Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 422; ed. 12, 1767, 685.
caraboides Stenocorus, J. A. Scopoli, Annus V. 1772, 99.
caraboides Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 418; ed. 12, 1767, 677.
caraboides Trogositia (L.), J. C. Fabricius, Ent. Syst. I (1) 1792, 115.—Tenebrio.
caraborum Acarus, J. C. Fabricius, Ent. Syst. IV. 1794, 433.
caraborum Acarus, F. v. P. Schrank, Briefe Donaumoor, 1795, 149.
Carabus Linnaeus, Syst. Nat., ed. 10, 1758, 413; ed. 12, 1767, 668.—Col.
carabus Astacus (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 345.—Cancer.
carabus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 632; ed. 12, 1767, 1052.
carabus Cancer (Astacus) L., J. F. W. Herbst, Vers. Nat. Krab. II (2), 1792, 67.
caracal Felis, A. I. Gueldstaedt, N. Comm. Ac. Sci. Petrop. XX. 1776, 500.
caracal Felis, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 30.
caracal Felis (Lynx) Schr. [Gueld.], R. Kerr, Anim. Kingd. 1792, 156.
caracara Phasianus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 125.
caracaras Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1117.
caraco Mus, P. S. Pallas, N. sp. Quad. II. 1779, 335.
characteristica Musca, A. F. de Fourcroy, Ent. Paris. 1785, 494.
characteristica Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 506.
caraganae Meloe, P. S. Pallas, Icon. Ins. 1798, 97.
Carallina v. Corallina, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xvii.
caranea Phalaena, P. Cramer, Utitl. Kapellen, III (23) 1780, 140.
carangus Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 69.
"Caranx Lacép. 1800," Ag.; is 1802.
"Caranxomorus Lacép. 1800," Ag.; is 1802.
caranus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 84.
carapo Gymnotus, Linnaeus, Syst. Nat., ed. 10, 1758, 246; ed. 12, 1766, 427.
cararia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 38 [n. et f.].
cararia Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 77.
carasius Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 321; ed. 12, 1766, 526.
caravella Medusa, O. F. Müller, Beschäft. Ges. Nat. Freunde, II. 1776, 297.
carbasa Flustra, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 14.
carbassus Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 57.
carbassus Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 40.
Carbo B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 15.—A.
carbo Lanus, A. Vroeg, Catal. Vogel. 1764, Adumb. 2.
carbo Pelecanus, Linnaeus, Syst. Nat., ed. 10, 1758, 133; ed. 12, 1766, 216.

- carbonaria Andrena (L.), J. C. Fabricius, Ent. Syst. II. 1793, 312.—Apis.
carbonaria Apis, Linnaeus, Syst. Nat., ed. 12, 1767, 954.
carbonarius Carabus, P. Rossi, Fauna Etrus. I. 1790, 216.
carbonarius Cerambyx, Scopoli, Ent. Carn. 1763, 56.
carbonaria Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1673.
carbonarius Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 217.
carbonarius Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2166.
carbonarius Cimex, P. Rossi, Fauna Etrus. II. 1790, 244.
carbonarius Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 381; ed. 12, 1767, 612.
carbonarius Dermestes, Scopoli, Ent. Carn. 1763, 15.
carbonarius Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1958.
carbonarius Elater, F. v. P. Schrank, Ins. Aust. 1781, 184.
carbonarius Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 254; ed. 12, 1766, 438.
carbonaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 108.
carbonaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 151 [n.
carbonarius Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2719. [et f.].
carbonarius Ichneumon, J. L. Christ, Nat. Ins. 1791, 365.
carbonaria Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1868.
carbonaria Musca, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 15.
carbonaria [Phalaena], C. Clerck, Icones, I. 1759, pl. i. 11.
carbonaria Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 327.
carbonaria Saperda (Scop.), F. v. P. Schrank, F. Boica, I. 1798, 670.—Cerambyx.
carbonarius Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 324.
carbonarius Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1585.
carbonaria Sphex, Scopoli, Ent. Carn. 1763, 294.
carbonaria Tenthredo, Scopoli, Ent. Carn. 1763, 279.
carbonaria Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 926.
carbonaria Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2828.
carbonaria Vespa, C. de Geer, Mém. Ins. VII. 1778, 609.
carbunculus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 498.
carbunculus Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 440.
carcharias Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 394; ed. 12, 1767, 631.
carcharias Leptura (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 206.—Cerambyx.
carcharias Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 77.
carcharias Saperda (L.), J. C. Fabricius, Syst. Ent. 1775, 184.—Cerambyx.
carcharias Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 235; ed. 12, 1766, 400.
karkinophaga (sic) Didelphis, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 226.
carcinophaga Didelphis, P. Boddaert, Elench. 1785, 77.
Carcinus P. A. Latreille, Préc. Car. Ins. 1796, 197.—Cr.
carcinus Astacus (L.), J. C. Fabricius, Syst. Ent. 1775, 414.—Cancer.
carcinus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 631; ed. 12, 1767, 1051.
carcinus Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 58.
carcinus Palaemon, F. Weber, Nomen. Fabricii, 1795, 94.
carcinus Palaemon (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 402.—Cancer.
cardamines Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 468; ed. 12, 1767, 761.
cardeci Melolontha, J. C. Fabricius, Mant. I. 1787, 21.
cardiacae Cantharis, Linnaeus, Faun. Suec., ed. 2, 1761, 205.
cardiacae Thelephorus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 62.—Cantharis.
"Cardinalis Briss. 1760," Waterh.; not used in a generic sense.
cardinalis Acarus, P. S. Pallas, Spic. Zool. IX. 1772, 44.
cardinalis Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 472.
cardinalis Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 164.
cardinalis Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 632.
cardinalis Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 42.
cardinalis Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 163.
cardinalis Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 172; ed. 12, 1766, 300.
cardinalis Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 135.
cardinalis Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 16.

- cardinalis** Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 438.
- cardinalis** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3458.
- cardiniger** Curculio, N. Host in Jacquin, Coll. Bot. III. 1789, 295.
- cardiodeum** Gafarium, J. F. Bolten, Mus. Bolten. (2) 1798, 177.
- cardioides** Venus, W. G. Maton, Nat. Hist. West. Count. I. 1797, 178.
- “**Cardissa** Walch, 1768,” Herm.; does not occur.
- cardissa** Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 678; ed. 12, 1767, 1121.
- cardissa** Corculum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 188.—Cardium.
- Cardita** J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 401.—L.
- Cardita** Lamarck, Mém. Soc. H. N. Paris, 1799, 86.—L.
- Cardium** Linnaeus, Syst. Nat., ed. 10, 1758, 678; ed. 12, 1767, 1121.—L.
- Carduelis** M. J. Brisson, Ornith. III. 1760, 53.—A.
- Carduelis** G. Cuvier, Leçons Comp. Anat. I. 1800, 2 [n. n.].—A.
- carduelis** Acanthis (L.), M. B. Borkhausen, Deutsch. Fauna, I. 1797, 248.
- carduelis** Acarus, F. v. P. Schrank, Ins. Aust. 1781, 522.
- carduelis** Carduelis (L.), J. C. Schaeffer, Mus. Orn. 1789, 23.—Fringilla.
- carduelis** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1758.
- carduelis** Emberiza (Linn.), J. A. Scopoli, Annus I. 1769, 144.—Fringilla.
- carduelis** Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 180; ed. 12, 1766, 318.
- carduelis** [Papilio], P. Cramer, Utitl. Kapellen, I (3) 1775, 40.—[=Cardui, L.]
- cardui** Acanthia (L.), J. C. Fabricius, Syst. Ent. 1775, 696.—Cimex.
- cardui** Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 735.
- cardui** Apis, O. F. Müller, Z. Dan. Prod. 1776, 165.
- cardui** Cassida, C. de Geer, Mém. Ins. V. 1775, 174.
- cardui** Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 632.
- cardui** Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 443; ed. 12, 1767, 718.
- cardui** Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 79.
- cardui** Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 118.
- cardui** Curculio, P. Rossi, Fauna Etrus. I. 1790, 111.
- cardui** Cynips, O. F. Müller, F. Ins. Frid. 1764, 68.
- cardui** Ichneumon, F. v. P. Schrank, Baier. Reise, 1786, 124.
- cardui** Leptura, J. A. Scopoli, Annus V. 1772, 101.
- cardui** Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 168.—(non cardeci. Mant. I. 21,
- cardui** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 600; ed. 12, 1767, 998. [1787.]
- cardui** Musca, A. F. de Fourcroy, Ent. Paris. 1785, 471.
- cardui** Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 475; ed. 12, 1767, 774.
- cardui** Phalaena Noctua, J. Hübner, Beitr. Schmett. II. 1790, 84.
- cardui** Phalaena Tortrix, H. Ström, Nye Saml. K. Danske Skriver, II. 1783, 87.
- cardui** Saperda (L.), J. C. Fabricius, Syst. Ent. 1775, 186.—Cerambyx.
- cardui** Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1560.—[cardeci Melolontha, Fab. est.]
- cardui-virginiensis** [Papilio], D. Drury, Ill. Nat. Hist. I. 1770, index & 10.
- cardunculus** Millepora, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3790.
- “**Carduum** Leske, 1778,” Scudder; not used in a generic sense.
- carduus** Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 153.
- carecti** Leptura, D. H. Hoppe, Ins. Elyt. 1795, 59.
- carenea** [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 140.
- caretta** Lepas, L. Spengler, Skr. nat. Selsk. [Copen.] I (1) 1790, 185.
- caretta** Testudo, Linnaeus, Syst. Nat., ed. 10, 1758, 197; ed. 12, 1766, 351.
- cariacou** Cervus, R. Kerr, Anim. Kingd. 1792, 304.
- Cariama** M. J. Brisson, Ornith. V. 1760, 516.—A.
- Cariama** M. T. Brännich, Fund. Zool. 1772, 74.—A.
- cariama** Psophia, Geoffroy, Bull. Sci. Soc. Philom. [Paris], no. 7, 1797, 51.
- caribaeorum** Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 209.
- caribaea** Columba, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 30.
- caribaeus** Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 374.
- caribbaeus** Corvus *id. ac* caribaeus, Gm., J. Latham, Index Orn. 1790, 163.
- caribaeus** Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 300.

- carica* Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3545.
caricae Coccus, J. C. Fabricius, Ent. Syst. IV. 1794, 225.
caricae Cynips, Linnaeus in Hasselquist, Palast. 1762, 465.
caricae Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 305.—Papilio.
caricae Noctua, J. C. Fabricius, Syst. Ent. 1775, 596.
caricae Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 484; ed. 12, 1767, 792.
caricae Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 491; ed. 12, 1767, 800.
caricis Curculio, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. VI. 1798, 111.
caricis Ips, A. G. Olivier, Entom. II. 1790, 15.
Caricoides J. E. Guettard, Mém. diff. Sci. II. 1770, 317.—Cor.
carina-spectabilis Anas, Linnaeus, Mus. Adolph. Frid. II. 1764, 25.
carinator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 225.
carinatus Nautilus, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 642.
carinatus Turbo, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 637.
carinatum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 216.—Gryllus.
carinata Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 36.
carinata Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 218.
carinatus Astacus, J. C. Fabricius, Spec. Ins. I. 1781, 512.
carinatum Buccinum, C. J. Phipps, Voy. N. Pole, 1774, 197.
carinatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 300.
carinatus Bulimus, J. G. Bruguière, Ency. Méth. (Vers.) (1), 1789, 301.
carinatus Cancer, M. T. Brännich, Ich. Massil. 1768, 102.
carinatus Cancer (Astacus) (Fabr.), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 64.—
carinata Cardita, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 409. [Astacus.
carinata Cassidea, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 438.
carinatus Cerambyx, P. S. Pallas, Reise Russ. I. 1771, 465.
carinatus Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 237.—Lamia.
carinata Chrysis, L. H. v. Bloch in Becker, Plau. Grund. 1799, 119.
carinata Cicada, J. R. Forster, Cat. Anim. N. Amer. 1771, 28 [n. n.].
carinata Cicada, J. R. Forster, N. Sp. Ins. 1771, 67.
carinatus Cimex, J. R. Forster, N. Sp. Ins. 1771, 72.
carinatus Cimex, D. Drury, Ill. Nat. Hist. II. 1773, index & 68.
carinatus Cimex, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 5.
carinatus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 223; ed. 12, 1766, 384.
carinatus Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 1066.
carinatus Curculio, C. de Geer, Mém. Ins. V. 1775, 241.
carinatus Curculio, J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1789, 1806.
carinatus Curculio, G. Paykull, Mon. Curc. 1792, 83.
carinatum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 153. [Spatangites.
carinatus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1790, 3199.—
carinata Eurychora (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. 1, 1791,
carinatus Gammarus, J. C. Fabricius, Ent. Syst. II. 1793, 515. [119.—Pimelia.
carinatus Gryllus (Bulla), Linnaeus, Syst. Nat., ed. 10, 1758, 427; ed. 12, 1767, 693.
carinatus Gryllus, J. C. Fabricius, Syst. Ent. 1775, 288.
carinata Helix, E. Jacob in G. Adams, Ess. Micr. ed. 2, 1798, 635.
carinata Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107 [n. n.].
carinata Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 62.
carinata Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 222.
carinatus Lucanus, Linnaeus, Syst. Nat., ed. 12, I (2) 1767, 560.
carinata Machla, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 156.
carinatus Murex, T. Pennant, Brit. Zool. ed. 4, IV. 1777, 107.
carinata Nerita, F. C. Meuschen, Mus. Gever. 1787, 272.
carinata Nicrophorus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 34.
carinatum Opilio *id. ac* Phalangium tricarinarum, L., J. F. W. Herbst, Nat. ungefl. Ins.
carinatum Phalangium, J. C. Fabricius, Mant. I. 1787, 347. [(3) 1799, 13.
carinata Pimelia, J. C. Fabricius, Syst. Ent. 1775, 252.
carinatus Planorbis, O. F. Müller, Verm. II. 1774, 157.
carinata Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 73.

- carinatus** Reduvius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 545.
carinata Rhinoceros, F. C. Meuschen, Mus. Gev. 1787, 264.
carinatus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 354 [Lucanus, ed. 12].—Col.
carinata Silpha, Herbst in Fuessly, Arch. Insect. IV. 1783, 34.
carinatus Silurus, Linnaeus, Syst. Nat., ed. 12, 1766, 504.
carinatus Sorex, J. Hermann in E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 383.
carinatus Spatangites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 245.
carinatus Spatangus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xx. [re-paged issue].
carinatus Spirorbis, F. M. Daudin, Rec. Mém. Moll. 1800, 48.
carinatus Staphylinus, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 24.
carinata Tellina, C. U. v. Salis, Reise Neapel, 1793, 384.
carinata Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 110.
carinatus Tenebrio (Fab.), C. de Villers, Linn. Ent. IV. 1789, 360.—Pimelia.
carinata Testudo, Linnaeus, Syst. Nat., ed. 10, 1758, 198; ed. 12, 1766, 353.
carinata Tudicla, J. F. Bolten, Mus. Bolten. (2) 1798, 145.
carinatus Turbo, I. v. Born, Index Mus. Caes. Vind. 1778, 361.
carinatus Turbo, E. M. da Costa, Brit. Conch. 1778, 102.
carinenta [Papilio], P. Cramer, Utit. Kapellen, II (9) 1777, 18.
carinenta [Phalaena], P. Cramer, Utit. Kapellen, II (11) 1777, 47.
carinthiacus Ripiphorus, G. W. F. Panzer, Ins. Germ. heft 22, 1794, tab. 7.
carinula Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 355.
cariophyllites v. **caryoph.**
Carios P. A. Latreille, Préc. Car. Ins. 1796, 177.—Ar.
cariosa Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 578; ed. 12, 1767, 959.
cariosa Buprestis, P. S. Pallas, Reise Russ. III. 1776, 708.
cariosa Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. 1, 1791, 119.
cariosus Curculio, Scopoli, Ent. Carn. 1763, 27.
cariosus Curculio, P. S. Pallas, Icon. Ins. 1781, 33.
cariosa Lepas, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 240.
cariosus Murex, Linnaeus, Syst. Nat., ed. 12, 1767, 1220.
carlsoni Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 847.
carmelita Cetonia, J. C. Fabricius, Mant. I. 1787, 28.
carmelita Helix, A. A. H. Lichtenstein, Cat. rerum Nat. II. 1794, 99.
carmelita Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 136.
carmelita Phalaena Bom., E. J. C. Esper, Die Schmett., Suppl., 3 Abschn. [1799], 65.
carmellita Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1572.—
carmellitella Phal. Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 14 [n. et f.]. [Cetonia.
carmellitella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 41.
carminaris Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 214.
carminatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 98.
carna Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 310.
carna Noctua (D. & S.), E. J. C. Esper, Die Schmett. IV (30) 1786, 31.—Bombyx.
carna Hepialus (D. & S.), J. C. Fabricius, Mant. II. 1787, 134.—Bombyx.
carna Phalaena Bombyx (Fab.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 160.—
carnarius Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 121. [Hepialus.
carnaria Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 64.
carnaria Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 596; ed. 12, 1767, 990.
carnaria Silpha, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 257.
carnaria Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 676; ed. 12, 1767, 1119.
carnaria Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 178.—Musca.
carnatica Libellula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 284.
carnatica Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 261.
carnella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 887.
carnella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 658.—Phalaena.
carneola Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 719; ed. 12, 1767, 1174.
carneola Cypraea, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 14.
carneola Leptura, F. v. P. Schrank, F. Boica, I. 1798, 696.
carneola Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [post 1796], 69.

- carneola* Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 400.—Cypraea.
carneola Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 142.
carneolus Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3443.
carneosum Cardium, E. M. da Costa, Brit. Conch. 1778, 181.
carnea Angarius, F. C. Meuschen, Mus. Gever. 1787, 254.
carnea Bulla, J. L. M. Poiret, Voy. Barbarie, II. 1789, 21.
carnea Chrysis, J. C. Fabricius, Syst. Ent. 1775, 357.
carnea minor Chrysis, Giorna, Cal. Ent. 1791, 73.
carneus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2134.
carnea Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 470.—Tinea carnella.
carnea Hydra, O. F. Müller, Nova Acta Acad. Caes. VII. 1783, 116.
carneus Labrus, P. Ascanius, Icon. II. 1772, 6.
carnea Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 63.
carnea Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
carnea Noctua, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 72.
carnea Pinna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3365.
carneus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3574.
carnea Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3281.
carnifex Ampelis, Linnaeus, Syst. Nat., ed. 12, 1766, 298.
carnifex Aranea, J. C. Fabricius, Syst. Ent. 1775, 436.
carnifex Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (6) 1796, 163.
carnifex Carabus, J. C. Fabricius, Syst. Ent. 1775, 244.
carnifex Cercopis, J. C. Fabricius, Syst. Ent. 1775, 688.
carnifex Cetonia, J. C. Fabricius, Spec. Ins. I. 1781, 53.
carnifex Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 325.
carnifex Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2104.—Cercopis.
carnifex Cimex, J. C. Fabricius, Syst. Ent. 1775, 721.
carnifex Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 535.
carnifex Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 165.—Scarabaeus.
carnifex Gekko (Laur.), F. A. A. Meyer, Syn. Rept. 1795, 23.—Triton.
carnifex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
carnifex Iulus, J. C. Fabricius, Syst. Ent. 1775, 428.
carnifex Lanius, Linnaeus, Syst. Nat., ed. 10, 1758, 94.
carnifex Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 160.—Cimex, 1775.
carnifex Salamandra (Laur.), J. G. Schneider, Hist. Amph. I. 1799, 71.—Triton.
carnifex Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 346; ed. 12, 1767, 546.
carnifex Triton, J. N. Laurenti, Syn. Rept., 1768, 38 & 145.
carnifex Vespa, J. C. Fabricius, Syst. Ent. 1775, 365.
carniflorus *v.* *carnivorus*.
carniolicus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1858.
carniolica Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2110.
carniolicus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1777.
carniolicus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1803.
carniolica Sphinx, Scopoli, Ent. Carn. 1763, 189.
carniolica Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 290.
carniolica Zygaena (Scop.), J. C. Fabricius, Gen. Ins. 1777, 275.—Sphinx.
carniflorus (*sic*) Dermestes, J. C. Fabricius, Syst. Ent. 1775, 55.
carnivora Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 313.
carnosa Spongia, G. Vio in G. Olivi, Zool. Adriat. 1792, xxvii.
carocolla Angarius, F. C. Meuschen, Mus. Gever. 1787, 256.
carocolla Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 258.—Helix.
carocolla Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 769; ed. 12, 1767, 1243.
carocolla Lampadion (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 77.—Helix.
carolinensis Ampelis, J. F. Miller, Icon. Anim. pl. 8 (1776).
carolinensis Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 533.
carolinensis Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1028.
caroliniensis Cerambix, A. G. Olivier, Entom. IV. 1795, 85.—Lamia, 1792.
carolinensis Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 286.

- carolinensis** Cuculus, Bartram, B. S. Barton, N. H. Pennsyl. 1799, 19.
- carolinensis** Falco, F. M. Daudin, Traité élém. Orn. 1800, 69.
- carolinensis** Fringilla, J. Latham, Index Orn. 1790, 435.
- carolinensis** Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 463.
- carolinensis** Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 328.
- carolinensis** Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 571.
- carolinensis** Podiceps, J. Latham, Index Orn. 1790, 785.
- carolinensis** Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 97; ed. 12, 1766, 141.
- carolinensis** Sciurus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 148.
- carolinensis** Sitta, J. Latham, Index Orn. 1790, 262.
- carolinensis** Sylvia, J. Latham, Index Orn. 1790, 551.
- caroliniana** Altica (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 105.—Chrysomela.
- caroliniana** Chrysomela, J. C. Fabricius, Mant. I. 1787, 75.—Crioceris, 1775.
- caroliniana** Crioceris, J. C. Fabricius, Syst. Ent. 1775, 122.
- caroliniana** Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 24.—Chrysomela, 1787.
- carolinum** Acrydium (L.), C. de Geer, Mém. Ins. III. 1773, 491.—Gryllus.
- carolina** Apis, Linnaeus, Syst. Nat., ed. 12, 1767, 959.
- carolina** Argentina, Linnaeus, Syst. Nat., ed. 12, 1766, 519.
- carolina** Bembex, J. C. Fabricius, Ent. Syst. II. 1793, 249.
- carolinus** Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 126.
- carolina** Cicindela, Linnaeus, Amoen. Acad. VI. 1763, 395.
- carolinus** Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 164.—Scarabaeus.
- carolina** Gallinula (L.), J. Latham, Index Orn. 1790, 771.—Rallus.
- carolinus** Gasterosteus, Linnaeus, Syst. Nat., ed. 12, 1766, 490.
- carolinus** Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 396.
- carolinus** Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 433; ed. 12, 1767, 701.
- carolina** Libellula, Linnaeus, Amoen. Acad. VI. 1763, 411.
- carolina** Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 691.—Gryllus, 1763.
- carolinus** Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 113; ed. 12, 1766, 174.
- carolinus** Rallus, Linnaeus, Syst. Nat., ed. 10, 1758, 153; ed. 12, 1766, 263.
- carolinus** Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 545.
- carolina** Silpha, Linnaeus, Mant. II. 1771, 530.
- carolina** Sphinx, Linnaeus, Mus. Lud. Ulr. 1764, 346.
- carolina** Testudo, Linnaeus, Syst. Nat., ed. 10, 1758, 198; ed. 12, 1766, 352.
- carolina** Trigla, Linnaeus, Mant. II. 1771, 528.
- carolinus** Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 140.
- carolina** Vespa, Linnaeus, Syst. Nat., ed. 12, 1767, 948.
- caronsex** Ampelis, L. *err. pro* carnifex, P. Boddaert, Tab. Planch. Enl. 1783, 23.
- carota** Cucullus, J. F. Bolten, Mus. Bolten. (2), 1798, 47.
- Carpais** P. A. Latreille, Préc. Car. Ins. 1796, 184.—Ar.
- carpathicus** Scorpio, Linnaeus, Syst. Nat., ed. 12, 1767, 1038. [et f.]
- carpinaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 27 [n.
- carpinata** Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 295.
- carpini** Anobium, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 58.
- carpini** Bombyx, [Denis & Schiffermuller], Schmett. Wien, 1775, 50.
- carpini** Chermes, A. F. de Fourcroy, Ent. Paris. 1785, 230.
- carpini** Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 191.
- carpini** Coccinella, A. F. de Fourcroy, Ent. Paris. 1785, 144.
- carpini** Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 455; ed. 12, 1767, 740.
- carpini** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 409.
- carpini** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 424.
- carpini** Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 34.
- carpinaria** Geometra, J. Hübner, Europ. Schmett. 5 Horde [me judice 1800], 22.
- carpio** Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 320; ed. 12, 1766, 525.
- carpio** Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 309; ed. 12, 1766, 510.
- carpionis** Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3050.
- carpophaga** Phalaena Noctua, N. J. Brahm, Ins. Kal. II (1), 1791, 474.
- carpophaga** Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 422.

- carrucaria** Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 474.
- cartacea** Flustra, J. F. Maratti, Plant. Zooph. Med. 1776, 18.
- cartagenensis** *v.* **carthag-**
- carthagena** Fulica, Linnaeus, Syst. Nat., ed. 12, 1776, 258.
- carthagena** Gallinula (L.), J. Latham, Index Orn. 1790, 767.—Fulica.
- cartagenensis** Coracias, J. A. Scopoli, Annus I. 1769, 40.
- cartaginensis** Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 22.
- cartagenensis** Fringilla, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 8.
- carthesiana** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 278.
- carthusianus** Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 212.
- cartusiana** Helix, O. F. Müller, Verm. II. 1774, 15.
- cartilaginea** Spongia, E. J. C. Esper, Pflanzenth., Forts. II (9) 1798, 23.
- cartilaginea** Testudo, P. Boddaert, De Testud. cartilag. 1770, 29.
- “**Cartissa**, Baier, 1758,” Herm.; not used in Linnaean sense.
- cartusianus** *v.* **carthus-**
- carunculata** Ampelis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 841.
- carunculata** Amphinome (Pall.), J. G. Bruguière, Ency. Méth. (Vers.) (1) 1789, 46.— [Aphrodita.
- carunculata** Aphrodita, P. S. Pallas, Misc. Zool. 1766, 102. [Aphrodita.
- carunculata** Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 643.
- carunculata** Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 472.
- carunculatus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2135.
- carunculata** Gracula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 399.
- carunculata** Gracula (Lath.), F. M. Daudin, Traité élém. Orn. 1800, 292.—Sturnus.
- carunculatus** Merops, J. Latham, Index Orn. 1790, 276.
- carunculatus** Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 576.
- carunculatus** Sturnus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 805.
- carunculata** Terebella (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3113.—
- carutta** Johnius, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 133. [Aphrodita.
- Carychium** O. F. Müller, Verm. II. 1774, 125.—G.
- carychium** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3665.
- Caryocatactes** Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 1 & 14.—A.
- caryocatactes** Corvus, Linnaeus, Syst. Nat., ed. 10, 1758, 106; ed. 12, 1766, 157.
- caryocactates** Nucifraga (L.), J. C. Schaeffer, Mus. Orn. 1789, 14.—Corvus.
- caryocatactis** Distoma, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 168.
- caryocactatis** Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3070.
- caryophyllacea** Anas, J. Latham, Index Orn. 1790, 866.
- caryophyllacea** Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 964.
- caryophyllacea** Sylvia (Gm.), J. Latham, Index Orn. 1790, 532.—Motacilla. [3052.
- Caryophyllaeus** *err. pro* Chariophyllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
- Caryophyllinus** F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, “Vorrede & Gattun-
- “**Caryophyllites**, Walsh, 1768,” Herm.; not used in a generic sense. [gen.”—Verm.
- “**caryophyllites** Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 169.
- cariophyllites** Madrepora, P. S. Pallas, Elench. 1766, 313.
- Caryophylloides** J. E. Guettard, Mém. diff. Sci. II. 1770, 384.—Cor.
- “**Caryophyllus**, Bloch, 1782,” Ag.; does not occur, the spelling is Chariophyllus: Rudolphi, Entoz. II (2), 1809, 9 seems to have been the first to change the spelling to Caryophyllus.
- caryophyllus** Actinia, M. Martin, Obs. mar. Verm. 1786, 1.
- casarca** Anas, Linnaeus, Syst. Nat., ed. 12, III. 1768, App. 224.
- casarka** Anser (Linn.), S. G. Gmelin, Reise Russ. II. 1774, 177.—Anas.
- caschive** Mormyrus, Linnaeus in Hasselquist, Palast. 1762, 440.
- casei** Acarus, A. F. de Fourcroy, Ent. Paris. 1785, 527.
- casei** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 597.
- casertanum** Cardium, J. X. Poli, Test. Sicil. II. 1795, 65.
- “**Casida**, Humph. 1797,” Ag.; probably misprint for Cassida.
- casina** Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 685; ed. 12, 1767, 1130.
- caspica** Ardea, S. G. Gmelin, Reise Russ. II. 1774, 193.
- caspica** Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1896.

- caspicus** Colymbus, K. Hablitzl in P. S. Pallas, N. nord. Beytr. IV. 1783, 9.
- caspicus** Parus, S. G. Gmelin, Reise Russ. III. 1774, 104.
- caspica** Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2007.—Tenebrio.
- caspicus** Podiceps (Habl.), J. Latham, Index Orn. 1790, 784.—Colymbus.
- caspica** Rana, J. P. Falk, Reise Russ. (5) 1786, 412 [*n. n.*].
- caspica** Sterna, A. Sparrman, Mus. Carls. III. 1788, lxii.
- caspicus** Tenebrio, P. S. Pallas, Icon. Ins. 1781, 47.
- caspica** Testudo, S. G. Gmelin, Reise Russ. III. 1774, 59 & pl. [for name].
- caspica** Testudo, J. G. Schneider, Nat. Schildkr. 1783, 344.
- caspica** Aranea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2959.
- caspicus** Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1112.
- caspicus** Culex, P. S. Pallas, Reise Russ. I. 1771, 475.
- caspicus** Hydrus, J. G. Schneider, Hist. Amph. I. 1799, 244.
- caspicus** Oniscus, P. S. Pallas, Reise Russ. I. 1771, 477.
- caspica** Perdix (S. G. Gm.), J. Latham, Index Orn. 1790, 655.—Tetrao.
- caspica** Sphex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2735.
- caspica** Sterna, P. S. Pallas, Nov. Comm. Sci. Petrop. XIV (1) 1770, 582.
- caspicus** Tetrao, S. G. Gmelin, Reise Russ. IV. 1784, 67.
- caspica** Tubularia, P. S. Pallas, Reise Russ. I. 1771, 479.
- cassander** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 337.
- cassandra** Bombyx, J. C. Fabricius, Mant. II. 1787, 111.
- cassandra** [Phalaena], P. Cramer, Uitl. Kapellen, III (17) 1779, 7.
- cassandra** Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 494; ed. 12, 1767, 806.
- cassandra** Zygæna (L.), J. C. Fabricius, Syst. Ent. 1775, 552.—Sphinx.
- cassiae** Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 471; ed. 12, 1767, 767.
- cassiatum** Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112 [*n. n.*].
- “**Cassicus** Briss. 1760,” Waterh.; not used in a generic sense.
- cassicus** Ramphastos, P. Boddaert, Tab. Planch. Enl. 1783, 38.
- Cassida** Linnaeus, Syst. Nat., ed. 10, 1758, 362; ed. 12, 1767, 574.—Col.
- Cassida** M. T. Brunnich, Fund. Zool. 248.—G.
- cassida** Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 427.
- cassidata** Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 235.
- Cassidea** J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xv.—G.
- cassideus** Cancer, J. R. Forster, Naturforscher, XVII. 1782, 213.
- cassideus** Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 148.
- cassidea** Coccinella, J. C. Fabricius, Syst. Ent. 1775, 82.
- cassidoidea** Coccinella, E. Donovan, Brit. Ins. VII. 1798, 74.
- cassidoidea** Lycus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 23.
- cassidoideum** Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 114 [*n. n.*].
- Cassidula** [G. Humphreys], Mus. Calonn. 1797, 32.—G.
- cassimilis** Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1710.
- cassinia** Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 61.
- cassinia** Bombyx, E. J. C. Esper, Die Schmett. III (23) 1785, 251.
- cassioidea** Papilio, Reiner & Hohenwarth, Botan. Reise Alpen, I. 1792, 262.
- cassiope** [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 88.
- cassiope** Papilio, J. C. Fabricius, Mant. II. 1787, 42.
- cassiopea** [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 14.
- Cassis** J. A. Scopoli, Del. Insub. II. 1786, 76.—G.
- Cassis** F. C. Meuschen, Mus. Gevers. 1787, 386.—G.
- Cassis** J. F. Bolten, Mus. Bolten. (2) 1798, 28.—G.
- Cassis** Lamarck, Mem. Soc. H. N. Paris, 1799, 72.—G.
- cassis** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3477.
- cassis** Cadus, J. F. Bolten, Mus. Bolten. (2) 1798, 150.
- cassis** Conus, F. C. Meuschen, Mus. Gever. 1787, 360.
- cassis** Lepas, L. Spengler, Skr. nat. Selsk. [Copen.] I (1) 1790, 184.
- cassis** Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 95.
- cassius** Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 316.—Papilio
- cassius** [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 36.

- cassivelaunus** Cancer, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 5.
cassus Papilio (Danaus), Linnaeus, Mus. Lud. Ulr. 1764, 269.
casta Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
casta Phalaena, P. S. Pallas, Nova Acta Acad. Caes. III. 1767, 437.
casta Phalaena Bom., E. J. C. Esper, Die Schmett. III (20) 1785, 177.
casta Phalaena Noctua, M. B. Borkhausen in Schriba, Beitr. Ins. III. 1793, 212.
casta Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3278.
casta Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3453.
castalia Bombyx, J. C. Fabricius, Syst. Ent. 1775, 559.
castalia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 188.
castaneae Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2116.
castaneae Phalaena Bombyx, J. Hübnér, Beitr. Schmett. II. 1790, 9.
castaneus Agyrtus, J. A. Frolich, Naturforscher, XXVIII. 1790, 19.
castaneum Anisotoma (Herbst), Illiger in Kugelann, Käfer Preuss. 1798, 77.—Tetratoma.
castaneum Anobium, A. G. Olivier, Entom. II. 1790, 7.
[castaneus Araneus, C. Clerck, Aran. Svec. 1757, 49.]
castaneus Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 151.
castaneus Araneus, T. Martyn, Aranei, 1793, 22.
castanea Ardea, S. G. Gmelin, Reise Russ. I (1770) 165.
castanea Buprestis, A. G. Olivier, Entom. II. 1790, 25.
castanea Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 219.
castaneum Callidium (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 81.—Cerambyx.
castaneus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 396; ed. 12, 1767, 636.
castanea Chermes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2214.
castanea Chrysomela, Linnaeus, Amoen. Acad. VI. 1763, 394.
castanea Columba, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
castaneum Colydidium, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 282.
castaneus Conus, F. C. Meuschen, Mus. Gev. 1787, 364.
castaneus Cucujus, J. C. Fabricius, Ent. Syst. I (2) 1792, 95.
castaneus Curculio, C. de Geer, Mém. Ins. V. 1775, 231.
castanea Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 23. [134.—Mycetophagus.
castaneus Dermestes (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. III. 1794,
castaneus Dermestes (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 104.—Kateretes.
castaneus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 405; ed. 12, 1767, 654.
castaneus Elater, Herbst, Einl. Ins. I. 1784, 150.
castaneus Elater, A. F. de Fourcroy, Ent. Paris. 1785, 36.
castaneus Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 226.
castaneus Gypaetos, F. M. Daudin, Traité élém. Orn. 1800, 26.
castanea Helix, O. F. Müller, Verm. II. 1774, 67.
castaneus Hypophlaeus, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 223.
castaneus Icterus, F. M. Daudin, Traité élém. Orn. 1800, 353.
castaneus Kateretes, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 17.
castaneus Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 297.
castanea Leptura (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 94.—Cerambyx.
castanea Melolontha, A. G. Olivier, Entom. I. 1789, 79.
castanea Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 82.
castaneus Merops, J. Latham, Index Orn. 1790, 273.
castanea Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 137.
castaneus Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 499. [1792, 400.
castaneus Mycetophagus, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV.
csstaneus Notoxus, Hellwig in G. W. F. Panzer, Ins. Germ. heft 31 [1796], tab. 16.
castaneus Oriolus, J. Latham, Index Orn. 1790, 181.
castanea Pinctada, J. F. Bolten, Mus. Bolten. (2) 1798, 167.
castanea Porcellana, F. C. Meuschen, Mus. Gev. 1787, 406.
castaneus Prionus, A. G. Olivier, Entom. IV. 1795, 23.
castaneum Sphaeridium (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 28.—Tetra-
castaneus Tantalus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 112. [toma.
castanea Tetratoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 85.

- castaneus** Trochus, F. C. Meuschen, Mus. Gever. 1787, 280.
- castanea** Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3595.
- castaneus** Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 143.
- castaneum** Vasum, J. F. Bolten, Mus. Bolten. (2) 1798, 57.
- castanea** Volvoxis (Herbst), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V.
- castanipes** Elater, G. Paykull, Faun. Suec. III. 1800, 23. [1794, 538.—Tetratoma.
- castigator** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 166.
- castiglionei** Stenocorus, J. A. Scopoli, Del. Insub. II. 1786, 40.
- castilianus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 22.
- Castor** Linnaeus, Syst. Nat., ed. 10, 1758, 58; ed. 12, 1766, 78.—M.
- castor** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 408.
- castor** Merganser (L.), J. C. Schaeffer, Mus. Orn. 1789, 67.—Mergus.
- castor** Mergus, Linnaeus, Syst. Nat., ed. 12, I (1) 1766, 209.
- castor** [Papilio], P. Cramer, Utitl. Kapellen, I (4) 1775, 61.
- castor** Papilio, D. F., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett, 1781, 98.
- castoreus** Mus, G. C. C. Storr, Prod. 1780, 39.
- castrator** Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 223.
- castrensis** Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 568.—Phalaena.
- castrensis** Chamaeformis (L.), F. C. Meuschen, Mus. Gever. 1787, 446.—Venus.
- castrensis** Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 163 [n. n.].
- castrensis** Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 141.
- castrensis** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 12 [n. n.].
- castrensis** Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 500; ed. 12, 1767, 818.
- castrensis** Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 110.
- castrensis** Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81.
- castrensis** Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 687; ed. 12, 1767, 1132.
- Casuarius** M. J. Brisson, Ornith. V. 1760, 10.—A.
- Casuarius** J. Latham, Index Orn. 1790, 664.—A.
- casuarius** Struthio, Linnaeus, Syst. Nat., ed. 10, 1758, 155; ed. 12, 1766, 265.
- catanensis** Mutilla, P. Rossi, Mant. Ins. II. 1794, 126.
- catapetasma** Chama, F. C. Meuschen, Mus. Gever. 1787, 454.
- Cataphractus** M. J. Brisson, Reg. Anim. 1762, 12 & 23.—M.
- Cataphractus** L. T. Gronovius, Zooph. I. 1763, 2.—M.
- Cataphractus** Storr, Prod. Meth. Anim. 1780, 40.—M.
- Cataphractus** M. Catesby, Pisc. & c. Imag. 1777, Suppl. 9.—P.
- Cataphractus** (ex Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 583.—P.
- Cataphractus** M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 80.—P.
- Cataphractus** G. Cuvier, Leçons Comp. Anat. I. 1800, 4 [n. n.].—P.
- Cataphractus** Callichthys, F. C. Meuschen, Mus. Gronov. 1778, 39.
- cataphractus** Cancer, G. Olivi, Zool. Adriat. 1792, 50.
- cataphractus** Coccus, G. Shaw, Nat. Misc. V. 1794, pl. 182.
- cataphractus** Cottus, Linnaeus, Syst. Nat., ed. 10, 1758, 264; ed. 12, 1766, 451.
- cataphracta** Loricaria, Linnaeus, Syst. Nat., ed. 10, 1758, 307; ed. 12, 1766, 508.
- cataphracta** Plecostomus, F. C. Meuschen, Mus. Gronov. 1778, 39.
- cataphracta** Sciaena, C. P. Thunberg, K. Vet. Ac. Nya Handl. XI. 1790, 108.
- cataphractus** Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 307; ed. 12, 1766, 506.
- cataphracta** Trigla, Linnaeus, Syst. Nat., ed. 10, 1758, 300; ed. 12, 1766, 496.
- Cataractes** Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 5 & 56.—A.
- Catarractes** M. J. Brisson, Ornith. VI. 1760, 102.—A.
- catarractes** Aptenodytes, J. R. Forster, Comm. Soc. R. Sci. Gott. III. 1781, 135.
- catarractes** Larus, Linnaeus, Syst. Nat., ed. 12, 1766, 226. [1788, 603.
- catarrhactes** Larus *id. ac* catarractes Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
- catarrhacta** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3498.
- catax** Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 567.—Phalaena.
- catax** Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 822; ed. 12, 1767, 815.
- catellina** Cercaria, O. F. Müller, An. Infus. 1786, 130.
- catellus** Cercaria, O. F. Müller, Verm. I (1) 1773, 65. [gonia.
- catena** Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2099.—Tetti-

- catena* Cicindela, J. C. Fabricius, Syst. Ent. 1775, 226.
catena Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 65.
catena Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 84.
catena Helix, E. M. da Costa, Brit. Conch. 1778, 83.
catena Tettigonia, J. C. Fabricius, Syst. Ent. 1775, 679.
catenaria Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 17.
catenata Cicada, D. Drury, Ill. Nat. Hist. II. 1773, index & 69.
catenatus Coluber, Solander in Russell, N. H. Aleppo, ed. 2, II. 1794, 232.
catenatus Gymnothorax, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 84.
catenata Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (45) 1791, 327.
cateniformis Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 306.
cateniformis Taenia, Goeze, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, *varr.*
canina, *lupi*, 3066; *vulpis*, *litterata*, *felis*, *sciuri*, *glirium*, 3067.
catenularia Tubipora, Linnaeus, Syst. Nat., ed. 12, 1767, 1270.
catenulatus Carabus, Scopoli, Ent. Carn. 1763, 86.
catenulatus Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 330.
catenulatus Fungites, [Martini], Berl. Mag. I. 1765, 268.
catenulata Tubipora, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3753.
Cateretes *v. Kateretes*.
catesbaei Aranea, Scopoli, Ent. Carn. 1763, 401.
catesbeji Coluber, U. J. Sentzen in Meyer, Zool. Archiv (2) 1796, 55 & 66.
cathae Dermestes, *err. pro calthae*, Scop., C. de Villers, Linn. Ent. I. 1789, 55.
Catharacta M. T. Brünnich, Orn. Boreal. 1764, 32.—A.
Catharacta J. D. Petersen, Balth. Vögel, 1766, 8 [*n. n.*].—A.
cathariae Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 203.
cati Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 8.
catilina Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 304.
catilina [Phalaena], P. Cramer, Utitl. Kapellen, I (7) 1775, 126.
catilinaria Phalaena, *id. ac catilina*, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 250.
catilla [Papilio], P. Cramer, Utitl. Kapellen, III (20) 1779, 64.
Catillus [G. Humphreys] Mus. Calonn. 1797, 57.—G.
catillus [Papilio], P. Cramer, Utitl. Kapellen, III (22) 1779, 119.
catla Scarabaeus, *err. pro catta*, Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
cato Papilio, J. C. Fabricius, Mant. II. 1787, 12. [1534+
Catodon Linnaeus, Faun. Suec., ed. 2, 1761, 18.—M.
Catodon P. Browne, Hist. Jamaica, ed. 2, 1789, 459.—M.
catodon Physeter, Linnaeus, Syst. Nat., ed. 10, 1758, 76; ed. 12, 1766, 107.
catodon Physeter, O. Fabricius, F. Groen. 1780, 44.
Catops Paykull, Faun. Suec. I. 1798, 342.—Col.
catoptrica Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 85.
catostomus Cyprinus, J. R. Forster, Phil. Trans. LXIII (1) 1773, 158.
catotol Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 914.
catta Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 162.—Scarabaeus.
catta Dermestes, G. W. F. Panzer, Naturforscher, XXIV. 1789, 10.
catta Lemur, Linnaeus, Syst. Nat., ed. 10, 1758, 30; ed. 12, 1766, 45.
catta Myrmeleon, J. C. Fabricius, Syst. Ent. 1775, 312.
catta Prosimia (Linn.), P. Boddaert, Elench. 1785, 65.—Lemur.
catta Scarabaeus, J. C. Fabricius, Mant. I. 1787, 12.
catullus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 348.
catullus Papilio (Fab.), J. E. Smith in Abbot, Ins. Georgia, 1797, 47.—Hesperia.
Catulus J. H. Kniphof, De Pedic. 1759, 16.—Ver.
catulus Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 235; ed. 12, 1766, 400.
catulus Umbra, F. C. Meuschen, Mus. Gronov. 1778, 35.
catulus Vorticella, O. F. Müller, Verm. I (1) 1773, 108.
“*Catus*, Briss. 1760,” Ag., not used in a generic sense.—M. [Coronella.
catus Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1114.—
catus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 707.
catus Coronella, J. N. Laurenti, Syn. Rept. 1768, 88.

- catus** Felis, Linnaeus, Syst. Nat., ed. 10, 1758, 42; ed. 12, 1766, 62.
- catus** Felis, J. C. P. Erxleben, Syst. Anim. 1777, *varr.* ferus, 518; domesticus, 520; hispanicus, 522; caeruleus, 522. [ruber.
- catus** Felis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 80, 81, *varr.* angorensis,
- catus** Felis, R. Kerr, Anim. Kingd. 1792, *varr.* sinensis. aureus, 154; madagascarensis. 155.
- catus** Felis, J. M. Bechstein in Pennant, Uebers. 4tüss. Thiere. II. 1800, 678. *varr.* longiceps, striatus.
- catus** Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 305; ed. 12, 1766, 504.
- caucasi** Capra, J. A. Gueldenstaedt, Reisen, I. 1787, xii.—[caucasica, 1779.]
- caucasica** Capra, Gueldenstaedt & Pallas, Acta Ac. Sci. Petrop. 1779 (2) 1783, 273.
- caucasica** Meloe, P. S. Pallas, Icon. Ins. 1782, 94.
- caucus** Cyprinus, G. I. Molina, Sag. stor. nat. Chili, 1782, 225.
- caudacuta** Fringilla, J. Latham, Index Orn. 1790, 459.
- caudacutus** Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 354.—Oriolus.
- caudacutus** Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 394.
- caudacutus** Psittacus, A. Vroeg. Catal. Vogel. 1764, Adumb. 1.
- caudacutus** Tetrao, S. G. Gmelin, Reise Russ. III. 1774, 93.
- caudacyaneus** Lacertus, B. G. E. de Lacépède. Quad. Ovip. &c. I. 1788, Syn. méth.
- caudana** Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 410.—Pyralis.
- caudana** Pyralis, J. C. Fabricius, Syst. Ent. 1775, 651.
- caudaplana** Lacertus, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
- caudator** Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 333.
- caudatus** Acarus, C. de Geer, Mém. Ins. VII. 1778, 139.
- caudatus** Acarus, F. v. P. Schrank, Ins. Aust. 1781, 509.
- caudatus** Brentus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 52.
- caudatus** Brentus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 201.
- caudatum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3471.
- caudata** Cantharis, Scopoli, Ent. Carn. 1763, 40.
- caudatus** Cerambyx, C. de Geer, Mém. Ins. V. 1775, 86.
- caudata** Clio, Linnaeus, Syst. Nat., ed. 12, 1767, 1094.
- caudata** Coracias, Linnaeus, Syst. Nat., ed. 12, 1766, 160.
- caudatus** Curculio, P. Rossi, Mant. Ins. I. 1792, 40.
- caudatum** Cymatium, J. F. Bolten, Mus. Bolten. (2) 1798, 129.
- caudata** Enchelis, O. F. Müller, An. Infus. 1786, 34.
- caudata** Ephemera, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 91.
- caudata** Fasciola, O. F. Müller, Verm. I (2) 1774, 70.
- caudata** Holothuria, Linnaeus, Syst. Nat., ed. 10, 1758, 657; ed. 12, 1767, 1090.
- caudatus** Lanius, Linnaeus, Faun. Suec., ed. 2, 1761, 28.
- caudata** Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 149.
- caudatus** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3535.
- caudata** Musca, A. F. de Fourcroy, Ent. Paris. 1785, 480.
- caudata** Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 168.
- caudatum** Paramecium, J. Hermann, Naturforscher, XX. 1784, 157.
- caudatus** Parus, Linnaeus, Syst. Nat., ed. 10, 1758, 190; ed. 12, 1766, 342.
- caudata** Patella, F. C. Meuschen, Mus. Gever. 1787, 242.
- caudata** Phalaena, J. C. Fabricius, Mant. Ins. II. 1787, 196.
- caudatum** Phalangium, Linnaeus, Syst. Nat., ed. 10, 1758, 619; ed. 12, 1767, 1029.
- caudata** Planaria, O. F. Müller, Z. Dan. Prod. 1776, 223.—Fasciola, 1774.
- caudata** Pipra, G. Shaw, Nat. Misc. V. 1793, pl. 153.
- caudata** Rana, J. A. Donndorff, Zool. Beyt. III. 1798, 67.
- caudatus** Scolopax, P. Boddaert, Tab. Planch. Enl. 1783, 57.
- caudata** Talpa, E. A. W. Zimmermann, Spec. Zool. 1777, 497.
- caudata** Tarantula (L.), J. C. Fabricius, Ent. Syst. II. 1793, 433.—Phalangium.
- caudatus** Trichiurus, B. A. Euphrasen, K. Vet. Ac. Nya Handl. IX. 1788, 52.
- caudatus** Trilobus, M. T. Briännich, Nye Saml. K. Danske Skrifter, I. 1781, 392.
- caudatum** Trombidium (De Geer), J. C. Fabricius, Spec. Ins. I. 1781, 535.—Acarus.
- caudatus** Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 144.

- caudata* Zygaena, J. C. Fabricius, Gen. Ins. 1777, 277.
caudella Alucita (L.), J. C. Fabricius, Syst. Ent. 1775, 669.—Phalaena.
caudella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 894.
caudex Musca, M. Harris, Exp. Eng. Ins. 1776, 158.
Caudisona J. N. Laurenti, Syn. Rept., 1768, 92.—R.
Caudiverbera J. N. Laurenti, Syn. Rept. 1768, 43.—R.
caudiverbera Cordylus (L.), F. A. A. Meyer, Syn. Rept. 1795, 18.—Lacerta.
caudiverbera Crocodilus (L.), J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 35.—Lacerta.
caudiverbera Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 200; ed. 12, 1766, 359.
caudivolvula Didelphis, R. Kerr, Anim. Kingd. 1792, 196.
caudivolvula Kinkajou, B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.
caudivolvulus Ursus (Pall.), G. Cuvier, Tab. Elém. 1798, 113.—Viverra.
caudivolvula Viverra, P. S. Pallas in J. C. D. Schreber, Säugth. III. 453 (1777),
 [pl. cxv. B (1777)].
caunus [Sphinx], P. Cramer, Utitl. Kapellen, III (19) 1779, 52.
C-aureum Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 477; ed. 12, 1767, 778.
C-aureum Phalaena (X.), A. W. Knoch, Beitr. Insektenges. I. 1781, 7.
caurica Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 723; ed. 12, 1767, 1179.
causia Millepora, [J. E. Gunnerus], K. Norske Vid. Selsk. Skrift. IV. 1768, pl. iv. f. 10 [68].
cautus Musca, M. Harris, Exp. Eng. Ins. 1776, 60.
cavanna Testudo, G. Edwards in M. Catesby, Carol. II. 1771, Cat., 1.
cavator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 157.
cavator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 196.
cavata Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 167.
cavernosa Madrepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1276.
cavernosa Spongia, P. S. Pallas, Elench. 1766, 394.
Cavia P. S. Pallas, Misc. Zool. 1766, 30.—M.
Cavia B. G. E. de Lacépède, Tabl. Mamm. 1799, 9.—M.
caviae Pediculus, P. S. Pallas, Misc. Zool. 1766, 46 & 204.
 [caviae Taenia], P. S. Pallas, Misc. Zool. 1766, 46 & 204.
 "Cavolina, Gioeni," does not occur.
Cavolina J. G. Bruguière, Ency. Méth. (Tabl. Vers), pl. 85 (1791) [*n. et f.*].—Med.
cavolina Papilio Helic., Herbst in Jablonsky, Nat. Ins. (Schmett.) IV. 1790, 131.
cavolini Scarabaeus, V. Petagna, Inst. Ent. 1792, 140.
cavus Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 15.
cayanensis *v. cayenn-*.
 [cayaneus]—
cajanea Fulica, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 119.
cajenneus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 78.
cajenneus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 81.
cajaneus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 139.
 [cayanus]
cayana Ampelis, Linnaeus, Syst. Nat., ed. 12, 1766, 298.
cayanus Caprimulgus, *id. ac* cayannensis, Gm., J. Latham, Index Orn. 1790, 587.
cayana Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 186.
cayanus Charadrius, J. Latham, Index Orn. 1790, 749.
cayana Coracias, *id. ac* cayanensis, (Gm.), J. Latham, Index Orn. 1790, 172.
cayana Coracias, F. M. Daudin, Traité élém. Orn. 1800, 265.
cayanus Corvus, Linnaeus, Syst. Nat., ed. 12, 1766, 157.
cayanus Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 170.
cayanus Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 137.
cayanus Lanius, R. Kerr, Anim. Kingd. 1792, *varr.* naevius, minor, 550.
cayana Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 336.
cayanus Podiceps (Gm.), J. Latham, Index Orn. 1790, 781.—Colymbus cayennensis.
cayana Sterna, *id. ac* cayennensis, Gm., J. Latham, Index Orn. 1790, 804.
cayana Sylvia (L.), J. Latham, Index Orn. 1790, 545.—Motacilla.
cayana Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 315, no. 8.
cayana Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 316, no. 14.

- cayanus Turdus, *id. ac* cayennensis, Gm., J. Latham, Index Orn. 1790, 332.
 [cayennensis]—
- cayennensis Acarus, J. C. Fabricius, Mant. II. 1787, 372.
 cayennensis Accipiter, F. M. Daudin, Traité élém. Orn. 1800, 81.
 cayennensis Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 452.
 cayennensis Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 273.
 cayennensis Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 626.
 cayennensis Ascalaphus, J. C. Fabricius, Mant. I. 1787, 250.
 cayennensis Asilus, J. C. Fabricius, Mant. II. 1787, 360.
 cayennensis Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 405.
 cayennensis Buprestis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1931.
 cayennensis Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1031.
 cayennensis Carabus, A. G. Olivier, Entom. III. 1795, 53.
 cayennensis Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1860.
 cayennensis Charadrius, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 22.
 cayennensis Chrysomela, J. C. Fabricius, Mant. I. 1787, 74.
 cayennensis Chrysomela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 87.
 cayennensis Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2105.
 cayennensis Cicindela, J. C. Fabricius, Mant. I. 1787, 187.
 cayennensis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2198.
 cayennensis Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1659.
 cayennensis Columba, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 234.
 cayennensis Colymbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 593.
 cayennensis Coracias, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 381.
 cayennensis Crioceris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 48.
 cayennensis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1721.
 cayennensis Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 269.
 cayennensis Falco, F. M. Daudin, Traité élém. Orn. 1800, 69.
 cayennensis Falco, F. M. Daudin, Traité élém. Orn. 1800, 74.
 cayennensis Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 700.
 cayennensis Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 14.
 cayennensis Gallinula (Gm.), J. Latham, Index Orn. 1790, 767.—Fulica.
 cayennensis Gallinula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 399.
 cayennensis Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1024.
 cayennensis Icterus (L.), F. M. Daudin, Traité élém. Orn. 1800, 336.—Oriolus.
 cayennensis Lampyrus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 124.
 cayennensis Mellisuga, J. C. Schaeffer, Mus. Orn. 1789, 42.
 cayennensis Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 464.
 cayennensis Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 327.
 cayennensis Mustela, H. F. Link, Beytr. Nat. I (2) 1795, 83.
 cayennensis Myrmeleon (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2645.—
 Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 163. [Ascalaphus.]
 cayennensis Parra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 706.
 cayennensis Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 428.
 cayennensis Rallus, P. Boddaert, Tab. Planch. Enl. 1783, 22.
 cayennensis Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 718.
 cayennensis Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 661.
 cayennensis Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 604.
 cayennensis Strix, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 70.
 cayennensis Tabanus, J. C. Fabricius, Mant. II. 1787, 355.
 cayennensis Tanagra, *id. ac* cayana Linn. (ed. 12, no. 14), J. F. Gmelin in Linn. Syst.
 Nat., ed. 13, I. 1788, 894.
 cayennensis Tantalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 652.
 cayennensis Tringa (Gm.), J. Latham, Index Orn. 1790, 727.—Parra.
 cayennensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 816.
 cayennensis Ursus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 336.
 cayennensis Venus, J. G. Bruguière, Actes Soc. H. N. Paris, I (1) 1792, 126.
 cayennensis Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 265.

- cayman** *Crocodylus*, J. P. Bonnatere, Ency. Méth. (Erp.) 1789, 35.
cajopolin *Didelphis*, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 35.
cayopollin *Didelphis*, J. C. D. Schreber, Säugth. III. 544 (1777), pl. cxlviii. (1777).
C-duplex *Stenocorus*, J. A. Scopoli, Del. Insub. II. 1786, 46.
Cebambyx *v.* **Cerambyx**, Linnaeus, Mant. II. 1771, 532.
cebraria *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 129
cebrenus [*Papilio*], P. Cramer, Uitl. Kapellen, II (15) 1777, 127. [*u. et f.*]
Cebrio A. G. Olivier, Entom. II. 1790, no. 30 bis.—Col.
Cebus J. C. P. Erxleben, Syst. Anim. 1777, 44.—M.
Cebus G. Cuvier, Leçons Comp. Anat. I. 1800, 1 [*u. n.*].—M.
cecilia *v.* **caecilia**.
ceclanensis *v.* **ceylonensis**.
cecropia *Phalaena* (*Attacus*), Linnaeus, Syst. Nat., ed. 12, 1767, 809.
cecropia *Phalaena* (*Bombyx*), Linnaeus, Syst. Nat., ed. 10, 1758, 496, [P. (*attacus*), ed. 12].
cecrops *Hesperia*, J. C. Fabricius, Ent. Syst. III (1) 1793, 270.
cecrops [*Sphinx*], P. Cramer, Uitl. Kapellen, III (19) 1779, 57.
ceculus [*Papilio*], P. Cramer, Uitl. Kapellen, II (13) 1777, 80.
cedaris *v.* **cidaris**.
cedica [*Phalaena*], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 42.
cedonulli *Cancer*, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 157.
cedo nulli *Chamaeformis*, F. C. Meuschen, Mus. Gever. 1787, 448.
cedonulli *Conus*, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 602.—[*see ammiralis.*]
cedo nulli *Cucullus*, J. F. Bolten, Mus. Bolten. (2) 1798, 44 [*u. n.*].
cedo-nulli *Papilio*, F. C. Meuschen, Mus. Gronov. 1778, 75.
cedonulli [*Phalaena*], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 108.
cedrina *Sertularia*, Linnaeus, Syst. Nat., ed. 10, 1758, 814; ed. 12, 1767, 1313.
ceidon *Parus*, Bartram, B. S. Barton, N. H. Pennsylv. 1799, 20.
ceilon- or ceilan- *v.* **ceylon-**.
Cela Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 4 & 43.—A.
cela *Parus*, Linnaeus, Syst. Nat., ed. 10, 1758, 191; ed. 12, 1766, 343.
celadon [*Phalaena*], P. Cramer, Uitl. Kapellen, II (11) 1777, 55.
celaeno *Sphinx*, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1782, 203.
celaenus [*Papilio*], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 214.
celaeus [*Papilio*], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 177.
celatum *Cardium*, J. F. Bolten, Mus. Bolten. (2) 1798, 191 [*u. n.*].
celeno [*Papilio*], P. Cramer, Uitl. Kapellen, I (3) 1775, 51.
celer *Carabus*, J. F. Gmelin in Linn. Syst. Nat. I. 1789, 1984.
celer *Carabus*, J. C. Fabricius, Ent. Syst. I (1) 1792, 167.
celer *Carabus*, A. G. Olivier, Entom. III. 1795, 114.
celer *Cimex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2182.
celer *Ichneumon*, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 205.
celerio *Hesperia* (*Cr.*), J. C. Fabricius, Ent. Syst. III (1) 1793, 265.—*Papilio celeno*.
celerio *Papilio*, J. C. Fabricius, Mant. Ins. II. 1787, 66.
celerio *Sphinx*, Linnaeus, Syst. Nat., ed. 10, 1758, 491; ed. 12, 1767, 800.
celia [*Papilio*], P. Cramer, Uitl. Kapellen, III (21) 1779, 83.
celia [*Phalaena*], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 109.
celimene [*Papilio*], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 169.
celinde [*Papilio*], C. Stoll, Aanhang, Cramer's Uitl. Kapellen, V. 1790, 164.
Cellaria J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 18.—Pol.
cellaria *Helix*, O. F. Müller, Verm. II. 1774, 28.
cellaris *Cryptocephalus* (*Fab.*), G. Paykull, Faun. Suec. III. 1800, 356.—*Dermestes*.
cellare *Cydonium* (*Ol.*), J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 32.—*Ips*.
cellaris *Dermestes*, Scopoli, Ent. Carn. 1763, 16.
cellaris *Dermestes*, J. C. Fabricius, Ent. Syst. I (1) 1792, 234.
cellaris *Ips* (*Scop.*), A. G. Olivier, Entom. II. 1790, 10.—*Dermestes*.
cellaris *Musca*, Linnaeus, Syst. Nat., ed. 10, 1758, 597; ed. 12, 1767, 993.
cellaris *Musca*, A. F. de Fourcroy, Ent. Paris. 1785, 499.
cellaris *Oxyporus*, J. C. Fabricius, Ent. Syst. I (2) 1792, 832.

- cellaris** Staphylinus (Fab.), G. Paykull, Faun. Suec. III. 1800, 421.—Oxyporus.
- Cellepora** Linnaeus, Syst. Nat., ed. 12, 1767, 1285.—Pol.
- [**cellulanus** Araneus, C. Clerck, Aran. Svec. 1757, 62.]
- Cellularia** P. S. Pallas, Elench. 1766, 58.—Pol.
- cellularia** Aranea, F. A. A. Meyer, Spinner Gött. 1790, 11.
- cellularioides** Spongia, G. Vio in G. Olivi. Zool. Adriat. 1792, xxiv.
- cellulata** Millepora, P. Forskal, Descr. Anim. 1775, 138.
- cellulinus** Araneus, T. Martyn, Aranei, 1793, 28.
- cellulosa** Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (1) 1794, 25.
- cellulosa** Millepora, Linnaeus, Syst. Nat., ed. 10, 1758, 790; ed. 12, 1767, 1284.
- cellulosa** Spongia, E. J. C. Esper, Pflanzenth., Forts. I (8) 1797, 206.
- cellulosae** Hydatis, J. J. Virey, Journ. de Phys. IV. 435 (1798).
- cellulosae** Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3059.
- Celluraria** v. **Cellularia**, Pallas, Syst. Plant-Dier. 1768, 648.
- celmus** [Papilio], P. Cramer, Utitl. Kapellen. I (5) 1775, 87.
- celsia** Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 507; ed. 12, 1767, 831.
- celsias** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 346.
- celsus** Musca, M. Harris, Exp. Eng. Ins. 1776, 125.
- celtis** Papilio N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tag-schmett. [1783-85],
- celtis** Papilio, J. C. Fabricius, Mant. II. 1787, 56. [168.]
- cembrae** Coccinella, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 182.
- cembrella** Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 365.
- cemiteriorum** v. **coemiteriorum**.
- cenaria** Phalaena, *id. ac* **cenis**, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 251.
- cenchoa** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 226; ed. 12, 1766, 389.
- Cenchramus** Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 3 & 36.—A.
- cenchria** Boa, Linnaeus, Syst. Nat., ed. 10, 1758, 215; ed. 12, 1766, 374.
- Cenchrus** L. T. Gronovius, Zooph. I. 1763, 25.—R.
- cenchrus** Boa, *id. ac* **cenchria**, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1083.
- cenchrus** Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 22.
- cenchrus** Curculio, P. S. Pallas, Icon. Ins. 1781, 29.
- cenco** Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 82.
- ceneus** Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 302.—Papilio.
- ceneus** Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 487; ed. 12, 1767, 766
[P. (Danaus) **caeneus**].
- ceneus** [Papilio], P. Cramer, Utitl. Kapellen, II (13) 1777, 94.
- cenea** [Papilio], C. Stoll, Aanh. Cramer's Utitl. Kapellen, IV. 1790, 134.
- cenis** [Phalaena], P. Cramer, Utitl. Kapellen, II (13) 1777, 82.
- centaureae** Curculio, Scopoli, Ent. Carn. 1763, 26.
- centaureae** Curculio, C. Allioni, Misc. Taurin. III. 1766, 187.
- centaureae** [Curculio], Giorna, Cal. Ent. 1791, 81.
- centaureae** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 360.
- centaureata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 114.
- centauroata** (*sic*) Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig.
- centaurii** Chrysomela, J. C. Fabricius, Mant. I. 1787, 68. 240 [*n. et f.*].
- centaura** Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 56.
- centaurus** Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 8.—Scarabaeus, 1775.
- centaurus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 275.
- centaurus** Papilio, J. C. Fabricius, Syst. Ent. 1775, 520.
- centaurus** Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 8.
- centifoliae** Tenthredo, G. W. F. Panzer, Ins. Germ. heft 49 [1798], tab. 18.
- centonalis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796] 7 & 8 [2].
- centralis** Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3193.
- centralis** Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 45.
- centralis** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 233.
- centralis** Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 450.
- centrana** Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 273.
- centrata** Phalaena, J. C. Fabricius, Gen. Ins. 1777, 290.

- centricornis Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 33.
centrina Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 233; ed. 12, 1766, 398.
Centriscus Linnaeus, Syst. Nat., ed. 10, 1758, 336; ed. 12, 1766, 415.—P.
Centriscus G. Cuvier, Leçons Comp. Anat. I. 1800, 4 [*n. n.*].—P.
centrolinea Bombyx, J. C. Fabricius, Mant. II. 1787, 126.
centrolineatus Scarabaeus, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 1.
centummaculatus Ichneumon, J. L. Christ, Nat. Ins. 1791, 345.
centumnotata Phalaena, J. D. Schulzens, Naturforscher, VI. 1775, 93.
centumpunctata Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 45.
centuncularis Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 575; ed. 12, 1767, 953.
centuriella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
centurio Conus, I. v. Born, Index Mus. Caes. Vind. 1778, 133.
centurio Gryllus, D. Drury, Ill. Nat. Hist. II. 1773, index & 78.
Cepa [G. Humphreys], Mus. Calonn. 1797, 45 [*n. n.*].—L.
cepa *v.* caepa.
cepa *v.* caepae.
cephalator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 195.
cephalo Testudo, J. G. Schneider, Nat. Schildkr. 1783, 303.
kephalopterus Cercopithecus, E. A. W. Zimmermann, Geogr. Ges. Mensch. II. 1780, 185.
kephalopterus Simia, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, I. 1799, 196.
cephalopteros Simia [*v.* kephalopt- 1799, *supra*], J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 657.
Cephalopus (*ex* Nozeman), L. T. Gronov, Acta Helvet. V. 1762, 377.—Ver.
cephalotes Bostrichus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 108.
cepalotes Bulbocerus (Pall.), E. Acharius, K. Vet. Ac. Nya Handl. II. 1781, 248.—Scarabaeus.
cephalotes Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 414; ed. 12, 1767, 669.
cephalotes Crabro, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 513.
cephalotes Crabro, G. W. F. Panzer, Ins. Germ. heft 62 [1799], tab. 16.
cephalotes Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 50.
cephalotes Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 581; ed. 12, 1767, 964.
cephalotes europaea Formica, J. L. Christ, Nat. Ins. 1791, 511.
cephalotes Horia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 102.
cephalotes Lethrus (Pall.), J. C. Fabricius, Mant. I. 1787, 2.—Scarabaeus.
cephalotes Malachus, A. G. Olivier, Entom. II. 1790, 12.
cephalotes Musca, Bosc, J. Nat. Hist. (Choix des Mém.), II. 1792, 55.
cepalotes Mutilla, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 284.
cephalotes Nyctemene (Pall.), J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 736.—Vespertilio.
cephalotes Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2003.—[Tenebrio].
cephalotes Scarabaeus, P. S. Pallas, Reise Russ. I. 1771, 461.
cephalotes Scarites (L.), A. G. Olivier, Entom. III. 1795, 8.—Carabus.
cephalotes Scarites, [Hausmann], Entom. Bemerck. 1799, 25.
cephalotes Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2036.
cephalotes Tenebrio, P. S. Pallas, Icon. Ins. 1781, 49.
cephalotes Tenthredo, J. C. Fabricius, Spec. Ins. I. 1781, 408.
cephalotes Vespertilio, P. S. Pallas, Spic. Zool. III. 1767, 10.
cephalotes Vespertilio, R. Kerr, Anim. Kingd. 1792, 98, *var.* melinus.
“Cephalus, Bloch,” Ag.; occurs only in the synonymy.—P.
cephalus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 322; ed. 12, 1766, 527.
cephalus Erythrinus, F. C. Meuschen, Mus. Gronov. 1778, 35.
cephalus Gobiesox, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 595.
cephalus Mugil, Linnaeus, Syst. Nat., ed. 10, 1758, 316; ed. 12, 1766, 520.
cephalus Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 241.
cepha Medusa, P. Forskal, Descr. Anim. 1775, 108.
cepheus Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 487.
cephise [Phalaena], P. Cramer, Uitl. Kapellen, III (19) 1779, 59.
cephise [Phalaena], P. Cramer, Uitl. Kapellen, IV (32) 1782, 182.

[cephus]—

- cepphus** Catharacta, M. T. Brünnich, Orn. Boreal. 1764, 36.
cephus Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 37.—Simia.
cephus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 315.
cephus Papilio, J. C. Fabricius, Syst. Ent. 1775, 528.
cepha Papilio, J. C. Fabricius, Mant. II. 1787, 15.
cephus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 18.
cephus Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 27; ed. 12, 1766, 39.
cephus Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 67.
cephus [Sphinx], P. Cramer, Utitl. Kapellen, III (17) 1779, 8.
Cepola Linnaeus, Mus. Adolph. Frid. II. 1764, 63.—P.
Cepphus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 5 & 57.—A.
Cepphus P. S. Pallas, Spic. Zool. (5), 1769, 33.—A.
cepphus *v.* **cephus**.
cerago Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 87.
cerago Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 681.—
Cerambyx *v.* **Cerambyx**, O. F. Müller, F. Ins. Frid., 1764, xv. [Noctua.
cerambyx Attelabus, Linnaeus, Syst. Nat., ed. 10, 1758, 388; ed. 12, 1767, 621.
cerambyx Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 377; ed. 12, 1767, 602.
cerambyx Cistela (L.), J. C. Fabricius, Syst. Ent. 1775, 116.—Chrysomela.
cerambyx Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1713.—
 Chrysomela.
cerambyx Helops (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 49.—Chryso-
cerambyx Necydalis, J. R. Forster, Cat. Brit. Ins. 1770, 8 [*u. n.*]. [mela.
cerambyx Necydalis, J. R. Forster, N. Sp. Ins. 1771, 47.
cerambyx Necydalis, C. de Geer, Mém. Ins. V. 1775, 151.
cerambyx Necydalis, P. Rossi, Mant. Ins. II. 1794, 99.
cerambyx Pyrochroa (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 80.—Chrysomela.
cerambyx Spondylis (L.), J. C. Fabricius, Syst. Ent. 1775, 159.—Attelabus.
cerambyx Tenebrio (Fab.), A. G. Olivier, Entom. III. 1795, 9.—Spondylis.
cerambyx Upis, J. C. Fabricius, Ent. Syst. I (2) 1792, 515.
cerambyxiformis Leptura, F. v. P. Schrank, Ins. Aust. 1781, 154.
cerambycinus Pediculus, Scopoli, Ent. Carn. 1763, 386.
Cerambyx Linnaeus, Syst. Nat., ed. 10, 1758, 388; ed. 12, 1767, 621.—Col.
ceramense Ellobium, J. F. Bolten, Mus. Bolten. (2) 1798, 105.
ceramicus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 751.
ceramicum Vasmus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 57.—Voluta.
ceramica Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1195.—Murex, 1758.
Ceramryx *v.* **Cerambyx**, J. C. Fabricius, Mant. I. 1787, 130-135.
cerana Apis, J. C. Fabricius, Ent. Syst. II. 1793, 327.
cerana Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 276.—Papilio caranus.
Cerapterus N. S. Swederus, K. Vet. Ac. Nya Handl. IX. 1788, 203.—Col.
ceraria Phalaena, G. I. Molina, Sag. stor. nat. Chili, 1782, 212.
cerasana Phalaena Tortrix, J. Hübner, Beitr. Schmett. I (1) 1786, 14.
cerasata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 410.
cerasi Aphis, J. C. Fabricius, Syst. Ent. 1775, 734.
cerasi Bombyx, J. C. Fabricius, Syst. Ent. 1775, 564.
cerasi Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 376.
cerasi Crioceris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 47.
cerasi Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 378; ed. 12, 1767, 607.
cerasi Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 22.—Chrysomela.
cerasi Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 279.
cerasi Ichneumon, Linnaeus, Syst. Nat., ed. 12, Vol. III. 1768, app., 226.
cerasi Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 600; ed. 12, 1767, 998.
cerasi Musca, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 91.
cerasi Noctua, J. C. Fabricius, Syst. Ent. 1775, 600.
cerasi Noctua, J. C. Fabricius, Mant. Ins. II. 1787, 146.
cerasi Noctua, C. C. Jung, Alph. Verz. Schmett. I. 1791, 113.

- cerasi Papilio, J. C. Fabricius, Mant. II. 1787, 69.
 cerasi Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 557; ed. 12, 1767, 923.
 cerasifoliella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 70.
 cerasinus Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3204.
 cerasorum Curculio, J. C. Fabricius, Syst. Ent. 1775, 142.
 Cerastes J. N. Laurenti, Syn. Rept. 1768, 81.—R.
 Cerastes J. X. Poli, Test. Sicil. I. 1791, Introd. 30. A generic term applied to the fleshy part of certain Cardidae.
 cerastes Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 228; ed. 12, 1766, 391.
 cerastes Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 217; ed. 12, 1766, 376.
 cerastes Coluber, G. Shaw, Nat. Misc. IV. 1792, pl. 122.
 cerastii Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 454; ed. 12, 1767, 737.
 Cerastoderma J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—L.
 cerastoides Coluber (Laur.), J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 60.—Coronella.
 cerastoides Coronella, J. N. Laurenti, Syn. Rept. 1768, 86.
 cerata *v.* ceratus.
 [cerathurus]—
 kerathurus Cancer, P. Forskal, Descr. Anim. 1775, 95.
 kerathurus Cancer (Astacus) Forsk., J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 70.
 Ceratium F. v. P. Schrank, Naturforscher, XXVII. 1793, 34.—Inf.
 Ceratodon M. J. Brisson, Reg. Anim. 1762, 231.—M.
 Ceratodon M. T. Brännich, Fund. Zool. 1772, 48.—M.
 ceratoniae Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 353; ed. 12, 1767, 559.
 ceratophthalmus Cancer, P. S. Pallas, Spic. Zool. IX. 1772, 83.
 ceratophthalma Ocylope (Pall.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
 ceratophyta Gorgonia, Linnaeus, Syst. Nat., ed. 10, 1758, 801; ed. 12, 1767, 1290.
 keratosqueleton Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 639.
 cerata Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 164.
 cerata Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 10 [n. n.].
 cerata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 208.
 ceraunius Crabro, P. Rossi, Mant. Ins. II. 1794, 123.
 ceraunus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 303.
 cerberus Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 256.
 cerbera Sphinx, Linnaeus, Mus. Lud. Ulr. 1764, 363.
 cerberus Sphynx, P. S. Pallas, Spic. Zool. IX. 1772, 27.
 cerbera Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 551.—Sphinx.
 cercana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 12, 1767, 874.
 Cercaria O. F. Müller, Verm. I (1) 1773, 64.—Ver.
 Cercaria O. F. Müller, Anim. Inf. 1786, 119.—Inf.
 cercinatus *v.* circinatus.
 cercis Papilio, J. C. Fuessly, Arch. Ins. II. 1782, T. P. (*err. pro celtis*).
 Cercopis J. C. Fabricius, Syst. Ent. 1775, 688.—Hem.
 Cercopis P. A. Latreille, Préc. Car. Ins. 1796, 91.—Hem.
 Cercopithecus L. T. Gronovius, Zooph. I. 1763, 5.—M.
 Cercopithecus J. C. P. Erxleben, Syst. Anim. 1777, 22.—M.
 Cercopithecus B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.—M.
 Cercus P. A. Latreille, Préc. Car. Ins. 1796, 68.—Col.
 cerdo Canis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 75.
 zerda Canis, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 247.
 cerdo Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 392; ed. 12, 1767, 629.
 cerdo Hirundo, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 18.
 cerealella Alucita, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 121.
 cerealis Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 588.
 cerealis Scarabaeus, J. A. Scopoli, Del. Insub. I. 1786, 49.
 cereana Galleria (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 462.—Phalaena.
 cereana Phalaena (Geom.), Linnaeus, Syst. Nat., ed. 12, 1767, 874.
 cereana Phalaena (Tortrix), C. M. Blom, K. Vet. Ac. Handl. XXV. 1764, 13.
 cerebralis Hydatigena, A. J. G. C. Batsch, Naturg. Bandwurm. 1786, 84.

- cerebralis** Taenia (Batsch), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3062.—
cerebrina Taenia, A. J. Retzius, Verm. Intes. 1786, 52. [Hydatigena.]
cerebrum Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 163.
cereella Alucita, Bosc, Bull. Sci. Soc. Philom. [Paris], no. 39, 1800, 115.
cerefolii Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 45.
cerelia Tinea, *id. ac* cerella, Mant. II. 240, J. C. Fabricius, Ent. Syst. III (2), 1794, 287.
cerella Tinea, *id. ac* cereana Phalaena, Linn., J. C. Fabricius, Syst. Ent. L. 1775, 655.
cereoides Cellaria, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 26.
cereoides Sertularia (E. & S.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3862.—
cereolus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 44. [Cellaria.]
cereolus Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3745.
“Cereopsis, Latham, 1799.” Ag.; is 1801.
ceres Papilio, J. C. Fabricius, Syst. Ent. 1775, 504.
ceres [Papilio]. P. Cramer, Utitl. Kapellen, I (8) 1776, 141.
ceres Papilio Helic., Herbst in Jablonsky, Nat. Ins. (Schmett.) IV. 1790, 106.
ceretana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 226.—Phalaena cinctana.
ceretana Tortrix (D. & S.), C. de Villers, Linn. Ent. IV. 1789, 522.—Phalaena.
cereus Actinia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 2.
cereum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 113 [*n. n.*].
cerea Gorgonia, E. J. C. Esper, Pflanzenz., Forts. I (6) 1796, 166.
cereus Hydra (E. & S.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3867.—Actinia.
cerea Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 66.
cereus Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, 1766 [errata, end of vol. I.].—[*v.*]
cerea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3702. [caeneus.]
Ceria Scopoli, Ent. Carn. 1763, 351.—Dip.
Ceria J. C. Fabricius, Ent. Syst. IV. 1794, 277.—Dip.
Ceria J. G. Meigen, N. Class. Mouches, 1800, 23.—Dip.
cerialis [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 213.
cerialis [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 240.
cerifera Apis, J. A. Scopoli, Annus IV. 1770, 16.
ceriferus Coccus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 546.
cerinthe Cimex, J. C. Fabricius, Mant. II. 1787, 280.
cerinthes Altica, F. v. P. Schrank, F. Boica, I. 1798, 562.
cerinus Musca, M. Harris, Exp. Eng. Ins. 1776, 36.
Cerion J. F. Bolten, Mus. Bolten. (2) 1798, 90.—G.
ceriona Ellobium, J. F. Bolten, Mus. Bolten. (2) 1798, 106.
Cerithium J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xv.—G.
Cernua J. C. Schäffer, Piscium Bavar. 1761, 37.—P.
cernuae Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3048.
cernuae Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3079.
cernua Actinia, Bosc, Bull. Sci. Soc. Philom. [Paris], no. 2, 1797, 9.
cernuus Brachionus, P. S. Pallas, Spic. Zool. X (1774), 37.
cernua Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3715.
cernua Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 294; ed. 12, 1766, 487.
Cerocoma E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 357.—Col.
ceronus Papilio Pl. Rur., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1783—
ceronus Papilio, L. Prunner, Lep. Pedemont, 1798, 75. [85], 178.
Ceropaes P. A. Latreille, Préc. Car. Ins. 1796, 123.—Hym.
Ceroplatus *id. ac* Keroplatus, Bosc, J. C. Fabricius, Suppl. Ent. Syst. 1798, 550.
certar Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 157.
Certhia Linnaeus, Syst. Nat., ed. 10, 1758, 118; ed. 12, 1766, 184.—A.
certhia Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 412.
certhia Picus, P. Boddart, Tab. Planch. Enl. 1783, 38.
Certhitecus, F. v. Wurbm, *err. pro* Cercopithecus, Mag. Neuste Phys. u. Nat. II (4)
cerulea *v.* caerulea. [1784, 7.
cerusana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 63 [*n. et f.*].
cerusella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
cerusella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 63.

- cervana** Phalaena, Scopoli, Ent. Carn. 1763, 234.
- cervi** Fasciola, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 123.
- cervi** Festucaria, J. G. H. Zeder, Schrift. Berlin. Ges. Nat. Freunde, X (1) 1790, 68.
- cervi** Hippobosca, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 92.
- cervi** Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 611; ed. 12, 1767, 1017.
- "**cervi** Zoolithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 156.
- cervicalis** Psittacus, J. Latham, Index Orn. 1790, 130.
- cervicapra** Antilope, P. S. Pallas, Misc. Zool. 1766, 9.
- cervicapra** Capra, Linnaeus, Syst. Nat., ed. 10, 1758, 69; ed. 12, 1766, 96.
- cervicornis** Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 389; ed. 12, 1767, 622.
- cervicornis** Millepora, P. S. Pallas, Elench. 1766, 252.
- cervicornis** Millepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 134.
- cervicornis** Prionus (L.), J. C. Fabricius, Syst. Ent. 1775, 161.—Cerambyx.
- cervicornis** Spongia, P. S. Pallas, Elench. 1766, 388.
- cervinalis** Phalaena, Scopoli, Ent. Carn. 1763, 216.
- cervinaria** Phalaena, Giorna, Cal. Ent. 1791, 22. [vinalis, Scop.]
- cervinata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 111.—Phalaena cer-
- cervinata** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 266 [n. et f.].
- cervinella** Phalaena, Scopoli, Ent. Carn. 1763, 248.
- cervina** Adimonia (L.), J. A. Frolich, Naturforscher, XXVIII. 1799, 33.—Chrysomela.
- cervina** Atopa (Fab.), G. Paykull, Faun. Suec. II. 1799, 116.—Cistela.
- cervina** Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 377; ed. 12, 1767, 602.
- cervina** Cistela (L.), J. C. Fabricius, Syst. Ent. 1775, 116.—Chrysomela.
- cervina** Coccinella, Giorna, Cal. Ent. 1791, 109.
- cervinus** Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1114.—
- cervina** Coronella, J. N. Laurenti, Syn. Rept. 1768, 88. [Coronella.]
- cervina** Crioceris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 47. [Chrysomela.]
- cervinus** Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1713.—
- cervinus** Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 384; ed. 12, 1767, 615.
- cervina** Doris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3105.
- cervinus** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2721.
- cervina** Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2583.
- cervulus** Conus, F. C. Meuschen, Mus. Gever. 1787, 362.
- Cervus** Linnaeus, Syst. Nat., ed. 10, 1758, 66; ed. 12, 1766, 92.—M.
- cervus** Cimex, J. C. Fabricius, Mant. II. 1787, 283.
- cervus** Cypraea, Linnaeus, Mant. II. 1771, 548.
- cervus** Lucanus, Linnaeus, Syst. Nat., ed. 12, 1767, 559.—[Scarabaeus, ed. 10.]
- cervus** Platycerus, A. F. de Fourcroy, Ent. Paris. 1785, 2.
- cervus** Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 353 [Lucanus, ed. 12].
- Cerystion** J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 583.—P.
- cespitalis** Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
- cespitella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 29.
- cespitis** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 82.
- cespitis** Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
- cessans** Conops, M. Harris, Exp. Eng. Ins. 1776, 71. [405.—Noctua.]
- cessator** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 158.
- Cestracion** J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 580.—P.
- Crestreus** J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 584.—P.
- cethegus** [Papilio], C. Stoll, Aanhang. Cramer, Utit. Kapellen, V. 1790, 168.
- cethosia** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 143.
- cetii** Apis, F. v. P. Schrank, Ins. Aust. 1781, 405.
- ceti** Asellus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 255.—Oniscus.
- ceti** Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 509.—Oniscus.
- ceti** Oniscus, Linnaeus, Syst. Nat., ed. 10, 1758, 636; ed. 12, 1767, 1060.
- ceti** Pycnogonum (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 570.—Oniscus.
- Cetonia** J. C. Fabricius, Syst. Ent. 1775, 42.—Col.
- Cetus** M. J. Brisson, Reg. Anim. 1762, 225.—M.
- Cetus** E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 403.—M.

[ceylanensis]—

- zeylanensis** Buceros, R. Kerr, Anim. Kingd. 1792, 625.
- ceylanensis** Canis, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, I. 1799, 278.
- ceylanensis** Certhia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [*n. n.*].
- ceylanensis** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 636.
- zeylanensis** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 275.
- zeylonensis** Perdix, J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 210.
- ceylonensis** Perdix (Gm.), J. Latham, Index Orn. 1790, 644.—Tetrao zey-.
- ceclanensis** (*sic*) Psittacus (Larius), P. Boddaert, Tab. Planch. Enl. 1783, 42.
- ceilonensis** Sciurus, P. Boddaert, Elench. 1785, 117.
- zeylonensis** Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 287.
- ceylonensis** Strix, F. M. Daudin, Traité élém. Orn. 1800, 211.
- zeylonensis** Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 759.
- zeylonensis** Viverra, P. S. Pallas in J. C. D. Schreber, Säugth. III. 451 (1777).—zeylanica
[in Gmelin, Syst. Nat. 89.]
- zeylanicum** Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 264.
- zeylanicus** Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 408.
- ceylanica** Bulla, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 377.
- zeylonica** Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 188.
- zeylanicus** Chamaeleo, J. N. Laurenti, Syn. Rept. 1768, 46.
- zeylonicus** Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1106.
- zeylanica** Columba, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- zeylanicus** Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3389.
- zeylanicus** Cuculus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
- zeylanicus** Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1954.
- ceylanica** Eschara, P. S. Pallas, Elench. 1766, 44.
- ceilanica** Eschara, P. S. Pallas, Syst. Plant-Dieren, 1768, 55.
- zeylonica** Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 906.
- zeylanicus** Labrus, J. R. Forster, Ind. Zool. 1781, 24.
- zeulonica** (*sic*) Lacerta, B. S. Nau, N. Entdeck. Physik, I. 1791, 254.
- zeylonica** Loxia, G. Shaw in Miller, Cim. Phys. 1796, 80.
- zeylanica** Millepora (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3786.—
- zeylonica** Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 964. [Eschara.
- zeylanicus** Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 716.
- ceilanicus** Sciurus, Lamarck in Thunberg, Voy. Japon &c. IV. 1796, 286.
- ceilonicus** Scorpio, F. C. Meuschen, Mus. Gronov. 1778, 83.
- ceylonicus** Scorpio, J. F. W. Herbst, Nat. ungest. Ins. (4) 1800, 83.
- zeylanicus** Seps, J. N. Laurenti, Syn. Rept. 1768, 59.
- zeylanicus** Sturnus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- zeylanicus** Sturnus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 804.
- zeylonica** Sylvia (Gm.), J. Latham, Index Orn. 1790, 533.—Motacilla.
- zeylanicus** Triton, J. N. Laurenti, Syn. Rept. 1768, 39.
- zeylonicus** Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- zeylanica** Viverra, *id. ac* zeylonensis, Pall., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. [1788, 89.]
- zeylonus** Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 297.
- ceilonus** Turdus, Lamarck in Thunberg, Voy. Japon &c. I. 1796, 328.
- Ceyx** B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 10.
- caffara** Certhia, *v. caffra*.
- chabrontera** Trigla, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 145.
- chabrus** Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 628; ed. 12, 1767, 1044.
- chacamel** Phasianus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 125.
- Chaena** A. J. Retzius, Diss. Nova Test. Gen. 1788, 19.—L.
- chaerophyllata** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 196
[*n. et f.*].
- chaerophyllata** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 866.
- chaerophyllella** Phalaena Tin., C. de Villers, Linn. Ent. II. 1789, 516.
- chaerophillella** Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 115.
- chaerophylli** Musca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 565.

- Chaetodon Linnaeus, Syst. Nat., ed. 10, 1758, 272; ed. 12, 1766, 460. [Artedi, Ichth. 1738, gen. xxxvi. 51.]—P.
- chaiqua Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 116.
- chalarotis Vespertilio, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 735.
- chalcas Papilio, J. C. Fabricius, Syst. Ent. 1775, 453.
- Chalcida F. A. A. Meyer, Syn. Rept. 1795, 31.—R.
- Chalcides J. N. Laurenti, Syn. Rept. 1768, 64.—R.
- chalcides Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 209; ed. 12, 1766, 369.
- chalcides Scincus, F. C. Meuschen, Mus. Gronov. 1778, 7.
- chalcidica Iguana, J. N. Laurenti, Syn. Rept. 1768, 48.
- chalcidica Lacerta, Linnaeus, Syst. Nat., ed. 12, 1766 [addenda at end of vol. I.: misprint
- chalcidiformis Madrepora, P. Forskal, Descr. Anim. 1775, 136. [for chalcides.
- chalciformis Sesia, J. C. Fabricius, Ent. Syst. III (1) 1793, 382.
- chalciptera Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 771.
- Chalcis J. C. Fabricius, Mant. I. 1787, 272.—Hym.
- chalcis Melolontha, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 18.
- chalcis Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 13. [Noctua.
- chalcites Phalaena Noctua (Esp.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 774.—
- chalcocephalus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2035.
- calcographus Bostrichus (L.), J. C. Fabricius, Syst. Ent. 1775, 59.—Dermestes.
- calcographus Dermestes, Linnaeus, Faun. Suec., ed. 2, 1761, 143.
- chalcographus Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 7.—Bostrichus.
- chalcoides Cyprinus, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XVI. 1772, 540.
- chalconatus Dytiscus, Kugelann in G. W. F. Panzer, Ins. Germ. heft 38 [1796], tab. 17.
- chalcops Gryllus (Locusta), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2087.
- chalcoptera Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2785.
- chalcoptera Columba, J. Latham, Index Orn. 1790, 604.
- chalcothorax Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 30.
- chalcus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 142.
- chalca Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 244.
- chaldaeus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 42.
- chalsytis Phalaena Noctua, J. Hübner, Beitr. Schmett. II. 1790, 75.
- chalybata Musca, J. R. Forster, Cat. Brit. Ins. 1770, 15 [n. n.].
- chalybata Musca, J. R. Forster, N. Sp. Ins. 1771, 95.
- chalybata Paradisea, T. Pennant in Forster, Ind. Zool. 1781, 40 [n. n.].
- chalybeata Certhia, Linnaeus, Mus. Adolph. Frid. II. 1764, 22.
- chalybeatum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 94.—Bucc. chalybeum, Gm.
- chalybeata Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. 1776, 166.
- chalybeata Musca, *id. ac* chalybata, Forst., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2837.
- chalybeum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3504.
- chalybea Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1897.
- chalybeus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1989.
- chalybea Cassida, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 65.
- chalybea Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 186.
- chalybeus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2148.
- chalybeus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1759.
- chalybeus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1918.
- chalibeus Helops, P. Rossi, Fauna Etrus. I. 1790, 236.
- chalybea Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1026.
- chalybea Manucodia, P. Boddaert, Tab. Planch. Enl. 1783, 39.
- chalybea Paradisea, J. Latham, Index Orn. 1790, 197.
- chalybea Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 182.
- chalybea Saperda, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 138.
- chalybeus Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 674.
- chalyb Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3497.
- Chama Linnaeus, Syst. Nat., ed. 10, 1758, 691; ed. 12, 1767, 1137.—L.
- Chama E. M. da Costa, Brit. Conch. 1778, 230.—L.

- Chama** P. Browne, Hist. Jamaica, ed. 2, 1789, 413.—L.
Chamaeformis F. C. Meuschen, Mus. Gever. 1787, 444.—L.
Chamaeleo J. N. Laurenti, Syn. Rept. 1768, 45.—R.
Chamaeleon L. T. Gronovius, Zooph. I. 1763, 12.—R.
cameleon Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 543.
chamaeleon Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 204; ed. 12, 1766, 364.
chamaeleon Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 589; ed. 12, 1767, 979.
chamaeleon Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 779; ed. 12, 1767, 1255.
chamaeleon Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 247.
chamaeleon Stratiomys (L.), J. C. Fabricius, Syst. Ent. 1775, 759.—Musca.
chamaeleontina Iguana, J. N. Laurenti, Syn. Rept. 1768, 47.
chamaemorus Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 55.
chamaeropsis Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 167.
chama-solen Solen, E. M. da Costa, Brit. Conch. 1778, 238.
Chamites J. Gesner, Tract. Petref. 1758, 37.—L.
chamomillae Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 73.
chamomillae Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
Channa L. T. Gronovius, Zooph. I. 1763, 135.—P. [290.—Noctua.
chanos Mugil, P. Forskal, Descr. Anim. 1775, 74.
chanos *v.* magnus Mugil, P. Forskal, Descr. Anim. 1775, xiv.
chanus Labrus, P. Forskal, Descr. Anim. 1775, 36.
Chaoborus A. A. H. Lichtenstein, Archiv Zool. (Wiedemann) I (1) 1800, 174.—Dip.
chaonia Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 49.
Chaos Linnaeus, Syst. Nat., ed. 12, 1767, 1326.—Inf.
chaos Volvox, Linnaeus, Syst. Nat., ed. 10, 1758, 821.
characias Orthezia, P. Bosc d'Antic, Obs. sur la Physique, XXIV. 1784, 173.
"Characinus" *v.* Salmo.
characterana Phalaena Tort., J. Hübner, Samml. Vögel u. Schmett. 1793, 11 [*u. et f.*].
characterella Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 6 [*u. et f.*].
characterella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 137.
characterrea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 78. [517.—Noctua.
characterrea Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
characteria [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 154.
Charadrias J. A. Scopoli, Introd. Hist. Nat. 1777, 475.—A.
Charadricus *v.* Charadrius, T. Pennant in Forster, Ind. Zool. 1781, 42 [*u. u.*].
charadrii Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 613; ed. 12, 1767, 1019.
Charadrius Linnaeus, Syst. Nat., ed. 10, 1758, 150; ed. 12, 1766, 253.—A.
charadria Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 180.
Charax L. T. Gronovius, Zooph. I. 1763, 123.—P.
charidea Papilio, [D. H. Schneider], N. Mag. Lieb. Ent. [Schneider's], V. 1794, 588.
Chariophyllus M. E. Bloch, Eingeweidewürmer, 1782, 34.—Ver.
charithonia Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 12, 1767, 757.
charmione [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 162.
charon Argulus, O. F. Müller, Entom. 1785, 122.
charon Himantopus, O. F. Müller, An. Infus. 1786, 252.
charon Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3005.—Argulus.
charon Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judge 1796], 15.
charon Trichoda, O. F. Müller, Verm. I (1) 1773, 83.
charonia Papilio, D. Drury, Ill. Nat. Hist. I. 1770, index & 28.
charopus Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 91.
charopus Tabanus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 214.
chartacea Flustra, *id. ac* cartacea, Mar., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
chartoprates Cassis, F. C. Meuschen, Mus. Gever. 1787, 394. [3828.
chaugoun Vultur, F. M. Daudin, Traité élém. Orn. 1800, 14.
Chauliodes P. A. Latreille, Préc. Car. Ins. 1796, 182.—Hym.
chaumi Turdus, Brill in J. G. Georgi, Reise Russ. 1775, 505.
chaus Felis, A. I. Gueldenstaedt, N. Comm. Ac. Sci. Petrop. XX. 1776, 500.
chaus Felis (Lynx), R. Kerr, Anim. Kingd. 1792, 155.

- chavaria* Palamedea (L.), Geoffroy, Bull. Sci. Soc. Philom. [Paris], no. 7, 1797, 50.—
chavaria Parra, Linnaeus, Syst. Nat., ed. 12, 1766, 260. [Parra.]
cheala Falco, J. Latham, Index Orn. 1790, 14.
cheela Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 493.
Cheilea A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 110.—G.
Cheiromys G. Cuvier, Leçons Comp. Anat. I. 1800, 1 [n. n.].—M.
chelata Aranea, O. F. Müller, F. Ins. Frid. 1764, 94.
chelatus Cancer, J. C. Fabricius, Mant. I. 1787, 317.
chelata Cellularia (L.), P. S. Pallas, Elench. 1766, 77.—Sertularia.
chelata Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 816.
chelicornis Solpuga, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 218.
Chelifier E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 617.—Ar.
chelifer Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 202.
chelifer Cyclops, O. F. Müller, Z. Dan. Prod. 1776, 200. [Cyclops.]
chelifer Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2998.—
chelipes Asellus (Pall.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 254.—Oniscus.
chelipes Cymothoa (Pall.), J. C. Fabricius, Ent. Syst. II. 1793, 506.—Oniscus.
chelipes Oniscus, P. S. Pallas, Misc. Zool. 1766, 194.
Chelon [P. Artedi, Ichth. 1738, syn. 118.].—P.
Chelonelithes R. de Paul de Lamanon, Obs. sur la Physique, XVI. 1780, 472.—R.
Chelonia Al. Brongniart, Bull. Sci. Soc. Philom. 1800, 89.—R.
chelonocéphala Phoca, J. M. Bechstein in Pennant, Uebers. Thiere, II. 1800, 586.
chelys Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 80.
chemnis Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 331.
chemnis Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
chemnitzii Notacanthus, M. E. Bloch, Abh. Böhm. Ges. Wiss. 1787 (1788), 278.
Chenalopex Moehring, Gesl. Vog. (Nozem. & Vosm. ed.) 1758, 5 & 53.—A.
chenensis Oriolus, P. Boddaert, Tab. Planch. Enl. 1783, 34. [n. et f.]
chenopodiata Geometra, J. Hübn. Europ. Schmett. (Geom.) [me judice 1796], fig. 299
chenopodiata Noctua, *id. ac* chenopodii, D. & S., C. de Villers, Linn. Ent. IV. 1789, 467.
chenopodiata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 525; ed. 12, 1767,
chenopodii Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 82. [868.]
chenopodii Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 418.—Noctua.
chephise [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (32) 1782, 182.
chera Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 36.
cheriway Falco, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 17.
cheriway Falco (Gypaetus), R. Kerr, Anim. Kingd. 1792, 481.
cheriway Vultur (Jacq.), J. Latham, Index Orn. 1790, 8.—Falco.
tscheriway (sic) Vultur, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 5 [n. n.].
Chermes Linnaeus, Syst. Nat., ed. 10, 1758, 453; ed. 12, 1767, 737.—Hem.
Chermes E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 498.—Hem.
chermes-buxi Psylla, A. F. de Fourcroy, Ent. Paris. 1785, 223.
chermesina Chrysomela (Fourc.), C. de Villers, Linn. Ent. I. 1789, 158.—Cryptoc.
chermesinus (sic) Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 450; ed. 12, 1767, 732.
chermesinus Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 94.
kermesinus (sic) Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 140.—Cimex.
kermesina (sic) Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 316.
chersea Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 218; ed. 12, 1766, 377.
Chersina [G. Humphreys], Mus. Calonn. 1797, 62.—G.
Cheyletus P. A. Latreille, Préc. Car. Ins. 1796, 179.—Ar.
chi Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 615.—Phalaena.
chi Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 514; ed. 12, 1767, 846.
chichtli Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 296.
chicorii Chrysomela, Linnaeus in Hasselquist, Palast. 1762, 449.
chicquera Falco, F. M. Daudin, Traité élém. Orn. 1800, 121. [Diomedea.]
chilensis Aptenodyta (Mol.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 559.—
chilensis Chaetodon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1264.

- chilensis** Diomedea, G. I. Molina, Sag. stor. nat. Chili, 1782, 238.
- chilensis** Esox, G. I. Molina, Sag. stor. nat. Chili, 1782, 222.
- chilensis** Mugil, G. I. Molina, Sag. stor. nat. Chili, 1782, 224.
- chilensis** Mustela (Lutra), R. Kerr, Anim. Kingd. 1792, 172.
- chilensis** Otis, G. I. Molina, Sag. stor. nat. Chili, 1782, 260.
- chilensis** Parra, G. I. Molina, Sag. stor. nat. Chili, 1782, 258.
- chilensis** Phoca, R. Kerr, Anim. Kingd. 1792, 127.
- chilensis** Phoenicopterus, G. I. Molina, Sag. stor. nat. Chili, 1782, 242.
- chilensis** Pinguinus (Mol.), J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 30.—? Diomedea.
- chilensis** Pyura, G. I. Molina, Sag. stor. nat. Chili, 1782, 348.
- chilensis** Scorpio, G. I. Molina, Sag. stor. nat. Chili, 1782, 215.
- chilensis** Silurus, G. I. Molina, Sag. stor. nat. Chili, 1782, 226.
- chilensis** Sparus, G. I. Molina, Sag. stor. nat. Chili, 1782, 223.
- chilensis** Viverra, H. F. Link, Beytr. Nat. I (2) 1795, 85.
- chiloensis** Aptenodyta (Mol.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 559.—
- chiloensis** Diomedea, G. I. Molina, Sag. stor. nat. Chili, 1782, 239. [Diomedea.]
- chiloensis** Pholas, G. I. Molina, Sag. stor. nat. Chili, 1782, 204.—[chilensis, *errore*, Fr.]
- chilon** Cyprinus, J. F. Bolten, Mus. Bolten. (1) [1798], 14. [ed., 1789, 179.]
- chilon** Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 200.
- Chimaera** Linnaeus, Syst. Nat., ed. 10, 1758, 236; ed. 12, 1766, 401.—P.
- Chimaera** J. X. Poli, Test. Sicil. I. 1791, Introd. 31.—A generic term applied to fleshy parts of Pinnae.
- chimaera** Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 11.
- Chimaeroderma** J. X. Poli, Test. Sicil. II. 1795, 253 & 259.—L.
- chimaris** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 424.
- chinche** *v.* cinche.
- chincou** Vultur, F. M. Daudin, Traité élém. Orn. 1800, 12.
- chinensis** *v.* sinensis.
- chinga** Viverra, G. I. Molina, Sag. stor. nat. Chili, 1782, 288.—[chingha, Ger. ed., 1786,
- chinquis** Pavo, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 121. [255.]
- Chion** J. A. Scopoli, Intr. Hist. Nat. 1777, 398.—Moll.
- chionanthi** Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 195.
- chionanthi** Sphinx, J. E. Smith in Abbot, Ins. Georgia, 1797, 67.
- chione** Callistoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—Venus.
- chione** Noctua, J. C. Fabricius, Spec. Ins. II. 1781, 213.
- chione** [Papilio], P. Cramer, Uitl. Kapellen, I (8) 1776, 142.
- chione** Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 686; ed. 12, 1767, 1131.
- Chionis** J. R. Forster, Ench. 1788, 37.—A.
- chiragra** Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 340.—Strombus.
- chiragra** Cancer, J. C. Fabricius, Syst. Ent. 1775, 409.
- chiragra** Cancer (Mantis) (Fabr.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 100.—
- chiragra** Inachus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer. [Squilla.]
- chiragra** Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 67.
- chiragra** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 168.
- chiragra** Squilla, J. C. Fabricius, Spec. Ins. I. 1781, 515.
- chiragra** Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 742; ed. 12, 1767, 1207.
- chiragricus** Acarus, H. Ström, Nye Saml. K. Danske Skrifter, III. 1788, 291.
- chiragricus** Cancer, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2990.
- “**Chirocephalus** Prevost, 1794,” Ag.; does not occur before 1803.—Cr.
- chiron** Papilio, S. A. v. Rottemberg, Naturforscher, VI. 1775, 27.
- chiron** Papilio, J. C. Fabricius, Syst. Ent. 1775, 452.
- chiron** Scarabaeus, A. G. Olivier, Entom. I. 1789, 18.
- chiron** Sphinx, D. Drury, Ill. Nat. Hist. I. 1770, index & 56.
- chiron** [Sphinx], P. Cramer, Uitl. Kapellen, II (12) 1777, 62.
- chironius** Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 209.
- chirothecata** Tipula, Scopoli, Ent. Carn. 1763, 320.
- chirurgus** Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 99.
- chirurgus** Tringa, J. A. Scopoli, Del. Insub. II. 1786, 92.

- Chiton** Linnaeus, Syst. Nat., ed. 10, 1758, 667; ed. 12, 1767, 1106.—Moll.
- chiton** Chiton, J. F. Bolten, Mus. Bolten. (2) 1798, 196 [*n. n.*].
- chiton** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 262.
- chiton** Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
- Chlamys** J. F. Bolten, Mus. Bolten. (2) 1798, 161.—L.
- chlora** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 233.
- chlorana** Phalaena (Tort.), Linnaeus, Faun. Suec., ed. 2, 1761, 343.
- clorana** Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 646.—Phalaena.
- chloreia** [Phalaena], P. Cramer, Uitl. Kapellen, II (9) 1777, 12.
- chloridis** Pediculus, F. v. P. Schrank, Beitr. Nat. 1776, 118.
- chlorinaeus** Papilio, J. C. Fabricius, Syst. Ent. 1775, 484.
- chlorio** Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- Chloris** Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 2 & 24.—A.
- Chloris** G. Cuvier, Leçons Comp. Anat. I. 1800, 2 [*n. n.*].—A.
- chloris** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2185.
- chloris** Curculio, G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 8.
- chloris** Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 174; ed. 12, 1766, 304.
- chloris** Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 639.
- chloris** Papilio, J. C. Fabricius, Syst. Ent. 1775, 473.
- chloris** Papilio N. P., E. J. C. Esper, Die Schmett. I (9) 1779, 372.
- chloris** [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 10.
- chloris** Passer (L.), J. C. Schaeffer, Mus. Orn. 1789, 27.—Loxia.
- chloris** Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 173.
- chloris** Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 67.
- chloris** Sitta, A. Sparrman, Mus. Carls. II. 1787, no. xxxiii.
- chlorizans** Cimex, Block in G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 21.
- chlorocephala** Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 454.
- chlorocephala** Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 887.
- chlorocephala** Loxia, F. M. Daudin, Traité élém. Orn. 1800, 432.
- chlorocephalus** Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 432.
- chloroleuca** Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 984.
- chloroleuca** Sylvia (Gm.), J. Latham, Index Orn. 1790, 536.—Motacilla.
- chloromelas** Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1991.
- chloromelas** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2185.
- chloronotos** Testudo, J. M. Bechstein, Lacépède's Amphibien, I. 1800, 107.
- chlorophanus** Carabus, Zöcker in L. H. v. Bloch in Becker, Plau. Grund, 1799, 100.
- chloropodis** Distoma, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 198.
- chloropterus** Buceros, R. Kerr, Anim. Kingd. 1792, 626.
- chloroptera** Certhia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [*n. n.*].
- chloropterus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
- chloropterus** Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2086.
- chloropterus** Labrus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 151.
- chloroptera** Meloe, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2020.
- chloropterus** Staphylinus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 36, 1796, tab. 20.
- chloroptura** Ardea, P. Boddaert, Tab. Planch. Enl. 1783, 54.
- cloropus** Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 385; ed. 12, 1767, 617.
- cloropus** Fulica, Linnaeus, Syst. Nat., ed. 10, 1758, 152; ed. 12, 1766, 258.
- chloropus** Gallinula (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 293.—Fulica.
- chloropus** Mantis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 81.
- chloropus** Muscicapa, H. Lichtenstein, Cat. rerum Nat. I. 1793, 48.
- chlororhynchos** Diomedea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 568.
- chlorosata** Phalaena, Scopoli, Ent. Carn. 1763, 222.
- chlorosticta** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3707.
- chlorothorax** Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 30.
- chlorotica** Blatta, P. S. Pallas, Spic. Zool. IX. 1772, 10.
- chloroticum** Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 256.
- chlorotica** Crioceris, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 203.
- chlorotica** Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 317.

- chlorourus** Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 24.
chocolatella Tinea, C. C. Jung. Alph. Verz. Schmett. 1791, 118.
choerilus [Sphinx], P. Cramer, Uitl. Kapellen, III (21) 1779, 91.
"Choero pithecus" P. Boddaert, Allg. Genees. Jaarb. III (1) 1786, 281.—M.
Choleva P. A. Latreille, Préc. Car. Ins. 1796, 14.—Col.
chondrilla Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
chorinea Phalaena, *err. pro* chorinea, Cram. IV (26) 1780, 42.
choragella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 137.
chorda Syngnathus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 3.
chordatus Stylephorus, G. Shaw, Tr. Linn. Soc. [Lond.] I. 1791, 90.
chorebus [Phalaena], P. Cramer, Uitl. Kapellen, II (10) 1777, 25.
chorea Musca, J. C. Fabricius, Spec. Ins. II. 1781, 444.
chorea Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 59.
choraeus Psittacus, G. I. Molina, Sag. stor. nat. Chili, 1782, 257.
chorinaeus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 9.—Scarabaeus, 1775.
chorineus [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 91.
chorinaeus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 72.
chorinea [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 42.
chorinaeus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 5.
chorus Mytilus, G. I. Molina, Sag. stor. nat. Chili, 1782, 202.
choucou Strix, F. M. Daudin, Traité élém. Orn. 1800, 186.
chremes Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 47.
christiernana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 12, 1767, 877.
christiernana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 649.—Phalaena.
chromis Cynaedus, F. C. Meuschen, Mus. Gronov. 1778, 25.
cromis Labrus, Linnaeus, Syst. Nat., ed. 12, 1766, 479.
chromis Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 280; ed. 12, 1766, 470.
chromus [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 163.
chrysaetos Aquila (L.), F. v. P. Schrank, F. Boica, I. 1798, 107.—Falco.
chrysaëtos Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 88; ed. 12, 1766, 125.
chrysaëtos Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 484.
chrysalis Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 50 [*n. n.*].
chrysalis Paramaecium, O. F. Müller, An. Infus. 1786, 90.
chrysanthem Hirtea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 552.—Tipula, 1787.
chrysanthem Phalaena Tinea, J. G. Gladbach in Kuehn, Kurz Anleit. Ins., ed. 2, 1783.
chrysanthem Sphinx, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 166. [163 *n. n.*].
chrysanthem Tipula, J. C. Fabricius, Mant. II. 1787, 327.
chryseis Bombyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 58.
chryseis Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 309.—Papilio.
chryseis Papilio, D. Drury, Ill. Nat. Hist. I. 1770, index & 23.
chryseis Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 181.
chrysalis [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, IV. 1790, 131.
chrysidiformis Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1782, 210.
chrysippe Papilio, J. C. Fabricius, Syst. Ent. 1775, 502.
chrysiptus Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 471; ed. 12, 1767, 767.
chrysiptus Papilio [*non* Linn.], J. H. Sulzer, Gesch. Ins. 1776, 144.
Chrysis Linnaeus, Faun. Suec., ed. 2, 1761, 414.—Hym.
chrysis Buprestis, J. C. Fabricius, Syst. Ent. 1775, 218.
chrysis Cetonia (L.), J. C. Fabricius, Syst. Ent. 1775, 44.—Scarabaeus.
chrysis Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 525.
chrysis Ichneumon, J. C. Fabricius, Mant. I. 1787, 269.
chrysis Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 109. [baeus.
chrysis Melolontha (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 149.—Scara-
chrysis Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 350; ed. 12, 1767, 551.
chrysis Scarabaeus, F. C. Meuschen, Mus. Gronov. 1778, 58.
chrysis Spheg, J. L. Christ, Nat. Ins. 1791, 310.
[chrysitina Phalaena (N.) MS.], T. Martyn, Psyche, 1797, fig. 56.
chrysites Buprestis, *id. ac* chrysis, Fabr., P. S. Pallas, Icon. Ins. 1782, 62.

- chrysitis** *Noctua* (L.), J. C. Fabricius, Syst. Ent. 1775, 606.—*Phalaena*.
- chrysitis** *Phalaena* (*Noctua*), Linnaeus, Syst. Nat., ed. 10, 1758, 512; ed. 12, 1767, 843.
- chrysocephala** *Alica* (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 84.—*Chrysomela*.
- chrysocephala** *Amphitrite* (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790,
- chrysocephalus** *Carabus*, P. Rossi, Fauna Etrus. I. 1790, 220. [3111.—*Nereis*.
- chrysocephala** *Chrysomela*, Linnaeus, Syst. Nat., ed. 10, 1758, 372; ed. 12, 1767, 594.
- chrysocephalus** *Cimex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 2164.
- chrysocephalus** *Cuculus*, G. Shaw in Miller, Cim. Phys. 1796, 91.
- chrysocephalus** *Icterus* (L.), F. M. Daudin, Traité élém. Orn. 1800, 336.—*Oriolus*.
- chrysocephalus** *Merops*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 463.
- chrysocephala** *Motacilla*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 971.
- chrysocephala** *Musca*, C. de Geer, Mém. Ins. VI. 1776, 60.
- chrysocephala** *Musca*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 2860.
- chrysocephala** *Nereis*, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 235.
- chrysocephalus** *Oriolus*, Linnaeus, Syst. Nat., ed. 12, 1766, 164.
- chrysocephalus** *Staphylinus*, A. F. de Fourcroy, Ent. Paris. 1785, 165.
- chrysocephala** *Sylvia* (Gm.), J. Latham, Index Orn. 1790, 541.—*Motacilla*.
- chrysocephalus** *Turdus*, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8
- chrysocephalus** *Vultur*, G. A. Suckow, Naturg. II (1) 1800, 91. [*n. n.*].
- chrysocheras** *Phalaena* (*Noctua*), J. Beckwith, Tr. Linn. Soc. [Lond.] II. 1794, 3.
- Chrysochloris** B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.—*M*.
- chrysochlypeata** *Sphex*, J. L. Christ, Nat. Ins. 1791, 293.
- chrysocollis** *Buprestis*, Scopoli, Ent. Carn. 1763, 64.
- chrysocome** *Aptenodytes*, J. R. Forster, Comm. Soc. R. Sci. Gott. III. 1781, 133.
- chrysoctenyla** *Alucita*, [Denis & Schiffermüller], Schmett. Wien, 1775, 320.
- chrysoodon** *Sabella*, Linnaeus, Syst. Nat., ed. 12, 1767, 1269.
- chrysoodon** *Teredo*, P. J. Bergius, K. Vet. Ac. Handl. XXVI. 1765, 228.
- chrysoeolus** *Buprestis*, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 122.
- Chrysogaster** J. G. Meigen, N. Class. Mouches, 1800, 32.—*Dip*.
- chrysogaster** *Cerambyx*, F. v. P. Schrank, Ins. Aust. 1781, 132.
- chrysogaster** *Ichneumon*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 2705.
- chrysogaster** *Ichneumon*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 2709.
- chrysogaster** *Psittacus*, J. Latham, Index Orn. 1790, 97.
- chrysogaster** *Stenocorus* (Schr.), A. G. Olivier, Entom. IV. 1795, 19.—*Cerambyx*.
- chrysogaster** *Turdus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 835.
- chrysoastralis** *Phalaena* (*Pyr.*), C. de Villers, Linn. Ent. II. 1789, 449.
- chryso glossa** *Phalaena* (*Noctua*), J. Beckwith, Tr. Linn. Soc. [Lond.] II. 1794, 6.
- chryso gona** *Vespa*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 2767.
- chryso grapha** *Noctua*, [Denis & Schiffermüller], Schmett. Wien, 1775, 313.
- Chrysomela** Linnaeus, Syst. Nat., ed. 10, 1758, 368; ed. 12, 1767, 586.—*Col*.
- chrysomelae** *Filaria*, v. Holten, Skr. nat. Selsk. [Copen.] IV (1) 1797, 16.
- chrysomelae tanacetii** *Filaria*, J. A. Frolich, Naturforscher, XXV. 1791, 108.
- chrysomelas** *Gryllus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 2086.
- chrysomelas** *Phalaena* *Noctua*, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 778.
- [**chrysomelinus**]—
- chrysomalinus** (*sic*) *Carabus*, J. A. Frolich, Naturforscher, XXVI. 1792, 162.
- chrysomelin[us]** *Cicindela*, [D. H. Schneider], Nom. Ent. 1785, 20 [*n. n.*].
- chrysomelina** *Coccinella*, J. C. Fabricius, Syst. Ent. 1775, 82.
- chrysomelina** *Dytiscus*, J. C. Fabricius, Mant. I. 1787, 192.
- chrysomelinus** *Elater*, O. F. Müller, Z. Dan. Prod. 1776, 60.
- chrysomelinus** *Hydrophilus*, O. F. Müller, Z. Dan. Prod. 1776, 69.
- chrysomelinus** *Hydrophilus*, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 313.
- chrysomelinus** *Lucanus*, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785, 356. [Scarabaeus *chrysomeloides*.
- chrysomelina** *Melolontha* (Schrank), J. C. Fabricius, Ent. Syst. I (2) 1792, 175.—
- chrysomelinus** *Oxyporus* (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 534.—*Staphylinus*.
- chrysomelinus** *Scarabaeus*, *id. ac chrysomeloides*, Schr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 1566.

- chrysomelinus** Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 423; ed. 12, 1767, 685.
chrysomelinus Tenebrio, P. Rossi, Fauna Etrus. I. 1790, 233.
chrysomelinus Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 17.
chrysomelina Zonitis, J. C. Fabricius, Syst. Ent. 1775, 126.
chrysomeloides Cantharis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 17.
chrysomeloides Cantharis, C. P. Thunberg, D. D. Mus. Aust. Upsal. 1787, 54.
chrysomeloides Dermestes, F. v. P. Schrank, Ins. Aust. 1781, 31.
chrysomeloides Helops, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 1.
chrysomeloides Hydrophilus, G. W. F. Panzer, Ins. Germ. heft 67 [1799], tab. 14.—
 chrysomelinus in text.
chrysomeloides Leptura, F. v. P. Schrank, Ins. Aust. 1781, 158.
chrysomeloides Meloe, Linnaeus, Amoen. Acad. VI. 1763, 396.
chrysomeloides Nitidula, P. Rossi, Mant. Ins. I. 1792, 24.
chrysomeloides Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2002.—
chrysomeloides Pimelia, A. G. Olivier, Entom. III. 1795, 12. [Tenebrio.
chrysomeloides Ptinus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 502.
chrysomeloides Scarabaeus, F. v. P. Schrank, Ins. Aust. 1781, 16.
chrysomeloides Scarabaeus, C. de Villers, Linn. Ent. I. 1789, 39.
chrysomeloides Strongylus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 180.
chrysomeloides Tenebrio, P. S. Pallas, Icon. Ins. 1781, 52.
chryson Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. [1797–1800] 446.
chrysonuchella Phalaena, Scopoli, Ent. Carn. 1763, 246.
chrysonuchella Phalaena Tinea, N. J. Brahn, Ins. Kal. II (1) 1791, 499.
chrysonuchella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 28.
chrysopallida Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 310.
chrysopelargus Ardea, H. Lichtenstein, Cat. rerum Nat. I. 1793, 29.
chrysochrysis Emberiza, P. S. Pallas, Reise Russ. III. 1776, 698.
chrysoprasaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (2) 1794, 37.
chrysoprasus Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 46.
Chrysops J. G. Meigen, N. Class. Mouches, 1800, 23.—Dip.
chrysops Aranea, N. Poda, Ins. Mus. Graec. 1761, 123.
chrysops Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 63.
chrysops Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 549; ed. 12, 1767, 912.
chrysops Lutjanus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 113.
chrysops Sparus, Linnaeus, Syst. Nat., ed. 12, 1766, 471.
chrysops Upis, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 236.
chrysoptera Certhia, J. Latham, Index Orn. 1790, 299.
chrysopterus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 125.
chrysopterus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 339.
chrysoptera Emberiza, J. Latham, Index Orn. 1790, 401.
chrysoptera Gracula, B. Merrem, Avium rar. Icones, I. 1784, 10: & var. chrysocephala,
chrysopterus Lutjanus (L.), G. A. Suckow, Naturges. IV. 1799, 544.—Perca. [12.
chrysoptera Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 333.
chrysopterus Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2261.
chrysoptera Perca, Linnaeus, Syst. Nat., ed. 12, 1766, 485.
chrysopterus Psittacus, Linnaeus, Syst. Nat., ed. 12, 1766, 149.
chrysoptera Sylvia (L.), J. Latham, Index Orn. 1790, 541.—Motacilla.
chrysoptera Vespa, C. de Villers, Linn. Ent. III. 1789, 284.
chrysoptera armata Vespa, C. de Villers, Linn. Ent. III. 1789, 284.
chrysopus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2168.
chrysopus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1713.
chrysopus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2702.
chrysopus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2706.
chrysopus Ichneumon, T. Marsham, Tr. Linn. Soc. [Lond.], III. 1797, 4.
chrysopus Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2865.
chrysopus Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2767.
chrysorrhæa Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 577.—Phalaena.
chrysorrhæa Musca, Scopoli, Ent. Carn. 1763, 347.

- chrysorrhoea** Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 502; ed. 12, 1767,
chrysorrhoea Sphinx, E. Donovan, Brit. Ins. IV. 1795, 21. [822]
- chrysorrhousa** Chrysis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2747.
- chrysorus** Myoxus, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 352.
- chrysostictos** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1779.
- chrysostictos** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2721.
- chrysosticta** SpheX, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 199.
- chrysostigma** Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 409; ed. 12, 1767, 660.
- chrysostigma** Cucujus, A. F. de Fourcroy, Ent. Paris. 1785, 32.
- chrysostoma** Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2790.
- chrysostomum** Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112.
- chrysostoma** Cassis, F. C. Meuschen, Mus. Gever. 1787, 388.
- chrysostomus** Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 372. [571.
- chrysostoma** Diomedea, J. R. Forster, Mém. présentés Ac. Roy. Sci. [Paris], X. 1785,
chrysostoma Lunatica (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 101.—Turbo.
- chrysostoma** Musca, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 216.
- chrysostoma** Nerita, D. L. G. Karsten, Mus. Lesk. I. 1789, 290.
- chrysostoma** Nerita, J. F. Bolten, Mus. Bolten (2) 1798, 18 [*n. n.*].
- chrysostoma** SpheX, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 200.
- chrysostoma** Tellina, F. C. Meuschen, Mus. Gever. 1787, 462.
- chrysostomus** Turbinus (L.), F. C. Meuschen, Mus. Gever. 1787, 278.—Turbo.
- chrysostomus** Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 762; ed. 12, 1767, 1233.
- chrysostoma** Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2766.
- chrysotheme** Papilio D. C., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
- chrysothorax** Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 203. [1781, 89.
- chrysothyreos** Leptura, F. v. P. Schrank, F. Boica, I. 1798, 697.
- chrysotis** Buprestis, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 121.
- chrysozonias** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 2879.
- Chrysozona** J. G. Meigen, N. Class. Mouches, 1800, 23.—Dip.
- chrysozona** Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 264.
- chrysuros** Hystrix, H. F. Link, Beytr. Nat. I (2) 1795, 72 [*n. n.*].
- chrysurus** Myoxus, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 352.
- chrysurus** Scomber, Linnaeus, Syst. Nat., ed. 12, 1766, 494.
- chrysurus** Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 28.
- chrysus** [Papilio], C. Stoll in Cramer, Util. Kapellen, IV (32) 1782, 178.
- chufejif** Formica, P. Forskal, Descr. Anim. 1775, xxiii.
- chuff** Blennius, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 186.
- cia** Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 310.
- cibaria** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 599; ed. 12, 1767, 995.
- Cibota** P. Browne, Hist. Jamaica, ed. 2, 1789, 416.—L.
- cibriformis** Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [post 1796], 68.
- Cicada** Linnaeus, Syst. Nat., ed. 10, 1758, 434; ed. 12, 1767, 715; divided by him into
 Noctilucæ, Foliaceæ, Cruciatæ, Manniferæ, Spumantes, Deflexæ, Ranatrae; but
 these words are not used in a sub-generic sense.
- cicada** Cancer (Gammarellus) (O. Fab.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793,
cicada Cynipsichneumon, J. L. Christ, Nat. Ins. 1791, 387. [137.—Oniscus.
- cicada** Oniscus, O. Fabricius, F. Groen. 1780, 258.
- cicada** Rhombea, S. Felton, Phil. Trans. LIV. 1764, 55.
- cicada** Trichoda, O. F. Müller, An. Infus. 1786, 232.
- cicatricosa** Aranea, C. de Geer, Mém. Ins. VII. 1778, 226.
- cicatricosum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3475.
- cicatricosa** Cassis, F. C. Meuschen, Mus. Gever. 1787, 392.
- cicatricosus** Curculio, D. H. Hoppe, Ins. Elyt. 1795, 61.
- cicatricosa** Helix, O. F. Müller, Verm. II. 1774, 42.
- cicatricosa** Pomatia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 74.—Helix.
- cicatrosum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3475.
- cicercula** Cypræa, Linnaeus, Syst. Nat., ed. 10, 1758, 725; ed. 12, 1767, 1181.
- cicero** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 338.

- cicero** Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VI. 1793, 130.
cichoreum Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3530.
cichorii Buprestis, A. G. Olivier, Entom. II. 1790, 91.
cichorii Cantharis (L.), C. de Geer, Mém. Ins. V. 1775, 17.—Meloe.
cichorei Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1729.
cichorii Meloe, Linnaeus, Syst. Nat., ed. 10, 1758, 419; ed. 12, 1767, 680.
cicilia [Papilio], C. Stoll in Cramer, Utitl. Kapellen. IV (32) 1782, 171.
Cicindela Linnaeus, Syst. Nat., ed. 10, 1758, 407; ed. 12, 1767, 657.—Col.
Cicindela E. L. Geoffroy, Hist. Ins. Paris, I. 1762, 169.—Col.
cicindeloides Carabus. N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 200
cicindeloides Staphylinus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 324.
Cicla [P. Artedi, Ichth. 1738, Syn. 112.]—P.
Cicla (*ex* Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 585.—P.
cicomocoides Nepa, *errore* cimicoides, Linn., N. Poda, Ins. Mus. Graec. 1761, 54.
Ciconia Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 6 & 61.—A.
Ciconia M. J. Brisson, Ornith. V. 1760, 362.—A.
ciconia Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 142; ed. 12, I. 1766, 235.
ciconiae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3034.
ciconiae Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3040.
ciconiae Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 613; ed. 12, 1767, 1019.
cicur Musca, M. Harris, Exp. Eng. Ins. 1776, 47.
cicurea Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 410.
cicurius Dytiscus, J. C. Fabricius, Mant. I. 1787, 190.
cicutella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 39.
Cidaris N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xvii. & 74.—Ech.
Cidaris F. C. Meuschen, Mus. Fabr. 1787, 482.—Ech.
Cidaris [G. Humphreys], Mus. Calonn. 1797, 65.—Ech.
Cidaris J. F. Bolten, Mus. Bolten. (2) 1798, 84.—G.
cedaris (*vic*) Anadema (L.), F. C. Meuschen, Mus. Gever. 1787, 480.—Echinus.
cidaris Echinometra, F. C. Meuschen, Mus. Gronov. 1778, 89.
cidaris Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 664; ed. 12, 1767, 1103.
cidaris Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3596.
"Cidarites Leske, 1778," Ag.; not used in a generic sense.—Ech.
cidaroides Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 104.
ciestria Histria[x], W. G. Browne, Trav. Africa, 1799, 263 [*n. n.*].
ciliialis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 24.
ciliaris Asterias, Linnaeus, Syst. Nat., ed. 12, 1767, 1101.
ciliare Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 679; ed. 12, 1767, 1122.
ciliare Cerastoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—Cardium.
ciliaris Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 276; ed. 12, 1766, 465.
ciliaris Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 436; ed. 12, 1767, 706.
ciliaris Culex, Linnaeus, Syst. Nat., ed. 12, 1767, 1002.
ciliaris Medusa, Linnaeus, Syst. Nat., ed. 12, Vol. III. 1768, App., 227.
ciliaris Phryganea, Linnaeus, Faun. Suec., ed. 2, 1761, 380.
ciliaris Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 922.
ciliaris Zeus, M. E. Bloch, Nat. ausl. Fische, III. 1787, 36.
ciliatella Phalaena (Tinea), O. F. Müller, Z. Dan. Prod. 1776, 138.
ciliata Agrion, J. C. Fabricius, Spec. Ins. I. 1781, 528.
ciliata Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2792.
ciliata Asterias, O. F. Müller, Z. Dan. Prod. 1776, 235.
ciliata Asterias, A. J. Retzius, K. Vet. Ac. Nya Handl. IV. 1783, 239.
ciliatus Bibio, A. F. de Fourcroy, Ent. Paris. 1785, 515. [Tritonium.
ciliatum Buccinum (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3492.—
ciliatus Cancer (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2990.—Squilla.
ciliatum Cardium, O. Fabricius, F. Groen. 1780, 410.
ciliata Cellaria (L.), J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 24.—Sertularia.
ciliata Cellepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1286.
ciliata Cellularia (Linn.), P. S. Pallas, Elench. 1766, 74.—Sertularia.

- ciliata* Cetonia, A. G. Olivier, Entom. I. 1789, 90.
ciliatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 706.
ciliatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2161.
ciliata Culex, J. C. Fabricius, Ent. Syst. IV. 1794, 401.
ciliatus Dermestes, Scopoli, Ent. Carn. 1763, 17.
ciliatus Dytiscus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 311.
ciliata Empis, J. C. Fabricius, Mant. II. 1787, 365.
ciliata Ephemera, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 91.
ciliata Eschara, P. S. Pallas, Elench. 1766, 38.
ciliata Eurychora (Fab.), C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 116.—Pimelia.
ciliata Fasciola, O. F. Müller, Verm. II. 1774, 55.
ciliatus Gryllus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 195.
ciliata Libellula (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2626.—Agrion.
ciliatus Lumbricus, O. F. Müller, Verm. I (2) 1774, 30.
ciliata Melolontha, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 155.
ciliatus Melyris, A. G. Olivier, Entom. II. 1790, 6.
ciliata Musca, O. F. Müller, Z. Dan. Prod. 1776, 174.
ciliata Musca, C. de Villers, Linn. Ent. III. 1789, 428.
ciliata Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 333.
ciliata Mutilla, J. C. Fabricius, Ent. Syst. II. 1793, 371.
ciliata Nereis, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 14.
ciliata Noctua, J. C. Fabricius, Mant. II. 1787, 163.
ciliata Notonecta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 524.
ciliata Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2637.
ciliata Pimelia, J. C. Fabricius, Spec. Ins. I. 1781, 319.
ciliata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.—Fasciola, 1774.
ciliatus Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 219.
ciliata Scarabaeus (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1570.—
ciliata Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 231.—Tiphia, 1787. [Melolontha.
ciliata Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 815; ed. 12, 1767, 1316.
ciliata Sphex, J. C. Fabricius, Mant. I. 1787, 275.
ciliata Spongia, O. Fabricius, F. Groen. 1780, 448.
ciliata Squilla, J. C. Fabricius, Mant. I. 1787, 333.
ciliata Tiphia, J. C. Fabricius, Mant. I. 1787, 279.
ciliata Tipula, O. F. Müller, Z. Dan. Prod. 1776, 171.
ciliata Trichoda, O. F. Müller, Zool. Dan. II. 1784, 100.
ciliatum Tritonium, O. Fabricius, F. Groen. 1780, 401.
ciliata Vespa, C. de Villers, Linn. Ent. III. 1789, 283.
cilicinus Pecten, F. C. Meuschen, Mus. Gever. 1787, 416.
ciliella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 136.
ciliella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 63.
cillene [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 38.
cillerana Chrysomela, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 191.
cilo Sygnatus, J. A. Donndorff, Zool. Beyt. III. 1798, 796.
Cimbex A. G. Olivier, Ency. Méth. V. (Ins.) 1790, 762.—Hym.
cimbricus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 106.
cimbricus Gadus, Linnaeus, Syst. Nat., ed. 12, 1766, 440.
cimeterius Ips, F. v. P. Schrank, F. Boica, I. 1798, 512.
cimeterium *v.* *cineterium*.
Cimex Linnaeus, Syst. Nat., ed. 10, 1758, 441; ed. 12, 1767, 715; divided by him into
Apteri, Scutellati, Coleoptrati, Membranacei, Spinosi, Rotundati, Seticornes, Oblongi,
Spinipedes, Lineari; but these words are not used in a sub-generic sense.
cimex Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3206.
cimex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
cimex Trichoda, O. F. Müller, Verm. I (1) 1773, 84.
cimex Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 761; ed. 12, 1767, 1233.
cimicifugae Coccinella, P. S. Pallas, Reise Russ. II. 1773, 726.
cimicinus Chiton, L. Spengler, Skr. nat. Selsk. [Copen.] IV (1) 1797, 79.

cimicioides *v.* cimicioides.

[cimicioides]—

- cimicioides Cancer, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2968.
 cimicioides Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 73.
 cimicioides Macrocephalus, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 185.
 cimicoides (*sic*) Musca, J. C. Fabricius, Reise Norwegen, 1779, 253.
 cimicioides Naucoris (L.), J. C. Fabricius, Syst. Ent. 1775, 693.—Nepa.
 cimicioides Nepa, Linnaeus, Syst. Nat., ed. 10, 1758, 440; ed. 12, 1767, 714.
 cimicioides Obisium (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 501.—Scorpio.
 cimicioides Scorpio, J. C. Fabricius, Ent. Syst. II. 1793, 436.
 cimicioides Silpha, C. de Geer, Mém. Ins. IV. 1774, 183.
 cimicioides Tipula, Scopoli, Ent. Carn. 1763, 320.
 Cina J. C. Fabricius, Ent. Syst. IV. 1794, 557 (in syn.; *err. pro* Ceria).
 cinaeus Papilio, *err. pro* caeneus, L., J. C. Fabricius, Mant. II. 1787, 27.
 cinche Viverra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 32.
 chinche Viverra, E. A. W. Zimmermann, Spec. Zool. 1777, 484.
 cincinnata Amphitrite, O. Fabricius, F. Groen. 1780, 286.
 cincinnatus Merops, J. Latham, Index Orn. 1790, 275.
 cincinnata Nereis, O. Fabricius, Nye Saml. K. Danske Skriiter, III. 1788, 193.
 Cinclus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 7 & 67.—A.
 Cinclus M. B. Borkhausen, Deutsch. Fauna, I. 1797, 300.—A.
 cinclus Motacilla (L.), J. A. Scopoli, Annus I. 1769, 152.—Sturnus.
 cinclus Sturnus, Linnaeus, Syst. Nat., ed. 10, 1758, 168; ed. 12, 1766, 290.
 cinclus Tringa, Linnaeus, Syst. Nat., ed. 12, 1766, 251.
 cinclus Turdus, [M. Tunstall], Orn. Brit. 1771, 2 [*u. et f.*].
 cinclus Turdus (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 285.—Sturnus.
 cinctana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
 cinctaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 101.
 cinctellus Notoxus, P. Rossi, Mant. Ins. I. 1792, 46.
 cinctella [Phalaena], C. Clerck, Icones, I. 1759, pl. xi. 2.
 cinctella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 357.
 cinctella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 662.—Phalaena.
 cincticornis Cerambyx, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 290.
 cincticulum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 306.
 cinctipes Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 68.
 cinctorius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 332.
 cincturator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 156.
 cincta Andrena, J. C. Fabricius, Spec. Ins. I. 1781, 473.
 cincta Angaria, J. F. Bolten, Mus. Bolten. (2) 1798, 71.
 cinctus Anthribus, G. Paykull, Faun. Suec. III. 1800, 164.—Curculio, 1792.
 cincta Apis (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791, 126.—
 cincta Apis, J. C. Fabricius, Spec. Ins. I. 1781, 484. [Andrena].
 cincta Apis, J. L. Preyßler in Mayer, Samm. Phys. Aufsätze, III. 1793, 232.
 cinctus Asilus, J. C. Fabricius, Spec. Ins. II. 1781, 465.
 cincta Blatta, J. C. Fabricius, Mant. I. 1787, 226.
 cinctum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 302.
 cinctum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 113.
 cincta Byrrhus, A. G. Olivier, Entom. II. 1790, 90.
 cinctus Byrrhus, C. P. Thunberg, Ins. Suecica (5) 1794, 68.
 cinctus Byrrhus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 520.
 cinctus Carabus, J. C. Fabricius, Spec. Ins. I. 1781, 310.
 cincta Cassida, C. de Geer, Mém. Ins. V. 1775, 186.
 cincta Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 109.
 cinctus Cerambyx, D. Drury, Ill. Nat. Hist. I. 1770, index & 85.
 cinctus Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 306.—Rhagium.
 cinctus Cerambyx, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 2.
 cinctum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 493.
 cincta Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 204.

- cincta* Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 132.
cincta Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 712.
cincta Cicada, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 23.
cincta Cicindela, A. G. Olivier, Entom. II. 1790, 10.
cincta Cicindela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 728.
cinctus Cimex, J. C. Fabricius, Syst. Ent. 1775, 712.
cinctus Cimex, F. v. P. Schrank, Beitr. Nat. 1776, 78.
cincta Coccinella, O. F. Müller, Z. Dan. Prod. 1776, 68.
cincta Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 77.
cinctus Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 104.
cincta Conops (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2894.—Myopa.
cinctus Conus, F. C. Meuschen, Mus. Gever. 1787, 356.
cinctus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 177.—Scarabaeus.
cinctus Crabro, P. Rossi, Fauna Etrus. II. 1790, 94.
cincta Crioceris, J. C. Fabricius, Syst. Ent. 1775, 119.
cinctus Cryptocephalus, J. C. Fabricius, Mant. I. 1787, 82.
cinctus Curculio, D. Drury, Ill. Nat. Hist. III. 1782, index & 70.
cinctus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 124.
cinctus Curculio, P. Rossi, Fauna Etrus. I. 1790, 125.
cinctus Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 232.
cinctus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 71.—v. Dytiscus.
cinctus Elater, G. Paykull, Faun. Suec. III. 1800, 11.
cincta Ephemera, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 57.
cinctus Erotylus, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 372.
cincta Evania, J. C. Fabricius, Suppl. Ent. Syst. 1798, 242.
cincta Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 26.—Chrysomela, 1781.
cincta Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 592.—Crioceris.
cinctus Gordius, O. Fabricius, F. Groen. 1780, 270.
cinctus Gryllus, J. C. Fabricius, Ent. Syst. II. 1793, 50.
cincta Helix, O. F. Müller, Verm. II. 1774, 58.
cinctus Helops, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 48.
cincta Hirundo, P. Boddaert, Tab. Planch. Ent. 1783, 45.
cinctus Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 566; ed. 12, 1767, 938.
cinctus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 423.
cincta Lampyrus, J. C. Fabricius, Mant. I. 1787, 161.
cincta Larra, J. C. Fabricius, Ent. Syst. II. 1793, 221.
cinctus Limax, O. F. Müller, Verm. II. 1774, 9.
cincta Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 175.
cincta Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 980.
cinctus Murex, F. C. Meuschen, Mus. Gever. 1787, 330.
cincta Musca, C. Allioni, Misc. Taurin. III. 1766, 198.
cincta Musca, D. Drury, Ill. Nat. Hist. I. 1770, index & 109.
cinctus Musca, M. Harris, Exp. Eng. Ins. 1776, 43.
cincta Musca (De G.), C. de Villers, Linn. Ent. III. 1789, 419.—Nemotelus.
cincta Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 347.
cincta Myopa, J. C. Fabricius, Syst. Ent. 1775, 799.
cinctus Nemotelus, C. de Geer, Mém. Ins. VI. 1776, 183.
cincta Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
cincta Noctua, *id. ac* i cinctum, Den. & Schiff., J. C. Fabricius, Mant. II. 1787, 155.
cincta Noctua, G. Paykull, Skr. nat. Selsk. [Copen.] II (2) 1793, 101.
cincta Nomada, P. Rossi, Mant. Ins. I. 1792, 146.
cincta Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 508.—
cinctus Planorbis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 73.—Helix. [Noctua.
cincta Podura, Linnaeus, Syst. Nat., ed. 10, 1758, 609; ed. 12, 1767, 1014.
cincta Porcellana, F. C. Meuschen, Mus. Gever. 1787, 400.
cinctus Reduvius, J. C. Fabricius, Gen. Ins. 1777, 302.
cinctus Rhagio, J. C. Fabricius, Mant. II. 1787, 333.
cinctum Rhagium, J. C. Fabricius, Mant. I. 1787, 146.

- cincta** Salamandra, P. A. Latreille, Salamand. France, 1800, 31 & 52.
cinctus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 30.
cinctus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 641.
cinctus Sirex, D. Drury, Ill. Nat. Hist. II. 1773, index & 72.
cincta Sphex, Scopoli, Ent. Carn. 1763, 292.
cincta Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 205.
cinctus Staphylinus, G. Paykull, Mon. Carab. 1790, 137.
cinctus Stenocorus (Fab.), A. G. Olivier, Entom. IV. 1795, 24.—Rhagium.
cinctus Strombiformis, E. M. da Costa, Brit. Conch. 1778, 114.
cinctus Sturnus *v. et.* cinclus, Linnaeus, Faun. Suec., ed. 2, 1761, 78.
cincta Sylvia (Gm.), J. Latham, Index Orn. 1790, 539.—Motacilla.
cinctus Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 366.
cincta Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 557 [misprinted livida, ed. 12, 1760, 557].
cincta Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 336. [no. 32].
cincta Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3286.
cincta Vespa, D. Drury, Ill. Nat. Hist. I. 1770, index & 98.
cincta Vespa, C. de Geer, Mém. Ins. III. 1773, 584.
cincta Vespa, J. C. Fabricius, Syst. Ent. 1775, 362.
cincta Vorticella, O. F. Müller, Verm. I (1) 1773, 98.
cinculus Tringa *err. pro* cinclus, L., S. G. Gmelin, Reise Russ. III. 1774, 256.
cineraceus Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 94.
cineraceus Lacertus, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
cineracea Scolopax, J. Latham, Syn. Birds, Suppl. I. 1787, 292.
cineræe Sphinx, E. J. C. Esper, Die Schmett. Suppl. 2 Abschn. [1797], 26.
cinerago Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 445.
cineralis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 230.
cineralis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 12 & 22.
cinerana Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2518.
cinerana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 407.—Pyralis.
cinerana Pyralis, J. C. Fabricius, Spec. Ins. II. 1781, 281.
cineraria Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 575; ed. 12, 1767, 953.
cinerarium Callidium, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 50.
cinerarius Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 305.—Lamia.
cinerarius Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46.
cineraria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 100.
cineraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 171
cinerarius Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 397. [*n. et. f.*].
cineraria Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 12, 1767, 698.
cineraria Lamia, J. C. Fabricius, Mant. I. 1787, 140.
cinerarius Larus, Linnaeus, Syst. Nat., ed. 12, 1766, 224.
cineraria Locusta (L.), A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 83.—Gryllus.
cineraria Musca, P. Rossi, Mant. Ins. II. 1794, 72.
cineraria Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
cineraria Phalaena (G.), [MS.], T. Martyn, Psyche, 1797, figs. 19 & 24.
cinerarius Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 758; ed. 12, 1767, 1229.
cinerascens Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 227.—Gryllus.
cinerascens Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2789.
cinerascens Aranea, F. A. A. Meyer in L. G. Schriba, J. Lieb. Ent. III. 1791, 256.
cinerascens Bombylius, J. C. Mikan, Mon. Bomb. 1796, 50.
cinerascens Cetonia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 130.
cinerascens Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 1773.
cinerascens Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 452.
cinerascens Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 467.
cinerascens Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1917.
cinerascens Formica, J. C. Fabricius, Mant. I. 1787, 308.
cinerascens Gryllus, J. C. Fabricius, Spec. Ins. I. 1781, 369.
cinerascens Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 157.
cinerascens Musca, A. F. de Fourcroy, Ent. Paris. 1785, 493.

- cinerascens** Sciaena, P. Forskal, Descr. Anim. 1775, 53.
cinerascens Turdus, *id. ac cinereus* Gm., J. Latham, Index Orn. 1790, 352.
cinerascens Vespa, J. C. Fabricius, Syst. Ent. 1775, 369.
cinerataria Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 324.
cinerata Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 255.
cinerata Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 265.
cinerata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 274.
cinerata Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 340.
cinerella [Phalaena], C. Clerck, Icones, I. 1759, pl. xi, 6.
cinerella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 369.
cinerella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
cinerella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 662.—Phalaena.
cinereo-argenteus Canis, J. C. D. Schreber, Säugth. III. 360 (1776) & pl. xcii A (?).
cinereocephalus Psittacus, R. Kerr, Anim. Kingd. 1792, 589.
cinereo-ferrugineus Falco, P. Forskal, Descr. Anim. 1775, vi & 1.
cinereonebulosus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 643.
cinereum Acridium, O. F. Müller, Z. Dan. 1776, 100.
cinerea Adimonia (Fab.), J. A. Frolich, Naturforscher, XXVIII. 1799, 33.—Cistela.
cinerea Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 798.
cinerea Alcedo, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 286.
cinerea Ampelis, J. Latham, Index Orn. 1790, 367.
cinerea Anas, S. G. Gmelin, Reise Russ. II. 1774, 184.
cinerea Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 506.
cinereus Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 112.
cinerea Antilope, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 643.
cinerea Apis, A. F. de Fourcroy, Ent. Paris. 1785, 444.
cinerea Aranea, J. C. Fabricius, Gen. Ins. 1777, 249.
cinereus Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 101.
cinerea Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 143; ed. 12, 1766, 236.
cinereus Asilus, Scopoli, Ent. Carn. 1763, 365.
cinereus Asilus, C. de Geer, Mém. Ins. VI. 1776, 246.
cinereus Asilus, Panzer in Kob, Ursache d. Baumtrochniss, 1793, ed. 2, 55.
cinereus Balistes, J. P. Bonnaterre, Ency. Méth. (Ich.), 1788, 20.
cinerea Blatta, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 314.
cinereus Bombylius, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 328.
cinerea Bombyx, J. C. Fabricius, Mant. II. 1787, 115.
cinerea Bombyx (*ex de G.*), C. C. Jung, Alph. Verz. Schmett. 1791, 123.
cinereus Bostrichus, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 116.
cinereum Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 262.
cinereus Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 409.
cinereus Bufo, J. G. Schneider, Hist. Amph. I. 1799, 185.
cinereus Buteo, F. M. Daudin, Traité élém. Orn. 1800, 156.
cinereus Calamita, J. G. Schneider, Hist. Amph. I. 1799, 174.
cinerea Callaeas (Gm.), J. Latham, Index Orn. 1790, 149.—Glaucopis.
cinereum Callidium, A. G. Olivier, Entom. IV. 1795, 69.
cinerea Cantharis, C. de Villers, Linn. Ent. I. 1789, 297.
cinereus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 75.
cinereus Cerambyx, C. de Villers, Linn. Ent. I. 1789, 256.
cinereus Cerambyx, J. C. Fabricius, Ent. Syst. I (2) 1792, 265.
cinerea Certhia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 98.
cinerea Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 481.
cinerea Chiton, Linnaeus, Syst. Nat., ed. 12, 1767, 1107.
cinerea Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 168.—Cistela.
cinerea Cicada, P. Rossi, Fauna Etrus. II. 1790, 218.
cinerea Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 64.
cinereus Cimex, N. Poda, Ins. Mus. Graec. 1761, 59.
cinereus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2184.
cinereus Cimex, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 110.

- cinerea* Cistela, J. C. Fabricius, Spec. Ins. I. 1781, 146.
cinereus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 226; ed. 12, 1766, 388.
cinerea Columba, J. A. Scopoli, Del. Insub. II. 1786, 94.
cinerea Conops, C. de Villers, Linn. Ent. III. 1789, 585.
cinereus Conops (Fab.), O. Estlund, K. Vet. Ac. Nya Handl. XVII. 1796, 131.—*Myopa*.
cinereus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 673.
cinereus Corvus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 86.
cinereus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1713.—
cinereus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46. [Cistela].
cinereus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 122.
cinereus Curculio, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 285.
cinereus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1773.
cinereus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 79.
cinerea Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3402.
cinerea Donacia, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 100.
cinerea Donacia, D. H. Hoppe, Ins. Elyt. 1795, 46.
cinereus Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 412; ed. 12, 1767, 666.
cinereus Dyticus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 70.—*Dytiscus*.
cinereus Elater, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 114.
cinerea Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 876.
cinerea Empis, J. C. Fabricius, Syst. Ent. 1775, 802.
cinerea Empis, O. F. Müller, Z. Dan. Prod. 1776, 182.
cinereus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 267.
cinerea Felis, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 299.
cinerea Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 922.
cinerea Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 577.
cinerea Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 702.
cinerea Glaucopsis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 363.
cinereus Gryllus (Tettig.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2071.
cinereus Gryllus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2084.—
cinerea Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3667. [Acrydium].
cinerea Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1026.
cinereus Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 462.
cinereum Operatum, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 159.
cinereus Ophichthus, C. P. Thunberg, De Muraena, 1789, 10.
cinereum Orthoceras, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 131.
cinereus Labrus, G. Edwards in M. Catesby, Carol. II. 1771, cat., 1.
cinereus Lacertus, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
cinereus Larus, J. A. Scopoli, Annus I. 1769, 80.
cinereus Larus, J. C. Schaeffer, Mus. Orn. 1789, 63.
cinereus Larus, M. Houttuyn in Nozeman & Houttuyn, Ned. Vogel. III (179-), 195.
cinerea Leptura (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1867.—
cinereus Limax, O. F. Müller, Verm. II. 1774, 5. [Donacia].
cinerea Loxia, A. Sparrman, Mus. Carls. IV. 1789, no. lxxxviii.
cinerea Lytta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 119.
cinereus Macrocephalus, A. G. Olivier, Entom. IV. 1795, 4.
cinerea Meloe, J. R. Forster, Cat. Anim. N. Amer. 1771, 25 [*n. n.*].
cinereus Meloe, J. R. Forster, N. Sp. Ins. 1771, 62.
cinerea Melolontha, A. G. Olivier, Entom. I. 1789, 57.
cinereus Merops, Linnaeus, Syst. Nat., ed. 10, 1758, 117; ed. 12, 1766, 183.
cinerea Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 961.
cinereus Mugil, J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 228.
cinerea Muraena, P. Forskal, Descr. Anim. 1775, x [*n. n.*].
cinerea Muraena, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 35.
cinereus Musca, M. Harris, Exp. Eng. Ins. 1776, 75.
cinerea Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 331.
cinerea Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 171.
cinerea Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 933.

- cinerea Myopa, J. C. Fabricius, Ent. Syst. IV. 1794, 399.
 cinerea Nepa, Linnaeus, Syst. Nat., ed. 10, 1758, 440; ed. 12, 1767, 714.
 cinerea Nerita, F. C. Meuschen, Mus. Gever. 1787, 272.
 cinerea Neritaeformis, F. C. Meuschen, Mus. Gever. 1787, 276.
 cinerea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 80.
 cinerea Noctua, C. C. Jung, Alph. Verz. Schmett. 1791, 123.
 cinerea Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 52.
 cinereum Opatrum, J. F. W. Herbst in Fuessly, Arch. Insect. VII. 1786, 159.
 cinerea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3704.
 cinerea Perdix (Gm.), J. Latham, Syn. Birds, Suppl. I. 1787, 290.—Tetrao.
 cinerea Phalaena, Hufnagel, Berl. Mag. III. 1767, 416.
 cinerea Phalaena Bombyx (Fab.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 467.
 cinerea Phoca, M. B. Borkhausen, Deutsch. Fauna, I. 1797, 76. [—Bombyx.
 cinerea Pipra, P. Boddaert, Tab. Planch. Enl. 1783, 43.
 cinerea Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1004.
 cinerea Podura, P. Forskal, Descr. Anim. 1775, xxiv.
 cinereus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 250.—Sphex, 1775.
 cinerea Porcellana, F. C. Meuschen, Mus. Gever. 1787, 400.
 cinereus Prionus, A. G. Olivier, Entom. IV. 1795, 35.
 cinerea Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 563.
 cinerea Prosimia, J. A. Scopoli, Annus V. 1772, 71.
 cinereus Psttaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 333.
 cinereus Reduvius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 545.
 cinereus Rhynchophorus, K. Illiger, Archiv. Zool. (Wiedemann), I (2) 1800, 115.
 cinerea Saperda, A. G. Olivier, Entom. IV. 1795, 28.
 cinereus Sciurus, Linnaeus, Syst. Nat., ed. 10, 1758, 64; ed. 12, 1766, 86.
 cinerea Scolopax, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIX. 1775, 473.
 cinerea Serpula, P. Forskal, Descr. Anim. 1775, 128.
 cinerea Simia (Papio), R. Kerr, Anim. Kingd. 1792, 62.
 cinerea Simia, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, I. 1799, 188.
 cinerea Sphex, J. C. Fabricius, Syst. Ent. 1775, 350.
 cinereus Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1497.
 cinerea Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 607.
 cinerea Sterna, F. v. P. Schrank, F. Boica, I. 1798, 231.
 cinerea Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 291.
 cinereus Stromateus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 90.
 cinerea Sylvia, J. Latham, Index Orn. 1790, 514.
 cinereus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 293.
 cinerea Talpa, J. M. Bechstein, Gemein. Nat. Deutschl. I. 1789, 388.
 cinerea Testudo, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 25.
 cinerea Testudo, J. G. Schneider, Schrift. Berlin. Ges. Nat. Freunde, X (3) 1792, 268.
 cinereus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 768.
 cinereus Tinamus (Gm.), J. Latham, Index Orn. 1790, 633.—Tetrao.
 cinerea Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 405.
 cinereus Todus, Linnaeus, Syst. Nat., ed. 12, 1766, 178.
 cinerea Tringa, M. T. Brünnich, Orn. Boreal. 1764, 53.
 cinerea Tringa, J. Latham, Syn. Birds, Suppl. I. 1787, 292.
 cinereus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 490.
 cinereus Trochus, E. M. da Costa, Brit. Conch. 1778, 42.
 cinereus Turbo, I. v. Born, Index Mus. Caes. Vind. 1778, 356.
 cinereus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 140.
 cinereus Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
 cinereus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 810.
 cinerea Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 279.
 cinereus Vultur, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 247.
 cinereus Vultur, R. Kerr, Anim. Kingd. 1792, 473; var. nigricans.
 cinerina Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [post 1796], 67.
 cineta Scarabaeus, D. Drury, Ill. Nat. Hist. III. 1782, index & 61.

- cinetaria Geometra, J. Hübner, Europ. Schmett. (Geom.), [me judice 1796], fig. 166
[*n. et f.*].
- cineterium Opatrum (*ex* Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1633.
- cingalensis *v. singalensis*.
- cingularis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
- cingulana Phalaena, J. A. Scopoli, Annus V. 1772, 118.
- cingularia Geometra, J. Hübner, Europ. Schmett. (Geom.), [me judice 1796], fig. 209
- cingulata Andrena, J. C. Fabricius, Syst. Ent. 1775, 378. [*n. et f.*].
- cingulata Apis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2792.—Andrena.
- cingulata Apis (Fab.), J. L. Christ, Nat. Ins. 1791, 187.—Nomada.
- cingulata Aranea, G. W. F. Panzer, Ins. Germ. heft 40 [1797], tab. 22.
- cingulatus Asilus, J. C. Fabricius, Spec. Ins. II. 1781, 464.
- cingulata Bembex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 205.
- cingulatum Buccinum, Linnaeus, Mant. II. 1771, 549.
- cingulatum Buccinum, Linnaeus, Mant. II. 1771, 550.
- cingulatum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 114.
- cingulata Bulla, J. F. Bolten, Mus. Bolten. (2) 1798, 15.
- cingulatum Busycon, J. F. Bolten, Mus. Bolten. (2) 1798, 149 [*n. n.*].
- cingulatus Cerambyx, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 2.
- cingulata Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2096.—
- cingulatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 719. [Tettigonia].
- cingulatus Cimex, J. C. Fabricius, Mant. II. 1787, 307.
- cingulata Coccinella, J. C. Fabricius, Mant. I. 1787, 55.
- cingulatus Elater, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 53.
- cingulatus Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 119.
- cingulata Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 13.
- cingulata Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 63 [*n. n.*].
- cingulata Larra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 253.
- cingulata Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 103.
- cingulatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 153.—Cimex, 1787.
- cingulata Mantis, D. Drury, Ill. Nat. Hist. II. 1773, index & 89.
- cingulatus Miris, J. C. Fabricius, Ent. Syst. IV. 1794, 186.—Cimex, 1787.
- cingulatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3561.
- cingulata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 477.
- cingulata Myopa, J. C. Fabricius, Ent. Syst. IV. 1794, 399.
- cingulata Nomada, J. C. Fabricius, Syst. Ent. 1775, 390.
- cingulata Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 94.
- cingulata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3727.
- cingulata [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV. (34) 1782, 237.
- cingulata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 529; ed. 12, 1767,
- cingulatus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 247.—Sphex, 1775. [874.
- cingulata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 34.
- cingulatus Psittacus, J. A. Scopoli, Del. Insub. II. 1786, 86.
- cingulata Sphex, J. C. Fabricius, Syst. Ent. 1775, 350.
- cingulata Sphinx, J. C. Fabricius, Syst. Ent. 1775, 545.
- cingulata Sphinx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2386.
- cingulatus Syrphus, J. C. Fabricius, Syst. Ent. 1775, 767.
- cingulata Tenthredo, Scopoli, Ent. Carn. 1763, 277.
- cingulata Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 113.
- cingulata Tettigonia, J. C. Fabricius, Syst. Ent. 1775, 680.
- cingulatum Tritonium (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 243.—Buccinum.
- cingulata Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2762
- cingulum Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3378.
- cingulus [Papilio], C. Stoll, Aanhang. Cramer's Utit. Kapellen, II. 1790, 61.
- cingulum Taenia, P. S. Pallas, N. nord. Beitr. I. 1781, 94.
- cingulum [Voluta], T. Martyn, Univ. Conch. I. [1784 non 1769], fig. 39.
- cinistro Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 43.
- cinna [Papilio], P. Cramer, Utit. Kapellen, III (17) 1779, 14.

- cinnaberina* Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 221.
cinnabarina Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 161.
cinnabarina Lytta (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2016.—
cinnaberinus Meloe, Scopoli, Ent. Carn. 1763, 60. [Meloe.]
cinnabarina Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 87.
cinnamea Tellina, T. Martyn, Univ. Conch. IV [1792], fig. 156.
cinnamomea Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 643.
cinnamomeus Carabus, A. G. Olivier, Entom. III. 1795, 71.
cinnamomeus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 389; ed. 12, 1767, 623.
cinnamomea Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 480.
cinnamomeus (sic) Cucullus, J. Bolten, Mus. Bolten. (2) 1798, 43.
cinnamomeus Cyllindrus, F. C. Meuschen, Mus. Gev. 1787, 378.
cinnamomaea Cypraea, G. Oliv. Zool. Adriat. 1792, 134.
cinnamomea Ips, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 170.
cinnamomea Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 137 [n. n.].
cinnamomea Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 335.
cinnamomea Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 937.
cinnamomeus Mytilus, K. Schreibers, Vers. Conch. II. 1793, 293.
cinnamomea Noctua, C. C. Jung, Alph. Verz. Schmett. I. 1791, 124.
cinnamomeus Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 428.
cinnamomeus Prionus (L.), J. C. Fabricius, Syst. Ent. 1775, 163.—Cerambyx.
cinnamomea Tetratoma, Hellwig in G. W. F. Panzer, Ins. Germ. heft 12, 1793, tab. 15.
cinnamomeus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 825.
cinnamomi Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 76.
cinyra [Papilio], P. Cramer, Utitl. Kapellen, III (20) 1779, 76.
Cinxia J. G. Meigen, N. Class. Mouches, 1800, 35.—Dip.
cinxia Papilio, S. A. Rottenburg, Naturforscher, VI. 1775, 5.
cinxia Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 480; ed. 12, 1767, 784.
cioides Attelabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 58.
Cionus J. R. Schellenberg, Helvet. Entom. I. 1798, 64.—Col.
cippus Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 189.—Phalaena.
cippus Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 429.
cippus [Phalaena], P. Cramer, Utitl. Kapellen, I (5) 1775, 84.
cipris v. cypris.
circaria Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2466.
circassianus Mus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 492.
circassius Dipus, R. Kerr, Anim. Kingd. 1792, 276.
circe Papilio, J. C. Fabricius, Syst. Ent. 1775, 495.
circe Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 181.
circe Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 148.
circe Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VIII. 1796, 294.
circe [Phalaena], P. Cramer, Utitl. Kapellen, III (22) 1779, 124.
circéis [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 24.
circellaris Phalaena, Hufnagel, Berl. Mag. III. 1767, 404.
circi Pediculus, A. F. de Fourcroy, Ent. Paris. 1785, 518.
circia Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 127; ed. 12, 1766, 204.
 [circinatus]—
circinnatus Cidarites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 119.
circinatus (sic) Coluber, F. C. Meuschen, Mus. Gronov. 1778, 18.
circinatus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3174.—
circinata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3652. [Cidarites.]
circinata Venus, I. v. Born, Index Mus. Caes. Vind. 1778, 47.
circinata Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 182.
circulana Phalaena (Tortrix), O. F. Müller, Z. Dan. Prod. 1776, 132.
circularis Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 62.
circularis Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 389.
circularis Vorticella, G. Shaw, Nat. Misc. IV. 1795, pl. 199.
circularia Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 451.

- circularia** Phalaena, C. P. Thunberg, Ins. Suecica (4) 1792, 58.
circularia Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2458.
circulata Andrena, J. C. Fabricius, Ent. Syst. II. 1793, 311.
circulata Bulla, T. Martyn, Univ. Conch. III [1789], fig. 95.
circulata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 308.
circulella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 301.
circulifera Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 285.
circulus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2182.
circulus Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
circumcisis Conus, I. v. Born, Index Mus. Caes. Vind. 1778, 147.
circumdataria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 330.
circumdata Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 268.
circumdata Leptura, A. G. Olivier, Entom. IV. 1795, 32.
circumductus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48 [*n. n.*].
circumflexus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1860.—
 Stenocorus.
circumflexus Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 566; ed. 12, 1767, 938.
circumflexus Ophion (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 236.—Ichneumon.
circumflexa Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 844.
circumflexa Phalaena Noctua, J. Hübner, Beitr. Schmett. I (3) [1788], 29.
circumflexus Stenocorus, J. C. Fabricius, Mant. I. 1787, 144.
circumplicatus Murex, F. C. Meuschen, Mus. Gev. 1787, 332.
circumscripta Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8.
circumscripta Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 318.
circumvolutella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 518.
circumvolutus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48 [*n. n.*].
circumvoluta Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 236.
Circus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 4.—A.
circus-major Accipiter, J. C. Schaeffer, Mus. Orn. 1789, 8.
cirenea Mantis B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 641.
ciris Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 179; ed. 12, 1766, 313.
Cirlus Linnaeus, Amoen. Acad. VII (1766), 450.—A.
cirlus Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 311.
cirosa *v.* **cirrosus**.
cirrhata Alca, P. S. Pallas, Spic. Zool. V. 1769, 7.
cirrata Amphitrite, O. F. Müller, Würm. 1771, 188; *v.* **cirrosa**, Linn.
cirrata Aphrodita, O. F. Müller, Z. Dan. Prod. 1776, 218.
cirratu Brachionus, O. F. Müller, Verm. I (1) 1773, 132.
cirrata Cellaria, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 29.
cirrhata Certhia, J. Latham, Index Orn. 1790, 299.
cirratu Cucullanus, O. F. Müller, Zool. Dan. I. 1777, 4.
cirrhatus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 274.
cyrrhatus (*sic*) Falco, F. M. Daudin, Traité élém. Orn. 1800, 113.
cirratu Lumbricus, O. F. Müller, Z. Dan. Prod. 1776, 215.
cirrhata Paradisea, J. Latham, Index Orn., 1790, 195.
cirrhatus Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 576.
cirrhata Pinguinaria, G. Shaw in Miller, Cim. Phys. 1796, 92.
cirratu Pristis, J. Latham, Tr. Linn Soc. [Lond.] II. 1794, 281.
cirrata Sertularia (E. & S.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3862.—
 [Cellaria].
cirrata Spio, König, O. F. Müller, Würm. 1771, 188.
cirratu Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1492.
cirrata Terebella (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3112.—
 Nereis cirrosa.
cirrhatus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 826.
cirrata Vorticella, O. F. Müller, An. Infus. 1786, 268.
cirrhatus *v.* **cirratu**.
cirrhosus *v.* **cirrosus**.
cirrifolium Phasma, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 78.

- cirrogaster** Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 348.
- cirrosa** Amphitrite (Linn.), O. F. Müller, Würm. 1771, 188.—Nereis.
- cirrhusa** Aphrodita, P. S. Pallas, Misc. Zool. 1766, 95.
- cirosus** (*sic*) Coracinus, F. C. Meuschen, Mus. Gronov. 1778, 41.
- cirrhusus** Cyprinus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 52.
- cirrosa** Nereis, Linnaeus, Syst. Nat., ed. 12, 1767, 1085.
- cirrhosus** Octopus, Lamarck, Bull. Sci. Soc. Philom. [Paris], no. 17, 1798, 130.
- cirrosa** Perca, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIV. 1793, 199.
- cirrosa** Sciaena, Linnaeus, Syst. Nat., ed. 10, 1758, 289; ed. 12, 1766, 481.
- cirsii** Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 735.
- cirsii** Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 92.
- cirsii** Tipula, F. v. P. Schrank, Briefe Donaumoor, 1795, 146.
- Cis** P. A. Latreille, Préc. Car. Ins. 1796, 50.—Col.
- cissia** [Papilio], P. Cramer, Utitl. Kapellen, III (17) 1779, 3.
- Cistela** E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 115.—Col.
- Cistela** J. C. Fabricius, Syst. Ent. 1775, 116.—Col.
- cisteloides** Carabus, G. W. F. Panzer, Ins. Germ. heft 11, 1793, tab. 12.
- cisteloides** Luperus, J. A. Frolich, Naturforscher, XXVIII. 1799, 25.
- cisti** Acrydium (Fab.), A. G. Olivier. Ency. Méth. VI (Ins.) 1791, 222.—Gryllus.
- cisti** Bruchus, J. C. Fabricius, Syst. Ent. 1775, 65.
- cisti** Gryllus, J. C. Fabricius, Mant. I. 1787, 237.
- cisti** Gryllus Loc. (Fab.), C. de Villers, Linn. Ent. IV. 1789, 377.—Gryllus.
- cisti** Hispa, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 316.
- Cistula** [G. Humphreys] Mus. Calonn. 1797, 62.—G.
- “Citharodius, Chem. 1795,” Herm.; vol. xi. of Chemnitz is non-binominal.
- “Citillus, Pallas,” Ag.; does not occur, is Lichtenstein, 1827-34. [Mus.]
- citillus** Arctomys (Linn.), J. C. D. Schreber, Säugth. IV. 746 (1784); pl. ccxi. A, B (1780).—
- citellus** Arctomys, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 453.—*varr.*
undulatus, leucopictus, & flavicans.
- citellus** Glis (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 366.—Mus.
- citillus** Lagomys (L.), G. C. C. Storr, Prod. 1780, 40.—Mus.
- citellus** Marmota, J. F. Blumenbach, Hand. Naturg. 1779, 81.
- citellus** Mus, Linnaeus, Syst. Nat., ed. 12, 1766, 80.
- Citharus** [P. Artedi, Ichth. 1738, Syn. 116.]—P.
- citillus** *v.* **citellus**.
- citrago** Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 606.—Phalaena.
- citrago** Phalaena (Noct.), Linnaeus, Syst. Nat., ed. 10, 1758, 125; ed. 12, 1767, 857.
- citraria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judge 1796] fig. 212 [*n. et f.*].
- citrarius** Ichneumon, *id. ac* citratus, Fourc., A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 176.
- citratus** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 403.
- citrata** Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 332.
- citrella** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 317.
- citreola** Motacilla, P. S. Pallas, Reise Russ. III. 1776, 696.
- [citreus]—
- citrea** Aranea (Cancroides), C. de Geer, Mém. Ins. VII. 1778, 298.
- citrea** Aranea, P. Rossi, Fauna Etrus. II. 1790, 127.
- citrea** Chama, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3305.
- citreus** Ichneumon, J. L. Christ, Nat. Ins. 1791, 338.
- citrius** Oriolus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 87.
- citrius** Pullata, M. Harris, Exp. Eng. Ins. 1776, 77.
- citreus** Spondylus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3298.
- citreus** Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 141.
- citri** Acarus, Linnaeus in Hasselquist, Palast. 1762, 471.
- citricola** Aranea, P. Forskal, Descr. Anim. 1775, 86.
- citrifolius** Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 429; ed. 12, 1767, 695.
- citrifolia** Locusta (L.), C. de Geer, Mém. Ins. III. 1773, 437.—Gryllus.
- citrifolia** Ostrea, F. C. Meuschen, Mus. Gever. 1787, 422.
- citrifolium** Phasma, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 78.

- citrinalis* Phalaena, J. A. Scopoli, Ent. Carn. 1763, 240.
citrinellae Pediculus, F. v. P. Schrank, Beitr. Nat. 1776, 116.
[citrinellus]—
citrinella Acanthis (L.), M. B. Borkhausen, Deutsch. Fauna, I. 1797, 261.—Fringilla.
citrinella Curculio, [D. H. Schneider], Nom. Ent. 1785, 12 [*n. n.*].
citrinella Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 177; ed. 12, 1766, 309.
citrinella Fringilla, A. Vroeg, Catal. Vogel. 1764, Adumb., 3.
citrinella Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 320.
citrinella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 524.
citrinella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 340.
citrino-lutea Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 259.
citrina Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 254.—Helix.
citrina Apis, O. F. Müller, Z. Dan. Prod. 1776, 165.
citrina Aranea, A. F. de Fourcroy, Ent. Paris, 1785, 531.
citrinus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 313.
citrina Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162 [*n. n.*].
citrinus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3389.
citrinum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 152 [*n. n.*].
citrina Gorgonia, E. J. C. Esper, Pflanzenth. II (9) 1792, 129.
citrina Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 771; ed. 12, 1767, 1245.
citrina Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107 [*n. n.*].
citrinus Labrus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 261.
citrina Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 102.
citrina Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 979.
citrinus Mytilus, J. F. Bolten, Mus. Bolten. (2) 1798, 159.
citrina Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3327.
citrina Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3720.
citrinus Picus, P. Boddaert, Tab. Planch. Enl. 1783, 30.
citrinus Planorbis, J. F. Bolten, Mus. Bolten. (2) 1798, 72 [*n. n.*].
citrina Pomatia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 75.—Helix.
citrina Sylvia (Gm.), J. Latham, Index Orn. 1790, 529.—Motacilla.
citrinus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3584.
citrinus Turdus, J. Latham, Index Orn. 1790, 350.
citrina Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3456.
citrina Vorticella, O. F. Müller, Verm. I (1) 1773, 114.
citrius *v.* *citreus*.
citro-fasciata Musca, C. de Geer, Mém. Ins. VI. 1776, 118.
citronella Apis, C. de Geer, Mém. Ins. VII. 1778, 606.
citronius Spondylus, J. Barbut, Gen. Verm. II. 1788, 44.
Civetta E. Geoffroy & Cuvier, Mag. encyclop. II (6) 1795, 187.—M.
civetta Viverra, J. C. D. Schreber, Säugth. III. 418 (1777), pl. cxi (1776).
civette Viverra, J. A. Scopoli, Del. Insub. II. 1786, 84.
civica Phalaena Bombyx, J. Hübner, Beitr. Schmett. II. 1790, 11.
civilis Cimex, J. C. Fabricius, Mant. Ins. II. 298.
civilis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 148.—Cimex, 1787.
clacma *v.* *glama*.
clairvillella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 501.
clamator Ardea, Barrtram; B. S. Barton, N. H. Pennsylv. 1799, 18.
clamosus Buffo, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
clamosa Iguana, J. N. Laurenti, Syn. Rept. 1768, 49.
clandestina Cypraea, Linnaeus, Syst. Nat., ed. 12, 1767, 1177.
clandestina Musca, P. Rossi, Fauna Etrus. II. 1790, 314.
clangorosus Falco, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 5 [*n. n.*].
clangula Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 125; ed. 12, 1766, 201.
clangulae Pediculus, O. Fabricius, F. Groen. 1780, 217.
clara *v.* *clarus*.
clarea Phalaena, P. Cramer, Utitl. Kapellen, Register to IV (1782), 248 [*clara*, 133 (1781)].
Clarias [P. Artedi, Ichth. 1738, gen. 83.]—P.

- Clarias** L. T. Gronovius, Zooph. I. 1763, 100.—P.
clarius Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 306; ed. 12, 1766, 504.
clarissa [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 10.
clarissa [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 153.
clarus Mystus, F. C. Meuschen, Mus. Gronov. 1778, 38.
clarus [Papilio], P. Cramer, Utitl. Kapellen, I (4) 1775, 66.
clara Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 161.
clara [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 43.
clara [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 133.
classarius Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers.) (2) 1792, 705.
clathraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 132 [n.
clathratulus Turbo, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 637. [et f.].
clathrata Antipathes, P. S. Pallas, Elench. 1766, 212.
clathrata Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 51.
clathrata Blaps, J. C. Fabricius, Ent. Syst. I (1) 1792, 109.
clathratus Bruchus, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 158.
clathratum Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 255.
clathratum Buccinum, v. Born, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3471 &
clatratus Carabus, Linnaeus, Faun. Succ., ed. 2, 1761, 218. [3495].
clathratus Carabus Linn., O. F. Müller, Z. Dan. Prod. 1776, 75.—clatratus, 1761.
clathrata Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 363; ed. 12, 1767, 577.
clathrata Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 83.
clatrata Cassis, F. C. Meuschen, Mus. Gev. 1787, 390.
clathrata Cetonia, G. A. Olivier, J. Nat. Hist. (Choix des Mém.) I. 1792, 92.
clatrata Distorsio, J. F. Bolten, Mus. Bolten. (2) 1798, 133.
clathrata Haliotis, A. A. H. Lichtenstein, Cat. rerum Nat. II. 1794, 105.
clathrata Millepora, P. S. Pallas, Elench. 1766, 245.
clathratus Murex, Linnaeus, Syst. Nat., ed. 12, 1767, 1223.
clathrata Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3675.
clathratum Opathrum, J. C. Fabricius, Mant. II. 1787, 379.
clathrata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 524; ed. 12, 1767,
clathrata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 279. [867].
clathratum Rhagium, J. C. Fabricius, Ent. Syst. I (2) 1792, 306.
clathratus Strombiformis, E. M. da Costa, Brit. Conch. 1778, 115.
clathrata Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122.
clathratum Tritonium (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 243.—Murex.
clathrata Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 125.
clathrata Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 183.
clathrata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3455.
clatratus z. **clathratus**.
[clathrea Phalaena (N.) MS.], T. Martyn, Psyche, 1797, fig. 84.
clathrus Angarius, F. C. Meuschen, Mus. Gev. 1787, 260.
clathrus Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 91.—Turbo.
clathrus Gorgonia, P. S. Pallas, Elench. I. 1766, 168.
clathrus Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116.
clathrus Spongia, E. J. C. Esper, Pflanzenth. II (11) 1793, 200.
clathrus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 765; ed. 12, 1767, 1237.
clathrus Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3457.
clauda Musca, C. de Villers, Linn. Ent. III. 1789, 463.
claudicans Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 110.
claudicans Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
claudicans Plotus, J. A. Scopoli, Annus I. 1769, 72.
claudiana Papilio, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 204.
claudia Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 45.—Phalaena.
claudia [Papilio], P. Cramer, Utitl. Kapellen, I (6) 1775, 109.
claudia Papilio, J. C. Fabricius, Gen. Ins. 1777, 263.
claudius Papilio, J. C. Fabricius, Mant. II. 1787, 25.
claudia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 185.

- clausa** Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 146 [*n. n.*].
- clausa** Testudo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1042.
- clausa** Testudo, J. G. Schneider, Schrift. Berlin. Ges. Nat. Freunde, X (3) 1792, 278.
- clausius** Papilio, Herbst in Jablonsky, Nat. Ins. (Schmnett.) IX. 1798, 189.
- Clava** J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3131.—Coel.
- Clava** [G. Humphreys], Mus. Calonn. 1797, 32.—G.
- clavaiceps** *v.* **claviceps**.
- clava herculis** Serpula, J. F. Bolten, Mus. Bolten. (2) 1798, 69.
- clava herculis** Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 97.
- clavatella** Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
- clavator** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 156.
- clavator** Ichneumon, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 86.
- clavator** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 151.
- clavatorius** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 153.
- clavata** Aeshna, J. C. Fabricius, Syst. Ent. 1775, 425.
- clavata** Ascidia, P. S. Pallas, Spic. Zool. X. 1774, 25.
- clavata** Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 226.
- clavatus** Balanus, R. Pulteney, Cat. Birds &c. Dorset. 1799, 25.
- clavata** Cassida, J. C. Fabricius, Suppl. Ent. Syst., 1798, 83.
- clavatus** Cerambyx, N. Poda, Ins. Mus. Graec. 1761, 35.
- clavata** Cetonia, A. G. Olivier, Entom. I. 1789, 172.
- clavata** Chrysomela, J. C. Fabricius, Mant. I. 1787, 67.
- clavata** Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2096.—
- clavatus** Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 729. [Membracis.]
- clavatus** Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 34.
- clavatus** Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 532.
- clavata** Clytra (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 36.—Chrysomela.
- clavatus** Conops, Scopoli, Ent. Carn. 1763, 357.
- clavatus** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46.
- clavatus** Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 313.
- clavatum** Cymatium, J. F. Bolten, Mus. Bolten. (2) 1798, 129.
- clavata** Fasciola, A. Menzies, Tr. Linn. Soc. [Lond.] I. 1791, 187.
- clavata** Formica, J. C. Fabricius, Syst. Ent. 1775, 394.
- clavatus** Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 227.
- clavata** Leptura, G. A. Harrer, Besch. Schaeffer Icones, 1784, 230.
- clavata** Lernaea, O. F. Müller, Z. Dan. Prod. 1776, 227.
- clavata** Libellula (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2625.—
- clavata** Mantis, B. E. Manuel, Ency. Méth. VII. (Ins.) 1792, 642. [Aeshna.]
- clavata** Membracis, J. C. Fabricius, Mant. II. 1787, 264.
- clavata** Musca, D. Drury, Ill. Nat. Hist. I. 1770, index & 103.
- clavata** Musca, J. C. Fabricius, Mant. II. 1787, 351.
- clavata** Noctua, D. Cyrillo, Ent. Neap. (typogr. ed.), 1787, 5.
- clavata** Ostrea, J. X. Poli, Test. Sicil. II. 1795, 160.
- clavata** Raja, Linnaeus, Syst. Nat., ed. 10, 1758, 232; ed. 12, 1766, 397.
- clavata** Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3751.
- clavata** Sphex, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 65.
- clavata** Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 226.
- clavatus** Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2027.
- clavatus** Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 298.
- clavata** Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2768.
- Clavellarius** A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 22.—Hym.
- clavellata** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 184.
- clavaiceps** (*sic*) Echinorhynchus, J. G. H. Zeber in Goetze, 1 Nachtr. Eingeweidewürm.
- claviceps** Taenia, J. A. E. Goetze, Eingeweidewürm. 1782, 414. [1800, 130.]
- clavicornis** Acanthia (L.), J. C. Fabricius, Syst. Ent. 1775, 694.—Cimex.
- clavicorne** Acrydium, C. de Geer, Mém. Ins. III. 1773, 482.
- clavicornis** Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 574; ed. 12, 1767, 953.
- clavicornis** Ascalaphus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 192.

- clavicornis** Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 463.
clavicorne Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 258. [Saperda.
clavicornis Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1840.—
clavicornis Ceria, J. C. Fabricius, Suppl. Ent. Syst. 1798, 557.—Cina, 1794 [=Ceria].
clavicornis Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 370; ed. 12, 1767, 590.
clavicornis Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 94.
clavicornis Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 41.
clavicornis Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 442; ed. 12, 1767, 717.
clavicornis Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 212.
clavicornis Cucuius, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 571.
clavicornis Delphax, J. C. Fabricius, Suppl. Ent. Syst. 1798, 522.—Cicada, 1794.
clavicornis Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 355.
clavicornis Dytiscus, C. de Geer, Mém. Ins. IV. 1774, 402.
clavicornis Dytiscus, A. F. de Fourcroy, Ent. Paris. 1785, 70.
clavicornis Elater, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 65.
clavicornis Elater, A. F. de Fourcroy, Ent. Paris. 1785, 39.
clavicornis Gryllus, J. C. Fabricius, Ent. Syst. II. 1793, 61.
clavicornis Gryllus Locusta, C. de Villers, Linn. Ent. I. 1789, 453.
clavicornis Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
clavicornis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 169.
clavicornis Mordella, J. R. Forster, Cat. Brit. Ins. 1770, 6 [*n. n.*].
clavicornis Mordella, J. R. Forster, N. Sp. Ins. 1771, 66.
clavicornis Musca, J. R. Forster, Cat. Brit. Ins. 1770, 15 [*n. n.*].
clavicornis Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 218.
clavicornis Ryzophagus, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 20.
clavicornis Saperda, J. C. Fabricius, Syst. Ent. 1775, 824.
clavicornis Scarites, J. C. Fabricius, Syst. Ent. 1775, 250.
clavicornis Scolopendra, Scopoli, Ent. Carn. 1763, 419.
clavicornis Staphylinus, Scopoli, Ent. Carn. 1763, 100.
clavicornis Staphylinus, J. C. Fabricius, Gen. Ins. 1777, 242.
clavicornis Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 171.
clavicornis Tenthredo, J. C. Fabricius, Spec. Ins. I. 1781, 408.
clavicrus Callidium, F. v. P. Schrank, F. Boica, I. 1798, 672.
clavicrus Musca, F. v. P. Schrank, Ins. Aust. 1781, 471.
clavifera Phalaena Bomb., C. de Villers, Linn. Ent. II. 1789, 174.
claviformis Musca, A. F. de Fourcroy, Ent. Paris. 1785, 476.
Claviger J. D. E. Preyssler, Verz. Böhm. Ins. 1790, 68.—Col.
claviger Cimex, Herbst, Einl. Ins. I. 1784, 260.
claviger Cimex, Panzer in Drury, Exot. Ins. 1785, 177.
claviger Cyclops, O. F. Müller, Z. Dan. Prod. 1776, 200.
claviger Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 10.—Scarabaeus.
claviger Kolon, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 226. [Cyclops.
claviger Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2998.—
claviger Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2289.
claviger Scarabaeus, Linnaeus, Mant. II. 1771, 529.
claviger Doris, O. F. Müller, Z. Dan. Prod. 1776, 229.
clavigera Limacia, O. F. Müller, Zool. Dan. (Danish ed.), 1781, 66.—Doris, 1776.
clavimanus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 368.
clavimanus Gryllus, P. S. Pallas, Spic. Zool. IX. 1772, 21.
clavimanus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 165.—Cimex, 1781.
clavipalpis Phalaena, J. A. Scopoli, Ent. Carn. 1763, 213.
clavipes Acanthia, J. C. Fabricius, Mant. II. 1787, 278.
clavipes Aranea, Linnaeus, Syst. Nat., ed. 12, 1767, 1034.
clavipes Callidium, J. C. Fabricius, Syst. Ent. 1775, 188.
clavipes Carabus, M. B. Borkhausen in Schriba, Beitr. Ins. I. 1790, 14.
clavipes Cerambyx, J. R. Forster, N. Sp. Ins. 1771, 42.
clavipes Cerambyx, F. v. P. Schrank, Ins. Aust. 1781, 135.
clavipes Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 254.—Callidium:

- clavipes** Chalcis, J. C. Fabricius, Mant. I. 1787, 272.
clavipes Cimex, J. C. Fabricius, Syst. Ent. 1775, 729.
clavipes Cimex, J. C. Fabricius, Mant. II. 1787, 288.
clavipes Cucuius, J. C. Fabricius, Gen. Ins. 1777, 233.
clavipes Curculio, G. Bonsdorff, Curc. Suec. 1785, 40.
clavipes Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.
clavipes Donacia, J. C. Fabricius, Ent. Syst. I (2) 1792, 117.
clavipes Empis, M. Harris, Exp. Eng. Ins. 1776, 150.
clavipes Empis, J. C. Fabricius, Ent. Syst. IV. 1794, 403.
clavipes Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 192.—Cimex, 1787.
clavipes Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 68.
clavipes Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2688.
clavipes Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 137.—Cimex, 1787.
clavipes Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 981.
clavipes Necdalis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1881.
clavipes Phalaena, C. de Geer, Mém. Ins. VII. 1778, 597.
clavipes Silpha, J. C. Fuessly, Schweiz. Ins. 1775, 6.
clavipes Silpha, J. H. Sulzer, Gesch. Ins. 1776, 28.
clavipes Sphaeridium (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 28.—Tetratoma.
clavipes Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 569; ed. 12, 1767, 942.
clavipes Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 87.
clavipes Stratiomys (L.), J. C. Fabricius, Syst. Ent. 1775, 761.—Musca.
clavipes Syrphus, J. C. Fabricius, Spec. Ins. II. 1781, 427.
clavipes Tetratoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 87.
clavipes Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 404.
clavis Bombyx (Hufn.), E. J. C. Esper, Die Schmett. III (26) 1786, 319.—Phalaena.
clavis Phalaena, Hufnagel, Berl. Mag. II. 1766, 426.
clavis herculis Murex, J. F. Bolten, Mus. Bolten. (2) 1798, 144.
claviventris Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2843.
clava Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 479.
clavus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 716; ed. 12, 1767, 1170.
clavus Curculio, J. C. Fabricius, Syst. Ent. 1775, 154.
clava Fistulana (Gm.), Lamarck, Mem. Soc. H. N. Paris, 1799, 90.—Teredo.
clava Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3565.
clava muricata Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 318.
clavus Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 2 [n. n.].
clavus Phalaena, Rottenburg, Naturforscher, VIII. 1776, 109.
clavus Sphex, J. C. Fabricius, Syst. Ent. 1775, 348.
clavus Strombus, Linnaeus, Mant. II. 1771, 549.
clava Teredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3748.
clavus Tibia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 123.—Strombus.
clava Trichoda, O. F. Müller, Verm. I (1) 1773, 71.
clavus Trichoda, O. F. Müller, Verm. I (1) 1773, 72.
clelia [Papilio], P. Cramer, Utit. Kapellen, I (2) 1775, 33.
clelia [Phalaena], P. Cramer, Utit. Kapellen, III (24) 1780, 172.
clemataria Phalaena, J. E. Smith in Abbott, Ins. Georgia, 1797, 201.
clematella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 297.
clematidis Cantharis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 280.
clematidis Coccus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2220.
clematidis Lytta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2015.
clematidis Meloe, J. Woodhouse, Medical Repository, III (2) 1799, 213.
clematitidis (*sic*) Chermes, A. F. de Fourcroy, Ent. Paris. 1785, 228.
clemens Musca, M. Harris, Exp. Eng. Ins. 1776, 154.
cleobis Papilio Plebejus, J. H. Sulzer, Gesch. Ins. 1776, 146.
cleobis Papilio, L. Prunner, Lep. Pedemont. 1798, 60.
cleodoxa Papilio (*ex* Esper Fab.), C. C. Jung, Alph. Verz. Schmett. I. 1791, 128.
cleolia Sphinx, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 7.
cleon Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 282.

- cleon** Papilio, J. C. Fabricius, Syst. Ent. 1775, 522.
cleon Papilio, D. H. Schneider, Syst. Besch. europ. Schmett. 1785, 254 (250).
Cleona J. G. Meigen, N. Class. Mouches, 1800, 30.—Dip.
cleona [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 173.
cleonus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 179.
cleopatra Papilio (Danaus), Linnaeus, Syst. Nat., ed. 12, 1767, 765.
cleopatrae Aspis, J. N. Laurenti, Syn. Rept. 1768, 105.
 [clerck-]—
clerkella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 542; ed. 12, 1767, 899
clerkella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 666.—Phalaena. [clerck-].
clerkii Aranea, Scopoli, Ent. Carn. 1763, 396.
clerckiana [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 192.
clerckiana Phal. (Tort.), Herbst, Einl. Ins. II. 1785, 129.
clerica Corone (Sparr.), F. M. Daudin, Traité élém. Orn. 1800, 229.—Corvus.
clericus Corvus, A. Sparrman, Mus. Carls. I. 1786, no. ii.
clericus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 339.
clerimon Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 217.
clerkella *v.* clerckella.
clerkii *v.* clerck-.
Cleroides J. C. Schaeffer, Elem. Entom. 1777, pl. 137.—Col.
cleroides Mylabris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 74.
Clerus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 303.—Col.
Clerus J. C. Fabricius, Syst. Ent. 1775, 157.—Col.
clibanarius Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (1) 1791, 20.
clibantes Artocrea, F. C. Meuschen, Mus. Gever. 1787, 488.
climena *v.* clymena.
clinias Onitis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 25.—Scarabaeus, 1792.
clinias Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 19.
Clio Linnaeus, Syst. Nat., ed. 12, 1767, 1094.—Pter.
Clio O. F. Müller, Z. Dan. Prod. 1776, xxix, 226.—Pter.
clio Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 10, 1758, 467; ed. 12, 1767, 757.
clio Sphinx, J. C. Fabricius, Ent. Syst. III (1) 1793, 377.
clio Syngnathus, J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 7.
Clione P. S. Pallas, Spic. Zool. X. 1774, 28.—Pter.
clis Myoxus (Linn.), *err. pro* glis, J. M. Bechstein, Stubenthier, 1797, 210.
clisthena [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 228.
clito Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 353.
clito Papilio, J. C. Fabricius, Mant. II. 1787, 91.
clivica Anguis, J. N. Laurenti, Syn. Rept. 1768, 69.
clivosa Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 163.
cloacaris Musca, O. Fabricius, F. Groen. 1780, 204.
cloanthe [Papilio], C. Stoll in Cramer's Utitl. Kapellen, IV (29) 1781, 93.
clöckneria [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 111.
clonias Hesperia (Cr.) J. C. Fabricius, Ent. Syst. III (1) 1793, 334.—Papilio.
clonius [Papilio], P. Cramer, Utitl. Kapellen, I (7) 1775, 126.
clorana *v.* chlorana.
clorimena [Papilio], C. Stoll, Aanh. Cramer's Utitl. Kapellen, II. 1790, 60.
 [clorinda Sphinx, MS.], T. Martyn, Psyche, 1797, figs. 66 & 67.
cloropus *v.* chloropus.
clotho Cobra, J. N. Laurenti, Syn. Rept. 1768, 104.
clotho Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1086.—Cobra.
clotho Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 48.
clotho Sphinx, J. C. Fabricius, Syst. Ent. 1775, 540.
clotho Sphinx, J. C. Fabricius, Mant. II. 1787, 97.
clotilda [Phalaena], C. Stoll, Aanh. Cramer's Utitl. Kapellen, V. 1790, 154.
 [cludialis Phalaena (Pyr.) MS.], T. Martyn, Psyche, 1797, fig. 31.
cluena Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 9.
cluentius [Sphinx], P. Cramer, Utitl. Kapellen, I (7) 1775, 124.

- clueria** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 229.
cluniculus Tellina, F. C. Meuschen, Mus. Gever. 1787, 462.
Clunipes S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785, 347.—Col.
Clupea Linnaeus, Syst. Nat., ed. 10, 1758, 317; ed. 12, 1766, 522; [Artedi, Ichth. 1738, gen. iv. 6.]—P.
clupeae Fasciola, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 20.
clupearum Ascaris, O. Fabricius, Skr. nat. Selsk. [Copen.], III (2) 1794, 35.
clupeoides Cyprinus, P. S. Pallas, Reise Russ. III. 1776, 704.
clupeoides Cyprinus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 49.
clusii Manatus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 732.
[clymena]—
clymena [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 38.
climena [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 207.
climene Papilio, N. G., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
[clymene Phalaena (B.) MS.], T. Martyn, Psyche, 1797, figs. 47 & 48. [1784], 165.
clymene Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [antea 1796], 10.
clypearia Sphex *est* clypeata, L., [Schreber], Naturforscher, XX. 1784, 100.
clypeata Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 124; ed. 12, 1766, 200.
clypeata Apis, J. C. D. Schreber, Nov. Spec. Ins. 1759, 14.
clypeatus Brachionus, O. F. Müller, An. Infus. 1786, 339.
clypeata Buprestis, G. Paykull, Faun. Suec. II. 1799, 223.
clypeatus Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2983.—
clypeata Cantharis, Illiger in Kugelann, Käfer Preuss. 1798, 299. [Pagurus.
clypeatus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 720.
clypeata Coryphaena, Linnaeus, Syst. Nat., ed. 12, 1766, 448.
clypeatus Cynipsichneumon, J. L. Christ, Nat. Ins. 1791, 387.
clypeatus Crabro (L.), J. C. Fabricius, Syst. Ent. 1775, 375.—Sphex.
clypeata Geometra, C. C. Jung, Alph. Verz. Schmett. I. 1791, 130.
clypeata Locusta, G. W. F. Panzer, Ins. Germ., heft 33 [1796], tab. 4.
clypeatus Pagurus, J. C. Fabricius, Mant. I. 1787, 328.
clypeatus Scarites, P. Rossi, Fauna Etrus. I. 1790, 228.
clypeata Scolopendra, J. C. Fabricius, Spec. Ins. I. 1781, 533.
clypeata Sphex, Linnaeus, Syst. Nat., ed. 12, 1767, 945.
clypeata Vespa (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2763.—Sphex.
clipeata Vespa, J. L. Christ, Nat. Ins. 1791, 221.
Clypeus N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 157.—Ech.
clypeus Patella, J. F. Boltzen, Mus. Boltzen. (2) 1798, 8 [n. n.].
clytemnestra [Papilio], P. Cramer, Uitl. Kapellen, II (12) 1777, 61.
Clythia J. G. Meigen, N. Class. Mouches, 1800, 30.—Dip.
Clythra J. C. Fabricius, Suppl. Ent. Syst. 1798, 5.—Col.
clytia Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 479; ed. 12, 1767, 781.
clytia [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 103.
 "clytia Papilio, Cram." See C. C. Jung, Alph. Verz. Schmett. I. 1791, 131.
clytia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 238.
clyton [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 105.
Clytra J. N. Laicharting, Verz. Tyrol. Ins. 1781, I. 165.—Col.
clytus Papilio, J. C. Fabricius, Syst. Ent. 1775, 485.
clytus Papilio (Danaus), Linnaeus, Mus. Lud. Ulr. 1764, 268.
cnejus Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 430.
cneora Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 200.
cnici Aranea, F. v. P. Schrank, Briefe Donaumoor, 1795, 148.
cnidalis Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 188.
C nigrum Bombyx (*ex* De G.), C. C. Jung, Alph. Verz. Schmett. 1791, 92.
C-nigrum Curculio, P. Rossi, Fauna Etrus. I. 1790, 130.
C-nigrum Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 40.
C-nigrum Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 516; ed. 12, 1767, 852.
Cnodalon P. A. Latreille, Préc. Car. Ins. 1796, 23.—Col.
coa Aranea, Linnaeus in Hasselquist, Palast. 1762, 473.

- coa Ephemera, Linnaeus in Hasselquist, Palast. 1762, 462.
 coa Panorpa, Linnaeus, Syst. Nat., ed. 10, 1758, 552; ed. 12, 1767, 915.
 coacta Cassis, F. C. Meuschen, Mus. Gever. 1787, 388.
 coactus Strombus, F. C. Meuschen, Mus. Gever. 1787, 294.
 coadunatus Carabus, C. de Geer, Mém. Ins. IV. 1774, 92.
 coalescens Musca, A. F. de Fourcroy, Ent. Paris. 1785, 486.
 coalita Spongia, O. F. Müller, Z. Dan. Prod. 1776, 256.
 coangustata Vespa, P. Rossi, Fauna Etrus. II. 1790, 84.
 coarctaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 102.
 coarctatus Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 530.
 coarctatus Cyphon, G. Paykull, Faun. Suec. II. 1799, 120.
 coarctata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 219 [n].
 coarctatus Ichneumon, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 87. [et f.].
 coarctatus Monoculus, J. C. Fabricius, Ent. Syst. II. 1793, 495.
 coarctata Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 90.
 coarctatus Pediculus, Scopoli, Ent. Carn. 1763, 382.
 coarctata Phalaena, *id. ac* coarctaria, D. & S., J. C. Fabricius, Ent. Syst. III (2) 1794, 200.
 coarctatus Solen, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3227.
 coarctata Sphex, Scopoli, Ent. Carn. 1763, 293.
 coarctata Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 46.
 coarctatus Syrphus, G. W. F. Panzer, Ins. Germ. heft 45 [1797], tab. 22.
 coarctata Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 573; ed. 12, 1767, 950.
 Coati B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.—M.
 coaxans Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3278.
 coaxata Tellina, F. C. Meuschen, Mus. Gever. 1787, 462.
 cobaya Cavia, P. S. Pallas, Misc. Zool. 1766, 31.
 cobella Aspis (Linn.), J. N. Laurenti, Syn. Rept. 1768, 106.—Coluber.
 cobella Cerastes, J. N. Laurenti, Syn. Rept. 1768, 82.
 cobella Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 218; ed. 12, 1766, 378.
 cobitidis Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3048.
 cobitinus Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 25.
 Cobitis Linnaeus, Syst. Nat., ed. 10, 1758, 303; ed. 12, 1766, 499; [Artedi, Ichth. 1738,
 Cobra J. N. Laurenti, Syn. Rept. 1768, 103.—R. [gen. ii. 2.]—P.
 cobra Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1092.
 cobra Coluber, J. P. Bonnaterra, Ency. Méth. (Oph.) 1790, 50.
 cobra Vipera, J. N. Laurenti, Syn. Rept. 1768, 103.
 "Cobresia Studer, 1789," Herm.; does not occur.
 cocalia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 250.
 cocala [Papilio], P. Cramer, Utitl. Kapellen, III (21) 1779, 83.
 cocala [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 145.
 cocalus [Phalaena], P. Cramer, Utitl. Kapellen, II (12) 1777, 59.
 coccajus Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 187.
 coccinalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 9 & 14 [2].
 coccinatus Conus, F. C. Meuschen, Mus. Gever. 1787, 364.
 coccineae Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 470.
 Coccinella Linnaeus, Syst. Nat., ed. 10, 1758, 364; ed. 12, 1767, 579.—Col.
 coccinellae Acarus, Scopoli, Ent. Carn. 1763, 389.
 coccinelloides Chrysomela, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 35.
 coccinelloides Dytiscus, F. v. P. Schrank, Ins. Aust. 1781, 199.
 coccinelloides Hydrophilus, P. Rossi, Fauna Etrus. I. 1790, 197.
 coccinelloides Nitidula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1628.
 coccinelloides Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 12.
 coccineocephalus Psittacus, R. Kerr, Anim. Kingd. 1792, 605.
 coccineo-fasciata Leptura, G. A. Harrer, Besch. Schaeffer Icones, 1784, 226.
 coccineus Acarus (Scop.), F. v. P. Schrank, Ins. Aust. 1781, 522.—Pediculus.
 coccinea Actinia, O. F. Müller, Z. Dan. Prod. 1776, 231.
 coccinea Ampelis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 839.
 coccinea Buprestis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1941.

- coccinea** Cantharis, Linnaeus, Faun. Suec., ed. 2, 1761, 202.
coccinea Cantharis, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 303.
coccinea Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 274.
coccinea Certhia, G. Forster, Goetting. Mag. 1780, 347 [not seen].
coccinea Certhia, J. A. Scopoli, Del. Insub. II. 1786, 91.
coccinea Certhia, J. Latham, Index Orn. 1790, 289.
coccinea Certhia, J. F. Blumenbach, Abb. nat. Gegen., no. 16, 1797.
coccinea Chrysis, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 66.
coccinea Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 371; ed. 12, 1767, 592.
coccinea Cicada, J. R. Forster, N. Sp. Ins. 1771, 69.
coccineus Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 530.
coccinea Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 135.
coccineus Coluber, J. F. Blumenbach, Mag. Neuste Phys. u. Nat. V (1) 1788, 11.
coccineus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1097.
coccineus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3390.
coccineus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1742.
coccinea Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 873.
coccinea Endomychus (L.), G. Paykull, Faun. Suec. II. 1799, 112.—Chrysomela.
coccineus Endomychus (F.), G. W. F. Panzer, Deutsch. Ins. 1795, 175.—Galleruca.
coccinea Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 921.
coccinea Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 574.
coccinea Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 20.—Chrysomela.
coccinea Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3651.
coccineus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 417.
coccineus Ichneumon, J. L. Christ, Nat. Ins. 1791, 365.
coccinea Isis, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 107.
coccinea Lampyrus, Linnaeus, Syst. Nat., ed. 12, 1767, 646.
coccinea Limax, T. Martyn, Univ. Conch. II [1788], fig. 68. [1431.
coccinea Medusa, J. B. M. Dana, Obs. sur la Phys. I (pt. 2) 1771, 214; & ed. 2. I. 1777.
coccinea Mellisuga (Forst.), B. Merrem, Avium rar. Icones, I. 1784, 14.—Certhia.
coccinea Musca, C. de Villers, Linn. Ent. III. 1789, 426.
coccinea Mutilla, J. C. Fabricius, Ent. Syst. II. 1793, 366.
coccineus Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1015.
coccineus Pediculus, Scopoli, Ent. Carn. 1763, 386.
coccinea Pennatula, I. Lepechin, Acta Ac. Sci. Petrop. 1778 (2), 1781, 136.
coccineus Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [n. n.].
coccineus Psittacus, J. Latham, Index Orn. 1790, 89.
coccinea Pyrochroa (L.), J. C. Fabricius, Syst. Ent. 1775, 202.—Lampyrus.
coccineus Rhinomacer, A. F. de Fourcroy, Ent. Paris. 1785, 115.
coccinea Sphex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2734.
coccineus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 159.
coccinea Stratiomys, A. F. de Fourcroy, Ent. Paris. 1785, 467.
coccinea Tanagra, P. Boddaert, Tab. Planch. Enl. 1783, 46.
coccinea Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3236.
coccorum Cynips (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 784.—Ichneumon.
coccorum Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 390.—Ichneumon.
coccorum Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 567; ed. 12, 1767, 939.
Coccothraustes M. J. Brisson, Ornith. III. 1760, 219.—A.
Coccothraustes F. v. P. Schrank, Reise südl. Gebirg. Baiern, 1793, 23.—A.
coccothraustes Coccothraustes (L.), J. C. Schaeffer, Mus. Orn. 1789, 28.—Loxia.
coccothraustes Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 171; ed. 12, 1766, 299.
coccoraustes Loxia, *err. pro coccothraustes*, Linn., S. G. Gmelin, Reise Russ. I (1770),
Coccus Linnaeus, Syst. Nat., ed. 10, 1758, 455; ed. 12, 1767, 739.—Hem. [53.
cochevis Alauda, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 136.
cochinchinae Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
cochinsinensis Psittacus, J. Latham, Index Orn. 1790, 116.
cochinchinensis Psittacus, Lath., R. Kerr, Anim. Kingd. 1792, 593.
cochinchinensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 825.

- cochinsinensis Turdus, Gm., J. Latham, Index Orn. 1790, 357.
 cochinchinica Simia, T. Pennant in Forster, Ind. Zool. 1781, 39 [*n. n.*].
 Cochlea E. L. Geoffroy, Traité Coq. 1767, 12.—G.
 Cochlea P. Browne, Hist. Jamaica, ed. 2, 1789, 399.—G.
 Cochlea [G. Humphreys], Mus. Calonn. 1797, 60.—G.
 cochlea Helix, Studer in Coxe, Trav. Switz. III. 1789, 386 [*n. n.*].
 "cochlea Madrepora," L. Spengler, Nye Saml. K. Danske Skrifter, I. 1781, 240.
 cochlea Madrepora, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3763.
 cochlear Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 13 [*n. n.*].
 cochlear Ostrea, J. X. Poli, Test. Sicil. II. 1795, 179.
 cochlear Patella, I. v. Born, Index Mus. Caes. Vind. 1778, 437.
 cochlear Peloriderma, J. X. Poli, Test. Sicil. II. 1795, 255 & 261; = Ostrea of p. 179.
 cochleariae Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 330.
 cochlearis Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 266.
 Cochlearius M. J. Brisson, Ornith. V. 1760, 506.—A.
 Cochlearius M. T. Brünnich, Fund. Zool. 1772, 74.—A.
 cochlearia Cancroma, Linnaeus, Syst. Nat., ed. 12, 1766, 233.
 cochlear neptuni Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 153.
 cochleata Scolia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 257.
 cochlidium Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 300.—Murex.
 cochlidium Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 753; ed. 12, 1767, 1221
 Cochlis J. F. Bolten, Mus. Bolten. (2) 1798, 146.—G.
 Cochlites J. Gesner, Tract. Petref. 1758, 45.
 Cochlus [G. Humphreys], Mus. Calonn. 1797, 24.—G.
 cochlus Turbinis (L.), F. C. Meuschen, Mus. Gever. 1787, 278.—Turbo.
 cochlus Turbinis, F. C. Meuschen, Mus. Gever. 1787, 280, no. 368.
 cochlus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 762; ed. 12, 1767, 1233.
 cochrus Papilio, J. C. Fabricius, Mant. II. 1787, 25.
 cocles Papilio, J. C. Fabricius, Mant. II. 1787, 7.
 coco Musca, M. Harris, Exp. Eng. Ins. 1776, 143.
 coco Tantalus, J. F. E. v. Jacquin, Beyt. Gesch. Vogel. 1784, 13.
 cocoi Ardea, Linnaeus, Syst. Nat., ed. 12, 1766, 237.
 cocyta [Papilio], P. Cramer, Utitl. Kapellen, II (9) 1777, 7.
 cocytus Papilio, J. C. Fabricius, Mant. II. 1787, 29.
 Codakia J. A. Scopoli, Intr. Hist. Nat. 1777, 398.—L.
 codomanus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 57.
 codrus [Papilio], P. Cramer, Utitl. Kapellen, II (15) 1777, 127.
 codrus Scarabaeus, A. G. Olivier, Entom. I. 1789, 179.
 Coecilia, *v.* Caecilia Linnaeus, Syst. Nat., ed. 10, 1758, 196.
 coecimacula *v.* caecimacula.
 coecus *v.* caecus.
 coecutiens *v.* caecutiens.
 Coelebs G. Cuvier, Leçons Comp. Anat. I. 1800, 2 [*n. n.*].—A.
 coelebs *v.* caelebs.
 coelestinus *v.* caelestinus.
 coelestis *v.* caelestis.
 coelodiosa Fulgora, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 96.
 coelogaster *v.* caelogaster.
 coelum-pensile *v.* caelum-p.
 coelus *v.* caelus.
 coementaria *v.* caementaria.
 [coemiteriorum]—
 cemiteriorum Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 597; ed. 12, 1767, 992.
 coemitoriorum Syrphus (L.), J. C. Fabricius, Mant. II. 1787, 339.—Musca.
 Coendou B. G. E. de Lacépède, Tabl. Mamm. 1799, 11.—M.
 coenobita Copris (Herbst), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 169.—Scarabaeus.
 coenobita [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 15.
 coenobita Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 247.

- coenobita** Phalaena B., E. J. C. Esper, Die Schmett. III (21) 1785, 196.
coenobita Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 11.
Coenomyia P. A. Latreille, Préc. Car. Ins. 1796, 159.—Dip.
coenopta Phalaena Bomb., H. G. Lang, Verz. Schmett., ed. 2, 1789, 86.
coenosus Scarabaeus, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 7.
coenosus Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 161.
coenus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 308.
coeruleus *v.* **caeruleus**.
Coescoes B. G. E. de Lacépède, Tabl. Mamm. 1799, 5.—M.
coffea Chrysomela, E. F. Hornstedt, Schrift. Berlin. Ges. Nat. Freunde, VIII. 1788, 5.
coffea Cryptocephalus (Horn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1712.—
coffea Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 729.—[Voluta, ed. 12.] [Chrysomela.
coffea Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3388.
coffeus Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 330.—Voluta.
coffea Porphyria (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 37.—Voluta.
coffea Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1187.—Bulla.
cognatum Callidium, J. N. Laicharting, Tyrol. Ins. II. 1784, 58.
cognata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1691.
cognata Phalaena, C. P. Thunberg, Ins. Suecica (4) 1792, 60.
cogolca Anas, S. G. Gmelin, Reise Russ. I (1770), 70.
kogolka Anas, S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 468.
kokolka Anas, Gm., S. G. Gmelin, Reise Russ. II. 1774, 182.
kagolca Anas, S. G. Gm., Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 527.
colchicus Phasianus, Linnaeus, Syst. Nat., ed. 10, 1758, 158; ed. 12, 1766, 271.
colchicus Phasianus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 741; *varr.*
torquatus, varius, albus, hybrida, gallopavonis.
colenicui Tetrao, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 130.
coleopratorum Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 618; ed. 12, 1767, 1026.
coleopratorum Carpais (L.), P. A. Latreille, Préc. Car. Ins. 1796, 184.—Acarus.
coleopratorum Parasitus (L.), P. A. Latreille, Mag. encyclop. III (13) 1795, 19.—Acarus.
coleoptratus Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 616; ed. 12, 1767, 1023.
coleoptrata Anomia, J. F. Bolten, Mus. Bolten. (2) 1798, 193 [*n. n.*].
coleoptrata Cercopis, J. C. Fabricius, Spec. Ins. II. 1781, 330.
coleoptrata Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 437; ed. 12, 1767, 708.
coleoptrata Corixa (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 119.—Sigara.
coleoptrata Musca, Scopoli, Ent. Carn. 1763, 338. [Sigara.
coleoptrata Notonecta (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2120.—
coleoptrata Scolopendra, Linnaeus, Syst. Nat., ed. 10, 1758, 638; ed. 12, 1767, 1062.
coleoptrata Sigara, J. C. Fabricius, Gen. Ins. 1777, 298.
coleta [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 153.
colias Scomber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1329.
colibri Sphex, J. L. Christ, Nat. Ins. 1791, 318.
colibri Tenthredo, J. L. Christ, Nat. Ins. 1791, 434.
colin Tetrao, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 129.
colinus Gadus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 366.
Colionymus *err. pro* Callionymus, Linn., J. A. Scopoli, Intr. Hist. Nat. 1777, 458.—P.
Colius Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 1 & 19.—A.
Colius M. J. Brisson, Ornith. III. 1760, 304.—A.
Colius M. T. Brännich, Fund. Zool. 1772, 90.—A.
Colius G. Cuvier, Leçons Comp. Anat. I. 1800, 2 [*n. n.*].—A.
colius Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 301.
colla Coluber, F. C. Meuschen, Mus. Gronov. 1778, 14.
collaribus-albis Anas, P. Forskal, Descr. Anim. 1775, vi. & 3.
collaris Alauda, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 137.
collaris Alcedo, J. A. Scopoli, Del. Insub. II. 1786, 90.
collaris Alcedo, J. Latham, Index Orn. 1790, 250.
collaris Apis, Scopoli, Ent. Carn. 1763, 306.
collaris Apis, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 69.

- collaris Bucco, J. Latham, Index Orn. 1790, 202.
collaris Buprestis, A. G. Olivier, Entom. II. 1790, 11.
collaris Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 214.
collaris Cantharis, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 83.
collaris Cantharis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 278.
collaris Cantharis, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. IV. 1796, 148.
collaris Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 141.
collaris Carabus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 50.
collaris Carabus, G. Paykull, Faun. Suec. I. 1798, 146.
collaris Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 259.
collaris Certhia, A. Vroeg. Catal. Vogel. 1764, Adumb., 1.
collare Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 116.
collaris Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 371; ed. 12, 1767, 591.
collaris Chrysomela, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (2) 1782, 150.
collaris Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 156.—*Cryptocephalus*.
collaris Cicada, C. de Geer, Mém. Ins. III. 1773, 226.
collaris Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 724.
collaris Clytra, F. v. P. Schrank, F. Boica, I. 1798, 544.—*Chrysomela*, 1782.
collaris Coccinella, G. Paykull, Faun. Suec. II. 1799, 37.
collaris *Cryptocephalus*, J. C. Fabricius, Spec. Ins. I. 1781, 143.
collaris *Curculio*, Scopoli, Ent. Carn. 1763, 25.
collaris *Curculio*, J. C. Fabricius, Ent. Syst. I (2) 1792, 486.
collaris *Cylindrus*, F. C. Meuschen, Mus. Gever. 1787, 370.
collaris *Dermestes*, C. Quesnel, Diss. ignotus insect. species, 1790, 8.
collaris *Donacia*, G. W. F. Panzer, Deutsch. Ins. [1795], 216.
collaris *Dytiscus*, G. W. F. Panzer, Deutsch. Ins. [1795], 79.
collaris *Dytiscus*, G. Paykull, Faun. Suec. I. 1798, 200.
collaris *Echinorhynchus*, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 124.
collaris *Galleruca*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 97.
collaris Gros [= *Grus*], P. Boddaert, Tab. Planch. Enl. 1783, 52.
collaris *Hydrophilus*, J. C. Fabricius, Syst. Ent. 1775, 229.
collaris *Lagria*, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 446.
collaris *Lanius*, Linnaeus, Syst. Nat., ed. 12, 1766, 135.
collaris *Lepisma*, J. C. Fabricius, Ent. Syst. II. 1793, 64.
collaris *Leptura*, Linnaeus, Syst. Nat., ed. 10, 1758, 398; ed. 12, 1767, 639.
collaris *Loxia*, P. Boddaert, Tabl. Planch. Enl. 1783, 40.
collaris *Litta* [= *Lytta*], J. C. Fabricius, Mant. I. 1787, 215.
collaris *Meloe*, C. de Villers, Linn. Ent. IV. 1789, 364.
collaris *Muscicapa*, J. Latham, Index Orn. 1790, 471.
collaris *Muscicapa*, J. M. Bechstein, Gem. Nat. Deutschl. IV. 1795, 495.
collaris *Necydalis*, J. R. Forster, N. Sp. Ins. 1771, 46.
collaris *Necydalis*, G. W. F. Panzer, Deutsch. Ins. [1795], 278.
collaris [*Phalaena*], D. Drury, Ill. Nat. Hist. III. 1782, index & 27.
collaris *Phryganea*, F. v. P. Schrank, Ins. Aust. 1781, 308.
collaris *Pimelia* (L.), J. C. Fabricius, Syst. Ent. 1775, 252.—*Tenebrio*.
collaris *Reduvius*, J. C. Fabricius, Spec. Ins. II. 1781, 380.
collaris *Scolia*, J. C. Fabricius, Mant. I. 1787, 281.
collaris *Scymnus*, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 345.
collaris *Silpha*, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 256.
collaris *Sphex*, Linnaeus, Syst. Nat., ed. 12, 1767, 946.
collaris *Sphex*, J. C. Fabricius, Syst. Ent. 1775, 349.
collaris *Sphex* (Fab.), J. L. Christ, Nat. Ins. 1791, 267.—*Tiphia*.
collaris *Staphylinus*, G. Paykull, Mon. Staph. 1789, 50.
collaris *Sturnus*, J. A. Scopoli, Annus I. 1769, 131.
collaris *Taenia*, A. J. G. C. Batsch, Naturg. Bandwurm. 1786, 197.
collaris *Tenebrio*, Linnaeus, Syst. Nat., ed. 12, 1767, 677.
collaris *Tiphia*, J. C. Fabricius, Syst. Ent. 1775, 354.
collaris *Tritoma*, J. C. Fabricius, Syst. Ent. 1775, 69.

- collaris** *Trochilus*, J. Latham, *Index Orn.* 1790, 318.
collaris *Zygaena*, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 388.
collaria *Loxia*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 175; ed. 12, 1766, 305.
collarius *Psittacus*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 102; ed. 12, 1766, 149.
collignensis *Curculio*, Herbst in Jablonsky, *Nat. Ins.* (Käfer) VII. 1797, 50.
collinita *Phalaena Noctua*, E. J. C. Esper, *Die Schmett.* IV. [1797-1800], 505.
collina *Apis*, *id. ac collium*, Scop. 1763, J. A. Scopoli, *Annus IV.* 1770, 12.
collinus *Cimex*, Scopoli, *Ent. Carn.* 1763, 130.
collium *Apis*, Scopoli, *Ent. Carn.* 1763, 307.
collium *Cimex*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 2189.
Colliurus C. de Geer, *Hist. Ins.* IV. 1794, v. & 80.—Col.
colloruber *Coluber*, B. G. E. de Lacépède, *Quad. Ovip. &c.* II. 1789, 92.
colloruber *Lacertus*, B. G. E. de Lacépède, *Quad. Ovip. &c.* I. 1788, *Syn. méth.*
collurio *Corvus*, F. M. Daudin, *Traité élém. Orn.* 1800, 246.
collurio *Lanius*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 94; ed. 12, 1766, 136.
collurio *Lanius*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 301; *varr.* *varius*, *rufus*,
collurionis *Acarus*, Scopoli, *Ent. Carn.* 1763, 388. [*senegalensis*, *melanocephalus*.
collurionis *Fasciola*, F. v. P. Schrank, *K. Vet. Ac. Nya Handl.* XI. 1790, 123.
Collus J. A. Scopoli, *Introd. Nat. Hist.* 1777, 483.—A.
collusoria [*Phalaena*], P. Cramer, *Uitl. Kapellen*, II (15) 1777, 116.
Collyrio Moehring, *Geslach. Vogel.* (Nozem. & Vosm. ed.) 1758, 1 & 9.—A.
colma *Formicarius*, P. Boddaert, *Tab. Planch. Enl.* 1783, 44.
colma *Turdus*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 827.
coloboptera *Vespa*, A. A. H. Lichtenstein, *Cat. rerum Nat.* III. 1796, 202.
colocola *Felis*, G. I. Molina, *Sag. stor. nat. Chili*, 1782, 295 [*colocola*, *Fr. ed.*, 1789].
colombaschensis *v. columbacensis*.
colombea *v. columbea*.
“Colombella, Lam. 1799,” Scudd.; does not occur; is *Columbella*.
colombina *v. columbina*.
Colon *v. Kolon*, Herbst in Jablonsky, *Nat. Ins.* (Käfer) VII. 1797, 224.
colon *Bombyx*, J. C. Fabricius, *Gen. Ins.* 1777, 281.
colon *Carabus*, C. P. Thunberg, *D. D. Mus. Ac. Upsal.* 1787, 50.
colon *Chrysomela*, C. P. Thunberg, *D. D. Mus. Ac. Upsal.* 1787, 45.
colon *Cimex*, C. P. Thunberg, *Nov. Ins. Spec.* (3) 1784, 57.
colon *Coccinella*, J. F. W. Herbst in Fuessly, *Arch. Ins.* IV. 1783, 42.
colon *Coccinella*, C. P. Thunberg, *Ins. Suecica* (9), 1795, 111.
colon *Curculio*, Linnaeus, *Mant. II.* 1771, 531.
colon *Cychramus*, J. G. Kugelann, *N. Mag. Lieb. Ent.* [Schneider's], V. 1794, 545.
colon *Dermestes*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 357; ed. 12, 1767, 564.
colon *Elater*, C. P. Thunberg, *D. D. Mus. Ac. Upsal.* 1787, 53.
colon *Formica*, C. P. Thunberg, *D. D. Mus. Ac. Upsal.* 1788, 82.
colon *Hesperia*, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 327.
colon *Nitidula* (L.), J. C. Fabricius, *Syst. Ent.* 1775, 78.—*Silpha*.
colon *Ostoma*, J. N. Laicharting, *Tyrol. Ins.* I. 1781, 107.
colon *Papilio*, J. C. Fabricius, *Syst. Ent.* 1775, 531.
colon *Phalaena Noctua* (Fab.), M. B. Borkhausen, *Nat. eur. Schmett.* IV. 1792, 732.—
colon *Scarabaeus*, F. v. P. Schrank, *Naturforscher*, XXIV. 1789, 62. [*Bombyx*.
colon *Silpha*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 362; ed. 12, 1767, 573.
colon *Sphaeridium* (L.), C. P. Thunberg, *D. D. Mus. Ac. Upsal.* 1787, 38.—*Dermestes*.
colon *Sphex*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 571; ed. 12, 1767, 945.
colon *Tritoma* (L.), C. P. Thunberg, *D. D. Mus. Ac. Upsal.* 1787, 39.—*Silpha*.
colonella *Phalaena* (Tinea), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 534; ed. 12, 1767, 883.
colonella *Tinea* (L.), J. C. Fabricius, *Syst. Ent.* 1775, 655.—*Phalaena*.
coloniformis *Curculio*, F. v. P. Schrank, *Naturforscher*, XXIV. 1789, 73.
colonom *Callidium*, J. C. Fabricius, *Syst. Ent.* 1775, 191. [*Callidium*.
colonus *Cerambyx* (Fab.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1852.—
colonom *Crambus* (L.), J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 469.—*Tinea colonella*.
coloraria *Phalaena*, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 452.

- colorator** Ichneumon, C. de Villers, Linn. Ent. III. 1789, 196.
coloratus Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 108.
coloratus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2722.
colorata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 177.
coloratus Phasianus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 10 [*n. n.*].
coloratus Trochus, F. C. Meuschen, Mus. Gever. 1787, 282.
colorifera Aranea, M. Slabber, Nat. Verlust. 1769, 13.
colossus Cordyle, C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 49.
colossus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 472.
colossus Musca, Scopoli, Ent. Carn. 1763, 327.
colossus Rynchophorus (Ol.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 19.—Cur-
Kolpoda O. F. Müller, Verm. I (1) 1773, 56.—Inf. [culio.
Colpoda [Kolpoda, Müll.], J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3894.
Coluber Linnaeus, Syst. Nat., ed. 10, 1758, 216; ed. 12, 1766, 375.—R.
coluber Vibrio, O. F. Müller, An. Infus. 1786, 62.
coluberculus Libellula, M. Harris, Exp. Eng. Ins. 1776, 91.
colubrina Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 228; ed. 12, 1766, 390.
colubrinus Gymnothorax (Bodd.), G. A. Suckow, Naturges. IV. 1799, 181.—Muraena.
colubrinus Hydrus, J. G. Schneider, Hist. Amph. I. 1799, 238.
colubrina Muraena, P. Boddaert in P. S. Pallas, N. nord. Beytr. II. 1781, 56.
colubrina Serpula, J. F. Bolten, Mus. Bolten. (2) 1798, 70.
colubris Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 120; ed. 12, 1766, 191.
Columba Linnaeus, Syst. Nat., ed. 10, 1758, 162; ed. 12, 1766, 279.—A.
columba Bulinus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 319.
columba Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 709.
columba Sirex, Linnaeus, Amoen. Acad. VI. 1763, 412. [Rhagio.
columbaczensis Culex (Fab.), J. A. Schönbauer, Ges. Kolumb. Mücken, 1795, 24 & 26.—
colombaschensis Musca (Fab.), C. de Villers, Linn. Ent. IV. 1789, 555.—Rhagio.
colombaschensis Rhagio, J. C. Fabricius, Mant. II. 1787, 333.
columbae Alysseminthus, J. G. H. Zeber in Goetze, 1 Nacht. Eingeweidewürm. 1800, 281.
columbae Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 8.
columbae Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 614; ed. 12, 1767, 1020.
columbanus Papilio, L. Prunner, Lep. Pedemont. 1798, 76.
columbarius Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 90; ed. 12, 1766, 128.
columbarius Falco, R. Kerr, Anim. Kingd. 1792, 519, *var. griseus*.
columbarium Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3559.
columbarius Plautus, J. E. Gunnerus, Trondhiemske Selsk. Skrift. I. 1761, 262.
columbarius Plotus, J. E. Gunnerus, Trondhiemske Selsk. Skrift. I. 1761, 259 & 263.
colombea Brachionus, J. F. Blumenbach, Mag. Neuste Phys. u. Nat. VI (1) 1790, 55.
Columbella Lamarck, Mem. Soc. H. N. Paris, 1799, 70.—G.
columbina Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 146.
columbinus Larus, J. A. Scopoli, Annus I. 1769, 83.
columbina [Papilio], P. Cramer, Utitl. Kapellen, III (20) 1779, 76.
columbina Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 148.
columbina Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 312.
columbina Sterna (Scop.), F. v. P. Schrank, F. Boica, I. 1798, 232.—Larus.
columbinus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 836.
columbina Zyaena, J. C. Fabricius, Ent. Syst. III (1) 1793, 403.
columbula Bulla, F. C. Meuschen, Mus. Gever. 1787, 398.
columbus Vibrio, *err. pro colymbus*, Müll., J. F. Gmelin in Linn. Syst. Nat., ed. 13,
columella Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 282. [I. 1790, 3898.
columella [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 15.
columella Strombus, F. C. Meuschen, Mus. Gever. 1787, 294.
columna Buccinum, O. F. Müller, Verm. II. 1774, 151.
columna Bulinus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 332.—Buccinum.
columna Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3653.—
columna Lepas, L. Spengler, Skr. nat. Selsk. [Copen.], I (1) 1790, 192. [Buccinum.
Colus [G. Humphreys], Mus. Calonn. 1797, 34.—G.

- Colus** J. F. Bolten, Mus. Bolten. (2) 1798, 117.—G.
colus Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 304.—Murex.
colus Fusus (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 73.—Murex.
colus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 753; ed. 12, 1767, 1221.
colutea [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 7.
coluteae Papilio, J. C. Fuessly, Schweitz. Ins. 1775, 31.
coluteae Papilio, P. Rossi, Fauna Etrus. II. 1790, 155.
colutella Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 337.
colutella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 493.—Alucita, 1794.
Colydium J. C. Fabricius, Ent. Syst. I (2) 1792, 495.—Col.
colymbi-grylle Pediculus, O. F. Müller, Z. Dan. Prod. 1776, 185.
colymbinus Pediculus, Scopoli, Ent. Carn., 1763, 384.
Colymbus Linnaeus, Syst. Nat., ed. 10, 1758, 135; ed. 12, 1766, 220.—A.
colymbus Pinctada, J. F. Bolten, Mus. Bolten. (2) 1798, 167.
colymbus Vibrio, O. F. Müller, Verm. I (1) 1773, 49.
comari Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 411.
comata Ardea, P. S. Pallas, Reise Russ. II. 1773, 715.
comata Muscipapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 941.
comatus Nautilus (Orth.), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 2.
comber Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1297.
combinata Apis, J. L. Christ, Nat. Ins. 1791, 187.
combinata Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 997.
combinella Phalaena Tinea, J. Hübner, Beitr. Schmett. I (1) 1786, 5.
combinella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
combrella Tinea (L.), J. C. Fabricius, Mant. II. 1787, 248.—Phalaena cembrella.
comella Phalaena, Scopoli, Ent. Carn. 1763, 253.
Comephorus B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 312.—P.
comes [Papilio], C. C. Jung, Alph. Verz. Schmett. 1791, 134.
"Cometa Leske, 1778," Scudder; not used in a generic sense.
cometa Trichoda, O. F. Müller, Verm. I (1) 1773, 77.
cometa Trichoda, E. Donovan, Brit. Ins. I. 1792, 57.
cometes [Papilio], P. Cramer, Utl. Kapellen, III (19) 1779, 60.
comio Musca, M. Harris, Exp. Eng. Ins. 1776, 153.
comitana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
comitana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 16 [*n. et f.*].
comitator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 563; ed. 12, 1767, 933.
comitata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 310 [*n. et f.*].
comitata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 526; ed. 12, 1767, 868.
comito Musca, M. Harris, Exp. Eng. Ins. 1776, 117.
comma Carabus, J. C. Fabricius, Syst. Ent. 1775, 248.
comma Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 43.
comma Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 41.
comma Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 20.
comma Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 71.
comma Gyrinus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 45.
comma Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 325.—Papilio.
comma Noctua (L.), J. C. Fabricius, Ent. Syst. III (2) 1794, 106.—Phalaena.
comma Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 484; ed. 12, 1767, 793.
comma Papilio (? Linn.), J. A. Scopoli, Ent. Carn. 1763, 181.
comma Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 316.
commaculatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3502.
commari Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 303.
commelinae Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 189.
commerson Scomber, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 598.
commersonia Fringilla, P. Boddaert, Tab. Planch. Enl. 1783, 14.
commersonii Melolontha, A. G. Olivier, Entom. I. 1789, 11.
commoror Musca, M. Harris, Exp. Eng. Ins. 1776, 117.
communana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 259.

- communimacula** Bombyx (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 454.—Noctua.
- communimacula** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 85.
- communimacula** Phalaena Bombyx (Fab.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 463.—Bombyx.
- communimacula** Phalaena Noctua (D. & S.), J. Hübner, Beitr. Schmett. I (1) 1786, 23.—
- communis** Balanus, R. Pulteney, Cat. Birds &c. Dorset, 1799, 25. [Noctua.]
- communis** Balistes, J. P. Bonnaterre, Ency. Méth. (Ich.), 1788, 19.
- communis** Caryophyllinus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 5.
- communis** Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 208.
- communis** Coturnix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 217.
- communis** Culex, C. de Geer, Mém. Ins. VI. 1776, 316.
- communis** Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 123.
- communis** Distorsio, J. F. Bolten, Mus. Bolten. (2) 1798, 134.
- communis** Ephemera, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 56.
- communis** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 270; *varr.* hornotinus, gibbosus, albus, leucocephalus, ater, naevius, fuscus, ruber, indicus, italicus, arcticus.
- communis** Falco, F. M. Daudin, Traité élém. Orn. 1800, 92.
- communis** Ficus, J. F. Bolten, Mus. Bolten. (2) 1798, 148.
- communis** Grus, J. M. Bechstein, Gem. Nat. Deutschl. III. 1793, 60.
- communis** Panorpa, Linnaeus, Syst. Nat., ed. 10, 1758, 551; ed. 12, 1767, 915.
- communis** Podura, A. F. de Fourcroy, Ent. Paris. 1785, 523.
- communis** Raphidia, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 60.
- communis** Sylvia, J. Latham, Syn. Birds, Suppl. I. 1787, 287.
- communis** Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 83.
- communis** Vespa, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 328.
- comosus** Colymbus, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 56.
- compactilis** Helix, R. Pulteney, Cat. Birds &c. Dorset, 1799, 48.
- compar** Ascaris, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 120.
- comparalis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 10 [2].
- compensator** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 176.
- compensator** Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 238.—Ichneumon, 1793.
- compernis** Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 107.
- complanata** Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 38.
- complanata** Amphinome (Pall.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 47.—
- complanata** Aphrodita, P. S. Pallas, Misc. Zool. 1766, 109. [Aphrodita.]
- complanata** Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 100.
- complanata** Ascidia, O. Fabricius, F. Groen. 1780, 332.
- complanatus** Carabus, Linnaeus, Syst. Nat., ed. 12, 1767, 671.
- complanatus** Dermestes, F. v. P. Schrank, F. Boica, I. 1798, 427.
- complanatus** Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3198.
- complanata** Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 769; ed. 12, 1767, 1242.
- complanata** Hirudo, Linnaeus, Syst. Nat., ed. 10, 1758, 650; ed. 12, 1767, 1079.
- complanata** Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191.
- complanatus** Julus, Linnaeus, Faun. Suec., ed. 2, 1761, 502.
- complanata** Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3261.
- complanatus** Nautilites, P. S. Pallas, Reise Russ. I. 1771, 478.
- complanata** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3726.
- complanata** Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3239.
- complanata** Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 187.
- complanatus** Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1993.
- complanatus** Tenebroides, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 87.
- complanata** Terebella (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3113.—Aphrodita.
- complanatum** Trombidium (Muell.), J. C. Fabricius, Ent. Syst. II. 1793, 400.—Hydrachna.
- complanatus** Volvox, F. v. P. Schrank, Beitr. Nat. 1776, 107.
- complanella** Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 77. [Noctua.]
- complana** Bombyx (Linn.), J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 351.—Phal.

- complana** Lithosia (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 460.—Phal. Noctua.
complana Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 594.—Phalaena. [P. Noctua.
complana Phalaena Bombyx (L.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 243.—
complana Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 512; ed. 12, 1767, 840.
complicata Peltis, A. F. de Fourcroy, Ent. Paris. 1785, 30.
composita Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 480.—Tinea compositella,
compositella Tinea, J. C. Fabricius, Syst. Ent. 1775, 663. [1775.
composita Fasciola, F. v. P. Schrank, Beitr. Nat. 1773, 101.
compositus Rhinocerus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 652.
compressicornis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 138.
compressa Antipathes, E. J. C. Esper, Pflanzenth., Forts. I (8) 1797, 186.
compressa Banchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 234.—Ichneumon, 1793.
compressa Bombyx, J. C. Fabricius, Gen. Ins. 1777, 279.
compressum Callidium, J. C. Fabricius, Mant. I. 1787, 153.
compressus Cerambyx, A. F. de Fourcroy, Ent. Paris. 1785, 76. [Callidium.
compressus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1848.—
compressa Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2114.
compressus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 206.
compressa Cynips, J. C. Fabricius, Ent. Syst. IV. 1794, 455.
compressa Formica, J. C. Fabricius, Mant. I. 1787, 307.
compressa Gorgonia, F. C. Meuschen, Mus. Gever. 1787, 526.
compressus Hister, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 20.
compressus Ichneumon, J. H. Sulzer, Gesch. Ins. 1776, 190.
compressus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 414.
compressus Ichneumon, J. C. Fabricius, Mant. II. 1787, 381.
compressus Ichneumon, J. L. Christ, Nat. Ins. 1791, 369.
compressa Lampyris, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 80.
compressa Mactra, R. Pulteney, Cat. Birds &c. Dorset, 1799, 31.
compressa Millepora, Linnaeus, Syst. Nat., ed. 10, 1758, 792; ed. 12, 1767, 1283.
compressa Muraena, J. G. Walbaum, Artdi. Ichth. (3), ed. 2, 1792, 153.
compressa Musca, J. C. Fabricius, Mant. II. 1787, 346.
compressa Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 337.
compressus Musculus, J. F. Bolten, Mus. Bolten. (2) 1798, 157 [n. n.].
compressa Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 783; ed. 12, 1767, 1261.
compressus Sirex, J. C. Fabricius, Ent. Syst. II. 1793, 131.
compressus Sparus, G. Shaw in White, Journ. N.S.W. 1790, 267.
compressa Sphex, J. C. Fabricius, Spec. Ins. I. 1781, 445.
compressa Spongia, O. Fabricius, F. Groen. 1780, 448.
compressa Spongia [non Fab.], E. J. C. Esper, Pflanzenth., Forts. I (8) 1797, 200.
compressus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 167.
compressa Venus, Linnaeus, Mant. II. 1771, 546.
comptella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 60.
compta Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 70.
compunctor Ichneumon, N. Poda, Ins. Graec. 1761, 106.
compunctor Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 564; ed. 12, 1767, 934.
compunctor Musca, M. Harris, Exp. Eng. Ins. 1776, 113.
computatorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 152.
comtus Musca, M. Harris, Exp. Eng. Ins. 1776, 108.
comus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 40.
comus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 212.
concamera Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 102.
concamerata Cardita, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 409.
concamerata Chama, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3304.
concamerata Madrepora, P. Forskal, Descr. Anim. 1775, 136.
concatenator Chrysomela (Gm.), A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 63.—
 Cryptocephalus concatenatus.
concatenatus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I (3) 1789,
concatenatus Erotylus, J. C. Fabricius, Mant. I. 1787, 91. [1727.—Erotylus.

- concatenatus** Ostracion, M. E. Bloch, Nat. ausl. Fische, I. 1785, 101.
concatenata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 522.
concava Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 277.
concavus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3570.
concentrica Cytherea (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 178.—Venus.
concentrica Venus, I. v. Born, Index Mus. Caes. Vind. 1778, 58.
concentrica Venus, C. U. v. Salis, Reise Neapel, 1793, 389.
concha Noctua, J. C. Fabricius, Mant. II. 1787, 161. [Noctua.
concha Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 779.—
conchacea Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 283.
conchaceus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 472.—Tinea conchella, 1794.
conchaceus Monoculus, Linnaeus, Syst. Nat., ed. 10, 1758, 635; ed. 12, 1767, 1059.
conchacea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3708.
conchata Aranea, M. Slabber, Nat. Verlust. 1769, 3.
conchata Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 166.
conchata Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 154.
conchella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 134.
“**conchidium** Helmintholithum,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 163.
conchiformis Coccus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2221.
conchilega Amphitrite (Pall.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 52.—Nereis.
conchilega Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 225.
conchilega Nereis, P. S. Pallas, Misc. Zool. 1766, 131.
conchilega Sabella, R. Pulteney, Cat. Birds &c. Dorset, 1799, 54.
conchilega Terebella (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3113.—
conchilega Tereido, P. Forskal, Descr. Anim. 1775, 99. [Nereis.
Conchilium P. Browne, Hist. Jamaica, ed. 2, 1789, 408.—G.
Conchites J. Gesner, Tract. Petref. 1758, 37.
concholepas Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 252.
conchyliophorus Astraea (Born), J. F. Bolten, Mus. Bolten. (2) 1798, 80.—Trochus.
conchyliophorus Trochus, I. v. Born, Test. Mus. Caes. Vindob. 1780, 333.
“**Conchyta**, Hupsch, 1771,” Herm.; not binominal author.
conciliator Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 47.
concinna Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 169.
concinna Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797–1800], 500.
concinus Psittacus, G. Shaw, Nat. Misc. III. 1791, pl. 87.
concinna Sphex, P. Rossi, Fauna Etrus. II. 1790, 66.
concinna Vespa, J. C. Fabricius, Syst. Ent. 1775, 367.
concolor Bombylius, J. C. Mikán, Mon. Bomb. 1796, 30.
concolor Callidium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 149.
concolor Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1989.
concolor Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 127.
concolor Carabus, A. G. Olivier, Entom. III. 1795, 80.
concolor Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 129.
concolor Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1699.
concolor Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2164.
concolor Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 69.
concolor Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 115.—Cryptocephalus, 1792.
concolor Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1916.
concolor Felis, Linnaeus, Mant. II. 1771, 522.
concolor Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 16.—Chrysomela, 1781.
concolor Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2704.
concordaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796] fig. 126 [n.
concupina Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 21. [et f.].
condigna Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 201.
conditus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3565.
condyliatus Cancer, J. C. Fabricius, Mant. Ins. I. 1787, 324.
condyliatus Inachus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 356.—Cancer, 1787.
conepatl Viverra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 88.

- conferta** Musca, A. F. de Fourcroy, Ent. Paris. 1785, 474.
confervae Acarus, F. v. P. Schrank, Ins. Aust. 1781, 511.
confidens Empis, M. Harris, Exp. Eng. Ins. 1776, 151.
confinis Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 573.
conflagratus Copris (Herbst), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 146.—Scarabaeus.
conflagratus Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 5.
confictor Leucophaea, O. F. Müller, An Infus. 1786, 140.—Volvox, 1773.
confictor Volvox, O. F. Müller, Verm. I (1) 1773, 29.
confluella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2608.
Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1988.
confluens Carabus, G. W. F. Panzer, Deutsch. Ins. [1795], 64.
confluens Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1837.
confluens Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 61.
confluens Dytiscus, J. C. Fabricius, Mant. I. 1787, 193.
confluo Musca, M. Harris, Exp. Eng. Ins. 1776, 143.
confoederata Biphora (Forsk.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 181.—Salpa.
confoederata Salpa, P. Forskal, Descr. Anim. 1775, 115.
conformis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2720.
conformis Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 76. [348.—Noctua.
conformis Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
confusum Callidium, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 98.
confusus Cerambyx (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1857.—
 Callidium.
confusus Clytus (Herbst), F. v. P. Schrank, F. Boica, I. 1798, 681.—Callidium.
confusus Curculio, G. Paykull, Mon. Curc. 1792, 35.
confusus Musca, M. Harris, Exp. Eng. Ins. 1776, 110.
confusa Phalaena, Hufnagel, Berl. Mag. III. 1767, 414.
confusa Phalaena Noct.. J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2582.
confusa Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 59.
confusa Stratiomyx (*sic*), P. Rossi, Mant. Ins. II. 1794, 60.
congelatella [Phalaena], C. Clerck, Icones, I. 1759, pl. viii, 5.
congener Buprestis, G. Paykull, Faun. Suec. II. 1799, 222.
congener Dytiscus, C. P. Thunberg, Ins. Suecica (6) 1794, 75.
congener Dytiscus, G. Paykull, Faun. Suec. I. 1798, 214.
congener Merops, Linnaeus, Syst. Nat., ed. 12, 1766, 183.
congener Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 140.
congeneraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 174
Conger J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 580.—P. [n. et f.].
conger Muraena, Linnaeus, Syst. Nat., ed. 10, 1758, 245; ed. 12, 1766, 426.
conger Ophichthus (L.), C. P. Thunberg, De Muraena, 1789, 11.—Muraena.
congestus Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 107.
conglobator Oniscus, P. S. Pallas, Misc. Zool. 1766, 194.
conglobata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 366; ed. 12, 1767, 583.
conglomeratum Alcyonium (Gaert.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
 3816.—Botryllus.
conglomeratus Botryllus, J. Gaertner in P. S. Pallas, Spic. Zool. x. 1774, 39.
conglomerata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 366; ed. 12, 1767, 583.
conglomerata Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (3) 1795, 71.
conglomerata Millepora, P. Forskal, Descr. Anim. 1775, 139.
conglomerata Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1318.
conglutinata Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 125.
congylis Alata, F. C. Meuschen, Mus. Gever. 1787, 340.
congylis Buccinum, F. C. Meuschen, Mus. Gever. 1787, 308.
conicum Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 230.
conicum Alcyonium, G. Olivi, Zool. Adriat. 1792, 240.
conica Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 578; ed. 12, 1767, 958.
conica Aranea, P. S. Pallas, Spic. Zool. IX. 1772, 48.
conica Aranea, C. de Geer, Mém. Ins. VII. 1778, 231.

- conica** Chalcis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 242.
conicus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 210.
conicus Curculio, J. A. Frolich, Naturforscher, XXVI. 1792, 132.
conicus Cynipsichneumon (Fab.), J. L. Christ, Nat. Ins. 1791, 387.—Ichneumon.
conicus Diodon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1450.
conica Formica, J. C. Fabricius, Suppl. Ent. Syst. 1798, 279.
conica Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 571.
conicus Gryllus (Acrida), Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2056.—
conicus Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 343. [Truxalis
conica Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 84.
conica Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.
conica Musca, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 20.
conica Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3750.
conica Sphex, C. de Villers, Linn. Ent. III. 1789, 228.
conicus Staphylinus, C. de Villers, Linn. Ent. I. 1789, 425.
conica Stratiomys, Block in G. W. F. Panzer, Ins. Germ. heft 12, 1793, tab. 21.
conica Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 513.
conicus Truxalis, J. C. Fabricius, Spec. Ins. I. 1781, 352.
conica Vespa, J. C. Fabricius, Syst. Ent. 1775, 372.
conica Vespa, J. C. Fabricius, Mant. I. 1787, 293.
conico-articulatus Nautilus (O.), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 11.
conico-truncata Madrepora, P. S. Pallas, Char. Thierpfl. II. 1787, 141.
coniferarum Sphinx, J. E. Smith in Abbot, Ins. Georgia, 1797, 83.
conifera Medusa, A. Modeer, Nova Acta Acad. Caes. VIII. App., 1791, 31.
conifera Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 202.
coniformis Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 339.
conigera Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 84.
conigera Phalaena Noctua, J. Hübner, Beitr. Schmett. I (4) 1789, 31.
conirostris Cicada, C. de Geer, Mém. Ins. III. 1773, 202.
 "Conites, Gmel. 1789," Scudder; not used in a generic sense.
conjugatus Aphodius (Panz.), J. Sturm, Verz. Ins. Samml. 1800, 23.—Scarabaeus.
coniugata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 521.
conjugatus Scarabaeus, G. W. F. Panzer, Ins. Germ. heft 28 [1795], tab. 6.
conjugatus Scarabaeus, G. W. F. Panzer, Deutsch. Ins. [1795], 364.
conjugens Hister, G. Paykull, Faun. Succ. I. 1798, 44.
coniuncta Noctua, E. J. C. Esper, Die Schmett. IV (37) 1788, 129.
coniunctio Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
conmaculatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 230.
connata Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 71.
connata Tenthredo, F. v. P. Schrank, Beitr. Nat. 1776, 83.
connata Tritoma, Creutzer in G. W. F. Panzer, Ins. Germ. heft 36, 1796, tab. 18.
connectalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 10 [2].
connexus Antribus, A. F. de Fourcroy, Ent. Paris. 1785, 138.
connexus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 55.
connexus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 378.—Buprestis.
connexa Leptura, J. C. Fabricius, Suppl. Ent. Syst. 1798, 154.
connexa Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 350.
connexa Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 360.
conocephalus Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 12, 1767, 696.
conocephalus Locusta (L.), J. C. Fabricius, Syst. Ent. 1775, 285.—Gryllus.
conoides Lepas, E. Donovan, Brit. Shells (1800), pl. xxx.
conoides Pholas, J. Parsons, Phil. Trans. LV. 1766, 1.
conoides Murex, D. Solander in G. Brander, Foss. Hant. 1766, 14.
conoidea Bulla, Linnaeus, Syst. Nat., ed. 12, 1767, 1185.
conoideus Clypeus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 159.
conoideus Cuculanus, M. E. Bloch, Eingeweidewürmer, 1782, 35.
conoidea Cypraea, J. A. Scopoli, Del. Insub. II. 1786, 78. [Clypeus
conoideus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3181.—

- conoidea** Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 35.
conoidea Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 53.
conoidea Pyramis, J. F. Bolten, Mus. Bolten. (2) 1798, 58.
conoidea Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 45.
conoidea Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2753.
conopiformis Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1783, 213.
Conops Linnaeus, Syst. Nat., ed. 10, 1758, 604; ed. 12, 1767, 1004.—Dip.
conopseus Mulio (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 559.—Musca. [2868.
conopsea Musca, *id. ac* conopsoides, L., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
conopseus Syrphus, *id. ac* conopsoides Musca, L., J. C. Fabricius, Syst. Ent. 1775, 768.
conopsoides Asilus, J. C. Fabricius, Syst. Ent. 1775, 795.
conopsoides Erax, Scopoli, Ent. Carn. 1763, 361.
conopsoides Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 590; ed. 12, 1767, 982.
Conostoma [J. G. Lenz], Neue Allgem. deutsch. Bibl. X (2) 1794. Intelligenzbl. 256; See
 K. A. Rudolphi, Archiv Zool. (Wiedemann), II (1) 1801, 58.—Ver.
 “**Conotrochites**, Walch, 1768,” Herm.; not used in a generic sense.
conscripta Phalaena Noctua, J. Hübner, Beitr. Schmett. II. 1790, 52.
consecutorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 156.
consignata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 245 [*n.*
consimilis Leptura, F. v. P. Schrank, Ins. Aust. 1781, 155. [*et f.*]
consimilis Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 201.
consimilis Vespa, Holthuysen, D. H. Schneider, Verz. Parthei Ins. 1800, 21 [Lichten-
consisto Musca, M. Harris, Exp. Eng. Ins. 1776, 112. [stein's sp.: *vide supra*].
consobrinaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 152
 [*n. et f.*].
consobrinaria Phalaena Geometra, M. B. Borkhausen, in Schriba, Beitr. Ins. I. 1790, 25.
consobrina Coccinella [D. H. Schneider], Nom. Ent. 1785, 8 [*n. n.*].
consobrina Phalaena Noctua, M. B. Borkhausen, in Schriba, Beitr. Ins. I. 1790, 66.
consocia Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 341.
consolidatus Bulimus, J. G. Bruguière, Ency. Meth. (Vers) (1) 1789, 325.
consolida Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
consonaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 157 [*n.*
consona Noctua, J. C. Fabricius, Mant. II. 1787, 163. [*et f.*].
consors Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 177.
consortaria Geometra, C. de Villers, Linn. Ent. IV. 1789, 496.
consortaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 168 [*n.*
consortaria Phalaena, J. C. Fabricius, Mant. II. 1787, 187. [*et f.*].
consortella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 23.
conspersana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 233.—Tortrix.
conspersana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 130.
conspersaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 106. [*et f.*].
conspersaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 138 [*n.*
conspersaria Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2466.
conspersata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2493.
conspersus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2149.
conspersus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
conspersus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1717.
conspersus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 364.
conspersus Curculio, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. VI. 1798, 112.
conspersus Musca, M. Harris, Exp. Eng. Ins. 1776, 38.
conspersa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 71.
conspersa Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3320.
conspersa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3732.
conspersus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3571.
conspicillaris Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 515; ed. 12, 1767,
conspicillatis Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 64. [849.
conspicillator Bombyx (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 412.—Phalaena.
conspicillator [Phalaena], P. Cramer, Utitl. Kapellen, II (9) 1777, 1.

- conspicillum Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 49. [*n. et f.*].
- conspicuaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 117
- conspicuaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 465.—
G. conspiciuata, D. & S., *est.*
- conspiciuata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 316.
- conspiciua Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 123.
- conspurcatus Aphodius (L.), Illiger in Kugelann, Käfer Preuss. 1798, 25.—Scarabaeus.
- conspurcatus Aphodius (L.), C. Creutzer, Ent. Vers. 1799, 21.—Scarabaeus.
- conspurcata Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2096.—
- conspurcata Coccinella, F. A. A. Meyer, Zool. Archiv (1) 1796, 211. [Tettigonia.
- conspurcatus Copris, A. F. de Fourcroy, Ent. Paris. 1785, 14.
- conspurcatus Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 146.—Scarabaeus.
- conspurcata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3405.
- conspurcata Libellula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 283.
- conspurcata Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 19 [*n. n.*].
- conspurcata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3724.
- conspurcata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2497.
- conspurcatus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 348; ed. 12, 1767, 549.
- conspurcata Tettigonia, J. C. Fabricius, Gen. Ins. 1777, 298.
- conspursus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1717.
- consputus Aphodius, C. Creutzer, Ent. Vers. 1799, 41.
- consenscis Musca, M. Harris, Exp. Eng. Ins. 1776, 123.
- constans Empis, M. Harris, Exp. Eng. Ins. 1776, 150.
- constans Musca, M. Harris, Exp. Eng. Ins. 1776, 149.
- constans Syrphus, P. Rossi, Mant. Ins. II. 1794, 62.
- constantinensis Felis, H. F. Link, Beitr. Nat. I (2) 1795, 91.
- constantia [Papilio], P. Cramer, Uitl. Kapellen, II (12) 1777, 57.
- constantius Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 152.
- constellaris Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 204.
- constellata Coccinella, J. N. Laicharting, Tyrol. Ins. I. 1781, 121.
- constellatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 412.
- constellata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 299.
- Constrictor J. N. Laurenti, Syn. Rept. 1768, 106.—R.
- constrictor Boa, Linnaeus, Syst. Nat., ed. 10, 1758, 215; ed. 12, 1766, 373.
- constrictor Cenchrus, F. C. Meuschen, Mus. Gronov. 1778, 16.
- constrictor Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 216; ed. 12, 1766, 385.
- constrictor Enchelis, O. F. Müller, An. Infus. 1786, 31.
- constrictorius Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 201.
- constrictorius Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 561; ed. 12, 1767, 931.
- constrictus Chaetodon, G. Shaw, Zool. N. Holland, 1794, 17.
- constrictus Echinorhynchus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800,
- constrictus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 415. [139.
- constrictus Solen, J. G. Bruguière, Actes Soc. H. N. Paris, I (1) 1792, 126.
- constrictus Sorex, J. Herrmann in E. A. W. Zimmermann, Geogr. Ges. Mensch. II. 1780,
- constricta Vorticella, O. F. Müller, An. Infus. 1786, 293. [383.
- constuprator Ichneumon, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 196.
- consul Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3540.
- consoul Volema (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 58.—Murex.
- contacta Noctua (*æ* Esper tab.), C. C. Jung, Alph. Verz. Schmett. I. 1791, 137.
- contaminatus Aphodius (Herbst), Illiger in Kugelann, Käfer Preuss. 1798, 26.—Scarabaeus.
- contaminatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 276.
- cantaminata Libellula, J. C. Fabricius, Ent. Syst. II. 1793, 382.
- contaminata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3734.
- contaminata Phalaena, Scopoli, Ent. Carn. 1763, 225.
- contaminata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 614.
- contaminata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2493.
- contaminatus Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 9.
- contaminata Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 586; ed. 12, 1767, 972.

- contaminella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 24.
contemplator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 158.
contemta Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3279.
contignatio Madrepora, P. Forskal, Descr. Anim. 1775, 134.
contiguaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 187.
contiguaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 105
contigua Madrepora, E. J. C. Esper, Pflanzth., Forts. I (3) 1795, 81. [u. et f].
contigua Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 347.
contigua Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 82.
contigua Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
continuus Cerambyx, A. G. Olivier, Entom. IV. 1795, 123. [421.—Noctua.
continua Musca, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 19.
contortrix Boa, Linnaeus, Syst. Nat., ed. 12, 1766, 373 [constrictor Coluber, ed. 10].
contortu-plicata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3661.—*Nerita*
contorta, Müll.
contortuplicata Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 787; ed. 12, 1767, 1266.
contortum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112 [u. n.].
contorta Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 770; ed. 12, 1767, 1244.
contorta Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 66.
contorta *Nerita*, O. F. Müller, Verm. II. 1774, 187.
contorta Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3694.
contortus Planorbis (Linn.), O. F. Müller, Verm. II. 1774, 162.—*Helix*.
contra Sturnus, Linnaeus, Syst. Nat., ed. 10, 1758, 167; ed. 12, 1766, 290.
contractus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 50.
contractus Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [u. n.].
contractus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 377.—*Buprestis*.
contractus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 126.
contractus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 19.
contracta Ips, A. G. Olivier, Entom. II. 1790, 6.
contractus Lyctus (Ol.), J. C. Fabricius, Ent. Syst. I (2) 1792, 505.—*Ips*.
contractus Lygdus (Ol.), J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 34.—*Ips*.
contracta Musca, A. F. de Fourcroy, Ent. Paris. 1785, 491.
contracta Tritoma (Fab.), C. P. Thunberg, Ins. Suecica (8) 1794, 99.—*Lyctus*.
contraria Helix, O. F. Müller, Verm. II. 1774, 95.
contrarius Murex, Linnaeus, Mant. II. 1771, 551.
contraria Neptunea (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 115.—*Murex*.
contrarius Planorbis, O. F. Müller, Verm. II. 1774, 152.
contraria Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3277.
controversus Clytus, F. v. P. Schrank, F. Boica, I. 1798, 679.
contubernella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 34.
contusa Silpha, O. F. Müller, F. Ins. Frid. 1764, 5.
Conulus N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xviii & 161.—*Ech*.
conulus Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 483.
conulus Murex, G. Olivi, Zool. Adriat. 1792, 154.
conulus Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 759; ed. 12, 1767, 1230.
Conus Linnaeus, Syst. Nat., ed. 10, 1758, 712; ed. 12, 1767, 1165.—*G*.
conus Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8.
conus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3569.
conus Unio, L. Spengler, Skr. nat. Selsk. [Copen.] III (1) 1793, 60.
conus Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3449.
convallaria Crioceris, G. A. Harrer, Beschr. Schaeffer's Abbild. 1791, 142.
convallaria Hydra, Linnaeus, Syst. Nat., ed. 10, 1758, 817.
convallaria Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1319.
convallariae Crioceris, F. v. P. Schrank, F. Boica, I. 1798, 568.
convallium Tipula, Scopoli, Ent. Carn. 1763, 317.
convenio Musca, M. Harris, Exp. Eng. Ins. 1776, 143.
convergata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 382.
convergens Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 84.

- conversa* Phalaena Noct., H. G. Lang, Verz. Schmettt., ed. 2, 1789, 152.
convexata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 385.
convexa Apis, F. v. P. Schrank, Ins. Aust. 1781, 405.
convexus Cancer, P. Forskal, Descr. Anim. 1775, 88.
convexus Carabus, J. C. Fabricius, Syst. Ent. 1775, 238.
convexa Cetonina, A. G. Olivier, Entom. I. 1789, 72.
convexus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 507.
convexus Oniscus, C. de Geer, Mém. Ins. VII. 1778, 553.
convolo Musca, M. Harris, Exp. Eng. Ins. 1776, 143.
convolutella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 134.
convoluto-plana Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 51.
convoluta Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2093. —
convolutus Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 399. [Membracis.
convoluta Lithosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 460.
convoluta Membracis, J. C. Fabricius, Spec. Ins. II. 1781, 318.
convoluta Noctua, J. C. Fabricius, Spec. Ins. II. 1781, 215.
convolvuli Tenthredo, P. S. Pallas, Reise Russ. II. 1773, 731.
convolvuli Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 490; ed. 12, 1767, 798.
convolvuli Sphinx [*non* L.], P. Cramer, Uitl. Kapellen, III (19) 1779, 55.
convolvuli Sphinx, H. W. Bergstraesser, Sphing. Europ. 1782, 5; *varr.* *viridis* & *fusca*.
conwagana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 412.—*Pyralis*.
conwagana *Pyralis*, J. C. Fabricius, Syst. Ent. 1775, 653.
conwagana *Pyralis*, *id. ac* *conwagana*, J. C. Fabricius, Ent. Syst. III (2) 1794, 277.
cookiana Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3642.
cookii Cidaris (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 84.—*Trochus*.
cookii *Trochus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3582.
coon Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 10.
cooperta *Scolia*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 204.
copiae Cornu, I. v. Born, Index Mus. Caes. Vind. 1778, 371.
Copris E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 87.—*Col*.
Copris J. C. Fabricius, Suppl. Ent. Syst. 1798, 3.—*Col*.
copris *Scarabaeus*, F. v. P. Schrank, Ins. Aust. 1781, 5.
coprotheres *Catharacta*, M. T. Brännich, Orn. Boreal. 1764, 38.
coquillad Blennius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 458.
coquus *Cerambyx*, Linnaeus, Syst. Nat., ed. 10, 1758, 393; ed. 12, 1767, 630.
coquus *Labrus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1297.
coquus *Lamia* (L.), J. C. Fabricius, Syst. Ent. 1775, 176.—*Cerambyx*.
Cor [G. Humphreys], Mus. Calonn. 1797, 64.—*Ech*.
cor *Arca*, F. C. Meuschen, Mus. Gever. 1787, 426.
cor *Cardita* (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 403.—*Chama*.
cor auritum *Cardium*, J. F. Bolten, Mus. Bolten. (2) 1798, 192.—*Chama cor*, Gm.
cor *Chama*, Linnaeus, Syst. Nat., ed. 12, 1767, 1137. [Spatangus.
cor anguinum *Echinus* (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3195.—
cor raninum *Echinocyamus*, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 216.
cor *Glossoderma* (L.), J. X. Poli, Test. Sicil. II. 1795, 253 & 259.—*Chama*.
cor *Hippopus* (L.), F. C. Meuschen, Mus. Gever. 1787, 428.—*Chama*.
cor *Isocardia* (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 86.—*Chama*.
cor Mytilus, T. Martyn, Univ. Conch. II. [1788], fig. 77.
cor anguinum *Spatangus*, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 221.—*varr.*
anglicum, 221; *sulciscrispis*, 224; *norvagicum*, 225.
cor *Terebratula*, J. B. Bruguière, J. Nat. Hist. (Choix des Mém.) I. 1792, 425.
Coracia M. J. Brisson, Ornith. II. 1760, 3.—*A*.
coraciae *Ascaris*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3033.
Coracias Linnaeus, Syst. Nat., ed. 10, 1758, 107; ed. 12, 1766, 159.—*A*.
Coracias B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 7.
Coracias F. M. Daudin, Traité Orn. II. 1800, 255.—*A*.
coracias *Corvus*, Picot de la Peirouse, K. Vet. Ac. Nya Handl. III. 1782, 110. [et f.]
coraciata *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 278 [♂].

- Coracinus** L. T. Gronovius, Zooph. I. 1763, 66.—P.
Coracinus F. C. Meuschen, Mus. Gronov. 1778, 26.—P.
coracina Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 254.
coracinus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.
coracinus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2704.
coracina Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [post 1796], 74.
coracinus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1587.
coracipennella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 67.
corais Coluber, G. A. Suckow, Naturges. III. 1798, 248.
Corallina Linnaeus, Syst. Nat., ed. 10, 1758, 805; ed. 12, 1767, 1304.—Alga.
Corallinites J. E. Guettard, Mém. diff. Sci. II. 1770, 412.—Cor.
corallinus Alpheus (Herbst), F. Weber, Nomen. Fabricii, 1795, 91.—Cancer.
corallina Anguis, J. N. Laurenti, Syn. Rept. 1768, 71.
corallinus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2-5) 1783, 133.
corallina Capisterium (L.), F. C. Meuschen, Mus. Gever. 1787, 464.—Mactra.
corallinum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 680.
corallinus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 223; ed. 12, 1766, 384.
corallina Mactra, Linnaeus, Syst. Nat., ed. 12, 1767, 1125.
corallinus Oniscus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 27.
corallina Ostrea, J. X. Poli, Test. Sicil. II. 1795, 164.
corallinus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3576.
coralliophaga Chama, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3305.
coralliophagus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3359.
Corallites J. Gesner, Tract. Petref. 1758, 38.
Corallithos J. Gesner, Tract. Petref. 1758, 37.
Corallium P. Browne, Hist. Jamaica, ed. 2, 1789, 390.—Cor.
corallium rubrum Madrepora, P. Forskal, Descr. Anim. 1775, 134.
Coralloides J. E. Guettard, Mém. diff. Sci. II. 1770, 414.—Cor.
coralloides Gorgonia, P. S. Pallas, Elench. 1766, 192.
coralloides Serpula, J. F. Bolten, Mus. Bolten. (2) 1798, 70 [*u. u.*].
corallophora Astraea, J. F. Bolten, Mus. Bolten. (2) 1798, 80.
corarius Prionus, A. F. de Fourcroy, Ent. Paris. 1785, 73.
coras [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 51.
coras [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 46.
corax Corvus, Linnaeus, Syst. Nat., ed. 10, 1758, 105; ed. 12, 1766, 155.
corax Corvus, R. Kerr, Anim. Kingd. 1792, 630; *varr.* varius, albus, borealis.
corax [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 176.
corax bilobis Corvus, P. Forskal, Descr. Anim. 1775, 8.
coraya Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 825.
corbicula Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3310.
corbicula Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3278.
corbis Cochlea, T. Martyn, Univ. Conch. II. [1788], fig. 80.
corbis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 11.
Corbula J. G. Bruguière, Ency. Méth. (Tabl. Vers), pl. 230 (1797) [*u. et f.*].—L.
Corbula J. F. Bolten, Mus. Bolten. (2) 1798, 184.—L.
Corbula Lamarck, Mem. Soc. H. N. Paris, 1799, 89.—L.
corbulo [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 122.
corchori Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 50.
corcinalis Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 183.
corculatorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 158.
corculata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 616.
Corculum J. F. Bolten, Mus. Bolten. (2) 1798, 188.—L.
corculum Cardium, J. F. Bolten, Mus. Bolten. (2) 1798, 192 [*u. u.*].
cordata Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 575; ed. 12, 1767, 955.
cordatus Cancer, Linnaeus, Amoen. Acad. VI. 1763, 414.
cordatus Carabus, Scopoli, Ent. Carn. 1763, 89.
cordata Cetonia, J. C. Fabricius, Mant. I. 1787, 27.
cordata Chama, Linnaeus, Syst. Nat., ed. 10, 1758, 692; ed. 12, 1767, 1138.

- cordatus** Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 206.
cordatus Dermestes, C. P. Thunberg, Ins. Suecica (6) 1794, 81.
cordatus Echinus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 58.
cordata Gleba, P. Forskal, Icones, 1776, 14 f.
cordata Hydatigena, A. J. G. C. Batsch, Naturg. Bandwurm. 1786, 94.
cordatus Lemur, J. M. Bechstein in Pennant, Uebers. 4fuss. Thiere, I. 1799, 241.
cordata Mantis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 190.
cordatus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3361.
cordata Pholas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3216.
cordatus Scarabaeus, D. Drury, Ill. Nat. Hist. II. 1773, index & 60.
cordatus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 31.
cordata Tarantula, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 219.
cordata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 368.
cordata Taenia (Batsch), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3061.—
cordata Venus, P. Forskal, Descr. Anim. 1775, 123. [Hydatigena.]
cordiaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 41 [n. et
cordiaria Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 31. [f.].
cordifer Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 132.
cordifera Leptura, A. G. Olivier, Entom. IV. 1795, 25.
“Cordiformis, Martini, 1774,” Herm.; Martini is not binominal.—L.
Cordiformis F. C. Meuschen, Mus. Gever. 1787, 484.—Ech.
cordiformis Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 288.
cordiger Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [n. n.].
cordigera Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 375; ed. 12, 1767, 598.
cordiger Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2185.
cordiger Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 108.—Chrysomela.
cordigerus (*sic*) Cryptocephalus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 47.
cordiger Curculio, J. C. Fuessly, Schweitz. Ins. 1775, 11.
cordiger Curculio, J. R. Schellenberg, Helvet. Entom. I. 1798, 86.
cordiger Curculio, J. H. Sulzer, Gesch. Ins. 1776, 40.
cordiger Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 50.
cordigera Leptura, J. C. Fuessly, Schweitz. Ins. 1775, 14.
cordigera Noctua, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 72.
cordigera Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 288.
cordiger Hydrophilus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 122.
cordiger Scarabaeus, J. C. Fuessly, Schweitz. Ins. 1775, 3.
cordigera Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 374.
cordigerella Phalaena, [D. H. Schneider], Nom. Ent. 1785, 55 [n. n.].
cordala Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 226.
Cordyle C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 44.—Col.
cordylina Iguana, J. N. Laurenti, Syn. Rept. 1768, 47.
Cordylus L. T. Gronovius, Zooph. I. 1763, 13.—R.
Cordylus J. N. Laurenti, Syn. Rept. 1768, 51.—R.
cordylus Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 202; ed. 12, 1766, 361.
cordyla Scomber, Linnaeus, Syst. Nat., ed. 10, 1758, 298; ed. 12, 1766, 493.
core [Papilio], P. Cramer, Uitd. Kapellen, III (23) 1780, 133.
Coregonus [Artedi, Ichth. 1738, gen. vii, 9].—P.
“Coregonus” v. Salmo.
corensis Columba, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 31.
Corephium P. Browne, Hist. Jamaica, ed. 2, 1789, 393.—Moll.
Coreus J. C. Fabricius, Ent. Syst. IV. 1794, 126.—Hem.
coriaccella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 41.
coriacea Acanthia, J. C. Fabricius, Gen. Ins. 1777, 299.
coriaceum Alcyonium, J. C. Fabricius, Reise Norwegen, 1779, 325.
coriaceus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 40.
coriaceum Callidium, G. Paykull, Faun. Suec. III. 1800, 91.
coriaceus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 413; ed. 12, 1767, 668.
coriaceus Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 330.

- coriaceus** Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 430; ed. 12, 1767, 697.
- coriacea** Helix, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 243.
- coriacea** Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 63 [*n. n.*].
- coriacea** Lepas, J. X. Poli, Test. Sicil. I. 1791, 36.
- coriaceus** Locusta (L.), J. C. Fabricius, Syst. Ent. 1775, 285.—Gryllus.
- coriacea** Millepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1285.
- coriacea** Palmipes, C. F. Schultze, Verst. Seest. 1760, 51.
- coriacea** Testudo, Linnaeus, Syst. Nat., ed. 12, 1766, 350.
- [coriana** Phalaena (N.) MS.], T. Martyn, Psyche, 1797, figs. 75 & 76.
- coriarius** Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 389; ed. 12, 1767, 622.
- coriaria** Chrysomela, J. N. Laicharting, Tyrol. Ins. I. 1781, 143.
- coriarius** Curculio, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 115.
- coriaria** Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2581.
- coriarius** Prionus (L.), J. C. Fabricius, Syst. Ent. 1775, 161.—Cerambyx.
- coriarius** Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 300.
- coriarius** Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1561.
- coriarius** Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 309.
- coridon** Papilio, J. C. Fabricius, Syst. Ent. 1775, 533.
- coridon** Papilio (Plebeius), N. Poda, Ins. Mus. Graec. 1761, 77.
- coridon** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 97.
- coridon** Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 53.—[corydon, D. & S., *est.*]
- Corine** G. Cuvier, Tab. Elém. 1798, 657.—Zooth.
- corinna** Antilope, P. S. Pallas, Misc. Zool. 1766, 7.
- corinna** [Phalaena], P. Cramer, Utitl. Kapellen, I (3) 1775, 47.
- coriolanus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 284.
- Coriphaena** *v.* **Coryphaena**, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 203.
- “**Coris**, Lacép. 1800,” Ag.; occurs only in the vernacular, *xxi*.
- corisandra** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 188.
- Coriscus** F. v. P. Schrank, Samm. Phys. Aufs. 1796, 121.—Hem.
- Corixa** E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 477.—Hem.
- Corixa** O. F. Müller, F. Ins. Frid. 1764, xviii.—Hem.
- cornatus** Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 468.—Phalaena cornicalis, 1794.
- corneata** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 211.
- cornelia** Papilio, J. C. Fabricius, Mant. II. 1787, 21.
- cornelius** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 220.
- cornella** Tinea, J. C. Fabricius, Syst. Ent. 1775, 657.
- cornea** Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 254.—Helix.
- corneum** Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 296.—Murex.
- corneum** Cardium (L.), R. Pulteney, Cat. Birds &c. Dorset, 1799, 31.—Tellina.
- corneus** Chiton, J. F. Bolten, Mus. Bolten. (2) 1798, 196 [*n. n.*].
- cornea** Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 163.
- cornea** Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 146.
- cornea** Cyclas (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 84.—Tellina.
- corneum** Dentalium, Linnaeus, Syst. Nat., ed. 12, 1767, 1263.
- cornea** Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 770; ed. 12, 1767, 1243.
- cornea** Mactra, J. X. Poli, Test. Sicil. II. 1795, 73.
- corneus** Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 754; ed. 12, 1767, 1224.
- cornea** Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 777; ed. 12, 1767, 1253.
- cornea** Patella, G. S. Helbling, Abh. Privatges. Bohm. IV. 1779, 107.
- cornea** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8 [*n. n.*].
- corneum** Peronaeoderma, J. X. Poli, Test. Sicil. II. 1795, 252 & 257; = Mactra of p. 74.
- corneus** Planorbis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 72.—Helix.
- cornea** Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 36 [*n. n.*].
- cornea** Serpula, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 5.
- cornea** Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 678; ed. 12, 1767, 1120.
- corneum** Tubulus (L.), F. C. Meuschen, Mus. Gever. 1787, 238.—Dentalium.
- corneus** Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 765; ed. 12, 1767, 1238.
- cornea** Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3291.

- corni Aphis, J. C. Fabricius, Syst. Ent. 1775, 736.
 corni Musca, Scopoli, Ent. Carn. 1763, 328.
 cornicalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 229.
 cornicella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 516.
 cornicina Musca, J. C. Fabricius, Spec. Ins. II. 1781, 438.
 cornicina Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 586; ed. 12, 1767, 972.
 cornicis Acarus, Scopoli, Ent. Carn. 1763, 388.
 cornicis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3033.
 cornicis Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3040.
 cornicis Pediculus, J. C. Fabricius, Syst. Ent. 1775, 807.
 cornicis Ricinus, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 201.
 cornicis Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3069.
 corniculatum Alcyonium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3817.
 corniculata Corallina, Linnaeus, Syst. Nat., ed. 10, 1758, 806; ed. 12, 1767, 1305.
 corniculatus Merops, J. Latham, Index Orn. 1790, 276.
 corniculata Nereis, O. F. Müller, Zool. Dan. II. 1784, 33.
 corniculata Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 321.
 corniculum Buccinum, G. Olivi, Zool. Adriat. 1792, 144.
 cornicula Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 731; ed. 12, 1767, 1191.
 cornifer Acarus, O. F. Müller, Z. Dan. Prod. 1776, 188.
 cornifrons Tenebrio, P. Rossi, Mant. Ins. I. 1792, 92.
 cornigera Apis, P. Rossi, Fauna Etrus. II. 1790, 108.
 corniger Cancer (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2992.—
 corniger Copris, A. F. de Fourcroy, Ent. Paris. 1785, 16. [Gammarus.
 cornigera Diaperis (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 274.—Hispa.
 corniger Gammarus, J. C. Fabricius, Reise Norwegen, 1779, 383.
 cornigera Hispa, J. C. Fabricius, Spec. Ins. I. 1781, 82.
 cornigera Ptilinus (Fab.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 145.—Hispa.
 cornigera Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2761.
 Cornix Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 7 & 70.—A.
 Cornix I. T. Koelreuter, Nov. Comm. Sci. Petrop. XI. 1767, 435.—A.
 cornix Corvus, Linnaeus, Syst. Nat., ed. 10, 1758, 105; ed. 12, 1766, 156.
 cornix Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 107.
 Cornu I. v. Born, Index Mus. Caes. Vind. 1778, 371.—G.
 cornu arietis Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 254.—Helix.
 cornu Argonauta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3368.
 cornu Distoma, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 180.
 cornu arietis Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 771; ed. 12, 1767, 1244.
 cornu militare Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 770; ed. 12, 1767, 1243.
 cornu venatorium Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3641.
 cornu arietis Planorbis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 72.—Helix.
 cornu cervi Purpura, F. C. Meuschen, Mus. Gever. 1787, 312.
 cornu ceri Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 142.
 cornu damae Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 142.
 cornubicus Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1497.
 cornubiensis Lepas, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 62.
 cornubiense Salmo, J. A. Donndorff, Zool. Beyt. III. 1798, 647.
 cornubiensis Tellina, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 75.
 cornubius Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1297.
 cornuba Saperda, A. G. Olivier, Entom. IV. 1795, 26.
 Cornucopia [G. Humphreys], Mus. Calonn. 1797, 56.—L.
 cornucopiae Lophia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 169.—Ostrea.
 cornucopiae Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3336.
 cornucopiae Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 4.
 cornucopiae Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3745.
 cornucopiae Tubularia, P. S. Pallas, Elench. 1766, 80.
 cornus Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 27.
 cornus Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 56.

- cornutella** Phalaena, Scopoli, Ent. Carn. 1763, 247.
cornutella Tinea, J. C. Fabricius, Suppl. Ent. Syst., 1798, 492.
cornutor Lamia, J. C. Fabricius, Syst. Ent. 1775, 177.
cornuta Amphitrite, O. F. Müller, Z. Dan. Prod. 1776, 216.
cornuta Anas, S. G. Gmelin, Reise Russ. II. 1774, 185.
cornuta Andrena, J. C. Fabricius, Mant. I. 1787, 298.
cornuta Anguis, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 134.
cornutus Apate, J. C. Fabricius, Ent. Syst. I (2) 1792, 360.
cornuta Apis, D. Drury, Ill. Nat. Hist. II. 1773, index & 88.
cornuta Apis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2793.—Andrena.
[cornutus] Araneus, C. Clerck, Aran. Svec. 1757, 39.
cornuta Aranea, P. S. Pallas, Spic. Zool. IX. 1772, 44.
cornutus Blennius, Linnaeus, Syst. Nat., ed. 10, 1758, 256; ed. 12, 1766, 441.
cornutus Bostriachus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 108.
cornutus Brachycerus (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 185.—Curculio.
cornutum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 735; ed. 12, 1767, 1198.
cornutus Bufo (Linn.), J. N. Laurenti, Syn. Rept. 1768, 25.—Rana.
cornuta Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 52.
cornutus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 629; ed. 12, 1767, 1047.
cornuta Cassidea (L.), G. Cuvier, Tab. Elém. 1798, 406.—Buccinum.
cornuta Cassis (L.), F. C. Meuschen, Mus. Gev. 1787, 394.—Buccinum.
cornuta Cellaria (L.), J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 25.—Sertularia.
cornuta Cellepora, E. J. C. Esper, Pflanzeth., Forts. I (6) 1796, 150.
cornutus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1829.—Lamia
cornuta Cetonia, J. C. Fabricius, Spec. Ins. II. 1781, 496. [cornutor, Fab.
cornutus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 273; ed. 12, 1766, 461.
cornuta Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 435; ed. 12, 1767, 705.
cornutus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 50.
cornutus Coluber, Linnaeus in Hasselquist, Palast. 1762, 365.
cornutus Colymbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 591.
cornutus Crabro, J. C. Fabricius, Mant. I. 1787, 294.
cornutus Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 171.
cornutus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 386; ed. 12, 1767, 618.
cornutus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 500.
cornuta Fasciola, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 261. [2071.—Locusta.
cornutus Gryllus (Tettig.) (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
cornutus Hemerobius (L.), A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 59.—Raphidia.
cornutus Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 551 [Raphidia, ed. 12].
cornuta Hispa, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 15.
cornutus Inachus (L.), F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
cornuta Lacerta, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 40.
cornuta Lernaea, O. F. Müller, Z. Dan. Prod. 1776, 227.
cornuta Leucophaea, O. F. Müller, An. Infus. 1786, 157.—Vorticella, 1773.
cornuta Ligniperda, P. S. Pallas, Spic. Zool. IX. 1772, 8.
cornuta Locusta, C. de Geer, Mém. Ins. III. 1773, 441.
cornuta Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 641.
cornuta Melolontha, A. G. Olivier, Entom. I. 1789, 20.
cornuta Membracis (L.), J. C. Fabricius, Syst. Ent. 1775, 676.—Cicada.
cornutus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 746; ed. 12, 1767, 1214.
cornutus tuberculatus Muriciformis, F. C. Meuschen, Mus. Gev. 1787, 318.
cornuta Musca, J. A. Scopoli, Annus V. 1772, 123.
cornuta Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 357.
cornutus Notoxus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 45.
cornutus Notoxus, J. C. Fabricius, Ent. Syst. I (1) 1792, 211.
cornutus Opilio (L.), J. F. W. Herbst, Nat. ungefl. Ins. (2) 1798, 13.—Phalangium.
cornutus Ostracion, Linnaeus, Syst. Nat., ed. 10, 1758, 331; ed. 12, 1766, 409.
cornuta Palamedea, Linnaeus, Syst. Nat., ed. 12, 1766, 232.
cornutum Phalangium, Linnaeus, Syst. Nat., ed. 12, 1767, 1028.

- cornutus** Phasianus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 125.
cornutum Phasma, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 78.
cornuta Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.
cornutus Podiceps (Gm.), J. Latham, Index Orn. 1790, 782.—Colymbus.
cornutus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 327.
cornuta Purpura, F. C. Meuschen, Mus. Gev. 1787, 310.
cornuta Purpura (L.), F. C. Meuschen, Mus. Gev. 1787, 310.—Murex.
cornuta Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 212; ed. 12, 1766, 356.
cornuta Raphidia, Linnaeus, Syst. Nat., ed. 12, 1767, 916. [113.—Cetonia.
cornutus Scarabaeus (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. VI. 1798,
cornuta Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 810; ed. 12, 1767, 1316.
cornutus Silurus, P. Forskal, Descr. Anim. 1775, 66.
cornutus Tenebrio, J. C. Fabricius, Syst. Ent. 1775, 256.
cornuta Trichoda, O. F. Müller, An. Infus. 1786, 208.
cornuta Trogosa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 51.
cornutus Trox, J. C. Fabricius, Ent. Syst. I (1) 1792, 88.
cornutus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3593.
cornuta Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 574; ed. 12, 1767, 951.
cornuta Vorticella, O. F. Müller, Verm. I (1) 1773, 99.
cornutus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 505.
coro Sciaena, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 70.
corollae Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 306. [media 140, crassa 141.
corollaris Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 138.—*varr.* tenuis 138,
corollaris Cidarites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xviii [reopened issue].
corollata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 621; ed. 12, 1767, 1032.
corollatus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3191.
corollata Taenia, P. C. Abildgaard, Skr. nat. Selsk. [Copen.] I (1) 1790, 62.
coromandela Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 151.
coromandeliana Agrion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 286.
coromandeliana Alcedo, J. A. Scopoli, Del. Insub. II. 1786, 89.
coromandeliana Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 522.
coromandeliana Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 646.
coromandeliana Leptura, J. C. Fabricius, Suppl. Ent. Syst. 1798, 154.
coromandelianus Palaemon, F. Weber, Nomen. Fabricii, 1795, 94.
coromandelianus Palaemon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 403.
coromandelica Anas, Bonnatere, Ency. Méth. (Orn.) 1791, 155.
coromandelicus Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 692.
coromandelica Coturnix, J. P. Bonnatere, Ency. Méth. (Orn.), 1791, 221.
coromandelicus Merops, J. P. Bonnatere, Ency. Méth. (Orn.) 1791, 276.
coromandelica Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 968.
coromandelica Perdix, (Gm.), J. Latham, Index Orn. 1790, 654.—Tetrao.
coromandelica Strix, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 5 [*n. n.*].
coromandelica Sylvia (Gm.), J. Latham, Index Orn. 1790, 524.—Motacilla.
coromandelicus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 764.
coromandeliensis Colius, H. Lichtenstein, Cat. rerum Nat. I. 1793, 42.
coromanda Alcedo, J. Latham, Index Orn. 1790, 252.
coromanda Anas, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 12 [*n. n.*].
coromanda Ardea, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 11 [*n. n.*].
coromanda Cancroma, P. Boddaert, Tab. Planch. Enl. 1783, 54.
coromandus Colius, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [*n. n.*].
coromandus Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 171.
coromanda Cursor, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 11 [*n. n.*].
coromanda Glareola J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 11 [*n. n.*].
coromandus Merops, J. Latham, Index Orn. 1790, 272.
coromanda Strix, J. Latham, Index Orn. 1790, 53.
corona imperialis Cancer, F. C. Meuschen, Mus. Gronov. 1778, 84.
corona civica Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 38.
corona ducalis Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 38.

- corona** Himantopus, O. F. Müller, An. Infus. 1786, 253.
- corona** Medusa, P. Forskal, Descr. Anim. 1775, 107.
- corona** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3552. [corona.]
- corona mexicana** Neptunea (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 116.—Murex
- corona** Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 777; ed. 12, 1767, 1252.
- coronalis** Alata, F. C. Meuschen, Mus. Gever. 1787, 342.
- coronalis** Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 136.
- coronalis** Cidarites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xviii [repaged issue].
- coronalis** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 38.
- coronalis** Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3177.—
- coronana** Tortrix, C. P. Thunberg, Ins. Suecica (1) 1784, 18. [Cidaris.]
- coronata** Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 43.
- coronata** Apis, A. F. de Fourcroy, Ent. Paris. 1785, 449.
- coronata** Aranea, C. de Geer, Mém. Ins. VII. 1778, 242.
- coronatum** Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 276.
- coronatum** Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 83.
- coronatus** Buceros, P. Boddaert, Tab. Planch. Enl. 1783, 53.
- coronatus** Cancer, G. I. Molina, Sag. stor. nat. Chili, 1782, 207.
- coronatus** Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 184.
- coronatum** Cardium, L. Spengler, Skr. nat. Selsk. [Copen.] V (1) 1799, 9.
- coronata** Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 29.
- coronatus** Cerastes, J. N. Laurenti, Syn. Rept. 1768, 83.
- coronatum** Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 495.
- coronatus** Charadrius, P. Boddaert, Tab. Planch. Enl. 1783, 49.
- coronatus** Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 691.
- coronatus** Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1088.
- coronata** Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 282.
- coronatus** Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3389.
- coronatus** Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 45.—Conus.
- coronatus** Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 126.
- coronata** Doris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3105.
- coronatus** Falco, Linnaeus, Syst. Nat., ed. 12, 1766, 124.
- coronata** Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 481.
- coronatus** Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 20.—Scarabaeus, 1781.
- coronatus** Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 430; ed. 12, 1767, 697
- coronatus** Gypaetos (Jacq.), F. M. Daudin, Traité élém. Orn. 1800, 28.—Vultur.
- coronata** Locusta (L.), C. de Geer, Mém. Ins. III. 1773, 448.—Gryllus.
- coronata** Loxia, J. F. Miller, Icon. Anim. pl. 2 (1776).
- coronata** Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 859.
- coronata** Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 638.
- coronata** Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 333.
- coronatus** Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 326.
- coronatus** Murex, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 155.
- coronata** Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 168.
- coronata** Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 932.
- coronata** Mutilla, P. Rossi, Mant. Ins. I. 1792, 147.
- coronata** Mutilla, J. C. Fabricius, Ent. Syst. II. 1793, 369.
- coronata** Noctua, J. C. Fabricius, Syst. Ent. 1775, 596.
- coronatus** Oryssus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 218.
- coronata** Phalaena, Hufnagel, Berl. Mag. IV. 1767, 616.
- coronatus** Philanthus, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 224.
- coronata** Pimelia, A. G. Olivier, Entom. III. 1795, 4.
- coronatus** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 330.
- coronata** Pterotrachea, P. Forskal, Descr. Anim. 1775, 117.
- coronatus** Reduvius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 545.
- coronatus** Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 13.
- coronata** Sphex, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 25.
- coronata** Spongia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 190.

- coronata** Sterna, J. P. Bonnatere, Ency. Méth. (Orn.), 1790, 95.
coronatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 98.
coronata Sylvia (L.), J. Latham, Index Orn. 1790, 538.—Motacilla.
coronatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3594.
coronatus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 144.
coronata Vespa, G. W. F. Panzer, Ins. Germ. heft 64 [1799], tab. 12.
coronata Voluta, G. S. Helbling, Abh. Privatges. Bohm. IV. 1779, 121.
coronatus Vultur, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 15.
corone Corvus, Linnaeus, Syst. Nat., ed. 10, 1758, 105; ed. 12, 1766, 155.
corone Corvus, K. Kerr, Anim. Kingd. 1792, *varr.* varius, albus, 631.
coronea [Papilio], P. Cramer, Utit. Kapellen, I (6) 1775, 106.
coronea Papilio (Dan.). Herbst, Einl. Ins. II. 1785, 47.
Coronella J. N. Laurenti, Syn. Rept. 1768, 84.—R.
coronella Coluber, J. P. Bonnatere, Ency. Méth. (Oph.), 1790, 31.
corones Bombyx, J. C. Fabricius, Syst. Ent. 1775, 579.
coronilla Natrix, F. v. P. Schrank, F. Boica, I. 1798, 291.
coronillae Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 45.
coronillae Sphinx, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 206.
coronillae Sphinx, M. B. Borkhoutsen, Nat. eur. Schmett. II. 1789, 8.
coronillae Zygaena (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 388.—Sphinx.
coronis [Papilio], P. Cramer, Utit. Kapellen, I (4) 1775, 69.
corope [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (30) 1781, 130.
corrigiata Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 265.
corrigiolata Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 995.
corrigiolatus Rhagio (Fab.), F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 173.—
Corrira M. J. Brisson, Ornith. VI. 1760, 542.—A. [Musca.
Corrira M. T. Brünnich, Fund. Zool. 1772, 72.—A.
Corrira J. P. Bonnatere, Ency. Méth. (Orn.) I. 1790, lxxxv.—A.
corrira Charadrius, J. P. Bonnatere, Ency. Méth. (Orn.) 1790, 23.
corrugator Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 28.
corrugator Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 43.
corrugata Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 225.
corrugatus Bulinus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 354.
corrugatus Cancer, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 5.
corrugatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1778.
corrugata Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 178.
corrugatum Gonium, O. F. Müller, An. Infus. 1786, 112.
corrugata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3623.
corrugata Mya, O. F. Müller, Verm. II. 1774, 214.
corrugata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3702.
corrugata Pimelia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2009.
corrugatus Unio, (Müll.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 18.—Mya.
corrugata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3280.
corruptor Curculio, N. Host in Jacquin, Coll. Bot. III. 1789, 296.
corruptor Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 180.
corruscus *v.* **coruscus**.
corsac Canis, Linnaeus, Syst. Nat., ed. 12, vol. III. 1768, App., 223.
corthesianaria Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 325.
cortex citri Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 76.
corti Coccus, A. Modeer, Götheborg. Samhalle Hand. (Wet. Afid.) I. 1778, 44.
corticalis Acanthia (L.), J. C. Fabricius, Syst. Ent. 1775, 695.—Cimex.
corticalis Acarus, C. de Geer, Mém. Ins. VII. 1778, 131.
corticalis Anisotoma, Illiger in Kugelann, Käfer Preuss. 1798, 79.
corticalis Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 442; ed. 12, 1767, 718.
corticalis Curculio, G. Paykull, Mon. Curc. 1792, 41.
corticalis Elater, G. Paykull, Faun. Suec. III. 1800, 43.
corticalis Hister, G. Paykull, Faun. Suec. I. 1798, 50.
corticalis Phalaena, Scopoli, Ent. Carn. 1763, 216.

- corticalis** *Pyralis*, [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
- corticalis** *Sabella*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3751.
- corticalis** *Trogosita*, G. Paykull. Faun. Suec. I. 1798, 93.
- corticana** *Tortrix*, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
- corticana** *Tortrix*, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 13 [*n. et f.*].
- corticaria** *Geometra*, [Denis & Schiffermüller], Schmett. Wien, 1775, 100.
- corticaria** *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 167 [*n. et f.*].
- corticatus** *Cimex*, D. Drury, Ill. Nat. Hist. II. 1773, index & 76.
- corticata** *Oliva*, T. Martyn, Univ. Conch. III [1789], fig. 1111.
- corticella** *Phalaena* (*Tinea*), Linnaeus, Syst. Nat., ed. 10, 1758, 539; ed. 12, 1767, 893.
- Corticeus** Piller & Mitterpacher, Iter Poseg. 1783, 87.
- corticea** *Noctua*, [Denis & Schiffermüller], Schmett. Wien, 1775, 81.
- corticinus** *Cerambyx*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 294.
- corticina** *Cetonia*, A. G. Olivier, Entom. I. 1789, 13.
- corticinus** *Curculio*, Giorna, Cal. Ent. 1791, 42.
- corticina** *Phalaena* (*Noct.*), C. de Villers, Linn. Ent. II. 1789, 285.
- corticinus** *Prionus*, A. G. Olivier, Entom. IV. 1795, 21.
- corticis** *Trips*, C. de Geer, Mém. Ins. III. 1773, 11.
- cortinna** *Papilio*, Herbst in Jablonsky, Nat. Ins. (Schmett.) VII. 1794, 110.
- corus** *Papilio*, J. C. Fabricius, Ent. Syst. III (1) 1793, 41.
- coruscans** *Scarabaeus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1575.
- coruscator** *Ichneumon*, Linnaeus, Syst. Nat., ed. 10, 1758, 263; ed. 12, 1767, 934.
- coruscum** *Anisotoma*, Illiger in Kugelann, Käfer Preuss. 1798, 79.
- corrusca** *Astraea*, J. F. Bolten, Mus. Bolten. (2) 1798, 79.
- corrusca** *Buprestis*, J. C. Fabricius, Mant. I. 1787, 176.
- corruscus** *Carabus*, [D. H. Schneider], Nom. Ent. 1785, 22 [*n. n.*].
- corrusca** *Lampyrus*, Linnaeus, Syst. Nat., ed. 12, 1767, 644.
- corrusca** *Patella*, J. F. Bolten, Mus. Bolten. (2) 1798, 12 [*n. n.*].
- coruscus** *Phalacrus* (*Ill.*), G. Paykull, Faun. Suec. III. 1800, 438.—*Anisotoma*.
- corrusca** *P. Noctua* (*ex Esper tab.*), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 640.
- corux** *Corvus*, *err. pro corax* Linn., S. G. Gmelin, Reise Russ. I (1770), 50.
- corvaria** *Phalaena*, J. C. Fabricius, Mant. II. 1787, 381.
- corvi** *Hippobosca*, Scopoli, Ent. Carn. 1763, 377.
- corvi** *Pediculus*, Linnaeus, Syst. Nat., ed. 10, 1758, 612; ed. 12, 1767, 1018.
- corvina** *Chrysomela* =? *cervina*, Linnaeus, Faun. Suec. ed. 2, 1761, 173.
- corvinus** *Curculio*, G. W. F. Panzer, Deutsch. Ins. [1795] 335.
- corvina** *Musca*, J. C. Fabricius, Spec. Ins. II. 1781, 440.
- Corvus** Linnaeus, Syst. Nat., ed. 10, 1758, 105; ed. 12, 1766, 155.
- corvus** *Copris*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 31.
- corvus** *Helix*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3665.
- corydon** *Hesperia* (*D. & S.*), J. C. Fabricius, Ent. Syst. III (1) 1793, 298.—*Papilio*.
- corydon** *Musca*, M. Harris, Exp. Eng. Ins. 1776, 106.
- corydon** *Papilio* "Scop.", Denis & Schiffermüller, Schmett. Wien. 1775, 184.
- corydon** [*Papilio*], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 5.
- corydon** [*Papilio*], J. A. B. Bergstraesser, Ic. Pap. II. 1780, 5.
- corydon** *Scarabaeus*, A. G. Olivier, Entom. I. 1789, 181.
- corylana** *Phal. Tort.*, J. Hübner, Samml. Vögel u. Schmett. 1793, 12 [*n. et f.*].
- corylana** *Pyralis*, J. C. Fabricius, Ent. Syst. III. (2) 1794, 260.
- corylana** *Tortrix*, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 53 [*n. et f.*].
- corylaria** *Geometra*, C. P. Thunberg, Ins. Suecica, (1) 1784, 4.
- corylata** *Phalaena*, C. P. Thunberg, Ins. Suecica (4) 1792, 61.
- coryletti** *Musca*, Scopoli, Ent. Carn. 1763, 336.
- coryli** *Aphis*, J. F. Gmelin in Linn. Syst. Nat. I. 1789, 2210.
- coryli** *Attelabus*, Linnaeus, Syst. Nat., ed. 10, 1758, 387; ed. 12, 1767, 619.
- coryli** *Bombyx* (*L.*), J. C. Fabricius, Syst. Ent. 1775, 573.—*Phalaena*.
- coryli** *Chermes*, A. F. de Fourcroy, Ent. Paris. 1785, 229.
- coryli** *Chrysomela*, Linnaeus, Syst. Nat., ed. 10, 1758, 375; ed. 12, 1767, 598.
- coryli** *Cicada*, Linnaeus, Faun. Suec., ed. 2, 1761, 243.

- coryli** Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 451; ed. 12, 1767, 733.
coryli Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 456; ed. 12, 1767, 741.
coryli Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 109.—Chrysomela.
coryli Curculio, J. C. Fabricius, Syst. Ent. 1775, 148.
coryli Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 171.—Cimex.
coryli Musca, P. Rossi, Mant. Ins. II. 1794, 72.
coryli Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 503; ed. 12, 1767, 823.
coryli Rhinomacer (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 91.—Attelabus.
corylifoliella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 66.
[corylina Phalaena (B.) MS.], T. Martyn, Psyche, 1797, fig. 70.
corymbosa Madrepora, P. Forskal, Descr. Anim. 1775, 137.
 “**Coryna**, Pallas, 1766,” Ag.; I cannot find this reference.
coryna Tubularia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3834.
corynaria Hydra, Bosc, Bull. Sci. Soc. Philom. [Paris], no. 2, 1797, 10.
Coryne Gaertner in Pallas, Spic. Zool. (10) 1774, 40.—Pol.
Coryne J. G. Bruguière, Ency. Méth. (Vers, pl. 69, 1791) [*n. et f.*].—Pol.
Coryneta J. G. Meigen, N. Class. Mouches, 1800, 27.—Dip.
Korynetes Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 148.—Col.
Corynetes *id. ac* Korynetes Herbst, G. Paykull, Faun. Suec. I. 1798, 274.
corynetes Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 199.
Corynis C. P. Thunberg, Peric. Ent. 1789, 13.—Hym.
coryphae Bruchus, A. G. Olivier, Entom. IV. 1795, 16. [1738, gen. xii. 15].—P.
Coryphaena Linnaeus, Syst. Nat., ed. 10, 1758, 261; ed. 12, 1766, 446 [Artedi, Ichth.
Coryphaenoides J. E. Gunnerus, Trondhiemska Selsk. Skrift. III. 1765, 50 & 58.—P.
coryphaeus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 13.—Scarabaeus, 1775.
coryphaeus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 817.
corythallia Papilio, N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
coryta [Papilio], P. Cramer, Uitl. Kapellen, I (8) 1776, 136. [1780], 67.
corytus [Papilio], P. Cramer, Uitl. Kapellen, II (9) 1777, 6.
coscoroba Anas, G. I. Molina, Sag. stor. nat. Chili, 1782, 234.
coscoroba Anser (Mol.), J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 112.—Anas.
cosmographicus Voluta, T. Martyn, Univ. Conch. IV [1792], fig. 125.
Cossonus J. R. Schellenberg, Helvet. Entom. I. 1798, 58.—Col.
Cossus J. C. Fabricius, Ent. Syst. III (1) 1793, caract. gen.; & III (2) 1794, 1.—Lep.
cossus Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 569.—Phalaena.
cossus Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 504; ed. 12, 1767, 827.
Cossyphus J. C. Fabricius, Ent. Syst. I (2) 1792, 97.—Col.
Cossyphus A. G. Olivier, Entom. III. 1795, 1.—Col.
costalis Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 230.
costalis Elater, G. Paykull, Faun. Suec. III. 1800, 37.
costalis Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 360.
costalis Phalaena, J. C. Fabricius, Syst. Ent. 1775, 644.
costalis Phalaena (Pyr.) Fab., C. de Villers, Linn. Ent. II. 1789, 443.
costalis Pyralis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 76.
costalis Tabanus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 213.
costalis Tenthredo, J. C. Fabricius, Syst. Ent. 1775, 322.
costalis Tettigonia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 516.
costalis Tipula, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 286.
costalus Strombiformis, E. M. da Costa, Brit. Conch. 1778, 118.
costana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 227.—Tortrix.
costana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 127.
costaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 155.
costata Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 77.
costata Arca, F. C. Meuschen, Mus. Gever. 1787, 426.
costata Astrophyton, C. F. Schultze, Verst. Seest. 1760, 53.
costatum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 738; ed. 12, 1767, 1202.
costatum Buccinum (Penn.), E. M. da Costa, Brit. Conch. 1778, 128.—Murex.
costatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 302.

- costatum** Buccinum, F. C. Meuschen, Mus. Gev. 1787, 306.
costatum Buccinum, F. C. Meuschen, Mus. Gev. 1787, 308.
costata Cabestana, J. F. Bolten, Mus. Bolten. (2) 1798, 130.
costatum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 678; ed. 12, 1767, 1121.
costatus Cataphractus (Linn.). M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 82.—Silurus.
costatus Cerambyx, J. C. Fabricius, Ent. Syst. I (2) 1792, 261.
costata Chama, F. C. Meuschen, Mus. Gev. 1787, 454.
costata Cicada, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 14.
costatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 50.
costatus Cimex, J. C. Fabricius, Mant. II. 1787, 282.
costatus Coccus, F. v. P. Schrank, Ins. Aust. 1781, 296.
costatus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3388.
costatus Curculio, J. C. Fabricius, Mant. I. 1787, 115.
costata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3418.
costatum Gafrarium, J. F. Bolten, Mus. Bolten. (2) 1798, 177.
costata Helix, O. F. Müller, Verm. II. 1774, 31.
costata Lepas, E. Donovan, Brit. Shells (1800), pl. xxx.
costata Leptura, G. W. F. Panzer, Deutsch. Ins. [1795], 274.
costata Loricaria (L.), G. A. Suckow, Naturges. IV. 1799, 654.—Silurus.
costatus Murex, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 108.
costatus Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 295.
costatus Murex, F. C. Meuschen, Mus. Gev. 1787, 332.
costatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3543.
costatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3549.
costatus Muriciformis, F. C. Meuschen, Mus. Gev. 1787, 316.
costata Musca, Linnaeus, Syst. Nat., ed. 12, vol. III. 1768, App., 226.
costatus Mystus, F. C. Meuschen, Mus. Gronov. 1778, 38.
costatus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 47.
costatus Nautilus (Orthoceras), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 1.
costata Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3684.
costata Patella, F. C. Meuschen, Mus. Gev. 1787, 242.
costata Patella, F. C. Meuschen, Mus. Gev. 1787, 244.
costata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3699.
costata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 638.
costatus Pholas, Linnaeus, Syst. Nat., ed. 10, 1758, 669; ed. 12, 1767, 1111.
costata Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2002.—Tenebrio.
costata Purpura, F. C. Meuschen, Mus. Gev. 1787, 312.
costata Purpura (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 140.—Murex.
costatus Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 306; ed. 12, 1766, 506.
costatus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 160.
costatus Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3519.
costatus Strombus, R. Pulteney, Cat. Birds &c. Dorset, 1799, 42.
costatus Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 373.
costatus Tenebrio, P. S. Pallas, Icon. Ins. 1781, 52.
costatus Trochus, T. Martyn, Univ. Conch. I [1784 *non* 1769], fig. 34.
costatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3571.
costatus Turbo, C. U. v. Salis, Reise Neapel, 1793, 377.
costatus Turbo, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 65.
costatus Turbo, R. Pulteney, Cat. Birds &c. Dorset, 1799, 45.
costata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3291.
costata Voluta, D. Solander in G. Brander, Foss. Hant. 1766, 24.
costata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3458.
costatus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 509.—Alucita costella, 1775.
costella Alucita, J. C. Fabricius, Syst. Ent. 1775, 668.
costella Phalaena (Tin.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 505.—Alucita.
costiostriis Platyrrhinus, J. R. Schellenberg, Helvet. Entom. I. 1798, 114.
costototli Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 341.—Oriolus.
costototi Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 385.

- cothurnatus** Gryllus, C. Creutzer, Ent. Vers. 1799, 129.
cothurnatus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 355.
cothurnata Musca, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 20.
cothurnatus Tenebrio, P. Forskal, Descr. Anim. 1775, 80.
cothurnix *v.* **coturnix**.
Cotinga M. J. Brisson, Ornith. II. 1760, 340.—A.
cotinga Ampelis, Linnaeus, Syst. Nat., ed. 12, 1766, 298.
cotoneum Alcyonium, P. S. Pallas, Elench. 1766, 359.
cotonea Volema, J. F. Bolten, Mus. Bolten. (2) 1798, 57.
cottoides Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 291; ed. 12, 1766, 484.
Cottus Linnaeus, Syst. Nat., ed. 10, 1758, 264; ed. 12, 1766, 451; [Artedi, Ichth. 1738, gen. xxxiv. 48.]—P.
cotylephorus Platystacus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 54.
Coturnix Moehring, Geslach. Vogel. (Nozem. & Vsm. ed.) 1758, 3 & 39.—A.
Coturnix Bonnaterre, Ency. Méth. (Orn.) I. 1790, lxxxvii.—A.
Coturnix G. Cuvier, Leçons Comp. Anat. I. 1800, 2 [*u. u.*].—A.
coturnix Cadus, J. F. Bolten, Mus. Bolten. (2) 1798, 150.
cothurnix Oriolus, J. A. Scopoli, Del. Insub. II. 1786, 87.
coturnix Perdix (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 290.—Tetrao.
coturnix Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 161; ed. 12, 1766, 278.
coucang Tardigradus, P. Boddaert, Elench. 1785, 67.
couguar Felis, R. Kerr, Anim. Kingd. 1792, 151.
courly Tantalus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 112.
cous Mystus, F. C. Meuschen, Mus. Gronov. 1778, 38.
cous Silurus, Linnaeus, Syst. Nat., ed. 12, 1766, 504.
cowal Turdus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [*u. u.*].
coxalis Cistela, A. G. Olivier, Entom. III. 1795, 8.
coxator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 193.
Coxia *err. pro* Loxia, F. v. P. Schrank, F. Boica, I. 1798, 148.—A.
coyolcos Perdix (Gm.), J. Latham, Index Orn. 1790, 653.—Tetrao.
coyoleos (*sic*) Tetrao, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 129.
coyolcos Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 763.
coypus Mus, G. I. Molina, Sag. stor. nat. Chili, 1782, 287.
coypus Mus (Myocastor), R. Kerr, Anim. Kingd. 1792, 225.
coypus Ondatra (Mol.), H. F. Link, Beytr. Nat. I (2) 1795, 76.—Mus.
Cpryaea *v.* **Cypraea**, K. Schreibers, Vers. Conch. I. 1793, 57.
Crabro E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 261.—Hym.
Crabro J. C. Fabricius, Syst. Ent. 1775, 373.—Hym.
crabro Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 572; ed. 12, 1767, 948.
crabro Vespa, J. L. Christ, Nat. Ins. 1791; *varr.* *cornuta*, *caffra* (214); *capensis*, *surinama*, *germana* (215); *fusca*, *quattuor-maculata*, *tenebrionis* (216); *carolina*, *marribous*, *maculata*, *sphinx* (217); *tricincta*, *analis*, *microrrhoea* (218); *cincta* (219).
crabronea Sphecx, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791, 126.
crabroniformis Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 605; ed. 12, 1767, 1007.
crabroniformis Attelabus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1812.
crabroniformis Clerus, J. C. Fabricius, Mant. I. 1787, 126. [Clerus.
crabroniformis Erax (Linn.), Scopoli, Ent. Carn. 1763, 359.—Asilus.
crabroniformis Masaris, G. W. F. Panzer, Ins. Germ. heft 47 [1797], tab. 22.
crabroniformis Musca, C. de Villers, Linn. Ent. III. 1789, 428.
crabroniformis Sesia, J. C. Fabricius, Ent. Syst. III (1) 1793, 383.
crabroniformis Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 44.
crabroniformis Sphinx, W. Lewin, Tr. Linn. Soc. [Lond.] III. 1797, 2.
crabroniformis Syrphus, J. C. Fabricius, Syst. Ent. 1775, 768.
craccae Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 735.
craccae Apion (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 102.—Curculio.
craccae Attelabus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 283.—Curculio.
craccae Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 606.
craccae Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 94.

- craccae** Phalaena Noctua, J. Hübner, Beitr. Schmett. I (3) [1788], 30.
cracra Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 642.
crambes Meloe, P. S. Pallas, Icon. Ins. 1782, 95.
Crambus J. C. Fabricius, Suppl. Ent. Syst. 1798, 420.—Lep.
cramerella Tinea, J. C. Fabricius, Gen. Ins. 1777, 296.
cramerella [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (33) 1782, 224.
krameri Psittacus, J. A. Scopoli, Annus I. 1769, 31.
crameriana [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (29) 1781, 114.
Crangon F. Weber, Nomen. Fabricii, 1795, 94.—Cr.
Crangon J. C. Fabricius, Suppl. Ent. Syst. 1798, 387.—Cr.
crangon Astacus (L.), J. C. Fabricius, Syst. Ent. 1775, 417.—Cancer.
crangon Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 632; ed. 12, 1767, 1052.
crangon Cancer (Astacus) L., J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 75.
crangorum Monoculus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 306.
Crania A. J. Retzius, Schrift. Berlin. Ges. nat. Freunde, II. 1781, 72.—Br.
craniolaris Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 700; ed. 12, 1767, 1150.
craniolaris Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 626; ed. 12, 1767, 1041.
craniolaris Crania (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 83.—Anomia.
craniolaris Echinoeyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 214.
craniolaris Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3193.—
 “**craniolaris** Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 164. [Echinoeyamus.
graniolaris (*sic*) Leucosia (L.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
craniolaris Leucosia (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 350.—Cancer.
craniolaris Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 3.
cranium Alcyonium, O. F. Müller, Z. Dan. Prod. 1776, 255.
cranium Anomia (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3347.—Tere-
cranium Terebratula, O. F. Müller, Z. Dan. Prod. 1776, 249. [bratula.
crantor Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 158.
crantor [Sphinx], P. Cramer, Utit. Kapellen, II (9) 1777, 11.
crassalis Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 466.—Phalaena, 1787.
crassalis Phalaena, J. C. Fabricius, Mant. II. 1787, 217.
crassalis Pyralis, C. de Villers, Linn. Ent. IV. 1789, 514.
crassalis Pyralis (F.), J. Hübner, Europ. Schmett. 6 Horde [me judice 1796]. 6 & 6 [2].—
crassaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 135. [Phalaena.
Crassatella Lamarck, Mém. Soc. H. N. Paris, 1799, 85.—L.
crassicaudus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1095.
crassiceps Alysseminthus, J. G. H. Zeder in Goetze, 1 Nachtr. Eingeweidewürm. 1800, 293.
crassicornella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 523.
crassicornis Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 70.
crassicornis Actinia, O. F. Müller, Z. Dan. Prod. 1776, 231.
crassicornis Astacus, J. C. Fabricius, Syst. Ent. 1775, 415.
crassicornis Bombyx, J. C. Fabricius, Syst. Ent. 1775, 569.
crassicornis Bruchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 159.
crassicornis Cancer (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2987.—
crassicornis Cantharis, J. A. Scopoli, Annus V. 1772, 93. [Astacus.
crassicornis Cerambix, A. G. Olivier, Entom. IV. 1795, 51.
crassicornis Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 99.
crassicornis Cicada, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 19.
crassicornis Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 448; ed. 12, 1767, 729.
crassicornis Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1759.
crassicornis Cyclops, O. F. Müller, Entom. 1785, 113.
crassicornis Delphax (Pan.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 522.—Cicada.
crassicornis Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 72.
crassicornis Ichneumon, P. Rossi, Mant. Ins. II. 1794, 112.
crassicornis Larra, J. C. Fabricius, Ent. Syst. II. 1793, 221.—Tiphia, 1787.
crassicornis Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 168.—Cimex.
crassicornis Lytta, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 142. [Cyclops.
crassicornis Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2998.—

- crassicornis** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 328.
crassicornis Mylabris (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. VI. 1798,
crassicornis Pediculus, Scopoli, Ent. Carn. 1763, 383. [115.—? Lytta.
crassicornis Podura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2911.
crassicornis Sphex, Scopoli, Ent. Carn. 1763, 291.
crassicornis Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 529.
crassicornis Tenthredo, P. Rossi, Fauna Etrus. II. 1790, 21.
crassicornis Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 339.
crassicornis Tiphia, J. C. Fabricius, Mant. I. 1787, 278.
crassicornis Vespa, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 8.
crassipennis Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 357.
crassipennis Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 284.
crassipennis Thereva, J. C. Fabricius, Suppl. Ent. Syst. 1798, 560.—Syrphus, 1794.
crassipes Acanthia, J. C. Fabricius, Syst. Ent. 1775, 695.
crassipes Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 616; ed. 12, 1767, 1023.
crassipes Apis, J. C. Fabricius, Ent. Syst. II. 1793, 340.
crassipes Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 291.
crassipes Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 465.
crassipes Bibio, O. F. Müller, Z. Dan. Prod. 1776, 171.
crassipes Cantharis, A. F. de Fourcroy, Ent. Paris. 1785, 154.
crassipes Cetonia, A. G. Olivier, Entom. I. 1789, 68.
crassipes Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1691.
crassipes Cimex (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2126.—Acanthia.
crassipes Crabro, J. C. Fabricius, Suppl. Ent. Syst. 1798, 270.
crassipes Curculio, J. C. Fabricius, Syst. Ent. 1775, 136.
crassipes Curculio (Fabr.), F. A. A. Meyer, Zool. Archiv (1) 1796, 228.—Donacia.
crassipes Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 390.
crassipes Donacia, J. C. Fabricius, Syst. Ent. 1775, 195.
crassipes Donacia, J. J. Zschach, Mus. Lesk. 1788, 27.
crassipes Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1917.
crassipes Empis, F. v. P. Schrank, Ins. Aust. 1781, 484.
crassipes Eucera, J. C. Fabricius, Suppl. Ent. Syst. 1798, 278.
crassipes Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
crassipes Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 399.
crassipes Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 52.
crassipes Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2709.
crassipes Leptura (F.), G. A. Harter, Besch. Schaeffer Icones, 1784, 225.—Donacia.
crassipes Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 84.
crassipes Leptura (Zsch.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1867.—Donacia.
crassipes Melolontha, J. C. Fabricius, Syst. Ent. 1775, 818.
crassipes Musca, F. v. P. Schrank, Ins. Aust. 1781, 450.
crassipes Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.
crassipes Scarabaeus (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1565.—
crassipes Scarabaeus, A. G. Olivier, Entom. I. 1789, 51. [Melolontha.
crassipes Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2036.
crassipes Syrphus, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 343.
crassipes Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 400.—Hydrachna.
crassipes Vespa, J. L. Christ, Nat. Ins. 1791, 246.
crassirostris Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1806.
crassirostris Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 862.
crassirostris Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 815.
crassulus Nautilus, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 641.
crassum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3485.
crassum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3487.
crassus Caligus, P. C. Abildgaard, Skr. nat. Selsk. [Copen.] III (2) 1794, 49.
crassum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3254.
crassus Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 620.
crassus Curculio, C. Allioni, Misc. Taurin. III. 1766, 187.

- crassus** [Curculio], Giorna, Cal. Ent. 1791, 81.
- crassa** Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3421.
- crassa** Cypris, O. F. Müller, Entom. 1785, 61.
- crassum** Dentalium, C. U. v. Salis, Reise Neapel, 1793, 358.
- crassa** Gorgonia, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 91.
- crassa** Helix, E. M. da Costa, Brit. Conch. 1778, 66.
- crassa** Helix, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 276.
- crassus** Julus, Linnaeus, Syst. Nat., ed. 10, 1758, 639; ed. 12, 1767, 1065. [Cypris.
- crassus** Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3003.—
- crassa** Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2867.—Syrphus.
- crassus** Nautilus, P. L. S. Müller, Del. Nat. I. 1766, 129.
- crassa** Nereis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3118.
- crassus** [Papilio], P. Cramer, Utl. Kapellen, II (10) 1777, 23.
- crassus** Pectunculus, E. M. da Costa, Brit. Conch. 1778, 183.
- crassa** Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 2.
- crassa** Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 52.
- crassa** Silpha, N. J. Brahm, Ins. Kal. I (2) 1791, 136.
- crassus** Syrphus, J. C. Fabricius, Mant. II. 1787, 334.
- crassa** Taenia, M. E. Bloch, Beschaf. Ges. Nat. Freunde. IV. 1779, 548.
- crassa** Tellina, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 73.
- crassa** Tenthredo, Scopoli, Ent. Carn. 1763, 279.
- crassus** Trochus, R. Pulteney, Cat. Birds &c. Dorset, 1799, 44.
- crassus** Turbo, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 638.
- crassus** Unio, A. J. Retzius, Diss. Nova Test. Gen. 1788, 17.
- crassa** Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3288.
- crataegarius** Brachionus (Linn.), P. S. Pallas, Elench. 1766, 101.—Hydra.
- crataegaria** Geometra, J. Hübnér, Europ. Schmett. (Geom.) [me judice 1796] fig. 32
- crataegaria** Hydra, Linnaeus, Syst. Nat., ed. 10, 1758, 817. [n. et f.].
- crataegaria** Taenia, A. J. G. C. Batsch, Naturg. Bandwurm. 1786, 126.
- crataegaria** Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1318.
- crategata** Phalaena, Scopoli, Ent. Carn. 1763, 224.
- crataegata** Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 336.
- crataegella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 885.
- crataegi** Bombyx (L.), J. C. Fabricius, Spec. Ins. II. 1781, 194.—Phalaena.
- crataegi** Chermes, Scopoli, Ent. Carn. 1763, 139.
- crataegi** Chermes, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 442.
- crataegi** Chrysomela, J. R. Forster, Cat. Brit. Ins. 1770, 6 [n. n.].
- crataegi** Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 28. [—Chrysomela.
- crataegi** Cryptocephalus (Forst.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1724.
- crataegi** Papilio, Linnaeus, Reise Schwed. (ed. Schreber) I. 1764, 201.
- crataegi** Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 467; ed. 12, 1767, 758, P. (Heliconius).
- crataegi** Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 502; ed. 12, 1767, 823.
- crater** Madrepora, P. S. Pallas, Elench. 1766, 332.
- craterella** Phalaena, Scopoli, Ent. Carn. 1763, 246.
- crateriformis** Hydra, O. F. Müller, Z. Dan. Prod. 1776, 230.
- crateriformis** Spongia, P. S. Pallas, Elench. 1766, 386.
- crateriformis** Taenia, J. A. E. Goetze, Eingeweidewürm. 1782, 396.
- crateriformis** Vorticella, O. F. Müller, Verm. I (1) 1773, 101.
- crathratum** Buccinum, *err. pro* clathratum, L., K. Schreibers, Vers. Conch. I. 1793, 166.
- craticulatus** Fusus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 119.—Murex.
- craticulatus** Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 755; ed. 12, 1767, 1224.
- craticulatus** Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 51.
- craticulata** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3721.
- craticulatum** Tritonium (Linn.), O. Fabricius, F. Groen. 1780, 400.—Murex.
- craticulata** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3464.
- cratitia** Spongia, E. J. C. Esper, Pflanzenth., Forts. I (8) 1797, 195.
- Crax** Linnaeus, Syst. Nat., ed. 10, 1758, 157; ed. 12, 1766, 269.—A.

- Crayracion** (*ex* Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 580.—P.
crecca Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 126; ed. 12, 1766, 204.
crecia Anas, = crecca, Linnaeus, Faun. Suec., ed. 2, 1761, 45.
credula Bombyx, J. C. Fabricius, Syst. Ent. 1775, 584.
cremiterium Musca, = cemeterium, S. N. ed. 10, Linnaeus, Faun. Suec., ed. 2, 1761,
crenaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 160. [454.
crenator Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 101. [1800, 263.—Taenia.
crenatus Alyselminthus (Gm.), J. G. H. Zerber in Goeze, 1 Nachtr. Eingeweidewürm.
crenata Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 37.
crenatus Angarius, F. C. Meuschen, Mus. Gev. 1787, 260.
crenata Ascaris, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 121.
crenatus Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 168.
crenata Blaps, J. C. Fabricius, Spec. Ins. I. 1781, 322.
crenata Bombyx, E. J. C. Esper, Die Schmett. III (23) 1785, 245.
crenatus Bostrichus, J. C. Fabricius, Mant. I. 1787, 37.
crenatus Brachycerus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 186.
crenatus Bruchus (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I. 1791, 116.—
crenatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1989. [Bostrichus.
crenata Chrysomela, J. C. Fabricius, Mant. I. 1787, 73.
crenata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1699.
crenata Cicada, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 60.
crenatus Kryptophagus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 177.
crenatus Cucujus, G. Paykull, Faun. Suec. II. 1799, 168.
crenata Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 23.
crenatus Dermestes (Fab.), C. de Villers, Linn. Ent. IV. 1789, 220.—Bostrichus.
crenatus Dermestes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 72.
crenatus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1916.
crenatus Elophorus, J. C. Fabricius, Ent. Syst. I (1) 1792, 205.
crenatus Erodium, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 41 & 42.
crenata Fasciola, O. F. Müller, Verm. I (2) 1774, 64.
crenata Forficula, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 467.
crenata Fusaria, J. G. H. Zerber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 40.
crenata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 14.—Chrysomela, 1787.
crenata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 10.
crenata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3623.
crenata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3655.
crenata Hirudo, W. Kirby, Tr. Linn. Soc. [Lond.] II. 1794, 318.
crenata Ips, J. C. Fabricius, Gen. Ins. 1777, 214.
crenatus Latridius, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 574.
crenata Limax, T. Martyn, Univ. Conch. II. [1788], fig. 69.
crenatus Lyctus, J. C. Fabricius, Ent. Syst. I (2) 1792, 504.—Ips, 1777.
crenatus Lygdus, J. C. Fabricius, Actes Soc. H. N. Paris. I (1) 1792, 33.—Ips, 1777.
crenata Monotoma (Fab.), G. W. F. Panzer, Ins. Germ. heft 1, 1792, no. 24.—Ips or
crenatum Opatrum, J. C. Fabricius, Ent. Syst. I (1) 1792, 89. [Tritoma.
crenata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3319.
crenata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3706.
crenata Phalaena, Hufnagel, Berl. Mag. III. 1767, 402.
crenata Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2001.—Blaps.
crenata Pimelia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 44.
crenata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
[crenata Planaria] (Kirby), G. Shaw, Tr. Linn. Soc. [Lond.] II. 1794, 320.—Hirudo.
crenatus Prionus, A. G. Olivier, Entom. IV. 1795, 27.
crenatus Ptinus, J. C. Fabricius, Ent. Syst. I (1) 1792, 240.
crenatus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 638.
crenatus Scarites, J. C. Fabricius, Ent. Syst. I (1) 1792, 95.
crenatus Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 12.—Bostrichus.
crenata Silpha (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1618.—Tritoma.
crenata Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 88.—Elophorus.

- crenatum** Sphaeridium, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 543.
- crenatus** Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 525.
- crenata** Synchronita (Fab.), J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792,
- crenata** Taenia, J. A. E. Goetze, Eingeweidewürm. 1782, 395. [405.—Ips.
- crenata** Tritoma, J. C. Fabricius, Syst. Ent. 1775, 69.
- crenatus** Trox, A. G. Olivier, Entom. I. 1789, 7.
- crenatus** Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 765; ed. 12, 1767, 1238.
- crenata** Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3279.
- crenellus** Turbo, Linnaeus, Syst. Nat., ed. 12, 1767, 1236.
- crenidentis** Sparus, P. Forskal, Descr. Anim. 1775, xv.
- crenilabis** Mugil, P. Forskal, Descr. Anim. 1775, 73. [seheli, öür, täde.
- crenilabis** Mugil, Forsk., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1399; & *varr.*
- crenulatum** Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 741; ed. 12, 1767, 1205.
- crenulatus** Byrrhus, P. Rossi, Mant. Ins. II. 1794, 81.
- crenulatus** Cerambyx, D. Drury, Ill. Nat. Hist. I. 1770, index & 86.
- crenulatus** Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 353.
- crenulatus** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46 [u. u.].
- crenulatus** Curculio, J. C. Fabricius, Syst. Ent. 1775, 147.
- crenulatus** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1759.
- crenulata** Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 27.
- crenulata** Donax, E. Donovan, Brit. Shells (1800), pl. xxiv.
- crenulatum** Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 94.—Buccinum.
- crenulata** Helix, O. F. Müller, Verm. II. 1774, 68.
- crenulatum** Isogonum, J. F. Bolten, Mus. Bolten. (2) 1798, 168.
- crenulata** Lagena, J. F. Bolten, Mus. Bolten. (2) 1798, 131.
- crenulatus** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 144.—Cimex, 1781.
- crenulata** Melolontha, J. A. Frolich, Naturforscher, XXVI. 1792, 94.
- crenulata** Mitra (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 137.—Voluta.
- crenulatus** Oniscus, P. S. Pallas, Reise Russ. I. 1771, 477.
- crenulata** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3329.
- crenulata** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 4.
- crenulatus** Pholas, L. Spengler, Skr. nat. Selsk. [Copen.] II (1) 1792, 98.
- crenulata** Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 144.
- crenulata** Pyramis, J. F. Bolten, Mus. Bolten. (2) 1798, 59.
- crenulatus** Strombus (L.), F. C. Meuschen, Mus. Gever. 1787, 294.—Buccinum.
- crenulatus** Truxalis, J. C. Fabricius, Ent. Syst. II. 1793, 28.
- crenulatus** Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3595.
- crenulatus** Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 89.
- crenulata** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3452.
- creona** [Papilio], P. Cramer, Utitl. Kapellen, I (8) 1776, 148.
- crepida** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 5.—[P. crepidula, Gm.]
- crepidatus** Larus, J. Latham, Syn. Birds, Suppl. I. 1787, 296.
- crepido** Membracis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 97.
- “Crepidolithus”** J. W. C. A. F. Hüpsch, Neue Naturg. Schaalthiere, 1768, 56.—Moll.
- Crepidula** Lamarck, Mem. Soc. H. N. Paris, 1799, 78.—G.
- crepidula** Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 107.
- crepidula** Patella, Linnaeus, Mus. Lud. Ulr. 1764, 689.
- crepidula** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 10.
- crepitans** Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 46.
- crepitans** Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 414; ed. 12, 1767, 671.
- crepitans** Grus (Linn.), P. S. Pallas, Misc. Zool. 1766, 66.—Psophia.
- crepitans** Psophia, Linnaeus, Syst. Nat., ed. 10, 1758, 154; ed. 12, 1766, 263.
- crepitans** Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 713.
- “Crepites”** J. W. C. A. F. Hüpsch, Neue Naturg. Schaalthiere, 1768, 56.—Moll.
- crepuscularis** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3640.
- crepuscularis** Noctua (L.), J. C. Fabricius, Spec. Ins. II. 1781, 211.—Phalaena.
- crepuscularis** Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 811. [ed. 12.]
- crepuscularis** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 509.—[P. (attacus),

- crepuscularia** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 101.
crepuscularia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 158
crsphontes [Papilio], P. Cramer, Utit. Kapellen, II (14) 1777, 106. [*n. et f.*]
crsphontes Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 19.
[crsphontinus Papilio, MS.], T. Martyn, Psyche. 1797, fig. 7.
credida Papilio, J. C. Fabricius, Syst. Ent. 1775, 448.
cresus Buprestis, C. de Villers, Linn. Ent. I. 1789, 339.
cresus [Phalaena], P. Cramer, Utit. Kapellen, II (12) 1777, 72.
cretaceus Cimex, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 110.
cretaceus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 452.
cretacea Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 386.
cretaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 151.
cretata Aranea, J. D. Preyßler in Mayer, Samml. Phys. Aufsätze, I. 1791, 105.
cretensis Callyodon, F. C. Meuschen, Mus. Gronov. 1778, 55.
cretensis Callyodon, M. E. Bloch, Abh. Böhm. Ges. Wiss. 1788 (1789), 246.
cretensis Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 282; ed. 12, 1766, 474.
cretensis Scarus (Linn.), M. E. Bloch, Nat. ausl. Fische, IV. 1790, 23.—Labrus.
creteus [Papilio], P. Cramer, Utit. Kapellen, III (24) 1780, 163.
crethon Papilio, *v.* **crithon**.
cretura Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 70.
creusa Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 494; ed. 12, 1767, 806.
crex Gallinula (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 293.—Rallus.
crex Rallus, Linnaeus, Syst. Nat., ed. 10, 1758, 153; ed. 12, 1766, 261.
cribellum Phalaena Bom., E. J. C. Esper, Die Schmett., Suppl., 3 Abschn. [1797], 47.
cribralis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 4.
cribraria Cassida, J. C. Fabricius, Syst. Ent. 1775, 90.
cribrarius Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 531.
cribrarius Crabro (L.), J. C. Fabricius, Syst. Ent. 1775, 374.—Sphex.
cribrarius Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 165.
cribraria Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 723; ed. 12, 1767, 1178.
cribraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 83 [*n. et f.*].
cribraria Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 25.
cribraria Ph[alae]na, C. Clerck, Icones, II. 1764, pl. liv.
cribraria Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 507.
cribraria Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 400.—Cypraea.
cribraria Sphex, Linnaeus, Syst. Nat., ed. 12, 1767, 945.—[Vespa, ed. 10.]
cribraria Sphex, J. L. Christ, Nat. Ins. 1791; *varr.* *argus* (281), *longa* (282), *lunata* (283).
cribraria Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 573.—[Sphex, ed. 12.]
cribrata Musca, C. de Villers, Linn. Ent. III. 1789, 547.
cribrata Phalaena, *id.* *ac* **cribraria**, Clerk, J. C. Fabricius, Spec. Ins. II. 1781, 265.
cribrata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 215.
cribrella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 36.
cribriformis Vespa, J. L. Christ, Nat. Ins. 1791, 237.
cribrum Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 588.—Phalaena.
cribrum Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 357.
cribrum Phalaena (Bombyx), Linnaeus, Faun. Suec., ed. 2, 1761, 302.
cribrumalis Phalaena Pyr., J. Hübner, Samml. Vögel u. Schmett. 1793, 7 [*n. et f.*].
cribrumella Phalaena Tinea, J. Hübner, Beitr. Schmett. I (1) 1786, 29.
“Cricetus, Zimmermann, 1777,” [343 & 511], Palmer; not used in a generic sense.
Cricetus H. F. Link, Beytr. Nat. I (2) 1795, 75.—M.
Cricetus G. Cuvier, Leçons Comp. Anat. I. 1800, 1 [*n. n.*].—M.
cricetus Glis (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 363.—Mus.
cricetus Lagomys (L.), G. C. C. Storr, Prod. 1780, 39.—Mus.
cricetus Marmota (L.), J. F. Blumenbach, Hand. Naturg. 1779, 80.—Mus.
cricetus Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 60; ed. 12, 1766, 82.
cricetus Mus, J. M. Bechstein in Pennant, Uebers. 4flüss. Thiere, II. 1800, 720; *varr.*
crini Bombyx, J. C. Fabricius, Syst. Ent. 1775, 587. [albus, fulvus, & variegatus.
criniformis Ascaris, J. A. E. Goeze, Eingeweidewürm. 1782, 106.

- crinismus** [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 20.
- crinita** Arca, R. Pulteney, Cat. Birds &c. Dorset, 1799, 34.
- crinitus** Cerambyx, G. W. F. Panzer, Deutsch. Ins. [1795], 249.
- crinitus** Chiton, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 60.
- crinitus** Corvus, F. M. Daudin, Traité élém. Orn. 1800, 253.
- crinitus** Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 473.
- crinitus** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1760.
- crinitus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 245.
- crinita** Melolontha, J. C. Fabricius, Gen. Ins. 1777, 210.
- crinita** Muscivora, Linnaeus, Syst. Nat., ed. 12, 1766, 325.
- crinita** Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 117.
- crinita** Trichoda, O. F. Müller, An. Infus. 1786, 195.
- crinitus** Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 170.
- crinita** [Vespa], S. Felton, Phil. Trans. LIV. 1764, 54.
- crinita** Vespa, J. L. Christ, Nat. Ins. 1791, 225.
- "Crino, Chabert, 1782," Ag.; occurs only in the vernacular.
- Crino** Lamarck in J. J. Virey, Journ. de Phys. IV. 429 (1798).—Ver.
- crino** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 5.
- Crinon** J. H. Kniphof, De Pedic. 1759, 19.—Ver.
- crinon** Ascaris, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 136.
- crinuba** Cistela, *err. pro innuba*, Fabr. 1781, J. C. Fabricius, Mant. I. 1787, 86.
- Crioceris** E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 237.—Col.
- Crioceris** J. C. Fabricius, Syst. Ent. 1775, 118.—Col.
- Criopoderma** J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—L.
- Criopus** J. X. Poli, Test. Sicil. I. 1791, Introd. 34. A generic term applied to the fleshy part of *Anomia imperforata*.
- criptella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 34.
- crisia** [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 51.
- crispans** Trox, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 27.
- crispatorius** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 561; ed. 12, 1767, 931.
- crispata** Anodontites, J. B. Bruguière, J. Nat. Hist. (Choix des Mém.) I. 1792, 135.
- crispatus** Balanus (Gm.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 166.—Lepas.
- crispatus** Brachycerus, J. C. Fabricius, Ent. Syst. I (2) 1792, 382.
- crispata** Cellepora, E. J. C. Esper, Pflanzenth., Forts. I (5) 1796, 148.
- crispatus** Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 194.
- crispata** Lepas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3214.
- crispata** Mya, Linnaeus, Syst. Nat., ed. 10, 1758, 670 [Pholas, ed. 12].
- crispata** Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 155.
- crispata** Pholas, Linnaeus, Faun. Suec., ed. 2, 1761, 515.
- crispata** Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 140 [*n. n.*].
- crispata** Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 260.
- crispicollis** Sturnus, F. M. Daudin, Traité élém. Orn. 1800, 314.
- crispa** *Anomia*, Linnaeus, Syst. Nat., ed. 10, 1758, 702; ed. 12, 1767, 1152.
- crispa** Cellularia, P. S. Pallas, Elench. 1766, 71.
- crispus** Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1833.—*Lamia*.
- crispa** Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 324.
- crispus** Ichneumon, J. L. Christ, Nat. Ins. 1791, 364.
- crispa** *Lamia*, J. C. Fabricius, Gen. Ins. 1777, 230.
- crispa** Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 154.
- crispus** Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 709; ed. 12, 1767, 1162.
- crispus** [Papilio], P. Cramer, Utitl. Kapellen, II (10) 1777, 33.
- crispus** Phasianus, J. Latham, Index Orn. 1790, 626.—*P. gallus* L., *var. crispus*.
- crispa** Sertularia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3860.—*Cellularia*.
- crispus** Solen, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3228. [laria.]
- crista** Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1828.—*Lamia*.
- crista** *Lamia*, J. C. Fabricius, Syst. Ent. 1775, 170.
- crista** Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 709.
- crista galli** Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 132.

- crista galli** Lophæ (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 168.—Mytilus.
- crista galli** Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 704; ed. 12, 1767, 1155.
- crista galli** Ostrea (L.), F. C. Meuschen, Mus. Gev. 1787, 424.—Mytilus.
- cristalana** Phalaena, E. Donovan, Brit. Ins. III. 1794, 77.
- cristalis** Phalaena, Scopoli, Ent. Carn. 1763, 241.
- cristallina** *v.* **crystallina**.
- cristalus** Caprimulgus, G. Shaw in White, Journ. N.S.W. 1790, 241.
- cristalus** Charadrius, J. A. Scopoli, Del. Insub. II. 1786, 93.
- cristalus** Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- cristana** Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 233.—Tortrix.
- cristana** Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
- cristana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 55 [*n. et f.*].
- crista ramosa** Ostrea, F. C. Meuschen, Mus. Gev. 1787, 424.
- Cristatella** Cuvier, Tabl. élément. 1798, 656.—Poly.
- cristatella** Alauda, J. Latham, Syn. Birds, Suppl. I. 1787, 287.
- cristatella** Alca, P. S. Pallas, Spic. Zool. V. 1769, 18.
- cristatella** Certhia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [*n. n.*].
- cristatella** Gracula, Linnaeus, Syst. Nat., ed. 10, 1758, 109; ed. 12, 1766, 165.
- cristatella** Muscicapa, H. Lichtenstein, Cat. rerum Nat. I. 1793, 49.
- cristatella** Sturnus (L.), F. M. Daudin, Traité élém. Orn. 1800, 320.—Gracula.
- cristatula** Phal. Bom., J. Hübner, Samml. Vögel u. Schmett. 1793, 9 [*n. et f.*].
- cristatum** Aerylidium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 215.—Gryllus.
- cristata** Alauda, Linnaeus, Syst. Nat., ed. 10, 1758, 166; ed. 12, 1766, 288.
- cristata** Alcedo, A. Vroeg, Catal. Vogel. 1764, Adumb., 1.
- cristata** Alcedo, Linnaeus, Syst. Nat., ed. 12, 1766, 178.
- cristata** Ampelis, J. F. Miller, Icon. Anim. pl. 15 (1777).
- cristata** Amphitrite, O. F. Müller, Z. Dan. Prod. 1776, 216.
- cristata** Anas, J. B. Fischer, Vers. Nat. Livland, 1778, 81.
- cristata** Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 540.
- [**cristatus** Araneus, C. Clerck, Aran. Svec. 1757, 136.]
- cristatus** Araneus, T. Martyn, Aranei, 1793, 64.
- cristata** Ardea, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 111.
- cristatus** Asilus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 92.
- cristatus** Blennius, Linnaeus, Syst. Nat., ed. 10, 1758, 256; ed. 12, 1766, 441.
- cristata** Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 436.
- cristatus** Brachycerus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 161.
- cristatus** Cacicus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 326.—Oriolus.
- cristata** Calappa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 346.
- cristata** Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 629; ed. 12, 1767, 1047.
- cristatus** Caprimulgus, B. C. Otto in Buffon, Natg. Vögel, XXII. 1795, 67.
- cristatus** Charadrius, Linnaeus, Syst. Nat., ed. 10, 1758, 150.
- cristata** Cicada, J. C. D. Schreber, Nov. Spec. Ins. 1759, 11.
- cristatus** Cimex, Linnaeus, Amoen. Acad. VI. 1763, 399.
- cristata** Columba, A. Vroeg, Catal. Vogel. 1764, Adumb., 2.
- cristata** Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 774.
- cristatus** Colymbus, Linnaeus, Syst. Nat., ed. 10, 1758, 135; ed. 12, 1766, 222.
- cristatus** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 166.—Scarabaeus.
- cristata** Corallina, Linnaeus, Syst. Nat., ed. 10, 1758, 806.
- cristatus** Corvus, Linnaeus, Syst. Nat., ed. 10, 1758, 106; ed. 12, 1766, 157.
- cristata** Coturnix, J. P. Bonnatere, Ency. Méth. (Orn.), 1791, 222.
- cristatus** Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 171.
- cristatus** Falco, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
- cristatus** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 260.
- cristata** Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 488.
- cristata** Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 926.
- cristata** Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 704.
- cristata** Gallinula, J. Latham, Index Orn. 1790, 773.
- cristata** Gracula, J. A. Scopoli, Del. Insub. II. 1786, 88.

- cristatus** Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 431; ed. 12, 1767, 699.
- cristata** Hystrix, Linnaeus, Syst. Nat., ed. 10, 1758, 56; ed. 12, 1766, 76.
- cristata** Hystrix, R. Kerr, Anim. Kingd. 1792, 213; *varr.* europaea, indica.
- cristata** Iguana (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 16.—*Lacerta*.
- cristata** Lacerta (Houtt.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1065.—Sala-
- cristatus** Lanius, Linnaeus, Syst. Nat., ed. 10, 1758, 93; ed. 12, 1766, 134. [mandra.]
- cristata** Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 172; ed. 12, 1766, 301.
- cristata** Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 158.
- cristata** Madrepora, E. J. C. Esper, Pflanzenth. I (3) 1789, 150.
- cristata** Meleagris, Linnaeus, Syst. Nat., ed. 10, 1758, 157; ed. 12, 1766, 269.
- cristata** Meleagris, A. Vroeg, Catal. Vogel. 1764, Adumb., 4.
- cristatus** Mergus, M. T. Brünnich, Orn. Boreal. 1764, 23.
- cristata** Motacilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 176.
- cristata** Musca, J. C. Fabricius, Syst. Ent. 1775, 782.
- cristata** Muscicapa, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- cristata** Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 938.
- cristata** Numida, P. S. Pallas, Spic. Zool. IV. 1767, 15.
- cristatus** Oriolus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
- cristatus** Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 387.
- cristatus** Ostracion, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 21.
- cristata** Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 98.
- cristata** Palamedea, Linnaeus, Syst. Nat., ed. 12, 1766, 232.
- cristata** Paradisea, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 6 [*n. n.*].
- cristata** Parus, Linnaeus, Syst. Nat., ed. 10, 1758, 189; ed. 12, 1766, 340.
- cristatus** Passer, P. Boddaert, Tab. Planch. Enl. 1783, 11.
- cristata** Patella, Linnaeus, Syst. Nat., ed. 12, 1767, 1260.
- cristatus** Pavo, Linnaeus, Syst. Nat., ed. 10, 1758, 156; ed. 12, 1766, 267.
- cristatus** Pelicanus, M. T. Brünnich, Orn. Boreal. 1764, 31.
- cristatum** Peiloriderma (Born), J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—*Ostrea*.
- cristata** Penelope (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 733.—*Mele-*
- cristata** Perdix (L.), J. Latham, Index Orn. 1790, 652.—*Tetrao*. [agris.]
- cristata** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 234.
- cristata** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 261.
- cristata** Phalaena Noctua (*ex* Gladbach), C. C. Jung, Alph. Verz. Schmett. I. 1791, 147.
- cristatum** Phalangium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 460.
- cristatus** Phasianus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 741.
- cristatus** Phasianus, A. Sparrman, Mus. Carls. III. 1788, no. lxiv.
- cristata** Phoca, J. C. P. Erxleben, Syst. Anim. 1777, 590.
- cristata** Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2008.—*Sepi-*
- cristata** Pinguinaria, G. Shaw, Nat. Misc. XI. 1800, pl. 437. [dium.]
- cristata** Pipra, Linnaeus, Syst. Nat., ed. 12, 1766, 339.
- cristata** Platalea, J. A. Scopoli, Del. Insul. II. 1786, 92.
- cristatus** Podiceps (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 294.—*Colymbus*.
- cristata** Podura, J. C. Fabricius, Suppl. Ent. Syst. 1798, 199.
- cristatus** Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 99; ed. 12, 1766, 143.
- cristata** Salamandra, M. Houttuyn, Verh. zeeuwisch genoot. wet. Vlissingen, IX. 1782,
- cristata** Salamandra, J. G. Schneider, Hist. Amph. I. 1799, 57. [333-]
- cristata** Salamandra, P. A. Latreille, Salamand. France, 1800, 29 & 43.
- cristatus** Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 27.
- cristatus** Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 636.
- cristatum** Sepidium, J. C. Fabricius, Syst. Ent. 1775, 250.
- cristatus** Simia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 189.
- cristata** Simia (Papio), R. Kerr, Anim. Kingd. 1792, 62.
- cristatus** Sorex, Linnaeus, Syst. Nat., ed. 10, 1758, 53; ed. 12, 1766, 73.
- cristatus** Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 195 [*n. n.*].
- cristata** Spongia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 186.
- cristata** Strix, F. M. Daudin, Traité élém. Orn. 1800, 207.
- cristata** Sylvia (Müll.), J. Latham, Index Orn. 1790, 541.—*Motacilla*.

- cristata** Talpa (L.), E. A. W. Zimmermann, Spec. Zool. 1777, 498.—Sorex.
cristata Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 317.
cristatus Tantalus, P. Boddaert, Tab. Planch. Enl. 1783, 51.
cristatus Tantalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 650.
cristatus Tenebrio, C. de Geer, Mém. Ins. VII. 1778, 653.
cristatus Tetrao, Linnaeus, Syst. Nat., ed. 12, 1766, 277.
cristatus Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 446.
cristatus Triton, J. N. Laurenti, Syn. Rept., 1768, 39 & 146.
cristatus Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 121; ed. 12, 1766, 192.
cristata Upupa, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 7 [*n. n.*].
cristata Valvata, O. F. Müller, Verm. II. 1774, 198.
cristata Viverra, A. Sparman, Resa Goda-Hopps-Udden, I. 1783, 581.
cristatus Vultur, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 250.
cristella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
cristella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 34.
cristensaria Geometra, C. C. Jung, Alph. Verz. Schmett. I. 1791, 148.
cristulalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 7 & 8 [2].
crithæa Papilio, D. Drury, Ill. Nat. Hist. II. 1773, index & 29.
crethon (*sic*) Papilio, J. C. Fabricius, Gen. Ins. 1777, 252.—[= crithon.]
crithon Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 16.
croatica Sphinx, E. J. C. Esper, Die Schmett., Suppl., 2 Abschn. [1797], 33.
crobylus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 57.
crocale [Papilio], P. Cramer, Utit. Kapellen, I (5) 1775, 87.
crocataria Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 450.
crocata Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2789.
crocatulus Cerambix, A. G. Olivier, Entom. IV. 1795, 92.
crocata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2116.
crocata Hyena (Erx.), E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 256.—Canis cro-
crocatulus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 399. [cuta.
crocata Lytta (Pall.), F. A. A. Meyer, Nat. gift. Insect. 1792, 53.—Meloe.
crocata Meloe, P. S. Pallas, Icon. Ins. 1782, 87.
crocata Mylabris (Pall.), A. G. Olivier, Entom. III. 1795, 11.—Meloe.
crocata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2456.
crocata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2497.
crocata Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 585; ed. 12, 1767, 971.
crocatulus Trochus, I. v. Born, Index Mus. Caes. Vind. 1778, 343.
croceago Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 86. [Noctua.
croceago Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 665.—
crocealis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796] 13 & 24.
croceatorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 143.
croceata [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (30) 1781, 137.
crocella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 327.
croceus Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 618; ed. 12, 1767, 1027.
crocea Chlamys (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 162.—Ostrea.
croceus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 200.
crocea Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3655.
crocea Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17.
crocea Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3330.
croceus Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 250.
crocea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3714.
crocea Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 279.
crocea Rupicola, J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 266.
croceus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 154.
crocea Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 364.
croceus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3574.
crocinella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 518.
crocipennis Tenthredo, J. L. Christ, Nat. Ins. 1791, 450.
crocipes Apis, A. F. de Fourcroy, Ent. Paris. 1785, 446.

- “*crocodili* Amphibololithus,” J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 388.
- Crocodylus* L. T. Gronovius, Zooph. I. 1763, 10.—R.
- Crocodylus* J. N. Laurenti, Syn. Rept., 1768, 53.—R.
- Crocodilus* P. Browne, Hist. Jamaica, ed. 2, 1789, 461.—R.
- crocodilus* Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 200; ed. 12, 1766, 359.
- crocodilus niger* Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
- crocogaster* Certhia, J. R. Forster in Latham & Davies, Faun. Ind. ed. 2, 1795, 8 [*n. n.*].
- crocos* [Phalaena], P. Cramer, Utitl. Kapellen, II (11) 1777, 44.
- crocus* Musca, M. Harris, Exp. Eng. Ins. 1776, 118.
- Crocuta* J. G. Meigen, N. Class. Mouches, 1800, 39.—Dip.
- crocuta* Canis, J. C. P. Erxleben, Syst. Anim. 1777, 578.
- crocuta* Hyaena (Erx.), P. Boddaert, Elench. 1785, 94.—Canis.
- croesella* Phalaena, Scopoli, Ent. Carn. 1763, 251.
- croesus* Papilio, J. C. Fabricius, Gen. Ins. 1777, 259.
- croesus* Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 117.
- croicensis* Scarus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 27.
- croilus* [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 85.
- Cromis* P. Browne, Hist. Jamaica, ed. 2, 1789, 449.—P.
- cromis* v. *chromis*.
- cronis* [Papilio], P. Cramer, Utitl. Kapellen, I (5) 1775, 94.
- crotalariae* Bombyx, J. C. Fabricius, Syst. Ent. 1775, 583.
- crotalinus* Coluber, Linnaeus, Mant. II. 1771, 528.
- Crotalophorus* L. T. Gronovius, Zooph. I. 1763, 26.—R.
- Crotalus* Linnaeus, Syst. Nat., ed. 10, 1758, 214; ed. 12, 1766, 372.—R.
- crotonis* Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 327.
- Crotophaga* Linnaeus, Syst. Nat., ed. 10, 1758, 105; ed. 12, 1766, 154.
- Crotophagus* M. J. Brisson, Ornith. IV. 1760, 177.—A.
- crotopus* [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 90.
- cruciana* Phalaena, J. A. Scopoli, Annus V. 1772, 118.
- cruciana* Phalaena (Tort.), Linnaeus, Faun. Suec., ed. 2, 1761, 347.
- cruciana* Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 649.—Phalaena.
- cruciana* Tortrix, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 76.
- cruciator* Ichneumon, C. de Villers, Linn. Ent. III. 1789, 197.
- cruciatosulcator* Scarabaeus, J. D. Preyssler, Verz. böhm. Ins. 1790, 15.
- cruciatus* Bombylius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 569. 21
- cruciatus* Bruchus, A. F. de Fourcroy, Ent. Paris. 1785, 58.
- cruciatus* Bufo, J. G. Schneider, Hist. Amph. I. 1799, 193.
- cruciata* Buprestis, J. C. Fabricius, Syst. Ent. 1775, 222.
- cruciatus* Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 155.
- cruciatus* Carabus, *id. ac* crux minor, Linn., C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787,
- cruciata* Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 363; ed. 12, 1767, 576. [50.
- cruciatus* Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 305.—Lamia.
- cruciata* Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 273.
- cruciatus* Cimex, J. C. Fabricius, Syst. Ent. 1775, 714.
- cruciatus* Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 202.
- cruciatus* Curculio, C. de Geer, Mém. Ins. V. 1775, 275.
- cruciatus* Curculio, J. C. Fabricius, Syst. Ent. 1775, 129.
- cruciatus* Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 387.
- cruciatus* Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 404; ed. 12, 1767, 653.
- cruciatus* Elater, A. F. de Fourcroy, Ent. Paris. 1785, 36.
- cruciatus* Elater, Herbst, Einl. Ins. I. 1784, 149.
- cruciatus* Endomychus (F.), G. W. F. Panzer, Deutsch. Ins. 1795, 175.—Galleruca.
- cruciatus* Endomychus, G. W. F. Panzer, Ins. Germ. ed. 2, heft 8, 1796, tab. 5.
- cruciata* Galleruca (Panz.), L. H. v. Bloch in Becker, Plau. Grund. 1799, 101.—Endomychus.
- cruciata* Galleruca (Schall.), J. C. Fabricius, Ent. Syst. I (2) 1792, 20.—Chrysomela.
- cruciatus* Hemerobius, Linnaeus, Syst. Nat., ed. 12, vol. III. 1768, App., 225.
- cruciatus* Hister, J. C. Fabricius, Ent. Syst. I (1) 1792, 75.

- cruciata** Lamia, J. C. Fabricius, Mant. I. 1787, 140.
cruciata Leptura, A. G. Olivier, Entom. IV. 1795, 7.
cruciata Medusa, Linnaeus, Syst. Nat., ed. 10, 1758, 659; ed. 12, 1767, 1096.
cruciata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 499.
cruciata Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 784; ed. 12, 1767, 1261.
cruciata Phalaena Heterogenea, A. W. Knoch, Beitr. Insektenges. III. 1783, 60.
cruciata Sphex, J. L. Christ, Nat. Ins. 1791, 317.
cruciata Spongia, O. F. Müller, Z. Dan. Prod. 1776, 256.
cruciata Tellina, L. Spengler, Skr. nat. Selsk. [Copen.] IV (2) 1798, 83.
cruciatus Tenebrio, G. W. F. Panzer, Naturforscher, XXIV. 1789, 35.
cruciata Tenthredo, J. L. Christ, Nat. Ins. 1791, 448.
cruciata Tetractis, C. F. Schultze, Verst. Seest. 1760, 50.
cruciatus Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 757; ed. 12, 1767, 1228.
cruciella Tinea, C. C. Jung, Alph. Verz. Schmett. I. 1791, 149.
crucifer Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 47.
crucifer Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 376.—Buprestis.
crucifera Cerambix (Fab.), A. G. Olivier, Entom. IV. 1795, 70.—Lamia.
crucifera Cetonia, A. G. Olivier, Entom. I. 1789, 39.
crucifer Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 203.
crucifer Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48.
crucifer Curculio, P. S. Pallas, Reise Russ. I (1771) 464.
crucifer Elater, P. Rossi, Fauna Etrus. I. 1790, 183.
crucifera Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 269.
crucifera Loxia, F. v. P. Schrank, F. Boica, I. 1798, 170.
crucifer Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 100.
crucifer Portunus, F. Weber, Nomen. Fabricii, 1795, 93.
crucifer Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1557.
crucifera Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 323.
cruciferarum Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1699.
crucifixus Tipula, M. Slabber, Nat. Verlust., 29.
cruciger Aranea, C. de Geer, Mém. Ins. VII. 1778, 218.
crucigera Aranea, O. Fabricius, F. Groen. 1780, 228.
crucigera Aranea, N. Mohr, Island. Nat. 1786, 105.
cruciger Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 83.
crucigera Canis, J. M. Bechstein, Nat. Deutschl. I. 1789, 250.
cruciger Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 60.
cruciger Cimex, J. C. Fabricius, Syst. Ent. 1775, 709.
cruciger Clerus, A. F. de Fourcroy, Ent. Paris. 1785, 135.
cruciger Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 73.
cruciger Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2088.
cruciger Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 141.—Cimex, 1775.
crucigera Medusa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3158.
crucigera Mylabris, A. F. de Fourcroy, Ent. Paris. 1785, 112.
crucigera Nomada, G. W. F. Panzer, Ins. Germ. heft 61, [1799], tab. 20.
cruciger Oniscus, Daldorf, Skr. nat. Selsk. [Copen.], II (2) 1793, 165.
crucigera Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 202.
Crucirostra G. Cuvier, Leçons Comp. Anat. I. 1800, 2 [n. n.]—A.
Crucirostra F. M. Daudin, Traité élém. Orn. II. 1800, 355.
crucirostra Corax, F. M. Daudin, Traité élém. Orn. 1800, 226.
crucis Acheta, J. C. Fabricius, Mant. I. 1787, 232.
crucis Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2062.—Acheta.
crucis Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2834.—Stratiomys.
crucis Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 36.
crucis Sicus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 555.—Stratiomys.
crucis Stratiomys, J. C. Fabricius, Mant. II. 1787, 330.
cruda Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 77.
crudelis Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 362.
crudelis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 148.—Cimex, 1781.

- crudiae** Bostrichus, G. W. F. Panzer, Naturforscher, XXV. 1791, 37.
- cruentaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 48 [*n.*]
- cruentaria** Phalaena, Hufnagel, Berl. Mag. IV. 1767, 516. [*et f.*]
- cruentaria** Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 69.
- cruentata** Aranea, J. C. Fabricius, Syst. Ent. 1775, 439.
- cruentatum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3491.
- cruentatus** Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 630; ed. 12, 1767, 1048.
- cruentatus** Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1863.
- cruentata** Cercopis, J. C. Fabricius, Syst. Ent. 1775, 688.
- cruentata** Certhia, Linnaeus, Syst. Nat., ed. 10, 1758, 119; ed. 12, 1766, 187.
- cruentata** Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1688.
- cruentata** Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2096.—Tetti-
- cruentata** Cicada, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 15. [gonia.]
- cruentata** Cicada (Cercopis), Herbst, Einl. Ins. I. 1784, 241.
- cruentatus** Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 208.
- cruentata** Columba, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 10 [*n. n.*].
- cruentatus** Curculio, J. C. Fabricius, Syst. Ent. 1775, 128.
- cruentata** Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 24.
- cruentatus** Gobius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1197.
- cruentatus** Gryllus (Locusta), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2084.
- cruentatus** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 418.
- cruentatus** Ichneumon, J. L. Christ, Nat. Ins. 1791, 355.
- cruentatus** Lucanus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 21.
- cruentata** Musca, A. F. de Fourcroy, Ent. Paris. 1785, 487.
- cruentata** Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3673.
- cruentatus** Passalus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 21.
- cruentata** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3722.
- cruentata** Phalaena, Scopoli, Ent. Carn. 1763, 226.
- cruentatus** Picus, P. Boddaert, Tab. Planch. Enl. 1783, 43. [Curculio.]
- cruentatus** Rynchophorus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 12.—
- cruentatus** Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1573.
- cruentata** Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1625.
- cruentatus** Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 194.
- cruentatus** Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2035.
- cruentata** Tellina, F. C. Meuschen, Mus. Gever. 1787, 460.
- cruentata** Tettigonia, J. C. Fabricius, Syst. Ent. 1775, 680.
- cruentata** Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3294.
- cruentata** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3453.
- cruenta** Ameiva (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 28.—Lacerta.
- cruenta** Buprestis, A. G. Olivier, Entom. II. 1790, 48.
- cruenta** Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 227.
- cruenta** Cassida, J. C. Fabricius, Ent. Syst. I (1) 1792, 293.
- cruenta** Cetonia, J. C. Fabricius, Mant. I. 1787, 32.
- cruenta** Chrysomela, J. C. Fabricius, Mant. Ins. I. 1787, 75.
- cruenta** Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2109.
- cruenta** Cicada, J. C. Fabricius, Suppl. Ent. Syst. 1798, 521.
- cruentus** Cimex (Fab.), C. de Villers, Linn. Ent. IV. 1789, 403.—Reduvius.
- cruentus** Cimex, O. F. Müller, Z. Dan. Prod. 1776, 108.
- cruentus** Cimex, J. C. Fabricius, Syst. Ent. 1775, 713.
- cruentus** Cimex, J. C. Fabricius, Mant. II. 1787, 301.
- cruenta** Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 785.
- cruenta** Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3420.
- cruentus** Elater, A. G. Olivier, Entom. II. 1790, 45.
- cruentus** Endomychus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 100.—Galleruca, 1792.
- cruenta** Galleruca, J. C. Fabricius, Ent. Syst. I (2), 1792, 19.—Chrysomela, 1787.
- cruenta** Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
- cruenta** Lacerta, P. S. Pallas, Reise Russ. I. 1771, 457.
- cruenta** Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 104 [*n. n.*].

- cruentus** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 159.—Cimex, 1787.
- cruenta** Muscicapa, P. Boddaert, Tab. Planch. Enl. 1783, 23.
- cruenta** Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 19 [*n. n.*].
- cruentus** Reduvius, J. C. Fabricius, Mant. II. 1787, 310.
- cruentus** Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 21.
- cruenta** Spheg, J. C. Fabricius, Suppl. Ent. Syst. 1798, 244.
- cruenta** Sphynx, P. S. Pallas, Reise Russ. II. 1773, 732.
- cruentus** Staphylinus, A. G. Olivier, Entom. III. 1795, 27.
- cruenta** Zygaena (Pall.), Lamarck in Pallas, Voy. Russie (8vo. ed.), VIII (1794), 179.—
- crumena** Cassidea, J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 428. [Sphinx.]
- crumena** Cercaria, O. F. Müller, An. Infus. 1786, 129.
- crumenophthalmus** Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 77.
- cruor** Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162 [*n. n.*].
- cruorcus** Pilularius, F. v. P. Schrank, F. Boica, I. 1798, 397.
- crustacea** Madrepora, P. S. Pallas, Elench. 1766, 291.
- crustacea** Millepora, Linnaeus, Syst. Nat., ed. 10, 1758, 792.
- crustularius** Acardo, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 1.
- crustulenta** Eschara, P. S. Pallas, Elench. 1766, 39. [Eschara.]
- crustulenta** Millepora (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3786.—
- crux-major** Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 46.
- crux** Carabus, *id. ac* crux major, L., C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 50.
- crux-major** Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 416; ed. 12, 1767, 673.
- crux-minor** Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 416; ed. 12, 1767, 673.
- crux** Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 110.
- crux** Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 435; ed. 12, 1767, 705.
- crux** Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 35.
- crux** Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 20.
- crux** Curculio, J. C. Fabricius, Gen. Ins. 1777, 225.
- crux** Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 199.
- crux** Hegialus, J. C. Fabricius, Mant. II. 1787, 135.
- crux** Membracis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 97.
- crux** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 358.
- crux** Noctua (Fab.), C. de Villers, Linn. Ent. IV. 1789, 454.—Hegialus.
- crux** Reduvius (Th.), A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 111.—Cimex.
- Crypta** [G. Humphreys], Mus. Calonn. 1797, 4.
- cryptarum** Apis, J. C. Fabricius, Syst. Ent. 1775, 379.
- cryptarum** Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 284.
- cryptella** Tinea, J. C. Fabricius, Syst. Ent. 1775, 658.
- Cryptocephalus** E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 231.—Col.
- Cryptocephalus** J. C. Fabricius, Syst. Ent. 1775, 105.—Col.
- cryptocephala** Chrysomela, E. F. Hornstedt, Schrift. Berlin. Ges. Nat. Freunde, VIII. 1788, 7.
- Kryptophagus** Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 172.—Col.
- Kryptophagus** *olim* Kryptophagus, G. Paykull, Faun. Suec. III. 1800.
- Cryptophthalmus** v. **Cryptocephalus**, O. F. Müller, Z. Dan. Prod. 1776, xxiii.—Col.
- cryptorum** Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 472; Tinea cryptella, 1775.
- crystallina** Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 225.
- crystallina** Daphne, O. F. Müller, Z. Dan. Prod. 1776, 200.
- crystallina** Helix, O. F. Müller, Verm. II. 1774, 23.
- crystallinus** Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3000.—
- crystallina** Podura, O. F. Müller, Z. Dan. Prod. 1776, 184. [Daphnia.]
- crystallina** Tellina, L. Spengler, Skr. nat. Selsk. [Copen.] IV (2) 1798, 113.
- crystallina** Tipula, C. de Geer, Mém. Ins. VI. 1776, 386.
- crystallina** Tubularia, P. S. Pallas, Elench. 1766, 85.
- crystallinus** Turbo, O. F. Müller, Z. Dan. Prod. 1776, 242.
- ctenophorus** Bombylius, J. C. Mikan, Mon. Bomb. 1796, 45.
- cubeensis** Loxia, F. M. Daudin, Traité élém. Orn. 1800, 442.
- cubicularis** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 72.

- cubicularis** Psittacus, Linnaeus, in Hasselquist, Palast. 1762, 292.
- cubicularius** Psittacus, O. Toreen in P. Osbeck, Reise Ost-Ind. China. 1765, 464.
- cubicus** Cancer, P. Forskal, Descr. Anim. 1775, 89.
- cubicus** Ostracion, Linnaeus, Syst. Nat., ed. 10, 1758, 332; ed. 12, 1766, 410.—[cubitus.]
- cubitata** Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [*n. n.*].
- cubitus** Ostracion, v. **cubicus**, Linnaeus, Syst. Nat., ed. 12, 1766, 410.
- cucang** Lemur, J. F. Blumenbach, Hand. Naturg. 1779, 69.
- cucubali** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 84.
- cucubali** Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 363.—
- cucuioides** Helops, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 70. [Noctua.]
- Cucuius** J. C. Fabricius, Syst. Ent. 1775, 204.—Col.
- Cucujus** E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 123.—Col.
- cucullanus** v. **cucullanus**.
- cucularia** Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 995.
- culci** Pediculus, J. C. Fabricius, Syst. Ent. 1775, 807.
- cuculia** Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 364.
- cuculis** Acarus, C. de Geer, Mém. Ins. VII. 1778, 120.
- “**Cuculites**, Schroet. 1784,” Herm.; not used in a generic sense.
- Cucullanus** O. F. Müller, Zool. Dan. I. 1774, 50.—Ver. [*Cucullus*, a cone-shaped cap.]
- Cuculanus** (*sic*) M. E. Bloch, Eingeweidewürmer, 1782, 34.—Ver.
- cucullanus** Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer. 1788, 51.
- [**cucullatellus**]— [Tinea.]
- cucullatella** Bombyx (L.), E. J. C. Esper, Die Schmett. III (28) 1786, 388.—Phalaena
- cucullatella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 537; ed. 12, 1767, 889.
- cucullatella** Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 660.—Phalaena.
- [**cucullatus**]—
- cucullata** Anomia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 70.
- cucullata** Arca, J. F. Bolten, Mus. Bolten. (2) 1798, 173.—Cucullus, Gm.
- cucullatus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2134.
- cucullata** Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 162; ed. 12, 1766, 280.
- cucullatus** (*sic*) Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 53.
- cucullata** Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 166.
- cucullata** Hirundo, P. Boddaert, Tab. Planch. Enl. 1783, 45.
- cucullata** Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 152.
- cucullata** Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 157.
- cucullatus** Mergus, Linnaeus, Syst. Nat., ed. 10, 1758, 129; ed. 12, 1766, 207.
- cucullatus** Merganser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 103.
- cucullatus** Notoxus, A. F. de Fourcroy, Ent. Paris. 1785, 162.
- cucullatus** Oriolus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 87.
- cucullata** Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 100.
- cucullata** Phalaena, Hufnagel, Berl. Mag. IV. 1767, 602. [Tinea cucullatella.]
- cucullata** Phalaena Bombyx (L.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 475.—
- cucullatus** Sciurus, J. M. Bechstein in Pennant, Uebers. 4fuss. Thiere, II. 1800, 709.
- cucullatus** Struthio, Linnaeus, Syst. Nat., ed. 10, 1758, 155.—[Didus ineptus, ed. 12.]
- cucullata** Sylvia, J. Latham, Index Orn. 1790, 528.
- cucullina** Bombyx [Denis & Schiffermüller], Schmett. Wien, 1775, 311.
- cucullio** Kolpoda, O. F. Müller, An. Infus. 1786, 106.
- cucullulus** Kolpoda, O. F. Müller, An. Infus. 1786, 105.
- Cucullus** J. F. Bolten, Mus. Bolten. (2) 1798, 37.—G.
- cucullus** Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3311.
- cucullus-planus** Balanus, F. C. Meuschen, Mus. Gever. 1787, 478.
- cucullus** Beroe, A. Modeer, K. Vet. Ac. Nya Handl. XI. 1790, 42.
- cuculla** Bombyx, Esp., C. C. Jung, Alph. Verz. Schmett. I. 1791, 150.—(*cuculia est.*)
- cucullus** Kolpoda, O. F. Müller, Verm. I (1) 1773, 58.
- cucullus** Vorticella, O. F. Müller, An. Infus. 1786, 264.
- Cuculus** Linnaeus, Syst. Nat., ed. 10, 1758, 110; ed. 12, 1766, 168.—A.
- cuculus** Trigla, Linnaeus, Syst. Nat., ed. 10, 1758, 301; ed. 12, 1766, 497.
- cucumerina** Taenia, M. E. Bloch, Eingeweidewürmer, 1782, 17.

- cucumis** Beroe, O. Fabricius, F. Groen. 1780, 361.
- cucumis** Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 153.
- cucumis** Medusa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3152.—Beroe.
- Cucurbitinus** J. H. Kniphof, De Pedic. 1759, 11.—Ver.
- cucurbitina** Apis, P. Rossi, Mant. Ins. I. 1792, 145.
- [**cucurbitinus** Araneus, C. Clerck, Aran. Svec. 1757, 44.]
- cucurbitina** Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 620; ed. 12, 1767, 1030.
- cucurbitina** Taenia, P. S. Pallas, Elench. 1766, 405.
- cucurbitina** Vermiculus, F. C. Meuschen, Mus. Gever. 1787, 238.
- cuguapara** Cervus, R. Kerr, Anim. Kingd. 1792, 303.
- cuguete** Cervus, R. Kerr, Anim. Kingd. 1792, 303.
- Cugupugnacu** G. Edwards, in M. Catesby, Carol. II. 1771, 14.—P.
- cuja** Mustela, G. I. Molina, Sag. stor. nat. Chili, 1782, 291.
- Culculus** *err. pro* Cuculus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 90.
- Culex** Linnaeus, Syst. Nat., ed. 10, 1758, 602; ed. 12, 1767, 1002.—Dip.
- culex** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
- culex** Sphinx, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 33.
- culiciformis** Asilus, J. C. Fabricius, Syst. Ent. 1775, 796.
- culiciformis** Asilus, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791, 127.
- culiciformis** Cimex, C. de Geer, Mém. Ins. III. 1773, 324.
- culiciformis** Cimex, J. C. Fabricius, Syst. Ent. 1775, 728.
- culiciformis** Ephemera, Linnaeus, Syst. Nat., ed. 10, 1758, 547; ed. 12, 1767, 907.
- culiciformis** Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 189.—Cimex, 1775.
- culiciformis** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 306.
- culiciformis** Sesia (L.), J. C. Fabricius, Syst. Ent. 1775, 549.—Sphinx.
- culiciformis** Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 493; ed. 12, 1767, 804.
- culiciformis** Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 978.
- culicipennella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 70.
- culinaris** Blatta, C. de Geer, Mém. Ins. III. 1773, 530.
- culinaris** Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 417; ed. 12, 1767, 675.
- culinaris** Tenebrio, O. F. Müller, Z. Dan. Prod. 1776, 74 [no. 797].
- culmella** Phalaena, Scopoli, Ent. Carn. 1763, 246.
- culmella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 535; ed. 12, 1767, 886.
- culmella** Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 658.—Phalaena.
- culmen** Callidium, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 39.
- culmorum** Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 471.—Tinea culmella.
- culpaes** Canis, G. I. Molina, Sag. stor. nat. Chili, 1782, 293.
- culpatorius** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 561; ed. 12, 1767, 931.
- cultellator** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 167.
- cultellator** Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 239.—Ichneumon, 1793.
- cultellus** Solen, Linnaeus, Syst. Nat., ed. 10, 1758, 673; ed. 12, 1767, 1114.
- culter** Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 147.
- cultraria** Geometra (Fab.), C. P. Thunberg, Ins. Suecica (1) 1784, 6.—Phalaena.
- cultraria** Phalaena, J. C. Fabricius, Syst. Ent. 1775, 621.
- cultrata** Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 450.
- cultratus** Curculio, J. C. Fabricius, Syst. Ent. 1775, 153.
- cultratus** Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 326; ed. 12, 1766, 531.
- cultratus** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2699.
- cultratus** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2708.
- cultrella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 46.
- culta** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 70.
- culta** Phalaena Noctua, J. Hübner, Beitr. Schmett. I (2) [1787], 20.
- Cuma** [G. Humphreys], Mus. Calonn. 1797, 35.—G.
- cumanensis** Crax, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 25.
- cumanensis** Penelope (Jacq.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 734.—
- cumarca** Stromateus, G. I. Molina, Sag. stor. nat. Chili, 1782, 226. [Crax.
- cuminella** Phalaena, [D. H. Schneider], Nom. Ent. 1785, 55 [*n. n.*].
- cumini** Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].

- cunctator** Ichneumon, Scopoli, Ent. Carn. 1763, 285.
- cunctator** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 158.
- cunctator** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 176.
- cunctator** Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 239.—Ichneumon, 1793.
- [cuneatus** Araneus, C. Clerck, Aran. Svec. 1757, 99.]
- cuneatus** Araneus, T. Martyn, Aranei, 1793, 45.
- cuneata** Cassis, F. C. Meuschen, Mus. Gev. 1787, 388.
- cuneata** Donax, Linnaeus, Syst. Nat., ed. 10, 1758, 683; ed. 12, 1767, 1127.
- cuneata** Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3260.
- cuneata** Phalaena Bom., Panzer in Drury, Exot. Ins. 1785, 47.
- cuneata** Taenia, A. J. G. C. Batsch, Naturg. Bandwurm. 1786, 190.
- cuneata** Tellina, L. Spengler, Skr. nat. Selsk. [Copen.] IV (2) 1798, 119.
- cuneiceps** Alysalmithus, J. G. H. Zerber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 253.
- cuneiformis** Chaena (Spengl.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 19.—Gastrochaena.
- cuneiformis** Fusaria, J. G. H. Zerber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 54.
- cuneiformis** Gastrochaena, L. Spengler, Nye Saml. K. Danske Skrifter, II. 1783, 180.
- Cuneus** E. M. da Costa, Brit. Conch. 1778, 202.—L.
- cuneus** Kolpoda, O. F. Müller, An. Infus. 1786, 109.
- cunea** Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 36.
- cunea** Phalaena Bom., Panzer in Drury, Exot. Ins. 1785, 73.
- cunicularis** Sorex, M. B. Borkhausen, Deutsch. Fauna, I. 1797, 51.
- cunicularia** Apis, Linnaeus, Faun. Suec., ed. 2, 1761, 422.
- cunicularia** Cicada, Linnaeus, Syst. Nat., ed. 12, I. 1767, 711.
- cunicularia** Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [*n. n.*]; Essai Fourmis, 1798, 40.
- cunicularia** Sorex, Bork., J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800,
- cunicularia** Strix, G. I. Molina, Sag. stor. nat. Chili, 1782, 263. [541.—S. cunicularis.
- cuniculator** Ichneumon, P. Rossi, Mant. Ins. I. 1792, 120.
- cuniculata** Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
- cuniculi** Oestrus, B. Clark, Tr. Linn. Soc. [Lond.] III. 1797, 299.
- cuniculina** Phalaena Noctua, J. Hübner, Beitr. Schmett. II. 1790, 38.
- Cuniculus** M. J. Brisson, Reg. Anim. 1762, 95.—M.
- Cuniculus** L. T. Gronovius, Zooph. I. 1763, 4.—M.
- Cuniculus** F. A. A. Meyer, Mag. Thiergesch. I (1) 1790, 52.—M.
- cuniculus** Lepus, Linnaeus, Syst. Nat., ed. 10, 1758, 58; ed. 12, 1766, 77.
- cuniculus** Lepus, J. C. P. Erxleben, Syst. Anim. 1777.—*varr.* angorensis, 334; argenteus, 334; russus, 335.
- cuniculus** Lepus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 163; *var.* domesticus.
- cuniculus ferus** Lepus, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 699.
- cuniculus** Trichoda, O. F. Müller, Verm. I (1) 1773, 73.
- cunigunda** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 104.
- cunegunda** Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 58.—Phalaena.
- cupavia** [Phalaena], P. Cramer, Uitl. Kapellen, III (22) 1779, 114.
- cuning** Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 31.
- Cunnolites** A. Gagnebin, Acta Helvet. VII. 1772, 30.—Cor.
- Cunus** [*err. pro* Conus], P. Osbeck, Reise Ost-Ind. China, 1765, 247.—G.
- cuntur** Vultur, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
- cupavia** [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 2.
- cupentia** [Phalaena], P. Cramer, Uitl. Kapellen, III (21) 1779, 103.
- cupentus** [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1784, 93.
- cupentus** Papilio (Pleb.), Herbst, Einl. Ins. II. 1785, 53.
- cuphaeus** Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 628; ed. 12, 1767, 1045.
- “Cuphus, Guettard.” Scudd.; *v.* Kuphus.
- Cupido** Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 258.—Papilio.
- cupido** Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 482; ed. 12, 1767, 787.
- cupido** Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 160; ed. 12, 1766, 274.
- cupraria** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 598; ed. 12, 1767, 994.

- cupraria** Musca, A. F. de Fourcroy, Ent. Paris. 1785, 491.
cuprarius Nematelus (L.), C. de Geer, Mém. Ins. VI. 1776, 200.—Musca.
cuprarius Sargus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 566.—Musca.
cuprella Phalaena, [D. H. Schneider], Nom. Ent. 1785, 55 [*n. n.*].
cuprella Alucita (D. & S.), J. C. Fabricius, Mant. II. 1787, 257.—Tinea.
cuprella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 320.
cuprella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 86.—? Alucita, Fab.
cupreo squamosus Curculio, G. A. Harrer, Besch. Schaeffer Icones, 1784, 173.
cupressina Antipathes, P. S. Pallas, Elench. 1766, 213.
cupressina Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 808; ed. 12, 1767, 1308.
cupressoides Sertularia, I. Lepechin, Acta Ac. Sci. Petrop. 1780 (1), 1783, 224.
cupressus Antipathes, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 103.
cuprea Ampelis (Merr.), J. Latham, Index Orn. 1790, 366.—Cotinga.
cuprea Andrena, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 135.
cuprea Apis, A. F. de Fourcroy, Ent. Paris. 1785, 447.
cupreus Attelabus (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 389.—Curculio.
cupreus Bombylius, J. C. Fabricius, Mant. II. 1787, 366.
cuprea Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 410; ed. 12, 1767, 662.
cupraea Cantharis, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 83.
cupreus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 416; ed. 12, 1767, 672.
cuprea Cassida, J. C. Fabricius, Mant. II. 1787, 380.
cuprea Cetonia, J. C. Fabricius, Syst. Ent. 1775, 48.
cuprea Chrysis, P. Rossi, Fauna Etrus. II. 1790, 78.
cupraea Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 600.—[cuprea, ed. 10.]
cuprea Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 96.
cuprea Chrysomela, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 11.
cuprea Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 114.—Cryptocephalus, 1787.
cuprea Clythra, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 13.
cupreus Conops, Scopoli, Ent. Carn. 1763, 355.
cupreus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 172.—Scarabaeus.
cuprea Cotinga, B. Merrem, Avium rar. Icones, I. 1784, 5.
cupreus Cryptocephalus, J. C. Fabricius, Mant. I. 1787, 81.
cupreus Cuculus, G. Shaw, Mus. Lever. I. 1792, 157.
cupreus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 379; ed. 12, 1767, 608.
cupreus Curculio, J. N. Laicharting, Tyrol. Ins. I. 1781, 208.
cupreus Elater, J. C. Fabricius, Syst. Ent. 1775, 212.
cupreus Erotylus, J. C. Fabricius, Syst. Ent. 1775, 123.
cuprea Helops (Fab.), A. G. Olivier, Ency. Méth. VII. (Ins.) 1792, 46.—Erotylus.
cuprea Melolontha, A. F. de Fourcroy, Ent. Paris. 1785, 73.
cuprea Mordella (Linn.), Scopoli, Ent. Carn. 1763, 62.—Buprestis.
cuprea Musca, A. F. de Fourcroy, Ent. Paris. 1785, 489.
cuprea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 91.
cuprea Parra, M. Vahl, Skr. nat. Selsk. [Copen.] IV (1) 1797, 11.
cuprea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3704.
[cuprea] Phalaena (N.) MS., T. Martyn, Psyche, 1797, figs. 21 & 26.
cupreus Rhinomacer (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 187.—Curculio.
cupreus Rynchites (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 138, sign. I 5.—
cupreus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 29. [Curculio.]
cupreus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 173.
cupreus Staphylinus, P. Rossi, Fauna Etrus. I. 1790, 248.
cuprea Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 158.
cupreus Tenebrio, J. C. Fabricius, Ent. Syst. I (1) 1792, 110.
cuprea Upis, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 29.
cuprea Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 441.
cupricollis Attelabus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 64.
cuprifer Curculio, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 10.
cuprinervis Tipula, P. Rossi, Mant. Ins. II. 1794, 59.
cuprirostris Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 389.—Curculio, 1787.

- cupirostris** Curculio, J. C. Fabricius, Mant. I. 1787, 100.
- curacao** Chaetodon, M. E. Bloch, Nat. aul. Fische, III. 1787, 106. [(1776), 342.
- curacaviensis** Aranea, D. A. L. Müller in P. L. S. Müller in Linn. Syst. Nat., Suppl.
- curaeus** Sturnus (Mol.), F. M. Daudin, Traité élém. Orn. 1800, 318.—Turdus.
- curaeus** Turdus, G. I. Molina, Sag. stor. nat. Chili, 1782, 252.
- curassavicus** Balistes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1472.
- curax** Chrysis, M. Harris, Exp. Eng. Ins. 1776, 69.
- curculinus** Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 73.
- Curculio** Linnaeus, Syst. Nat., ed. 10, 1758, 377; ed. 12, 1767, 606.—Col.
- curculioides** Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 822.
- curculioides** Leptura (Linn.), J. A. Scopoli, Annus V. 1772, 101.—Cerambyx curculion-
- curculioides** Rhinomacer, J. C. Fabricius, Spec. Ins. I. 1781, 199. [oides.
- curculioides** Rhinomacer, P. A. Latreille, Journ. Santé Bordeaux. II. 1797, 335.
- curculioniformis** Involvlus (L.), F. v. P. Schrank, F. Boica, I. 1798, 475.—Attelabus
- curculionoides** Attelabus, Linnaeus, Syst. Nat., ed. 12, 1767, 619. [curculionoides.
- curculionoides** Bruchus (L.), F. v. P. Schrank, Ins. Aust. 1781, 102.—Attelabus.
- curculionoides** Carabus, [D. H. Schneider]. Nom. Ent. 1785, 21 [n. n.].
- curculionoides** Cerambyx, Linnaeus, Faun. Suec., ed. 2, 1761, 193.
- curculionoides** Lamia (L.), J. C. Fabricius, Syst. Ent. 1775, 175.—Cerambyx.
- curculionoides** Leptura (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 207.—
Cerambyx.
- curculionoides** Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 58.
- curculionoides** Rhinomacer (L.), J. N. Laicharting, Tyrol. Ins. I. 1781, 242.—Attelabus.
- curculionoides** Synchronites, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 136, sign. 14.
- curculionoides** Saperda (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 41.—Cerambyx.
- curculionoides** Saperda (Fabr.), J. A. Frolich, Naturforscher, XXVII. 1793, 132.—Lamia.
- curculiunculus** Cis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 54.
- curi** Bradypus, H. F. Link, Beytr. Nat. I (2) 1795, 68.
- curiale** Callidium, G. W. F. Panzer, Naturforscher, XXIV. 1789, 29.
- curialis** Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 192.
- Curimata** J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 81.—P.
- curimata** Salmo, J. A. Donndorff, Zool. Beyt. III. 1798, 649.
- curius** Papilio, J. C. Fabricius, Mant. II. 1787, 9.
- curionicus** Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 692.
- curonica** Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 669.
- currens** Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 193.
- Curruca** Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 1 & 19.—A.
- curruca** Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 34.—Motacilla.
- curruca** Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 64.
- curruca** Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 184; ed. 12, 1766, 329.
- curucca** (*sic*) Sylvia (L.), J. A. Scopoli, Annus I. 1769, 155.—Motacilla.
- curuccae** (*sic*) Pediculus, F. v. P. Schrank, Beitr. Nat. 1776, 113.
- currucaria** Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 185.
- currucoides** Motacilla, J. M. Bechstein, Latham's Vögel, VI. 1798, 546.
- cursitans** Cimex, J. C. Fabricius, Syst. Ent. 1775, 729.
- cursitans** Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 192.—Cimex, 1775.
- cursitans** Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 344.
- cursitans** Ichneumon Mutilla, Fab., J. L. Christ, Nat. Ins. 1791, 376.
- cursitans** Musca, J. C. Fabricius, Syst. Ent. 1775, 782.
- cursitans** Naucoris, J. C. Fabricius, Ent. Syst. IV. 1794, 67.
- Cursor** J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 11 [n. n.].—A.
- cursor** Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 625; ed. 12, 1767, 1038.
- cursor** Carabus, O. F. Müller, Z. Dan. Prod. 1776, 78.
- cursor** Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 164.
- cursor** Carabus, A. G. Olivier, Entom. III. 1795, 16.
- cursor** Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 393; ed. 12, 1767, 630.
- cursor** Charadrius, J. Latham, Syn. Birds, Suppl. I. 1787, 293.
- cursor** Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 96.

- cursor** Cucujus (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. 1, 1791, 119.—Tenebrio.
- cursor** Curculio, G. Paykull, Mon. Curc. 1792, 3.
- cursor** Ichneumon, F. v. P. Schrank, Schrift. Berlin. Ges. Nat. Freunde, I. 1780, 308.
- cursor** Leptura (L.), C. de Geer, Mém. Ins. V. 1775, 128.—Cerambyx.
- cursor** Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 113.
- cursor** Rhagium (L.), J. C. Fabricius, Syst. Ent. 1775, 183.—Cerambyx.
- cursor** Scarites, J. C. Fabricius, Syst. Ent. 1775, 249.—Tenebrio.
- cursor** Sphecx, J. L. Christ, Nat. Ins. 1791, 314.
- cursor** Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 97.
- cursor** Stenocorus (Deg.), A. G. Olivier, Entom. IV. 1795, 14. —Leptura.
- cursor** Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 159.
- cursor** Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 418; ed. 12, 1766, 675.
- cursor** Trichoda, O. F. Müller, An. Infus. 1786, 224.
- Cursorius** J. Latham, Index Orn. 1790, 751.—A.
- cursoria** Musca, Scopoli, Ent. Carn. 1763, 338.
- cursoria** Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 62.
- cursoria** Phalaena, Hufnagel, Berl. Mag. III. 1767, 416.
- curtalis** Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 120.
- curtangniona** Volema, J. F. Bolten, Mus. Bolten. (2) 1798, 57.
- curtatus** Carabus, C. de Villers, Linn. Ent. I. 1789, 364.
- curtatus** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 415.
- curticornis** Cyclops, O. F. Müller, Entom. 1785, 115.
- curticornis** Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2998.—
- curtipes** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2200. [Cyclops.
- curtisella** Phalaena, E. Donovan, Brit. Ins. II. 1793, 77.
- curtius** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 354.
- curtula** Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 574.—Phalaena.
- curtula** Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 503; ed. 12, 1767, 823.
- curtulus** Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2035.
- Kürtus**, *vel* **Kyrtus** M. E. Bloch, Nat. ausl. Fische, II. 1786, 121 & pl. clxix.—P.
- curtus** Caligus, O. F. Müller, Entom. 1785, 130.
- curtus** Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 355.
- curtus** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2688.
- curtus** Mytilus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 96.
- curucca** *z.* **curruca**.
- curucui** Trogon, Linnaeus, Syst. Nat., ed. 12, 1766, 167.
- curucui** Trogon, B. Merrem, Avium rar. Icones, II. 1786, 33.
- curvana** Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2517.
- curvator** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 177.
- curvatorius** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 153.
- curvata** Geometra [*ex* Müll.], C. C. Jung, Alph. Verz. Schmett. 1791, 153.
- curvata** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3668.
- curvata** Phalaena, Hufnagel, Berl. Mag. IV. 1767, 608.
- curvella** Phalaena (Tinea), Linnaeus, Faun. Suec. ed. 2, 1761, 359.
- curvicaudus** Gryllus (Tettig.), De G., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
- curvicauda** Locusta, C. de Geer, Mém. Ins. III. 1773, 446. [2071.—Locusta.
- curvicauda** Oestrus, G. White, N. H. Selborne, 1789, 90.
- curvicornis** Apis (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2771.—Eucera.
- curvicornis** Eucera, J. A. Scopoli, Annus IV. 1770, 9.
- curvilinea** Chrysomela, C. de Geer, Mém. Ins. V. 1775, 302.
- curvipes** Andrena, J. C. Fabricius, Ent. Syst. II. 1793, 310.
- curvipes** Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 351.
- curvipes** Cistela, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 25.
- curvipes** Curculio, J. C. Fabricius, Mant. I. 1787, 113.
- curvipes** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 137.—Cimex, 1781.
- curvipes** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2871.
- curvipes** Scaphidium, L. G. Scriba in Scriba, Beitr. Ins. III. 1793, 228.
- curvipes** Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2000.

- curvipes** Tenebrio, J. C. Fabricius, Ent. Syst. I (1) 1792, 111.
curvipes Vespa, J. L. Christ, Nat. Ins. 1791, 246.
curviroster Mytilus, J. S. Schroeter, Neue Litt. IV. 1787, 268.
Curvirostra J. A. Scopoli, Intr. Hist. Nat. 1777, 480.—A.
curvirostra Anas, P. S. Pallas, Spic. Zool. VI. 1769, 33.
curvirostra Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 777.
curvirostra Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 171; ed. 12, 1766, 299.
curvirostrae Pediculus, F. v. P. Schrank, Beitr. Nat. 1776, 117.
curvirostratus Mytilus, E. M. da Costa, Brit. Conch. 1778, 220.
curvirostris Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 166.
curvirostris Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 78.
curvirostris Daphne, O. F. Müller, Z. Dan. Prod. 1776, 200.
curvirostris Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 135.
curvirostris Monoculus (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 493.—Daphnia.
curvirostris Phasianus, G. Shaw, Mus. Lever. I. 1792, 101.
curvus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1817.
curvus Cerambyx, C. de Villers, Linn. Ent. I. 1789, 245.
curvus Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 159.
curva Sphex, C. de Villers, Linn. Ent. III. 1789, 252.
cuscuta Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 812; ed. 12, 1767, 1311.
cuspidator Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 188.
cuspidator Ichneumon, P. Rossi, Mant. Ins. I. 1792, 121.
cuspidata Anomia, W. Martin, Tr. Linn. Soc. [Lond.] IV. 1798, 45.
cuspidatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3505.
cuspidata Cetonia, J. C. Fabricius, Mant. I. 1787, 27.
cuspidata Cicada, J. C. Fabricius, Syst. Ent. 1775, 687.
cuspidata Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 124.
cuspidata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 11.
cuspidata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3655.
cuspidata Madrepora, E. J. C. Esper, Pflanzenth. I (3) 1789, 155.
cuspidatus Oniscus, I. Lepechin, Acta Ac. Sci. Petrop. 1778 (1), 1780, 249.
cuspidatus Pediculus, Scopoli, Ent. Carn. 1763, 385.
cuspidata Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 74.
cuspidatus Pristis, J. Latham, Tr. Linn. Soc. [Lond.] II. 1794, 279.
cuspidata Tellina, G. Olivi, Zool. Adriat. 1792, 77.
cuspidella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
custodiator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 166.
custos Cancer, P. Forskal, Descr. Anim. 1775, 94.
custos Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 44.
custos Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 94.
custos Pagurus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 412.
cutaceus Murex, Linnaeus, Syst. Nat., ed. 12, 1767, 1217.
cutis anguina Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48.
cuviana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 478.
Cyamus P. A. Latreille, Préc. Car. Ins. 1796, 199.—Cr.
cyanalysis Psittacus, G. I. Molina, Sag. stor. nat. Chili, 1782, 256.
cyane Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 506.—Phalaena.
cyane Motacilla, P. S. Pallas, Reise Russ. III. 1776, 697.
cyane [Papilio], D. Drury, Ill. Nat. Hist. I. 1770, index & 8.
cyane [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 137.
cyane Sylvia (Pall.), J. Latham, Index Orn. 1790, 541.—Motacilla.
Cyanea J. G. Meigen, N. Class. Mouches, 1800, 40.—Dip.
 “**Cyanecula**, Briss. 1760,” Ag.; not used in a generic sense.
cyanella Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 376; ed. 12, 1767, 600.
cyanella Crioceris (L.), J. C. Fabricius, Syst. Ent. 1775, 121.—Chrysomela.
cyanella Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1722.—
cyanella Emberiza, A. Sparrman, Mus. Carls. II. 1787, nos. xlii, xliii. [Chrysomela.
cyanella Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 93.—Crioceris, 1775.

- cyaneopileata** Columba, J. P. Bonnatere, Ency. Méth. (Orn.) 1791, 238.
cyaneum Acrydium, A. F. de Fourcroy, Ent. Paris. 1785, 180.
cyanea Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 7.—Lagria.
cyanea Andrena, J. C. Fabricius, Ent. Syst. II. 1793, 309.
cyaneum Anobium, J. C. Fabricius, Syst. Ent. 1775, 63.
cyaneum Apion (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 108.—Curculio.
cyaneus Asilus, J. C. Fabricius, Spec. Ins. II. 1781, 465. [Clerus].
cyaneus Attelabus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1812.—
cyaneus Attelabus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 282.—Curculio.
cyaneum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 266.
cyanea Buprestis, J. C. Fabricius, Syst. Ent. 1775, 223.
cyaneum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 330.
cyanea Cantharis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 55.
cyanea Cantharis (Fab.), C. de Villers, Linn. Ent. IV. 1789, 323.—Malachius.
cyaneus Carabus, J. C. Fabricius, Gen. Ins. 1777, 239.
cyanea Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 364; ed. 12, 1767, 577. [Saperda].
cyaneus Cerambyx (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1843.—
cyaneus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1861.—
cyanea Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 188. [Stenocorus].
cyanea Cetonia, A. G. Olivier, Entom. I. 1789, 41.
cyanea Chrysis, Linnaeus, Faun. Suec., ed. 2, 1761, 414.
cyanea Chrysmela, Linnaeus, Syst. Nat., ed. 12, 1767, 596.
cyanea Chrysmela, J. C. Fabricius, Spec. Ins. I. 1781, 124.
cyanea Chrysmela (Fab.), C. de Villers, Linn. Ent. I. 1789, 156.—Cryptocephalus.
cyanea Cicindela, J. C. Fabricius, Mant. I. 1787, 185.
cyaneus Clerus, J. C. Fabricius, Mant. I. 1787, 126.
cyanea Clytra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 114.—Cryptocephalus, 1775.
cyanea Clytra (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 36.—Cryptocephalus.
cyaneus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 220; ed. 12, 1766, 380.
cyaneus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 34.
cyanea Coracias, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 381.
cyaneus Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 373 [Corvus cyaneus,
 Pall., *est*].
cyaneus Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 109. [Chrysmela].
cyaneus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1709.—
cyaneus Cryptocephalus (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 607.—
 Chrysmela.
cyaneus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 378; ed. 12, 1767, 606.
cyaneus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 167.
cyanea Emberiza (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 876.—
cyaneus Falco, Linnaeus, Syst. Nat., ed. 12, 1766, 126. [Tanagra].
cyaneus Helops, J. C. Fabricius, Mant. I. 1787, 214.
cyaneus Hister, J. C. Fabricius, Syst. Ent. 1775, 52.
cyaneus Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 231.
cyanea Lagria, J. C. Fabricius, Syst. Ent. 1775, 125.
cyanea Lagria, J. C. Fabricius, Spec. Ins. II. 1781, 499.—Anobium, 1775.
cyanea Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 92.
cyanea Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 82.
cyanea Libellula, O. F. Müller, F. Ins. Frid. 1764, 61.
cyanea Libellula, J. C. Fabricius, Syst. Ent. 1775, 424.
cyanea Linaria, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 19.
cyanea Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 174; ed. 12, 1766, 303.
cyaneus Malachius, J. C. Fabricius, Mant. I. 1787, 169.
cyanea Melolontha (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 45.—Crypto-
cyaneus Melyris (Fab.), A. G. Olivier, Entom. II. 1790, 8.—Lagria. [cephalus].
cyanea Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 991.
cyanea Musca, O. F. Müller, F. Ins. Frid. 1764, 85.
cyanea Musca, J. C. Fabricius, Spec. Ins. II. 1781, 439.

- cyanea** Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 170.
cyanea Necydalis, J. C. Fabricius, Ent. Syst. I (2) 1792, 351.
cyanea [Papilio], P. Cramer, Utitl. Kapellen, I (7) 1775, 120.
cyanea Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2011.—Helops.
cyaneus Psittacus, A. Sparrman, Mus. Carls. II. 1787, no. xxvii.
cyaneus Ptinus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1605.—Anobium.
cyanea Saperda, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 95.
cyaneus Scarabaeus, G. Shaw, Nat. Misc. IX. 1797, pl. 316.
cyaneus Scarites, J. C. Fabricius, Syst. Ent. 1775, 249.
cyaneus Sirex, J. C. Fabricius, Spec. Ins. I. 1781, 419.
cyanea Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 572.—[Chrysis, ed. 12.]
cyanea Sphinx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2400.
cyaneus Staphylinus, G. Paykull, Mon. Staph. 1789, 13.
cyaneus Stenocorus, J. C. Fabricius, Syst. Ent. 1775, 823.
cyanea Stratiomys, J. C. Fabricius, Ent. Syst. IV. 1794, 265.
cyanea Sylvia (Gm.), J. Latham, Index Orn. 1790, 545.—Motacilla.
cyanea Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 315.
cyaneus Tenebrio (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1993.—Scarites.
cyaneus Tenebrio (Fab.), C. de Villers, Linn. Ent. IV. 1789, 363.—Helops.
cyaneus Trochilus, J. Latham, Index Orn. 1790, 309.
cyanaeus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 145.
cyanea Vespa, J. C. Fabricius, Syst. Ent. 1775, 372.
cyanicollis Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 607.
cyanicollis Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 499.
cyanicornis Buprestis, A. G. Olivier, Entom. II. 1790, 71.
cyanicornis Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 236.
cyanicornis Buprestis, P. Rossi, Mant. Ins. I. 1792, 60.
cyanicornis Cerambyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 142.
cyanicornis Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 99.
cyanipennis Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 97.
cyanipennis Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 200.
cyanipennis Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 525.
cyanipennis Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 277.
cyanipes Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 228.—Gryllus.
cyanipes Buprestis, J. C. Fabricius, Mant. I. 1787, 178.
cyanipes Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 98.
cyanipes Curculio, J. C. Fabricius, Mant. I. 1787, 113.
cyanipes Gryllus, J. C. Fabricius, Syst. Ent. 1775, 292.
cyanocephala Ardea, G. I. Molina, Sag. stor. nat. Chili, 1782, 235.
cyanocephalus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 45.
cyanocephalus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 415; ed. 12, 1767, 671.
cyanocephala Cicindela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 60.
cyanocephala Clytra, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 35.
cyanocephala Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 163; ed. 12, 1766, 279.
cyanocephala Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 781.
cyanocephala Crioceris, J. C. Fabricius, Syst. Ent. 1775, 121.
cyanocephalus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1712.
cyanocephalus Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 72.
cyanocephala Fringilla, J. F. Miller, Icon. Anim., pl. 24 (1778).
cyanocephalus Labrus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 139.
cyanocephala Loxia (Mill.), F. M. Daudin, Traité élém. Orn. 1800, 449.—Fringilla.
cyanocephala Motacilla, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
cyanocephala Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 990.
cyanocephala Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 943.
cyanocephalus Psittacus, Linnaeus, Syst. Nat., ed. 12, 1766, 141.
cyanocephala Sylvia (Gm.), J. Latham, Index Orn. 1790, 546.—Motacilla.
cyanocephala Tanagra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 159.
cyanocephalus Trochilus, G. I. Molina, Sag. stor. nat. Chili, 1782, 247.

- cyanochlorus Parus, A. Vroeg, Catal. Vogel. 1764, Adumb., 3.
 cyanochrus Prionus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 39.
 cyanochrysa Chrysis, J. R. Forster, N. Sp. Ins. 1771, 88.
 cyanochrysos Ceranibyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1846.
 cyanocrocea Tenthredo, J. R. Forster, Cat. Brit. Ins. 1770, 13 [*n. n.*].
 cyanocrocea Tenthredo, J. R. Forster, N. Sp. Ins. 1771, 78.
 cyanogaster Certhia, J. Latham, Index Orn. 1790, 295.
 cyanogastra Loxia, F. M. Daudin, Traité élém. Orn. 1800, 436.
 cyanogula Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 23. [cyanalysisos.]
 cyanolyseos Psittacus, Mol., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 343.—[*v.*]
 cyanomelas Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1673.
 cyanomelas Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 924.
 cyanomelas Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 498.
 cyanopariarius Trogon, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 7 [*n. n.*].
 cyanophlyctis Rana, J. G. Schneider, Hist. Amph. I. 1799, 137.
 cyanophthalma Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2863.
 cyanopicta Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1698.
 cyanopis Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 886.
 cyanoptera Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2785.
 cyanopteros [Papilio], J. A. B. Bergstraesser, Nom. Ins. IV. 1780, 35.
 cyanopus Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 644.
 cyanopus Falco, J. D. Petersen, Balth. Vögel, 1766, 6.
 cyanorhynchus Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 22.
 cyanothorax Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 108.
 cyanotus Scarabaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 7.
 cyanura Chrysis, J. R. Forster, N. Sp. Ins. 1771, 89.
 cyanurus Motacilla, P. S. Pallas, Reise Russ. II. 1773, 709.
 cyanurus Psittacus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 6 [*n. n.*].
 cyanura Sylvia (Pall.), J. Latham, Index Orn. 1790, 527.—Motacilla.
 cyanurus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 485.
 cyanurus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 828.
 cyanus Corvus, P. S. Pallas, Reise Russ. III. 1776, 694.
 cyanus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 272.—Papilio.
 cyana Motacilla, *id. ac* cyane, Pall., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788,
 cyanus Mus, G. I. Molina, Sag. stor. nat. Chili, 1782, 300. [992.]
 cyanus Papilio, *id. ac* cyanea, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 116.
 cyanus Parus, P. S. Pallas, Nov. Comm. Sci. Petrop. XIV (1) 1770, 588.
 cyanus Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 296.
 cyathiformis Taenia, J. A. Frollich, Naturforscher, XXV. 1791, 55.
 cyathiger Carabus, P. Rossi, Fauna Etrus. I. 1790, 222.
 cyathina Vorticella, O. F. Müller, Z. Dan. Prod. 1776, 281.
 cyathus Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 150.
 cyathus Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3705.
 cybele Bombyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 36.
 cybele Papilio, J. C. Fabricius, Syst. Ent. 1775, 516.
 cybele [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 139.
 cybele Papilio, J. Hübner, Beitr. Schmett. II. 1790, 7.
 Cychramus J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 543.—Col.
 Cychrus J. C. Fabricius, Ent. Syst. IV. 1794, 440.—Col.
 Cychrys J. C. Fabricius, Skr. nat. Selsk. [Copen.], III (2) 1794, 68.—Col.
 Cyclas Lamarck, Ency. Méth. (Tabl. Vers), pl. 301 (1798) [*n. et f.*].—L.
 Cyclas Lamarck, Mém. Soc. H. N. Paris, 1799, 84.—L.
 Cycludium O. F. Müller, Verm. I (1) 1773, 49.—Inf.
 cycludium Cercaria, O. F. Müller, Verm. I (1) 1773, 68.
 cycludium Trichoda, O. F. Müller, Verm. I (1) 1773, 90.
 Cyclogaster L. T. Gronov, Acta Helvet. IV. 1760, 265.—P.
 Cyclops O. F. Müller, Z. Dan. Prod. 1776, xxvii & 200.—Cr.
 cyclops Geotrupes (Ol.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 17.—Scarabaeus.

- cyclops** Limulus, J. C. Fabricius, Ent. Syst. II. 1793, 488.
cyclops Scarabaeus, A. G. Olivier, Entom. I. 1789, 60.
"Cyclopsina Müll. 1785," Ag.; appears to be Milne-Edwards, 1840.—Cr.
cycloptera Lernaea, O. F. Müller, Z. Dan. Prod. 1776, 226.
Cyclopterus Linnaeus, Syst. Nat., ed. 10, 1758, 260; ed. 12, 1766, 414 [Artedi, Ichth.
Cyclostoma Lamarck, Mem. Soc. H. N. Paris, 1799, 74.—G. [1738, gen. xl, 61].—P.
cyclostomus Echinoneus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 173.
cyclostomus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3183.—
cydippe Papilio, Linnaeus, Amoen. Acad. VI. 1763, 409. [Echinoneus.
cydippe Papilio (Nymph.), Linnaeus, Faun. Suec., ed. 2, 1761, 281.
cydoniata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 354.
cydoniella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 144.
cydonium Alcyonium, Linnaeus, Syst. Nat., ed. 12, 1767, 1295.
cydonium Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 118 [*n. n.*].
cydonia [Phalaena], P. Cramer, Uitl. Kapellen, I (2) 1775, 34.
cygneus Anodonta (L.). Lamarck, Mém. Soc. H. N. Paris, 1799, 87.—Mytilus.
cygnea Bombyx, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 70.
cygnea Crassatella, Lamarck, Mém. Soc. H. N. Paris, 1799, 86.
cygneus Falco, J. Latham, Index Orn. 1790, 14.
cygnaea Lepas, L. Spengler, Skr. nat. Selsk. [Copen.] I (1) 1790, 198.
cygneum Limnaeoderma (L.), J. X. Poli. Test. Sicil. II. 1795, 253 & 259.—Mytilus.
cygneus Musculus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 156.—Mytilus.
cygneus Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 706; ed. 12, 1767, 1158.
cygnea Volva, J. F. Bolten, Mus. Bolten. (2) 1798, 21.
cygni Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3033.
cygni Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 612; ed. 12, 1767, 1018.
cygnipennella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 67.
cygnoides Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 122; ed. 12, 1766, 194.
cygnoides Anser, P. S. Pallas, Reise Russ. III. 1776, 700.
cygnoides Anser (L.), J. C. Schaeffer, Mus. Orn. 1789, 67.—Anas.
cygnoides Distoma, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 175.
cygnus Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 122; ed. 12, 1766, 194.
cygnus Anser (L.), J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 107.—Anas.
cygnus Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3260.
cygnus Vibrio, O. F. Müller, Verm. I (1) 1773, 47.
Cylinder P. L. S. Müller, Del. Nat. I. 1766, 129.—G.
cylindracea Bulla, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 100.
cylindraceum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 154 [*n. n.*].
cylindraceum Distoma, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 188.
cylindraceus Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 22.
cylindracea Musca, *id. ac* cylindricus Syrrhus, Fab., J. F. Gmelin in Linn. Syst. Nat.,
cylindracea Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 60. [ed. 13, I. 1790, 2873.
cylindraceus Salmo, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 80.
cylindracea Taenia, M. E. Bloch, Eingeweidewürmer, 1782, 14.
cydindraceous (*sic*) Turbo, E. M. da Costa, Brit. Conch. 1778, 89.
cylindraria Nereis, P. S. Pallas, Misc. Zool. 1766, 117; *varr.* capensis (118), belgica (122).
cylindrator Ichneumon, J. C. Fabricius, Mant. I. 1787, 267.
cylindrella Tinea, J. C. Fabricius, Gen. Ins. 1777, 295.
cylindricollis Cicindela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 63.
cylindricornis Brentus, J. C. Fabricius, Mant. I. 1787, 96.
cylindricornis Dermestes, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785,
cylindricornis Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 332. [315.
cylindricornis Nitidula, F. v. P. Schrank, F. Boica, I. 1798, 446.
cylindricornis Stenocorus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 146.
cylindrica Anguis, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 132.
cylindrica Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3349.
cylindricus Asilus, C. de Geer, Mém. Ins. VI. 1776, 249.
cylindricus Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 381.

- cylindrica* Blaps, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 185.
cylindricus Brachionus, F. v. P. Schrank, Beitr. Nat. 1776, 105.
cylindrica Bulla, G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 122.
cylindrica Bulla, J. G. Brugière, Ency. Méth. (Vers) (2) 1792, 371.
cylindrica Buprestis, J. C. Fabricius, Syst. Ent. 1775, 220. [1783, 108.
cylindricus Cancer, *id. ac* cylindrus, Fabr., J. F. W. Herbst, Vers. Nat. Krab. I (2—5)
cylindricus Cancer (Oniscus), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 146.
cylindricus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 132.
cylindricus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1992.
cylindricus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 394; ed. 12, 1767, 633.
cylindricus Clerus, J. R. Forster, Cat. Brit. Ins. 1770, 5 [*n. n.*].
cylindricus Conus, F. C. Meuschen, Mus. Gever. 1787, 368.
cylindrica Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 114.
cylindrica Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 71.
cylindricus Curculio, R. Townson, Trav. Hungary, 1797, 475.
cylindrica Cypraea, I. v. Born, Index Mus. Caes. Vind. 1778, 169.
cylindricus Elater, P. Rossi, Mant. Ins. I. 1792, 58.
cylindrica Empis, J. C. Fabricius, Ent. Syst. IV. 1794, 403.
cylindrica Formica, J. C. Fabricius, Suppl. Ent. Syst. 1798, 280.
cylindricus Hemerobius, O. F. Müller, Z. Dan. Prod. 1776, 146.
cylindricus Hylaeus, J. C. Fabricius, Ent. Syst. II. 1793, 302.
cylindricus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2700.
cylindricus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2712.
cylindrica Ips, A. G. Olivier, Entom. II. 1790, 9.
cylindrica Lepas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3213.
cylindrica Ligniperda (L.), J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 216.—
 Scarabaeus.
cylindricus Lucanus (L.), J. N. Laicharting, Tyrol. Ins. I. 1781, 4.—Scarabaeus.
cylindricus Lyctus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 18.
cylindrica Mantis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2048.
cylindrica Millepora, F. C. Meuschen, Mus. Gever. 1787, 512.
cylindrica Musca, C. de Geer, Mém. Ins. VI. 1776, 30.
cylindrica Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.
cylindrica Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 336.
cylindrica Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3722.
cylindrica Perla, C. de Geer, Mém. Ins. VII. 1778, 599.
cylindrica Phiseter, J. P. Bonnatere, Ency. Méth. (Cet.), 1789, 16.
cylindrica Phryganea, C. de Villers, Linn. Ent. III. 1789, 45.
cylindricus Prionus, J. C. Fabricius, Spec. Ins. I. 1781, 207.
cylindricus Ptilinus, O. F. Müller, Z. Dan. Prod. 1776, 81.
cylindrica Saperda (L.), J. C. Fabricius, Syst. Ent. 1775, 185.—Cerambyx.
cylindrica Saperda, J. N. Laicharting, Tyrol. Ins. II. 1784, 49.
cylindricus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 346; ed. 12, 1767, 544.
cylindrica Sciaena, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 42.
cylindrica Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 238.
cylindricus Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 4.—Bostrichus cylindrus.
cylindrica Spongia, G. Olivi, Zool. Adriat. 1792, 264.
cylindricus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2035.
cylindricum Synodendron (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 358.—Scarabaeus.
cylindricus Syrphus, J. C. Fabricius, Spec. Ins. II. 1781, 429.
cylindricus Tabanus, J. D. Preyßler in Mayer, Samm. Phys. Aufsätze, I. 1791, 63.
cylindricus Tenebrio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 144.
cylindricus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3572.
cylindrica Trogossita, G. A. Olivier, J. Nat. Hist. (Choix des Mém.) I. 1792, 266.
cylindrica Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2767.
cylindricus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 507.—Tinea cylindrella,
cylindrirostris Curculio, J. C. Fabricius, Syst. Ent. 1775, 137. [1777.
Cylindrites J. Gesner, Tract. Petref. 1758, 56.—G.

- cylindroides** Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1818.
- cylindroides** Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 41.
- Cylindrus** F. C. Meuschen, Mus. Gever. 1787, 368.—G.
- cylindrus** Astacus, J. C. Fabricius, Ent. Syst. II. 1793, 483.
- cylindrus** Bostrichus, J. C. Fabricius, Ent. Syst. I (2) 1792, 364.
- cylindrus** Cancer, J. C. Fabricius, Gen. Ins. 1777, 248.
- cylindrus** Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 172.
- cylindrus** Curculio, G. Paykull, Faun. Suec. III. 1800, 241.
- cylindrus** Leucosia, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer, 1777.
- cylindrus** Platypus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 129.—Bostrichus.
- cylindrus** Posydon, F. Weber, Nomen. Fabricii, 1795, 94.—Astacus.
- cylindrus** Scarites, J. C. Fabricius, Suppl. Ent. Syst. 1798, 44.
- Cylindus** P. L. S. Müller, Del. Nat. I. 1766, 129.—G.
- cyllaria** [Phalaena], P. Cramer, Utitl. Kapellen, III (21) 1779, 100.
- cyllarus** Hesperia (Esp.), J. C. Fabricius, Ent. Syst. III (1) 1793, 294.—Papilio.
- cyllarus** [Papilio], P. Cramer, Utitl. Kapellen, I (3) 1775, 43.
- cyllarus** Papilio, E. J. C. Esper, Schmett. I. 1777, 334.
- cyllarus** [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 2.
- cyllarus** [Papilio], J. A. B. Bergstraesser, Nom. Ins. III. 1779, 11.
- cyllidium** Trichoda, *err. pro cyclidium*, Müll., G. Adams, Ess. Micr. 1787, 595.
- Cylonium** J. C. Fabricius, Act. Soc. H. N. Paris, 1792, 31.—Col.
- Cymatium** J. F. Bolten, Mus. Bolten. (2) 1798, 129.—G.
- cymatium** Cabestana, J. F. Bolten, Mus. Bolten. (2) 1798, 130.
- cymba** Madrepora, F. C. Meuschen, Mus. Gever. 1787, 498.
- cymbaloidea** Medusa, M. Slabber, Nat. Verlust. [1770?], 99.
- cymbaloidea** Medusa, A. Modeer, Nova Acta Acad. Caes. VIII. App., 1791, 26.
- cymbeola** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 5 [*n. n.*].
- cymbiola** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3468.
- Cymbium** J. F. Bolten, Mus. Bolten. (2) 1798, 151.—G.
- cymbium** Argonauta, Linnaeus, Syst. Nat., ed. 10, 1758, 709; ed. 12, 1767, 1161.
- cymbium** Chaena (Spengl.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 20.—Gastrochaena.
- cymbium** Gastrochaena, L. Spengler, Nye Saml. K. Danske Skrifter, II. 1783, 182.
- cymbium** Globosa (L.), F. C. Meuschen, Mus. Gever. 1787, 380.—Voluta.
- cymbium** Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 733; ed. 12, 1767, 1196.
- cymela** [Papilio], P. Cramer, Utitl. Kapellen, II (11) 1777, 55.
- cymodoce** [Papilio], P. Cramer, Utitl. Kapellen, II (9) 1777, 5.
- Cymothoa** J. C. Fabricius, Ent. Syst. II. 1793, 503.—Cr.
- Cynaedus** L. T. Gronovius, Zooph. I. 1763, 60.—P.
- cynaedus** Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 288; ed. 12, 1766, 480.
- cynamolgos** Simia, *v. cynomolgos*.
- cynara** Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 118.
- cynara** Papilio, J. C. Fabricius, Gen. Ins. 1777, 266.
- cynara** [Phalaena], P. Cramer, Utitl. Kapellen, I (2) 1775, 23.
- cynara** Sphinx (*ex* Esper tab.), C. C. Jung, Alph. Verz. Schmett. 1791, 155.
- cynarae** Curculio, J. C. Fabricius, Mant. I. 1787, 98.
- cynata** Phalaena, J. C. Fabricius, Mant. Ins. II. 1787, 197 = cynara, Gen. Ins. 1777, 286
- “Cynchramus, Briss. 1760,” Waterh.; not used in a generic sense. [(Cr. sp.).
- cyncramus** Emberiza, [M. Tunstall], Orn. Brit. 1771, 2 [*n. n.*].
- cyniformis** Ichneumon, P. Rossi, Mant. Ins. I. 1792, 125.
- cynipedis** Ichneumon = cyniphidis, S. N. ed. 10, Linnaeus, Faun. Suec., ed. 2, 1761, 409.
- cynipedis** Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 389.—Ichneumon.
- cyniphidis** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 567.
- cynipiformis** Sphinx, E. J. C. Esper, Die Schmett. (Fortsetz. Abendschm.) 1783, 214.
- cynipiformis** Tenthredo, Mayer, Abh. Privatges. Böhmen. IV. 1779, 184.
- cynipis** Ichneumon, *id. ac* cynipedis, L., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
- Cynips** Linnaeus, Syst. Nat., ed. 10, 1758, 553; ed. 12, 1767, 917.—Hym. [2714.
- cynipsea** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 599; ed. 12, 1767, 997.
- Cynipsichneumon** J. L. Christ, Nat. Ins. 1791, 378.—Hym.

- cynira* Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 177.—Phalaena.
- cynira* [Phalaena], P. Cramer, Utitl. Kapellen, II (13) 1777, 89.
- Cynocephalus* (ex Klein) J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 579.—P.
- Cynocephalus* B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.—M.
- cynocephalus* Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 30.—Simia.
- cynocephalus* Cynocephalus (L.), E. Geoffroy & Cuvier, Mag. encyclop. III (12) 1795,
- cynocephalus* Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 38. [462.—Simia.]
- cynocephalus* Simia (Cercop.), L., R. Kerr, Anim. Kingd. 1792, 66.
- cynocephala* Siren, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 560.
- cynodon* Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 114.
- cynoglossus* Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 269; ed. 12, 1766, 456.
- cynomolgus* Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 28.—Simia.
- cynomolgus* Pithecus (L.), E. Geoffroy & Cuvier, Mag. encyclop. III (12) 1795, 462.—
- cynomolgus* Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 28; ed. 12, 1766, 38. [Simia.]
- cynomologus* Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 65.
- cynomorium* Pennatula, P. S. Pallas, Elench. 1766, 373.
- cynophila* Musca, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 22.
- cynorrhodon* Conus, F. C. Meuschen, Mus. Gev. 1787, 364.
- cynorta* Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 37.
- Cynos* E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 457.—M. [= Hippopotamus].
- cynobana* *Pyralis*, *id. ac* cynosbatella Phalaena, J. C. Fabricius, Syst. Ent. 1775, 654.
- cynosbatella* Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 536; ed. 12, 1767, 887.
- cynosbati* Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 558; ed. 12, 1767, 927.
- cynosbatis* Cicada, J. C. Fabricius, Syst. Ent. 1775, 686.
- cynosuros* Simia, J. A. Scopoli, Del. Insub. I. 1786, 44.
- cynosurus* Simia (Cercop.) Scop., R. Kerr, Anim. Kingd. 1792, 63.
- cynthia* Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 30.—Phalaena.
- cynthia* Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 179.
- cynthia* Papilio, N. P., E. J. C. Esper, Die Schmett. I (9) 1779, 347.
- cynthus* [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 52.
- cynthia* Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 10.
- cynthia* [Phalaena], P. Cramer, Utitl. Kapellen, I (4) 1775, 62.
- cyparissa* [Papilio], P. Cramer, Utitl. Kapellen, I (4) 1775, 63.
- cyparissiae* Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 556.
- cyparissias* Papilio, J. C. Fabricius, Gen. Ins. 1777, 257.
- Cyphoma* J. F. Bolten, Mus. Bolten. (2) 1798, 21.—G.
- Cyphon* G. Paykull, Faun. Suec. II. 1799, 117.—Col.
- Cypraea* Linnaeus, Syst. Nat., ed. 10, 1758, 718; ed. 12, 1767, 1172.—G.
- cypraea* Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 728; ed. 12, 1767, 1185.
- cypraea* Papilio, J. C. Fabricius, Mant. II. 1787, 22.
- Cypraea* P. Brown, Hist. Jamaica, ed. 2, 1789, 410.—G.
- cypri* Curculio, Linnaeus in Hasselquist, Palast. 1762, 449.
- cypri* Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1801.
- cypria* Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3698.
- cyprianus* Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [n. n.].
- cyprinaceum* Distoma, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 181.
- cyprinacea* Festucaria, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 122.
- cyprinaceus* Labrus, G. Shaw in White, Journ. N.S.W. 1790, 264.
- cyprinacea* Lernaea, Linnaeus, Syst. Nat., ed. 10, 1758, 655; ed. 12, 1767, 1093.
- cyprini* Rhytelminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 220.
- Cyprinis* v. *Cyprinus*, S. G. Gmelin, Reise Russ. I. (1770), 59.—P.
- cyprinoides* Charax, F. C. Meuschen, Mus. Gronov. 1778, 38.
- cyprinoides* Clupea, P. M. A. Broussonet, Ichth. 1782.
- cyprinoides* Gobius, P. S. Pallas, Spic. Zool. VIII. 1770, 17.
- cyprinoides* Mormyrus, Linnaeus, Syst. Nat., ed. 10, 1758, 327; ed. 12, 1766, 522.
- cyprinoides* Salmo, Linnaeus, Syst. Nat., ed. 12, 1766, 514.
- Cyprinus* Linnaeus, Syst. Nat., ed. 10, 1758, 320; ed. 12, 1766, 525; [Artedi, Ichth. 1738,
- Cypris* O. F. Müller, Z. Dan. Prod. 1776, xxvii & 198.—Cr. [gen. iii, 2.]—P.

- cypris Kerona, O. F. Müller, An. Infus. 1786, 236.—Trichoda, 1773.
- cipris [Papilio], P. Cramer, Uitl. Kapellen, II (9) 1777, 5.
- cypris Trichoda, O. F. Müller, Verm. I (1) 1773, 91.
- cyprius Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 1969.
- Cypsela J. G. Meigen, N. Class. Mouches, 1800, 31.—Dip.
- cyrene Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 474.
- cyrillus Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VIII. 1796, 165.
- cyrhatus *v.* cirrhatus.
- “Cyrtodaire” F. M. Daudin, Bull. Sci. Soc. Philom. [Paris], no. 22, Jan. 1799, 170 [verna-
Cyrtodaria G. Cuvier, Leçons Comp. Anat. I. 1800, 5 [n. n.].—L. [cular].—L.
- Cyrtus P. A. Latreille, Préc. Car. Ins. 1796, 154.—Dip.
- cyrus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 7.
- cyssesus [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 124.
- cystica Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 101.
- Cystidicola G. Fischer, Mém. respir. Anim. &c. 1798, 91.—Ver.
- Cystidicola G. Fischer, Journ. de Phys. IV. 306 (1798).—Ver.
- cythara Harpa, J. F. Bolten, Mus. Bolten. (2) 1798, 150.
- Cythere O. F. Müller, Entom. 1785, 63.—Cr.
- Cytherea J. C. Fabricius, Ent. Syst. IV. 1794, 413.—Dip.
- Cytherea J. F. Bolten, Mus. Bolten. (2) 1798, 177.—L.
- cytherea Bombyx, J. C. Fabricius, Syst. Ent. 1775, 557.
- cytherea Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 75.
- cytherea Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 481; ed. 12, 1767, 785.
- cytherea Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 57.
- cytheris [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 7.
- cythisaria Geometra, [Denis & Schiffermüller]. Schmett. Wien, 1775, 97. [n. et f.].
- cythisaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 2
- cythisaria Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 26.—Geometra.
- cytisi Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 15.
- daobie Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 102.
- Dacne P. A. Latreille, Préc. Car. Ins. 1796, 12.—Col.
- dactyli Tenthredo, Linnaeus in Hasselquist, Palast. 1762, 467.
- “Dactylites Bertrand, 1763,” Scudd.; not used in a generic sense.
- Dactylus F. C. Meuschen, Cat. Coll. Coq. Oudaan, 1766, 61 [n. n.].—G.
- Dactylus [G. Humphreys], Mus. Calonn. 1797, 9.—G.
- dactylus Cardita, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 412.
- dactylus Hypogaoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 251 & 257.—Pholas.
- dactylus Pholas, Linnaeus, Syst. Nat., ed. 10, 1758, 669; ed. 12, 1767, 1110.
- dactylus Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1188.
- dädale [Papilio], J. A. B. Bergstraesser, Nom. Ins. IV. 1783, 44.
- daedalea Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 82.
- daedalea Madrepora, P. Forskal, Descr. Anim. 1775, 133.
- daedalea Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 203.
- daedalea Voluta, A. A. H. Lichtenstein, Cat. rerum Nat. II. 1794, 47. [I. 1790, 3773-
daedalica Madrepora, *id.* ac daedalea, Forsk., J. F. Gmelin in Linn. Syst. Nat., ed. 13,
daedalus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 11.—Scarabaeus, 1792.
- daedalus Papilio, J. C. Fabricius, Syst. Ent. 1775, 482.—See *dedalus*.
- daedalus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 7.
- daemon Anthrax, G. W. F. Panzer, Ins. Germ. heft 45 [1797], tab. 17.
- “Dagysa, Banks & Soland. 1773,” Ag.; I cannot trace this genus.
- daldorfana Pyralis, J. C. Fabricius, Mant. II. 1787, 235.
- daldorfii Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 2178.
- daldorfii Lamia, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 136.
- daldorfii Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 1536.
- daldorfiana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 530.

- dalmatica Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 920.
Dama G. Edwards in M. Catesby, Carol. I. 1771, xxviii.—M.
dama Antilope, P. S. Pallas, Misc. Zool. 1766, 5.
dama Cervus, Linnaeus, Syst. Nat., ed. 10, 1758, 67; ed. 12, 1766, 93.
dama Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 92.
dama Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 32.
dama Lucanus, J. C. Fabricius, Syst. Ent. 1775, 2.
dama Lucanus, O. F. Müller, Z. Dan. Prod. 1776, 52.
dama Noctua, J. C. Fabricius, Syst. Ent. 1775, 596.
dama Purpura, F. C. Meuschen, Mus. Gever. 1787, 310.
dama Scarites, P. Rossi, Mant. Ins. I. 1792, 92.
damaetas Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 183.
damaretta Bombyx, C. C. Jung, Alph. Verz. Schmett. 1791, 157.
damascena Perdix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 210.
damascenus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 758.
damascialis Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 188.
damiatica Anas, Linnaeus in Hasselquist, Palast. 1762, 318.
damicornis Cerambyx, Linnaeus, Mant. II. 1771, 532.
damicornis Cerambyx, C. de Geer, Mém. Ins. V. 1775, 97.
damicornis Cerambyx, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 237.
damicornis Madrepora (Linn.), P. S. Pallas, Elench. 1766, 334.—Millepora.
damicornis Millepora, Linnaeus, Syst. Nat., ed. 10, 1758, 791.—[Madrepora, ed. 12.]
damicornis Prionus (L.), J. C. Fabricius, Syst. Ent. 1775, 162.—Cerambyx.
damicornis Spongia, E. J. C. Esper, Pflanzenth., Forts. II (9) 1798, 21.
damicornis Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 249.
damicornis Tillus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 117.
damocles Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 41.
damoetes Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 303.—Papilio, 1775.
damoetes Papilio, J. C. Fabricius, Syst. Ent. 1775, 526.
daron Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 293.—Papilio.
daron Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 182.
daron [Papilio], J. A. B. Bergstraesser, Nom. Ins. III. 1779, 12.
daron [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 2.
daron [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 208.
daron [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 170.
damone Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 469; ed. 12, 1767, 763.
demonia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (27) 1780, 71.
dan Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 341.—Papilio, 1787.
dan Papilio, J. C. Fabricius, Mant. II. 1787, 88.
danae Libellula, J. H. Sulzer, Gesch. Ins. 1776, 169.
danae Papilio, J. C. Fabricius, Syst. Ent. 1775, 476.
danae [Papilio], P. Cramer, Utitl. Kapellen, I (7) 1775, 131.
danais Cicada, J. C. Fabricius, Suppl. Ent. Syst. 1798, 520.
danais Cercopis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 102.
Danaus v. **Papilio**.
danicum Acridium (L.), O. F. Müller, Z. Dan. Prod. 1776, 100.—Gryllus.
danica Cicindela, O. F. Müller, F. Ins. Frid, 1764, 18.
danicus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2159.
danicus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1778.
danicus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1955.
danica Ephemera, O. F. Müller, F. Ins. Frid. 1764, 63.
danicus Gadus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 367.
danicus Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 12, 1767, 702.
danicus Falco, J. Latham, Syn. Birds, Suppl. I. 1787, 281.
danicus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 181.
danis [Papilio], P. Cramer, Utitl. Kapellen, I (6) 1775, 111.
dante Bos, H. F. Link, Beytr. Nat. I (2) 1795, 95.
dantic Vespa, P. Rossi, Fauna Etrus. II. 1790, 89.

- danubialis** Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 637.
danubialis Curculio, F. v. P. Schrank, Ins. Aust. 1781, 113.
danubialis Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1762.
danubialis Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3668.
danum [Sphinx], P. Cramer, Utitl. Kapellen, III (19) 1779, 53.
Daphne O. F. Müller, Z. Dan. Prod. 1776, xxvii & 199.—Cr. [parts of certain Arcae.
Daphne J. X. Poli, Test. Sicil. I. 1791, Introd. 33.—A generic term applied to the fleshy
daphne Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 177.
daphnella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 136.
Daphnia ohm **Daphne** O. F. Müller, Entom. 1785, 79.—Cr.
daphnis [Papilio], P. Cramer, Utitl. Kapellen, I (5) 1775, 89.
daphnis Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 182.
daphnis [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 1.
[daphnis Papilio, MS.], T. Martyn, Psyche, 1797, fig. 8.
Daphnoderma J. X. Poli, Test. Sicil. II. 1795, 255 & 260.—L.
daphlidice Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 468; ed. 12, 1767, 760.
dardanus [Papilio]. P. Cramer, Utitl. Kapellen, I (2) 1775, 25. *†(xvii) t. i. q. s. e. o. f.*
dardanus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 10.
dardus Papilio, J. C. Fabricius, Mant. II. 1787, 30.
dares [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 42.
dares [Sphinx], P. Cramer, Utitl. Kapellen, I (4) 1775, 76.
darita Gracula, *err. pro* barita, L. [M. Houttuyn], Nat. Hist. I (4) 1762, 341.
darius Papilio, J. C. Fabricius, Syst. Ent. 1775, 482.
dartfordiensi Sylvia, J. Latham, Syn. Birds, Suppl. I. 1787, 287.
Dascillus P. A. Latreille, Préc. Car. Ins. 1796, 43.—Col.
Dasybatus (*ex* Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 581.—P.
Dasycerus Al. Brongniart, Bull. Sci. Soc. Philom. [Paris], no. 39, 1800, 115.—Col.
Dasypus Linnaeus, Syst. Nat., ed. 10, 1758, 50; ed. 12, 1766, 53.—M.
dasypus Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 208.
dasypus Cataphractus, F. C. Meuschen, Mus. Gronov. 1778, 3.
dasypus Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 279.
dasypus Locusta, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 144.
dasypus Strix, M. B. Borkhausen, Deutsch. Fauna, I. 1797, 160.
dasyles G. Paykull, Faun. Succ. II. 1799, 156.—Col.
Dasyurus E. Geoffroy, Mag. encyclop. 1796, III (12), 469.—M.
Dasyurus B. G. E. de Lacépède, Tabl. Mamm. 1799, 5.—M.
Daubentonia Geoffroy, Décad. phil. et litt. (no. 28, 10 pluv. An. 3) 1795, 195.—M.
daubentonii Sorex, J. C. P. Erxleben, Syst. Anim. 1777, 124.
daubentonii Tarsius, E. Geoffroy, Mag. encyclop. I (1) 1796, 49.
daucella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 137.
dauci Aphis, J. C. Fabricius, Syst. Ent. 1775, 737.
dauci Musca, J. C. Fabricius, Mant. II. 1787, 353.
daucus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 651.
daucus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 47 [*n. n.*].
daucus [Sphinx], P. Cramer, Utitl. Kapellen, II (11) 1777, 41.
dauma Turdus, J. Latham, Index Orn. 1790, 363.
daunius Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) IX. 1798, 184.
daunus [Papilio], P. Cramer, Utitl. Kapellen, II (11) 1777, 44.
[dauricus]—
dauricus Astacus, P. S. Pallas, Spic. Zool. IX. 1772, 81.
dauricus Attelabus, E. Laxmann, Nov. Comm. Sci. Petrop. XIV (1) 1770, 595.
daurica Blatta, E. Laxmann, Sibir. Briefe, 1769, 48.
dauricus Corvus, P. S. Pallas, Reise Russ. III. 1776, 694.
dauricus Corvus, R. Kerr, Anim. Kingd. 1792, *var.* fuscescens, 633.
dauricus Gryllus, E. Laxmann, Nov. Comm. Sci. Petrop. XIV (1) 1770, 597.
daurica Hirundo, Linnaeus, Mant. II. 1771, 528.
dauricus Lepus, P. S. Pallas, Reise Russ. III. 1776, 692.
daurica Libellula, Boeber in Reich's Mag. Thierreichs, I. 1793, 136.

- dauricus** Silurus, P. S. Pallas, Nova Acta Ac. Sci. Petrop. I. 1787, 359.
dauricus Sturmus, P. S. Pallas, K. Vet. Ac. Handl. XXXIX. 1778, 198.
dauricus *v.* **dauricus**.
dauus Papilio, J. C. Fabricius, Gen. Ins. 1777, 259.
dauidis Harpa, J. F. Bolten, Mus. Bolten. (2) 1798, 150.
dauidis Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 88.
daviesii Cerambyx (Lamia), K. Vet. Ac. Nya Handl. VIII. 1787, 195.
daviesii Curculio, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 194.
daviesii Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 469.
davilae Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 66.
davus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 221.
dea Alcedo, Linnaeus, Syst. Nat., ed. 10, 1758, 116; ed. 12, 1766, 181.
dealbaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 214 [*n. et f.*].
dealbator Apis, J. L. Christ, Nat. Ins. 1791, 181.
dealbata Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 210.
dealbatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1806.
dealbata Distorsio, J. F. Bolten, Mus. Bolten. (2) 1798, 134.
dealbatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2678.
dealbata Mactra, R. Pulteney, Cat. Birds &c. Dorset, 1799, 31.
dealbata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 870.
dealbata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 35.
dealbatus Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3523.
dealbata Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 334.
dealbata Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2666.
dealbata Tenthredo, J. L. Christ, Nat. Ins. 1791, 442.
dealbata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3295.
dealbella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
dearticulata Vespa, A. F. de Fourcroy, Ent. Paris, 1785, 437.
deaurata Buprestis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1934.
deauratus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2704.
deaurata Noctua, E. J. C. Esper, Die Schmett. IV (41) 1790, 203.
deaurata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3719.
deaurata Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 188.
debellator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 333.
decacnemus Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 56.
Decacnimos C. F. Schultze, Verst. Seest. 1760, 53.—Crin.
Decactis C. F. Schultze, Verst. Seest. 1760, 51.—Ast.
decadactylos Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3191.
decadactylus Polynemus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 26.
decapitatum Cerion, J. F. Bolten, Mus. Bolten. (2) 1798, 90.
decastigma *v.* **decastigma**.
decemguttata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 288.
decemguttatus Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 51.
decemguttatus Carabus, Linnaeus, Mus. Lud. Ulr. 1764, 96.
decemguttata Coccinella, Linnaeus, Syst. Nat., ed. 12, 1767, 583.
decemguttata, var. minor Coccinella, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 263.
decemguttata, var. major Coccinella, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 264.
decemguttatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 115.
decemguttata Nitidula, A. G. Olivier, Entom. II. 1790, 10.
decemguttella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 311.
decemmaculatus Cerambix (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1860.—Stenocorus.
decemmaculata Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 375; ed. 12, 1767, 599.
decemmaculata Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 105. [cephala.
decemmaculata Chrysomela (Fourc.), C. de Villers, Linn. Ent. I. 1789, 158.—Crypto-
decemmaculata Chrysomela, G. W. F. Panzer, in Voet, Hartschaal. Insekt. IV. 1797,
decemmaculata Coccinella, Scopoli, Ent. Carn. 1763, 81. [33.
decemmaculata Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 98.

- decimmaculatus** *Cryptocephalus*, J. C. Fabricius, Syst. Ent. 1775, 106.
decemmaculatus *Cryptocephalus*, A. F. de Fourcroy, Ent. Paris. 1785, 93.
decemmaculatum *Phalangium*, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 240.
decemmaculata *Pyrochroa*, J. C. Fabricius, Ent. Syst. I (2) 1792, 105.
decemmaculatus *Stenocorus*, J. C. Fabricius, Syst. Ent. 1775, 181.
decemnodia *Ceria*, Scopoli, Ent. Carn. 1763, 351.
decemnotatus *Cryptocephalus*, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 47.
decempunctata *Aranea*, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778,
decempunctata *Buprestis*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 136. [292.
decempunctatus *Cerambyx*, C. de Geer, Mém. Ins. V. 1775, 78.
decempunctata *Chrysomela*, Linnaeus, Syst. Nat., ed. 10, 1758, 371; ed. 12, 1767, 590.
decempunctata *Chrysomela*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1673.
decempunctata *Coccinella*, Linnaeus, Syst. Nat., ed. 10, 1758, 365; ed. 12, 1767, 581.
decempunctata *Coccinella*, Linnaeus, Syst. Nat., ed. 10, 1758, 368; ed. 12, 1767, 585.—
decempunctata *Coccinella* (Linn.), Scopoli, Ent. Carn. 1763, 76.—*Chrysomela*. [Col.
decimpunctata *Coccinella*, *err. pro* novempunctata, Linn. J. C. Fabricius, Syst. Ent.
 1775, 81.
decimpunctatus *Cryptocephalus* (L.), J. C. Fabricius, Syst. Ent. 1775, 111.—*Chryso-*
decimpunctatus *Dytiscus*, J. C. Fabricius, Syst. Ent. 1775, 232. [mela.
decempunctata *Leptura*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1875.
decempunctata *Leptura*, A. G. Olivier, Entom. IV. 1795, 26.
decempunctatus *Meloe* (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2018.—
decempunctata *Mylabris*, J. C. Fabricius, Spec. Ins. I. 1781, 331. [Mylabris.
decempunctata *Phalaena* (Noct.), C. de Villers, Linn. Ent. II. 1789, 273.
decempunctatus *Scarabaeus*, J. G. Schaller, Abh. Hallischen Nat. Ges. I. 1783, 237.
decempunctatus *Trichius*, F. v. P. Schrank, F. Boica, I. 1798, 414.
decempustulata *Chrysomela*, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 44.
decempustulata *Chrysomela*, J. C. Fabricius, Ent. Syst. I (1) 1792, 312.
decempustulata *Coccinella*, Linnaeus, Syst. Nat., ed. 10, 1758, 368; ed. 12, 1767, 585.
decempustulata *Coccinella err. pro* duodecimp-, J. C. Fabricius, Ent. Syst. I (1) 1792,
decemradiata *Ostrea*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3329. [290.
decemstriata *Chrysomela*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1688.
decemstriatus *Hister*, P. Rossi, Mant. Ins. I. 1792, 13.
deceptor *Carabus*, F. A. A. Meyer, Zool. Archiv (1) 1796, 238.
deceptor *Ichneumon*, Scopoli, Ent. Carn. 1763, 284.
deceptoria *Musca*, N. Poda, Ins. Mus. Graec. 1761, 116.
deceptoria *Phalaena*, Scopoli, Ent. Carn. 1763, 214.
deceptoria *Phalaena* (Geom.), C. de Villers, Linn. Ent. II. 1789, 327.
dechotoma *Isis* (Linn.)=*dichotoma* Pallas, Syst. Plant.-Dier. 1768, 286.
decies digitatus *Echinodiscus*, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 209.
decimalis *Phalaena* (Geom.), N. Poda, Ins. Mus. Graec. 1761, 92.
decimalis *Pyralis*, [Denis & Schiffermüller], Schmett. Wien, 1775, 119.
decimana *Pyralis* (D. & S.), J. C. Fabricius, Mant. II. 1787, 230.—*Tortrix*.
decimana *Tortrix*, [Denis & Schiffermüller], Schmett. Wien, 1775, 317.
decimaquarta *Cicada*, F. v. P. Schrank, Beitr. Nat. 1776, 76.
decipiens *Scarabaeus*, F. v. P. Schrank, F. Boica, I. 1798, 382.
decius [*Papilio*], P. Cramer, Uitl. Kapellen, II (10) 1777, 26.
declivis *Mya*, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 66.
declivis *Trochus*, J. F. Bolten, Mus. Bolten. (2) 1798, 82.
declivis *Turbo*, P. Forskal, Descr. Anim. 1775, 126.
decollatus *Bulimus* (L.), J. G. Bruguière, Ency. Méth. (Vers), (1) 1789, 326.—*Helix*.
decollatus *Cerion* (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 91.—*Helix*.
decollatum *Cerithium* (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 501.—*Murex*.
decollata *Helix*, Linnaeus, Syst. Nat., ed. 10, 1758, 773; ed. 12, 1767, 1247.
decollatus *Murex*, Linnaeus, Syst. Nat., ed. 12, 1767, 1226.
decollatus *Rhinoceros*, F. C. Meuschen, Mus. Gever. 1787, 266.—*Helix*.
decolorata *Geometa*, J. Hübner, Europ. Schmett. (Geom.) [me justice 1796], fig. 243 [*n. et f.*].
decolorata *Phalaena*, A. F. de Fourcroy, Ent. Paris. 1785, 294.

- decolorata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 385.
 decolorata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
 decolorata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2497.
 decolora Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 380.
 decoraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 71 [*n. et f.*].
 decorator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 195.
 decoratorius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 333.
 decorata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 117.
 decorata Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 256.
 decorata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
 decorata Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
 decore Musca, M. Harris, Exp. Eng. Ins. 1776, 146. [461.—Geometra.
 decorticaria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 327.
 decora Bombyx (L.), J. C. Fabricius, Spec. Ins. II. 1781, 186.—Phalaena.
 decora Buprestis, J. C. Fabricius, Syst. Ent. 1775, 217.
 decorum Callidium, A. G. Olivier, Entom. IV. 1795, 63.
 decorus Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 154.
 decorus Cerambyx, A. G. Olivier, Entom. IV. 1795, 128.
 decora Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 63.
 decorus Curculio, J. C. Fabricius, Syst. Ent. 1775, 146.
 decora Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 62.
 decora Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 313.
 decora Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 701.
 decora Phalaena (Noctua), Linnaeus, Mus. Lud. Ulr. 1764, 382. [—Noctua.
 decostigma Buprestis, J. C. Fabricius, Mant. I. 1787, 180.
 decrepita Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 125.
 decumana Clytra, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 126.
 decumanus Mus, P. S. Pallas, Nov. Spec. Quad. II. 1779, 91.
 decumanus Xanthornus, P. S. Pallas, Spic. Zool. VI. 1769, 1.
 decuriella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 35.
 decurtatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1747.
 decussana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 406.—Pyralis.
 decussana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 647.
 decussaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 213 [*n.*
 decussata Anguis, J. N. Laurenti, Syn. Rept. 1768, 72. [*et f.*].
 decussata Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 694; ed. 12, 1767, 1142.
 decussatum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 736; ed. 12, 1767, 1199.
 decussata Cassida, J. C. Fabricius, Syst. Ent. 1775, 93.
 decussata Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 320.
 decussata Cassidea (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 425.—Buccinum.
 decussata Cassis (L.), F. C. Meuschen, Mus. Gever. 1787, 392.—Buccinum.
 decussatum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 489.
 decussata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 107.
 decussatus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 109.
 decussata Millepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 131.
 decussatus Murex, F. C. Meuschen, Mus. Gever. 1787, 332.
 decussatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3527.
 decussata Paphia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 176.—Venus.
 decussata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3723.—Geometra.
 decussata Phalaena, E. Donovan, Brit. Ins. VIII. 1799, 38. [275.—Geometra.
 decussata Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
 decussata Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3745.
 decussata Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 690; ed. 12, 1767, 1135.
 decussata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3454.
 dedalus [Papilio], P. Cramer, Utit. Kapellen, I (1) 1775, 1.—See *daedalus*.
 dedalus Papilio, Giorna, Cal. Ent. 1791, 38.—See *daedalus*.
 deduco Musca, M. Harris, Exp. Eng. Ins. 1776, 120.
 deduco Musca, M. Harris, Exp. Eng. Ins. 1776, 125.

- defensor** Cancer, J. C. Fabricius, Mant. I. 1787, 318.
- defensor** Cimex, J. C. Fabricius, Syst. Ent. 1775, 706.
- defensor** Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 130.—Cimex, 1775.
- defensor** Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 335.
- defensor** Portunus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer, 1787.
- defensorius** Ichneumon, C. de Villers, Linn. Ent. III. 1789, 156.
- deflagratus** Syrphus, J. D. Preyßler in Mayer's Samml. Phys. Aufsätze, III. 1793, 369.
- deflexus** Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 310.
- deflexa** Patella, I. v. Born, Index Mus. Cæs. Vind. 1778, 439.
- deflexa** Patella, G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 108.
- deflorata** Asaphis (L.), A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 182.—Venus.
- deflorata** Bombyx, J. C. Fabricius, Syst. Ent. 1775, 582.
- deflorata** Hyblaea, J. C. Fabricius, Ent. Syst. III (2) 1794, 127.
- deflorata** Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
- deflorata** Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 687; ed. 12, 1767, 1133.
- [**defloriana** Phalaena (B.) MS.], T. Martyn, Psyche, 1797, figs. 78 & 79.
- defoliaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 182 [*n. et*].
- defoliaria** [Phalaena], C. Clerck, Icones, I. 1759, pl. vii, 4. [*f.*].
- defoliaria** Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 326.
- deformatus** Cimex, Herbst, Einl. Ins. I. 1784, 256.
- deformis** Murex, D. Solander in G. Brander, Foss. Hant. 1766, 22.
- deganira** Papilio, *err. pro* dejanira, L., J. C. Fabricius, Mant. II. 1787, 38.
- degeerella** Alucita (L.), J. C. Fabricius, Syst. Ent. 1775, 669.—Phalaena.
- de Geerella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 540; ed. 12, 1767, 895.
- degeerella** Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 328.
- degeeriaria** Geometra, C. C. Jung, Alph. Verz. Schmett. 1791, 163.
- de-geerii** Aranea, Scopoli, Ent. Carn. 1763, 395.
- degener** Apis, J. A. Scopoli, Annus IV. 1770, 13.
- degener** Buprestis (Scop.), M. Piller & L. Mitterpacher, Iter Poseg. 1783, 37.—Elater.
- degener** Elater, Scopoli, Ent. Carn. 1763, 95.
- degener** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 70.
- degener** Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 170.—
- degener** Tenthredo, J. L. Christ, Nat. Ins. 1791, 438. [Noctua.
- degener** Tipula, Scopoli, Ent. Carn. 1763, 323.
- degenerana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 8 [*n. et f.*].
- degeneraria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 57 [*n.*].
- deglupta** Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 175. [*et f.*].
- degus** Myoxus (Mol.), J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 479.—
- degus** Sciurus, G. I. Molina, Sag. stor. nat. Chili, 1782, 303. [Sciurus.
- dejanira** Papilio, *v. dejanira*.
- deiphobus** Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 459; ed. 12, 1767, 746.
- dejanira** (*sic*) Papilio (Nymphalis), Linnaeus, Mus. Lud. Ulr. 1764, 282.
- dejectus** Musca, M. Harris, Exp. Eng. Ins. 1776, 120.
- dejopea** Bombyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 44.
- delator** Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 185.
- delectataria** Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 6.
- delectans** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 47.
- detector** Asilus, M. Harris, Exp. Eng. Ins. 1776, 64.
- deleta** Alca, M. T. Brännich, Orn. Boreal. 1764, 25.
- deleta** Arca, D. Solander in G. Brander, Foss. Hant. 1766, 39.
- delia** Noctua, J. C. Fabricius, Mant. II. 1787, 140.
- delia** Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 179.
- delia** [Papilio], P. Cramer, Uitl. Kapellen, III (23) 1780, 144.
- delia** [Papilio], J. A. B. Bergstraesser, Nom. Ins. IV. 1780, 20.
- [**delia** Papilio, MS.], T. Martyn, Psyche, 1797, figs. 28 & 29.
- deliana** [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 160.
- delicate** Musca, M. Harris, Exp. Eng. Ins. 1776, 118.
- delicatissima** Iguana, J. N. Laurenti, Syn. Rept. 1768, 48.

- delicatulus** Moschus, G. Shaw, Mus. Lever. I. 1792, 149.
delicatula Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 39.
delila Papilio, J. C. Fabricius, Syst. Ent. 1775, 510.
delila Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 234.
deliquiae Solen, F. C. Meuschen, Mus. Gever. 1787, 474.
delirator Cimex, J. C. Fabricius, Mant. II. 1787, 286.
delirator Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 130.—Cimex, 1787.
deliratorius Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 562; ed. 12, 1767, 932.
delius [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 18.
Delphax (ex Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 579.—M.
Delphax J. C. Fabricius, Suppl. Ent. Syst. 1798, 511.—Hem.
delphinii Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 610.—Phalaena.
delphinii Phalaena Noct., Linnaeus, Syst. Nat., ed. 10, 1758, 518; ed. 12, 1767, 857.
Delphinus Linnaeus, Syst. Nat., ed. 10, 1758, 77; ed. 12, 1766, 108.—M.
delphinus Angaria (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 71.—Turbo.
delphinus Argulus, O. F. Müller, Entom. 1785, 123.
delphinus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3005.—
delphinus Trichoda, O. F. Müller, Verm. I (1) 1773, 75. [Argulus].
delphinus Turbinis (L.), F. C. Meuschen, Mus. Gever. 1787, 280.—Turbo.
delphinus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 764; ed. 12, 1767, 1236.
delphinus Unio, L. Spengler, Skr. nat. Selsk. [Copen.] III (1) 1793, 63.
delphis Delphinus, Linnaeus, Syst. Nat., ed. 10, 1758, 77; ed. 12, 1766, 108.
delphis Trichoda, O. F. Müller, An. Infus. 1786, 211.
delta Cetonia (Fab.), A. G. Olivier, Entom. I. 1789, 64.—Trichius.
delta Scarabaeus, J. R. Forster, N. Sp. Ins. 1771, 7.
delta Scarabaeus, D. Drury, Ill. Nat. Hist. II. 1773, index & 53.
delta Trichius (Forst.), J. C. Fabricius, Syst. Ent. 1775, 41.—Scarabaeus.
delubrorum Turdus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [n. n.].
delunaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 34 [n. et
delunaria Geometra, J. Hübner, Europ. Schmett. 5 Horde [me judice 1800], 24. [f.].
delusor Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 564; ed. 12, 1767, 934.
demandaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (4) [1795], 104; = de-
demandata Musca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 564. [mandata, Fab.
demandata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 630.
demarriana [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 138.
demersa Aptenodytes (L.), J. A. Forster, Comm. Soc. R. Sci. Gott. III. 1781, 134.—
 Diomedea.
demersa Diomedea, Linnaeus, Syst. Nat., ed. 10, 1758, 132; ed. 12, 1766, 214.
demersus Pelecanus, T. Pennant in Forster, Ind. Zool. 1781, 42 [n. n.].
demersus Phaëthon, Linnaeus, Syst. Nat., ed. 10, 1758, 135; ed. 12, 1766, 219.
demetrius [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 196.
deminuta Stryx, P. S. Pallas, Reise Russ. II. 1773, 707.
democratica Biphora (Forsk.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 180.—Salpa.
democratica Salpa, P. Forskal, Descr. Anim. 1775, 113.
democritus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 285.
demodocus Papilio E. A., E. J. C. Esper, Ausl. Schmett. (14) 1798, 205.
demoleus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 464; ed. 12, 1767, 753.
demolion [Papilio], P. Cramer, Utitl. Kapellen, I (8) 1776, 140.
demophile Papilio, Linnaeus, Amoen. Acad. VI. 1763, 406.
demophile [Papilio], C. Clerck, Icones, II. 1764, pl. xxviii.
demophon Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 464; ed. 12, 1767, 753.
“dendrites Graptolithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 173.
dendrites Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17 [n. n.].
dendrites Tamarindiformis, F. C. Meuschen, Mus. Gever. 1787, 412.
dendriticus Alyselminthus, J. G. H. Zeber in Goetze, 1 Nachtr. Eingeweidewürm. 1800,
dendritica Taenia, J. A. E. Goetze, Eingeweidewürm. 1782, 332. [268].
denigrator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 563; ed. 12, 1767, 934.
denigratus Attelabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1809.

- denigratus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1992.
denigrata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1699.
denigrata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2112.
denigratus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2187.
denigratus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2194.
denigratus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1717.
denigratus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1771.
denigratus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1958.
denigrata Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 103.
denigrata Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 981.
denigrata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
denisella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 138.
denotata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2490.
denressa *v. depressa*.
densana Phalaena Tort., C. de Villers, Linn. Ent. II. 1789, 416.
densata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 304.
densa Beroe, Forsk., A. Modeer, K. Vet. Ac. Nya Handl. XI. 1790, 45.—Medusa beroe. [zar.
Dentale E. M. da Costa, Brit. Conch. 1778, 24.—G.
Dentale, *id. ac* Dentalium G. Walker & W. Boys, Test. Min. Rar. [1784], 4.
dentalis Dentalium, Linnaeus, Syst. Nat., ed. 10, 1758, 785; ed. 12, 1767, 1263.
dentalis Phalaena, J. C. Fabricius, Syst. Ent. 1775, 645.
dentalis Phalaena Pyralis, J. Hübner, Beitr. Schmett. I (4) 1789, 15.
dentalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 120.
Dentalium Linnaeus, Syst. Nat., ed. 10, 1758, 785; ed. 12, 1767, 1263.—Moll.
dentala Apis, M. Harris, Exp. Eng. Ins. 1776, 161.
dentalus Brachionus, O. F. Müller, An. Infus. 1786, 348.
dentalum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 489.
dentalus Scorpio, J. F. W. Herbst, Nat. ungefl. Ins. (4) 1800, 54.
dentana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 4 [*n. et f.*].
dentaria Geometra (Fab.), C. P. Thunberg, Ins. Suecica (1) 1784, 5.—Phalaena.
dentaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 12 [*n. et f.*].
dentaria Geometra, J. Hübner, Europ. Schmett. 5 Horde [me judice 1800], 18.
dentaria Phalaena, J. C. Fabricius, Syst. Ent. 1775, 623.
dentaria Phalaena Geometra, J. Hübner, Beitr. Schmett. I (4) 1789, 7.
dentaria Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2466.
dentator Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 278.
dentator Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 138.
dentalium Acrydium, C. de Geer, Mém. Ins. III. 1773, 496.
dentata Albunea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 398.—Hippa, 1793.
dentata Anatifa, J. G. Bruguière, Ency. Méth. (Vers.) (1) 1789, 63.
dentata Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 575; ed. 12, 1767, 954.
dentata Buprestis, C. de Villers, Linn. Ent. I. 1789, 337.
dentatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 186.
dentatus Carabus, P. Rossi, Fauna Etrus. I. 1790, 222.
dentatus Cerambyx, A. F. de Fourcroy, Ent. Paris. 1785, 76.
dentatus Cete, J. G. Schneider, Beytr. nat. Wallfisch. 1795, 135.
dentatus Chiton, L. Spengler, Skr. nat. Selsk. [Copen.] IV (1) 1797, 88.
dentatus Cimex, C. de Geer, Mém. Ins. III. 1773, 260.
dentatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 702.
dentatus Cimex, F. v. P. Schrank, Ins. Aust. 1781, 268.
dentata Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 23.
dentata Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 113.
dentatus Conus, P. Forskal, Descr. Anim. 1775, xxxii [*n. n.*].
dentatus Cucujus, A. F. de Fourcroy, Ent. Paris. 1785, 34.
dentatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1773.
dentatus Curculio, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 13.
dentatus Dermestes, P. Rossi, Fauna Etrus. I. 1790, 34.
dentatus Dermestes (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 104.—Kateretes.

- dentata** Donacia, D. H. Hoppe, *Ins. Elyt.* 1795, 40.
dentatus Echinodiscus, N. G. Leske, *Add. Klein Nat. Disp. Ech.* 1778, 212; *var. minor*.
dentatus Elater, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1918.
dentata Euryala (Fab.), F. Weber, *Nomen. Fabricii*, 1795, 94.—Hippa.
dentata Flustra, J. Ellis & D. Solander, *Nat. Hist. Zooph.* 1786, 15.
dentata Flustra, P. C. Abildgaard in Müller, *Zool. Dan.*, ed. 3, III. 1789, 24.
dentata Forficula, J. C. Fabricius, *Syst. Ent.* 1775, 270.
dentata Fusaria, J. G. H. Zeber in Goeze, 1 *Nachr. Eingeweidewürm.* 1800, 54.
dentatus Gryllus (Locusta) (De G.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789,
dentata Hippa, J. C. Fabricius, *Ent. Syst. II.* 1793, 474. [2086.—Acrydium.
dentata Hispa, J. C. Fabricius, *Mant. II.* 1787, 378.
dentata Hispa, A. G. Olivier, *Ency. Méth. VII (Ins.)* 1792, 97.
dentatus Ichneumon, J. C. Fabricius, *Spec. Ins. I.* 1781, 436.
dentatus Iulus, A. G. Olivier, *Ency. Méth. VII (Ins.)* 1792, 417.
dentatus Kateretes, Herbst in Jablonsky, *Nat. Ins. (Käfer) V.* 1793, 15.
dentata Lambis, J. F. Bolten, *Mus. Bolten.* (2) 1798, 62.
dentata Lamia, A. G. Olivier, *Ency. Méth. VII (Ins.)* 1792, 469.
dentatus Lyctus, J. C. Fabricius, *Ent. Syst. I* (2) 1792, 503.
dentatus Lygdus, J. C. Fabricius, *Actes Soc. H. N. Paris*, I (1) 1792, 33.
dentata Mantis, B. E. Manuel, *Ency. Méth. VII (Ins.)* 1792, 642 [*n. n.*].
dentatus Passalus, J. C. Fabricius, *Ent. Syst. I* (2) 1792, 241.
dentatus Pediculus, Scopoli, *Ent. Carn.* 1763, 383.
dentata Phalaena Noct., J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2582.
dentata Pimelia, J. C. Fabricius, *Mant. I.* 1787, 208.
dentatus Pleuronectes, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 458.
dentata Plotia, J. F. Bolten, *Mus. Bolten.* (2) 1798, 96 [*n. n.*].
dentata Silpha, J. C. Fabricius, *Mant. I.* 1787, 50.
dentatus [Sphinx], P. Cramer, *Uitl. Kapellen, II* (11) 1777, 42.
dentatus Strombus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 745; ed. 12, 1767, 1213.
dentata Taenia, A. J. G. C. Batsch, *Naturg. Bandwürm.* 1786, 184.
dentatus Thynnus, J. C. Fabricius, *Syst. Ent.* 1775, 360.
dentatus Trochus, P. Forskal, *Descr. Anim.* 1775, 125.
dentatus Turbo, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3601.
dentata Vespa, A. G. Olivier, *Ency. Méth. VI (Ins.)* 1791, 674.
dentata Vespa (Fab.), J. L. Christ, *Nat. Ins.* 1791, 228.—Thynnus.
dentatus Ypsolophus, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 508.—Alucita dentella,
dentella Alucita, J. C. Fabricius, *Syst. Ent.* 1775, 667. [1794.
dentella Alucita, J. C. Fabricius, *Ent. Syst. III* (2) 1794, 343.
dentellus Carabus, C. P. Thunberg, *D. D. Mus. Ac. Upsal.* 1787, 50.
dentella Phalaena Tin., C. de Villers, *Linn. Ent. II.* 1789, 515.
dentex Cyclopterus, P. S. Pallas, *Spic. Zool. VII.* 1769, 6.
dentex Cyprinus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 325; ed. 12, 1766, 531.
dentex Salmo, Linnaeus in Hasselquist, *Palast.* 1762, 437.—Cyprinus, 1758.
dentex Sparus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 281; ed. 12, 1766, 471.
Denticollis M. Piller & L. Mitterpacher, *Iter Poseg.* 1783, 86.—Col.
denticolle Anobium, Creutzer in G. W. F. Panzer, *Ins. Germ.* heft 35 [1796], tab. 8.
denticollis Elater, J. C. Fabricius, *Ent. Syst. IV.* 1794, 451.
denticornis Anthrenus, J. C. Fabricius, *Ent. Syst. I* (1) 1792, 265.
denticornis Cerambyx, A. G. Olivier, *Entom. IV.* 1795, 60.
denticornis Curculio, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 173.
denticornis Galleruca, J. C. Fabricius, *Ent. Syst. I* (2) 1792, 24.
denticornis Ptinus, J. C. Fabricius, *Ent. Syst. I* (1) 1792, 240.
denticularia Phalaena, A. A. H. Lichtenstein, *Cat. rerum Nat. III.* 1796, 187.
denticulator Ichneumon, O. F. Müller, *Z. Dan. Prod.* 1776, 158.
denticulata Acanthia, P. Rossi, *Fauna Etrus. II.* 1790, 225.
denticulatus Acarus, F. v. P. Schrank, *Ins. Aust.* 1781, 520.
denticulata Apis, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2790.
denticulata Aranea, A. G. Olivier, *Ency. Méth. IV (Ins.)* 1789, 213.

- denticulatus** Astroites, J. E. I. Walch, Naturforscher, V. 1775, 45.
denticulata Bulla, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 1.
denticulata Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 32.
denticulatus Cimex, Scopoli, Ent. Carn. 1763, 125.
denticulatus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 107.
denticulatus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 125.
denticulatus Dermestes, P. Rossi, Mant. Ins. II. 1794, 80.
denticulata Donax, Linnaeus, Syst. Nat., ed. 10, 1758, 683; ed. 12, 1767, 1127.
denticulatus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1959.
denticulatus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2086.
denticulata Locusta, G. W. F. Panzer, Ins. Germ. heft 33 [1796], tab. 5.
denticulata Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 166.
denticulata Mitra, T. Martyn, Univ. Conch. III [1789], fig. 103.
denticulata Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 99.
denticulata Patella, T. Martyn, Univ. Conch. II [1788], fig. 65.
denticulata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3703.
denticulata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3731.
denticulatum Peloriderma (Born), J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—Ostrea.
denticulata Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 75.
denticulata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2490.
denticulata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 336.
denticulata Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3746.
denticulata Silpha, J. D. Preyßler in Mayer. Samm. Phys. Aufsätze, I. 1791, 117.
denticulatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 97.
denticulata Testudo, Linnaeus, Syst. Nat., ed. 12, 1766, 352.
denticulatus Trox, A. G. Olivier, Entom. I. 1789, 13.
denticulella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 97.
denticulosa Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [1796], 14.
denticulus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1804.
dentifer Cerambyx, A. G. Olivier, Entom. IV. 1795, 132.
dentifer Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 488.
dentilinearia Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 231.
dentimacula Phalaena Noctua, J. Hubner, Beitr. Schmett. II. 1790, 13.
dentina Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 82.
dentipes Alurnus, J. C. Fabricius, Mant. I. 1787, 66.
dentipes Attelabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 163.
dentipes Blaps, J. C. Fabricius, Ent. Syst. IV. 1794, 439.
dentipes Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 268.
dentipes Cimex, J. C. Fabricius, Mant. II. 1787, 290.
dentipes Crabro, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 9.
dentipes Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 504.
dentipes Donacia, J. C. Fabricius, Ent. Syst. I (2) 1792, 116.
dentipes Helops, J. C. Fabricius, Spec. Ins. I. 1781, 326.
dentipes Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2719.
dentipes Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 143.—Cimex, 1787.
dentipes Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 44.
dentipes Mulio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 558.—Syrphus, 1787.
dentipes Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2877.—Syrphus.
dentipes Pimelia, J. C. Fabricius, Mant. I. 1787, 208. [lontha.
dentipes Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1565.—Melo-
dentipes Spondylis (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 118.—
dentipes Syrphus, J. C. Fabricius, Mant. II. 1787, 338. [Alurnus.
dentipes Tenebrio (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. VI. 1798, 115.—
dentipes Tenebrio, C. de Villers, Linn. Ent. I. 1789, 396 (40). [Helops.
dentipes Tenebrio, C. de Villers, Linn. Ent. I. 1789, 396 (41).
dentirostris Curculio, O. F. Müller, Z. Dan. Prod. 1776, 85.
denudatus Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 135.
denudata Holothuria, Linnaeus, Syst. Nat., ed. 10, 1758, 657; ed. 12, 1767, 1091.

- denudata Phyllidoce (L.), A. Modeer, K. Vet. Ac. Nya Handl. XI. 1790, 201.—Holothuria.
- denunciator Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 428.
- deolis [Phalaena], P. Cramer, Uitl. Kapellen, I (3) 1775, 59.
- deperditus Conus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 691.
- deperdita Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 120. [sia, 1767.]
- depilans Aplysia, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3103.—Laply-depilans Aplysia, Linnaeus, Syst. Nat., ed. 12, 1767, 1082; [Tethys limacina, ed. 10].
- deplanatus Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 121.
- deplana Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 595.—Phalaena.
- deplana Noctua, E. J. C. Esper, Die Schmett. IV (35) 1787, 97.
- deplana Phalaena, Linnaeus, Mant. II. 1771, 539. [Noctua.]
- deplana Phalaena Bombyx (Esp.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 245.—
- depressana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 414.—Pyralis.
- depressana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 655.
- depressorator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 196.
- depressella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 485.—Pyralis depressana, 1775.
- depressior Pectunculus, E. M. da Costa, Brit. Conch. 1778, 194.
- depressirostris Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 477.
- depressulus Nautilus, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 641.
- depressa Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 72.
- depressus Alpheus, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
- depressa Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 36.
- depressa Anadema, F. C. Meuschen, Mus. Gev. 1787, 480.
- depressus Aphodius (Kug.), Illiger in Kugelann, Käfer Preuss., 1798, 28.—Scarabaeus.
- depressa Aranea, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 245.
- depressus Buprestis, Linnaeus, Mant. II. 1771, 533.
- depressa Buprestis, J. C. Fabricius, Syst. Ent. 1775, 219.
- depressus Cancer, J. C. Fabricius, Syst. Ent. 1775, 406.
- depressa Cantharis (Fab.), C. de Villers, Linn. Ent. I. 1789, 301.—Cucujus.
- depressa Capra, Linnaeus, Syst. Nat., ed. 10, 1758, 69; ed. 12, 1766, 95.
- depressus Carabus, G. Paykull, Mon. Carab. 1790, 34.
- depressus Carabus, G. W. F. Panzer, Ins. Germ. heft 31 [1796], tab. 8.
- depressus Carabus, A. G. Olivier, Entom. III. 1795, 54.
- depressus Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 56.
- depressus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 390; ed. 12, 1767, 626.
- depressus Cerambyx, N. Poda, Ins. Mus. Graec. 1761, 35.
- depressus Cerambyx, J. C. Fabricius, Spec. Ins. I. 1781, 214.
- depressum Colyidium, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 286.
- depressus Cossyphus (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 122.—Lampyrus.
- depressus Cucuius, J. C. Fabricius, Syst. Ent. 1775, 204.
- depressus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 382; ed. 12, 1767, 612.
- depressus Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 233.
- depressus Echinites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 164. [Echinites.]
- depressus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3182.—
- depressa Fusaria, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 37.
- depressum Gafrarium, J. F. Bolten, Mus. Bolten. (2) 1798, 177.
- depressus Hircus (Linn.), P. Boddaert, Elench. 1785, 146.—Capra.
- depressus Hister, J. C. Fabricius, Mant. I. 1787, 32.
- depressus Hypophlaeus, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 223.
- depressus Hypophleus, G. W. F. Panzer, Ins. Germ. heft 1, 1792, no. 23.
- depressus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2687.
- depressus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2706.
- depressus Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 231.
- depressus Julus, J. C. Fabricius, Ent. Syst. II. 1793, 393.
- depressa Lampyrus, J. C. Fabricius, Spec. Ins. I. 1781, 254.
- depressa Lepas, J. X. Poli, Test. Sicil. I. 1791, 27.
- depressa Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 544; ed. 12, 1767, 902.
- depressa Lithosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 460.—Noctua, 1794.

- depressus Lucanus, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 105.
depressus Lyctus, J. C. Fabricius, Ent. Syst. I (2) 1792, 503.
depressus Lygdus, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 33.
depressa Musca, C. de Villers, Linn. Ent. III. 1789, 548.
depressa Musca (Syrphus), N. S. Swederus, K. Vet. Ac. Nya Handl, VIII. 1787, 287.
depressa Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
depressa Nitidula (L.), Illiger in Kugelann, Käfer Preuss. 1798, 386.—Silpha.
denressa (*sic*) Noctua, E. J. C. Esper, Die Schmett. IV (35) 1787, 98.
depressa Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 24.
depressum Opatrum, J. C. Fabricius, Suppl. Ent. Syst. 1798, 41.
depressa Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3330.
depressa Patella, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 124.
depressa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3694.
depressa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3698 [P. deflexa,
depressa Patella, J. F. Bolten, Mus. Bolten (2) 1798, 12. [Helb.].
depressa Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 64.—Silpha.
depressa Phalaena Bombyx (Esp.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 246.—
depressa Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74 [*n. n.*]. [P. Noctua.
depressus Posydon, F. Weber, Nomen. Fabricii, 1795, 94.
depressus Posydon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 417.
depressa Rhinoceros, F. C. Meuschen, Mus. Gever. 1787, 266.
depressus Scarabaeus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], III. 1792, 262.
depressus Scarites, J. C. Fabricius, Mant. I. 1787, 206.
depressa Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 362; ed. 12, 1767, 573.
depressus Spatangus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 238.
depressa Sphex, C. de Geer, Mém. Ins. III. 1773, 590.
depressus Spondylus, F. C. Meuschen, Mus. Gever. 1787, 434.
depressa Staphylinus, G. Paykull, Mon. Staph. 1789, 70.
depressa Tellina, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 73.
depressa Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3238.
depressus Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 675.
depressus Tenebrio, J. C. Fabricius, Ent. Syst. I (1) 1792, 112.
depressa Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 342.
depressa Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2819.
depressus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3573.
depressa Vaginella, F. M. Daudin, Bull. Sci. Soc. Philom. [Paris], no. 43, 1800, 145.
deprimator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 227.
depsarius Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 624.
depsarius Prionus (L.), J. C. Fabricius, Mant. I. 1787, 128.—Cerambyx.
depuncta Noctua (L.), J. C. Fabricius, Ent. Syst. III (2) 1794, 109.—Phalaena.
depuncta Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 321.
depurator Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 627; ed. 12, 1767, 1043.
depurator Portunus (L.), F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
derasella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
derasella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
derasa Andrena, G. W. F. Panzer, Ins. Germ. heft 64 [1799], tab. 17.
derasa Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 483.
derasus Curculio, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 10.
derasa Noctua, (L.), J. C. Fabricius, Syst. Ent. 1775, 609.—Phalaena.
derasa Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 851.
derasa Tridachnes, J. F. Bolten, Mus. Bolten. (2) 1798, 172.
derelictus Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 102.
derhamii Aranea, Scopoli, Ent. Carn. 1763, 400.
derisor Apis, M. Harris, Exp. Eng. Ins. 1776, 165.
derivialis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 2 [2].
derivata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.
derivata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 289
[*n. et f.*].

- derivata* Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 421.—
Geometra.
- Dermestes* Linnaeus, Syst. Nat., ed. 10, 1758, 354; ed. 12, 1767, 561.—Col.
- dermestina* Peltis, O. F. Müller, Z. Dan. Prod. 1776, 64.
- Dermestoides* J. C. Schaeffer, Elem. Entom. 1777, pl. 138.—Col.
- Dermestoides* J. F. W. Herbst in Fuessly, Arch. Insect. IV. 1783, 40.—Col.
- dermestoides* Blaps, J. C. Fabricius, Ent. Syst. I (1) 1792, 107.—Tenebrio, 1787.
- dermestoides* Cantharis, Linnaeus, Faun. Suec., ed. 2, 1761, 201.
- dermestoides* Cetonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 14.
- dermestoides* Cucujus, J. C. Fabricius, Ent. Syst. I (2) 1792, 96.
- dermestoides* Dytiscus, J. R. Forster, N. Sp. Ins. 1771, 53.
- dermestoides* Elater, Linnaeus, Syst. Nat., ed. 12, 1767, 656.
- dermestoides* Helops (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 120.—Blaps.
- dermestoides* Helops, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 2.
- dermestoides* Horia (L.), J. C. Fabricius, Mant. I. 1787, 164.—Cantharis.
- dermestoides* Lyctus, G. W. F. Panzer, Ins. Germ. heft 8, 1793, tab. 15.
- dermestoides* Lymexylon (L.), J. C. Fabricius, Syst. Ent. 1775, 204.—Cantharis.
- dermestoides* Mycetophagus, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792,
- dermestoides* Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 498. [400.]
- dermestoides* Tenebrio, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 68.
- dermestoides* Tenebrio, J. C. Fabricius, Mant. I. 1787, 212.
- dermestoides* Tetratoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 88.
- Dermipus* C. R. W. Wiedemann, Archiv Zool. (Wiedemann) I (1) 1800, 180.
- derogata* Phalaena, J. C. Fabricius, Syst. Ent. 1775, 641.
- derosa* Cypraea, *err. pro erosa*, Linn. J. J. Langius' ed. of Linn. Syst. Nat. 1760, 723.
- derosa* Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3416.
- Derris* J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 67.—Nud.
- deserti* Lacerta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 1076.
- deserti* Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 949.
- deserti* Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 1571.
- desertor* Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 563; ed. 12, 1767, 934.
- desertorius* Ichneumon, G. W. F. Panzer, Ins. Germ. heft 45 [1797], tab. 15.
- desertorum* Falco, F. M. Daudin, Traité élém. Orn. 1800, 162.
- desertorum* Helix, P. Forskal, Descr. Anim. 1775, 127.
- desertrix* Cicada, P. Rossi, Mant. Ins. II. 1794, 51.
- desertus* Apis, M. Harris, Exp. Eng. Ins. 1776, 135.
- desertum* Buccinum, D. Solander in G. Brander, Foss. Hant. 1766, 13.
- desertus* Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 391; ed. 12, 1767, 627.
- desertus* Curculio, G. W. F. Panzer, Ins. Germ. heft 42 [1797], tab. 8.
- desertus* Gryllus (Acheta), P. S. Pallas, Reise Russ. I. 1771, 468.
- deserta* Lamia (L.), A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 40.—Cerambyx.
- deses* Cimex, O. F. Müller, Z. Dan. Prod. 1776, 108.
- deses* Enchelis, O. F. Müller, An. Infus. 1786, 25.
- desfontainana* Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 268.
- desfontainii* Cerambyx, J. C. Fabricius, Ent. Syst. I (2) 1792, 258.
- desfontaini* Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 89.
- designata* Phalaena, Hufnagel, Berl. Mag. IV. 1767, 612.
- designatorius* Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 562; ed. 12, 1767, 932.
- Desman* B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.
- desolata* Phalaena (Noctua), O. F. Müller, F. Ins. Frid. 1764, 47.
- desolata* Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 562.
- despectata* Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
- despectus* Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 754; ed. 12, 1767, 1222.
- despecta* Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
- despecta* Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 115.
- despecta* Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2581.
- despecta* Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 143 [n. n.].
- despectum* Tritonium (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 243.—Murex.

- despicata** Phalaena, Scopoli, Ent. Carn. 1763, 231.
despiciens Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
desponsata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
dessinator Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 174.
destituta Noctua, J. C. Fabricius, Syst. Ent. 1775, 598.
destructor Acarus, F. v. P. Schrank, Ins. Aust. 1781, 512.
destructor Falco, F. M. Daudin, Traité élém. Orn. 1800, 60.
destructor Scolytus, A. G. Olivier, Entom. IV. 1795, 5.
destructor Termes, P. Forskal, Descr. Anim. 1775, 96.
destructor Termes, J. C. Fabricius, Spec. Ins. I. 1781, 396.
destructor Termes, D. Solander, Phil. Trans. LXXI (1) 1781, 141.
destructorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 135.
detecta Cypris, O. F. Müller, Z. Dan. Prod. 1776, 199.
detectus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3001.—
detersa Noctua, E. J. C. Esper, Die Schmett. IV (42-44) 1791, 260. [Cypris].
dethardingii Numenius, J. M. Bechstein, Latham's Vogel. VI. 1798, 547.
dethardingii Scolopax, A. C. Siemssen, Handb. Mecklenb. Land-Wasser-Vögel, 1794, 169.
detriticus Hister, *err. pro* detritus, Fabr., J. C. Fabricius, Mant. I. 1787, 33.
detritus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 21.
detritum Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 194.—Leptura.
detritus Cerambyx (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1854.—Leptura.
detritus Clytus (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 99.—Leptura.
detrita Coccinella, J. C. Fabricius, Syst. Ent. 1775, 85.
detrita Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 178.
detrita Helix, O. F. Müller, Verm. II. 1774, 101.
detritus Hister, J. C. Fabricius, Syst. Ent. 1775, 53.
detrita Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 399; ed. 12, 1767, 640.
detrita Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (1) 1794, 26.
detrita Phalaena Bomb., E. J. C. Esper, Die Schmett. III (22) 1785, 229.
detrita Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 308.
detruncata Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3347.
deusta Blatta, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 76.
deusta Cassida, J. C. Fabricius, Syst. Ent. 1775, 89.
deustus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1850.
deustus Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 58.
deustus Elater, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 64.
deustus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2701.
deustus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 110.
deustus Notoxus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 45.
devastator Formica, J. L. Christ, Nat. Ins. 1791, 517.
devastator Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 367.
devastatricula Phalaena Noctua, N. J. Brahm, Ins. Kal. II (1) 1791, 396.
devius Mulio (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 558.—Musca.
devia Musca, Linnaeus, Faun. Suec., ed. 2, 1761, 446.
devius Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 767.—Musca.
devorator Tipula, M. Slabber, Nat. Verlust. [?] 1770], 17.
devota Melolontha, P. Rossi, Fauna Etrus. I. 1790, 19.
dextra Helix, O. F. Müller, Verm. II. 1774, 89.
dexter Musca, M. Harris, Exp. Eng. Ins. 1776, 108.
dhara Coluber, P. Forskal, Descr. Anim. 1775, 14.
dharr Formica, P. Forskal, Descr. Anim. 1775, xx & 85.
dia Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 12, 1767, 785.
dia major Papilio, H. G. Lang, Vers. Schmett. 1789, 40.
Diabolus G. Edwards in M. Catesby, Carol. I. 1771, xxxii.—P.
diabolus Musca, M. Harris, Exp. Eng. Ins. 1776, 126.
diacanthus Chaetodon, P. Boddaert, De Chaet. diacantho, 1772.
diacantha Sciaena, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 58.
Diadema, v. Anaedema, non errore ut ibi dictum. Vide etiam p. 298.

- Diadema** [G. Humphreys], Mus. Calonn. 1797, 64.—Ech.
diadema Anadema (L.), F. C. Meuschen, Mus. Gever. 1787, 482.—Echinus.
diadema Anas, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 12 [*n. n.*].
diadema Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 209.
diadema Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 619; ed. 12, 1767, 1030.
diadema Asilus, J. C. Fabricius, Spec. Ins. II. 1781, 462.
diadema Balanus (L.), F. C. Meuschen, Mus. Gever. 1787, 478.—Lepas.
diadema Cantharis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 68.
diadema Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 44.
diadema Cidaris (Linn.), N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 100; *varr.* viridiflora, setosa, nigra.—Echinus.
diadema Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2196.—Reduvius.
diadema Crabro, J. C. Fabricius, Spec. Ins. I. 1781, 471.
diadema Curculio, J. C. Fabricius, Mant. I. 1787, 116.
diadema Echinometra, F. C. Meuschen, Mus. Gronov. 1778, 90.
diadema Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 664; ed. 12, 1767, 1102.
diadema Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 164.
diadema Fulgora, Linnaeus, Syst. Nat., ed. 12, 1767, 703.
diadema Lepas, Linnaeus, Syst. Nat., ed. 12, 1767, 1108.
diadema Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 982.
diadema Mutilla, J. C. Fabricius, Mant. I. 1787, 311.
diadema Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (3) 1799, 22.
diadema Phalangium, J. C. Fabricius, Reise Norwegen, 1779, 339.
diadema Philanthus, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 225.—Crabro, [1781].
diadema Reduvius, J. C. Fabricius, Gen. Ins. 1777, 302.
diadema Rhagio (L.), J. C. Fabricius, Syst. Ent. 1775, 762.—Musca.
diadema Scarabaeus, A. G. Olivier, Entom. I. 1789, 181.
diadema Trochus, F. C. Meuschen, Mus. Gever. 1787, 282.
diadema Trochus, C. U. v. Salis, Reise Neapel, 1793, 375.
diadema Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3601.
diadema Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2765.—Crabro.
diadema Vespa, J. L. Christ, Nat. Ins. 1791, 223.
diadema Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 263.
diadematus Cidaris, *id. ac* diadema, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 264.
[diadematus Araneus, C. Clerck, Aran. Svec. 1757, 25.]
diagramma Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 293; ed. 12, 1766, 487.
diamina Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 44.
diana Cerambyx, A. G. Olivier, Entom. IV. 1795, 107.—Lamia, 1792.
diana Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 31.—Simia.
diana Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 470.
diana [Papilio], P. Cramer, Uitl. Kapellen, II (9) 1777, 4.
diana Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 26; ed. 12, 1766, 38.
diana Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 66.
dianae Byrrhus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 520.
dianae Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 139.
dianaea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 307.
dianthus Actinia, Ellis & Solander, H. N. Zooph. 1786, 7 [see Phil. Trans. lviii. 1767, 436].
dianthus Hydra (Ellis), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3869.—Actinia.
dianthus Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (3) 1795, 85.
Diaperis E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 337.—Col.
Diaperis J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 218.—Col.
diaphanata Phalaena, *id. ac* diaphana Cram., J. C. Fabricius, Spec. Ins. II. 1781, 266.
diaphana Angarius, F. C. Meuschen, Mus. Gever. 1787, 254.
diaphana Blatta, J. C. Fabricius, Ent. Syst. II. 1793, 11.
diaphana Bombyx, C. C. Jung, Alph. Verz. Schmett. 1791, 169 (2).
diaphana Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 85.—Phalaena.
diaphanum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 114.
diaphanus Cadus, J. F. Bolten, Mus. Bolten. (2) 1798, 151 [*n. n.*].

- diaphana** Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2117.
diaphanus Cimex, C. de Villers, Linn. Ent. I. 1789, 535.
diaphana Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 76.
diaphana Ephemera, O. F. Müller, Z. Dan. Prod. 1776, 143.
diaphanus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3529.
diaphana Musca, J. C. Fabricius, Syst. Ent. 1775, 783.
diaphana Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
diaphanus Pagurus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 412.
diaphanus Papilio, J. C. Fabricius, Syst. Ent. 1775, 468.
diaphanus [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 13.
diaphana Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 7.
diaphana [Phalaena], P. Cramer, Utitl. Kapellen, II (10) 1777, 26.
diaphana [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV. (30) 1781, 135.
diaphana Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 30.
diaphana Sternoptyx, J. Hermann, Naturforscher. XVI. 1781, 33.
diaphanus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3580.
diaphana Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3292.
Diapria P. A. Latreille, Préc. Car. Ins. 1796, 110.—Hym.
dice [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 23.
dicerca Cottus, P. S. Pallas, Nova Acta Ac. Sci. Petrop. I. 1787, 354.
dichotoma Antipathes, P. S. Pallas, Elench. 1766, 216.
dichotomus Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 9.—Scarabaeus.
dichotoma Gorgonia, E. J. C. Esper, Pflanzenth. II (7) 1791, 59.
dichotoma Isis, Linnaeus, Syst. Nat., ed. 10, 1758, 799; ed. 12, 1767, 1287.
dichotoma Millepora, P. Forskal, Descr. Anim. 1775, 138.
dichotom[us] Scarabaeus, Linnaeus, Mant. II. 1771, 527.
dichotoma Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 812; ed. 12, 1767, 1312.
dichotoma Spongia, Linnaeus, Syst. Nat., ed. 12, 1767, 1299.
dichotomus Tabanus, A. F. de Fourcroy, Ent. Paris, 1785, 456. ✓
dichroa Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2792.
dichroa Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1891.
dichroa Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1673.
dichroa Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 949.
dichroa Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2828.
dichroa Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2767.
dichroma Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797—1800], 519.
dichrous Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1846.
dichrous Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1916.
dichrous Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 352.
dichrous Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1553.
dichrous Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2035.
dicolorus Ramphastos, Linnaeus, Syst. Nat., ed. 12, 1766, 152.
dictaea Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 831.—Phalaena.
dictaea Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 12, 1767, 826.
dictaeoides Phalaena Bombyx (*ex* Esper tab.), N. J. Brahm, Ins. Kal. II (1) 1791, 330.
dictator Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 410.
dictynna Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 179.
dictynna Papilio N., E. J. C. Esper, Die Schmett. I (9) 1779, 382.
dictynna Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 44.
didactylites Phalaena Alucita, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 89.
didactylus Bradypus, Linnaeus, Syst. Nat., ed. 10, 1758, 35; ed. 12, 1766, 51.
didactyla Myrmecophaga, Linnaeus, Syst. Nat., ed. 10, 1758, 35; ed. 12, 1766, 51.
didactyla Phalaena (Alucita), Linnaeus, Syst. Nat., ed. 10, 1758, 542; ed. 12, 1767, 899.
didactylus Pterophorus (L.), J. C. Fabricius, Syst. Ent. 1775, 671.—Phalaena.
didactylus Pterophorus, A. F. de Fourcroy, Ent. Paris. 1785, 256.
didactylis Scorpaena, P. S. Pallas, Spic. Zool. VII. 1769, 26.
Didelphis Linnaeus, Syst. Nat., ed. 10, 1758, 54; ed. 12, 1766, 71.—M.
dido Papilio, Linnaeus, Amoen. Acad. VI. 1763, 408.

- dido** [Papilio], C. Clerck, Icones, II. 1764, pl. xxx.
Didus Linnaeus, Syst. Nat., ed. 12, 1766, 267.—A.
didymaon Papilio P. R., J. C. Fabricius, Mant. Ins. II. 1787, 66.
didymata Chrysomela, L. G. Scriba, J. Lieb. Ent. III. 1791, 294.
didymata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 528; ed. 12, 1767, 872.
didymion Scarabaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 2.
didyma Albulia, J. F. Bolten, Mus. Bolten. (2) 1798, 20.
didymus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1983.
didymus Cerambyx, A. G. Olivier, Entom. IV. 1795, 125.
didyma Coccinella, O. F. Müller, Z. Dan. Prod. 1776, 68.
didymus Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 107.
didymus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 178.
didymus Dytiscus, A. G. Olivier, Entom. III. 1795, 26.
didyma Formica, J. C. Fabricius, Spec. Ins. I. 1781, 489.
didymum Gafarrum, J. F. Bolten, Mus. Bolten. (2) 1798, 177 [*u. u.*].
didymus Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 20.—Scarabaeus.
didyma Noctua, M. B. Borkhausen, Nat. europ. Schmett. IV. 1792, 465.
didyma Papilio, E. J. C. Esper, Die Schmett. I (9) 1779, 365. [Noctua.
didyma Phalaena Noctua (Esp.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 465.—
didyma Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2007.—
 Tenebrio.
didymus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 347; ed. 12, 1767, 545.
didymus Scymnus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 341.
didyma Sphinx, J. C. Fabricius, Syst. Ent. 1775, 543.
didymus Tenebrio, P. S. Pallas, Icon. Ins. 1781, 42.
difficile Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 124.
diffinis Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 609.—Phalaena.
diffinis Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 848.
diffinis Phalaena Noctua, J. Hübner, Beitr. Schmett. I (4) 1789, 24.
diffluens Proteus, G. Adams, Ess. Micr. 1787, 477.
difformis Bruchus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 198.
difformis Cabestana, J. F. Bolten, Mus. Bolten. (2) 1798, 130 [*u. u.*].
difformis Carabus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 72.
difformis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2720.
difformis Tenthredo, Jurine in G. W. F. Panzer, Ins. Germ. heft 62 [1799], tab. 10.
digitalia Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 249.
digitalis Brachionus (Linn.), P. S. Pallas, Elench. 1766, 104.—Hydra.
digitale Buccinum, F. C. Meuschen, Mus. Gever. 1787, 296.
digitalis Cancer (Mantis), J. F. W. Herbst, Vers. Nat. Krab. II (3) 1792, 92.
digitalis Hydra, Linnaeus, Syst. Nat., ed. 10, 1758, 818.
digitale Medusa, O. F. Müller, Z. Dan. Prod. 1776, 233.
digitale Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 7.
digitalis Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1319.
digitaria Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 677; ed. 12, 1767, 1120.
digitata Actinia, O. F. Müller, Z. Dan. Prod. 1776, 231.
digitatum Alcyonium, Linnaeus, Syst. Nat., ed. 10, 1758, 803; ed. 12, 1767, 1294.
digitata Echinometra, P. L. S. Müller, Del. Nat. I. 1766, 130.
digitatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2688.
digitatus Lophius, J. P. Bonnatere, Ency. Méth. (Ich.) 1788, 15.
digitata Madrepora, P. S. Pallas, Elench. 1766, 326.
digitata Nais, O. F. Müller, Verm. I (2) 1774, 22.
digitata Phryganea, F. v. P. Schrank, Ins. Aust. 1781, 309.
digitata Spongia, E. J. C. Esper, Pflanzenth., Forts. I (8) 1797, 190.
digitellus Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3504.
digitiformis Pinna, Linnaeus, Syst. Nat., ed. 10, 1758, 708; ed. 12, 1767, 1160.
digitus Buccinum, F. C. Meuschen, Mus. Gever. 1787, 304.
dignella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 30.
digramma Anthias (Linn.), M. E. Bloch, Nat. ausl. Fische, VI. 1792, 117.—Perca.

- digrammus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2181.
digramma Perca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1319.
dilatata Blaps, J. C. Fabricius, Suppl. Ent. Syst. 1798, 47.
dilatata Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 230.
dilatata Buprestis, A. G. Olivier, Entom. II. 1790, 58.
dilatatum Callidium, G. Paykull, Faun. Suec. III. 1800, 91.
dilatata Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 193.
dilatata Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2099.—
dilatata Coccinella, J. C. Fabricius, Syst. Ent. 1775, 82. [Tettigonia.
dilatatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 467.
dilatata Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1728.—
dilatata Erotylus, J. C. Fabricius, Gen. Ins. 1777, 222. [Erotylus.
dilatata Fulgora (Fourc.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 577.—Cicada.
dilatata Leucophræ, O. F. Müller, An. Infus. 1786, 147.
dilatatus Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 538.
dilatata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 610.
dilatatum Phasma, G. Shaw, Tr. Linn. Soc. [Lond.], IV. 1798, 192.
dilatatus Staphylinus, J. C. Fabricius, Mant. I. 1787, 220.
dilatata Tettigonia, J. C. Fabricius, Syst. Ent. 1775, 678.
dilatata Tipula, O. F. Müller, Z. Dan. Prod. 1776, 171.
dilatatus Trilobus, M. T. Brünnich, Nye Saml. K. Danske Skrifter, I. 1781, 393.
dilectaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 39 [*n. et f.*].
dilectaria Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 186.
dilectaria Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 76.
dilucidaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 315. [*n. et f.*].
dilucidaria Geometra, J. Hübner, Europ. Schmett. (Geom.), [me judice 1796], fig. 143
dilucidaria Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 279.—Geometra.
dilutana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 130.
dilutana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 6 [*n. et f.*].
dilutaria Geometra, J. Hübner, Europ. Schmett. (Geom.), [me judice 1796], fig. 100
dilutata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 109. [*n. et f.*].
dilutata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 188 [*n. et f.*].
dilutata Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794.
dilutella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 136. [291.—Geometra.
dilutella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 32.
diluta Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 87.
diluta Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 624.—
diluta Tipula, O. F. Müller, F. Ins. Frid. 1764, 79. [Noctua.
“**diluvianus** Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 165.
diluvianus Mytilus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 98 [*n. n.*].
diluviana Ostrea, Linnaeus, Syst. Nat., ed. 12, 1767, 1148.
dimano Musca, M. Harris, Exp. Eng. Ins. 1776, 142.
dimas Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 16.
dimas [Phalaena], P. Cramer, Utit. Kapellen, I (5) 1775, 91.
dimeralis Phalaena, P. Rossi, Mant. Ins. II. 1794, 38.
dimicatorius Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2680.
dimidialis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 224.
dimidiator Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 427.
dimidiata Apis, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 64.
dimidiata Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2780.
dimidiata Apis, J. C. Fabricius, Ent. Syst. II. 1793, 316.
dimidiatum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 742; ed. 12, 1767, 1206.
dimidiata Buprestis, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 91.
dimidiata Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 119.
dimidiata Cantharis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 68.
dimidiatus Carabus, P. Rossi, Fauna Etrus. I. 1790, 214.

- dimidiatus Carabus, G. W. F. Panzer, Deutsch. Ins. [1795], 367.
 dimidiatus Carabus, A. G. Olivier, Entom. III. 1795, 72.
 dimidiatus Cerambyx, J. C. Fabricius, Mant. I. 1787, 133.
 dimidiata Chrysis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 258.
 dimidiata Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 81.
 dimidiata Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 702.
 dimidiata Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 755.
 dimidiata Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 94.
 dimidiatus Crabro, J. C. Fabricius, Spec. Ins. I. 1781, 471.
 dimidiatus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 480.
 dimidiatus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 25.
 dimidiatus Diodon, J. A. Donndorff, Zool. Beyt. III. 1798, 786.
 dimidiatum Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 94.—Buccinum.
 dimidiatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 435.
 dimidiata Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 99.
 dimidiata Leptura, J. C. Fabricius, Syst. Ent. 1775, 199.
 dimidiata Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 545; ed. 12, 1767, 903.
 dimidiata Molorchus, J. C. Fabricius, Ent. Syst. I (2) 1792, 357.—Leptura, 1775.
 dimidiata Mordella, J. C. Fabricius, Spec. Ins. I. 1781, 332.
 dimidiata Musca, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 17.
 dimidiata Mutilla, P. A. Latreille, Actes Soc. H. N. Paris, I (1) 1792, 11.
 dimidiata Nitidula, J. C. Fabricius, Ent. Syst. I (1) 1792, 261.
 dimidiata Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 56.
 dimidiata Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 446.
 dimidiatus Oxyporus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 181.
 dimidiatus Paederus, G. W. F. Panzer, Deutsch. Ins. [1795], 362.
 dimidiata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3734.
 dimidiata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 602.
 dimidiata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 630.
 dimidiata Phalaena, J. C. Fabricius, Mant. II. 1787, 202.
 dimidiata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2492.
 dimidiata Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74.
 dimidiatus Ripiphorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 112.
 dimidiata Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3750.
 dimidiata Sphex, C. de Geer, Mém. Ins. III. 1773, 589.
 dimidiata Sphex, J. L. Christ, Nat. Ins. 1791, 313.
 dimidiata Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 209. [Crabro.
 dimidiata Sphex (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. III. 1794, 142.—
 dimidiatus Strombus (L.), F. C. Meuschen, Mus. Gever. 1787, 294.—Buccinum.
 dimidiatus Syrphus, J. C. Fabricius, Spec. Ins. II. 1781, 434.
 dimidiata Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2765.—
 dimidiata Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 675. [Crabro.
 dimidiatus Volvox, Linnaeus, Syst. Nat., ed. 12, 1767, 1325.
 dimidiella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 141.
 dimidio-alba Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 53.
 dimorpha Medusa, *id. ac* bimorpha, Müll., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
 dimus [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 71. [1790, 3156.
 dindus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 269.
 dindymus [Papilio], P. Cramer, Utit. Kapellen, I (4) 1775, 73.
 dingo Canis, F. A. A. Meyer, Zool. Entdeck. 1793, 33.
 Dinotus J. E. Guettard, Mém. diff. Sci. III. 1770, 133.—Ver.
 diocippus [Papilio], P. Cramer, Utit. Kapellen, I (3) 1775, 44.
 diocletianus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 40.
 Diodon Linnaeus, Syst. Nat., ed. 10, 1758, 334; ed. 12, 1766, 412.—P.
 Diodon G. C. C. Storr, Prod. 1780, 42 & Tab. C.—M.
 diodon Curculio, F. v. P. Schrank, F. Boica, I. 1798, 503.
 diogenes Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 631; ed. 12, 1767, 1049.
 diogenes Pagurus (L.), J. C. Fabricius, Syst. Ent. 1775, 410.—Cancer.

- Diomedaea** Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 7 & 71.—A.
- Diomedea** Linnaeus, Syst. Nat., ed. 10, 1758, 132; ed. 12, 1766, 214.—A.
- diomedea** Pediculus, J. C. Fabricius, Syst. Ent. 1775, 808.
- diomedes** Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 462; ed. 12, 1767, 749.
- diomedes** Papilio, Rottemburg, Naturforscher, VI. 1775, 26.
- diomedia** Procellaria, J. A. Scopoli, Annus I. 1769, 74.
- dion** Papilio, J. G. Schaller, Naturforscher, XXIII. 1788, 49.
- Dionaea** J. G. Meigen, N. Class. Mouches, 1800, 24.—Dip.
- dione** Bombyx, J. C. Fabricius, Syst. Ent. 1775, 572.
- dione** Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 410.
- dione** Chamaeformis (L.), F. C. Meuschen, Mus. Gever. 1787, 450.—Venus.
- dione** Coluber, P. S. Pallas, Reise Russ. II. 1773, 717.
- dione** [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 14.
- dione** Phalaena (Fab.), J. E. Smith in Abbot, Ins. Georgia, 1797, 125.—Bombyx.
- dione** Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 684; ed. 12, 1767, 1128.
- dionysii** Cercopis, G. W. F. Panzer, Ins. Germ. heft 34 [1796], tab. 24.
- dionysius** Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 20.—Scarabaeus, 1792.
- dionysius** Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 20.
- diophthalmus** Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 30.
- diophthalma** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 593; ed. 12, 1767, 986.
- diophthalmus** Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 769.—Musca.
- Diopsis** Linnaeus, Bigis Insect. 1775, 5.—Dip.
- dioraria** Phalaena, *id. ac* diores, Cram. = diores, J. C. Fabricius, Spec. Ins. II. 1781, 242.
- diore** [Phalaena], P. Cramer, Uitl. Kapellen, I (7) 1775, 119.
- dioscoidea** Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 87.—Nitidula discoidea.
- dioscoreae** Noctua, J. C. Fabricius, Syst. Ent. 1775, 593.
- dioscorides** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 329.
- diosmatis** Coccus, A. Modeer, Götheborg. Samhalle Hand. (Wet. Afl.), I. 1778, 22.
- diota** Trichoda, O. F. Müller, An. Infus. 1786, 168.
- diphilus** Papilio E. T., E. J. C. Esper, Ausl. Schmett. (10) 1793, 156.
- diphos** Solen, Linnaeus, Mant. II. 1771, 544.
- diphos** Tellina, A. A. H. Lichtenstein, Cat. rerum Nat. II. 1794, 3.
- “**Diphytes**, Schroet. 1779,” Scudd., not used in a generic sense.
- Diplolepis** E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 308.
- dipsacea** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 856.
- dipsacea** Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 598.—Phalaena.
- Dipsas** J. N. Laurenti, Syn. Rept. 1768, 89.—R.
- dipsas** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 224; ed. 12, 1766, 386.
- diptera** Ephemera, Linnaeus, Faun. Suec., ed. 2, 1761, 377.
- diptera** Phalaena Alucita, J. H. Sulzer, Gesch. Ins. 1776, 163.
- diptera** Zygæna, J. C. Fabricius, Syst. Ent. 1775, 555.
- dipterorum** Acarus, F. v. P. Schrank, Ins. Aust. 1781, 523.
- Dipus** E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 354.—M.
- Dipus** J. C. D. Schreber, Säugth. IV. 840 (1788); pl. 228 (1782).—M.
- Dipus** P. Boddaert, Elench. 1785, 114.—M.
- Dipus** B. G. E. de Lacépède, Tabl. Mam. 1799, 10.—M.
- dirae** Musca, M. Harris, Exp. Eng. Ins. 1776, 112.
- Diracæa** J. C. Fabricius, Suppl. Ent. Syst. 1798, 6.—Col.
- dirce** Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 477; ed. 12, 1767, 778.
- dirtea** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 59.
- dirus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 331.
- disa** Papilio, C. P. Thunberg, Ins. Suecica (2) 1791, 37.
- discana** Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2517.
- discaria** Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2458.
- discata** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 218.
- discifer** Anthribus, F. v. P. Schrank, F. Boica, I. 1798, 474.
- discina** Vorticella, O. F. Müller, An. Infus. 1786, 271.
- discincta** Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 210.

- discincta** Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 203.
 "Discites, Walch, 1768," Herm.; not used in a generic sense.
- Disci-transfixus** F. C. Meuschen, Mus. Gever. 1787, 490.—Ech.
- discoida** Buprestis, J. C. Fabricius, Mant. I. 1787, 184.
- discoidea** Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 364; ed. 12, 1767, 578.
- discoidea** Madrepora, P. S. Pallas, Elench. 1766, 306.
- discoideus** Bombylius, J. C. Fabricius, Ent. Syst. IV. 1794, 409.
- discoidea** Buprestis, *v.* **discoida**.
- discoideus** Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 157.
- discoidea** Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 151.
- discoideus** Cimex, J. C. Fabricius, Mant. II. 1787, 295.
- discoidea** Coccinella, Illiger in Kugelann, Käfer Preuss. 1798, 418.
- discoidea** Coccinella, G. Paykull, K. Vet. Ac. Nya Handl. XIX. 1798, 150.
- discoideus** Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 177.
- discoidea** Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 25.
- discoidea** Musca, J. C. Fabricius, Mant. II. 1787, 351.
- discoidea** Nitidula, J. C. Fabricius, Syst. Ent. 1775, 78.
- discoidea** Ostoma, N. Laicharting, Tyrol. Ins. I. 1781, 108.
- discoidea** Phryganea, J. C. Fabricius, Mant. I. 1787, 245.
- discoidea** Saperda, J. C. Fabricius, Suppl. Ent. Syst. 1798, 147.
- discoideus** Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 171.
- discoideus** Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 100.
- discolor** Bombylius, J. C. Mikan, Mon. Bomb. 1796, 27.
- discolor** Bombyx, *id. ac* bicolor, Cram., C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 69.
- discolor** Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1990.
- discolor** Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1699.
- discolor** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2165.
- discolor** Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 77.
- discolor** Cuculus, G. Shaw in Miller, Cim. Phys. 1796, 95.
- discolor** Dircaea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 121.
- discolor** Donacia, D. H. Hoppe, Ins. Elyt. 1795, 45.
- discolor** Donacia, G. W. F. Panzer, Deutsch. Ins. [1795], 216.
- discolor** Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1914.
- discolor** Falco, Richard & Bernard, Actes Soc. H. N. Paris, I (1) 1792, 116.
- discolor** Felis, J. C. D. Schreber, Säugth. III. 393 (1777) pl. civ. B (1777).
- discolor** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2688.
- discolor** Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 73.
- discolor** Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 137.
- discolor** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 320.
- discolor** Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 50.
- discolor** Phalaena (Geometra), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 82.
- discolor** Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 280.
- discolor** Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2584.
- discolor** Philanthus, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 18.
- discolor** Psittacus, G. Shaw in White, Journ. N. S. W. 1790, 263.
- discolor** Rhamphastos, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 83.
- discolor** Sciaena, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 319.
- discolor** Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 217.
- discolor** Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2819.
- discors** Anas, Linnaeus, Syst. Nat., ed. 12, 1766, 205.
- discors** Bombyx, J. C. Fabricius, Suppl. Ent. Syst., 1798, 438.
- discors** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2166.
- discors** Musculus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 157.—Mytilus.
- discors** Mytilus, Linnaeus, Syst. Nat., ed. 12, 1767, 1159.
- discors**, L. *var.* **arcticus** Mytilus, O. Fabricius, Nye Saml. K. Danske Skrifter, III. 1788, 460.
- discors**, L. *var.* **australis** Mytilus, O. Fabricius, Nye Saml. K. Danske Skrifter, III. 1788, 461.

- discors*, L., *var. suecicus* Mytilus, O. Fabricius, Nye Saml. K. Danske Skrifter, III. 1788,
discors Nautilus, J. J. N. A. Spalowsky, Prod. Test. 1795, 8. [460.
discors Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2261.
discors Pholas, J. S. Schroeter, Neue Litt. IV. 1787, 260.
discors Tellina, R. Pulteney, Cat. Birds &c. Dorset, 1799, 54.
discors Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3292.
discors Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3455.
discretus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2717.
disculus Anomia, P. S. Pallas, Misc. Zool. 1766, 184.
discus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 164.
discus Cercaria, O. F. Müller, An. Infus. 1786, 138.
discus Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 9.
disiuncta Apis, J. C. Fabricius, Spec. Ins. I. 1781, 481.
dispar Anas, A. Sparrman, Mus. Carls. I. 1786, no. vii., viii.
dispar Apate, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 494.
dispar Apate, J. C. Fabricius, Ent. Syst. I (2) 1792, 363.
dispar Ascaris, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 120.
dispar Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 570.—Phalaena.
dispar Bombyx, C. P. Thunberg, Ins. Suecica (I) 1784, 1.
dispar Bostrichus, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 113.
dispar Brentus (L.), J. C. Fabricius, Mant. I. 1787, 96.—Curculio.
dispar Cantharis, J. C. Fabricius, Ent. Syst. I (1) 1792, 213.
dispar Carabus, G. Paykull, Faun. Suec. I. 1798, 167.
dispar Cardium, F. C. Meuschen, Mus. Gever. 1787, 442.
dispar Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 267.
dispar Chrysomela, G. Paykull, Faun. Suec. II. 1799, 66.
dispar Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 81.
dispar Coccinella, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. 1792, 173.
dispar Coccinella, G. Paykull, Faun. Suec. II. 1799, 17.
dispar Cryptocephalus, G. Paykull, Faun. Suec. II. 1799, 142.
dispar Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 382; ed. 12, 1767, 613.
dispar Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 460.
dispar Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 126.
dispar Dytiscus, P. Rossi, Fauna Etrus. I. 1790, 199.
dispar Elater, G. Paykull, Faun. Suec. III. 1800, 37.
dispar Fusaria, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 52.
dispar Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 9.—Scarabaeus, 1781.
dispar Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2721.
dispar Leptura, J. D. Preyßler in Mayer's Samml. Phys. Aufsätze, III. 1793, 179.
dispar Leptura, G. Paykull, Faun. Suec. III. 1800, 107.
dispar Lyctus, G. Paykull, Faun. Suec. III. 1800, 328.
dispar Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 65.
dispar Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 4.
dispar Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 501; ed. 12, 1767, 821.
dispar Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 5.
dispar Silpha, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 204.
dispar Sphaeridium, G. Paykull, Faun. Suec. I. 1798, 62.
dispar Staphylinus, G. Paykull, Mon. Staph. 1789, 77.
dispar Stenocorus, G. W. F. Panzer, Ins. Germ. heft 17, 1794, tab. 1.
dispar Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 309.
dispar Tabanus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 567.
dispar Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 425.
dispar Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 248.
disparata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 246 [n.
disparis Sphex, N. Poda, Ins. Mus. Graec. 1761, 107. [et f.].
dissectus Philanthus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 269.
dissimilis Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 354.
dissimilis Curculio, J. R. Forster, Cat. Brit. Ins. 1770, 4 [n. n.].

- dissimilis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 290.
dissimilis Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3647.—*Nerita*.
dissimilis *Nerita*, O. F. Müller, Verm. II. 1774, 184.
dissimilis *Noctua*, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 65.
dissimilis *Papilio* (*Nymphalis*), Linnaeus, Syst. Nat., ed. 10, 1758, 479; ed. 12, 1767, 782.
dissimilis *Phalaena* (N.), A. W. Knoch, Beitr. Insektenges. I. 1781, 57.
distans Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 634.
disticha *Fasciola*, O. F. Müller, Z. Dan. Prod. 1776, 224.
distincta *Andrena*, P. Rossi, Fauna Etrus. II. 1790, 345.
distincta *Cantharis*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1891.
distinctus *Carabus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1989.
distinctus *Carabus*, P. Rossi, Mant. Ins. I. 1792, 83.
distincta *Chrysomela*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1689.
distinctus *Cimex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2149.
distincta *Coccinella*, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 17.
distinctus *Curculio*, J. C. Fabricius, Ent. Syst. I (2) 1792, 459.
distinctus *Gryllus Locusta*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2088.
distincta *Noctua*, J. C. Fabricius, Mant. II. 1787, 157.
distinctus *Scarabaeus*, O. F. Müller, Z. Dan. Prod. 1776, 53.
distincta *Vespa*, Holthuysen, D. H. Schneider, Verz. Parthei Ins. 1800, 21.
distinguedus *Cryptocephalus*, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. [1792, 209].
Distoma A. J. Retzius, De Verm. intest. 1786, 20.—Ver.
Distomus Gaertner in Pallas, Spic. Zool. (10) 1774, 40.—Pol.
distomum *Alcyonium*, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 23.
Distorsio J. F. Bolten, Mus. Bolten. (2) 1798, 133.—G.
distorta *Angaria* (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 71.—Turbo.
distortus *Bulimus*, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 344.
distorta *Ostrea*, R. Pulteney, Cat. Birds &c. Dorset, 1799, 36.
distortus *Pecten*, E. M. da Costa, Brit. Conch. 1778, 148.
distorta *Tellina*, J. X. Poli, Test. Sicil. I. 1791, xxxv. & II. 1795, 39.
distortus *Trochus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3580.
distortus *Turbinus* (L.), F. C. Meuschen, Mus. Gever. 1787, 280.—Turbo.
distortus Turbo, Linnaeus, Syst. Nat. ed. 10, 1758, 764; ed. 12, 1767, 1236.
Distraema A. Modeer, K. Vet. Ac. Nya Handl. XIII. 1792, 264.—Ascid.
ditaria *Phalaena*, J. C. Fabricius, Gen. Ins. 1777, 286.
ditaria *Phalaena* (Geom.), C. de Villers, Linn. Ent. II. 1789, 302.
ditrapezium *Noctua*, [Denis & Schiffermüller], Schmett. Wien, 1775, 312.
diuca *Fringilla*, G. I. Molina, Sag. stor. nat. Chili, 1782, 249.
diurnus *Homo*, P. J. S. Müller, Linn. Syst. Nat. I. 1773, 61.
divagator *Ichneumon*, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 192.
divagor *Sylvicola*, M. Harris, Exp. Eng. Ins. 1776, 161.
divaricata *Eschara*, Linnaeus, Syst. Nat., ed. 10, 1758, 805.
divaricata *Musca*, A. F. de Fourcroy, Ent. Paris. 1785, 495.
divaricatus *Papilio*, A. F. de Fourcroy, Ent. Paris. 1785, 246.
divaricata *Tellina*, Linnaeus, Syst. Nat., ed. 10, 1758, 677; ed. 12, 1767, 1120.
divaricatus *Trochus*, Linnaeus, Syst. Nat., ed. 10, 1758, 758; ed. 12, 1767, 1229.
divaricata *Venus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3277.
divergens *Madrepora*, P. Forskal, Descr. Anim. 1775, 136.
divergens *Madrepora*, Forsk., P. S. Pallas, Char. Thierpfl. II. 1787, 129.
divergens *Noctua*, J. C. Fabricius, Mant. II. 1787, 162.
divergens *Phalaena Noctua* (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 787.—
divergens Turbo, P. Forskal, Descr. Anim. 1775, 126. [Noctua].
divergens *Venus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3269.
diversalis *Pyralis*, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 25.
diversana *Phal. Tort.*, J. Hübner, Samml. Vögel u. Schmett. 1793, 9 [*n. et f.*].
diversaria *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 202 [*n.*].
diversaria *Phalaena*, J. C. Fabricius, Ent. Syst. III (2) 1794, 157. [*et f.*].
diversata *Geometra*, [Denis & Schiffermüller], Schmett. Wien, 1775, 315.

- diversata** Phalaena, J. C. Fabricius, Mant. Ins. II. 1787, 203; v. Jung, Alph. Verz. Schmett.
- diversata** Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 387. [1791, 176.]
- diversicolor** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2722.
- diversicolor** Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
- diversicolor** Nerita, T. Martyn, Univ. Conch. III [1789], fig. 108.
- diversipes** Tenthredo, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (3) 1782, 289.
- diversipunctatus** Curculio, F. v. P. Schrank, F. Boica, I. 1798, 494.
- divinator** Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 48.
- divinatorium** Termes, O. F. Müller, Z. Dan. Prod. 1776, 184.
- divinatrix** Boa, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 128.
- diviniloquus** Constrictor, J. N. Laurenti, Syn. Rept. 1768, 108.
- divisa** Anadema, F. C. Meuschen, Mus. Gever. 1787, 482.
- divisa** Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. [1797–1800], 535.
- divisus** Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 96.
- divisus** Turbo, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 254.
- dizonias** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2880.
- djedaba** Scomber, P. Forskal, Descr. Anim. 1775, 56.
- djiddensis** Raja, P. Forskal, Descr. Anim. 1775, 18.
- dobula** Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 323; ed. 12, 1766, 528.
- dobulae** Echinorhynchus, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 123.
- docilis** Coracias, S. G. Gmelin, Reise Russ. III. 1774, 378.
- docilis** Corvus, S. G. Gmelin, Reise Russ. III. 1774, 365 & pl. [for name].
- docmak** Silurus, P. Forskal, Descr. Anim. 1775, 65.
- Dodecactis** C. F. Schultze, Verst. Seest. 1760, 51.—Ast.
- dodecadactyla** Phalaena Alucita, J. Hübner, Beitr. Schmett. I (1) 1786, 26.
- dodecella** Tinea (L.), J. C. Fabricius, Spec. Ins. II. 1781, 298.—Phalaena.
- dodecella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 539; ed. 12, 1767, 892.
- dodecos** Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1046.
- dodonea** Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 49.
- dodonea** Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 402.
- dolabraria** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 861. [—Bombyx.]
- dolabraria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 42 [n. et f.].
- dolabratus** Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 356.—Trochus.
- dolabratus** Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 449; ed. 12, 1767, 730.
- dolabratus** Dytiscus, G. Paykull, Faun. Suec. I. 1798, 204.
- dolabrata** Helix, O. F. Müller, Verm. II. 1774, 121.—Trochus.
- dolabratus** Miris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 183.—Cimex.
- dolabrata** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 34.
- dolabratus** Pyramidella (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 76.—Trochus.
- dolabratus** Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 760; ed. 12, 1767, 1231.
- dolarium** Murex, Linnaeus, Syst. Nat., ed. 12, 1767, 1223.
- dolarium** Muriciformis (L.), F. C. Meuschen, Mus. Gever. 1787, 320.—Murex.
- doliata** Cabestana, J. F. Bolten, Mus. Bolten. (2) 1798, 130.
- doliatus** Coluber, G. Shaw, Nat. Misc. VII. 1796, pl. 254.
- doliatus** Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 379.
- doliatus** Lanius, Linnaeus, Mus. Adolph. Frid. II. 1764, 12.
- doliatus** Musca, A. F. de Fourcroy, Ent. Paris. 1785, 487.
- doliata** Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116.
- doliata** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 315.
- doliatus** Turdus (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. IV. 1796, 145.—Lanius.
- dolicaon** [Papilio], P. Cramer, Utitl. Kapellen, I (2) 1775, 25.
- dolichocephalus** Pediculus, Scopoli, Ent. Carn. 1763, 382.
- dolichocerus** Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
- Dolichopus** P. A. Latreille, Préc. Car. Ins. 1796, 159.—Dip.
- dolichos** Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 95.
- dolichos** Solen, J. F. Bolten, Mus. Bolten. (2) 1798, 155 [n. n.].
- dolichus** Tellina, F. C. Meuschen, Mus. Gever. 1787, 456.
- doliolum** Actinia, P. S. Pallas, Misc. Zool. 1766, 152.

- doliolum Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 351.
doliolum Cabestana, J. F. Bolten, Mus. Bolten. (2) 1798, 130.
doliolum Cadus, J. F. Bolten, Mus. Bolten. (2) 1798, 151 [*n. n.*].
doliolum Hydra (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3869.—Actinia.
doliolum Nerita, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 319.
Dolium P. Browne, Hist. Jamaica, ed. 2, 1789, 406.—G.
Dolium [G. Humphreys], Mus. Calonn. 1797, 19.—G.
dolum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 735; ed. 12, 1767, 1197.
dolum Cadus, J. F. Bolten, Mus. Bolten. (2) 1798, 150.
dolum Globosa (L.), F. C. Meuschen, Mus. Gever. 1787, 386.—Buccinum.
dolon [Phalaena], P. Cramer, Utitl. Kapellen, II (9) 1777, 7.
dolorosum Corculum, J. F. Bolten, Mus. Bolten. (2) 1798, 189.
dolorosus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1804.
dolyllas [Papilio], P. Cramer, Utitl. Kapellen, II (10) 1777, 22.
domator Ichneumon, N. Poda, Ins. Mus. Graec. 1761, 105.
dombeianus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 335.
domesticella Phalaena, Scopoli, Ent. Carn. 1763, 256.
domesticus Acarus, C. de Geer, Mém. Ins. VII. 1778, 89.
domestica Acheta (L.), J. C. Fabricius, Syst. Ent. 1775, 280.—Gryllus.
domestica Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 538.
[domesticus Araneus, C. Clerck, Aran. Svec. 1757, 76.
domestica Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 620; ed. 12, 1767, 1031.
domesticus Byrrhus, A. F. de Fourcroy, Ent. Paris. 1785, 26.
domesticus Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 389.
domestica Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 769; *var. livia*, saxatilis (769); *hispanica*, dasyypus, cristata, norvegica, hispida, barbarica, cucullata, turbita, laticauda (770); *gyratrix*, galeata, turcica, tabellaria, gutturosa, eques, jubata, percussor (771); *maculata* (772).
domesticus Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 356; ed. 12, 1767, 563.
domestica Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 183; ed. 12, 1766, 323.
domestica Fringilla, Bartram, B. S. Barton, Frag. N. H. Pennsylv. 1799, 15.
domestica Geometra, C. C. Jung, Alph. Verz. Schmett. 1791, 177 (2).
domesticus Gryllus (Acheta), Linnaeus, Syst. Nat., ed. 10, 1758, 428; ed. 12, 1767, 694.
domestica Helix, H. Ström, Trondhiemske Selsk. Skrift. III. 1765, 435.
domestica Hirundo, C. Nozeman in Nozeman & Houttuyn, Ned. Vogel. I (177-), 31.
domesticus Ips (L.), C. de Geer, Mém. Ins. V. 1775, 196.—Dermestes.
domestica Martes, P. Pinel, Actes Soc. H. N. Paris, I (1) 1792, 55.
domestica Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 596; ed. 12, 1767, 990.
domestica Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 23.
domesticus Passer (L.), J. C. Schaeffer, Mus. Orn. 1789, 24.—Fringilla.
domestica Phalaena, Hufnagel, Berl. Mag. III. 1767, 406.
domesticus Phasianus, J. Latham, Index Orn. 1790, 626.
domestica Ploiaria, J. A. Scopoli, Del. Insub. I. 1786, 60.
domesticus Ptinus, F. v. P. Schrank, F. Boica, I. 1798, 542.
domestica Sphex, J. L. Christ, Nat. Ins. 1791, 273.
domestica Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 179.—Musca.
domialla Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 273.
domicella Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 217; ed. 12, 1766, 376.
domicella Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 100; ed. 12, 1766, 145.
domicella Psittacus L., R. Kerr, Anim. Kingd. 1792, 591, *var. torquatus*.
domicella Staphylinus, F. v. P. Schrank, Ins. Aust. 1781, 235.
domicellarum Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 124.
domiduca Phalaena, Hufnagel, Berl. Mag. III. 1767, 404.
domiduca Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 113.
[domiduca Phalaena (N.) MS.], T. Martyn, Psyche, 1797, fig. 93.
domina [Phalaena], P. Cramer, Utitl. Kapellen, IV (26) 1780, 28.
domingensis Strix, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 70.
dominia [Phalaena], P. Cramer, Utitl. Kapellen, III (22) 1779, 123.

- dominicana** Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 536.
dominicana Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 166.
dominicanus Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 307.
dominicana Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 172; ed. 12, 1766, 301.
dominicanus Turdus, P. Boddaert, Tab. Planch. Enl. 1783, 38.
dominicanus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 836.
dominicensis Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3433.
dominicensis Columba, J. Latham, Index Orn. 1790, 615.
dominicensis Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 285.
dominicensis Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1025.
dominicensis Icterus (L.), F. M. Daudin, Traité élém. Orn. 1800, 335.—Oriolus.
dominicensis Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 855.
dominicensis Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 163.
dominicensis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 343.
dominicensis Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 193.
dominicensis Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 296.
dominica Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 521.
dominicus Charadrius, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 116.
dominicus Colymbus, Linnaeus, Syst. Nat., ed. 12, 1766, 223.
dominicus Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 170.
dominica Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 334.
dominica Parra, Linnaeus, Syst. Nat., ed. 12, 1766, 259.
dominica [Phalaena], C. Stoll in Cramer, Utitl. Kapellen. IV (34) 1782, 238.
dominicus Podiceps (L.), J. Latham, Index Orn., 1790, 785.—Colymbus.
dominica Sylvia (L.), J. Latham, Index Orn. 1790, 538.—Motacilla.
dominicum Synodendron, J. C. Fabricius, Ent. Syst. I (2) 1792, 359.
dominica Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 316.
dominicus Trochilus, Linnaeus, Syst. Nat., ed. 12, 1766, 191.
dominicus Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 295.
dominicus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 145.
dominula Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 583.—Phalaena.
dominulus Cimex, Scopoli, Ent. Carn. 1763, 124.
dominulus Cimex, G. A. Harrer, Besch. Schaeffer Icones, 1784, 300.
dominula Noctua (L.), E. J. C. Esper, Die Schmett. IV (31) 1787, 38.—Phal.
dominula Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 509; ed. 12, 1767, 834.
dominula Tettigonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 100.
dominula Vespa, J. L. Christ, Nat. Ins. 1791, 229.
domitia Libellula, D. Drury, Ill. Nat. Hist. II. 1773, index & 83.
domitianus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 315.
domitor Musca, M. Harris, Exp. Eng. Ins. 1776, 148.
domuncula Alcyonium, G. Olivi, Zool. Adriat. 1792, 241.
donaceum Cardium, L. Spengler, Skr. nat. Selsk. [Copen.], V (1) 1799, 37.
Donacia J. C. Fabricius, Syst. Ent. 1775, 195.—Col.
donacina Mya, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, 40.
donacinus Mytilus, J. S. Schroeter, Neue Litt. IV. 1787, 268.
donacina Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 676; ed. 12, 1767, 1118.
donacina Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3295.
donasa Bombyx, E. J. C. Esper, Die Schmett. III (23) 1785, 264.
Donax Linnaeus, Syst. Nat., ed. 10, 1758, 682; ed. 12, 1767, 1126.—Moll.
donna Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2, [antea 1796], 3.
donzella Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 313.
dorab Clupea, P. Forskal, Descr. Anim. 1775, 72.
dorantes [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 172.
dorcax Antilope, P. S. Pallas, Misc. Zool. 1766, 6.
dorcax Capra, Linnaeus, Syst. Nat., ed. 10, 1758, 69; ed. 12, 1766, 96.
dorcax Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 160.
dorcax Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 31.
dorcax Lucanus, O. F. Müller, Z. Dan. Prod. 1776, 52.

- dorcas** Lucanus, G. W. F. Panzer, *Ins. Germ.* heft 58 [1798], tab. 11.
- dorcas** Papilio, J. C. Fabricius, *Syst. Ent.* 1775, 508.
- dorcas** Scarabaeus [Coprif], A. G. Olivier, *Entom. I.* 1789, 121.
- [**Dorcatoma**] *v.* **Dorkatoma**.
- dorcatoma** Anobium, Illiger in Kugelann, *Käfer Preuss.* 1798, 334.
- dorcatoma** Ptilinus, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 73.
- dorceyi** Melolontha, A. G. Olivier, *Entom. I.* 1789, 33.
- doreus** Papilio, J. C. Fabricius, *Syst. Ent.* 1775, 457.
- doreus** Papilio, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 68.
- doriclea** [Papilio], D. Drury, *Ill. Nat. Hist.* III. 1782, index & 50.
- Dorilas** J. G. Meigen, *N. Class. Mouches*, 1800, 31.—*Dip.*
- dorilas** *v.* **dorylas**.
- dorilis** Papilio 'H.', Hufnagel, *Berl. Mag.* II. 1766, 68.
- dorilis** Papilio, M. B. Borkhausen, *Nat. Eur. Schmett.* I. 1788, 93.
- dorimene** [Papilio], C. Stoll in Cramer, *Uitl. Kapellen*, IV (33) 1782, 201.
- dorimond** [Papilio], C. Stoll, *Aanhang. Cramer's Uitl. Kapellen*, V. 1790, 166.
- Dorippe** J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 322.—*Cr.*
- Dorippe** J. F. W. Herbst, *Vers. Nat. Krab.* III (1) 1799, 22.—*Cr.*
- Doris** Linnaeus, *Syst. Nat.*, ed. 10, 1758, 653; ed. 12, 1767, 1083.—*Moll.*
- doris** Carabus, G. W. F. Panzer, *Ins. Germ.* heft 38 [1796], 9.
- doris** Elaphrus (Panz.), Illiger in Kugelann, *Käfer Preuss.* 1798, 232.—*Carabus*.
- doris** Harpa, J. F. Bolten, *Mus. Bolten.* (2) 1798, 150.
- doris** [Papilio], P. Cramer, *Uitl. Kapellen*, I (1) 1775, 12.
- doris** Papilio (H.), Linnaeus, *Mant. II.* 1771, 536.
- Dorkatoma** J. F. W. Herbst in Jablonsky, *Nat. Ins. (Käfer)* IV. 1792, 103.—*Col.*
- dormia** Cancer, Linnaeus, *Amoen. Acad.* VI. 1763, 413.
- dormitor** Conus, D. Solander in G. Brander, *Foss. Hant.* 1766, 16.
- dormitor** Gobiomorus, B. G. E. de Lacépède, *Hist. Nat. Poiss.* II. 1800, 583.
- doronic** Musca, Scopoli, *Ent. Carn.* 1763, 333.
- dorothea** Libellula, A. F. de Fourcroy, *Ent. Paris.* 1785, 344.
- dorothea** [Papilio], P. Cramer, *Uitl. Kapellen*, III (17) 1779, 19.
- dorothea** Papilio, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 194.
- dorothea** [Phalaena], C. Stoll in Cramer, *Uitl. Kapellen*, IV (34) 1782, 228.
- dorsali** Byrrhus, C. de Villers, *Linn. Ent.* IV. 1789, 225.
- dorsalis** Altica (Fab.), A. G. Olivier, *Ency. Méth.* IV (Ins.) 1789, 109.—*Chrysomela*.
- dorsalis** Aranea, J. C. Fabricius, *Syst. Ent.* 1775, 437.
- dorsalis** Asilus, C. de Geer, *Mém. Ins.* VI. 1776, 239.
- dorsalis** Bombylius, A. G. Olivier, *Ency. Méth.* IV (Ins.) 1789, 327.
- dorsalis** Byrrhus, J. C. Fabricius, *Mant. I.* 1787, 38.
- dorsalis** Byrrhus, C. P. Thunberg, *D. D. Mus. Ac. Upsal. App.* I. 1791, 116.
- dorsalis** Carabus, O. F. Müller, *Z. Dan. Prod.* 1776, 78.
- dorsalis** Carabus, C. P. Thunberg, *Nov. Ins. Spec.* (4) 1784, 73.
- dorsalis** Carabus, J. C. Fabricius, *Mant. I.* 1787, 205.
- dorsalis** Cassida, Herbst in Jablonsky, *Nat. Ins. (Käfer)* VIII. 1799, 227.
- dorsalis** Chrysomela, J. C. Fabricius, *Gen. Ins.* 1777, 220.
- dorsalis** Chrysomela, J. C. Fabricius, *Spec. Ins.* I. 1781, 135.
- dorsalis** Chrysomela, J. C. Fabricius, *Mant. I.* 1787, 77.
- dorsalis** Chrysomela, J. G. Hübner, *Naturforscher*, XXIV. 1789, 39.
- dorsalis** Cimex, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 530.
- dorsalis** Coluber, F. C. Meuschen, *Mus. Gronov.* 1778, 15.
- dorsalis** Crioceris, A. G. Olivier, *Ency. Méth.* VI (Ins.) 1791, 201.
- dorsalis** Curculio, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 378; ed. 12, 1767, 608.
- dorsalis** Dytiscus, J. C. Fabricius, *Mant. I.* 1787, 192.
- dorsalis** Elater, G. Paykull, *Faun. Suec.* III. 1800, 4.
- dorsalis** Erotylus, A. G. Olivier, *Ency. Méth.* VI (Ins.) 1791, 436.
- dorsalis** Galleruca, J. C. Fabricius, *Ent. Syst.* I (2) 1792, 31.—*Chrysomela*, 1787.
- dorsalis** Hispa, D. H. Schneider, *Verz. Parthei Ins.* 1800, 11.
- dorsalis** Ichneumon, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 231.

- dorsalis** Ips, J. C. Fabricius, Mant. I. 1787, 45.
dorsalis Latridius, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 577.
dorsalis Melolontha, J. C. Fabricius, Syst. Ent. 1775, 35.
dorsalis Mordella, G. W. F. Panzer, Ins. Germ. heft 13, 1793, tab. 15.
dorsalis Musca, J. C. Fabricius, Syst. Ent. 1775, 786.
dorsalis Myopa, J. C. Fabricius, Ent. Syst. IV. 1794, 397.
dorsalis Nitidula, A. G. Olivier, Entom. II. 1790, 21.
dorsalis Noctua, J. C. Fabricius, Mant. II. 1787, 148.
dorsalis Phalaena, J. C. Fabricius, Syst. Ent. 1775, 643.
dorsalis Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1569.—
 Melolontha.
dorsalis Scolopendra, J. C. Fabricius, Spec. Ins. I. 1781, 533.
dorsalis Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 230.—Ips.
dorsalis Stomoxys, J. C. Fabricius, Ent. Syst. IV. 1794, 396.
dorsalis Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 403.
dorsalis Vespa, J. C. Fabricius, Syst. Ent. 1775, 367.
dorsana Phalaena Tort., C. de Villers, Linn. Ent. II. 1789, 415.
dorsana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 654.
dorsana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 36 [*n. et f.*].
dorsata Anas, A. Vroeg, Catal. Vogel. 1764, Adumb. 5.
dorsata Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3348.
dorsata Apis, J. C. Fabricius, Ent. Syst. II. 1793, 328.
dorsata Aranea, J. C. Fabricius, Gen. Ins. 1777, 249.
dorsatum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 111.
dorsata Buprestis, J. C. Fabricius, Mant. I. 1787, 179.
dorsata Cassida, J. C. Fabricius, Mant. I. 1787, 64.
dorsatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 468.—Phalaena dorsalis.
dorsatus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 173.
dorsatus Cynaedus, F. C. Meuschen, Mus. Gronov. 1778, 41.
dorsata Cyphoma, J. F. Bolten, Mus. Bolten. (2) 1798, 21.
dorsata Formica, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 1.
dorsata Hystrix, Linnaeus, Syst. Nat., ed. 10, 1758, 57; ed. 12, 1766, 76.
dorsata Hystrix, R. Kerr, Anim. Kingd. 1792, 215; var. alba.
dorsata Mutilla, J. C. Fabricius, Suppl. Ent. Syst. 1798, 281.
dorsata Tenthredo, J. C. Fabricius, Spec. Ins. I. 1781, 408.
dorsata Terebratula, G. Cuvier, Tab. Elém. 1798, 434.
dorsata Tiphia, J. C. Fabricius, Mant. I. 1787, 279.
dorsatus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 507.—Alucita dorsella,
dorsella Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 336. [1794]
dorsella Tinea, J. C. Fabricius, Mant. II. 1787, 245.
dorsettensis Cancer, T. Pennant, Brit. Zool. ed. 4, IV. 1777, 7.
dorsiger Carabus, J. C. Fabricius, Mant. I. 1787, 201.
dorsigera Didelphis, Linnaeus, Syst. Nat., ed. 10, 1758, 55; ed. 12, 1766, 72.
dorsigera Leucospis, J. C. Fabricius, Syst. Ent. 1775, 361.
dorsigera Philander, F. C. Meuschen, Mus. Gronov. 1778, 6.
dorsigera Rana, J. G. Schneider, Hist. Amph. I. 1799, 121.
dorsigera Tenthredo, P. Rossi, Fauna Etrus. II. 1790, 32.
dorsigera Vespa (Fab.), J. L. Christ, Nat. Ins. 1791, 225.—Leucospis.
dorsimaculata Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 77.
dorsipes Albunea (Fab.), F. Weber, Nomen. Fabricii, 1795, 94.—Hippra.
dorsipes Albunea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 397.—Cancer.
dorsipes Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 630; ed. 12, 1767, 1053.
dorsipes Emerita, F. C. Meuschen, Mus. Gronov. 1778, 87.
dorsipes Hippra (L.), J. C. Fabricius, Mant. I. 1787, 329.—Cancer.
dorso Perca, J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 353.
dorsodiscolor Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 260.
dorso-rufo Buprestis, J. A. Scopoli, Annus V. 1772, 106.
dorso-rufo Meloe, J. A. Scopoli, Annus V. 1772, 103.

- Dorthesia emend.* Orthezia, Bosc d'antic; Orthez, Obs. sur la Physique, XXVI. 1785.
207.—Hem.
- dorus* Papilio Pl. R., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. 1782, 130.
- dorus* Papilio, L. Prunner, Lep. Pedemont. 1798, 74.
- dorylas* Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 299.—Papilio.
- dorilas* [Papilio], P. Cramer, Uitl. Kapellen, I (4), 1775, 75.
- dorylas* Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 322.
- dorylas* Papilio Eques, J. H. Sulzer, Gesch. Ins. 1776, 142.
- Dosinia* J. A. Scopoli, Intr. Hist. Nat. 1777, 399.—L.
- dotata* Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 55.
- dotata* Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 526.
- dracaena* Conus, H. Davies in T. Pennant, Ind. Zool. ed. 2, 1791, 150.
- dracaena* Cordylus (L.), F. A. A. Meyer, Syn. Rept. 1795, 18.—Lacerta.
- dracaena* Cypraea, I. v. Born, Index Mus. Caes. Vind. 1778, 174.
- dracaena* Lacerta, Linnaeus, Syst. Nat. ed. 12, 1766, 360.
- dracculus* Callionymus, O. F. Müller, Zool. Dan. (Danish ed.), 1781, 75.
- Draco* Linnaeus, Syst. Nat., ed. 10, 1758, 199; ed. 12, 1766, 358.—R.
- draco* Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788; Syn. méth.
- draco* Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 27.
- draco* Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 636.
- draco* Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 144.
- draco* Trachinus, Linnaeus, Syst. Nat., ed. 10, 1758, 250; ed. 12, 1766, 435.
- draconis* Cataphractus, F. C. Meuschen, Mus. Gronov. 1778, 56.
- draconis* Pegasus, Linnaeus, Syst. Nat., ed. 12, 1766, 418.
- Dracunculus* J. H. Kniphof, De Pedic. 1759, 12.—Ver.
- dracunculus* Callionymus, Linnaeus, Syst. Nat., ed. 10, 1758, 249; ed. 12, 1766, 434.
- dracunculus* Phasma, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 78.
- dragonalis* Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 225.
- drancus* [Sphinx], P. Cramer, Uitl. Kapellen, II (11) 1777, 56.
- draparnaldi* Coccus, Bory de St. V., Journ. Santé Bordeaux, III. 1798, 77.
- draparnaldi* Ichneumon, Bory de St. V., Journ. Santé Bordeaux, III. 1798, 76.
- dresdensis* Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1671.
- dresdensis* Dorkatoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 104.
- dresdensis* Pselaphus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 110.
- Drilus* A. G. Olivier, Entom. II. 1790, 1.—Col.
- Drionus* J. A. Scopoli in Piller & Mitterpacher, Iter Poseg. 1783, 36.—Col.
- dröbachiensis* Echinus, O. F. Müller, Z. Dan. Prod. 1776, 235.
- dromedaria* Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 831.—Phalaena.
- dromedarius* Camelus, Linnaeus, Syst. Nat., ed. 10, 1758, 65; ed. 12, 1766, 90.
- dromedarius* Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 29.
- dromedarius* Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 12, 1767, 827.
- dromedarius* Sirex, J. C. Fabricius, Mant. I. 1787, 258.
- dromedarius* Sphex, J. L. Christ, Nat. Ins. 1791, 290.
- Dromia* F. Weber, Nomen. Fabricii, 1795, 92.—Cr.
- Dromia* J. C. Fabricius, Suppl. Ent. Syst. 1798, 320.—Cr.
- Dromia* J. F. W. Herbst, Vers. Nat. Krab. III (1) 1790, 20.—Cr.
- dromia* Cancer, J. C. Fabricius, Spec. Ins. I. 1781, 501.—[dormia, Linn. *est.*]
- dromos* Camelus, R. Kerr, Anim. Kingd. 1792, 288.
- dromus* Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 224.
- Drupa* J. F. Bolten, Mus. Bolten. (2) 1798, 55.—G.
- druparum* Curculio, Linnaeus, Faun. Suec. ed. 2, 1761, 181.
- drupiferarum* Sphinx, J. E. Smith in Abbot, Ins. Georgia, 1797, 71.
- druraci* *v.* *druryi*.
- drurella* Tinea, J. C. Fabricius, Syst. Ent. 1775, 666.
- drurii* *v.* *druryi*.
- druryanus* Brentus (Pall.), J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1789, 1739.—Cur-
- druryanus* Curculio, P. S. Pallas, Icon. Ins. 1781, 26. [culio.]
- druryana* Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 163.

- druryella** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 224.
druryi Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1860.—
druræi Cimex, Linnaeus, Mant. II. 1771, 534. [Stenocorus.
drurii Stenocorus, J. C. Fabricius, Syst. Ent. 1775, 181.
drusilla [Papilio], P. Cramer, Utitl. Kapellen, II (10) 1777, 21.
drusilla [Papilio], J. A. B. Bergstraesser, Nom. Ins. III. 1779, 42.
drusia [Papilio], P. Cramer, Utitl. Kapellen, I (7) 1775, 132.
drusius [Papilio], P. Cramer, Utitl. Kapellen, III (20) 1779, 63.
drusius Papilio, J. C. Fabricius, Mant. II. 1787, 32.
drya Papilio, J. C. Fabricius, Syst. Ent. 1775, 478.
dryados Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1748.
dryaphilus Conops, Scopoli, Ent. Carn. 1763, 353.
dryas Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 194.—Phalaena.
dryas Myoxus, J. C. D. Schreber, Säugth. IV. 831 (1787), pl. ccxxv. B (1782).
dryas Papilio, Scopoli, Ent. Carn. 1763, 153.
dryas [Phalaena], P. Cramer, Utitl. Kapellen, I (6) 1775, 110.
dryasis Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 39.
dryinas Caudisona (L.), J. N. Laurenti, Syn. Rept. 1768, 94.—Crotalus.
dryinas Crotalus, Linnaeus, Syst. Nat., ed. 10, 1758, 214; ed. 12, 1766, 372.
dryope [Papilio], P. Cramer, Utitl. Kapellen, I (7) 1775, 125.
Dryops A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 297.—Col.
Drypta P. A. Latreille, Préc. Car. Ins. 1796, 75.—Col. [n. n.]
dschindschica Alauda, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 9
dschindschicus Buceros, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 6
dschindschicus Sciurus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 151. [n. n.]
dschindschicus Tetrao, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 11
 [n. n.]
dschindschicus Turdus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8
 [n. n.]
dschindschicus Vultur, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 5
dubbah Hyaena, F. A. A. Meyer, Zool. Entdeck. 1793, 94. [n. n.]
dubitalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 11.
dubitana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 71 [n. et f.]
dubitatorius Ichneumon, J. H. Sulzer, Gesch. Ins. 1776, 189.
dubitatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46 [n. n.] [866.
dubitata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 524; ed. 12, 1767,
dubitata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 265
dubito Apis, M. Harris, Exp. Eng. Ins. 1776, 137. [n. et f.]
dubitatorius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 331.
dubius [sine gen.] Herbst in Fuessly, Arch. Insect. IV. 1783, 41.
dubium Anisotoma (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 78.—Tritoma.
dubia Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 624.
dubius Asilus, Scopoli, Ent. Carn. 1763, 366.
dubius Atteblabus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1810.—Clerus.
dubia Brachionus, J. F. Blumenbach, Mag. Neuste Phys. u. Nat. VI (1) 1790, 55.
dubius Brachycerus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 42.
dubium Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112 [n. n.]
dubius Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 409.
dubia Buprestis, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 38.
dubium Busycon, J. F. Bolten, Mus. Bolten. (2) 1798, 149 [n. n.]
dubia Cantharis (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 279.—Lytta.
dubia Cantharis (Fab.), C. de Villers, Linn. Ent. I. 1789, 301.—Cucujus.
dubius Carabus, J. F. W. Herbst, Beschäf. Ges. Nat. Freunde, IV. 1779, 319.
dubius Charadrius, J. A. Scopoli, Del. Insub. II. 1786, 93.
dubia Chrysis, P. Rossi, Fauna Etrus. II. 1790, 77.
dubia Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 93.
dubia Cicada, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 40.
dubia Cicada, Creutzler in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 20.

- dubius Cimex, Scopoli, Ent. Carn. 1763, 121.
dubius Clerus, J. C. Fabricius, Gen. Ins. 1777, 229.
dubia Coccinella, J. A. Scopoli, Annus V. 1772, 107.
dubius Coccus, J. C. Fabricius, Ent. Syst. IV. 1794, 228.
dubius Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1086.
dubius Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 369.
dubius Cryptocephalus (Schr.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 623.—Chry-
dubius Cucuius, J. C. Fabricius, Gen. Ins. 1777, 233. [somela.
dubius Curculio, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 57.
dubius Curculio, J. C. Fabricius, Mant. I. 1787, 106.
dubius Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 128.
dubium Cyclidium, O. F. Müller, An. Infus. 1786, 85.
dubia Cynips, P. Rossi, Mant. Ins. II. 1794, 107.
dubia Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3405.
dubius Dermestes, P. Rossi, Mant. Ins. I. 1792, 17.
dubius Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3186.
dubius Elater, Mayer, Abh. Privatges. Böhmen, IV. 1779, 183.
dubium Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 92.
dubius Falco, A. Sparrman, Mus. Carls. II. 1787, no. xxvi.
dubius Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 281.
dubius Falco, F. M. Daudin, Traité élém. Orn. 1800, 122.
dubius Gryllus (Tettig.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2069.
dubius Heterocerus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 75.
dubius Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 53.
dubia Leptura, Scopoli, Ent. Carn. 1763, 47.
dubia Leptura, J. C. Fabricius, Spec. Ins. I. 1781, 249.
dubius Lophius, G. Shaw in White, Journ. N. S. W. 1790, 265.
dubius Lucanus, L. G. Scriba, J. Lieb. Ent. I. 1790, 42.
dubia Lytta, J. C. Fabricius, Spec. Ins. I. 1781, 329. [Notoxus.
dubia Melasis (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 522.—
dubia Melolontha (Scop.), J. N. Laicharting, Tyrol. Ins. I. 1781, 37.—Scarabaeus.
dubia Melolontha, Schrank in Born, Phys. Arb. Freunde Wien, II (2) 1787, 9.
dubia Melolontha, A. G. Olivier, Entom. I. 1789, 32.
dubia Melolontha, P. Rossi, Mant. Ins. I. 1792, 11.
dubius Melyris, A. G. Olivier, Entom. II. 1790, 12.
dubia Mya, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 69.
dubius Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3363.
dubia Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3678.
dubius Notoxus, J. C. Fabricius, Ent. Syst. I (1) 1792, 211.
dubia Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3319.
dubius [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 123.
dubius Papilio, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 331.
dubia Parthenope, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
dubius Pecten, J. F. Bolten, Mus. Bolten. (2) 1798, 165 [n. n.].
dubia Phalaena, Hufnagel, Berl. Mag. III. 1767, 404.
dubia Phryganea, Scopoli, Ent. Carn. 1763, 268.
dubia Planaria, J. A. E. Goeze, Eingeweidewürm. 1782, 177.
dubia Plotia, J. F. Bolten, Mus. Bolten. (2) 1798, 96.
dubius Psittacus, J. Latham, Index Orn. 1790, 97.
dubius Rallus, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 26.
dubius Ramphastos, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 357.
dubia Saperda, J. N. Laicharting, Tyrol. Ins. II. 1784, 52.
dubius Scarabaeus, Scopoli, Ent. Carn. 1763, 3.
dubius Scarabaeus, J. A. Scopoli, Annus V. 1772, 80.
dubius Serropalpus (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 128.—Notoxus.
dubius Strombus, D. Solander in G. Brander, Foss. Hant. 1766, 31.
dubia Tanagra, G. Shaw, Nat. Misc. VII. 1796, pl. 252.
dubius Tenebrio, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 326.

- dubius Tenebrio, P. Rossi, Fauna Etrus. I. 1790, 234.
dubia Tenthredo, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 347.
dubia Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2668.
dubia Tinea, P. Rossi, Fauna Etrus. II. 1790, 208.
dubia Tritoma, J. C. Fabricius, Gen. Ins. 1777, 213.
dubius Trox, G. W. F. Panzer, Ins. Germ. heft 62 [1799], tab. 5.
dubius Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3606.
dubius Turdus, J. M. Bechstein, Getreue Abbild. heft 10 [? 1794], 119.
dubius Turdus, J. M. Bechstein, Gem. Nat. Deutschl. IV. 1795, 240.
dubia Venus, J. Hermann, Naturforscher, XV. 1781, 129.
dubia Volvoxis (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's]. V. 1794.
dualis Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 194. [540.—Tritoma.
ductor Conus, F. C. Meuschen, Mus. Gev. 1787, 352.
ductor Gasterosteus, Linnaeus, Syst. Nat., ed. 10, 1758, 295; ed. 12, 1766, 489.
ductor Scomber, Linnaeus in Hasselquist, Palast. 1762, 410.—Gasterosteus, 1758.
Dugong B. G. E. de Lacépède, Tabl. Mamm. 1799, 17.—M.
dugon Trichecus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 21.
dugung Trichechus, *id. ac* dugon, Müll., J. C. P. Erxleben, Syst. Anim. 1777, 599.
dugong Trichechus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 60.
dulcamarae Nitidula (Scop.), Illiger in Kugelann, Käfer Preuss. 1798, 387.—Laria.
dulcamarae Laria, Scopoli, Ent. Carn. 1763, 22.
dumeti Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 12, 1767, 815; [= dumi, Faun. Suec.].
dumeti Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 565.—Phalaena.
dumetorum Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 13.
dumetorum Aranea, A. F. de Fourcroy, Ent. Paris. 1785, 534.
dumetorum Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 406.
dumetorum Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 334.
dumetorum Sylvia (L.), J. Latham, Index Orn. 1790, 522.—Motacilla.
dumetorum Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 373.
dumetorum Vespa, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 4.
dumi Phalaena (Bombyx), Linnaeus, Faun. Suec., ed. 2, 1761, 293.
dumosus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 445; ed. 12, 1767, 721.
duodecimcinctus Dasypus, J. C. D. Schreber, Säugth. II. 225 (1775), pl. lxxv (1775).
duodecimcingulis Dasypus, E. A. W. Zimmermann, Spec. Zool. 1777, 467.
duodecimguttata Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 44.
duodecimguttata Coccinella, N. Poda, Ins. Mus. Graec. 1761, 25.
duodecimguttata Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 47.
duodecimguttata Coccinella, A. F. de Fourcroy, Ent. Paris. 1785, 151.
duodecimguttata Coccinella, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 34 [*n. n.*].
duodecimguttata Coccinella, J. C. Fabricius, Mant. II. 1787, 379. [guttata, Fab.].
duodecimguttata Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 110; [= "bis sex-
duodecimmaculatus Cerambyx, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791, 123.
duodecimmaculata Clytra (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 34.—
Cryptocephalus.
duodecimmaculatus Clytra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 112.—Crypto-
duodecimmaculatus Cryptocephalus, J. C. Fabricius, Spec. Ins. I. 1781, 139.
duodecimmaculata Leptura, J. C. Fabricius, Spec. Ins. I. 1781, 248.
duodecimmaculata Mylabris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 74.
duodecimmaculata Nomada, P. Rossi, Fauna Etrus. II. 1790, 110.
duodecimpunctatus Attelabus, Scopoli, Ent. Carn. 1763, 36. [95.—Chrysomela.
duodecimpunctata Auchenia (L.), C. P. Thunberg, N. Acta Soc. Sci. Upsal. V. 1792,
duodecimpunctatus Carabus, O. F. Müller, Z. Dan. Prod. 1776, 78.
duodecimpunctata Cassida, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 393.
duodecimpunctata Cassida, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 66.
duodecimpunctatus Cerambix, N. J. Brahm, Ins. Kal. I (2) 1791, 176.
duodecimpunctata Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 376; ed. 12, 1767,
duodecimpunctata Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 103. [601.
duodecimpunctatus Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 527.

- duodecimpunctata Coccinella, Linnaeus, Syst. Nat., ed. 12, 1767, 581.
 duodecimpunctata Crioceris, O. F. Müller, Z. Dan. Prod. 1776, 85.
 duodecimpunctata Crioceris (L.), J. C. Fabricius, Syst. Ent. 1775, 120.—Chrysomela.
 duodecimpunctata Crioceris, A. F. de Fourcroy, Ent. Paris. 1785, 95.
 duodecimpunctatus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1721.—Chrysomela.
 duodecimpunctatus Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 67. [1775.
 duodecimpunctata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 15.—Chrysomela,
 duodecimpunctata Lema (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 91.—Chrysomela.
 duodecimpunctatus Melolontha, A. G. Olivier, Entom. I. 1789, 84.
 duodecimpunctata Mordella, P. Rossi, Fauna Entom. I. 1790, 243.
 duodecimpunctata Mylabris, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 5.
 duodecimpunctata Mylabris, V. Petagna, Inst. Ent. 1792, 295. [?Cyrillo's sp.]
 duodecimpunctata Mylabris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 75.
 duodecimpunctata Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 558; ed. 12, 1767,
 duodecimpustulata Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 85. [926.
 duodecimpustulata Coccinella, E. Pontoppidan, Danske Atlas, I. 1763, 669.
 duodecimpustulata Coccinella, J. C. Fabricius, Gen. Ins. 1777, 218.
 duodecimpustulatus Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 197.
 duodecimpustulatus Dytiscus, A. G. Olivier, Entom. III. 1795, 31.
 duodecimstriatus Hister, F. v. P. Schrank, Ins. Aust. 1781, 39.
 duodenalis Serpula, J. F. Bolten, Mus. Bolten. (2) 1798, 69.
 duplana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 409.—Pyralis.
 duplana Pyralis, J. C. Fabricius, Gen. Ins. 1777, 293.
 duplaris Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 352.
 duplella Bursaria, O. F. Müller, An. Infus. 1786, 117.
 duplex Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 141.
 duplicalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 226. [et f.].
 duplicaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 208 [n.
 duplicatum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 742; ed. 12, 1767, 1206.
 duplicatus Colymbus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 107.
 duplicatum Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 92.—Turbo.
 duplicata Medusa, A. Modeer, Nova Acta Acad. Caes. VIII. App., 1791, 31.
 duplicatus Monoceros (L.), F. C. Meuschen, Mus. Gever. 1787, 290.—Turbo.
 duplicata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 472.
 duplicata Nassa, J. F. Bolten, Mus. Bolten. (2) 1798, 132 [n. n.].
 duplicata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 636.
 duplicata Phalaena (Geometra), O. F. Müller, Z. Dan. Prod. 1776, 129.
 duplicata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 306.
 duplicata Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2582.
 duplicatus Strombus (L.), F. C. Meuschen, Mus. Gever. 1787, 294.—Buccinum.
 duplicata Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 507.
 duplicatus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 766; ed. 12, 1767, 1239.
 duplicella Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 182.
 duplicicruce Aranea, F. H. W. Martini & J. A. E. Goetze in Lister, Spinnen, 1778, 289.
 durio Papilio 'H,' Hufnagel, Berl. Mag. II. 1766, 58.
 durissus Caudisona (L.), J. N. Laurenti, Syn. Rept. 1768, 93.—Crotalus.
 durissus Crotalophorus, F. C. Meuschen, Mus. Gronov. 1778, 16.
 durissus Crotalus, Linnaeus, Syst. Nat., ed. 10, 1758, 214; ed. 12, 1766, 372.
 durum Halcyonium, P. L. S. Müller, Del. Nat. I. 1766, 128.
 dura Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3292.
 dux Acrydium (Dru.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 215.—Gryllus.
 dux Chaetodon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1255.
 dux Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 732.
 dux Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 44.
 dux Gryllus, D. Drury, Ill. Nat. Hist. II. 1773, index & 82.
 dyctinna Papilio, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 332.
 dydimaon [Papilio], P. Cramer, Utit. Kapellen, II (12) 1777, 59.

- dyndima [Papilio], P. Cramer, Uitl. Kapellen, III (23) 1780, 142
- dyndyma [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 44.
- dyndimene [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 11.
- dypterigia Phalaena, Hufnagel, Berl. Mag. III. 1767, 300.
- dysenteriae Acarus, Linnaeus, Syst. Nat., ed. 12, 1767, 1024.
- dysenteriae Acarus, F. v. P. Schrank, Ins. Aust. 1781, 511.
- dysera Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 685; ed. 12, 1767, 1130.
- dysodea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 72.
- dyspnoos Acaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3035.
- Dyticus, *v.* Dytiscus (which though common is wrong) E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 185.—Col.
- dytiscoides Chrysomela, P. Rossi, Fauna Etrus. I. 1790, 83.
- dytiscoides Coccinella, P. Rossi, Mem. Soc. Ital. IV. 1788, 129 [*u. n.*].
- dytiscoides Erodium, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 178.
- dyticoides Silpha (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1626.—
- dytiscoides Sphaeridium, J. C. Fabricius, Syst. Ent. 1775, 67. [Sphaeridium.
- Dytiscus Linnaeus, Syst. Nat., ed. 10, 1758, 411; ed. 12, 1767, 664.—Col.
- eacus** [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 120.
- eacus [Sphinx], P. Cramer, Uitl. Kapellen, III (24) 1780, 166.
- eagrus [Sphinx], P. Cramer, Uitl. Kapellen, III (17) 1779, 10.
- ebalea [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 41.
- ebalus [Phalaena], P. Cramer, Uitl. Kapellen, I (5) 1775, 79.
- ebeninum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 490.
- ebenus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 317.
- eborea [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 120.
- eborea Noctua, E. J. C. Esper, Die Schmett. IV (35) 1787, 98. [eborea.
- eborina Bombyx (Esper), J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 348.—Noctua
- eborina Lithosia (D. & S.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 462.—Noctua.
- eborina Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 68. [P. Noctua eborea.
- eborina Phalaena Bombyx (Esp.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 251.—
- eborina Phalaena Noctua, J. Hübner, Beitr. Schmett. I (3) [1788], 23.
- ebraeus *v.* hebraeus.
- ebranchiata Nereis, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 231.
- ebria Cantharis, [D. H. Schneider], Nom. Ent. 1785, 18 [*u. n.*].
- ebriosa Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 182.
- ebulinum Callidium (L.), J. C. Fabricius, Mant. I. 1787, 151.—Cerambyx.
- ebulinus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 637.
- ebulinus Cerambyx, J. C. Fabricius, Mant. I. 1787, 132.
- “ebur-fossile Zoolithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 156.
- eburnella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
- eburnea Cellaria (L.), J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 24.—Sertularia.
- eburnea Cellularia (Linn.), P. S. Pallas, Elench. 1766, 75.—Sertularia.
- eburneum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 498.
- eburneus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 640.
- eburneus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 45.
- eburneum Dentalium, Linnaeus, Syst. Nat., ed. 12, 1767, 1264.
- eburneum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 93 [*u. n.*].
- eburneus Larus, C. J. Phipps, Voy. N. Pole, 1774, 187.
- eburneus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3564.
- eburnea Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 20.
- eburnea Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 810; ed. 12, 1767, 1316.
- eburneus Turbo, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 637.
- eburnea Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3292.
- ebusa [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 9.
- ebusus [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 20.
- ecanbonna Chaetodon, G. A. Suckow, Naturges. IV. 1799, 374.

- e-caudata** Arctomys, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 454.
e-caudatus Erinaceus, J. C. D. Schreber, Säugth. III. 584 (1777), pl. clxv (1777).
e-caudatus Falco, F. M. Daudin, Traité élém. Orn. 1800, 54.
e-caudatus Lemur, R. Kerr, Anim. Kingd. 1792, 84.
e-caudatus Phasianus, J. Latham, Index Orn. 1790, 627.—P. gallus e., L.
e-caudata Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2631.
e-caudatus Rallus, G. Shaw in Miller, Cim. Phys. 1796, 90.
e-caudata Rana, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 281.
e-caudatus Tenrec, B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.
ecclipsis *v. eclipsis*.
Eccoptogaster, *v. Ekkop-* Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 124.
echemus [Sphinx], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 147.
Echeneis Linnaeus, Syst. Nat., ed. 10, 1758, 260; ed. 12, 1766, 446; [Artedi, Ichth. 1738, gen. xi, 14].—P.
echeria [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, IV. 1790, 135.
echerius [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, IV. 1790, 140.
Echidna J. R. Forster, Ench. 1788, 81.—P.
Echidna G. Cuvier, Tabl. Elément. 1798, 143.—M.
Echidna B. G. E. de Lacépède, Tabl. Mamm. 1799, 11.—M.
echidna Gymnothorax, G. A. Suckow, Naturges. IV. 1799, 181.
echidna Muraena, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1135.
echiella Phalaena Tinea, J. Hübner, Beitr. Schmett. I (4) 1789, 4.
echiella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
echiella Tinea, Bosc, La Médecine éclairée (Fourcroy's) I. 1791, 108.
echii Cimex, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (3) 1782, 276.
echii Curculio, N. J. Brahm, Ins. Kal. I (2) 1791, 175.
echii Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 436.
echii Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 166.
Echinanthites N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 194.
Echinanthus N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 185.
Echinanthus F. C. Meuschen, Mus. Gronov. 1778, 91.—Ech.
"Echinarachnius, v. Phels. 1774," Ag.; does not occur.
Echinarachnius N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 218.—Ech.
echinata Ascidia, Linnaeus, Syst. Nat., ed. 12, 1767, 1087.
echinata Buprestis, D. H. Schneider, Verz. Parthei Ins. 1800, 8.
echinatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 255.
echinatum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 679; ed. 12, 1767, 1122.
echinatum Cerastoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 253 & 258.—Cardium.
echinatus Curculio, G. Borsdorff, Curc. Suec. 1785, 33.
echinatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 377.
echinatus Diodon, Linnaeus, Syst. Nat., ed. 10, 1758, 335; ed. 12, 1766, 413; *var. of*
echinatus Erodion, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 41. [atringa].
echinatus Erodion, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 124.
echinata Lepas, L. Spengler, Skr. nat. Selsk. [Copen.] I (1) 1790, 177.
echinata Lepas, J. F. Bolten, Mus. Bolten. (2) 1798, 197.
echinatus Limax, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 26.
echinata Madrepora, P. S. Pallas, Elench. 1766, 284.
echinata Ostria (*sic*), T. Martyn, Univ. Conch. IV [1792], fig. 154.
echinata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3695.
echinata Pimelia, J. C. Fabricius, Spec. Ins. I. 1781, 317.
echinata Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3744.
echinata Sertularia, Linnaeus, Faun. Suec., ed. 2, 1761, 541.
echinatus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 164.
echinata Spongia, F. C. Meuschen, Mus. Gev. 1787, 532.
echinatus Tenebrio, P. S. Pallas, Reise Russ. III. 1776, 707.
echinatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3591.
"echini Helmintholithus," Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 394.
Echinites J. Gesner, Tract. Petref. 1758, 34.

- "Echinites, v. Phels. 1774," Ag.; does not occur.
- Echinites** N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xviii & 157.—Ech.
- "echinites Helmintholithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 166.
- "Echinocardium, v. Phels. 1774," Ag.; does not occur; a latinization by Leske in Klein. 1778, but not used in a generic sense.
- Echinocorys** N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 175.
- Echinocorytes** N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xviii [repage issue].
- Echinocyamus** M. v. Phelsum, Brief Zeegeelen, 1774, 131.—Ech.
- Echinocyamus** N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 213.—Ech.
- Echinodes** J. G. Meigen, N. Class. Mouches, 1800, 38.—Dip.
- "Echinodiscoides, v. Phels. 1774," Ag.; does not occur; a latinization by Leske in Klein. 1778, but not used in a generic sense.
- Echinodiscus** N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 195.—Ech.
- Echinodiscus** F. C. Meuschen, Mus. Gronov. 1778, 91.—Ech.
- "Echinoglycus, v. Phels. 1774," Ag.; does not occur; referred to by Leske in Klein, 1778, *ex* Seba, but not used in a generic sense.
- Echinometra** F. C. Meuschen, Mus. Gronov. 1778, 89.—Ech.
- "Echinomitra, v. Phels. 1774," Ag.; does not occur; latinized as Echinometra by Leske in Klein, 1778, but not used in a generic sense.
- Echinoneus** M. van Phelsum, Brief Zeegeelen, 1774, 32.—Ech.
- Echinoneus** N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 173.
- "Echinophora, Leske, 1778," Scudd.; I do not find this word; it certainly does not occur used in a generic sense.
- echinophorum** Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 735; ed. 12, 1767, 1198.
- echinophora** Cassidea (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 437.—Buccinum.
- echinophorum** Cassis (L.), F. C. Meuschen, Mus. Gev. 1787, 386.—Buccinum.
- "Echinoplacos, v. Phels. 1774," Ag.; does not occur; a latinization by Leske in Klein, 1778, but not used in a generic sense.
- "Echinorodum, v. Phels. 1774," Ag.; does not occur; a latinization by Leske in Klein, 1778, but not used in a generic sense.
- Echinorhynchus** O. F. Müller, Z. Dan. Prod. 1776, xxviii & 214.—Ver.
- Echinorhynchus** J. A. E. Goeze, Eingeweidewürm. 1782, 139.—Ver.
- Echinoryngus**, *err. pro* Echinorhynchus, Beschäf. Ges. Nat. Freunde, IV. 1779, 543.
- "Echinosinus, v. Phels. 1774," Ag.; does not occur; a latinization by Leske in Klein, 1778, but not used in a generic sense.
- Echinospatagus** F. C. Meuschen, Mus. Gronov. 1778, 92.—Ech.
- "Echinotrochus, Leske, 1778," Scudd.; I do not find this word; it certainly does not occur used in a generic sense.
- Echinus** Linnaeus, Syst. Nat., ed. 10, 1758, 663; ed. 12, 1767, 1102.
- Echion** J. X. Poli, Test. Sicil. I. 1791, Introd. 34.—A generic term applied to the fleshy parts of certain Anomiae.
- echion** Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, 1767, 788.
- "Echionanthus, Seba, 1758," Scudd.; Seba is not binominal.
- Echionoderma** J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—L.
- "Echiophorites, Waller. 1778," Scudd.; Wallerius is not binominal.
- echiurus** Lumbricus, P. S. Pallas, Misc. Zool. 1766, 146.
- echo** [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 88.
- echo** Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 135.
- eclipsella** Phalaena, Scopoli, Ent. Carn. 1763, 249.
- ecclipsis** Papilio, Linnaeus, Amoen. Acad. VI. 1763, 406.
- ecclipsis** Papilio, P. Cramer, Uitl. Kapellen, II (11) 1777, 47.
- eclypsis** Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) V. 1792, 157.
- ecclipsis** Tipula, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 228.
- Eclissa** A. Modeer, K. Vet. Ac. Handl. 1790, 243.—Inf.
- edax** Formica, P. Forskal, Descr. Anim. 1775, 84.
- edda** Lacerta, J. A. Donndorff, Zool. Beyt. III. 1798, 134.
- edentulum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3505.
- edentula** Chrysis, P. Rossi, Mant. Ins. I. 1792, 133.

- edentula Lucina (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 84.—Venus.
 edentula Mya, P. S. Pallas, Reise Russ. I. 1771, 478.
 edentula Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 52 [*n. n.*].
 edentulus Salmo, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 97.
 edentulus Scomber, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 109.
 edentulus Squalus, M. T. Brünnich, Ich. Massil. 1768, 6.
 edentulus Staphylinus, L. H. v. Bloch in Becker, Plau. Grund. 1799, 115.
 edentula Tellina, L. Spengler, Skr. nat. Selsk. [Copen.] IV (2) 1798, 96.
 edentula Tellina (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 188.—Venus.
 edentula Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 689; ed. 12, 1767, 1135.
 edictorius Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 562; ed. 12, 1767, 932.
 ediogaster Evania, P. Rossi, Fauna Etrus. II. 1790, 57.
 edipus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 146.
 editus Turbo, D. Solander in G. Brander, Foss. Hant. 1766, 25.
 edleri Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2199.
 edleriana [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 223.
 edleriana Phal. (Tort.), Herbst, Einl. Ins. II. 1785, 127.
 edule Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 681; ed. 12, 1767, 1124.
 edulis Lumbricus, P. S. Pallas, Spic. Zool. X. 1774, 10.
 edulis Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 705; ed. 12, 1767, 1157.
 edulis Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 699; ed. 12, 1767, 1148.
 edulis Paphia, J. F. Bolten, Mus. Bolten. (2) 1798, 176.
 edule Phasma, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 77.
 edulis Venus, C. U. v. Salis, Reise Neapel, 1793, 390.
 edusa Papilio, J. C. Fabricius, Gen. Ins. 1777, 255.
 edusa Papilio, J. C. Fabricius, Mant. II. 1787, 23.
 edusa Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 42.
 edwardi Pygmaeus, Linnaeus, Amoen. Acad. VI. 1760, 68, pl.
 edwardsii Blennius, J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 187.
 efferans Attelabus, R. Townson, Trav. Hungary, 1797, 473.
 effoeta Actinia, Linnaeus, Syst. Nat., ed. 12, 1767, 1088.
 effosus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 18.
 effossa Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 60.
 effossa Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 52.
 effrons Apis, M. Harris, Exp. Eng. Ins. 1776, 135.
 effusus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 296.
 effusa Nerita, O. F. Müller, Verm. II. 1774, 175.
 effusa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3733.
 effusus Planorbis, J. F. Bolten, Mus. Bolten. (2) 1798, 73.
 egeaea Papilio, J. C. Fabricius, Syst. Ent. 1775, 496.
 egeon [Sphinx], P. Cramer, Uitl. Kapellen, I (5) 1775, 91.
 egeon Zygaena (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 161.—Sphinx.
 egeria [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 54.
 egesta [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 72.
 egea Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 35.—Phalaena.
 egea [Papilio], P. Cramer, Uitl. Kapellen, I (7) 1775, 124.
 egea Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 77.
 egeus [Phalaena], P. Cramer, Uitl. Kapellen, I (6) 1775, 100.
 egialea [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 141.
 egialea [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 146.
 egina [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 64.
 egina [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 144.
 egina Papilio Helic., Herbst in Jablonsky, Nat. Ins. IV. 1790, 111.
 egista [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 158.
 eglantheria Raja, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 104.
 eglantheriae Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 109.
 egle Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 36.
 egnabergensis Crania, A. J. Retzius, Schrift. Berlin. Ges. Nat. Freunde, II. 1781, 75.

- egregia Noctua, E. J. C. Esper, Die Schmett. IV (42—44), 1791, 297.
 egregia Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
 egregia Phalaena Noct., H. G. Lang, Verz. Schmett., ed. 2, 1789, 124.
 egretta Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 629.
 egrettoides Ardea, S. G. Gmelin, Reise Russ. II. 1774, 193.
 ehella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
 ehrensverdiana Lepas, L. Spengler, Skr. nat. Selsk. [Copen.] II (2) 1793, 106.
 Eilissa A. Modeer, K. Vet. Ac. Nya Handl. XIII. 1792, 114.—Inf.
 eimeensis Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 784.
 ejectata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 641.
 ekebladella Phalaena (Tinea), C. Bjerkander, K. Vet. Ac. Nya Handl. XVI. 1795, 60.
 Ekkoptogaster Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 124.—Col.
 elaeothorax Emberiza, J. M. Bechstein, Gem. Nat. Deutschl. IV. 1795, 323.
 elaphi Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3054.
 elaphi Oestrus, F. v. P. Schrank, Ins. Aust. 1781, 418.
 elaphi Oestrus, A. Modeer, K. Vet. Ac. Nya Handl. VII. 1786, 180.
 elaphroides Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 32.
 Elaphrus J. C. Fabricius, Syst. Ent. 1775, 227.—Col.
 elaphus Cervus, Linnaeus, Syst. Nat., ed. 10, 1758, 67; ed. 12, 1766, 93.
 elaphus Cervus, J. C. P. Erxleben, Syst. Anim. 1777, *varr.* hippelaphus, corsicanus, 304 :
 canadensis, 305.
 elaphus Cervus, R. Kerr, Anim. Kingd. 1792, *varr.* minutus, 299.
 elaphus Lucanus, J. C. Fabricius, Syst. Ent. 1775, 2.
 elatalis Phalaena, D. & S., J. C. Fabricius, Mant. Ins. II. 1787, 221.—? *P. elutalis*.
 elatalis Pyralis (D. & S.), C. de Villers, Linn. Ent. IV. 1789, 517.—Phalaena [*? elutalis*].
 Elater Linnaeus, Syst. Nat., ed. 10, 1758, 404; ed. 12, 1767, 651.—Col.
 elater Musca, J. C. Fabricius, Spec. Ins. II. 1781, 441.
 elaterii Coccinella, P. Rossi, Mant. Ins. II. 1794, 85.
 Elateroides J. C. Schaeffer, Elem. Entom. 1777, pl. 139.—Col.
 elateroides Buprestis, J. W. F. Herbst in Fuessly, Arch. Ins. VII. 1786, 174.
 elateroides Carabus, C. de Villers, Linn. Ent. I. 1789, 383.
 elateroides Tenebrio, A. G. Olivier, Entom. III. 1795, 11.
 elathea [Papilio], P. Cramer, Uitl. Kapellen, II (9) 1777, 5.
 E-latinum Noctua, C. C. Jung, Alph. Verz. Schmett. 1791, 188.
 elata Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 440.
 elata Buprestis, J. C. Fabricius, Mant. I. 1787, 184.
 elata Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 140.
 elatus Cimex, J. C. Fabricius, Mant. II. 1787, 290.
 elatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 142.—Cimex, 1787.
 elatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 176.
 elata Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 161.
 elata Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 137.
 elata Musca, J. C. Fabricius, Spec. Ins. II. 1781, 441.
 elata Noctua, J. C. Fabricius, Mant. Ins. II. 1787, 149.
 elata Sylvia, J. Latham, Index Orn. 1790, 549.
 elatus Trochilus, Linnaeus, Syst. Nat., ed. 12, 1766, 192.
 electo Papilio, Linnaeus, Amoen. Acad. VI. 1763, 405.
 elector Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 98.
 elector Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 225.
 electoralis Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 57.
 electra Papilio Dan., Linnaeus, Syst. Nat., ed. 12, 1767, 764.—[electo, Am. Acad. 1763.]
 electrica Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 701; ed. 12, 1767, 1151.
 electrica Fenestella (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 193.—Anomia.
 electricus Gymnotus, Linnaeus, Syst. Nat., ed. 12, 1766, 427.
 electrica Lampas (L.), F. C. Meuschen, Mus. Gever. 1787, 438.—Anomia.
 electrica Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 46.
 electrica Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 4.
 electrica Scolopendra, Linnaeus, Syst. Nat., ed. 10, 1758, 638; ed. 12, 1767, 1063.

- electricus* Silurus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1354.
electricus Tetrodon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1445.
electrina Doris, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 36.
electron Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 321.
electa Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 33.
electa Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 26.
Eledona P. A. Latreille, Préc. Car. Ins. 1796, 19.—Col.
elegans Aranea, F. A. A. Meyer, Spinner Gött. 1790, 12.
elegans Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 428.
elegans Bombyx, J. C. Fabricius, Mant. II. 1787, 118.
elegans Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 406.
elegans Buprestis, J. C. Fabricius, Spec. Ins. I. 1781, 277.
elegans Carabus, Scopoli, Ent. Carn. 1763, 88.
elegans Carabus, A. G. Olivier, Entom. III. 1795, 93.
elegans Cerambyx, F. v. P. Schrank, Ins. Aust. 1781, 133.
elegans Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 298.
elegans Cetonia, J. C. Fabricius, Spec. Ins. I. 1781, 56.
elegans Chermes, Giorna, Cal. Ent. 1791, 54.
elegans Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1673.
elegans Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 62.
elegans Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1729.
elegans Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 118.
elegans Dytiscus, Schneider in G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 5.
elegans Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 230.
elegans Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 912.
elegans Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 574.
elegans Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3642.
elegans Holothuria, O. F. Müller, Z. Dan. Prod. 1776, 231.
elegans Malachius (Fourc.), A. G. Olivier, Entom. II. 1790, 6.—Cicindela.
elegans Mordella, L. H. v. Bloch in Becker, Plau. Grund. 1799, 102.
eligans *ic*) Musca, M. Harris, Exp. Eng. Ins. 1776, 105.
elegans Musca, C. de Villers, Linn. Ent. III. 1789, 464.
elegans Nerita, O. F. Müller, Verm. II. 1774, 177.
elegans Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3319.
elegans [Papilio], C. C. Jung, Alph. Verz. Schmett. 1791, 188.
elegans Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3713.
elegans Picus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 92.
elegans Pomatias (Müll.), Studer in Coxe, Trav. Switz. III. 1789, 388.—Nerita.
elegans Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 318.
elegans Psittacus, R. Kerr, Anim. Kingd. 1792, 567, *var.* *viridis*.
elegans Ptinus, Illiger in Kugelann, Käfer Preuss. 1798, 346.
elegans Rhagio, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 174.
elegans Saperda, A. G. Olivier, Entom. IV. 1795, 15.
elegans Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1575.—
elegans Staphylinus, A. G. Olivier, Entom. III. 1795, 19. [Cetonia].
elegans Tanagra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 160.
elegans Testudo, J. D. Schoepff, Hist. Test. 1795, 111.
elegans Tethyum, J. E. Gunnerus, Trondhiemske Selsk. Skrift. III. 1765, 101.
elegans Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3581.
elegans Turbo (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3606.—Nerita.
elegans Turbo, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 66.
elegans Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 89 [*n. n.*].
elegans Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3448.
elegantissimus Coluber, J. N. Laurenti, Syn. Rept. 1768, 96.
elegantissima Lagena, J. F. Bolten, Mus. Bolten. (2) 1798, 131 [*n. n.*].
elegantissima Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 61.
elegantissima Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 137 [*n. n.*].
elegantissima Trochilus, Borkhausen in Bechstein, Latham's Vögel, VI. 1798, 541.

- elegantula** Buprestis, F. v. P. Schrank, Ins. Aust. 1781, 195.
elegantulus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 361.
Elenchus [G. Humphreys], Mus. Calonn. 1797, 25.—G.
eleonora [Phalaena], P. Cramer, Uitl. Kapellen, III (24) 1780, 172.
Eleotris L. T. Gronovius, Zooph. I. 1763, 83.—P.
eleotris Eleotris, F. C. Meuschen, Mus. Gronov. 1778, 30.
eleotris Gobius. Linnaeus, Syst. Nat., ed. 10, 1758, 263; ed. 12, 1766, 449.
elephantinus Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 615; ed. 12, 1767, 1022.
elephantinus Callorynchus, L. T. Gronov, Acta Helvet. VII. 1772, 52.
elephantinum Dentalium, Linnaeus, Syst. Nat., ed. 10, 1758, 785; ed. 12, 1767, 1263.
elephantina Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 13 [*u. n.*].
elephantina Phoca, G. I. Molina, Sag. stor. nat. Chili, 1782, 280.
elephantinum Tubulus (L.), F. C. Meuschen, Mus. Gever. 1787, 238.—Dentalium
elephantopus Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2880.
elephantotus Madrepora, P. S. Pallas, Elench. 1766, 290.
elephantota Spongia, F. C. Meuschen, Mus. Gever. 1787, 530.
Elephantus E. Geoffroy & Cuvier, Mag. encyclop. II (6) 1795, 189.—M.
Elephas Linnaeus, Syst. Nat., ed. 10, 1758, 33; ed. 12, 1766, 48.—M.
elephas Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 215.—Gryllus.
elephas Astacus, J. C. Fabricius, Mant. I. 1787, 331.
elephas Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2988.—Astacus.
elephas Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 162.
elephas Elephas, P. J. S. Müller, Linn. Syst. Nat. I. 1773, register.
elephas Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 12.—Scarabaeus. 1775.
elephas Gryllus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 59.
elephas Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 431; ed. 12, 1767, 699.
elephas Lucanus, *err. pro* elaphus, Fabr., J. C. Fabricius, Mant. I. 1787, 1.
elephas Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 7.
eleus Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 430.
eleus Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 14.
eleus Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 486; [P. (Nymphalis), ed. 12, 782].—Lep.
eleusina [Papilio], P. Cramer, Uitl. Kapellen, III (23) 1780, 132.
eleuteria [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 163.
eleuthera [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 159.
elevana Pyralis, J. C. Fabricius, Mant. II. 1787, 234.
elevana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 529.
elevatus Carabus, J. C. Fabricius, Mant. I. 1787, 198.
elevatus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 149.
elevatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 235.
elevatus Dytiscus, Hellwig in G. W. F. Panzer, Ins. Germ. heft 14, 1793, tab. 9.
elevata Formica, J. C. Fabricius, Spec. Ins. I. 1781, 492.
elevata Phalaena, J. C. Fabricius, Gen. Ins. 1777, 291.
elevatus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 89.
eligius [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 123. [*u. cf. f.*].
elinguaris Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 20
elinguaris Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 520; ed. 12, 1767,
elinguis Nais, O. F. Müller, Verm. I (2) 1774, 22. [862].
elis [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 70.
Ellipta P. Browne, Hist. Jamaica, ed. 2, 1789, 435.—Col.
ellypticus Alysseminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 290.
ellypticus Angarius, F. C. Meuschen, Mus. Gever. 1787, 258.
ellypticus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 171.
ellyptica Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
ellyptica Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 129.
ellypticus Tenebrio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 49.
ellypticum Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 405.—Hydrachna.
ello Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 491; ed. 12, 1767, 800.

- ellobioides Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107 [*n. n.*].
 Ellobium J. F. Bolten, Mus. Bolten. (2) 1798, 105.—G.
 elocata Noctua, E. J. C. Esper, Die Schmett. IV (36) 1788, 127.
 Elodes P. A. Latreille, Préc. Car. Ins. 1796, 44.—Col.
 elongalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 221.
 elongantulus Elater, J. C. Fabricius, Mant. I. 1787, 174.
 elongator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 337.
 elongato-spinosa Aranea, C. de Geer, Mém. Ins. VII. 1778, 323.
 elongatulus Carabus, N. J. Brahm, Ins. Kal. I (1) 1790, 15.
 elongatus Angarius, F. C. Meuschen, Mus. Gever. 1787, 258.
 elongatus Angarius, F. C. Meuschen, Mus. Gever. 1787, 262.
 elongatum Anobium, G. Paykull, Faun. Suec. I. 1798, 303.
 elongatus Apate, G. Paykull, Faun. Suec. III. 1800, 143.
 elongata Apis, C. de Villers, Linn. Ent. III. 1789, 318.
 elongata Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 217.
 elongata Blaps, A. G. Olivier, Entom. III. 1795, 9.
 elongatus Bombylius, P. Rossi, Mant. Ins. II. 1794, 78.
 elongatus Boros, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 319.
 elongatus Bostrichus, J. C. Fabricius, Mant. I. 1787, 36.
 elongatus Bostrichus, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 117.
 elongatum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 111 [*n. n.*].
 elongata Buprestis, J. F. W. Herbst, Schrift. Berlin. Ges. Nat. Freunde, I. 1780, 99.
 elongata Buprestis, A. G. Olivier, Entom. II. 1790, 42.
 elongatus Carabus, C. de Geer, Mém. Ins. VII. 1778, 626.
 elongatum Cardium, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 228.
 elongatus Catops, G. Paykull, Faun. Suec. I. 1798, 345.
 elongatus Cerambyx, C. de Villers, Linn. Ent. I. 1789, 239.
 elongata Cetonia, A. G. Olivier, Entom. I. 1789, 24.
 elongata Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 377; ed. 12, 1767, 603.
 elongata Cicada, J. C. Fabricius, Spec. Ins. II. 1781, 324.
 elongatus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 208.
 elongatus Clerus (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 41.—Lagria.
 elongatus Clerus (L.), Illiger in Kugelann, Käfer Preuss. 1798, 286.—Chrysomela.
 elongatum Colydium, J. C. Fabricius, Ent. Syst. I (2) 1792, 495.—Bostrichus, 1787.
 elongatum Colydium (L.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 495.—Dermestes.
 elongata Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 119.
 elongata Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 185 [*n. n.*]. [1794.
 elongatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 465.—Phalaena elongalis,
 elongata Crioceris (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 85.—Chrysomela.
 elongata Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 156.
 elongatus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1729.—
 elongatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 144. [Chrysomela.
 elongatus Curculio, G. Paykull, Mon. Curc. 1792, 48.
 elongatus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 168.
 elongatus Cylindricus, F. C. Meuschen, Mus. Gever. 1787, 378.
 elongatum Cylonum, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 32.—
 Bostrichus, 1787.
 elongatus Dermestes (Fab.), C. de Villers, Linn. Ent. IV. 1789, 220.—Bostrichus.
 elongatus Dermestes, Linnaeus, Faun. Suec., ed. 2, 1761, 141.
 elongatus Elater, *id. ac* elongantulus, Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1907. [1789, 1307.
 elongatus Elater, C. de Villers, Linn. Ent. I. 1789, 319.
 elongatus Elophorus (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 381.—Nitidula.
 elongatus Elophorus, J. C. Fabricius, Ent. Syst. I (1) 1792, 204.
 elongatum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 91.
 elongata Forficula, J. C. Fabricius, Ent. Syst. II. 1793, 4.
 elongata Formica, J. C. Fabricius, Mant. I. 1787, 308.
 elongata Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 99.

- elongata** Gorgonia, P. S. Pallas, Elench. 1766, 179.
elongatus Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 429; ed. 12, 1767, 696.
elongata Helix, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 277.
elongata Helix, Studer in Coxé, Trav. Switz. III. 1789, 388 [*n. n.*].
elongata Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107.
elongatus Helops, G. W. F. Panzer, Ins. Germ. heft 34 [1796], tab. 1.
elongatus Hister, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 33.
elongatus Hister, A. G. Olivier, Entom. I. 1789, 16.
elongatus Hister, C. P. Thunberg, Ins. Suecica (5) 1794, 63.
elongata Ips (L.), A. G. Olivier, Entom. II. 1790, 8.—Dermestes.
elongata Isis, E. J. C. Esper, Pflanzenth. I (2) 1788, 47.
elongata Lagria (L.), J. C. Fabricius, Syst. Ent. 1775, 125.—Chrysomela.
elongata Lepas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3213.
elongata Leptura, C. de Geer, Mém. Ins. V. 1775, 134.
elongata Leptura, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 56.
elongata Leptura, P. Rossi, Mant. Ins. I. 1792, 54.
elongata Locusta (L.), J. C. Fabricius, Syst. Ent. 1775, 284.—Gryllus.
elongata Melolontha, A. G. Olivier, Entom. I. 1789, 23.
elongata Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 145.
elongata Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 170.
elongatus Monoculus, C. de Geer, Mém. Ins. VII. 1778, 470.
elongata Musca, O. F. Müller, F. Ins. Frid. 1764, 85.
elongata Musca, J. C. Fabricius, Mant. II. 1787, 348.
elongata Musca, C. de Villers, Linn. Ent. III. 1789, 549.
elongata Mylabris, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 147.
elongata Nitidula (Schall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1628.—
elongata Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 86. [Silpha].
elongata Ostrea, J. F. Bolten, Mus. Bolten. (2) 1798, 170.
elongatus Paederus (L.), J. C. Fabricius, Syst. Ent. 1775, 268.—Staphylinus.
elongatus Papilio, C. C. Jung, Alph. Verz. Schmett. 1791, 189.
elongata Pimelia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 69.
elongata Pinna, J. F. Bolten, Mus. Bolten. (2) 1798, 160.
elongata Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 141 [*n. n.*].
elongata Ranatra, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 228.
elongatus Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 383.
elongatus Rhinomacer, A. F. de Fourcroy, Ent. Paris. 1785, 113.
elongatus Ypsolophus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 506.—Tinea elongella.
elongata Saperda, A. G. Olivier, Entom. IV. 1795, 19.
elongatum Sepidium, A. G. Olivier, Entom. III. 1795, 8.
elongata Silpha, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 257.
elongata Sphex, C. de Villers, Linn. Ent. III. 1789, 250.
elongatus Staphylinus, Linnaeus, Syst. Nat., ed. 12, 1767, 685.
elongatus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 171.
elongatus Strombus, F. C. Meuschen, Mus. Gever. 1787, 292.
elongatus Strombus, F. C. Meuschen, Mus. Gever. 1787, 294.
elongata Synchita (Fab.), J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792,
elongata Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122. [406.—Bostrichus].
elongatus Syrphus, J. C. Fabricius, Syst. Ent. 1775, 768.
elongatus Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 259.
elongata Tillus (L.), A. G. Olivier, Entom. II. 1790, 4.—Chrysomela.
elongella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 367.
elongella Tinea (L.), J. C. Fabricius, Gen. Ins. 1777, 295.—Phalaena.
elongella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 62.
Elophorus J. C. Fabricius, Syst. Ent. 1775, 66.—Col.
Elops Linnaeus, Syst. Nat., ed. 12, 1766, 518.—P.
elorea Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 194.
elpenor Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 491; ed. 12, 1767, 801.
elutalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 121.

- elutata* Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 224 [*n. et f.*].
elutella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 33.
emarciator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 227.
emargana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 410.—*Pyralis*.
emargana *Pyralis*, J. C. Fabricius, Syst. Ent. 1775, 651.
emarginaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 107 [*n. et f.*].
emarginaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 135.
emarginator Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
emarginata Apis, J. L. Christ, Nat. Ins. 1791, 183.
emarginatus Blaps, J. C. Fabricius, Ent. Syst. I (1) 1792, 108.
emarginata Bulla, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 2.
emarginata Buprestis, A. G. Olivier, Entom. II. 1790, 84.
emarginata Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 214.
emarginatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1989.
emarginatus Carabus, A. G. Olivier, Entom. III. 1795, 55.
emarginatus Cerambyx, A. G. Olivier, Entom. IV. 1795, 48.
emarginata Cicindela, A. G. Olivier, Entom. II. 1790, 32.
emarginata Cicindela, J. C. Fabricius, Ent. Syst. I (1) 1792, 177.
emarginatus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 158.
emarginatus Curculio, J. C. Fabricius, Mant. I. 1787, 114.
emarginata Cymothoa, J. C. Fabricius, Ent. Syst. II. 1793, 508.
emarginatus Dytiscus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 327.
emarginatus Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 200.
emarginatus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3189.—
emarginata Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 494. [*Echinodiscus*.]
emarginata Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 97.
emarginata Hispa, J. C. Fabricius, Ent. Syst. I (2) 1792, 72.
emarginatus Hydrophilus (Schall.), J. C. Fabricius, Ent. Syst. I (1) 1792, 183.—*Dytiscus*.
emarginata Idotea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 303.—*Cymothoa*, 1793.
emarginata Leptura, J. C. Fabricius, Mant. I. 1787, 158.
emarginata Membracis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 513.
emarginata Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 82.
emarginata Phalaena, S. A. v. Rottemburg, Naturforscher, XI. 1777, 81. [1794, 174.
emarginata Phalaena, *id. ac marginata*, Mant. II. 200, J. C. Fabricius, Ent. Syst. III (2)
emarginata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 524; ed. 12, 1767,
emarginatus Philanthus, G. W. F. Panzer, Ins. Germ., heft 63 [1799], tab. 19. [866.
emarginatus Scarabaeus (Ol.), J. C. Fabricius, Ent. Syst. I (1) 1792, 46.—*Copris*.
emarginatus Sirex, J. C. Fabricius, Ent. Syst. II. 1793, 128.
emarginatus Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 105.
emarginata Sphex, C. de Villers, Linn. Ent. III. 1789, 250.
emarginatus Staphylinus, G. Paykull, Mon. Staph. 1789, 56.
emarginatus Thynnus, J. C. Fabricius, Syst. Ent. 1775, 360.
emarginata Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 574; ed. 12, 1767, 952.
emarginatus Vespa (Fab.), J. L. Christ, Nat. Ins. 1791, 228.—*Thynnus*.
emarginata Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 267.
ematheon Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 266.—*Papilio*.
emathion [*Papilio*], P. Cramer, Utitl. Kapellen, II (14) 1777, 104.
Emberitza, *v. Emberiza* A. Sparman, Mus. Carls. II. 1787, pls. xlii, xliii.
Emberiza Linnaeus, Syst. Nat., ed. 10, 1758, 176; ed. 12, 1766, 308.—*A*.
emberizae Pediculus (de G.), J. C. Fabricius, Spec. Ins. II. 1781, 483.—*Ricinus*.
emberizae Ricinus, C. de Geer, Mém. Ins. VII. 1778, 74.
embla Papilio, C. P. Thunberg, Ins. Suecica (2) 1791, 38.
embla Papilio (Nymph.), C. Quensel, K. Vet. Ac. Nya Handl. XII. 1791, 269.
emeria Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 137.
emeria Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 187.
emeria Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 326.
Emerita L. T. Gronovius, Zooph. II. 1764, 234.—*Cr*.
emeritus Astacus (L.), J. C. Fabricius, Syst. Ent. 1775, 416.—*Cancer*.

- emeritus** Brachycerus (L.), C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 30.—Cur-
emeritus Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1055 [no. 79]. [culio.
emerita Cetonia, A. G. Olivier, Entom. I. 1789, 71.
emeritus Cimex, J. C. Fabricius, Syst. Ent. 1775, 705.
emeritus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 385; ed. 12, 1767, 617.
emeritus Emerita, F. C. Meuschen, Mus. Gronov. 1778, 87.
emeritus Hippa (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 370.—Cancer.
emeu Casuarius, J. Latham, Index Orn. 1790, 664.
emicator Cylinderus, F. C. Meuschen, Mus. Gever. 1787, 370.
emicatrix Mytilus, F. C. Meuschen, Mus. Gever. 1787, 464.
emilia [Papilio], P. Cramer, Utitl. Kapellen, III (19) 1779, 50.
emirulus Angarius, F. C. Meuschen, Mus. Gever. 1787, 254.
emmedonia [Phalaena], P. Cramer, Utitl. Kapellen, III (21) 1779, 92.
emortualis Phalaena Pyr., J. Hübner, Samml. Vögel u. Schmett. 1793, 7 [u. et f.].
emortualis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 120.
empedocles [Papilio], P. Cramer, Utitl. Kapellen, III (17) 1779, 11.
empedocles Papilio, J. C. Fabricius, Mant. II. 1787, 10.
empetra Arctomys (Pall.), J. C. D. Schreber, Säugth. IV. 743 (1784), pl. ccx. (1780).—
empetra Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 40.—Mus. [Mus.
empetra Mus, P. S. Pallas, N. sp. Quad. II. 1779, 75.
empiformis Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.), 1783, 215.
Empis Linnaeus, Syst. Nat., ed. 10, 1758, 603; ed. 12, 1767, 1003.—Dip.
Empusa Illiger in Kugelann, Käfer Preuss. 1798, 499.—Or.
empusa Phasma, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 77.
emylius Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 305.—Papilio.
emylius [Papilio], P. Cramer, Utitl. Kapellen, I (6) 1775, 104.
enagrus [Sphinx], P. Cramer, Utitl. Kapellen, III (21) 1779, 94.
encedon Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 488; [P. (Danaus) ence-
encedonia Papilio (Danaus), v. **encedon**. [donia, ed. 12, 1767, 762].
enceladus Chaetodon, G. Shaw, Nat. Misc. II. 1791, pl. 67.
enceladus Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 470; ed. 12, 1767, 766.
encelada [Phalaena], P. Cramer, Utitl. Kapellen, II (16) 1777, 130.
Encheleis, *id. ac* **Enchelis** J. A. Scopoli, Intr. Hist. Nat. 1777, 374.—Inf.
Enchelis O. F. Müller, Verm. I (1) 1773, 33.—Inf.
Enchelyopus L. T. Gronov, Acta Helvet. IV. 1760, 259.—P.
encrasicolus Clupea, Linnaeus, Syst. Nat., ed. 10, 1758, 318; ed. 12, 1766, 523.
Encrinetes; a general term used by old authors, for various parts of Crinoids; see F. A. Bather,
Encrinus C. F. Schultze, Verst. Seest. 1760, 21.—Ech. [Natural Science, 1898, April, 248.
Encrinus J. F. Blumenbach, Hand. Naturg. 1779, 435.—Ech.
“**encrinus** Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 169.
encrinus Isis, Linnaeus, Syst. Nat., ed. 10, 1758, 800 [Vorticella. ed. 12].
encrinus Pennnatula (Linn.), P. S. Pallas, Elench. 1766, 365.—Isis.
encrinus Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1317.
endeca Asterias, Linnaeus, Mant. II. 1771, 543.
edentulum Buccinum, v. **edentulum** B., K. Schreibers, Vers. Conch. I. 1793, 174.
endiviae Phalaena, J. G. Gladbach in Kuehn, Kurze Anleit. Ins., ed. 2, 1783, 123 [u. n.].
Endomychus G. W. F. Panzer, Deutsch. Ins. 1795, 175.—Col.
Endomychus J. C. Fabricius, Suppl. Ent. Syst., 1798, 5.—Col.
endymion Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 268.
endymion Papilio, J. C. Fabricius, Syst. Ent. 1775, 519.
endymion Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 182.
endymion [Papilio], P. Cramer, Utitl. Kapellen, III (21) 1779, 86.
endymion Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 115.
endimion Scarabaeus, A. G. Olivier, Entom. I. 1789, 22.
enecator Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 48.
enema Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 10.—Scarabaeus, 1787.
enema Scarabaeus, J. C. Fabricius, Mant. I. 1787, 4.
enervator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 565; ed. 12, 1767, 936.

- enervis** Porcellana, F. C. Meuschen, Mus. Gever. 1787, 398.
Engis G. Paykull, Faun. Suec. III. 1800, 349.—Col.
enydris (*sic*) Boa, Linnaeus, Syst. Nat., ed. 10, 1758, 215; ed. 12, 1766, 374.
enhydris Hydrus, J. G. Schneider, Hist. Amph. I. 1799, 245.
Enneactis C. F. Schultze, Verst. Seest. 1760, 51.—Ast.
ennius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 337.
enodis Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 922.
enotrea [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 73.
enothrea (*sic*) Papilio, Cram., J. C. Fabricius, Ent. Syst. III (1) 1793, 59.
enotrus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 144.
ensalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 221.
ensalis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 451.
ensatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 465.—Phalaena ensalis, 1794.
enscaudata Fusaria, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 38.
ensicornis Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 973.
ensicornu Acrydium, C. de Geer, Mém. Ins. III. 1773, 499.
ensifera Aranea, P. Rossi, Fauna Etrus. II. 1790, 130.
ensifera Leucospis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 207.
ensifer Truxalis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 93.
ensiformis Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2817.
ensis Hypogaederma (L.), J. X. Poli, Test. Sicil. II. 1795, 251 & 257.—Solen.
ensis Solen, Linnaeus, Syst. Nat., ed. 10, 1758, 672; ed. 12, 1767, 1114.
ensis Niphias, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 288.
entalis Dentalium, Linnaeus, Syst. Nat., ed. 10, 1758, 785; ed. 12, 1767, 1263.
entalis Tubulus (L.), F. C. Meuschen, Mus. Gever. 1787, 238.—Dentalium.
 “Entalites, Walch, 1769,” Herm.; not used in a generic sense.
entella [Phalaena], P. Cramer, Uitl. Kapellen, III. (18) 1779, 27.
entellus Scarabaeus, G. A. Olivier, J. Nat. Hist. (Choix des Mém.), I. 1792, 293.
entellus Simia, C. Dufresne, Bull. Sci. Soc. Philom. [Paris], no. 7, 1797, 49.
entellus Simia, C. Dufresne in Audebert, Hist. Nat. Singes, 1799, sig. P 2.
Entomolithus J. Gesner, Tract. Petref. 1758, 57.—Cr.
Entomolithus Linnaeus, Syst. Nat., ed. 12, III. 1768, 160.—Cr.
Entomon P. A. Latreille, Préc. Car. Ins. 1796, 197.—Cr.
entomon Asellus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 253.—Oniscus.
entomon Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 505.—Oniscus.
entomon Oniscus, Linnaeus, Syst. Nat., ed. 10, 1758, 636; ed. 12, 1767, 1060.
entomon Squilla (L.), C. de Geer, Mém. Ins. VII. 1778, 514.—Oniscus.
entrocha Isis, Linnaeus, Syst. Nat., ed. 12, 1767, 1288.
 “entrochus Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 168.
enucleator Curculio, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 14.
enucleator Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 171; ed. 12, 1766, 299.
enydris Boa, *v.* enhydris.
enzenbergella Alucita, J. C. Fabricius, Mant. II. 1787, 256.
enzenbergella Tinea (Fab.), C. de Villers, Linn. Ent. IV. 1789, 545.—Alucita.
eoeniculacea Antipathes, *v.* foenic-, P. S. Pallas, Char. Thierpfl. I. 1787, 269.
oeffea Galeruca, D. H. Schneider, Verz. Parthei Ins. 1800, 9.—? coffea.
Eolia G. Cuvier, Leçons Comp. Anat. I. 1800, 5 [*n. n.*].—Nud.
 “Eolidia, Cuv. 1798,” Scudd.; only occurs as Aeolidia.
eos Papilio, H. G. Lang, Vers. Schmett., ed. 2, 1789, 29.
epaea Papilio, P. Cramer, Uitl. Kapellen, III (20) 1779, 64.
epaphia [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 26.
epaphus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 88.
eperlanus Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 310; ed. 12, 1766, 511.
epeus Papilio Plebejus, J. H. Sulzer, Gesch. Ins. 1776, 145.
epheliticus Cancer, Linnaeus, Amoen. Acad. VI. 1763, 414.
Ephemera Linnaeus, Syst. Nat., ed. 10, 1758, 546; ed. 12, 1767, 906.—Neur.
ephemera Tettigonia, J. C. Fabricius, Ent. Syst. IV. 1794, 25.
ephemerella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 142.

- ephestion [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, IV. 1790, 121.
- ephialtes Sphinx, Linnaeus, Syst. Nat., ed. 12, 1767, 806.
- ephialtes Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 551.—Sphinx.
- ephippiana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 479.
- ephippella Alucita, J. C. Fabricius, Gen. Ins. 1777, 297.
- ephippella Phalaena (Tin.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 503.—Alucita.
- ephippiatus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 52.
- ephippiatus Scomber, J. A. Donndorff, Zool. Beyt. III. 1798, 554.
- ephippiger Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 446.
- ephippiger Gryllus, D. Fiebig, Schrift. Berlin. Ges. Nat. Freunde, V. 1784, 263.
- ephippiger Gryllus Tett. (Fab.), C. de Villers, Linn. Ent. IV. 1789, 376.—Locusta.
- ephippiger Locusta, J. C. Fabricius, Mant. Ins. I. 1787, 235.
- Ephippium J. F. Bolten, Mus. Bolten. (2) 1798, 166.—L.
- ephippium Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 701; ed. 12, 1767, 1150.
- ephippium Asilus, J. C. Fabricius, Gen. Ins. 1777, 308.
- ephippium Cassida, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 65.
- ephippium Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 310.
- ephippium Cetonia, J. C. Fabricius, Mant. I. 1787, 29.
- ephippium Coluber, U. J. Sentzen in Meyer, Zool. Archiv (2) 1796, 54.
- ephippium Echinoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—Anomia.
- ephippium Elater, A. G. Olivier, Entom. II. 1790, 41.
- ephippium Fenestella, J. F. Bolten, Mus. Bolten. (2) 1798, 193.
- ephippium Lutjanus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 121.
- ephippium Melina (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 23.—Ostrea.
- ephippium Melolontha (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 158.—Cetonia.
- ephippium Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2834.—Stratiomys.
- ephippium Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 338. [tiomys.]
- ephippium Mutilla, P. Rossi, Mant. Ins. I. 1792, 148.
- ephippium Mutilla, J. C. Fabricius, Ent. Syst. II. 1793, 370.
- ephippium Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 700; ed. 12, 1767, 1149.
- ephippium Perna (L.), G. Cuvier, Tab. Elém. 1798, 422.—Ostrea.
- ephippium Placenta, A. J. Retzius, Diss. Nova Test. Gen. 1788, 16.
- ephippium Reduvius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 111.
- ephippium Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 317.
- ephippium Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1576.—
- ephippium Sphex, Linnaeus, Syst. Nat., ed. 12, 1767, 944. [Cetonia.]
- ephippium Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 266.—Tiphia.
- ephippium Stratiomys, J. C. Fabricius, Syst. Ent. 1775, 759. 2 (5)
- ephippium Tellina, L. Spengler, Skr. nat. Selsk. [Copen.] IV (2) 1798, 103.
- ephippium Tenthredo, G. W. F. Panzer, Ins. Germ. heft 52 [1798], tab. 5.
- ephippium Tiphia, J. C. Fabricius, Syst. Ent. 1775, 353.
- ephippium Vespa, J. C. Fabricius, Syst. Ent. 1775, 362.
- ephippium Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 509.—Alucita ephippella.
- ephonia [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, III. 1790, 96. [1777.]
- ephora [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (20) 1781, 110.
- ephyne [Papilio], P. Cramer, Utitl. Kapellen, I (8) 1776, 146.
- epictetus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 330.
- epictetus Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
- epicyanus Falco, A. Vroeg, Catal. Vogel. 1764, Adumb., 1.
- epidromis Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 336.—Strombus.
- epidromis Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 65.—Strombus.
- epidromis Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 745; ed. 12, 1767, 1211.
- epigena [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, II. 1790, 72.
- epilobella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 141.
- epilobiella Alucita, J. J. Roemer, Schrift. Berlin. Ges. Nat. Freunde, XI. 1794, 162.
- epilobii Curculio, G. Paykull, Faun. Suec. III. 1800, 259.
- epimenis [Phalaena], D. Drury, Ill. Nat. Hist. III. 1782, index & 39.

- epimethea Bombyx (Drury), J. C. Fabricius, Spec. Ins. II. 1781, 170.—Phalaena.
- epimethea Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 22.
- Epinelephus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [*n. n.*].—P.
- Epinephelus M. E. Bloch, Nat. ausl. Fische, VII. 1793, 11.—P.
- epione Noctua (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 222.—Phalaena.
- epione Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 47.
- epione Phalaena Noct., Panzer in Drury, Exot. Ins. 1785, 87.
- epipatrum Alcyonium, *id. ac* epipetrum Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3811.
- epipetrum Alcyonium, Linnaeus, Syst. Nat., ed. 12, 1767, 1294.
- epiphron Papilio (N. G.), A. W. Knoch, Beitr. Insektenges. III. 1783, 131.
- episcopolis Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 48.
- episcopolis Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 163 [*n. n.*].
- episcopolis Chrysis, L. H. v. Bloch in Becker, Plau. Grund. 1799, 106.
- episcopolis Mitra, P. L. S. Müller, Del. Nat. I. 1766, 129.
- episcopolis Mitra (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 136.—Voluta.
- episcopolis Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3459.
- “Episcopus, Briss. 1760,” Waterh.; not used in a generic sense.
- episcopus Ardea, P. Boddaert, Tab. Planch. Enl. 1783, 54.
- episcopus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 748.
- episcopus Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 316.
- epistomium Conus, F. C. Meuschen, Mus. Gever. 1787, 350.
- epistomium Enchelis, O. F. Müller, Verm. I (1) 1773, 35.
- epistylum Helix, O. F. Müller, Verm. II. 1774, 57.
- Epitonium J. F. Bolten, Mus. Bolten. (2) 1798, 91.—G.
- “epitonium Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 170.
- epitonium Tubipora, A. Modeer, K. Vet. Ac. Nya Handl. XVIII. 1797, 54.
- epitus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III. (1) 1793, 332.—Papilio.
- epitus [Papilio], P. Cramer, Utitl. Kapellen, III (23) 1780, 140.
- epitus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 103.
- epius Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 35.
- eponina Libellula, D. Drury, Ill. Nat. Hist. II. 1773, index & 86.
- eponina [Papilio], P. Cramer, Utitl. Kapellen, III (23) 1780, 138.
- epopea [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 144.
- epops Upupa, Linnaeus, Syst. Nat., ed. 10, 1758, 117; ed. 12, 1766, 183.
- epopus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 143.
- epulus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 292.—Papilio.
- epulus [Papilio], P. Cramer, Utitl. Kapellen, I (5) 1775, 79.
- equalis *v. aequalis*.
- Eques M. E. Bloch, Nat. ausl. Fische, VII. 1793, 90.—P.
- Eques *v. Papilio* (Eques), Linnaeus.
- eques Carabus, F. v. P. Schrank, Ins. Aust. 1781, 215.
- eques Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 79.
- eques Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 705.
- eques Motacilla, P. Boddaert, Tabl. Planch. Enl. 1783, 46.
- eques Psittacus, P. Boddaert, Tabl. Planch. Enl. 1783, 13.
- eques Tenthredo, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (3) 1782, 288.
- eques Tringa, E. Pontoppidan, Danske Atlas, I. 1763, 624.
- equestraria Phalaena, J. C. Fabricius, Gen. Ins. 1777, 284.
- equestrata Phalaena, J. C. Fabricius, Gen. Ins. 1777, 288.
- equestris Altica (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 106.—Chrysomela.
- equestris Ancilla (L.), F. C. Meuschen, Mus. Gever. 1787, 246.—Patella.
- equestris Ancilla, F. C. Meuschen, Mus. Gever. 1787, 248.
- equestris Andrena, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 17.
- equestris Apis, J. C. Fabricius, Ent. Syst. II. 1793, 320.
- equestris Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 662; ed. 12, 1767, 1100.
- equestris Bibio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 215.
- equestris Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 457.—Noctua, 1775.
- equestris Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 45.

- equestris Buprestis, A. G. Olivier, Entom. II. 1790, 13.
equestris Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 195.
equestre Callidium, J. C. Fabricius, Mant. I. 1787, 153. [Malachus.
equestris Cantharis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1899.—
equestris Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 376.—Buprestis.
equestris Cassida, J. C. Fabricius, Mant. I. 1787, 62.
equestris Cerambyx, E. Laxmann, Nov. Comm. Sci. Petrop. XIV (1) 1770, 596.
equestris Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1848.—
equestris Chrysomela, J. C. Fabricius, Mant. I. 1787, 76. [Callidium.
equestris Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 63.
equestris Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 447; ed. 12, 1767, 726.
equestris Crioceris, J. C. Fabricius, Mant. I. 1787, 90.
equestris Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1724.—
equestris Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 38. [Crioceris.
equestris Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46.
equestris Elater, J. C. Fabricius, Suppl. Ent. Syst. 1798, 140.
equestris Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 26.—Chrysomela, 1787.
equestris Helops, J. C. Fabricius, Syst. Ent. 1775, 257.
equestris Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 94.—Crioceris, 1787.
equestris Libellula, J. C. Fabricius, Spec. Ins. I. 1781, 523.
equestris Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 147.—Cimex.
equestris Malachus, J. C. Fabricius, Spec. Ins. II. 1781, 500.
equestris Musca, J. C. Fabricius, Syst. Ent. 1775, 782.
equestris Noctua, J. C. Fabricius, Syst. Ent. 1775, 601.
equestris Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 780; ed. 12, 1767, 1257.
equestris Pila, J. F. Bolten, Mus. Bolten. (2) 1798, 145.
equestris Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2010.—Helops.
equestris Scarabaeus, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 2.
equestris Sphinx, J. C. Fabricius, Ent. Syst. III (1) 1793, 365.
equestris Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 292.
equestris Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 323.
equestris Tringa, J. Latham, Index Orn. 1790, 730.
equi Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 7.
equi Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3039.
equi Oestrus, J. C. Fabricius, Mant. II. 1787, 321.
equi Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 612; ed. 12, 1767, 1018.
equi Strongylus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 15.
equi Taenia, O. F. Müller, Naturforscher, XIV. 1780, 179.
equi Trichocephalus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 4.
equicola [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 17.
equinoctialis *v.* aequinoctialis.
equina Actinia, Linnaeus, Syst. Nat., ed. 12, 1767, 1088.
equina Bombyx, C. C. Jung, Alph. Verz. Schmett. 1791, 194.
equinus Culex, Linnaeus, Syst. Nat., ed. 10, 1758, 603; ed. 12, 1767, 1003.
equinus Echinocyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 215.
equinus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3194.—
Echinocyamus.
equinus Gordius, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 49.
equina Hippobosca, Linnaeus, Syst. Nat., ed. 10, 1758, 607; ed. 12, 1767, 1010.
equinus Hippopus, F. C. Meuschen, Mus. Gever. 1787, 428.
equinus Priapus, Linnaeus, Syst. Nat., ed. 10, 1758, 656.
equinus Strongylus, O. F. Müller, Zool. Dan. II. 1784, 6.
equina Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 71.
equiselis Coryphaena, Linnaeus, Syst. Nat., ed. 10, 1758, 261; ed. 12, 1766, 447.
equiseti Curculio, J. C. Fabricius, Syst. Ent. 1775, 130.
equiseti Elater, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 114.
equiseti Mordella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 128.
equisetis Coryphaena, P. Osbeck, Reise Ost-Ind. China, 1765, 404.

- equitatorius Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2679.
 equitatorius Ichneumon, Panzer in K \ddot{o} b, Ursache d. Baumtrochniss, ed. 2, 1793, 56.
 equitella Phalaena, Scopoli, Ent. Carn. 1763, 254.
 equorum Ascaris, J. A. E. Goetze, Eingeweidewurm. 1782, 63.
 equorum Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 370.
 equula Centrogaster (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1337.—
 equula Scomber, P. Forskal, Descr. Anim. 1775, 58. [Scomber.]
 Equus Linnaeus, Syst. Nat., ed. 10, 1758, 73; ed. 12, 1766, 100.—M.
 erato Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 10, 1758, 467; ed. 12, 1767, 757.
 eratoalis Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 188.
 Erax Scopoli, Ent. Carn. 1763, 359.—Dip.
 Erax J. G. Meigen, N. Class. Mouches, 1800, 26.—Dip.
 erax Asilus, O. F. Müller, Z. Dan. Prod. 1776, 181.
 erebus Hesperia (Kn.), J. C. Fabricius, Ent. Syst. III (1) 1793, 293.—Papilio.
 erebus Papilio (P. R.), A. W. Knoch, Beitr. Insektenges. II. 1782, 93.
 erechtea [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 149.
 erectorius Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 221.
 erectus Parus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 178.
 erecta Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 302.
 erecta Serpula, C. U. v. Salis, Reise Neapel, 1793, 358.
 Eremita F. C. Meuschen, Mus. Gronov. 1778, 86.—Ins.
 eremita Bostrichus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 110.
 eremita Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1049 [no. 59].
 eremita Cetonia (Scop.), J. C. Fabricius, Syst. Ent. 1775, 45.—Scarabaeus.
 eremita Corvus, Linnaeus, Syst. Nat., ed. 12, 1766, 159.
 eremita Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 85.
 eremita Melolontha (Scop.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 176.—
 eremita Noctua, J. C. Fabricius, Syst. Ent. 1775, 616. [Scarabaeus.]
 eremita Oniscus, M. T. Br \ddot{u} nnich, Nye Saml. K. Danske Skrifter, II. 1783, 319.
 eremita Pagurus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 413.—Cancer.
 eremita Pagurus (L.), J. C. Fabricius, Syst. Ent. 1775, 411.—Cancer.
 eremita Phalaena, Scopoli, Ent. Carn. 1763, 201.
 eremita Scarabaeus, Scopoli, Ent. Carn. 1763, 7.
 eremita Tetrao, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIX. 1798, 179.
 eremita Trichius (Scop.), J. C. Fabricius, Ent. Syst. I (2) 1792, 118.—Scarabaeus.
 eremita Trichius (Fab.), L. G. Scriba, J. Lieb. Ent. I. 1790, 66.—Cetonia.
 eremita Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 833.
 eremita Upupa, Linnaeus, Syst. Nat., ed. 10, 1758, 118.
 eremitica Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 289.
 eremitorum Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 136.
 eresimus [Papilio], P. Cramer, Utitl. Kapellen, II (15) 1777, 121.
 ergotis Zygaena, J. C. Fabricius, Spec. Ins. II. 1781, 164.
 eribote *v.* eribotes.
 eribotes Papilio, J. C. Fabricius, Syst. Ent. 1775, 484.
 eribotes Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 487; [P. (Danaus) eribote,
 ericae Phalaena, Hufnagel, Berl. Mag. III. 1766, 292. [ed. 12, 1767, 766.]
 ericetaria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 329.
 ericetorum Helix, O. F. Müller, Verm. II. 1774, 33.
 ericetorum Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2870.—
 ericetorum Syrphus, J. C. Fabricius, Spec. Ins. II. 1781, 425. [Syrphus.]
 ericoides Antipathes, P. S. Pallas, Elench. 1766, 208.
 ericoides Sertularia, P. S. Pallas, Elench. 1766, 127.
 erica Helix, E. M. da Costa, Brit. Conch. 1778, 53.
 ericus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 281.
 ericus Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 432.
 eridania [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 133.
 eridanus Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 194.—Phalaena.
 eridanus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 164.

- eridanus [Phalaena], P. Cramer, Uitl. Kapellen, I (6) 1775, 107.
- eridanus Scarabaeus [Copriss], A. G. Olivier, Entom. I. 1789, 133.
- erigalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 237.
- erigator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 175.
- erigator Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 238.—Ichneumon, 1793.
- erigatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 469.—Phalaena erigalis, 1794.
- erigone [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 97.
- erinacei Haeruca, C. A. Rudolphi, Obs. Ver. Intest. 1793, 22.
- erinacei Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3069.
- Erinaceus Linnaeus, Syst. Nat., ed. 10, 1758, 52; ed. 12, 1766, 75.—M.
- erinaceus Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 736; ed. 12, 1767, 1199.
- erinaceus Cancer, J. C. Fabricius, Mant. I. 1787, 325.
- erinaceus Cassidea (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 419.—Buccinum.
- erinaceus Cassis (L.), F. C. Meuschen, Mus. Gever. 1787, 390.—Buccinum.
- erinaceus Leucosia, Fab., F. C. Fabricius, Nomen. Fabricii, 1795, 92.—Cancer, 1787.
- erinaceus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 748; ed. 12, 1767, 1216.
- erinaceus Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 328.
- erinacea Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer. 1783, 36.
- Erinna J. G. Meigen, N. Class. Mouches, 1800, 21.—Dip.
- erinus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 302.
- erinus Papilio, J. C. Fabricius, Syst. Ent. 1775, 525.
- erina Papilio, J. C. Fabricius, Mant. II. 1787, 41.
- ericius Fasciola, O. F. Müller, Zool. Dan. II. 1784, 92.
- eriox Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 308; ed. 12, 1766, 509.
- eriphia Zygaena, J. C. Fabricius, Gen. Ins. 1777, 276.
- eriphile [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 169.
- erippus [Papilio], P. Cramer, Uitl. Kapellen, I (1) 1775, 4.
- erippus Papilio, J. C. Fabricius, Mant. II. 1787, 27.
- erippus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 49.
- Erithacus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 2 & 26.—A.
- Erithacus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2.—A.
- erithaca Alcedo, Linnaeus, Syst. Nat., ed. 10, 1758, 115; ed. 12, 1766, 179.
- erithacus Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 187; ed. 12, 1766, 335.
- erithacus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 99; ed. 12, 1766, 144.
- erithacus Sylvia (L.), J. Latham, Index Orn. 1790, 513.—Motacilla.
- erithonius [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 67.
- erithonius Papilio, J. C. Fabricius, Mant. II. 1787, 11.
- erix *v.* eryx.
- erminea Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162 [*n. n.*].
- ermineus Conus, I. v. Born, Index Mus. Caes. Vind. 1778, 141.
- erminea Mustela, Linnaeus, Syst. Nat., ed. 10, 1758, 46; ed. 12, 1766, 68. [hyberna.
- erminea Mustela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 98; *var.* aestiva,
- erminea Mustela, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 687;
- erminea Mustela, J. C. P. Erxleben, Syst. Anim. 1777, 474. [*var.* variegata, perversa.
- ermineum Myrmeleon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 206.
- erminia [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 5.
- erminea Phalaena B., E. J. C. Esper, Die Schmett. III (18) 1783, 100.
- erminea Phalaena (Bombyx), T. Marsham, Tr. Linn. Soc. [Lond.], I. 1791, 70.
- erminea Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 51.
- ernestilla Phalaena, [D. H. Schneider], Nom. Ent. 1785, 55 [*n. n.*].
- ernestina [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 155.
- ernestina Phal. (Geom.), Herbst, Einl. Ins. II. 1785, 120.
- Erodium J. C. Fabricius, Syst. Ent. 1775, 258.—Col.
- erosalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 236.
- erosaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 103.
- erosaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 25 [*n. et f.*].
- erosaria Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
- erosata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 526. [92.—Geometra.

- erosine Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 266.—Papilio, 1787.
erosine [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 18.
erosine Papilio, J. C. Fabricius, Mant. II. 1787, 51.
erosa Acanthia (L.), J. C. Fabricius, Spec. Ins. II. 1781, 337.—Cimex.
erosus Cantharus, J. F. Bolten, Mus. Bolten. (2) 1798, 133.
erosus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 443; ed. 12, 1767, 718.
erosa Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 723; ed. 12, 1767, 1179.
erosa Eschara, P. S. Pallas, Elench. 1766, 38.
erosa Millepora (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3786.—Eschara.
erosa Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 441.
erosa Porcellana (L.), F. C. Meuschen, Mus. Gev. 1787, 408.—Cypraea.
erosa Trichoda, O. F. Müller, An. Infus. 1786, 227.
erota Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 76.
erota [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 152.
erota Phalaena (Geom.), Herbst, Einl. Ins. II. 1785, 124.
erotus [Sphinx], P. Cramer, Uitl. Kapellen, II (9) 1777, 12.
Erotylus J. C. Fabricius, Syst. Ent. 1775, 123.—Col.
errans Carabus, A. G. Olivier, Entom. III. 1795, 16.
errans Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 152.
errans Melolontha, J. C. Fabricius, Syst. Ent. 1775, 37.
errans Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2872.—Syrphus.
errans Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1560.—Melo-
errans Sicus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 555.—Stratiomys, 1794. [lontha.
errans Stratiomys, J. C. Fabricius, Ent. Syst. IV. 1794, 263.
errans Strombus, D. Solander in G. Brander, Foss. Hant. 1766, 23.
errans Syrphus, J. C. Fabricius, Mant. II. 1787, 337.
erraticus Aphodius (L.), Illiger in Kugelann, Käfer Preuss. 1798, 34.—Scarabaeus.
erratica Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 217.
erratica Chrysomela, J. C. Fuessly, Schweiz. Ins. 1775, 8.
erraticus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 449; ed. 12, 1767, 731.
erratica Coccinella, Scopoli, Ent. Carn. 1763, 72.
erraticus Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 145.—Scarabaeus.
erraticus Curculio, Scopoli, Ent. Carn. 1763, 24.
erratica Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 142 [n. n.]; Essai
erraticus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 167. [Fourmis, 1798, 44.
erratica Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 593; ed. 12, 1767, 986.
erratica Musca, Scopoli, Ent. Carn. 1763, 345.
erratica Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2874.
erraticus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 348; ed. 12, 1767, 548.
erraticus Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 418; ed. 12, 1767, 675.
errator Ichneumon, N. Mohr, Island. Nat. 1786, 93.
erratus Carabus, P. Rossi, Mant. Ins. I. 1792, 91.
erro Musca, M. Harris, Exp. Eng. Ins. 1776, 123. [Gmelin.]
errones Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 723; ed. 12, 1767, 1178; [erronea in
erubescens Madrepora, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 156.
Eruca G. Edwards in M. Catesby, Carol. II. 1771, 94.—Lep.
eruca G. Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 28.
erucalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 12 & 28.
erucarum Filaria, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 2.
erucarum Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 375.
eruciger Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 288.
eruca Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 39.
eruditus Acarus, F. v. P. Schrank, Ins. Aust. 1781, 513.
eruditus Cheyletus (Schr.), P. A. Latreille, Préc. Car. Ins. 1796, 179.—Acarus.
erugata Capisterium, F. C. Meuschen, Mus. Gev. 1787, 464.
ervi Bruchus, J. A. Frolich, Naturforscher, XXVIII. 1799, 56.
ervum Echinocyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 213. [cyamus.
ervum Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3193.—Echino-

- erxebella** Alucita, J. C. Fabricius, Mant. II. 1787, 256.
erxebella Tinea (Fab.), C. de Villers, Linn. Ent. IV. 1789, 545. — Alucita.
erxebeniana Silpha, F. A. A. Meyer, Zool. Archiv (1) 1796, 210.
erycata [Phalaena], P. Cramer, Utitl. Kapellen, III (24) 1780, 170.
erycinia [Papilio], P. Cramer, Utitl. Kapellen, II (15) 1777, 124.
erycina Chamaeformis (L.), F. C. Meuschen, Mus. Gev. 1787, 444. — Venus.
erycina Phalaena, G. Shaw, Nat. Misc. VII. 1795, pl. 230.
erycina Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 686; ed. 12, 1767, 1131.
erymanthea Papilio, N. G., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
erymanthis Papilio, D. Drury, Ill. Nat. Hist. I. 1770, index & 29. [1784. 180.
erymanthus [Papilio], P. Cramer, Utitl. Kapellen, II (10) 1777, 25.
eryngii Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 197.
erynnis Zygaena, J. C. Fabricius, Gen. Ins. 1777, 277.
erycephala Loxia, *v.* **erythrocephalus**.
erysimi Curculio, *err. pro* *erysinei*, Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
erysimi Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 132. [1743.
erysinei Curculio, J. C. Fabricius, Mant. I. 1787, 101.
erysybe Scolia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 204.
Erythacus *v.* **Erithacus**.
erythracus *v.* **erithacus**.
erythrea [Papilio], P. Cramer, Utitl. Kapellen, II (16) 1777, 140.
erythraeus Sciurus, P. S. Pallas, N. sp. Quad. II. 1779, 377.
erythraea Sphex, P. S. Pallas, Reise Russ. II. 1773, 729.
erythrapis Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 103.
erythrinae Bombyx, J. C. Fabricius, Spec. Ins. II. 1781, 169.
erythrinus Taenia, O. Fabricius, F. Groen. 1780, 317.
Erythrinus L. T. Gronovius, Zooph. I. 1763, 114. — P.
erythrina Fringilla, A. Vroeg, Catal. Vogel. 1764, Adumb., 2.
erythrina Loxia, P. S. Pallas, Nov. Comm. Sci. Petrop. XIV (1) 1770, 587.
erythrinus Salmo, J. G. Georgi, Reise Russ. 1775, 186.
erythrinus Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 279; ed. 12, 1766, 469.
erythrocarpos Capparid, P. E. Isert, Schrift. Berlin. Ges. Nat. Freunde, IX. 1789, 334.
erythrocephala Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 114. — Chrysomela.
erythrocephala Altica (Fab.), G. W. F. Panzer, Deutsch. Ins. [1795], 178. — Galleruca.
eritrocephala Anas, S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 465.
erythrocephala Anas, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 143.
erythrocephala Ardea, G. I. Molina, Sag. stor. nat. Chili, 1782, 235.
erythrocephalus Bibio (De G.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 300. — Tipula.
erythrocephala Blatta, J. C. Fabricius, Spec. Ins. I. 1781, 342.
erythrocephala Blatta, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 59.
erythrocephalum Callidium, J. C. Fabricius, Mant. I. 1787, 156.
erythrocephala Cantharis (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 279. —
erythrocephalus Carabus, J. C. Fabricius, Mant. I. 1787, 201. [Lytta.
erythrocephalus Cerambyx, F. v. P. Schrank, Beitr. Nat. 1776, 67.
erythrocephala Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 373; ed. 12, 1767, 594.
erythrocephala Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 704.
erythrocephala Coccinella, J. C. Fabricius, Mant. I. 1787, 61.
erythrocephala Conops, J. C. Fabricius, Ent. Syst. IV. 1794, 392.
erythrocephala Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 152.
erythrocephala Crioceris, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 67.
erythrocephalus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1720.
erythrocephalus Dermestes, F. v. P. Schrank, F. Boica, I. 1798, 426.
erythrocephalus Dyticus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 72. — *v.* Dytiscus.
erythrocephalus Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 412; ed. 12, 1767, 666.
erythrocephala Forficula, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 468.
erythrocephala Forficula, J. C. Fabricius, Ent. Syst. II. 1793, 4.
erythrocephala Formica, J. C. Fabricius, Syst. Ent. 1775, 391.
erythrocephala Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 903.

- erythrocephala Cricocaris.
 erythrocephala Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 31.—Chrysomela.
 erythrocephala Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1024.
 erythrocephalus Hydrophilus, J. C. Fabricius, Ent. Syst. I (1) 1792, 185.
 erythrocephala Lacerta, J. A. Donndorff, Zool. Beyt. III. 1798, 134. [120.—Callidium.
 erythrocephala Lamia (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791,
 erythrocephalus Lanius, D. L. G. Karsten, Mus. Lesk. I. 1789, xiii.
 erythrocephala Larra, J. C. Fabricius, Ent. Syst. II. 1793, 221.
 erythrocephala Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 172; ed. 12, 1766, 301.
 erythrocephala Lytta (Pall.), J. C. Fabricius, Spec. Ins. I. 1781, 329.—Meloe.
 erythrocephalus Meloe, P. S. Pallas, Reise Russ. I. 1771, 466.
 erythrocephala Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 40.
 erythrocephalus Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 463.
 erythrocephala Musca, C. de Geer, Mém. Ins. VI. 1776, 146.
 erythrocephala Musca, J. C. Fabricius, Mant. II. 1787, 351.
 erythrocephala Mutilla, P. A. Latreille, Actes Soc. H. N. Paris, I (1) 1792, 8.
 erythrocephala Mutilla, J. C. Fabricius, Ent. Syst. II. 1793, 371.
 erythrocephala Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 77.
 erythrocephala Noctua, J. C. Fabricius, Mant. II. 1787, 148.
 erythrocephalus Parus, Linnaeus, Syst. Nat., ed. 10, 1758, 191; [Pipra, ed. 12].
 erythrocephala Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3734.
 erythrocephala Phalaena Noctua (D. & S.), E. J. C. Esper, Die Schmett. IV (44)
 1791, 309.—Noctua.
 erythrocephala Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV.
 1792, 533.—Noctua.
 erythrocephalus Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 113; ed. 12, 1766, 174.
 erythrocephala Pipra, Linnaeus, Syst. Nat., ed. 12, 1766, 339.
 erythrocephalus Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [n. n.].
 erythrocephalus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 325; *varr.*
bengalensis, *borneus*, *malaccensis*.
 erythrocephala Saperda (Schrank), J. C. Fabricius, Mant. I. 1787, 148.—Cerambyx.
 erythrocephalus Scarabaeus (Fab.), C. de Villers, Linn. Ent. IV. 1789, 210.—Melolontha.
 erythrocephala Scolia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 255.
 erythrocephala Sphex, J. C. Fabricius, Spec. Ins. I. 1781, 445.
 erythrocephalus Staphylinus, J. C. Fabricius, Syst. Ent. 1775, 265.
 erythrocephala Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 558; ed. 12, 1767, 926.
 erythrocephala Tipula, C. de Geer, Mém. Ins. VI. 1776, 431.
 erythrocephala Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2760.
 erythroceras Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1989.
 erythroceros Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 73.
 erythrochlorus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2164.
 erythrochlorus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 352.
 erythrocnema Meloe, P. S. Pallas, Icon. Ins. 1782, 76.
 erythrocyana Meloe, P. S. Pallas, Icon. Ins. 1782, 96.
 erythroductyla Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 320.
 erythrogaster Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
 erythrogaster Coluber, G. Edwards in M. Catesby, Carol. II. 1771, Cat., 1.
 erythrogaster Fulgora, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 97.
 erythrogaster Hirundo, P. Boddaert, Tab. Planch. Enl. 1783, 45.
 erythrogaster Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2704.
 erythrogaster Melyris, J. A. Frolich, Naturforscher, XXVI. 1792, 118.
 erythrogaster Mordella, J. A. Frolich, Naturforscher, XXVI. 1792, 163.
 erythrogaster Motacilla, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIX. 1775, 469.
 erythrogaster Muscicapa, J. Latham, Index Orn. 1790, 479.
 erythrogaster Sylvia (Guelde.), J. Latham, Index Orn. 1790, 513.—Motacilla.
 erythrogramma Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 338.
 erythroleucos Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1805.

- erythroleucus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 99; ed. 12, 1766, 144.
- erythroleucos Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3581.
- erythrolophos Fulgora, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 97.
- erythromelas Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1899.
- erythromelas Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1990.
- erythromelas Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1673.
- erythromelas Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2171.
- erythromelas Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1725.
- erythromelas Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1956.
- erythromelas Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 859.
- erythromelas Reduvius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 112.
- erythronotos Certhia, J. Latham, Index Orn. 1790, 290.
- erythronotus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 107.
- erythropalpus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2702.
- erythropthalmos Anas, J. M. G. Beseke, Beytr. Vög. Kurlands, 1792, 50.
- erythropthalma Cicada, F. v. P. Schrank, Beitr. Nat. 1776, 77.
- erythropthalmus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 324; ed. 12, 1766, 530.
- erythropthalmus Cyprinus, N. G. Leske, Ichth. Lips. 1774, 60.
- erythropthalmus Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 874.
- erythropthalma Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 180; ed. 12, 1766, 318.
- erithropthalmus Labrus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 263.
- erythropthalma Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 153.
- erythropthalma Musca, Hellwig in G. W. F. Panzer, Ins. Germ. heft 17, 1794, tab. 24.
- erythropis Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 937.
- erythropterus Attelabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1809.
- erythroptera Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 70.
- erythroptera Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1674.
- erythroptera Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2115.
- erythropterus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2185.
- erythroptera Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 775.
- erythropterus Hister, J. C. Fabricius, Suppl. Ent. Syst. 1798, 38.
- erythropterus Lutjanus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 115.
- erythroptera Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 636.
- erythropterus Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 464.
- erythropterus Oxyporus, G. W. F. Panzer, Ins. Germ. heft 27 [1795], tab. 21.
- erythropterus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 343.
- erythropterus Silurus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 42.
- erythropterus Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 422; ed. 12, 1767, 683.
- erythropterus Staphylinus=erythropterus Linn., O. F. Müller, F. Ins. Frid. 1764, 23.
- erythropterus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 835.
- erythropus Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 123; ed. 12, 1766, 197.
- erythropus Anser (L.), J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 120.—Anas.
- erythropus Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2778.
- erythropus Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 634.
- erythropus Cancer, G. Edwards in M. Catesby, Carol. II. 1771, Cat., 1.
- erythropus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1989.
- erythropus Carabus, F. A. A. Meyer, Zool. Archiv (1) 1796, 238.
- erythropus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1847.
- erythropus Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1690.
- erythropus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 725.
- erythropus Colius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 842.
- erythropus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1724.
- erythropus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1759.
- erythropus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1776.
- erythropus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1912.
- erythropus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2086.
- erythropus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2705.
- erythropus Larus, J. Latham, Syn. Birds, Suppl. I. 1787, 296.

- erythropus Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1868.
 erythropus Rallus, T. Pennant in Forster, Ind. Zool. 1781, 42 [*n. n.*].
 erythropus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1581.
 erythropus Scolopax, A. Vroeg, Catal. Vogel. 1764, Adumb., 6.
 erythropus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2035.
 erythropus Staphylinus, G. Paykull, Faun. Suec. III. 1800, 372.
 erythropus Tenthredo, F. v. P. Schrank, Beitr. Nat. 1776, 86.
 erythropus Tringa, J. A. Scopoli, Annus I. 1769, 102.
 erythropus Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 670.
 erythropygus Psittacus, J. Latham, Index Orn. 1790, 94.
 erythrorhyncha Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 517.
 erythrorhynchos Certhia, J. Latham, Index Orn. 1790, 299.
 erythrorhynchus Corvus, P. Boddaert, Tab. Planch. Enl. 1783, 38.
 erythrorhynchus Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 372.
 erythrorhynchus Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 571.
 erythrorhynchus Ramphastos, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 355.
 erythrorhynchus Upupa, J. Latham, Index Orn. 1790, 280.
 erythrostromus Cyllindrus, F. C. Meuschen, Mus. Gever. 1787, 376.
 erythrostromus Gobius, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 200.
 erythrostroma Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 272.
 erythrotis Clytra, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 129.
 erythrurus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2187.
 erythrourus Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 26.
 erythrozonias Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2181.
 erythus [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 93.
 eryx Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 229; ed. 12, 1766, 392.
 eryx Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 435.
 eryx Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 283.—Papilio.
 eryx Papilio (P.), Linnaeus, Mant. II. 1771, 537.
 erix [Papilio], P. Cramer, Uitl. Kapellen, I (7) 1775, 129.
 eryx [Papilio], P. Cramer, Uitl. Kapellen, II (12) 1777, 75.
 eryx Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 423.
 eryx Zygaena, J. C. Fabricius, Syst. Ent. 1775, 552.
 esca Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2993.—Gammarus.
 esca Cancer (Oniscus) (Fabr.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 146.—
 esca Gammarus, J. C. Fabricius, Reise Norwegen, 1779, 249. [Gammarus].
 Escara v. Eschara P. S. Pallas, Elench. 1766, 50.
 Eschara Linnaeus, Syst. Nat., ed. 10, 1758, 804.—Pol.
 eschara Millepora, Linnaeus, Syst. Nat., ed. 10, 1758, 792.
 esculenta Cidaris (Linn.), N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 74; *varr.*
 variegata, topasina, decemradiata (81 & 82).—Echinus.
 esculentus Echinometra, F. C. Meuschen, Mus. Gronov. 1778, 90.
 esculentus Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 663; ed. 12, 1767, 1102.
 esculentus Glis, J. F. Blumenbach, Hand. Naturg. 1779, 79.
 esculenta Hirundo, Linnaeus, Syst. Nat., ed. 10, 1758, 191; ed. 12, 1766, 343.
 esculenta Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 212; ed. 12, 1766, 357.
 eson [Sphinx], P. Cramer, Uitl. Kapellen, III (19) 1779, 57.
 Esox Linnaeus, Syst. Nat., ed. 10, 1758, 313; ed. 12, 1766, 515; [Artedi, Ichth. 1738,
 esperella Tinea, J. C. Fabricius, Mant. Ins. II. 1787, 251. [gen. x. 14].—P.
 esperella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 526.
 esperiana [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 192.
 esra Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 425.
 esulae Sphinx, Hufnagel, Berl. Mag. II. 1766, 180.
 esuriens Aranea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 291.
 esuriens Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 441.
 esuriens Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 281.
 esuriens Vespa, J. C. Fabricius, Mant. I. 1787, 293.
 ethemon [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 75.

- etheocles** [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 34.
- ethesia** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 249.
- ethiopicus**)
ethiops) *v.* **aeth-**
- ethlius** [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 212.
- ethosea** [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 51.
- ethra** Bombyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 24.
- ethus** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 217.
- etolus** Hesperia, J. C. Fabricius, Ent. Syst. III (1), 1793, 264.
- etolus** [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 28.
- etolus** (*sic*) [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 97.
- etolus** Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 66.
- etrusca** Andrena, P. Rossi, Fauna Etrus. II. 1790, 98.
- hetrusca** (*sic*) Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 257.
- etruscum** Rhagium, P. Rossi, Fauna Etrus. I. 1790, 149.
- euadrus** *v.* **evadrus**.
- eubule** Papilio (Danaus), Linnaeus, Syst. Nat., ed. 12, 1767, 764.
- Eucera** J. A. Scopoli, Annus IV. 1770, 8.—Hym.
- eucharis** [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 17.
- eucharis** [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 14.
- eucharis** Papilio, J. C. Fabricius, Syst. Ent. 1775, 472.
- eucharis** Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 20.
- eucharis** [Phalaena], D. Drury, Ill. Nat. Hist. III. 1782, index & 31.
- euchore** Antilope, J. R. Forster in Levaillant, Erste Reise Afrika, (Berlin) 1792, 159.
- euclea** [Papilio], J. A. B. Bergstraesser, Nom. Ins. IV. 1780, 24.
- Eudomychus** P. A. Latreille, Préc. Car. Ins. 1796, 71.—Col.
- eudora** Papilio N. G., E. J. C. Esper, Die Schmett. I (9) 1779, 374.
- eudoxia** [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 35.
- eudoxus** Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 331.—Papilio.
- eudoxus** [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 146.
- eueria** *v.* **everia**.
- eugenia** Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 19.
- eugenia** [Papilio], P. Cramer, Uitl. Kapellen, II (12) 1777, 58.
- eugenia** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 235.
- euippe** Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 469; ed. 12, 1767, 762.
- Eulalia** J. G. Meigen, N. Class. Mouches, 1800, 21.—Dip.
- eulalia** [Phalaena], C. Stoll, Aanh. Cramer's Uitl. Kapellen, II. 1790, 54.
- Eulophus** E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 312.
- eulophus** Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 389.
- eumedide** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 219.
- eumedon** Papilio Pl. Rur., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1780], 16.
- eumelia** [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 157.
- eumelia** Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 345.—Papilio.
- eumelus** [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 94.
- eumela** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 111.
- eumene** [Papilio], P. Cramer, Uitl. Kapellen, I (8) 1776, 145.
- eumea** [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 132.
- eumeus** Papilio, D. Drury, Ill. Nat. Hist. I. 1770, index & 4.
- eumeus** Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 63.
- Eumolphus** J. G. Kugelann, Käfer Preuss. 1798, 499.—Col.
- eumolphus** [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 19.
- eumolphus** [Sphinx], P. Cramer, Uitl. Kapellen, III (17) 1779, 8.
- eunolphus** Zygaena, J. C. Fabricius, Spec. Ins. II. 1781, 505.
- eunomia** Papilio Nym., E. J. C. Esper, Die Schmett. Suppl., 1 Abschn. [1799], 94.
- eupale** Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 7.
- eupalemon** [Papilio], P. Cramer, Uitl. Kapellen, II (12) 1777, 74.
- eupalemon** [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 146.
- eupalus** Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 54.

- eupatria Psittacus, Linnaeus, Syst. Nat., ed. 12, 1766, 140.
- euphemia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 105.
- eupheno Papilio (Danaus), Linnaeus, Syst. Nat., ed. 12, 1767, 762.
- euphon Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 423.
- euphorbiae Altica (Fab.), G. W. F. Panzer, Deutsch. Ins. [1795], 181.—Galleruca.
- euphorbiae Altica (Schr.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 112.—Chrysomela.
- euphorbiae Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 83.
- euphorbiae Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 34.
- euphorbiae Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 67.
- euphorbiae Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 227.—Noctua.
- euphorbiae Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 492; ed. 12, 1767, 802.
- euphorbiaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 78
- euphorbiata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 116. [*n. et f.*].
- euphrasiae Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 232.
- Euphrosyne J. G. Meigen, N. Class. Mouches, 1800, 16.—Dip.
- euphrosyne Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 481; ed. 12, 1767, 786.
- eurialus [Papilio], P. Cramer, Uitl. Kapellen, I (7) 1775, 116. [786.]
- euribates [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 215.
- Euribia J. G. Meigen, N. Class. Mouches, 1800, 36.—Dip.
- Eurichora Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 33.—Eurychora, Thunberg
- eurilochus [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 53. [*est.*]
- eurimedeas [Papilio], P. Cramer, Uitl. Kapellen, II (11) 1777, 43.
- eurimedes [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 199.
- eurinome [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 109.
- euripides Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 267.
- euristeus [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 47.
- euristea [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 71.
- eurisus [Papilio], P. Cramer, Uitl. Kapellen, III (19) 1779, 47.
- eurita Papilio, P. Cramer, Uitl. Kapellen, III (20) 1779, 69.
- euriteus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 321.—Papilio.
- euriteus [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 89. (*EURITEUS euriteus*)
- euritea [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 157.
- euroidia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 79.
- euroidia [Phalaena], P. Cramer, Uitl. Kapellen, II (15) 1777, 126.
- euroidia Zygaena (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 163.—Phalaena.
- europa Apis, M. Harris, Exp. Eng. Ins. 1776, 166.
- europa Papilio, J. C. Fabricius, Syst. Ent. 1775, 500.
- europaeus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 25.
- europaeus Caprimulgus, Linnaeus, Syst. Nat., ed. 10, 1758, 193; ed. 12, 1766, 346.
- europaeus Chelifer, C. de Geer, Mém. Ins. VII. 1778, 355.
- europaeus Cursorius, J. Latham, Index Orn. 1790, 751.
- europaeus Erinaceus, Linnaeus, Syst. Nat., ed. 10, 1758, 52; ed. 12, 1766, 75.
- europaea Fulgora, Linnaeus, Syst. Nat., ed. 12, 1767, 704.
- europaea Mutilla, Linnaeus, Syst. Nat., ed. 10, 1758, 583; ed. 12, 1767, 966.
- europaeus Scorpio, Linnaeus, Syst. Nat., ed. 10, 1758, 625; ed. 12, 1767, 1038.
- europaea Sitta, Linnaeus, Syst. Nat., ed. 10, 1758, 115; ed. 12, 1766, 177.
- europaea Talpa, Linnaeus, Syst. Nat., ed. 10, 1758, 152; ed. 12, 1766, 73.
- europaea Talpa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 110; *varr.*
variegata, alba, flava, cinerea.
- europaea Talpa, R. Kerr, Anim. Kingd. 1792, 200; *varr.* nigra. [*rufo, major.*]
- europaea Talpa, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 724; *varr.*
- europaeus Tetrao, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 129.
- europaeus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 143.
- europome Papilio Dan., E. J. C. Esper, Die Schmett. I (9) 1779, 367.
- eurota [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 37.
- euryale Asterias, A. J. Retzius, K. Vet. Ac. Nya Handl. IV. 1783, 243.
- Eurychora C. P. Thunberg, Peric. Ent. 1789, 9.—Col.

- eurydice** Papilio, Linnaeus, *Amoen. Acad.* VI. 1763, 406.
euridice Papilio, [D. H. Schneider], *Besch. europ. Schmett.* I. 1785, 231.
eurylus Scarabaeus, *err. pro eurytus* Fabr., J. C. Fabricius, *Mant.* I. 1787, 5.
eurypylos Papilio (Eques), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 464; ed. 12, 1767, 754.
eurytus Papilio, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 157.
eurytus Papilio, J. C. Fabricius, *Syst. Ent.* 1775, 487.
eurytus Papilio (Barbarus), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 487; [P. (Heliconius), ed. 12].
eurytus Scarabaeus, J. C. Fabricius, *Syst. Ent.* 1775, 7. [12].
eusebia [Phalaena], C. Stoll in Cramer, *Uitl. Kapellen*, IV (31) 1781, 155.
eustachii Fringilla, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 911.
eustachius Papilio, Herbst in Jablonsky, *Nat. Ins.* (Schmett.) VIII. 1796, 77.
eustatius Dermestes, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 357; ed. 12, 1767, 564.
eustatius Ips (L.), C. de Geer, *Mém. Ins.* V. 1775, 197.—Dermestes.
euterpe Papilio (Heliconius), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 466; ed. 12, 1767, 756.
Eutropia [G. Humphreys], *Mus. Calonn.* 1797, 23.—G.
eutropia Phalaena, C. Stoll, *Aanhang. Cramer's Uitl. Kapellen*, III. 1790, 91.
eva Papilio, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 162.
evadne [Papilio], P. Cramer, *Uitl. Kapellen*, III (19) 1779, 48.
evadnes [Papilio], C. Stoll in Cramer, *Uitl. Kapellen*, IV (29) 1781, 103.
evadnes [Sphinx], C. Stoll in Cramer, *Uitl. Kapellen*, IV (30) 1781, 129.
euadrus (*sic*) Papilio, J. C. Fabricius, *Mant.* II. 1787, 89.
evagete [Papilio], P. Cramer, *Uitl. Kapellen*, III (19) 1779, 47.
evalthe Papilio, J. C. Fabricius, *Syst. Ent.* 1775, 480.
evander Papilio, P. Cramer, *Uitl. Kapellen*, IV (28) 1780, 83.
Evania J. C. Fabricius, *Syst. Ent.* 1775, 345.—Hym.
Evania G. Cuvier, *Leçons Comp. Anat.* I. 1800, tab. 8 [*n. n.*].—Hym.
evania Sphex, C. P. Thunberg, *D. D. Mus. Ac. Upsal. App.* II. 1791, 126.
evansii Sertularia, J. Ellis & D. Solander, *Nat. Hist. Zooph.* 1786, 58.
evarete [Papilio], P. Cramer, *Uitl. Kapellen*, III (17) 1779, 18.
evectus Musca, M. Harris, *Exp. Eng. Ins.* 1776, 125.
evelina [Papilio], C. Stoll, *Aanhang. Cramer's Uitl. Kapellen*, IV. 1790, 132.
eueria (*sic*) Phalaena (B.), A. W. Knoch, *Beitr. Insektenges.* I. 1781, 26.
evergista [Phalaena], C. Stoll in Cramer, *Uitl. Kapellen*, IV (31) 1781, 155.
evergista Phal. (Geom.), Herbst, *Einl. Ins.* II. 1785, 119.
euersor (*sic*) Gryllus, O. G. Tychsen in *Asso y del Rio, Heuschrecken*, 1787, 68.
evidens Noctua, C. P. Thunberg, *Ins. Suecica* (1) 1784, 2.
evippus Papilio, J. Hübner, *Samml. Vögel u. Schmett.* 1793, 11 [*n. et f.*].
evitata Phryganea, P. Rossi, *Mant. Ins.* I. 1792, 105.
evolans Exocoetus, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 521.
evolans Trigla, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 498.
evonymaria Geometra, [Denis & Schiffermüller], *Schmett. Wien*, 1775, 103. [*n. et f.*]
evonymaria Geometra, J. Hübner, *Europ. Schmett.* (Geom.) [me giudice 1796], fig. 31
evonymella Phalaena (Tinea), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 534; ed. 12, 1767, 885.
evonymella Tinea (L.), J. C. Fabricius, *Syst. Ent.* 1775, 656.—Phalaena.
evonymi Aphis, J. C. Fabricius, *Syst. Ent.* 1775, 736.
evonymi Chermes, Scopoli, *Ent. Carn.* 1763, 139.
euonymi Cimex, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 2183.
evonymi Cistela, J. C. Fabricius, *Ent. Syst.* I (2) 1792, 45.
evonymi Ichneumon, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2714.
evonymum Buccinum, F. C. Meuschen, *Mus. Gev.* 1787, 300.
evulsum Buccinum, D. Solander in G. Brander, *Foss. Hant.* 1766, 13.
exactus Musca, M. Harris, *Exp. Eng. Ins.* 1776, 147.
exadeus [Papilio], P. Cramer, *Uitl. Kapellen*, III (22) 1770, 118.
exaesa Millepora, P. Forskal, *Descr. Anim.* 1775, 138.
exaestuans Tabanus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 601; ed. 12, 1767, 1000.
exalbidus Coluber, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1088.
exalbida Ostrea, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3337.
exalbida Patella, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3704.

- exalbidus** Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 428.
exalbida Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
exaltata Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 136.
exaltata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 458.
exaltatus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 251.—Sphex, 1793.
exaltata Sphex, J. C. Fabricius, Syst. Ent. 1775, 351.
exanthematicus Cimex, Scopoli, Ent. Carn. 1763, 121.
exanthematica Lacerta, L. Bosc, Actes Soc. H. N. Paris, I (1) 1792, 25.
exanthemata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 107.
exanthemata Phalaena, Scopoli, Ent. Carn., 1763, 218.
exanthema Cypraea, Linnaeus, Syst. Nat., ed. 12, 1767, 1172.
exanthema Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 402.—Cypraea.
exapdia Sepia, Molina, z. [h]exapodia.
exarator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 564; ed. 12, 1767, 935.
exaratum Buccinum, O. F. Müller, Verm. II. 1774, 148.
exaratus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 361.—Buccinum.
exarata Bulla (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3431.—Buccinum.
exaratus Carabus, D. E. Naezén, K. Vet. Ac. Nya Handl. XV. 1794, 272.
exaratus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1804.
exasperatus Trochus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 109.
exasperata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3453.
excaecata Papilio, J. E. Smith in Abbot, Ins. Georgia, 1797, 49.
excavatum Anobium, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 488.
excavata Blaps, J. C. Fabricius, Syst. Ent. 1775, 254.
excavatum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 113.
excavata Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 232.
excavatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (1) 1791, 31.
excavatus Carabus, G. Paykull, Mon. Carab. 1790, 38.
excavatus Cidarites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xvii [re-paged issue].
excavatus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 365.
excavatus Curculio, J. N. Laicharting, Tyrol. Ins. I. 1781, 212.
excavatus Echinites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 95. [Echinites.
excavatus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3170.—
excavatus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 22.—Scarabaeus, 1792.
excavatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 160.—Cimex, 1781.
excavatum Mantellum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 160.—Ostrea.
excavata Ostrea, J. C. Fabricius, Reise Norwegen, 1779, 368.
excavata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3332.
excavata Peltis, A. F. de Fourcroy, Ent. Paris. 1785, 31.
excavata Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2001.—Blaps.
excavatus Scarabaeus, J. R. Forster, N. Sp. Ins. 1771, 1.
excavatus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 31.
excavata Silpha (Fourc.), C. de Villers, Linn. Ent. I. 1789, 88.—Peltis.
excavatus Upis, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 235.
excavata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3269.
excellens Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 54.
excelsa Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 123 [n. n.].
excisaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (4) [1795], 101.
excisa Apis, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. III. 1794, 141.
excisus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 32.
excisus Cancer, J. C. Fabricius, Mant. I. 1787, 316.
excisus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1991.
excisus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2161.
excisa Cytherea, J. F. Bolten, Mus. Bolten. (2), 1798, 178.
excitator Ichneumon, N. Poda, Ins. Mus. Graec. 1761, 105.
exclamationis Bombyx (L.), E. J. C. Esper, Die Schmett. III (26) 1786, 321.—Phalaena.
exclamationis Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 143.
exclamationis Cassida, Linnaeus, Syst. Nat., ed. 12, 1767, 577.

- exclamationis** Chrysomela, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 14.
exclamationis Chrysomela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 86.
exclamationis Cicada, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 24.
exclamationis Curculio, J. C. Fabricius, Syst. Ent. 1775, 133.
exclamationis Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 325.
exclamationis Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 605.—Phalaena.
exclamationis Papilio, J. C. Fabricius, Syst. Ent. 1775, 530.
exclamationis Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 515; ed. 12, 1767, 515.
excoriato-niger Curculio, C. de Geer, Mém. Ins. V. 1775, 259. [850.
excoriato-ruber Curculio, C. de Geer, Mém. Ins. V. 1775, 257.
excors Musca, M. Harris, Exp. Eng. Ins. 1776, 154.
excubitor Lanius, Linnaeus, Syst. Nat., ed. 10, 1758, 94; ed. 12, 1766, 135. [major.
excubitor Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 300; *varr.* albus,
excursor Ichneumon, A. G. Olivier, Ency. Méth. VII. (Ins.), 1792, 195.
excusa Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2, [post 1796], 70.
exesus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1762.
exesa Madrepora, P. S. Pallas, Elench. 1766, 290.
exhalans Carabus, P. Rossi, Mant. Ins. I. 1792, 84.
exhaustator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 226.
exhortator Ichneumon, J. C. Fabricius, Mant. I. 1787, 264.
exiguella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 143.
exiguus Araneus, F. H. W. Martini & J. A. E. Goetze in Lister, Spinnen, 1778, 214.
exigua Boa, J. N. Laurenti, Syn. Rept. 1768, 89.
exigua Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 462.
exiguum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3255.
exiguus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1852.
exiguus Cryptocephalus, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. 1792,
exigua Helix, Studer in Coxé, Trav. Switz. III. 1789, 386 [*n. n.*] [204.
exiguum Peronaoderma, J. X. Poli, Test. Sicil. II. 1795, 252 & 257.—Tellina.
exigua Salamandra, J. N. Laurenti, Syn. Rept. 1768, 41 & 148.
exigua Tellina, J. X. Poli, Test. Sicil. I. 1791, xxxv.
exigua Tellina, J. X. Poli, Test. Sicil. II. 1795, 35.
exiguus Trochus, R. Pulteney, Cat. Birds &c. Dorset, 1799, 44.
exiliens Exocoetus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1400.
exilis Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 645.
exile Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3497.
exilis Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1844.
exilis Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1686.
exilis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1720.
exilis Dermestes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1600.
exilis Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1956.
exilis Helix, O. F. Müller, Verm. II. 1774, 22.
exilis Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3668.
exilis Musca, M. Harris, Exp. Eng. Ins. 1776, 117.
exilis Musca, M. Harris, Exp. Eng. Ins. 1776, 122.
exilis Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627.
exilis Sorex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 115.
exilis Tellina, F. C. Meuschen, Mus. Gever. 1787, 462.
exilis Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 484.
exilis Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3444.
eximius Psittacus, G. Shaw, Nat. Misc. III. 1792, pl. 93.
eximia Thiarā, J. F. Bolten, Mus. Bolten. (2) 1798, 109 [*n. n.*].
exinanita Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2867.
exlex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155. [gen. vi, 8].—P.
Exocoetus Linnaeus, Syst. Nat., ed. 10, 1758, 316; ed. 12, 1766, 520; [Artedi, Ichth. 1738,
exoletella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 134.
exsoletella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 30.
exoleta Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 115.—Chrysomela.

- exoletum Arthemiderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—Venus.
 exoleta Chamaeformis (L.), F. C. Meuschen, Mus. Gever. 1787, 450.—Venus.
 exsoleta Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 373; ed. 12, 1767, 594.
 exoletus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2165.
 exoletus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 223; ed. 12, 1766, 385.
 exsoletus Curculio, J. R. Forster, Cat. Brit. Ins. 1770, 5 [*n. n.*].
 exoletus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.
 exsoleta Cytherea (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 178.—Venus.
 exsoletus Dytiscus, J. R. Forster, N. Sp. Ins. 1771, 57.
 exoleta Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 33.—Chrysomela.
 exoletus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 287; ed. 12, 1766, 479.
 exsoletus Monoceros (L.), F. C. Meuschen, Mus. Gever. 1787, 290.—Turbo.
 exoleta Natrix (Linn.), J. N. Laurenti, Syn. Rept. 1768, 78.—Coluber.
 exoleta Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 617.—Phalaena.
 exoleta Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3726.
 exoleta Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 515; ed. 12, 1767, 849.
 exoletus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 766; ed. 12, 1767, 1239.
 exoleta Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 688; ed. 12, 1767, 1134.
 exortus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 20.
 exos Alcyonium, Linnaeus, Syst. Nat., ed. 12, 1767, 1293.
 exos Terebratula, A. J. Retzius, Diss. Nova Test. Gen. 1788, 14.
 exoticus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1741.
 exoticus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 374.
 exoticus Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2289.
 exotica Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 73 [*n. n.*].
 exotica Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2760.
 expallescens Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2165.
 expectata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 636.
 explanata Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 146.
 explanata Helix, O. F. Müller, Verm. II. 1774, 26.
 explanata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 630.
 explanatus Pholas, L. Spengler, Skr. nat. Selsk. (Copen.), II (1) 1792, 91.
 exquima Simia (Sapajus), R. Kerr, Anim. Kingd. 1792, 76.
 exsanguis Carabus, P. Rossi, Fauna Etrus. I. 1790, 226.
 exsculptus Cancer, J. F. W. Herbst, Vers. Nat. Kralb. I (8) 1790, 265.
 exserta Gorgonia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 87.
 exsertus Prionus, A. G. Olivier, Entom. IV. 1795, 17.
 exsiliens Exocoethus, Linnaeus, Mant. II. 1771, 529.
 exiliens Exocoethus, J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1789, 1400.
 exsoletella *v.* exoletella.
 exsoletus *v.* exoletus.
 expectorius Ichneumon, J. C. Fabricius, Ent. Syst. IV. 1794, 455.
 exspinosus Monoculus, C. de Geer, Mém. Ins. VII. 1778, 457.
 extendens Eylais (Müll.), P. A. Latreille, Préc. Car. Ins. 1796, 182.—Hydrachne.
 extendens Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
 extendens Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 406.—Hydrachna.
 extensor Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 564; ed. 12, 1767, 935.
 extensorius Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 561; ed. 12, 1767, 930.
 extensa Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 621; ed. 12, 1767, 1033.
 extensa Helix, O. F. Müller, Verm. II. 1774, 60.
 extensa Serpula, D. Solander in G. Brander, Foss. Hant. 1766, 12.
 extenuata Musca, P. Rossi, Fauna Etrus. II. 1790, 312. [*et f.*].
 extersaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 159 [*n.*].
 extimalis Phalaena, Scopoli, Ent. Carn. 1763, 241. [*et f.*].
 extimaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 21 [*n.*].
 extimaria Geometra, J. Hübner, Europ. Schmett. 5 Horde [me judice 1800], 20.
 extincta Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2583. [*et f.*].
 extremata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 239 [*n.*].

- extremata** Phalaena, J. C. Fabricius, Mant. II. 1787, 211.
extricator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 193.
extuberator Cyllindrus, F. C. Meuschen, Mus. Gever. 1787, 372.
exulans Diomedea, Linnaeus, Syst. Nat., ed. 10, 1758, 132; ed. 12, 1766, 214.
exulans Mutilla, J. C. Fabricius, Syst. Ent. 1775, 397.
exulans Sphinx, Reiner & Hohenwarth, Botan. Reise Alpen, I. 1792, 265.
exulcerans Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 617; ed. 12, 1767, 1024.
exultus Vespa, M. Harris, Exp. Eng. Ins. 1776, 129.
exustata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 600.
exusta Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1891.
exustus Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 705; ed. 12, 1767, 1156.
exusta Necydalis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1881.
exusta Pinna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3366.
exuvia Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 779; ed. 12, 1767, 1255.
eycalia Papilio, *err. pro* egalia, Cram., J. C. Fabricius, Mant. II. 1787, 55.
Eylais P. A. Latreille, Préc. Car. Ins. 1796, 182.—Ar.
eyrinotus Carabus, G. W. F. Panzer, Ins. Germ. heft 37 [1796], tab. 23.
ezea [Phalaena], P. Cramer, Utitl. Kapellen, III (20) 1779, 78.

- fab** Buccinum, J. F. Boltzen, Mus. Boltzen. (2) 1798, 112 [*n. n.*].
fab Donax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3264.
fab Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3194.
fab Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3623.
fab [Limax], T. Martyn, Univ. Conch. II. [1788], fig. 67.
fab Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 328.—Voluta.
fab Mytilus, O. F. Müller, Z. Dan. Prod. 1776, 250.
fab Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 103.
fab Pholas, R. Pulteney, Cat. Birds &c. Dorset, 1799, 27.
fab Tellina, L. Spengler, Skr. nat. Selsk. [Copen.] IV (2) 1798, 116.
fab Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 730; ed. 12, 1767, 1189.
fabae Aphis, Scopoli, Ent. Carn. 1763, 139.
fabalis Anas, J. Latham, Syn. Birds, Suppl. I. 1787, 297.
faber Cerambyx, Linnaeus, Faun. Suec., ed. 2, 1761, 187.
faber Chaetodon, P. M. A. Broussonet, Ichth. 1782.
faber Cimex, J. C. Fabricius, Mant. II. 1787, 297.
faber Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 81.
faber Curculio, P. Rossi, Fauna Etrus. I. 1790, 120.
faber Ichneumon, J. L. Christ, Nat. Ins. 1791, 364.
faber Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 146.—Cimex, 1787.
faber Prionus (Linn.), J. C. Fabricius, Spec. Ins. I. 1781, 204.—Cerambyx.
faber Ptinus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 6.
faber Zeus, Linnaeus, Syst. Nat., ed. 10, 1758, 267; ed. 12, 1766, 454.
fabiana [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 227.
fabrella Phalaena (Tin.), Herbst, Einl. Ins. II. 1785, 132.
fabia Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 38.—Phalaena.
fabius Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 12.
fabius [Papilio], P. Cramer, Utitl. Kapellen, I (8) 1776, 141.
fabia Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 426.
fabia [Phalaena], P. Cramer, Utitl. Kapellen, III (21) 1779, 98.
fabia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 126.
fabricator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 166.
fabricatorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 154.
fabricella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 319.
fabricia Tubularia, O. F. Müller, Z. Dan. Prod. 1776, 254.
fabriciana Apis, Linnaeus, Syst. Nat., ed. 12, 1767, 955.
fabriciana Nomada (L.), J. C. Fabricius, Syst. Ent. 1775, 389.—Apis.
fabriciana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 12, 1767, 880.

- fabriciana** *Pyralis* (L.), J. C. Fabricius, Syst. Ent. 1775, 653.—*Phalaena*.
fabriciella *Phalaena* (Tinea), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 277.
fabriciella *Phalaena* (Tin.), C. de Villers, Linn. Ent. II. 1789, 527.
fabricii *Buprestis*, P. Rossi, Mant. Ins. II. 1794, 100.
fabricii *Cimex*, Linnaeus, Mant. II. 1771, 534.
fabricii *Curculio*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 169.
[fabrilis *Araneus*, C. Clerck, Aran. Svec. 1757, 86.]
fabrilis *Araneus*, T. Martyn, Aranei, 1793, 39.
fabroniana Raja, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 104.
fabula Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3239.
facchino Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 190.
facultas *Musca*, M. Harris, Exp. Eng. Ins. 1776, 109.
fadus *Sesia* (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 154.—*Sphinx*.
fadus [*Sphinx*], P. Cramer, Utitl. Kapellen, I (6) 1775, 95.
faeroensis Cancer, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 56.
faetela *Sciaena*, P. Forskal, Descr. Anim. 1775, 51.
fagana *Phalaena* (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 387.—*Pyralis*.
fagana *Pyralis*, J. C. Fabricius, Spec. Ins. II. 1781, 276.
fagana *Tortrix*, [Denis & Schiffermüller], Schmett. Wien, 1775, 128.
fagana *Tortrix* (Fab.), C. P. Thunberg, Ins. Suecica (1) 1784, 18.—*Pyralis*.
fagaria *Geometra*, C. P. Thunberg, Ins. Suecica (1) 1784, 7.
fagella *Tinea*, [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
fagella *Tinea*, C. P. Thunberg, Ins. Suecica (7) 1794, 93.
fagi *Anobium*, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 26.
fagi *Apate*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 157.
fagi *Aphis*, Linnaeus, Syst. Nat., ed. 12, 1767, 735.
fagi *Bombyx* (L.), J. C. Fabricius, Syst. Ent. 1775, 562.—*Phalaena*.
fagi *Chermes*, Linnaeus, Faun. Suec., ed. 2, 1761, 263.
fagi *Crambus*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 473.—*Tinea fagella*, 1794.
fagi *Curculio*, Linnaeus, Syst. Nat., ed. 10, 1758, 381; ed. 12, 1767, 611.
fagi *Cynips*, Linnaeus, Syst. Nat., ed. 10, 1758, 554; ed. 12, 1767, 919.
fagi *Papilio*, Scopoli, Ent. Carn. 1763, 152.
fagi *Phalaena* (*Bombyx*), O. F. Müller, F. Ins. Frid. 1764, 39.
fagi *Phalaena* (*Noctua*), Linnaeus, Syst. Nat., ed. 10, 1758, 508. [Zeit. XVI. 1855, 95.
fagi körneri *Phalaena* Geom., Gladbach, Namen u. Preissverz. 1778; see Stettin. Ent.
fagi *Ptinus* (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1605.—*Anobium*.
fagi *Salius* (L.), F. v. P. Schrank, F. Boica, I. 1798, 508.—*Curculio*.
fagi *Tenebrio*, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 3.
fagi *Tenthredo*, G. W. F. Panzer, Ins. Germ. heft 52 [1798], tab. 14.
fagina *Voluta*, T. Martyn, Univ. Conch. IV [1792], fig. 125.
faginaria *Phalaena* (*Geometra*), O. F. Müller, Z. Dan. Prod. 1776, 126.
fagineus *Dermestes*, F. v. P. Schrank, F. Boica, I. 1798, 424.
fahaka *Tetraodon*, Linnaeus in Hasselquist, Palast. 1762, 441.
fahlbergiana *Tortrix*, C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 166.
F album *Papilio* N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1784], 168.
falcana *Tortrix*, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 78 [*n. et f.*].
falcaria *Anas*, P. S. Pallas, Reise Russ. III. 1776, 701.
falcatae *Sphinx*, [Denis & Schiffermüller], Schmett. Wien, 1775, 45.
falcatae *Sphinx*, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 206.
falcataria *Mantis*, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [*n. n.*].
falcataria *Phalaena* (*Geometra*), Linnaeus, Syst. Nat., ed. 10, 1758, 519; ed. 12, 1767, 859.
falcator *Ichneumon*, J. C. Fabricius, Syst. Ent. 1775, 339.
falcator *Ophion*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 237.—*Ichneumon*, 1775.
falcatorius *Banchus*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 234.—*Ichneumon*, 1775.
falcatorius *Ichneumon*, J. C. Fabricius, Syst. Ent. 1775, 332.
falcata *Anas*, J. G. Georgi, Reise Russ. 1775, 167.
[falcatus *Araneus*, C. Clerck, Aran. Svec. 1757, 125.]

- falcatus** Araneus, T. Martyn, Aranei, 1793, 59.
falcatus Asellus (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 252.—Oniscus.
falcatus Cancer, P. Forskal, Descr. Anim. 1775, 96.
falcatus Cancer (Mantis) Forsk., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 103.
falcata Cellularia, P. S. Pallas, Elench. 1766, 76.
falcata Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 470.
falcatus Cimex, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 5.
falcata Cymothoa, J. C. Fabricius, Ent. Syst. II. 1793, 504.—Oniscus, 1787.
falcatus Cyprinus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 53.
falcatus Echinorhynchus, J. A. Frolich, Naturforscher, XXIV. 1789, 117.
falcatus Esox, G. S. Volta, Itt. Veron. (2) [circa 1800], cccxxxvii.
falcatus Gryllus, J. C. Fuessly, Schweitz. Ins. 1775, 23.
falcatus Gryllus (Tettigonia), N. Poda, Ins. Mus. Graec. 1761, 52.
falcatus Gryllus, Solander in Russell, N. H. Aleppo, ed. 2, II. 1794, 233.
falcatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 399.
falcatus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 284; ed. 12, 1766, 475.
falcata Locusta (Poda), P. Rossi, Fauna Etrus. I. 1790, 268.—Gryllus.
falcata Locusta (Poda), G. A. Harrer, Besch. Schaeffer Icones, 1784, 271.—Gryllus (T.).
falcata Musca, Scopoli, Ent. Carn. 1763, 330.
falcatus Oniscus, J. C. Fabricius, Mant. I. 1787, 240.
falcata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 629.
falcata Phalaena, *id. ac* falcataria, L., A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 42.
falcatus Salmo, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 120.
falcatus Scarabaeus, X. Wulfen, Descr. Cap. Ins. 1786, xiv.
falcatus Scomber, P. Forskal, Descr. Anim. 1775, 57.
falcata Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 810; ed. 12, 1767, 1309.
falcatus Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 20.
falcata Tetractis, C. F. Schultze, Verst. Seest. 1760, 50.
falcata Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 136.
falcicornis Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 132.
falcifer Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 159.
falcifer Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2707.
falcinellus Scolopax, E. Pontoppidan, Danske Atlas, I. 1763, 623.
falcinellus Tantalus, Linnaeus, Syst. Nat., ed. 12, 1766, 241.
falcirostra Loxia, J. Latham, Index Orn. 1790, 371.
Falco Linnaeus, Syst. Nat., ed. 10, 1758, 88; ed. 12, 1766, 124.—A.
falco Milvus [= Falco milvus], P. Forskal, Descr. Anim. 1775, 7.
falconarius Gryllus (Tettig.) (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
falconaria Locusta, C. de Geer, Mémoires. Ins. III. 1773, 452. [2071.—Locusta.
Falconis S. G. Gmelin, Reise Russ. I (1770) 49; [?err. pro Falco].—A.
falconis Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3040.
falcula Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 64.
falcula Chaetodon, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 102.
falcula Phalaena Bombyx, N. J. Brahm, Ins. Kal. II (1) 1791, 182.
falculatoria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 301.
falculator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 194.
falklandicus Charadrius, J. Latham, Index Orn. 1790, 747.
falklandica Coturnix, J. P. Bonnatere, Ency. Méth. (Orn.), 1791, 220.
falklandica Perdix (Gm.), J. Latham, Index Orn. 1790, 653.—Tetrao.
falklandicus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 762.
fallax Ips, P. Rossi, Mant. Ins. I. 1792, 22.
fallax Leptura, C. de Villers, Linn. Ent. I. 1789, 276.
fallax Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 592; ed. 12, 1767, 985.
fallax Syrphus (L.), J. C. Fabricius, Spec. Ins. II. 1781, 426.—Musca.
falsarius Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 168.
falsator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 164.
falsella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 134.
falx Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 62.

- falx** Gryllus (Tettig.) (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2067.—
falx Locusta, J. C. Fabricius, Syst. Ent. 1775, 286. [Locusta.]
falx Vibrio, O. F. Müller, Verm. I (1) 1773, 46.
famelica Altica (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 106.—Chrysomela.
famelica Chrysomela, J. C. Fabricius, Mant. I. 1787, 76.
famelicus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 365.
famelicus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 544.
famelica Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 27.—Chrysomela, 1787.
famelicus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 156.—Cimex, 1781.
familiaris Canis, Linnaeus, Syst. Nat., ed. 10, 1758, 38; ed. 12, 1766, 56; *varr.* domestica, sagax, grajus, molossus, aquaticus, meliteus, fricator, vertagus, aviculae, extrarius, aegyptius.
familiaris Canis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 66–69; *varr.* pomeranus, sibiricus, islandicus, minor, brevipilis, leoninus, variegatus, hybridus, anglicus, gallicus, scoticus, venaticus, aquatilis, avicularius, cursorius, hibernicus, turcicus, hirsutus, italicus, lanarius, aprinus, sillus, americanus.
familiaris Canis, L., J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 666; *varr.* vulpinus, groenlandicus, aviarius, bengalensis, irritans, villosus, ustus, flammeus, danicus, palmatus, orbicularis, variegatus, terrae novae.
familiaris Certhia, Linnaeus, Syst. Nat., ed. 10, 1758, 118; ed. 12, 1766, 184.
familiaris Certhia, B. S. Barton, Frag. N. H. Pennsylv. 1799, 18.
familiaris Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 363.
familiaris Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 178; ed. 12, 1766, 311.
familiaris Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 149.—Cimex, 1781.
famosa Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 187.
famulus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 166.
famula Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 18.
famula Noctua, E. J. C. Esper, Die Schmett. IV (39) 1789, 164.
fanel Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 147.
fantasos [Papilio], P. Cramer, Util. Kapellen, IV (25) 1780, 20.
fantoma *v.* phantoma.
fanulum Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3573.
far Esox, P. Forskal, Descr. Anim. 1775, 67.
farcimen Enchelis, O. F. Müller, Verm. I (1) 1773, 34.
farcimen Trichoda, O. F. Müller, An. Infus. 1786, 194.
farciminalis Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 198.
farciminoïdes Cellaria, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 26.
farciminoïsa Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 397.
fareta (*sic*) Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 703; ed. 12, 1767, 1153 (*farcta*).
farctus Brachycerus, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 617.
farctus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 21.—Scarabaeus, 1775.
farctus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 64.
farctus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 14.
farenus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 326; ed. 12, 1766, 532.
fareta Anomia, *v.* farcta.
farfarisequa Apis, Scopoli, Ent. Carn. 1763, 300.
farfarisequa Eucera, J. A. Scopoli, Annus IV. 1770, 9.—Apis, 1763.
farinae Acarus, C. de Geer, Mém. Ins. VII. 1778, 97.
farinalis [Phalaena], C. Stoll in Cramer, Util. Kapellen, IV (29) 1781, 113.
farinalis Phalaena (Pyralis), Linnaeus, Syst. Nat., ed. 10, 1758, 533; ed. 12, 1767, 881.
farinanus Tenebrio, Olivier, La Médecine éclairée (Fourcroy's), I. 1791, 205.
farinata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 610.
farinella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 88.
farinosa Aphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2210.
farinosa Buprestis, J. C. Fabricius, Syst. Ent. 1775, 219.
farinosus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 390; ed. 12, 1767, 626.
farinosus Coccus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2220.
farinosus Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 36.

- farinosus** Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 49.
- farinosus** Elater, G. A. Olivier, J. Nat. Hist. (Choix des Mém.) I. 1792, 263.
- farinosa** Melolontha (L.), J. C. Fabricius, Syst. Ent. 1775, 38.—Scarabaeus.
- farinosa** Melolontha, L. G. Scriba, J. Lieb. Ent. I. 1790, 62.
- farinosa** Melolontha (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 117.—Scarabaeus.
- farinosus** Scarabaeus, Linnaeus, Faun. Suec., ed. 2, 1761, 138. [baeus.]
- farinosa** Semblis, P. Rossi, Mant. Ins. II. 1794, 105.
- farinosus** Stenocorus (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 295.—Cerambyx.
- fario** Perca, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIV. 1793, 296.
- fario** Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 309; ed. 12, 1766, 509.
- fariomis** Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3036.
- fariomis** Cystidicola, G. Fischer [de W.], Mém. respir. Anim. &c. 1798, 91.
- fariomis** Cystidicola, G. Fischer de W., Bull. Sci. Soc. Philom. [Paris], no. 13, 1798, 98.
- fariomis** Fasciola, O. F. Müller, Zool. Dan. II. 1784, 91.
- fariomis** Pediculus, Linnaeus, Faun. Suec., ed. 2, 1761, 479.
- faro** [Sphix], P. Cramer, Utit. Kapellen, III (24) 1780, 165.
- fascalis** Phalaena, *err. pro* fuscalis, Fabr. 1775, J. C. Fabricius, Mant. II. 1787, 219.
- fascelina** Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 571.—Phalaena.
- fascelina** Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 503; ed. 12, 1767, 825.
- fascelis** Papilio N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1784].
- fascelis** Phalaena, Linnaeus, Mus. Lud. Ulr. 1764, 390. [171.]
- fascia-aurata** Cicada, C. de Villers, Linn. Ent. I. 1789, 472.
- fascia** Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 711; ed. 12, 1767, 1164.
- fascia lata** Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17 [*u. n.*].
- fascia** Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 19 [*u. n.*].
- fascia** Orthocera (L.), A. Modeer. K. Vet. Ac. Nya Handl. XVII. 1796, 93.—Nautilus.
- fascia** Phalaena Noctua, J. Hübner, Beitr. Schmett. I (2) [1787], 12.
- fascialis** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1778.
- fascialis** Eschara, P. S. Pallas, Elench. 1766, 42.
- fascialis** Millepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1283.
- fascialis** [Phalaena], C. Stoll in Cramer, Utit. Kapellen. IV (34) 1782, 236.
- fascialis** [Phalaena], C. Stoll, Aanh. Cramer's Utit. Kapellen. V. 1790, 163.
- fascialis** Phalaena, J. C. Fabricius, Syst. Ent. 1775, 644.
- fascialis** Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 450.
- fascialis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 9 & 13 [2].
- fasciana** Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 408.—Pyralis.
- fasciana** Phalaena (Tort.), Linnaeus, Faun. Suec., ed. 2, 1761, 342.
- fasciana** Pyralis, J. C. Fabricius, Spec. Ins. II. 1781, 282.
- fasciaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 5 [*u. et f.*].
- fasciaria** Phalaena Geometra, J. Hübner, Beitr. Schmett. I (4) 1789, 23.
- fasciaria** Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 521; ed. 12, 1767, 862.
- fasciataria** Phalaena, P. Rossi, Mant. Ins. II. 1794, 33.
- fasciato-punctatus** Carabus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 67 [1799].
- fasciatopunctatus** Carabus, C. Creutzer, Ent. Vers. 1799, 111. [tab. 9.]
- fasciator** Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 430.
- fasciatorius** Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 330.
- fasciata** Acanthia, J. C. Fabricius, Mant. II. 1787, 278.
- fasciatum** Acrydium (Vill.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 235.—Gryllus.
- fasciata** Albula, J. F. Bolten, Mus. Bolten. (2) 1798, 21.
- fasciata** Andrena, J. C. Fabricius, Syst. Ent. 1775, 377.
- fasciata** Angaria, J. F. Bolten, Mus. Bolten. (2) 1798, 72.
- fasciata** Anguis, J. N. Laurenti, Syn. Rept., 1768, 70.
- fasciatus** Anthrenus, C. P. Thunberg, Ins. Succica (9) 1795, 105.
- fasciatus** Anthrenus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 337.
- fasciatus** Anthribus, J. R. Forster, Cat. Brit. Ins. 1770, 5 [*u. n.*].
- fasciatus** Anthribus, J. R. Forster, N. Sp. Ins. 1771, 9.
- fasciata** Apis, Linnaeus, Syst. Nat., ed. 12, 1767, 958.
- fasciata** Apis, J. A. Scopoli, Annus IV. 1770, 12.

- fasciata Apis (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791, 126.—
Andrena.
- fasciata Aplysia, Poir., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3103.—
- fasciata Aranea, A. F. de Fourcroy, Ent. Paris. 1785, 532. [Laplysia, Poiret.
- fasciata Aranea, J. C. Fabricius, Syst. Ent. 1775, 433.
- fasciatus Asilus, J. C. Fabricius, Syst. Ent. 1775, 793.
- fasciatus Asilus, P. Rossi, Fauna Etrus. II. 1790, 327.
- fasciatus Attelabus, C. de Villers, Linn. Ent. I. 1789, 223.
- fasciatus Attelabus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 283.
- fasciatus Attelabus, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 35.
- fasciata Biphora (Forsk.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 182.—Salpa.
- fasciatus Blennius, M. E. Bloch, Nat. ausl. Fische, II. 1786, 110.
- fasciatus Bruchus, A. G. Olivier, Entom. IV. 1795, 20.
- fasciatum Buccinum, O. F. Müller, Verm. II. 1774, 145.
- fasciatum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 247.
- fasciatus Bucco, T. Pennant in Forster, Ind. Zool. 1781, 40.—Trogon, 1769.
- fasciata Bulla (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3430.—
- fasciata Bulla, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 380. [Buccinum.
- fasciatus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 49.
- fasciata Buprestis, J. C. Fabricius, Mant. I. 1787, 177.
- fasciata Buprestis, C. de Villers, Linn. Ent. I. 1789, 339.
- fasciatus Byrrhus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 26.
- fasciatus Byrrhus, A. F. de Fourcroy, Ent. Paris. 1785, 26.
- fasciatus Byrrhus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 304.
- fasciatus Cadus, J. F. Bolten, Mus. Bolten. (2) 1798, 151.
- fasciatus Calamita, J. G. Schneider, Hist. Amph. I. 1799, 172.
- fasciatum Callidium, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 98.
- fasciatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 62.
- fasciata Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 402; ed. 12, 1767, 648.
- fasciata Cantharis, J. C. Fabricius, Ent. Syst. I (1) 1792, 218.
- fasciatus Carabus, J. R. Forster, Cat. Anim. N. Amer. 1771, 26 [n. n.].
- fasciatus Carabus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 75.
- fasciatus Carabus, C. de Villers, Linn. Ent. I. 1789, 384.
- fasciatus Carabus, G. Paykull, Mon. Carab. 1790, 97.
- fasciatum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3256.
- fasciata Cassidea, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 430.
- fasciatus Cerambyx, Scopoli, Ent. Carn. 1763, 54.
- fasciatus Cerambyx, J. C. Fabricius, Syst. Ent. 1775, 168.
- fasciatus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 114.
- fasciatus Cerambyx, A. F. de Fourcroy, Ent. Paris. 1785, 75.
- fasciatus Cerambyx, C. de Villers, Linn. Ent. I. 1789, 239.
- fasciatus Cerambyx, C. de Villers, Linn. Ent. I. 1789, 257.
- fasciata Cercopis, J. C. Fabricius, Mant. II. 1787, 275.
- fasciatum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 474.
- fasciata Cetonia, J. C. Fabricius, Syst. Ent. 1775, 46.
- fasciata Cetonia, J. C. Fabricius, Syst. Ent. 1775, 50.
- fasciatus Chaetodon, P. Forskal, Descr. Anim. 1775, 59.
- fasciatus Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 53.
- fasciata Chalcis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 439.
- fasciata Chrysis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 677.
- fasciata Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 820.
- fasciata Chrysomela, C. de Geer, Mém. Ins. V. 1775, 347.
- fasciata Chrysomela, C. de Geer, Mém. Ins. VII. 1778, 662.
- fasciata Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 108.
- fasciata Cicada (Fab.), C. de Villers, Linn. Ent. IV. 1789, 382.—Cercopis.
- fasciata Cicada (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 747.—Tettigonia.
- fasciata Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 63.
- fasciata Cimex (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 770.—Tenthredo.

- fasciatus** Cimex, G. A. Harrer, Besch. Schaeffer Icones, 1784, 312.
fasciatus Cimex (Fab.), C. de Villers, Linn. Ent. IV. 1789, 398.—Acanthia.
fasciatus Cimex, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 108.
fasciata Cistela, J. R. Forster, Cat. Brit. Ins. 1770, 4 [n. n.].
fasciata Cistela, J. R. Forster, N. Sp. Ins. 1771, 12.
fasciata Cistela (Fuess.), L. G. Scriba, J. Lieb. Ent. II. 1790, 158.—Byrrhus.
fasciatus Clerus, A. F. de Fourcroy, Ent. Paris. 1785, 135.
fasciatus Clytus (Herbst), J. A. Frolich, Naturforscher, XXVI. 1792, 160.—Callidium.
fasciata Coccinella (Linn.), Scopoli, Ent. Carn. 1763, 79.—Chrysomela.
fasciata Coccinella, O. F. Müller, Z. Dan. Prod. 1776, 68.
fasciatum Collydium, Hellwig in G. W. F. Panzer, Ins. Germ. heft 31 [1796], tab. 22.
fasciatus Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 378.
fasciatus Conus, F. C. Meuschen, Mus. Gever. 1787, 354.
fasciatus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 149.
fasciata Coronella, J. N. Laurenti, Syn. Rept., 1768, 85.
fasciata Crioceris, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 20.
fasciatus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1728.—
fasciatus Culex, O. F. Müller, F. Ins. Frid. 1764, 87. [Erotylus.
fasciatus Cuneus, E. M. da Costa, Brit. Conch. 1778, 204.
fasciatus Curculio, Scopoli, Ent. Carn. 1763, 34.
fasciatus Curculio, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 321.
fasciatus Curculio, C. de Geer, Mém. Ins. V. 1775, 234.
fasciatus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 86 [no. 944].
fasciatus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 118.
fasciatus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 133.
fasciatus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 474.
fasciatus Cyllindrus, F. C. Meuschen, Mus. Gever. 1787, 372.
fasciata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3406.
fasciata Cypris, O. F. Müller, Z. Dan. Prod. 1776, 199.
fasciatum Dentalium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3737.
fasciatus Dermestes, O. F. Müller, F. Ins. Frid. 1764, 4.
fasciatus Dermestes, J. R. Forster, N. Sp. Ins. 1771, 8.
fasciatus Dermestes, J. A. Scopoli, Annus V. 1772, 88.
fasciatus Dermestes, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 5.
fasciatus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 23.
fasciata Diaperis, A. F. de Fourcroy, Ent. Paris. 1785, 153.
fasciata Donacia, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 100.
fasciata Donacia, D. H. Hoppe, Ins. Elyt. 1795, 41.
fasciatus Dytiscus, C. de Geer, Mém. Ins. IV. 1774, 397.
fasciatus Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 825.
fasciatus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 406; ed. 12, 1767, 655.
fasciata Emberiza, J. Latham, Index Orn. 1790, 408.
fasciatus Erotylus, J. C. Fabricius, Spec. Ins. I. 1781, 158.
fasciatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.), 1791, 433.
fasciata Evania, J. C. Fabricius, Ent. Syst. II. 1793, 193.—Ichneumon fasciator, 1781.
fasciatus Falco, T. Pennant in Forster, Ind. Zool. 1781, 40 [n. n.].
fasciatus Falco, A. J. Retzius in Linnaeus, Faun. Suec. 1800, 70.
fasciata Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 165.
fasciata Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 922.
fasciata Fulgora, J. C. Fabricius, Mant. II. 1787, 261.
fasciatus Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 119.
fasciata Galleruca, J. C. Fabricius, Ent. Syst. I. (2) 1792, 13.—Chrysomela.
fasciata Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 96.
fasciatus Gryllus, C. de Geer, Mém. Ins. III. 1773, 522.
fasciatus Gryllus Loc., C. de Villers, Linn. Ent. I. 1789, 453.
fasciatus Gryllus, J. C. Fabricius, Ent. Syst. II. 1793, 58.
fasciatus Gymnotus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1137.
fasciatus Hallominus, G. Paykull, Faun. Suec. II. 1799, 182.

- fasciata Helix, E. M. da Costa, Brit. Conch. 1778, 76.
- fasciata Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3646.—Nerita.
- fasciata Helix (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 106.—Bulla.
- fasciata Helix, J. Adams, Tr. Linn. Soc. (Lond.) V. 1800, 3.
- fasciatus Helops (Fab.), A. G. Olivier, Ency. Méth. VII. (Ins.) 1792, 46.—Erotylus.
- fasciatus Helops, G. W. F. Panzer, Ins. Germ. heft 6, 1793, tab. 3.
- fasciatus Hemerobius, J. C. Fabricius, Mant. I. 1787, 247.
- fasciata Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1022.
- fasciatus Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 86.
- fasciatus Holocentrus (Forsk.), G. A. Suckow, Naturges. IV. 1799, 532.—Perca.
- fasciatus Hydrus, J. G. Schneider, Hist. Amph. I. 1799, 240.
- fasciatus Hypophlaeus, J. C. Fabricius, Skr. nat. Selsk. (Copen.) I. (1) 1790, 223.
- fasciatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 428.
- fasciatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2701.
- fasciatus Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 191.
- fasciata Iguana, Al. Brongniart, Bull. Sci. Soc. Philom. [Paris], no. 36, 1800, 90.
- fasciata Ips, J. C. Fabricius, Gen. Ins. 1777, 213.
- fasciata Ips, J. C. Fabricius, Actes Soc. N. H. Paris, I (1) 1792, 28.
- fasciatus Julus, C. de Geer, Mém. Ins. VII. 1778, 578.
- fasciatus Labrus, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 6.
- fasciatus Labrus, J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 265.
- fasciata Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 209; ed. 12, 1766, 369.
- fasciata Lampyrus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1885.—
[Pyrochroa.]
- fasciata Lapsysia, J. L. M. Poiret, Voy. Barbarie, II. 1789, 2.
- fasciata Larra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 253.
- fasciata Leptura, O. F. Müller, Z. Dan. Prod. 1776, 93.
- fasciata Leptura, D. H. Hoppe, Ins. Elyt. 1795, 59.
- fasciata Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 545; ed. 12, 1767, 903.
- fasciatus Limax, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 267.
- fasciata Locusta, C. de Geer, Mém. Ins. III. 1773, 458.
- fasciata Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 859.
- fasciatus Lucanus, J. R. Forster, Cat. Anim. N. Amer. 1771, 24 [n. n.].
- fasciatus Lycus (Fab.), A. G. Olivier, Entom. II. 1790, 9.—Pyrochroa.
- fasciatus Macrocephalus, A. G. Olivier, Entom. IV. 1795, 9.
- fasciatus Malachius (L.), J. C. Fabricius, Syst. Ent. 1775, 208.—Cantharis.
- fasciatus Malacopteryx (L.), J. R. Forster, Cat. Brit. Ins. 1770, 7 [n. n.].—Cantharis.
- fasciata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 640.
- fasciatus Meloe, J. C. Fuessly, Schweitz. Ins. 1775, 20.
- fasciatus Melolontha (Fab.), J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 17.—Tri-
[chius.]
- fasciata Membracis, J. C. Fabricius, Mant. II. 1787, 262.
- fasciata Membracis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 515.
- fasciata Mitra, T. Martyn, Univ. Conch. I (1784 non 1769) fig. 20.
- fasciata Mitra, T. Martyn, Univ. Conch. III (1789) fig. 104.
- fasciatus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3003.—
[Cypri.]
- fasciata Mordella, J. R. Forster, Cat. Brit. Ins. 1770, 6 [n. n.].
- fasciata Mordella, J. R. Forster, N. Sp. Inſ. 1771, 65.
- fasciata Mordella, J. C. Fabricius, Syst. Ent. 1775, 263.
- fasciata Mordella, C. de Villers, Linn. Ent. I. 1789, 408.
- fasciata Motacilla, J. M. Bechstein, Gem. Nat. Deutschl. IV. 1795, 669.
- fasciatus Mullus, G. Shaw in White, Journ. N. S. W. 1790, 268.
- fasciatus Mullus, Lamarck in Thunberg, Voy. Japon &c. IV. 1796, 351.
- fasciata Muraena, C. P. Thunberg, De Muraena, 1789, 9.
- fasciatus Murex, F. C. Meuschen, Mus. Gever. 1787, 332.
- fasciatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3528.
- fasciatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3561.
- fasciatus Muriciformes, F. C. Meuschen, Mus. Gever. 1787, 320.
- fasciatus Mus (Gm.), J. M. Bechstein in Pennant, Uebers. 4füſs. Thiere, II. 1800, 510.—
[Viverra.]
- fasciata Musca, O. F. Müller, F. Ins. Frid. 1764, 85.

- fasciata Musca, J. C. Fabricius, Syst. Ent. 1775, 781.
fasciata Musca (De G.), C. de Villers, Linn. Ent. III. 1789, 419.—Nemotelus.
fasciata Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 172.
fasciatus Mycetophagus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 175.
fasciata Mylabris, J. C. Fabricius, Syst. Ent. 1775, 261.
fasciatus Mystus, F. C. Meuschen, Mus. Gronov. 1778, 38.
fasciatus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3360.
fasciata Naja, J. N. Laurenti, Syn. Rept. 1768, 91.
[fasciata] Necydalis, *τ. fasciata*, C. de Villers, Linn. Ent. I. 1789, 283.
Necydalis, A. G. Olivier, Entom. IV. 1795, 10.
fasciatus Nemotelus, C. de Geer, Mém. Ins. VI. 1776, 186.
fasciatus Nemotelus, A. F. de Fourcroy, Ent. Paris. 1785, 502.
fasciata Nerita, O. F. Müller, Verm. II. 1774, 182.
fasciata Nerita, F. C. Meuschen, Mus. Gever. 1787, 268.
fasciata Nerita, F. C. Meuschen, Mus. Gever. 1787, 272.
fasciata Nerita, F. C. Meuschen, Mus. Gever. 1787, 274.
fasciatus Nerita, T. Martyn, Univ. Conch. III (1789) fig. 110.
fasciata Neritaeformis, F. C. Meuschen, Mus. Gever. 1787, 274.
fasciata Neritaeformis, F. C. Meuschen, Mus. Gever. 1787, 276.
fasciata Nitidula, A. G. Olivier, Entom. II. 1790, 7.
fasciata Nitidula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 74.
fasciata Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 444.
fasciatus Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (2) 1798, 23.
fasciata Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 699; ed. 12, 1767, 1147.
fasciatus Pallinurus, F. Weber, Nomen. Fabricii, 1795, 94.
fasciatus Palinurus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 401.
fasciata Panorpa, J. C. Fabricius, Ent. Syst. II. 1793, 98.
fasciata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3713.
fasciatus Pecten (L.), F. C. Meuschen, Mus. Gever. 1787, 420.—Ostrea.
fasciatus Pectunculus, E. M. da Costa, Brit. Conch. 1778, 188.
fasciatus Pediculus, Scopoli, Ent. Carn. 1763, 383.
fasciata Perca, P. Forskal, Descr. Anim. 1775, 40.
fasciata Perca, M. Houttuyn, Verh. Holl. Maat. Weet. Haarlem, XX (2) 1782, 326.
fasciata Perca, M. E. Bloch, Nye Saml. K. Danske Skrifter, III. 1788, 384.
fasciata Phalaena, Scopoli, Ent. Carn. 1763, 221.
fasciata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 629.
fasciata [Phalaena], P. Cramer, Utitl. Kapellen, II (9) 1777, 12.
fasciata Phalaena Bomb., E. J. C. Esper, Die Schmett. III (20) 1785, 178.
fasciata Phalaena (Geometra), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 84.
fasciata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 337.
fasciata Phal. Noct., Moll, Schr. Ges. Nat. Freunde Berlin, IX. 1789, 281.
fasciata Phoca, E. A. W. Zimmermann, Geogr. Gesch. III. 1783, 277.
fasciata Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2636.
fasciatus Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 430.
fasciatus Picus, J. Latham, Index Orn. 1790, 228.
fasciata Pimelia, J. C. Fabricius, Spec. Ins. I. 1781, 318.
fasciatus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 249.—Sphex, 1775.
fasciata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 32.
fasciata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 34.
fasciata Procellaria, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 79.
fasciatus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 74.
fasciatus Psocus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 203.—Hemerobius, 1787.
fasciatus Pulex, Bosc, Bull. Sci. Soc. Philom. (Paris), no. 43, 1800, 156.
fasciata Pyrochroa, J. C. Fabricius, Mant. I. 1787, 163.
fasciatus Reduvius, J. C. Fabricius, Mant. II. 1787, 313.
fasciatus Rhagio, J. C. Fabricius, Reise Norwegen, 1779, 233.
fasciata Rhinoceros, F. C. Meuschen, Mus. Gever. 1787, 264.
fasciatus Rynchophorus (Ol.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 25.—Cur-

[culio.

- fasciatus** Salmo, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 96.
fasciata Salpa, P. Forskal, Descr. Anim. 1775, 115.
fasciata Saperda, J. C. Fabricius, Spec. Ins. I. 1781, 232.
fasciatus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 352; ed. 12, 1767, 556.
fasciatus Scarabaeus [Coprís], A. G. Olivier, Entom. I. 1789, 90.
fasciatus Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 73.
fasciatus Serropalpus (Hallomenus), Illiger in Kugelann, Käfer Preuss. 1798, 135.
fasciata Silpha (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1617.—Ips.
fasciatus Silurus, Linnaeus, Syst. Nat., ed. 12, 1766, 505.
fasciatus Solen, L. Spengler, Skr. nat. Selsk. [Copen.] III (2) 1794, 96.
fasciatus Sorex, J. A. Scopoli, Del. Insub. II. 1786, 84.
fasciatus Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 18.
fasciata Sphex, J. C. Fabricius, Syst. Ent. 1775, 350.
fasciata Sphex, C. de Villers, Linn. Ent. III. 1789, 253.
fasciatus Sphinx, J. H. Sulzer, Gesch. Ins. 1776, 151.
fasciata Sphinx, E. J. C. Esper, Naturforscher, XXV. 1791, 49.
fasciatus Squalus, M. E. Bloch, Nat. ausl. Fische, I. 1785, 19.
fasciatus Staphylinus, J. C. Fuessly, Schweitz. Ins. 1775, 21.
fasciatus Stenocorus, J. C. Fabricius, Spec. Ins. I. 1781, 227.
fasciata Stratiomys, A. F. de Fourcroy, Ent. Paris. 1785, 468.
fasciata Stratiomys, J. C. Fabricius, Mant. II. 1787, 331.
fasciatus Strombus, I. v. Born, Index Mus. Caes. Vind. 1778, 274.
fasciatus Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3510.
fasciatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 98.
fasciatus Tabanus, J. C. Fabricius, Syst. Ent. 1775, 788.
fasciatus Tabanus, C. de Geer, Mém. Ins. VI. 1776, 222.
fasciatus Tamarindiformis, F. C. Meuschen, Mus. Gever. 1787, 412.
fasciatus Telephorus (L.), C. de Geer, Mém. Ins. IV. 1774, 76.—Cantharis.
fasciatus Telephorus, A. G. Olivier, Entom. II. 1790, 18.
fasciata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3238.
fasciata Tellina, C. U. v. Salis, Reise Neapel, 1793, 384.
fasciata Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 555; ed. 12, 1767, 921.
fasciata Tenthredo, Scopoli, Ent. Carn. 1763, 278.
fasciata Testudo, G. A. Suckow, Naturges. III. 1798, 40.
fasciatus Tetrao, R. L. Desfontaines, Mém. Ac. Roy. Sci. [Paris], 1787 (1789), 502.
fasciatus Tetrao, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 11 [n. n.].
fasciata Tettigonia, J. C. Fabricius, Mant. II. 1787, 265.
fasciatus Thelephorus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 61.—Cantharis.
fasciata Thrips, Linnaeus, Syst. Nat., ed. 10, 1758, 457; ed. 12, 1767, 743.
fasciata Tipula, Scopoli, Ent. Carn. 1763, 321.
fasciata Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 973.
fasciata Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 512.
fasciatus Trichius (L.), J. C. Fabricius, Syst. Ent. 1775, 40.—Scarabaeus.
fasciata Tringa, S. G. Gmelin, Reise Russ. II. 1774, 194.
fasciata Tringa, J. A. Scopoli, Del. Insub. II. 1786, 92.
fasciatus Trochus, I. v. Born, Index Mus. Caes. Vind. 1778, 337.
fasciatus Trogon, T. Pennant, Ind. Zool. [1769], 4.
fasciatus Turbo, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 114.
fasciata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3281.
fasciata Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 433.
fasciata Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 676; fulva fasciata, De G.
fasciata Viverra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 92.
fascicornis Chrysomela, *err. pro fuscicornis* Hornst., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1696.
fascicornis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2701.
fascicularis Brachycerus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 42.
fascicularis Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 409; ed. 12, 1767, 661.
fascicularis Byrrhus, N. J. Brahm, Ins. Kal. I (1) 1790, 59.

- fascicularis** Byrrhus, A. G. Olivier, Entom. II. 1790, 8.
fascicularis Byrrhus, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 2.
fascicularis Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 49.
fascicularis Cetonia (L.), J. C. Fabricius, Syst. Ent. 1775, 45.—Scarabaeus.
fascicularis Chiton, Linnaeus, Syst. Nat., ed. 12, 1767, 1106.
fascicularis Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 502.
fascicularis Dermestes (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 101.—Latridius.
fascicularis Elater, J. C. Fabricius, Mant. I. 1787, 171.
fascicularis Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3641.
fascicularis Latridius, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 8.
fascicularis Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 796; ed. 12, 1767, 1278.
fascicularis Scarabaeus, Linnaeus, Mus. Lud. Ulr. 1764, 28.
fascicularis Scutigera (L.), F. C. Meuschen, Mus. Gever. 1787, 240.—Chiton.
fasciculare Sphaeridium (Ol.), J. C. Fabricius, Ent. Syst. I (1) 1792, 81.—Byrrhus.
fascicularis Tubipora, Linnaeus, Syst. Nat., ed. 12, 1767, 1271.
fasciculatae Donacia, J. C. Fabricius, Ent. Syst. I (2) 1792, 117.
fasciculata Aranea, C. de Geer, Mem. Ins. VII. 1778, 316.
fasciculata Ascidia, G. Shaw, Nat. Misc. VI. 1795, pl. 214.
fasciculatus Asilus, C. de Villers, Linn. Ent. III. 1789, 603.
fasciculatus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 71.
fasciculatus Cerambyx, J. C. Fabricius, Mant. I. 1787, 134.
fasciculatus Cerambyx, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 35.
fasciculatus Cerambyx, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791, 123.
fasciculatus Cerambix (Fab.), A. G. Olivier, Entom. IV. 1795, 96.—Lamia.
fasciculatus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 350.
fasciculatus Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 130.—Cimex, 1781.
fasciculatus Curculio, C. de Geer, Mém. Ins. V. 1775, 276.
fasciculatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 289.
fasciculata Doris, O. F. Müller, Z. Dan. Prod. 1776, 229.
fasciculata Doris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3104.
fasciculatus Helops, J. C. Fabricius, Suppl. Ent. Syst. 1798, 52.
fasciculata Lamia (Ol.), J. C. Fabricius, Ent. Syst. I (2) 1792, 284.
fasciculata Limacia, O. F. Müller, Zool. Dan. (Danish ed.), 1781, 66.—Doris, 1776.
fasciculatus Merops, J. Latham, Index Orn. 1790, 275.
fasciculata Saperda, A. G. Olivier, Entom. IV. 1795, 14.
fasciculata Spongia, P. S. Pallas, Elench. 1766, 381.
fasciculata Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 406.
fasciculata Vorticella, O. F. Müller, Verm. I (1) 1773, 121.
fasciculifera Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 335.
fasciculosus Oestrus, A. Modeer, K. Vet. Ac. Nya Handl. VII. 1786, 184.
fasciculosus Oestrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2811. ²⁵⁶
fasciculosa Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 326.
fasciella Alucita, J. C. Fabricius, Syst. Ent. 1775, 670.
fasciella Phalaena (Tin.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 505.—Alucita.
fasciella Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 215.
fasciella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 45.
Fasciola Linnaeus, Syst. Nat., ed. 10, 1758, 648; ed. 12, 1767, 1077.—Ver.
Fasciola O. F. Müller, Z. Dan. Prod. 1776, 223.—Ver.
Fasciola J. A. E. Goeze, Eingeweidewürmer, 1782, 180.—Ver.
fasciola Paramoecium, O. F. Müller, Z. Dan. Prod. 1776, 280.
fasciola Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 277.
fasciola Vibrio, O. F. Müller, Verm. I (1) 1773, 48.
Fasciolaria Lamarck, Mem. Soc. H. N. Paris, 1799, 73.—G.
fasciolaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 516.
fasciolaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (5), 1799, 106.
fasciolaris Hirudo, O. F. Müller, Zool. Dan. II. 1784, 39.
fasciolaris Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 85.
fasciolatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3504.

- fasciolatus** Carabus, P. Rossi, Fauna Etrus. I. 1790, 223.
fasciolatus Carabus, A. G. Olivier, Entom. III. 1795, 95.
fasciolata Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 188.
fasciolata Coryphaena, P. S. Pallas, Spic. Zool. VIII. 1770, 23.
fasciolatus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 120.
fasciolata Mordella, P. Rossi, Mant. Ins. II. 1794, 103.
fasciolata Musca, C. de Geer, Mém. Ins. VI. 1776, 124.
fasciolata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2492.
fascirostris Platyrhinus, J. R. Schellenberg, Helvet. Entom. I. 1798, 116.
faselus Chama, F. C. Meuschen, Mus. Gever. 1787, 456.
fasima Phalaena (Geom.), Herbst, Einl. Ins. II. 1785, 122.
fastidiator Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 428.
fastidiosa Buprestis, P. Rossi, Fauna Etrus. I. 1790, 186.
fastigiatus Carabus, Linnaeus, Mus. Lud. Ulr. 1764, 97.
fastigiatus Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 430; ed. 12, 1767, 697.
fastigiata Madrepora, P. S. Pallas, Elench. 1766, 301.
fastigiata Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 815; ed. 12, 1767, 1314.
fastigiata Spongia, P. S. Pallas, Elench. 1766, 392.
fastosus Apis, M. Harris, Exp. Eng. Ins. 1776, 165.
fastuosa Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 202.
fastuosa Buprestis, J. C. Fabricius, Syst. Ent. 1775, 216.
fastuosa Buprestis, J. Well in Jacquin, Misc. Aust. II. 1781, 385.
fastuosa Cassida, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 259.
fastuosa Cetonina, J. C. Fabricius, Ent. Syst. I (2) 1792, 127.
fastuosa Chrysomela (Scop.), Linnaeus, Syst. Nat., ed. 12, 1767, 588.—Coccinella.
fastuosa Coccinella, Scopoli, Ent. Carn. 1763, 74.
fastuosus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 524.
fastuosa Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 168.
fatalis Solpuga, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 217.
fatale Termes, Linnaeus, Syst. Nat., ed. 10, 1758, 609; ed. 12, 1767, 1015.
fatidicus Hemerobius (L.), J. C. Fabricius, Syst. Ent. 1775, 311.—Termes.
fatidicus Psocus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 204.—Termes.
fatidicus Ptinus, G. Shaw, Nat. Misc. III. 1792, pl. 104.
fatidicum Termes, Linnaeus, Syst. Nat., ed. 10, 1758, 610; ed. 12, 1767, 1016.
fatima [Papilio], P. Cramer, Uitl. Kapellen, III (23) 1780, 141.
fatima Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 81.
fatme [Phalaena], C. Stoll, Aanh. Cramer's Uitl. Kapellen, V. 1790, 162.
fatuellus Cebus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 51.—Simia.
fatuellus Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 42.
fatuellas (*sic*) Simia (Sapajus) L., R. Kerr, Anim. Kingd. 1792, 77.
fatuus Curculio, P. Rossi, Fauna Etrus. I. 1790, 122.
fauna Amygone, O. F. Müller, Z. Dan. Prod. 1776, 198.
faunus Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 27.—Simia.
faunus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 154.—Scarabaeus.
faunus Hesperia (Dru.), J. C. Fabricius, Ent. Syst. III (1) 1793, 261.—Papilio.
faunus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3004.—
faunus [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 2. [Amymone.
faunus Papilio, J. C. Fabricius, Syst. Ent. 1775, 532.
fauna Papilio Nymphalis, J. H. Sulzer, Gesch. Ins. 1776, 145.
fauna Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 35.
faunus Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 65. [Simia.
faunus Papio (L.), J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 3 [*n. n.*].—
faunus Pithecus (L.), E. Geoffroy and Cuvier, Mag. encyclop. III (12) 1795, 462.—
faunus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 23. [Simia.
faunus Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 26; ed. 12, 1766, 36.
faunus Simia (Cercop.), "Schr.," R. Kerr, Anim. Kingd., 1792, 65.
faustus Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 138.
fausta Mantis, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 63.

- fausta** Sphinx, Linnaeus, Syst. Nat., ed. 12, 1767, 807.
- fausta** Tellina, R. Pulteney, Cat. Birds &c. Dorset, 1799, 29.
- fausta** Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 553.—Sphinx.
- faveolata** Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 166.
- favillaceana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 62 [*n. et f.*]
- favillacearia** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 139 [*n. et f.*].
- favillacea** Phalaena Noctua, J. E. Capieur, Naturforscher, XXIV. 1789, 98.
- favinosa** Buprestis, J. C. Fabricius, Ent. Syst. IV. 1794, 450.
- favipes** Cantharis (Fab.), C. de Villers, Linn. Ent. IV. 1789, 324.—Lymexylon flavipes.
- favites** Madrepora = favosa Linn., P. S. Pallas, Elench. 1766, 319.
- favonius** Papilio, J. E. Smith in Abbot. Ins. Georgia, 1797, 27.
- favosa** Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 275.
- favosa** Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 796; ed. 12, 1767, 1275.
- favus** Madrepora, P. Forskal, Descr. Anim. 1775, 132.
- febrilis** Bibio, O. F. Müller, Z. Dan. Prod. 1776, 171.
- febrilis** Hirtea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 553.—Tipula.
- febrilis** Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 588; ed. 12, 1767, 976.
- febrillosa** Spongia, F. C. Meuschen, Mus. Gever. 1787, 528.
- fedoa** Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 146; ed. 12, 1766, 244.
- feducia** [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 160.
- fegeus** [Sphinx], P. Cramer, Utitl. Kapellen, III (19) 1779, 56.
- feldmanni** Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 94.
- felicia** [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, II. 1790, 58.
- felina** Actinia, Linnaeus, Syst. Nat., ed. 12, 1767, 1088.
- felina** Coccinella, J. C. Fabricius, Syst. Ent. 1775, 87.
- felina** Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3412.
- felinus** Dermestes, J. C. Fabricius, Mant. I. 1787, 34.
- felina** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 317.
- felina** Mustela, G. I. Molina, Sag. stor. nat. Chili, 1782, 284.
- felinum** Myrmeleon, A. A. H. Lichenstein, Cat. rerum Nat. III. 1796, 192.
- felinus** Priapus, Linnaeus, Faun. Suec., ed. 2, 1761, 510.
- felinus** Sciurus, J. M. Bechstein in Pennant. Uebers. Thiere, II. 1800, 463.
- felina** Stratiomys, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 22.
- felis** Linnaeus, Syst. Nat., ed. 10, 1758, 41; ed. 12, 1766, 60.
- felis** Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3031.
- felis** Silurus, Linnaeus, Syst. Nat., ed. 12, 1766, 503.
- felis** Trichoda, O. F. Müller, An. Infus. 1786, 213.
- felis** Vorticella, O. F. Müller, Verm. I (1) 1773, 108.
- foemina** Tanagra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 160.
- feminea** Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3409.
- femoralis** Acheta, A. A. H. Lichenstein, Cat. rerum Nat. III. 1796, 86.
- femorale** Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 228.
- femoralis** Apaté, J. C. Fabricius, Ent. Syst. I (2) 1792, 361.
- femoralis** Apis, P. S. Pallas, Reise Russ. II. 1773, 731.
- femoralis** Apis, A. A. H. Lichenstein, Cat. rerum Nat. III. 1796, 208.
- femoralis** Blaps, J. C. Fabricius, Ent. Syst. I (1) 1792, 109.
- femorale** Buccinum, F. C. Meuschen, Mus. Gever. 1787, 308.—Murex.
- femoralis** Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 166.
- femoralis** Carabus, J. C. Fabricius, Syst. Ent. 1775, 241.
- femoralis** Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 297.
- femoralis** Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 690.
- femoralis** Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 204.
- femoralis** Cistela, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 6.
- femorale** Cymatium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 129.—Murex.
- femoralis** Dytiscus, G. Paykull, Faun. Suec. I. 1798, 215.
- femoralis** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 396.
- femoralis** Melolontha, A. G. Olivier, Entom. I. 1789, 35.

- femoralis Melolontha, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 16.
 femorale Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 749; ed. 12, 1767, 1217.
 femoralis Pimelia (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2008.—Tenebrio.
 femoralis Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 679.
 femoralis Tenebrio (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. IV. 1796, 148.—
 femoralis Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 437. Blaps.
 femorator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 159.
 femorata Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 4.—Dryops.
 femoratus Alurnus (Drury), J. C. Fabricius, Spec. Ins. I. 1781, 115.—Tenebrio.
 femorata Apis, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 75.
 femorata Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 208.
 femoratus Asilus, O. F. Müller, Z. Dan. Prod. 1776, 181.
 femoratus Attelabus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 280.
 femoratus Bruchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 158.
 femorata Buprestis, C. de Villers, Linn. Ent. I. 1789, 338.
 femorata Buprestis, A. G. Olivier, Entom. II. 1790, 47.
 femorum Callidium (L.), J. C. Fabricius, Spec. Ins. I. 1781, 237.—Cerambyx.
 femorata Cantharis, Scopoli, Ent. Carn. 1763, 45.
 femoratus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 395; ed. 12, 1767, 634.
 femorata Cimex (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 766.—Tenthredo.
 femoratus Cimex, C. de Geer, Mém. Ins. III. 1773, 346.
 femoratus Cimex, J. C. Fabricius, Syst. Ent. 1775, 708.
 femoratus Conops, Scopoli, Ent. Carn. 1763, 355.
 femoratus Copris, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 108.
 femoratus Crabro, J. C. Fabricius, Syst. Ent. 1775, 375.
 femorata Dryops, J. C. Fabricius, Ent. Syst. I (2) 1792, 58.
 femorata Empis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 568.
 femoratus Gryllus (Tettig.) (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2065.—
 femoratus Helops, J. C. Fabricius, Suppl. Ent. Syst. 1798, 53. [Locusta.
 femoratus Ichneumon, C. de Villers, Linn. Ent. III. 1789, 204.
 femorata Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 83.
 femorata Leptura, J. C. Fabricius, Mant. I. 1787, 159.
 femorata Leptura (L.), G. H. Harrer, Besch. Schaeffer Icones, 1784, 229.—Cerambyx.
 femorata Locusta, J. C. Fabricius, Mant. I. 1787, 233.
 femoratus Lucanus, A. G. Olivier, Entom. I. 1789, 17.
 femoratus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 137.—Cimex, 1775.
 femoratus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 107.
 femorata Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 595; ed. 12, 1767, 988.
 femorata Musca, G. W. F. Panzer, Ins. Germ. heft 20, 1794, tab. 24.
 femorata Necydalis, G. W. F. Panzer, Deutsch. Ins. [1795], 279.
 femorum Opatrum, Illiger in Kugelann, Käfer Preuss. 1798, 109.—Blaps femoralis, Fab.
 femorata Peltis, O. F. Müller, Z. Dan. Prod. 1776, 64. [est.
 femorata Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 316.
 femoratus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 269.
 femorata Spheg, J. C. Fabricius, Spec. Ins. I. 1781, 443.
 femorata Spheg (Fab.), J. L. Christ, Nat. Ins. 1791, 291.—Crabro.
 femorata Spheg (Fab.), J. L. Christ, Nat. Ins. 1791, 265.—Tiphia. [Tiphia.
 femorata Spheg (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791, 126.—
 femoratus Spondylis (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 46.—Alurnus.
 femoratus Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 772.—Musca.
 femoratus Tenebrio, D. Drury, Ill. Nat. Hist. II. 1773, index & 64.
 femorata Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 555; ed. 12, 1767, 920.
 femorata Tiphia, J. C. Fabricius, Syst. Ent. 1775, 353.
 femorata Tipula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 88.
 femorata Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2765.—Crabro.
 femorellus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 109.
 Fenestella J. F. Bolten, Mus. Bolten. (2) 1798, 193.—L.
 fenestra Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 811.

- fenestra** Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 505; [P. (Attacus), ed. 12].
- fenestralis** Aranea, O. F. Müller, Z. Dan. Prod. 1776, 194.
- fenestralis** Aranea, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 362.
- fenestralis** Byrrhus (L.), O. F. Müller, Z. Dan. Prod. 1776, 57.—Dermestes.
- fenestralis** Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 356; ed. 12, 1767, 563.
- fenestralis** Ichneumon, P. Rossi, Mant. Ins. II. 1794, 113.
- fenestralis** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 597; ed. 12, 1767, 981.
- fenestralis** Nemotelus (L.), C. de Geer, Mém. Ins. VI. 1776, 189.—Musca.
- fenestralis** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 313.
- fenestralis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 13 & 23.
- fenestralis** Scarabaeus, F. v. P. Schrank, Ins. Aust. 1781, 17.
- fenestralis** Stratiomys (L.), O. F. Müller, Z. Dan. Prod. 1776, 177.—Musca.
- fenestralis** Tipula, Scopoli, Ent. Carn. 1763, 322.
- fenestralis** Tipula, O. F. Müller, F. Ins. Frid. 1764, 80.
- fenestralis** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3582.
- fenestraria** Phalaena, J. C. Fabricius, Syst. Ent. 1775, 627.
- fenestrata** Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 273.
- fenestrata** Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 559.—Phalaena.
- fenestratum** Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 113 [*n. n.*].
- fenestratus** Carabus, O. F. Müller, Z. Dan. Prod. 1776, 76.
- fenestratus** Carabus, J. C. Fabricius, Ent. Syst. IV. 1794, 443.
- fenestrata** Cercopis, J. C. Fabricius, Syst. Ent. 1775, 688.
- fenestrata** Cicada, J. C. Fabricius, Syst. Ent. 1775, 684.
- fenestrata** Cicada, F. v. P. Schrank, Beitr. Nat. 1776, 74.
- fenestrata** Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 107.
- fenestratus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2187.
- fenestratus** Curculio, P. S. Pallas, Icon. Ins. 1781, 33.
- fenestratus** Dermestes, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 3.
- fenestratus** Dytiscus, J. C. Fabricius, Spec. Ins. I. 1781, 294.
- fenestratus** Dytiscus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. V. 1792, 115.
- fenestratus** Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3172.—
- fenestrata** Fulgora, J. C. Fabricius, Spec. Ins. II. 1781, 315. [Cidaris.]
- fenestrata** Locusta, J. C. Fabricius, Ent. Syst. II. 1793, 34.
- fenestrata** Lytta (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2015.—Meloe.
- fenestrata** Mantis, J. C. Fabricius, Spec. Ins. I. 1781, 349.
- fenestrata** Meloe, P. S. Pallas, Reise Russ. II. 1773, 720.
- fenestrata** Oliva, T. Martyn, Univ. Conch. III. [1789], fig. 112.
- fenestratus** Papilio (Pleb.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2360.
- fenestrata** Phalaena, P. Osbeck, Reise Ost-Ind. China, 1765, 269.
- fenestrata** Phalaena, J. C. Fabricius, Syst. Ent. 1775, 641.
- fenestrata** Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 34.
- fenestrata** Sphinx, D. Drury, Ill. Nat. Hist. I. 1770, index & 54.
- fenestrata** Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 50.
- fenestratus** Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 373.
- fenestrata** Tipula, J. Cederhielm, F. Ingric. 1798, 206.
- fenestratus** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3582.
- fenestrata** Zygaena (Drury), J. C. Fabricius, Syst. Ent. 1775, 552.—Sphinx.
- fenestrella** Phalaena, Scopoli, Ent. Carn. 1763, 217.
- fenestrella** Phalaena, Scopoli, Ent. Carn. 1763, 252.
- fenestrina** Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 44.
- fennicum** Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 188.—Cerambyx.
- fennicus** Cerambyx, Linnaeus, Faun. Suec. ed. 2, 1761, 194.
- fennicus** Cerambyx, G. Paykull, Faun. Suec. III. 1800, 58.
- fennica** Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 106.
- fennicus** Elephorus, G. Paykull, Faun. Suec. I. 1798, 243.
- fennica** Leptura (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 95.—Cerambyx.
- fennica** Phryganea, J. C. Fabricius, Mant. I. 1787, 245.
- fennicum** Rhagium, G. Paykull, Faun. Suec. III. 1800, 70.

- fennicus Ripiphorus, G. Paykull, Faun. Suec. II. 1799, 178.
 fennicus Stenocorus, J. A. Scopoli, Annus V. 1772, 98.
 ferarum Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3061.
 ferdau Scomber, P. Forskal, Descr. Anim. 1775, 55.
 ferdau var. bajad Scomber, P. Forskal, Descr. Anim. 1775, 55.
 feres Delphinus, J. P. Bonnaterre, Ency. Méth. (Cet.) 1789, 27.
 feretrium Callidium, A. A. H. Lichenstein, Cat. rerum Nat. III. 1796, 49.
 fergusonis Lophius, J. G. Walbaum, Artdedi, Ichth. (3), ed. 2, 1792, 496.
 feriatius Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 627; ed. 12, 1767, 1043.
 feriatius Portunus (L.), F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
 ferina Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 126; ed. 12, 1766, 203.
 fernandinus Squalus, G. I. Molina, Sag. stor. nat. Chili, 1782, 229.
 feronia [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 140.
 feronia Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 473; ed. 12, 1767, 770.
 ferox Accipiter, S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, p. 442.
 ferox Asilus (Scop.), D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 8.—Erax.
 ferox Erax, Scopoli, Ent. Carn. 1763, 360.
 ferox Falco (S. G. Gm.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 260.—Accipiter.
 ferox Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 489.
 ferox Fasciola, C. A. Rudolphi, Obs. Ver. Intest. II. 1795, 15.
 ferox Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 934.
 ferox Simia, G. Shaw, Mus. Lever. I. 1792, 69.
 ferox Testudo, J. G. Schneider, Nat. Schildkr. 1783, 330.
 ferra Salmo, J. G. Walbaum, Artdedi, Ichth. (3) ed. 2, 1792, 76.
 ferrago Noctua, J. C. Fabricius, Mant. II. 1787, 160.
 ferreus Cerambyx, F. v. P. Schrank, Beitr. Nat. 1776, 66.
 ferrea Saperda, F. v. P. Schrank, F. Boica, I. 1798, 669.—Cerambyx, 1776.
 ferroensis Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 186.
 ferroensis Tellina, R. Pulteney, Cat. Birds & c. Dorset, 1799, 29.
 ferroensis Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 180.
 ferrugalis Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 273.
 ferrugalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 11 & 27.
 ferrugana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 128.
 ferrugana (sic) Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 56 [n. et
 ferrugana Tortrix, C. P. Thunberg, Ins. Suecica (1) 1784, 23. [f.].
 ferrugaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.—ferrugata, L.
 ferrugaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 387.—
 ferrugator Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 101. [ferrugata, L. est.
 ferrugator Ichneumon, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 280.
 ferrugator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 154.
 ferrugator Lamia, J. C. Fabricius, Mant. I. 1787, 138.
 ferrugatorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 140.
 ferrugata Chrysomela, F. v. P. Schrank, Beitr. Nat. 1776, 64.
 ferrugatus Cimex, J. C. Fabricius, Mant. II. 1787, 382.
 ferrugata Coccinella, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 183.
 ferrugatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 416. [n. et f.].
 ferrugata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 285
 ferrugata Libellula, id. ac ferruginata, Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
 ferrugatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 173. [1790, 2620.
 ferrugata [Phalaena], C. Clerck, Icones, I. 1759, pl. vi, 14.
 ferrugata Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 338.
 ferrugella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 142.
 ferruginalis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 451.
 ferruginatorius Ichneumon, E. Pontoppidan, Danske Atlas, I. 1763, 692.
 ferruginata Apis, Linnaeus, Syst. Nat., ed. 12, 1767, 958.
 ferruginata Apis, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. III. 1794, 141.
 ferruginata Geometra, C. C. Jung, Alph. Verz. Schmett. 1791, 219.
 ferruginata Libellula, J. C. Fabricius, Spec. Ins. I. 1781, 521.

- ferruginata Libellula, D. Cyrillo, Ent. Neap. (typogr. ed.), 1787, 3.
 ferruginata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2497.
 ferruginata Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 976.
 ferruginata Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 201.
 ferruginea fasciata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 47.
 ferruginella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
 ferruginella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 84. [292.
 ferrugineo-virescens Aranea, F. W. H. Martini & J. A. E. Goeze in Lister, Spinnen, 1778,
 ferrugineum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 224.—Gryllus.
 ferruginea Altica, A. F. de Fourcroy, Ent. Paris. 1785, 101.
 ferruginea Altica, F. v. P. Schrank, F. Boica, I. 1798, 563.
 ferruginea Anas, A. Vroeg, Catal. Vogel. 1764, Adumb. 5.
 ferruginea Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 528.
 ferruginea Anas, P. G. Lindroth, Mus. Grill. 1788, 13.
 ferruginea Andrena, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 139.
 ferrugineum Anisotoma (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 75.—Sphaeridium.
 ferrugineum Anobium, J. F. W. Herbst, in Fuessly, Arch. Ins. IV. 1783, 27.
 ferrugineus Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 116.
 ferrugineus Anthicus, G. Paykull, Faun. Suec. I. 1798, 257.
 ferruginea Apis, C. de Geer, Mém. Ins. III. 1773, 575.
 ferruginea Apis, J. C. Fabricius, Mant. I. 1787, 303.
 ferruginea Ardea, S. G. Gmelin, Reise Russ. I (1770), 165.
 ferrugineus Asilus, Scopoli, Ent. Carn. 1763, 364.
 ferrugineus Asilus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 263.
 ferruginea Bombyx, E. J. C. Esper, Die Schmett. III (23) 1785, 246.
 ferruginea Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 432.
 ferrugineus Bruchus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 198.
 ferrugineum Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 258.
 ferrugineus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 268.
 ferrugineus Carabus, Linnaeus, Syst. Nat., ed. 10, 1788, 415; ed. 12, 1767, 672.
 ferruginea Cassida, J. C. Fabricius, Spec. Ins. I. 1781, p. 108.
 ferrugineus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1788, 390; ed. 12, 1767, 626.
 ferrugineus Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 244.—Saperda.
 ferruginea Cercopis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 99.
 ferrugineum Cerithium, J. G. Bruguière, Ency. Méth. (Vers.) (2) 1792, 496.
 ferrugineus Chiton, L. Spengler, Skr. nat. Selsk. [Copen.] IV (1) 1797, 72.
 ferruginea Chrysomela, Scopoli, Ent. Carn. 1763, 70.
 ferruginea Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 117.
 ferruginea Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 110.
 ferruginea Chrysomela, E. F. Hornstedt, Schrift. Berlin. Ges. Nat. Freunde, VIII. 1788, 2.
 ferruginea Cicada, J. C. Fabricius, Mant. II. 1787, 269.
 ferruginea Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 750.
 ferruginea Cicindela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1924.
 ferrugineus Cimex, Scopoli, Ent. Carn. 1763, 130.
 ferrugineus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 730.
 ferruginea Cistela, J. C. Fabricius, Ent. Syst. I (2) 1792, 45.
 ferrugineus Coluber, F. C. Meuschen, Mus. Gronov. 1778, 15.
 ferruginea Conops, Linnaeus, Faun. Suec., ed. 2, 1761, 468.
 ferrugineus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers.) (2) 1792, 649.
 ferrugineus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 170.
 ferrugineus Cossonus, J. R. Schellenberg, Helvet. Entom. I. 1798, 60.
 ferrugineus Cucujus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 56.
 ferrugineus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 41.
 ferrugineus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 473.
 ferrugineus Dermestes, Linnaeus, Faun. Suec., ed. 2, 1761, 145.
 ferrugineus Dermestes, O. F. Müller, F. Ins. Frid. 1764, 3.
 ferrugineus Dytiscus, Linnaeus, Syst. Nat., ed. 12, 1767, 666.
 ferrugineus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1958.

- ferrugineus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 405; ed. 12, 1767, 654.
 ferrugineus Elater, Scopoli, Ent. Carn. 1763, 95.
 ferruginea Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 872.
 ferruginea Ephemera, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2630.
 ferruginea Formica, J. L. Christ, Nat. Ins. 1791, 512.
 ferruginea Formica, J. C. Fabricius, Suppl. Ent. Syst. 1798, 279.
 ferruginea Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 921.
 ferrugineus Gadus, P. Ascanius, Icon. I. 1767, 34.
 ferrugineus Gryllus, J. C. Fabricius, Spec. Ins. I. 1781, 367.
 ferrugineus Helops, J. C. Fabricius, Suppl. Ent. Syst. 1798, 53.
 ferrugineus Hister, A. G. Olivier, Entom. I. 1789, 19.
 ferrugineus Hister, C. P. Thunberg, Ins. Suecica (5) 1794, 66.
 ferrugineus Hypophloeus, C. Creutzer, Ent. Vers. 1799, 126.
 ferrugineus Ichneumon, F. v. P. Schrank, Beitr. Nat. 1776, 88.
 ferrugineus Ichneumon, J. C. Fabricius, Ent. Syst. IV. 1794, 456.
 ferrugineus Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 351.—Oriolus.
 ferruginea Ips, J. C. Fabricius, Ent. Syst. I (2) 1792, 513.
 ferruginea Ips, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 29.
 ferrugineus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 284; ed. 12, 1766, 476.
 ferrugineus Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 306.
 ferrugineus Lanius, Richard & Bernard, Actes Soc. H. N. Paris, I (1) 1792, 116.
 ferruginea Leptura, F. v. P. Schrank, Beitr. Nat. 1776, 68.
 ferruginea Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 79.
 ferruginea Libellula, J. C. Fabricius, Syst. Ent. 1775, 423.
 ferruginea Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 853.
 ferrugineus Lyctus (L.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
 ferrugineus Lyctus, G. Paykull, Faun. Suec. III. 1800, 326. [564.—Dermestes.
 ferrugineus Lycus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 125.
 ferruginea Lytta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2016.
 ferruginea Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 41.
 ferruginea Melolontha, J. C. Fabricius, Suppl. Ent. Syst. 1798, 131.
 ferruginea Mordella, J. C. Fabricius, Syst. Ent. 1775, 262.
 ferruginea Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 976.
 ferruginea Musca, Scopoli, Ent. Carn. 1763, 340.
 ferruginea Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 342.
 ferruginea Muscicapa, B. Merrem, Avium rar. Icones, I. 1784, 19.
 ferruginea Myopa (L.), J. C. Fabricius, Syst. Ent. 1775, 798.—Conops.
 ferruginea Nereis, J. E. Gunnerus, Skrift. Kiob. Selsk. Laerdoms, X. 1770, 169.
 ferruginea Nitidula (L.), J. C. Fabricius, Syst. Ent. 1775, 77.—Dermestes.
 ferruginea Nitidula (L.), L. G. Scriba, J. Lieb. Ent. II. 1790, 174.—Silpha.
 ferruginea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 86.
 ferruginea Noctua, C. C. Jung, Alph. Verz. Schmett. 1791, 218 (sp. 3).
 ferrugineus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 393.
 ferruginea Ostoma, J. N. Laicharting, Tyrol. Ins. I. 1781, 104.
 ferruginea [Pap. [Phal.] Noct.], Panzer in Drury, Exot. Ins. 1785, 88.
 ferruginea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3706.
 ferruginea Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 64.—Silpha.
 ferruginea Perdix (Gm.), J. Latham, Index Orn. 1790, 651.—Tetrao.
 ferruginea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 315.
 ferruginea Phalaena (Noctua), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 77.
 ferruginea Phryganea, Scopoli, Ent. Carn. 1763, 266.
 ferruginea Pinna, J. F. Bolten, Mus. Bolten. (2) 1798, 160.
 ferrugineus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 75.
 ferrugineus Ptinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1606.
 ferrugineus Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 716.
 ferrugineus Ripiphorus, J. C. Fabricius, Ent. Syst. I. (2) 1792, 110.—Mordella, 1775.
 ferrugineus Rynchophorus (Ol.), Herbst in Jablonsky, Nat. Ins. (Käfer), VI. 1795, 8.—
 ferruginea Saperda, J. C. Fabricius, Spec. Ins. I. 1781, 235. [Curculio.

- ferruginea Saperda, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 57.
 ferrugineus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1560.—
 ferrugineus Scarabaeus [Copriss], A. G. Olivier, Entom. I. 1789, 148. [Melolontha.
 ferrugineus Scarus, P. Forskal, Descr. Anim. 1775, 29.
 ferruginea Scolia, J. C. Fabricius, Syst. Ent. 1775, 355.
 ferruginea Scolopendra, Linnaeus, Syst. Nat., ed. 12, 1767, 1063.
 ferrugineus Sicus, Scopoli, Ent. Carn. 1763, 369.
 ferruginea Sicus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 555.
 ferruginea Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 361; ed. 12, 1767, 572.
 ferruginea Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 230.—Sphaeridium.
 ferrugineum Sphaeridium, J. C. Fabricius, Mant. I. 1787, 43.
 ferruginea Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 268.—Scolia.
 ferrugineus Staphylinus, P. Rossi, Fauna Etrus. I. 1790, 248.
 ferruginea Sylvia (Gm.), J. Latham, Index Orn. 1790, 526.—Motacilla.
 ferrugineus Tabanus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 357.
 ferrugineus Tabanus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 91.
 ferrugineus Tenebrio, J. C. Fabricius, Spec. Ins. I. 1781, 324.
 ferruginea Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 159.
 ferrugineus Tenebrio, Hellwig in G. W. F. Panzer, Ins. Germ., heft 9, 1793, tab. 2.
 ferruginea Tenthredo, O. F. Müller, Z. Dan. Prod. 1776, 150.
 ferruginea Tenthredo, F. v. P. Schrank, Beitr. Nat. 1776, 84.
 ferrugineus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 761.
 ferruginea Tetratoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 90.
 ferruginea Tipula, Scopoli, Ent. Carn. 1763, 321.
 ferrugineus Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 446.
 ferrugineus Tringa, E. Pontoppidan, Danske Atlas. I. 1763, 624.
 ferruginea Tringa, M. T. Brünnich, Orn. Boreal. 1764, 53.
 ferrugineus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3577.
 ferrugineus Trogon, B. Merrem, Avium rar. Icones, II. 1786, 34.
 ferruginea Trogonita, J. C. Fabricius, Ent. Syst. I (1) 1792, 116.—Tenebrio. 1781.
 ferrugineus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 141.
 ferruginea Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2767.
 ferruginea Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 683.
 ferruginea Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 280.
 ferruginea Xylita, G. Paykull, Faun. Suec. I. 1798, 250.
 ferruginosa Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3432.
 ferruginosa Capisterium, F. C. Meuschen, Mus. Gever. 1787, 464.
 ferruginosus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1992.
 ferruginosus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1804.
 ferruginosus Coluber, A. Sparrman, K. Vet. Ac. Nya Handl. XVI. 1795, 180.
 ferruginosus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1711.—
 Chrysomela ferrugata, Schrank.
 ferruginosa Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3403.
 ferruginosus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2688.
 ferruginosus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2709.
 ferruginosa Loxia, A. Sparrman, Mus. Carls. IV. 1789, no. xc, xci.
 ferruginosa Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
 ferrugo Noctua, *id. ac ferrago*, Fab., C. de Villers, Linn. Ent. IV. 1789, 472.
 ferrum equinum Noctilio (Schr.), J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 736.—Vespertilio.
 ferrum-equinum Rhinolophus, B. G. E. de Lacépède, Tabl. Mamm. 1799, 15.
 ferrum-equinum Vespertilio, J. C. D. Schreber, Säugth. I. 174 (1774), pl. lxii. (1774).
 ferula Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 12.
 ferula Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 225.
 ferula Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 2.
 ferula Phasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 187.—Mantis, 1793.
 ferula Anser (L.), J. C. Schaeffer, Mus. Orn. 1789, 67.—Anas anser ferus.
 ferus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 449; ed. 12, 1767, 731.

- ferus Miris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 185.—Cimex.
- fera Musca, Linnaeus, Faun. Suec., ed. 2, 1761, 453.
- fera(?) Salmo, *v.* ferra.
- fera-sibirica Ovis, P. S. Pallas, Spic. Zool. XI. 1776, 1.
- ferus Sphex, D. Drury, Ill. Nat. Hist. III. 1782, index & 57.
- ferus Tabanus, J. A. Scopoli, Ent. Carn. 1763, 371.
- fera Tenthredo, J. A. Scopoli, Del. Insub. II. 1786, 67.
- fervens Formica, D. Drury, Ill. Nat. Hist. III. 1782, index & 58.
- fervens Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 569; ed. 12, 1767, 942.
- fervens Tabanus, Linnaeus, Syst. Nat., ed. 10, 1758, 602; ed. 12, 1767, 1000.
- fervensis Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3235.
- fervidaria Phalaena, J. C. Fabricius, Mant. II. 1787, 187.
- fervida Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 274.
- fervida Chrysis, J. C. Fabricius, Spec. Ins. I. 1781, 456.
- fervida Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 97.
- fervida Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 586.—Chrysomela.
- fervida Melolontha, J. C. Fabricius, Syst. Ent. 1775, 32.
- fervida Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 968.
- fervida Nitidula, A. G. Olivier, Entom. II. 1790, 15.
- fervidus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1564.—
- fervida Sylvia (Gm.), J. Latham, Index Orn. 1790, 525.—Motacilla. [Melolontha.]
- festiculla Alucita (D. & S.), J. C. Fabricius, Mant. II. 1787, 258.—Tinea festivella.
- festicella Tinea, *id.* *ac* festivella, D. & S., J. C. Fabricius, Suppl. Ent. Syst. 1798, 500.
- festinans Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 55.
- festinans Enchelis, O. F. Müller, Z. Dan. Prod. 1776, 280.
- festinans Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 232.
- festinans Musca, Scopoli, Ent. Carn. 1763, 349.
- festinans Tenebrio, Linnaeus, Syst. Nat., ed. 12, vol. III. 1768, App., 225.
- festivana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 52 [*n. et f.*].
- festivaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 152.
- festivella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
- festivum Anobium, Block in G. W. F. Panzer, Ins. Germ., heft 6, 1793, tab. 7.
- festiva Apis, J. L. Christ, Nat. Ins. 1791, 190.
- festiva Bombyx, J. C. Fabricius, Syst. Ent. 1775, 579.
- festiva Buprestis, Linnaeus, Syst. Nat., ed. 12, 1767, 663.
- festiva Cantharis (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 279.—Lytta.
- festivus Carabus, G. W. F. Panzer, Ins. Germ., heft 30 [1796], tab. 15.
- festivus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 389; ed. 12, 1767, 623.
- festivus Cerambyx, J. C. Fabricius, Syst. Ent. 1775, 166.
- festiva Chrysis, J. C. Fabricius, Ent. Syst. II. 1793, 239.
- festiva Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 147.
- festiva Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 100.
- festiva Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 39.
- festiva Cicada, J. C. Fabricius, Suppl. Ent. Syst. 1798, 521.
- festivus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 723.
- festiva Cistela, J. C. Fabricius, Spec. Ins. I. 1781, 148.
- festivus Conops (Linn.), Scopoli, Ent. Carn. 1763, 355.—Musca.
- festivus Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 156.—Scarabaeus.
- festiva Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
- festivus Cucujus, J. C. Fabricius, Ent. Syst. I (2) 1792, 95. [1715.—Cistela.]
- festivus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 404.
- festivus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 476.
- festivus Elater, J. C. Fabricius, Syst. Ent. 1775, 215.
- festiva Fulgora, J. C. Fabricius, Spec. Ins. II. 1781, 315.
- festivus Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 230.
- festiva Lytta (Pall.), J. C. Fabricius, Spec. Ins. I. 1781, 329.—Meloe.
- festiva Meloe, P. S. Pallas, Reise Russ. II. 1773, 721.
- festiva Melolontha, J. C. Fabricius, Syst. Ent. 1775, 36.

- festiva** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 593; ed. 12, 1767, 986.
festiva Musca, A. F. de Fourcroy, Ent. Paris. 1785, 479.
festiva Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 314.
festivus Papilio, C. C. Jung, Alph. Verz. Schmett. 1791, 219.
festiva [Phalaena], P. Cramer, Utitl. Kapellen, I (6) 1775, 112.
festiva Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
festiva Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 191.
festivus Picus, P. Boddaert, Tab. Planch. Enl. 1783, 43.
festivus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 101; ed. 12, 1766, 147.
festivus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 350; ed. 12, 1767, 552.
festivus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 315.
festivus Stenocorus (L.), J. C. Fabricius, Syst. Ent. 1775, 179.—Cerambyx.
festivus Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 769.—Musca.
festucae Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 327.
festucae Donacia, [D. H. Schneider], Nom. Ent. 1785, 16 [*n. n.*].
festucae Donacia, J. C. Fabricius, Ent. Syst. I (2) 1792, 116.
festucae Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 607.—Phalaena.
festucae Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 513; ed. 12, 1767, 845.
Festucaria F. v. P. Schrank, Verz. Eingeweidewürmer, 1788. "Gattungen, no. ix." &
festucaria Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 55. [16.—Ver.
festus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1823.
festus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1861.
fiatola Stromateus, Linnaeus, Syst. Nat., ed. 10, 1758, 248; ed. 12, 1766, 432.
Fiber G. Edwards in M. Catesby, Carol. I. 1771, xxix.—M.
Fiber G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
fiber Castor, Linnaeus, Syst. Nat., ed. 10, 1758, 58; ed. 12, 1766, 75.
fiber Castor, R. Kerr, Anim. Kingd. 1792, *varr.* albus 222, solitarius 223.
fiber Pelecanus, Linnaeus, Syst. Nat., ed. 12, 1766, 218.
fibratus Limax, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 25.
fibrillosa Spongia, P. S. Pallas, Elench. 1766, 382.
fibulata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 604.
fibulella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 143.
ficariae Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 502.
Ficedula Moehring, Gesl. Vogel. (Nozem. & Vosm. ed.), 1758, 2 & 26.—A.
Ficedula M. J. Brisson, Ornith. III. 1760, 369.—A.
Ficedula G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [*n. n.*].—A.
ficedula Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 185; ed. 12, 1766, 330.
ficedula Sylvia (L.), J. Latham, Index Orn. 1790, 517.—Motacilla.
ficellum Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3552.
ficus Madrepora, *err. pro* pileus, L., J. F. Maratti, Plant. Zooph. Med. 1776, 46.
ficiformis Spongia, Poirer, Voy. Barbar. II. 1789, 61.
ficoides Colus, J. F. Bolten, Mus. Bolten. (2) 1798, 117.
ficoides Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 159.
ficoidea Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122 [*n. n.*].
fictor Musca, M. Harris, Exp. Eng. Ins. 1776, 152.
Ficus [G. Humphreys], Mus. Calonn. 1797, 32.—G.
Ficus J. F. Bolten, Mus. Bolten. (2) 1798, 148.—G.
ficus Alcyonium, P. S. Pallas, Elench. 1766, 356.
ficus Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 81.
ficus Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 302.—Murex.
ficus Bulla, Linnaeus, Syst. Nat., ed. 12, 1767, 1184.
ficus Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 455; ed. 12, 1767, 739.
ficus Coccus, J. C. Fabricius, Mant. II. 1787, 319.
ficus-caricae Coccus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 93.
ficus Cynips, Linnaeus in Hasselquist, Palast. 1762, 464.
ficus Globosa (L.), F. C. Meuschen, Mus. Gever. 1787, 384.—Bulla.
ficus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 752.
ficus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3545.

- ficus-tarnatanus* Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 318.
ficus Noctua, J. C. Fabricius, Syst. Ent. 1775, 595.
ficus Phalaena, Linnaeus in Hasselquist, Palast. 1762, 460.
ficus Psylla, A. F. de Fourcroy, Ent. Paris. 1785, 222.
ficus Pyrula (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 73.—Bulla.
ficus Solen, D. Solander in G. Brander, Foss. Hant. 1766, 41.
ficus Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 491; ed. 12, 1767, 800.
fidens Apis, M. Harris, Exp. Eng. Ins. 1776, 130.
fidia Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 12, 1767, 770.
fidicina Tettigonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 100.
fidus Apis, M. Harris, Exp. Eng. Ins. 1776, 131.
ferasfer Gymnotus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 145.
figulinus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 715; ed. 12, 1767, 1169.
figulinus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 42.—Conus.
figulus SpheX, Linnaeus, Syst. Nat., ed. 10, 1758, 570; ed. 12, 1767, 942.
figuratus Cerambyx, Scopoli, Ent. Carn. 1763, 155.
figurata Leptura (Scop.), F. v. P. Schrank, Ins. Aust. 1781, 163.—Cerambyx.
figurata Leptura, C. de Villers, Linn. Ent. I. 1789, 273.
figurata Leptura, G. A. Harrer, Besch. Schaeffer Icones, 1784, 213.
figurata Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 22.
filamentosa Aphroditia, J. G. Bruguière, Ency. Méth. (Vers.) (1) 1789, 86.
filamentosus Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 118.
filamentosus Scomber, M. Park, Tr. Linn. Soc. [Lond.] III. 1797, 36.
filamentosa Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 360.
filans Limax, T. Hoy, Tr. Linn. Soc. [Lond.] I. 1791, 184.
Filaria O. F. Müller, Naturforscher, XXII. 1787, 64.—Ver.
filaris Planaria, O. F. Müller, Zool. Dan. II. 1784, 82.
filaris Voluta, Linnaeus, Mant. II. 1771, 548.
filata Bibio, J. C. Fabricius, Syst. Ent. 1775, 757.
filatus Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 119 [*n. n.*].
filata Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2830.—Bibio.
filata Mydas, J. C. Fabricius, Ent. Syst. IV. 1794, 252.—Bibio, 1775.
filata Ptotia, J. F. Bolten, Mus. Bolten. (2) 1798, 96.
filata Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 73 [*n. n.*].
filia [Phalaena], P. Cramer, Utit. Kapellen, III (22) 1779, 128.
filicata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 238 [*n. et f.*].
filicella Phalaena (Tinea), O. F. Müller, Z. Dan. Prod. 1776, 137.
filicina Sertularia, P. S. Pallas, Elench. 1766, 156.
filicis Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 443; ed. 12, 1767, 718.
filicis Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 48.
filicornis Nereis, O. F. Müller, Z. Dan. Prod. 1776, 218.
filicornis Spio, O. Fabricius, Schrift. Berlin. Ges. Nat. Freunde, VII. 1787, 259.—Nereis,
filicula Sertularia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 57. [1780].
filicum Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 209.
filifera Clava, Bosc, Bull. Sci. Soc. Philom. [Paris], No. 2, 1797, 9.
filiformis Ascaris, J. A. E. Goeze, Eingeweidewürm. 1782, 39 & 90.
filiformis Asilus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 270.
filiformis Asterias, O. F. Müller, Z. Dan. Prod. 1776, 235.
filiformis Cancer, Linnaeus, Amoen. Acad. VI. 1763, 415.
filiformis Cellaria (Pall.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 446.—Cellularia
filiformis Cellularia, P. S. Pallas, Elench. 1766, 63.
filiformis Cimex, J. C. Fabricius, Syst. Ent. 1775, 727.
filiformis Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 225; ed. 12, 1766, 388.
filiformis Colydidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 496.
filiformis Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 172.
filiforme Xylonium, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 32.
filiformis Elater, J. C. Fabricius, Spec. Ins. I. 1781, 270.
filiformis Empusa (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 499.—Mantis.

- filiformis Gammarus (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 189.—Cancer.
 filiformis Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 191.—Cimex, 1775.
 filiformis Mantis, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 187.
 filiformes (*sic*) Mantis, J. C. Fabricius, Mant. I. 1787, 227.
 filiformis Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 337.
 filiformis Natrix (Linn.), J. N. Laurenti, Syn. Rept. 1768, 78.—Coluber.
 filiformis Paederus, J. C. Fabricius, Ent. Syst. I (2) 1792, 538.
 filiformis Phasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 186.—Mantis, 1787.
 filiformis Physiphora, P. Forskal, Descr. Anim. 1775, 120.
 filiformis Ranatra, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 228.
 filiformis Saperda, A. G. Olivier, Entom. IV. 1795, 28.
 filiformis Sertularia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3862.—
 filiformis Tenebrion, J. C. Fabricius, Ent. Syst. I (1) 1792, 114. [Cellularia].
 filiformis Tillus, Creutzer in G. W. F. Panzer, Ins. Germ., heft 67 [1799], tab. 17.
 filiformis Tillus, C. Creutzer, Ent. Vers. 1799, 121.
 filiforme Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 125 [*n. n.*].
 filigrama Phalaena Noct., E. J. C. Esper, Die Schmett. IV (48) 1796, 396.
 filipendulae Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 494; ed. 12, 1767, 805.
 filipendulae major Sphinx, E. J. C. Esper, Die Schmett. Suppl., 2 Abschn. [1797], 19.
 filipendulae Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 550.—Sphinx.
 filirostris Cicada, C. de Geer, Mem. Ins. III. 1773, 201.
 filirostris Curculio, C. Quensel, Diss. ignotus insect. species, 1790, 15.
 filigrana Madrepora, E. J. C. Esper, Pflanzenth. I (3) 1789, 139.
 filigrana Serpula, Linnaeus, Syst. Nat., ed. 12, 1767, 1265.
 filosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3486.
 filosus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 44.
 filosus Hemerobius, J. C. Fabricius, Mant. I. 1787, 246.
 filosa Pennatula, Linnaeus, Syst. Nat., ed. 10, 1758, 819; ed. 12, 1767, 1322.
 filosa Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 548; ed. 12, 1767, 910.
 filosus Trochus, G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 123.
 filosa Voluta, I. v. Born, Index Mus. Caes. Vind. 1778, 212.
 filum Anadema, F. C. Meuschen, Mus. Gever. 1787, 482.
 filum Astroites, J. E. I. Walch, Naturforscher, V. 1775, 54.
 filum Cimex, J. C. Fabricius, Gen. Ins. 1777, 301.
 filum Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 191.—Cimex, 1777.
 filum Gordius, O. F. Müller, Verm. I (2) 1774, 31.
 filum Madrepora (Walch), P. S. Pallas, Char. Thierplf. II. 1787, 133.—Astroites.
 filum Mantis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 81.
 filum Saperda, P. Rossi, Fauna Etrus. I. 1790, 152.
 filum Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 398.
Fimbria J. B. Bohadsch, Anim. Marin. 1761, 54.—Nud.
 fimbria Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3479.
 fimbria Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 842.
 fimbria Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 603.—Phalaena.
 fimbria Testudo, *err. pro* fimbriata, Schn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
 fimbria Tethys, Linnaeus, Syst. Nat. ed. 12, 1767, 1089. [1043].
 fimbrialis Phalaena, Scopoli, Ent. Carn. 1763, 216.
 fimbrialis Phalaena, J. C. Fabricius, Mant. II. 1787, 221.
 fimbrialis [Phalaena], C. Stoll, Aanh. Cramer's Utitl. Kapellen, II. 1790, 74.
 fimbrialis Phalaena Pyralis, J. Hübner, Beitr. Schmett. I (4) 1789, 10.
 fimbrialis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 124.
 fimbriana Tortrix, C. P. Thunberg, Ins. Suecica (2) 1791, 44.
 "Fimbriaria, Froelich, 1795," Ag.; is 1802.
 fimbriaria [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 112.
 fimbriatella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2608.
 [fimbriatus Aranea, C. Clerck, Aran. Svec. 1757, 106.]
 fimbriata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 621; ed. 12, 1767, 1033.
 fimbriatum Buccinum, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 6.

- fimbriatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 300.
- fimbriatus Cancer, G. Olivi, Zool. Adriat. 1792, 47.
- fimbriatus Carabus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 70.
- fimbriatus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 176.
- fimbriatus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1862.
- fimbriatus Cerambix, A. G. Olivier, Entom. IV. 1795, 71.—*Lamia*, 1792.
- fimbriata Chama (L.), F. C. Meuschen, Mus. Gever. 1787, 452.—*Venus*.
- fimbriata Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 25.
- fimbriatus Cicindela, [D. H. Schneider], Nom. Ent. 1785, 20 [*n. n.*].
- fimbriatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 47.
- fimbriatus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 202.
- fimbriatus Cimex, J. C. Fabricius, Mant. II. 1787, 295.
- fimbriata Coccinella, J. H. Sulzer, Gesch. Ins. 1776, 32.
- fimbriata Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 11.
- fimbriatus Crabro, P. Rossi, Fauna Etrus. II. 1790, 93.
- fimbriatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1804.
- fimbriatus Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 383.
- fimbriata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3420.
- fimbriatus Cyprinus, M. E. Bloch, Nat. aüsl. Fische, IX. 1795, 50.
- fimbriatus Dytiscus, F. v. P. Schrank, Ins. Aust. 1781, 203.
- fimbriatus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1957.
- fimbriatus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1914.
- fimbriatus Gafrarium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 176.—*Venus*.
- fimbriata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 117.
- fimbriata Lacerta (Schn.), J. A. Donndorff, Zool. Beyt. III. 1798, 134.—*Stellio*.
- fimbriata Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 460.
- fimbriata Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 153.
- fimbriata Madrepora, L. Spengler, Nye Saml. K. Danske Skrifter, V (3) 1799, 607.
- fimbriatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 109.
- fimbriata Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
- fimbriatus Papilio, C. C. Jung, Alph. Verz. Schmett. 1791, 223.
- fimbriata Phalaena, J. C. D. Schreber, Nov. Spec. Ins. 1759, 13.
- fimbriata Phalaena, J. C. Fabricius, Gen. Ins. 1777, 289.
- fimbriata [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 236.
- fimbriata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 276.
- fimbriata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 34.
- fimbriata Scolia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 205.
- fimbriata Sphinx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2386.
- fimbriatus Spondylus, F. C. Meuschen, Mus. Gever. 1787, 434.
- fimbriatus Stellio, J. G. Schneider, Amph. Phys. sp. alt. 1792, 32.
- fimbriata Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 163.
- fimbriata Testudo, J. G. Schneider, Nat. Schildkr. 1783, 349.
- fimbriata Trichoda, O. F. Müller, An. Infus. 1786, 201.
- fimbriatus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 493.
- fimbriata Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 687; ed. 12, 1767, 1133.
- fimbriata Tethys, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 1317.
- fimbriella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2608.
- fimbriella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
- fimbriola Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2, [post 1796], 53.
- fimetarii Kateretes (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 14.—*Dermestes fimetarius*.
- fimetarius Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 31.—*Scarabaeus*.
- fimetarius Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 145.—*Scarabaeus*.
- fimetarius Dermestes, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 20.
- fimetarius Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 231.
- fimetarius Hister, Scopoli, Ent. Carn. 1763, 13.
- fimetarius Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 27.
- fimetaria Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 599; ed. 12, 1767, 996.

- fimetaria** Podura, Linnaeus, Syst. Nat., ed. 10, 1758, 609; ed. 12, 1767, 1014.
- fimetarius** Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 267.
- fimetarius** Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 348; ed. 12, 1767, 548.
- fimetaria** Silpha (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1625.—
- fimetarium** Sphaeridium, J. C. Fabricius, Syst. Ent. 1775, 68. [Sphaeridium.]
- fimetaria** Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 179.—Musca.
- fimetorum** Musca, A. F. de Fourcroy, Ent. Paris. 1785, 496.
- fimosus** Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 248.
- finгал** Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) X. 1800, 92.
- finmarchicus** Cyclops, O. F. Müller, Z. Dan. Prod. 1776, 201.
- finmarchicus** Monoculus, J. E. Gunnerus, Skrift. Kiob. Selsk. Laerdoms, N. 1770, 175.
- “**Finna**, Werner, 1782,” Ag.; this word occurs in Werner, Verm. int., Cont. II. 1786, pp. 3 & 51, is a latinization of the vernacular Finnen, and is not used in a Linnean sense.
- finna** Hydatis, J. F. Blumenbach, Hand. Naturg. ed. 5, 1797, 415.
- finna** Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3063.
- firmator** Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 226.
- firmiana** [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (34) 1782, 234.
- Firola** J. G. Bruguière, Ency. Méth. (Tabl. Vers), pl. 88 (1791) [*u. et f.*].
- fiscellata** Perca, F. C. Meuschen, Mus. Gronov. 1778, 42.
- fiscella** Actinia, P. C. Abildgaard in Müller, Zool. Dan. ed. 3, III. 1789, 13.
- fiscellum** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3552.
- fischeri** Gadus, I. C. H. Boerner, Oek. Nachr. Ges. Schlesien. VI. [1781?], 75 [not seen].
- fischeri** Ichneumon, F. v. P. Schrank, Beitr. Nat. 1776, 89.
- fissella** Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 223.
- fissella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 59.
- fissipes** Sphex, C. de Villers, Linn. Ent. III. 1789, 222.
- fissipes** Sterna, Linnaeus, Syst. Nat., ed. 12, 1766, 228.
- fissura** Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 784; ed. 12, 1767, 1261.
- Fissurella** J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xiv.—G.
- Fissurella** Lamarck, Mém. Soc. H. N. Paris, 1799, 78.—G.
- fissurella** Patella, O. F. Müller, Z. Dan. Prod. 1776, 237.
- fissurella** Strombus, Linnaeus, Syst. Nat., ed. 12, 1767, 1212.
- fissurella** Tibia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 123.—Strombus.
- fissa** Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 55.
- fissum** Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 95.
- fissa** Tellina, L. Spengler, Skr. nat. Selsk. [Copen.] IV (2) 1798, 102.
- fistula** Lepas, L. Spengler, Skr. nat. Selsk. [Copen.] I (1) 1790, 176.
- Fistulana** J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xii.—L.
- Fistulana**, *emend.* **Fistularia** O. F. Müller, Z. Dan. Prod. 1776, 282.—Ver.
- Fistulana** O. Fabricius, F. Groen. 1780, 441 [= *Fistularia*, Müll.].—Pol.
- Fistulana** Lamarck, Mém. Soc. H. N. Paris, 1799, 90.—Moll.
- fistulans** Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 702
- fistulans** Gallinula (Gm.), J. Latham, Index Orn. 1790, 773.—Fulica.
- Fistularia** Linnaeus, Syst. Nat., ed. 10, 1758, 312; ed. 12, 1766, 515.—P.
- Fistularia** P. Forskal, Descr. Anim. 1775, 121.—Moll.
- Fistularia** O. F. Müller, Z. Dan. Prod. 1776, 254.—Verm.
- Fistularia** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [*u. u.*].—P.
- fistularis** Anas, J. G. Georgi (*ex* Brisson) in J. P. Falk, Reise Russ. (5) 1786, 348.
- fistularis** Spongia = *fistulosa* Linn., P. S. Pallas, Elench. 1766, 385.
- fistularis** Spongia, Linnaeus, Syst. Nat., ed. 12, 1767, 1297.
- fistulosus** Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 166.
- fistulosa** Corallina, L. T. Gronovius, Zooph. III. 1781, 379.
- fistulosa** Eschara, Linnaeus, Syst. Nat., ed. 10, 1758, 804.
- fistulosa** Flustra, Linnaeus, Faun. Suec., ed. 2, 1761, 539.—[*v.* Eschara.]
- fistulosa** Lepas, J. X. Poli, Test. Sicil. I. 1791, 22.
- fistulosa** Spongia, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348 [*fistularis est.* xii ed.].
- fistulosa** Tubularia, Linnaeus, Syst. Nat., ed. 12, 1767, 1302.
- fitis** Motacilla, J. M. Bechstein, Naturforscher, XXVII. 1793, 50.

- fixus** Empis, M. Harris, Exp. Eng. Ins. 1776, 151.
fixa Noctua, J. C. Fabricius, Mant. II. 1787, 147.
fixa Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3751.
fixa Trichoda, O. F. Müller, An. Infus. 1786, 217.
flabellaris Tubipora, O. Fabricius, F. Groen. 1780, 430.
flabellaria Phalaena, J. C. Fabricius, Mant. Ins. II. 1787, 188.
flabellata Lampyris (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1886.—
flabellata Mordella, J. C. Fabricius, Spec. Ins. II. 1781, 501. [Pyrochroa.
flabellata Pyrochroa, J. C. Fabricius, Mant. I. 1787, 162.
flabellatus Ripiphorus (Fab.), J. C. Fabricius, Ent. Syst. I (2) 1792, 111.—Mordella.
flabellicornis Anobium, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 66.
flabellicornis Buprestis (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791,
flabellicornis Elater, Linnaeus, Syst. Nat., ed. 12, 1767, 651. [119.—Hispa.
flabellicornis Hispa, J. C. Fabricius, Syst. Ent. 1775, 70.
flabellicornis Lampyris, J. C. Fabricius, Spec. Ins. I. 1781, 252.
flabellicornis Lycus, J. C. Fabricius, Ent. Syst. I (2) 1792, 109.
flabellicornis Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 16.
flabellicornis Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 407.
flabellicornis Zygaena, J. C. Fabricius, Syst. Ent. 1775, 831.
Flabellifera J. G. Meigen, N. Class. Mouches, 1800, 13.—Dip.
flabellifera Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 850.
flabellifera Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 943.
flabelliformis Gorgonia, J. E. Gunnerus, Trondhiemske Selsk. Skrift. III. 1765, 1.
flabelliforme Keratophyton (L.), P. L. S. Müller, Del. Nat. I. 1766, 128.—Gorgonia
flabelliformis Melasis, J. C. Fabricius, Ent. Syst. I (1) 1792, 244. [(? flabellum).
flabelliformis Ptilinus (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV.
 1792, 491.—Melasis.
flabelliformis Spongia, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348; ed. 12, 1767, 1296.
flabelliformis Tubularia, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 12.
flabellum Antipathes, P. S. Pallas, Elench. 1766, 211.
flabellum Cellaria, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 28.
flabellum Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 124.
flabellum Gorgonia, Linnaeus, Syst. Nat., ed. 10, 1758, 801; ed. 12, 1767, 1293.
flabellum Gorgonia, E. J. C. Esper, Pflanzenth. II (7) 1791, 60.
flabellum Loxia, P. Boddaert, Tab. Planch. Enl. 1783, 23.
flabellum Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3321. [Cellaria.
flabellum Sertularia (E. & S.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3862.—
flabellum Spongia, *id. ac flabelliformis*, L., J. F. Maratti, Plant. Zooph. Med. 1776, 15.
flaccida Fasciola, O. F. Müller, Verm. I (2) 1774, 57.
flaccida Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.—Fasciola, 1774.
flaccida Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 434.
flagellator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 176.
flagellator Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 239.—Ichneumon, 1793.
flagellatus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 174.—Scarabaeus.
flagellatus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 29.
flagelliformis Natrix, J. N. Laurenti, Syn. Rept. 1768, 79.
flagellosa Gorgonia, P. S. Pallas, Char. Thierpfl. I. 1787, 266.
flagellum Coluber, G. Edwards in M. Catesby, Carol. II. 1771, Cat., 1.
flagellum Taenia, J. A. E. Goetze, Eingeweidewürm. 1782, 406.
flagitator Ichneumon, P. Rossi, Mant. Ins. II. 1794, 108.
flamengo Loxia, A. Sparrman, Mus. Carls. I. 1786, no. xvii.
flamma Noctua, J. C. Fabricius, Mant. II. 1787, 164.
flammans Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 374.
flammatra Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 80.
flammatra Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
[flammatus Araneus, C. Clerck, Aran. Svec. 1757, 124.] [545, no. 220.—Noctua.
flammatus Araneus, T. Martyn, Aranei, 1793, 58.
flammata Arca, F. C. Meuschen, Mus. Gever. 1787, 426.

- flammatus** Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 372.
flammata Geometra, C. C. Jung, Alph. Verz. Schmett. 1791, 223.
flammata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 194.
flammealis Phalaena Pyr., J. Hübner, Samml. Vögel u. Schmett. 1793, 15 [*n. et f.*].
flammealis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
flammeolaria Geometra, S. A. v. Rottemberg, Naturforscher, XI. 1777, 66.
flammeolum Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 31.
flammeola Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 446.
flammeola Globosa, F. C. Meuschen, Mus. Gever. 1787, 382.
flammeola Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 76.
flammeola Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 138.
flammeola Phalaena, Hufnagel. Berl. Mag. IV. 1767, 510.
flammea Acauthis (L.). M. B. Borkhausen, Deutsch. Fauna, I. 1797, 262.—Fringilla.
flammea Ampulla, J. F. Bolten, Mus. Bolten. (2) 1798, 110.
flammea Bombyx, E. J. C. Esper, Die Schmett. III (23) 1785, 269.
flammeum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 736; ed. 12, 1767, 1199.
flammeum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 266.
flammeus Bulinus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 322.—Helix.
flammea Bulla, J. F. Bolten, Mus. Bolten. (2) 1798, 16.
flammeus Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 161.
flammea Cassidea (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 429.—Buccinum.
flammea Cassis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 29.—Buccinum.
flammea Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 448.
flammea Cicada, Linnaeus, Amoen. Acad. VI. 1763, 399.
flammea Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 148.
flammea Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 85.
flammeus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 210.
flammea Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 146.
flammeus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 44.
flammeum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 151.
flammea Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3408.
flammeus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3178.—
flammeum Ellobium, J. F. Bolten, Mus. Bolten. (2) 1798, 106. [*Cidaris*].
flammea Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 182; ed. 12, 1766, 322.
flammea Fulgora, Linnaeus, Syst. Nat., ed. 12, 1767, 704.—Cicada, 1763.
flammea Gorgonia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 80.
flammea Helix, O. F. Müller, Verm. II. 1774, 87.
flammeus Limax, T. Martyn, Univ. Conch. IV [1792], fig. 122.
flammea Motacilla, A. Sparrman, Mus. Carls. IV. 1789, no. xcviij.
flammea Muscicapa, J. R. Forster, Ind. Zool. 1781, 25.
flammea Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3685.
flammea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 87.
flammea Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3330.
flammaeus Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 242.
flammea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3716.
flammea Phalaena Noct., H. G. Lang, Verz. Schmett. ed. 2, 1789, 147.
flammea Phalaena Noctua (Esp.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
flammea Strix, Linnaeus, Syst. Nat., ed. 12, 1766, 133. [460.—Bombyx].
flammeus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 80.
flammeus Trogon, B. Merrem, Avium rar. Icones, II. 1786, 35.
flammeus Turbo, C. U. v. Salis, Reise Neapel, 1793, 377.
flammea Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3278.
flammea Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3435.
flammifera Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 31.
flammigerum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112 [*n. n.*].
flammigera Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 190.
Flata J. C. Fabricius, Suppl. Ent. Syst. 1798, 511.—Hem.
flavago Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 86.

- flavago** Noctua, J. C. Fabricius, Mant. II. 1787, 160.
- flavago** Noctua (*ex* Esper), C. C. Jung, Alph. Verz. Schmett. I. 1791, 224.
- flavalbata** Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 558.
- flavalis** Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2528.
- flavalis** Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 448.
- flavalis** Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 121.
- flavana** Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 475.
- flavaria** [Phalaena], P. Cramer, Utitl. Kapellen, III (24) 1780, 171.
- flavaria** Phalaena, J. C. Fabricius, Mant. II. 1787, 187.
- flavastrigata** Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 48.
- flavator** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 161.
- flavatorius** Ichneumon, J. C. Fabricius, Ent. Syst. IV. 1794, 456.
- flavatus** Cimex, F. v. P. Schrank, Beitr. Nat. 1776, 79.
- flavatus** Elater, F. v. P. Schrank, F. Boica, I. 1798, 591.
- flavatus** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2684.
- flavata** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 36.
- flavata** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 169.
- flaveolata** Phalaena, *err. pro* flaveolata, Linn., J. C. Fabricius, Mant. II. 1787, 200.
- flavata** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 112.
- flavellicornis** Elater, D. Drury, Ill. Nat. Hist. III. 1782, index & 68.
- flavella** Alucita, J. C. Fabricius, Syst. Ent. 1775, 667.
- flavella** Phalaena, Scopoli, Ent. Carn. 1763, 249.
- flavella** Phalaena (Tin.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 504.—Alucita.
- flavella** Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 522.
- flavella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 40.
- flavella** Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 483.—Alucita, 1775.
- flavens** Gryllus (Locusta), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2085.
- flaveolata** Geometra, S. A. v. Rottenberg, Naturforscher, XI. 1777, 80.
- flaveolata** Libellula = flaveola, 1758, Linnaeus, Faun. Suec., ed. 2, 1761, 372.
- flaveolata** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 525; ed. 12, 1767, 867.
- flaveolata** Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 234.
- flaveola** Altica, O. F. Müller, Z. Dan. Prod. 1776, 84.
- flaveola** Cantharis, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 171.
- flaveola** Cassida, C. P. Thunberg, Ins. Suecica (8) 1794, 103.
- flaveola** Certhia, Linnaeus, Syst. Nat., ed. 10, 1758, 119; ed. 12, 1766, 187.
- flaveola** Chrysomela (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1698.—
- flaveola** Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2092. [Altica.]
- flaveolus** Cimex, D. Drury, Ill. Nat. Hist. III, 1782, index & 59.
- flaveola** Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 724; ed. 12, 1767, 1179.
- flaveola** Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 178; ed. 12, 1766, 311.
- flaveola** Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 321.
- flaveola** Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 543; ed. 12, 1767, 901.
- flaveola** Libellula, M. Harris, Exp. Eng. Ins. 1776, 156.
- flaveola** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 343.
- flaveola** Nassa, J. F. Bolten, Mus. Bolten. (2) 1798, 132 [n. n.].
- flaveola** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3705.
- flaveola** Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 75.
- flaveola** Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1786, 229.
- flaveola** Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2665.
- flaveola** Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 127.
- flavescens** Bembex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 206.
- flavescens** Carabus, M. Piller & L. Mitterpacher, Iter Poeseg. 1783, 98.
- flavescens** Chalcides, J. P. Bonnaterre, Ency. Méth. (Erp.), 1789, 67.
- flavescens** Cicada, P. Rossi, Mant. Ins. II. 1794, 51.
- flavescens** Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 46.
- flavescens** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2165.
- flavescens** Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 534.
- flavescens** Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1115.

- flavescens** *Cryptocephalus*, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. 1792,
flavescens *Cryptocephalus*, J. C. Fabricius, Ent. Syst. IV. 1794, 448. [196.
flavescens *Culex*, O. F. Müller, F. Ins. Frid. 1764, 87.
flavescens *Curculio*, J. C. Fabricius, Mant. I. 1787, 112.
flavescens *Cylindrus*, F. C. Meuschen, Mus. Gever. 1787, 374.
flavescens *Dermestes*, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (2) 1782, 140.
flavescens *Dermestes*, A. F. de Fourcroy, Ent. Paris. 1785, 19.
flavescens *Didelphis*, Al. Brongniart, Actes Soc. H. N. Paris, I (1) 1792, 115.
flavescens *Drilus* (Fourc.), A. G. Olivier, Entom. II. 1790, 4.—*Ptilinus*.
flavescens *Elater*, A. F. de Fourcroy, Ent. Paris. 1785, 35.
flavescens *Empis*, P. Rossi, Mant. Ins. II. 1794, 77.
flavescens *Falco*, F. M. Daudin, Traité élém. Orn. 1800, 72.
flavescens *Formica*, J. C. Fabricius, Ent. Syst. II. 1793, 353.
flavescens *Fulgora*, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 577.
flavescens *Fulgora*, J. C. Fabricius, Ent. Syst. IV. 1794, 7.
flavescens *Gryllus*, J. C. Fabricius, Ent. Syst. II. 1793, 52.
flavescens *Gryllus Locusta*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2070.
flavescens *Gryllus Locusta*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2084.
flavescens *Gryllus Tett.*, C. de Villers, Linn. Ent. I. 1789, 451.
flavescens *Hispa*, P. Rossi, Fauna Etrus. I. 1790, 51.
flavescens *Ichneumon*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2720.
flavescens *Icterus*, F. M. Daudin, Traité élém. Orn. 1800, 338.
flavescens *Latridius*, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 578.
flavescens *Libellula*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 285.
flavescens *Motacilla*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 982.
flavescens *Musca*, C. de Villers, Linn. Ent. III. 1789, 433.
flavescens *Musca*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.
flavescens *Musca*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 565.
flavescens *Necydalis*, Linnaeus, Syst. Nat., ed. 12, 1767, 642.
flavescens *Noctua*, E. J. C. Esper, Die Schmett. IV (45) 1791, 322.
flavescens *Ostrea*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3321.
flavescens *Patella*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3735.
flavescens *Phalaena Noctua* (Esp.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 685.—
flavescens *Picus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 427. [Noctua.
flavescens *Ptilinus*, A. F. de Fourcroy, Ent. Paris. 1785, 4.
flavescens *Spatagus*, O. F. Müller, Z. Dan. Prod. 1776, 236.
flavescens *Staphylinus*, Linnaeus, Syst. Nat., ed. 10, 1758, 422; ed. 12, 1767, 684.
flavescens *Sylvia* (Gm.), J. Latham, Index Orn. 1799, 534.—*Motacilla*.
flavescens *Tellina*, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 116.
flavescens *Tettigonia*, J. C. Fabricius, Ent. Syst. IV. 1794, 24.
flavescens *Thelephorus* (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 62.—*Necydalis*.
flavescens *Tipula*, Linnaeus, Syst. Nat., ed. 10, 1758, 586; ed. 12, 1767, 973.
flavescens *Vespa*, J. C. Fabricius, Syst. Ent. 1775, 370.
flavescens *Volucella*, A. F. de Fourcroy, Ent. Paris. 1785, 501.
flavia *v.* **flavius**.
flavicans *Alcedo*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 456.
flavicans *Boa*, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 8.
flavicans *Chrysomela*, J. C. Fabricius, Mant. I. 1787, 72.
flavicans *Dytiscus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1957.
flavicans *Empis*, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 388. 370
flavicans *Hemerobius*, Linnaeus, Syst. Nat., ed. 10, 1758, 550; ed. 12, 1767, 913.
flavicans *Ichneumon*, J. C. Fabricius, Ent. Syst. II. 1793, 182.
flavicans *Loxia*, Linnaeus, Syst. Nat., ed. 10, 1758, 173; ed. 12, 1766, 302.
flavicans *Merops*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 462.
flavicans *Musca*, O. F. Müller, F. Ins. Frid. 1764, 85.
flavicans *Musca*, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 18.
flavicans *Ostrea*, Linnaeus, Syst. Nat., ed. 10, 1758, 698; ed. 12, 1767, 1147.
flavicans *Picus*, J. Latham, Index Orn. 1790, 240.

- flavicans** Psocus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 203.—Hemerobius.
flavicans Reduvius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 544.
flavicans Simia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 201.
flavicans Sphinx (*ex* Goeze), Panzer in Drury, Exot. Ins. 1785, 102.
flavicans Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 292.
flavicans Tipula, O. F. Müller, F. Ins. Frid. 1764, 79.
flavicans Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2768.
flavicans Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3464.
flavicaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 104.
flavicaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 40 [*n. et f.*].
flavicata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 10.
flavicauda Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 997.
flavicauda Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 49.
flavicaudis Scorpio, C. de Geer, Mém. Ins. VII. 1778, 339.
flavicaudis Tipula, C. de Geer, Mém. Ins. VI. 1776, 429.
flaviceps Curculio, P. S. Pallas, Icon. Ins. 1781, 34.
flaviceps Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 74.
flavicinctus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2701.
flavicincta Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 641.
flavicincta Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 72.
flavicollis Anchyceros, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 45.
flavi-collis Apis, C. de Geer, Mém. Ins. VII. 1778, 606.
flavicollis Ardea, J. Latham, Index Orn. 1790, 701.
flavicollis Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 156.—*Cryptocephalus*.
flavicollis Cicada, Linnaeus, Faun. Suec., ed. 2, 1761, 242.
flavicollis Cimex, D. Drury, Ill. Nat. Hist. II. 1773, index & 67.
flavicollis Cimex, J. C. Fabricius, Syst. Ent. 1775, 725.
flavicollis Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 18.
flavicollis *Cryptocephalus*, J. C. Fabricius, Spec. Ins. I. 1781, 140.
flavicollis *Cryptocephalus*, R. Townson, Trav. Hungary, 1797, 462.
flavicollis Erodium (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 171.—
flavicollis Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 926. [*Pimelia*].
flavicollis Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 98.
flavicollis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 178.—*Cimex*, 1775.
flavicollis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 959.
flavicollis Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 942.
flavicollis Necydalis, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 18.
flavicollis *Pimelia*, J. C. Fabricius, Ent. Syst. IV (2) 1796, 438.
flavicollis Ramphastos, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 83.
flavicollis Sylvia (Gm.), J. Latham, Index Orn. 1790, 519.—*Motacilla*.
flavicolle Termes, J. C. Fabricius, Ent. Syst. II. 1793, 91.
flavicorne *Acrydium* (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 219.—*Gryllus*.
flavicornis Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2793.
flavicornis Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 276.
flavicornis Bostrichus, J. C. Fabricius, Gen. Ins. 1777, 211.
flavicornis Bruchus, J. C. Fabricius, Ent. Syst. I (2) 1792, 374.
flavicornis Carabus, J. C. Fabricius, Mant. I. 1787, 199.
flavicornis Cassida, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 393.
flavicornis Chrysomela, J. C. Fabricius, Mant. I. 1787, 73.
flavicornis Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 124.
flavicornis Crioceris (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. VI. 1798, 114.—*Galleruca*.
flavicornis Elater, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 6.
flavicornis Formica, J. C. Fabricius, Suppl. Ent. Syst. 1798, 280.
flavicornis Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 13.—*Chrysomela*, 1787.
flavicornis Gryllus, J. C. Fabricius, Mant. I. 1787, 237.
flavicornis Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 40.
flavicornis Hister, C. P. Thunberg, Ins. Suecica (5) 1794, 64.

- flavicornis** Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2874.—
- flavicornis** Myrmeleon, P. Rossi, Fauna Etrus. II. 1790, 16. [Syrphus.]
- flavicornis** Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 617.—Phalaena.
- flavicornis** Nomada, P. Rossi, Fauna Etrus. II. 1790, 112.
- flavicornis** Phalaena (Noct.), Linnaeus, Syst. Nat., ed. 10, 1758, 518: ed. 12, 1767, 856.
- flavicornis** Phryganea, J. C. Fabricius, Mant. I. 1787, 245.
- flavicornis** Phryganea, C. de Villers, Linn. Ent. III. 1789, 27.
- flavicornis** Ramphus, J. R. Schellenberg, Helvet. Entom. I. 1798, 104.
- flavicornis** Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 4.—Bostrichus.
- flavicornis** Sirex, J. C. Fabricius, Spec. Ins. I. 1781, 418.
- flavicornis** Sphex, J. C. Fabricius, Spec. Ins. I. 1781, 450.
- flavicornis** Sphex, C. de Villers, Linn. Ent. III. 1789, 254.
- flavicornis** Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2036.
- flavicornis** Syrphus, J. C. Fabricius, Spec. Ins. II. 1781, 431.
- flavicornis** Tenthredo, J. C. Fabricius, Spec. Ins. I. 1781, 410.
- flavicornis** Zygaena, J. C. Fabricius, Mant. II. 1787, 104.
- flavida** Cythere, O. F. Müller, Entom. 1785, 66.
- flavidus** Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3001.—
- flavidus** Scarabaeus, P. Rossi, Mant. Ins. II. 1794, 79. [Cythere.]
- flavida** Sphinx, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 33.
- flavida** Tenthredo, J. L. Christ, Nat. Ins. 1791, 451.
- flavifemoratum** Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 125.
- flavifrons** Aeshna, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 189.
- flavifrons** Apis, J. C. Fabricius, Syst. Ent. 1775, 383.
- flavifrons** Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
- flavifrons** Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1713.
- flavifrons** Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 65.
- flavifrons** Emberiza, A. Sparrman, Mus. Carls. IV. 1789, no. xcii.
- flavifrons** Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 363.
- flavifrons** Ichneumon, J. D. Preyßler in Mayer, Samm. Phys. Aufsätze. III. 1793, 232.
- flavifrons** Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 976.
- flavifrons** Musca, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 22.
- flavifrons** Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 944.
- flavifrons** Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 237.
- flavifrons** Scolia, J. C. Fabricius, Syst. Ent. 1775, 355.
- flavifrons** Silpha, J. C. Fuessly, Schweiz. Ins. 1775, 6.
- flavifrons** Sphex, J. A. Scopoli, Del. Insub. II. 1786, 63.
- flavifrons** Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 267.—Scolia.
- flavifrons** Sylvia (Gm.), J. Latham, Index Orn. 1790, 527.—Motacilla.
- flavifrons** Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 489.
- flavifrontella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 143.
- flavifrontella** Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 87.
- flavigaster** Corvus, *id. ac flavus*, Gm., J. Latham, Index Orn. 1790, 162.
- flavigaster** Todus, J. Latham, Index Orn. 1790, 268.
- flavigula** Alata, F. C. Meuschen, Mus. Gever. 1787, 338.
- flavigulus** Angarius, F. C. Meuschen, Mus. Gever. 1787, 258.
- flavigula** Mustela, P. Boddaert, Elench. 1785, 88.
- flavilabris** Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 59.
- flavilabris** Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 262.—Cryptocephalus.
- flavilabris** Coccinella, G. Paykull, K. Vet. Ac. Nya Handl. XIX. 1798, 148.
- flavilabris** Cryptocephalus, J. C. Fabricius, Mant. I. 1787, 84.
- flavilabris** Hylaeus, J. C. Fabricius, Ent. Syst. II. 1793, 304.
- flavilater** Hemerobius, A. F. de Fourcroy, Ent. Paris. 1785, 359.
- flavilatera** Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 548; ed. 12, 1767, 909.
- flavimana** Saperda, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 15.
- flavipeda** Crioceris (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 48.—Erotylus
- flavipennis** Forficula, J. C. Fabricius, Ent. Syst. II. 1793, 5. [flavipes.]
- flavipennis** Libellula, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 57.

- flavipennis** Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 201.
flavipes Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 68.
flavipes Acheta, J. C. Fabricius, Ent. Syst. II. 1793, 30.
flavipes Andrena (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 138.—*Apis*.
flavipes Andrena, G. W. F. Panzer, Ins. Germ. heft 64 [1798], tab. 20.
flavipes Anobium, J. C. Fabricius, Gen. Ins. 1777, 212.
flavipes Apion (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 106.—*Attelabus*.
flavipes *Apis*, J. C. Fuessly, Schweiz. Ins. 1775, 51.
flavipes *Apis*, J. C. Fabricius, Mant. I. 1787, 305.
flavipes *Apis*, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 17.
flavipes *Asilus*, Scopoli, Ent. Carn. 1763, 366.
flavipes *Asilus*, C. de Villers, Linn. Ent. III. 1789, 604.
flavipes *Attelabus* (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 282.—*Curculio*.
flavipes *Bibio*, J. C. Fabricius, Ent. Syst. IV. 1794, 254.
flavipes *Bostriehus*, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 9.
flavipes *Buprestis*, A. F. de Fourcroy, Ent. Paris. 1785, 43.
flavipes *Calolymus* (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791, 123.—
flavipes *Cantharis*, J. C. Fabricius, Spec. Ins. I. 1781, 259. [Lymexylon].
flavipes *Cantharis* (Fab.), C. de Villers, Linn. Ent. IV. 1789, 323.—*Malachius*.
flavipes *Cantharis*, C. de Villers, Linn. Ent. IV. 1789, 325.
flavipes *Carabus* (Fourc.), C. de Villers, Linn. Ent. I. 1789, 375.—*Buprestis*.
flavipes *Carabus*, G. Paykull, Mon. Carab. 1790, 37.
flavipes *Carthia*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 472.
flavipes *Chalcis*, J. C. Fabricius, Ent. Syst. II. 1793, 197.
flavipes *Chrysomela*, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 61.
flavipes *Chrysomela* (Fab.), C. de Villers, Linn. Ent. I. 1789, 157.—*Cryptocephalus*.
flavipes *Chrysomela*, Linnaeus, Syst. Nat., ed. 12, 1767, 601.
flavipes *Cicada*, J. C. Fabricius, Mant. II. 1787, 270.
flavipes *Cicindela*, Linnaeus, Faun. Suec., ed. 2, 1761, 211.
flavipes *Cimex*, Scopoli, Ent. Carn. 1763, 134.
flavipes *Cimex*, J. C. Fabricius, Syst. Ent. 1775, 700.
flavipes *Cimex*, C. de Villers, Linn. Ent. I. 1789, 483.
flavipes *Cistela*, J. C. Fabricius, Ent. Syst. I (2) 1792, 45.
flavipes *Cistela*, A. G. Olivier, Entom. III. 1795, 13.
flavipes *Coccinella*, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 21.
flavipes *Coccinella* (Panz.), Illiger in Kugelann, Käfer Preuss. 1798, 413.—*Tritoma*.
flavipes *Coccinella*, C. P. Thunberg, Ins. Succica (9) 1795, 110.
flavipes *Conops*, Linnaeus, Syst. Nat., ed. 10, 1758, 604; ed. 12, 1767, 1005.
flavipes *Copris* (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 177.—*Scarabaeus*.
flavipes *Crabro*, J. C. Fabricius, Mant. Ins. I. 1787, 295.
flavipes *Crioceris* (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 85.—*Chrysomela*.
flavipes *Cryptocephalus*, J. C. Fabricius, Spec. Ins. I. 1781, 146.
flavipes *Cucuius*, J. C. Fabricius, Reise Norwegen, 1779, 54.
flavipes *Curculio*, J. C. Fabricius, Syst. Ent. 1775, 133.
flavipes *Curculio*, C. de Geer, Mém. Ins. V. 1775, 245.
flavipes *Curculio*, G. W. F. Panzer, Deutsch. Ins. [1795], 329.
flavipes *Dasytes* (Fab.), G. Paykull, Faun. Suec. II. 1799, 158.—*Lagria*.
flavipes *Diptolepis*, A. F. de Fourcroy, Ent. Paris. 1785, 393.
flavipes *Donacia*, [D. H. Schneider], Nom. Ent. 1785, 16 [*n. n.*].
flavipes *Dytiscus*, A. G. Olivier, Entom. III. 1795, 38.
flavipes *Elaphrus* (L.), J. C. Fabricius, Syst. Ent. 1775, 227.—*Cicindela*.
flavipes *Elater*, C. de Geer, Mém. Ins. IV. 1774, 163.
flavipes *Elater*, J. C. Fabricius, Syst. Ent. 1775, 213.
flavipes *Elater*, O. F. Müller, Z. Dan. Prod. 1776, 61.
flavipes *Elophorus*, J. C. Fabricius, Ent. Syst. I (1) 1792, 205.
flavipes *Empis*, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 26.
flavipes *Empis*, C. de Villers, Linn. Ent. III. 1789, 572.
flavipes *Empis*, J. C. Fabricius, Ent. Syst. IV. 1794, 406.

- flavipes** Erotylus, J. C. Fabricius, Spec. Ins. I. 1781, 159.
flavipes Forficula, J. C. Fabricius, Ent. Syst. II. 1793, 2.
flavipes Formica, A. F. de Fourcroy, Ent. Paris. 1785, 452.
flavipes Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 702.
flavipes Gallinula (Gm.), J. Latham, Index Orn. 1790, 773.—Fulica.
flavipes Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2088.
flavipes Helops, J. C. Fabricius, Ent. Syst. I (1) 1792, 122.
flavipes Hylaeus, J. C. Fabricius, Ent. Syst. II. 1793, 305.—Apis, 1787.
flavipes Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 427.
flavipes Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2687.
flavipes Lagria, J. C. Fabricius, Spec. Ins. II. 1781, 498.
flavipes Lema (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 93.—Chrysomela.
flavipes Lymexylon, J. C. Fabricius, Mant. I. 1787, 165.
flavipes Malachus, J. C. Fabricius, Mant. I. 1787, 169.
flavipes Melyris, A. G. Olivier, Entom. II. 1790, 12.
flavipes Mordella, A. F. de Fourcroy, Ent. Paris. 1785, 162.
flavipes Musca (De G.), C. de Villers, Linn. Ent. III. 1789, 419.—Nemotelus.
flavipes Necydalis, J. C. Fabricius, Ent. Syst. I (2) 1792, 355.
flavipes Nemotelus, C. de Geer, Mém. Ins. VI. 1776, 185.
flavipes Notoxus, Kugelann in G. W. F. Panzer, Ins. Germ. heft 38 [1796], tab. 22.
flavipes Onitis (Fab.), J. Sturm, Verz. Ins. Samml. 1800, 71.—Scarabaeus.
flavipes Oxyporus (L.), J. C. Fabricius, Syst. Ent. 1775, 268.—Staphylinus.
flavipes Pederus, F. v. P. Schrank, F. Boica, I. 1798, 652.
flavipes Perla, A. F. de Fourcroy, Ent. Paris. 1785, 349.
flavipes Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 305.
flavipes Philanthus, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 225.—Crabro.
flavipes Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 438. [1787.
flavipes Ptinus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1605.—Anobium.
flavipes Rhagio, J. C. Fabricius, Spec. Ins. II. 1781, 420.
flavipes Rhinomacer, O. F. Müller, Z. Dan. Prod. 1776, 90.
flavipes Scarabaeus, J. C. Fabricius, Spec. Ins. II. 1781, 495.
flavipes Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 659.
flavipes Sphaeridium, J. C. Fabricius, Ent. Syst. I (1) 1792, 81.
flavipes Sphex, J. C. Fabricius, Spec. Ins. I. 1781, 444.
flavipes Sphex, J. L. Christ, Nat. Ins. 1791, 303.
flavipes Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 423; ed. 12, 1767, 685.
flavipes Stratiomys, J. C. Fabricius, Suppl. Ent. Syst. 1798, 555.
flavipes Syrphus, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 10.
flavipes Telephorus (Fab.), A. G. Olivier, Entom. II. 1790, 10.—Cantharis.
flavipes Tenthredo, O. F. Müller, Z. Dan. Prod. 1776, 150.
flavipes Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 71.
flavipes Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 372.
flavipes Tiphia, J. C. Fabricius, Ent. Syst. II. 1793, 224.
flavipes Tipula, J. C. Fabricius, Mant. II. 1787, 323.
flavipes Tritoma, G. W. F. Panzer, Ins. Germ. heft 2, 1792, tab. 4.
flavipes Vespa, J. C. Fabricius, Syst. Ent. 1775, 369.
flavipes Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2762.—Crabro.
flavipes Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2766.
flavirostris Acanthia (L.), M. B. Borkhausen, Deutsch. Fauna, I. 1797, 262.—Fringilla.
flavirostris Charadrius, E. Pontoppidan, Danske Atlas, I. 1763, 625 [n. n.].
flavirostris Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 182; ed. 12, 1766, 322.
flavirostris Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 699.
flavirostris Gallinula (Gm.), J. Latham, Index Orn. 1790, 769.—Fulica.
flavissima Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 622; ed. 12, 1767, 1033.
flavissima Stratiomys, P. Rossi, Fauna Etrus. II. 1790, 280.
flavia Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 390.
flavia Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 89.—Phalaena.
flavia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 229.

- flavia* Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 171.
flaviventer Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 260.
flaviventer Rallus, P. Boddaert, Tab. Planch. Enl. 1783, 52.
flaviventris Cuculus, J. A. Scopoli, Del. Insub. II. 1786, 89.
flaviventris Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2703.
flaviventris Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 856.
flaviventris Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 74.
flaviventris Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
flavocaeruleus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 78.
flavocinctus Curculio, C. de Geer, Mém. Ins. V. 1775, 256.
flavofasciatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 489.
flavo-fasciata Buprestis, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 38.
flavofasciatus Cerambyx, G. A. Harrer, Besch. Schaeffer Icones, 1784, 205.
flavofasciata Phalaena, C. P. Thunberg, Ins. Suecica (4) 1792, 62.
flavofasciata Tenthredo, J. L. Christ, Nat. Ins. 1791, 450.
flavofasciata Tipula, C. de Geer, Mém. Ins. VI. 1776, 349.
flavofusca Anguis, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 136.
flavofusca Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 47.
flavogeniculatus Nematelus, C. de Geer, Mém. Ins. VI. 1776, 201.
flavoguttata Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 90. [Chrysomela.
flavoguttatus Cryptocephalus (Schr.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 51.—
flavoguttatus Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 623.
flavolineatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 497.
flavomaculata Bombyx, C. de Villers, Linn. Ent. IV. 1789, 448.
flavo-maculata Buprestis, J. C. Fabricius, Mant. I. 1787, 177.
flavomaculata Coccinella, C. de Geer, Mém. Ins. VII. 1778, 665.
flavomaculatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 182.
flavomaculata Nitidula, P. Rossi, Fauna Etrus. I. 1790, 58.
flavomaculatus Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 31.
flavomaculata Sphecx, C. de Geer, Mém. Ins. III. 1773, 588.
flavomaculata Tipula, C. de Geer, Mém. Ins. VI. 1776, 347.
flavomacula Bombyx, J. C. Fabricius, Mant. II. 1787, 119.
flavomarginatus Cimex, E. Donovan, Brit. Ins. VII. 1798, 79.
flavopectinicornis Elater, C. de Geer, Mém. Ins. IV. 1774, 153.
flavopterus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 166.
flavopunctata Buprestis, C. de Geer, Mém. Ins. IV. 1774, 129.
flavoquadrifasciatus Cimex, C. de Geer, Mém. Ins. III. 1773, 295.
flavo-rufa Apis, C. de Geer, Mém. Ins. VII. 1778, 605.
flavo-striata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 296.
flavostriata Cicada, E. Donovan, Brit. Ins. VIII. 1799, 88.
flavotrifasciata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 287.
flavovarius Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 178.
flavo-viridis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2135.
flavum Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 227.—Gryllus.
flava Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 800.
flava Amphisbaena, J. N. Laurenti, Syn. Rept. 1768, 67.
flava Aphrodita, P. S. Pallas, Misc. Zool. 1766, 97.
flavus Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 112.
flava Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 638.
flavus Asilus, Linnaeus, Faun. Suec., ed. 2, 1761, 469.
flava Bombyx, J. C. Fabricius, Syst. Ent. 1775, 574.
flavum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 281.
flavum Callidium, J. C. Fabricius, Syst. Ent. 1775, 191.
flavum Callitricoderma, J. X. Poli, Test. Sicil. II. 1795, 254 & 259; = Mytilus of p. 207.
flavus Campsiurus, H. F. Link, Beytr. Nat. I (2) 1795, 87.
flava Cantharis, Scopoli, Ent. Carn. 1763, 42.
flava Cantharis, A. F. de Fourcroy, Ent. Paris. 1785, 155.
flavus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1983.

- flavum** Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 680; ed. 12, 1767, 1123.
- flava** Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 363; ed. 12, 1767, 576. [Callidium.]
- flavus** Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1849.—
- flavum** Cerastoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—Cardium.
- flavus** Cerastopithecus, P. Boddaert, Elench. 1785, 59.
- flava** Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 438; ed. 12, 1767, 711.
- flava** Cicada, Linnaeus, Syst. Nat., ed. 12, 1767, 710.
- flava** Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2106.
- flava** Cicada, J. A. E. Goeze in de Geer, Gesch. Insekt. III. 1780, 144, no. 19.
- flava** Cicada, J. A. E. Goeze in de Geer, Gesch. Insekt. III. 1780, 146, no. 21.
- flava** Coluber, F. C. Meuschen, Mus. Gronov. 1778, 18.
- flava** Conops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2895.
- flavus** Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 373.
- flavus** Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 421.
- flavus** Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 376.
- flavus** Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1958.
- flava** Empis, O. F. Müller, F. Ins. Frid. 1764, 87.
- flava** Ephemera, F. v. P. Schrank, Beitr. Nat. 1776, 82.
- flava** Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 38.—Motacilla.
- flava** Formica, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 75.
- flavum** Fragum, J. F. Bolten, Mus. Bolten. (2) 1798, 189.
- flava** Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 164.
- flava** Galeruca, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 586.
- flavus** Gryllus, J. A. Scopoli, Del. Insub. I. 1786, 63.
- flavus** Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 433; ed. 12, 1767, 702.
- flavus** Hemerobius, Scopoli, Ent. Carn. 1763, 270.
- flavus** Hemerobius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2642.
- flavus** Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 341.
- flavus** Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 347.—Oriolus.
- flavus** Labrus, J. R. Forster, Cat. Anim. N. Amer. 1771, 21 [n. n.].
- flavus** Lemur, J. C. D. Schreber, Säugth. I., pl. xlii (1774) & index.
- flavus** Limax, Linnaeus, Syst. Nat., ed. 10, 1758, 652; ed. 12, 1767, 1082.
- flavus** Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 108.
- flava** Mordella, Linnaeus, Syst. Nat., ed. 10, 1758, 420; ed. 12, 1767, 682.
- flava** Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 185; ed. 12, 1766, 331.
- flava** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 600; ed. 12, 1767, 997.
- flava** Musca, A. F. de Fourcroy, Ent. Paris. 1785, 499.
- flavus** Mytilus, J. X. Poli, Test. Sicil. II. 1795, 207.
- flava** Nereis, O. Fabricius, F. Groen. 1780, 299.
- flava** Nerita, F. C. Meuschen, Mus. Gever. 1787, 268.
- flava** Noctua, J. C. Fabricius, Syst. Ent. 1775, 601.
- flava** Nomada, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 21.
- flavus** Notoxus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 45.
- flavus** Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 237.—Ichneumon. 1775.
- flavus** Oriolus, T. Pennant in Forster, Ind. Zool. 1781, 40 [n. n.].
- flavus** Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 389.
- flava** Papilio, E. Pontoppidan, Danske Atlas, I. 1763, 685.
- flava** Perla, A. F. de Fourcroy, Ent. Paris. 1785, 349.
- flava** Phalaena (Noctua), O. F. Müller, F. Ins. Frid. 1764, 46.
- flava** Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 549; ed. 12, 1767, 910.
- flavus** Picus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 91.
- flavus** Ramphastos, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 84.
- flavus** Scirurus, Linnaeus, Syst. Nat., ed. 10, 1758, 64; ed. 12, 1766, 86.
- flava** Scolopendra, C. de Geer, Mém. Ins. VII. 1778, 561.
- flava** Simia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 187.
- flava** Sphex, J. C. Fabricius, Syst. Ent. 1775, 352.
- flavus** Spondylus, J. Barbut, Gen. Verm. II. 1788, 44.
- flavus** Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2027.

- flava* Talpa, E. A. W. Zimmermann, Spec. Zool. 1777, 496.
flava Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 896.
flavus Telephorus, C. de Geer, Mém. Ins. IV. 1774, 70.
flavus Tenebrio, Scopoli, Ent. Carn. 1763, 84.
flava Tenthredo, Linnaeus, Faun. Suec., ed. 2, 1761, 395.
flava Tenthredo, N. Podá, Ins. Mus. Graec. 1761, 103.
flava Terebella (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3114.—
flava Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth. [Aphrodita].
flava Thrips, F. v. P. Schrank, Ins. Aust. 1781, 297.
flavus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 830.
flava Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3436.
flava Zonitis, J. C. Fabricius, Syst. Ent. 1775, 127.
flegia Papilio, J. C. Fabricius, Mant. II. 1787, 51.
flegia [Phalaena], P. Cramer, Utl. Kapellen, II (12) 1777, 66.
flegyas [Papilio], P. Cramer, Utl. Kapellen, III (24) 1780, 158.
flesoides Pleuronectes, E. Pontoppidan, Kurz. Nachr. N.-H. Dännemark, 1765, 188.
flesoides Pleuronectes, J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 113.
flesus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 338.
flesus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 135.
flesus Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 270; ed. 12, 1766, 457.
flexilinea Sciaena, J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 320.
flexilis Carabus, O. F. Müller, Z. Dan. Prod. 1776, 78.
flexilis Sabella, L. T. Gronovius, Zooph. III. 1781, 352.
flexilis Scarabaens, J. R. Forster, N. Sp. Ins. 1771, 4.
flexilis Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 975.
flexuata Phalaena (Geometra), O. F. Müller, Z. Dan. Prod. 1776, 129.
flexularia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 19 [*n. et f.*].
flexularia Geometra, J. Hübner, Europ. Schmett. 5 Horde [me judice 1800], 19.—*flexula*,
flexula Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 64. [D. & S.]
flexula Geometra (D. & S.), C. de Villers, Linn. Ent. IV. 1789, 502.—Phalaena.
flexula Phalaena Bombyx, J. Hübner, Beitr. Schmett. I (1) 1786, 32.
flexuosa Altica, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 601.
flexuosa Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3349.
flexuosum Callidium, J. C. Fabricius, Syst. Ent. 1775, 191.
flexuosus Cancer, O. F. Müller, Z. Dan. Prod. 1776, 196.
flexuosus Carabus, J. C. Fabricius, Syst. Ent. 1775, 246.
flexuosum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3255.
flexuosus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1852.—
flexuosa Cicindela, J. C. Fabricius, Mant. I. 1787, 186. [Callidium].
flexuosa Coccinella, J. C. Fabricius, Gen. Ins. 1777, 217.
flexuosa Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 17.
flexuosum Cymatium, J. F. Bolten, Mus. Bolten. (2) 1798, 129.
flexuosus Elater, A. G. Olivier, Entom. II. 1790, 53.
flexuosa Forficula, J. C. Fabricius, Syst. Ent. 1775, 269.
flexuosus Hallominus, G. Paykull, Faun. Suec. II. 1799, 182.
flexuosa Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 796; ed. 12, 1767, 1278.
flexuosa Membracis, J. C. Fabricius, Ent. Syst. IV. 1794, 12.
flexuosus Nitidula, A. G. Olivier, Entom. II. 1790, 7.
flexuosa Nitidula, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 246.
flexuosa Ostrea, J. X. Poli, Test. Sicil. II. 1795, 161.
flexuosa Planaria, O. F. Müller, Z. Dan. Prod. 1776, 282.
flexuosus Scolytus, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 221.—Carabus,
flexuosa Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 814. [1775.]
flexuosa Venus, Linnaeus, Syst. Nat., ed. 12, 1767, 1131.
flexa Coccinella, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 33.
flina Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 61.
flinus Hepialus (D. & S.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 75.—Bombyx.
flina Noctua (D. & S.), E. J. C. Esper, Die Schmett. IV (31) 1787, 35.—Bombyx.

- flina** Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 157.—
- flippantha** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 202. [Bombyx.]
- flirtea** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 90.
- floccida** Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (45) 1791, 332.
- floccosa** Cellaria (Pall.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 447.—Cellularia.
- floccosa** Cellularia, P. S. Pallas, Elench. 1766, 70.
- floccosus** Coccus, C. de Geer, Mém. Ins. VII. 1778, 604.
- floccosa** [Phalaena], C. Clerck, Icones, I. 1759, pl. v, 1.
- floccosa** Sertularia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3860.—
- floccosa** Spongia, G. Vio in G. Olivi, Zool. Adriat. 1792, xxvii. [Cellularia.]
- floccus** Trichoda, O. F. Müller, An. Infus. 1786, 174.
- flora** [Papilio], P. Cramer, Utitl. Kapellen, III (22) 1779, 112.
- floralia** Calandra, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 19.
- floralis** Anthicus (L.), G. Paykull, Faun. Suec. I. 1798, 256.—Meloe.
- floralis** Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2785.
- florale** Callidium (Pall.), J. C. Fabricius, Spec. Ins. I. 1781, 241.—Cerambyx.
- floralis** Cerambyx, P. S. Pallas, Reise Russ. II. 1773, 724.
- floralis** Cetonia, J. C. Fabricius, Mant. I. 1787, 31.
- floralis** Cimex, J. C. Fabricius, Mant. II. 1787, 303.
- floralis** Clytra, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 37.
- floralis** Crabro, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 517.
- floralis** Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1731.—
- floralis** Curculio, G. Paykull, Mon. Curc. 1792, 77. [Meloe.]
- floralis** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 408.
- floralis** Curculio, = floriger, Fourc., A. G. Olivier, Ency. Méth. V (Ins.) 1790, 497.
- floralis** Lagria (L.), J. C. Fabricius, Syst. Ent. 1775, 126.—Meloe.
- floralis** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 171.
- floralis** Meloe, Linnaeus, Syst. Nat., ed. 10, 1758, 420; ed. 12, 1767, 681.
- floralis** Meloe, J. C. Fuessly, Schweiz. Ins. 1775, 20.
- floralis** Meloe, P. S. Pallas, Icon. Ins. 1782, 82.
- floralis** Melolontha, A. G. Olivier, Entom. I. 1789, 70.
- floralis** Melyris, A. G. Olivier, Entom. II. 1790, 11.
- floralis** Nitidula, J. C. Fabricius, Ent. Syst. I (1) 1792, 260.
- floralis** Notoxus (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 45.—Meloe.
- floralis** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV. (32) 1782, 191.
- floralis** Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1577.—
- floralis** Staphylinus, G. Paykull, Mon. Staph. 1789, 67. [Cetonia.]
- floralis** Syrphus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 563.
- florella** Papilio, J. C. Fabricius, Syst. Ent. 1775, 479.
- florella** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 114.
- florentina** Apis, J. C. Fabricius, Syst. Ent. 1775, 384.
- florentina** Aranea, P. Rossi, Fauna Etrus. II. 1790, 133.
- florentina** Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 210.
- florentinus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 59.
- florentina** Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797-1800], 422.
- florescentiae** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 601; ed. 12, 1767, 999.
- florestan** [Sphinx], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 216.
- florea** Andrena, J. C. Fabricius, Ent. Syst. II. 1793, 308.
- florea** Apis, J. C. Fabricius, Mant. I. 1787, 305.
- florea** Bibio, J. C. Fabricius, Ent. Syst. IV. 1794, 255.
- florea** Conops (Linn.), Scopoli, Ent. Carn. 1763, 354.—Musca.
- florea** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 591; ed. 12, 1767, 984.
- floreus** Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 99.
- floreus** Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 764.—Musca.
- florea** Volucella, J. C. Fabricius, Ent. Syst. IV. 1794, 412.
- floribunda** Spongia, P. S. Pallas, Elench. 1766, 378.
- floribunda** Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 137.
- floricola** Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 219.

- floricola** Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 86.
- floricola** Melolontha, J. N. Laicharting, Tyrol. Ins. I. 1781, 41.
- floricola** Melolontha, J. C. Fabricius, Mant. I. 1787, 22.
- floricola** Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1559.—
- floridana** Certhia, B. S. Barton, Frag. N. H. Pennsylv. 1799, 20. [Melolontha.]
- floridanus** Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 719.
- floridum** Callistoderma, J. X. Poli, Test. Sicil. II. 1795, 252 & 258; = Venus, p. 97.
- floridus** Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1041.
- floridus** Cancer (ex Rumph), P. L. S. Müller, Del. Nat. II. 1767, 139.
- florida** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3330.
- floriger** Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 123.
- florigerus** Anthrenus, A. F. de Fourcroy, Ent. Paris. 1785, 27.
- florigerus** Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 12.
- florigera** Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 588; ed. 12, 1767, 976.
- florimel** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 215.
- florisequa** Vespa, J. L. Christ, Nat. Ins. 1791, 244; *varr.* maior *et* minor.
- florisomnis** Andrena (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 138.—Apis.
- florisomnis** Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 577; ed. 12, 1767, 954.
- florisomnis** Hylaeus (L.), J. C. Fabricius, Ent. Syst. II. 1793, 304.—Apis.
- florus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 310.
- florum** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 352.
- florus** Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
- florum** Termes, Scopoli, Ent. Carn. 1763, 381.
- florus** Astroites, J. E. I. Walch, Naturforscher, V. 1775, 60.
- Floscularia** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 9 [n. n.].—Inf.
- flosculosa** Vorticella, O. F. Müller, Verm. I (1) 1773, 113.
- flucticulus** Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 374.
- fluctifer** Conus, F. C. Meuschen, Mus. Gever. 1787, 350.
- fluctifer** Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 372.
- fluctifera** Nerita, F. C. Meuschen, Mus. Gever. 1787, 266.
- fluctualis** Phalaena, J. C. Fabricius, Mant. II. 1787, 222.
- fluctuans** Ichneumon, J. L. Christ, Nat. Ins. 1791, 365.
- fluctuans** Libellula, J. C. Fabricius, Ent. Syst. II. 1793, 379.
- fluctuans** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 293.
- fluctuata** Geometra, C. C. Jung, Alph. Verz. Schmett. I. 1791, 228. [et f.]
- fluctuata** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 249 [n.]
- fluctuata** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 527; ed. 12, 1767,
- fluctuosa** Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 24. [871.]
- fluctuosus** Strombus, F. C. Meuschen, Mus. Gever. 1787, 294.
- fluida** Leucophaea, O. F. Müller, Zool. Dan. II. 1784, 97.
- fluidana** Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 318.
- fluitans** Cyclidium, O. F. Müller, An. Infus. 1786, 80.
- fluminalis** Tellina, O. F. Müller, Verm. II. 1774, 205.
- flumineum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3503.
- fluminea** Tellina, O. F. Müller, Verm. II. 1774, 206.
- flumineus** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3587.
- Flustra** Linnaeus, Faun. Suec., ed. 2, 1761, 539.—Pol.
- fluviatilis** Acarus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 361.
- fluviatile** Alcyonium, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 24.
- fluviatilis** Ancyclus, O. F. Müller, Verm. II. 1774, 201.
- fluviatilis** Anguillula, O. F. Müller, An. Infus. 1786, 65.
- fluviatilis** Aspredo, F. C. Meuschen, Mus. Gronov. 1778, 34.
- fluviatilis** Astacus, J. C. Fabricius, Syst. Ent. 1775, 413.
- fluviatile** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3504.
- fluviatilis** Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 183.
- fluviatile** Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3255.
- fluviatilis** Colymbus, J. C. Schaeffer, Mus. Orn. 1789, 60.
- fluviatilis** Homarus, F. Weber, Nomen. Fabricii, 1795, 94.—Astacus.

- fluviatilis Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3562.
 fluviatilis Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3359.
 fluviatilis Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 777; ed. 12, 1767, 1253.
 fluviatilis Patella, E. M. da Costa, Brit. Conch. 1778, 1.
 fluviatilis Patella, F. C. Meuschen, Mus. Gever. 1787, 246.
 fluviatilis Patella (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3711.—
 fluviatilis Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 289; ed. 12, 1766, 481. [Ancyclus.
 fluviatilis Petromyzon, Linnaeus, Syst. Nat., ed. 10, 1758, 230; ed. 12, 1766, 394.
 fluviatilis Spongia, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348; ed. 12, 1767, 1299.
 fluviatilis Tellina, O. F. Müller, Verm. II. 1774, 206.
 fluviatilis Vibrio, O. F. Müller, Naturforscher. XIX. 1783, 161.
 fluviata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 280 [*u. et*
 fluviurum Gerris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 543. [*f.*].
 fluxa Leucophaea, O. F. Müller, Zool. Dan. II. 1784, 99.
 flyas [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 78.
 focko Simia, H. F. Link, Beytr. Nat. I (2) 1795, 59.
 focorum Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 314.
 focula [Phalaena], C. Stoll in Cramer, Utitl. Kapellen. IV (32) 1782, 187.
 fodiens Apis, A. F. de Fourcroy, Ent. Paris. 1785, 444.
 fodiens Sorex, Pallas in Schreber, Säugth. III. 571 (1777) & pl. clxi. (1777).
 fodiens Sorex, *v. albus*, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 723.
 fodinarum Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2032.
 foederata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*u. u.*].
 foemina *v. femina*.
 foenella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 536; ed. 12, 1767, 888.
 foenella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 659.—Phalaena.
 foenicola Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [*u. u.*].
 foeniculacea Antipathes, P. S. Pallas, Elench. 1766, 207.
 Foenus J. C. Fabricius, Suppl. Ent. Syst. 1798, 210.—Hym.
 foetens Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 31.—Scarabaeus.
 foetens Aphodius, C. Creutzer, Ent. Vers. 1799, 46.
 foetens Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 148.—Scarabaeus.
 foetens Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 503.
 foetens Formica, J. C. Fabricius, Ent. Syst. II. 1793, 354.
 foetens Salmo, Linnaeus, Syst. Nat., ed. 12, 1766, 513.
 foetens Scarabaeus, J. C. Fabricius, Mant. I. 1787, 8.
 foetens Viverra, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 111.
 foetidus Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 30.—Scarabaeus.
 foetidus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 71.
 foetida Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 582; ed. 12, 1767, 965.
 foetida Gracula, Linnaeus, Syst. Nat., ed. 10, 1758, 108; ed. 12, 1766, 164.
 foetida Phoca, O. Fabricius in O. F. Müller, Z. Dan. Prod. 1776, viii.; *v. et*. Skriv.
 Nat. Selsk. I (2) 1791, 74.
 foetidus Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 7.
 foetidus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 40.
 foeta Trichoda, O. F. Müller, An. Infus. 1786, 180.
 fogna Mustela, *err. pro* foina? E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 302.
 foina Mustela, J. C. D. Schreber, Säugth. III. 472 (1777) pl. cxxix. (1776).
 foina alba Mustela, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 689.
 foliacea Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 229.
 foliaceous Binoculus, A. F. de Fourcroy, Ent. Paris. 1785, 539.
 foliacea Chama, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3304.
 foliaceous Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 381.
 foliacea Eschara, Linnaeus, Syst. Nat., ed. 10, 1758, 804.
 foliacea Flustra, Linnaeus, Faun. Suec. ed. 2, 1761, 539.—[*v.* Eschara.]
 foliaceous Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2057.
 foliacea Lepas, L. Spengler, Skr. nat. Selsk. [Copen.] I (1) 1790, 173.
 foliacea Madrepora, F. C. Meuschen, Mus. Gever. 1787, 498.

- foliacea Millepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 133.
 foliaceus Monoculus, Linnaeus, Syst. Nat., ed. 10, 1758, 634.
 foliacea Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116.
 foliacea Pinctada, J. F. Bolten, Mus. Bolten. (2) 1798, 167.
 foliaceus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 156.
 foliacea Spongia, E. J. C. Esper, Pflanzenth., Forts. I (8) 1797, 201.
 foliacea Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 675; ed. 12, 1767, 1117
 foliaceus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3602.
 foliascens Spongia, P. S. Pallas, Elench. 1766, 395.
 foliator Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 239.
 foliata Aranea, A. F. de Fourcroy, Ent. Paris. 1785, 533.
 foliata Arca, P. Forskal, Descr. Anim. 1775, xxxi.
 foliata Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 435; ed. 12, 1767, 705.
 foliatus Cuneus, E. M. da Costa, Brit. Conch. 1778, 204.
 foliata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [n. n.].
 foliata Membracis (L.), J. C. Fabricius, Syst. Ent. 1775, 675.—Cicada.
 foliatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3529.
 foliata Ostrea, F. C. Meuschen, Mus. Gever. 1787, 422.
 foliata Purpura, T. Martyn, Univ. Conch. II [1788], fig. 66.
 foliata Purpura (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 143.—Murex.
 foliincolarum Cynipsichneumon, J. L. Christ, Nat. Ins. 1791, 380.
 folii quercus Coccus, J. H. Sulzer, Gesch. Ins. 1776, 112.
 foliopeda Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 638.
 foliorum Acarus, F. v. P. Schrank, Ins. Aust. 1781, 521.
 foliorum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3493.
 foliorum Curculio, O. F. Müller, F. Ins. Frid. 1764, 10.
 foliorum Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 388.
 foliosa Madrepora, P. S. Pallas, Elench. 1766, 333.
 folium Aranea, J. D. Preyßler in Mayer, Samm. Phys. Aufsätze, I. 1791, 124.
 folium Fulgora, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2092.
 folium Lopho (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 169.—Ostrea.
 folium Membracis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 668.
 folium Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 699; ed. 12, 1767, 1148.
 folium quercus Spongia, F. C. Meuschen, Mus. Gever. 1787, 532.
 folliculata Vorticella, O. F. Müller, An. Infus. 1786, 285.
 folliculus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 40 [n. n.].
 folliculus Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3654.
 folus [Papilio], P. Cramer, Utit. Kapellen, I (7) 1775, 118.
 fomentator Ichneumon, Linnaeus, Syst. Nat., ed. 12, 1767, 936.
 fontana Helix, J. Lightfoot, Phil. Trans. LXXVI (1) 1786, 165.
 fontinalis Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 306.—Bulla.
 fontinalis Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 727; ed. 12, 1767, 1185.
 fontinalis Turbo, R. Pulteney, Cat. Birds &c. Dorset, 1799, 45.
 fontis-bellaquaei Omalisus, A. F. de Fourcroy, Ent. Paris. 1785, 64.
 foraminosa Millepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 138.
 Forbicina E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 611.—Orth.
 Forbicina P. A. Latreille, Préc. Car. Ins. 1796, 174.—Thy.
 forceps Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 449.
 forceps Portunus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
 forceps Trichoda, O. F. Müller, An. Infus. 1786, 188.
 forcicatus Ichneumon, C. de Villers, Linn. Ent. III. 1789, 203.
 forcipatus Acarus, O. F. Müller, Z. Dan. Prod. 1776, 188.
 forcipata Aeshna (L.), J. C. Fabricius, Syst. Ent. 1775, 424.—Libellula.
 forcipatus Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 606; ed. 12, 1767, 1008.
 forcipatus Balistes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1472.
 forcipata Cercaria, O. F. Müller, An. Infus. 1786, 134.
 forcipata Empis, Linnaeus, Faun. Suec., ed. 2, 1761, 466.
 forcipatus Erax (Linn.), Scopoli, Ent. Carn. 1763, 359.—Asilus.

- forcipata** Hirtea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 553.—Tipula.
forcipata Holothuria, O. Fabricius, F. Groen. 1780, 357.
forcipata Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 545; ed. 12, 1767, 903.
forcipata Tipula, J. C. Fabricius, Syst. Ent. 1775, 755.
forcipula Noctua, [Denis & Schiffermüller], Schmelt. Wien, 1775, 78.
forcipula [Papilio], C. Stoll in Cramer, Utl. Kapellen, IV (33) 1782, 210.
forfex Trichoda, O. F. Müller, An. Infus. 1786, 189.
forficalis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 301.
forficalis Phalaena (Pyralis), Linnaeus, Syst. Nat., ed. 10, 1758, 533; ed. 12, 1767, 882.
forficalis Pyralis, [Denis & Schiffermüller], Schmelt. Wien, 1775, 122.
forficatus Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 467.—Phalaena forficalis.
forficatus Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 89.
forficata Formica, J. C. Fabricius, Mant. I. 1787, 310.
forficata Fringilla, G. Shaw in Miller, Cim. Phys. 1796, 93.
forficatus Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 134.
forficata Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 931.
forficatus Prionus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 141.
forficata Scolopendra, Linnaeus, Syst. Nat., ed. 10, 1758, 638; ed. 12, 1767, 1062.
forficatus Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 120; ed. 12, 1766, 190.
forficella Phalaena, Scopoli, Ent. Carn. 1763, 248.
forficella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 85.
Forficula Linnaeus, Syst. Nat., ed. 10, 1758, 423; ed. 12, 1767, 686.
foriorum Scarabeus, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 9.—foriorum in
Formica Linnaeus, Syst. Nat., ed. 10, 1758, 579; ed. 12, 1767, 962.—Hym. [text]
formicaeformis Sphinx, E. J. C. Esper, Die Schmelt. II (Fortsetz. Abendschm.) 1783. [1783].
Formicaleo E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 257.—Hym. [216].
formica-leo Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 550; [formicarium Myrmeleon, ed. 12].
formica-lynx Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 550; [Myrmeleon, ed.
formica-lyn[x] Myrmeleon, Linnaeus, Syst. Nat., ed. 12, 1767, 914. [12].
Formicarius Boddaert, Tabl. Planches Enlum. 1783, 43.—A.
formicaria Aranea (Phalangium), C. de Geer, Mém. Ins. VII. 1778, 293.
formicarius Attelabus, Linnaeus, Syst. Nat., ed. 10, 1758, 387; ed. 12, 1767, 620.
formicarius Attelabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 163.
formicarius Bostrichus (L.), F. v. P. Schrank, F. Boica, I. 1798, 431.—Attelabus.
formicarius Brentus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 174.
formicarius Clerus (L.), J. C. Fabricius, Syst. Ent. 1775, 157.—Attelabus.
formicarius Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 297.
formicarius Dermestes (L.), F. v. P. Schrank, Ins. Aust. 1781, 21.—Attelabus.
formicarius Ichneumon (L.), J. C. Fabricius, Syst. Ent. 1775, 345.—Mutilla.
formicarius Ichneumon Mutilla, L., J. L. Christ, Nat. Ins. 1791, 376.—Mutilla.
formicaria Lytta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2016.
formicaria Mutilla, Linnaeus, Syst. Nat., ed. 10, 1758, 583; ed. 12, 1767, 968.
formicaria Mutilla, J. C. Fabricius, Syst. Ent. 1775, 397.
formicaria Mutilla, P. A. Latreille, J. Nat. Hist. (Choix des Mém.), II. 1792, 99.
formicarium Myrmeleon, Linnaeus, Syst. Nat., ed. 12, 1767, 914.
formicarius Notoxus, A. G. Olivier, Entom. III. 1795, 4.
formicaria Sphex, J. L. Christ, Nat. Ins. 1791, 273.
formicarius Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 99.
formicaroides Attelabus, F. v. P. Schrank, Beitr. Nat. 1776, 65.
formicaroides Dermestes, F. v. P. Schrank, Ins. Aust. 1781, 20.
formicaroides Ichneumon, N. J. Brahm, Ins. Kal. I (2), 1791, 238.
formicarium Acarus, Scopoli, Ent. Carn. 1763, 390.
[formicinus Araneus, C. Clerck, Aran. Svec. 1757, 134.]
formicinus Araneus, T. Martyn, Aranei, 1793, 63.
formicivorus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 828.
formicoides Cantharis, A. F. de Fourcroy, Ent. Paris. 1785, 156.
formido Apis, M. Harris, Exp. Eng. Ins. 1776, 136.

- formosana** Phalaena, Scopoli, Ent. Carn. 1763, 237.
formosante [Phalaena], P. Cramer, Uitl. Kapellen, III (21) 1779, 92.
formosella Alucita (D. & S.), J. C. Fabricius, Mant. II. 1787, 257.—Tinea.
formosella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
formosella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 62.
formosissimalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 4 [2].
formosissimus Constrictor, J. N. Laurenti, Syn. Rept. 1768, 107.
formosa Alcedo, G. Shaw in Miller, Cim. Phys. 1796, 104.
formosa Anas, J. G. Georgi, Reise Russ. 1775, 168.
formosus Anthias (Linn.), M. E. Bloch, Nat. ausl. Fische, VI. 1792, 122.—Perca.
[formosus] Araneus, C. Clerck, Aran. Svec. 1757, 56.]
formosa Aranea, C. de Villers, Linn. Ent. IV. 1789, 130.
formosus Araneus, T. Martyn, Aranei, 1793, 26.
formosa Buprestis, R. Townson, Trav. Hungary, 1797, 466.
formosus Cerambix, A. G. Olivier, Entom. IV. 1795, 86.—Lamia, 1792.
formosus Curculio, Mayer, Abh. Privatges. Böhmen, IV. 1779, 183.
formosus Falco, J. Latham, Index Orn. 1790, 38.
formosa Fringilla, J. Latham, Index Orn. 1790, 441.
formosus Gyrinus, A. Modeer, Physiogr. Sölsk. Handl. I (3) 1776, 157.
formosus Hesperia (Cr.). J. C. Fabricius, Ent. Syst. III (1) 1793, 273.—Papilio.
formosa Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 463.
formosa Musca, Scopoli, Ent. Carn. 1763, 339.
formosus Musca, M. Harris, Exp. Eng. Ins. 1776, 107.
formosa Musca, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 21.
formosa Noctua, J. C. Fabricius, Mant. II. 1787, 150.
formosus [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 33.
formosa Perca, Linnaeus, Syst. Nat., ed. 12, 1766, 488.
formosa Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 362.
formosus Psittacus, J. A. Scopoli, Annus I. 1769, 30.
formosus Psittacus, J. Latham, Index Orn., 1790, 103.
formosus Sparus, G. Shaw, Nat. Misc. I. 1790, pl. 31.
fornator Lamia, J. C. Fabricius, Mant. I. 1787, 141; *err. pro* tornator, 1775.
fornicator Banchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 233.—Ichneumon, 1781.
fornicator Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 432.
fornicator Ichneumon, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 196.
fornicata Ancilla (L.), F. C. Meuschen, Mus. Gever. 1787, 248.—Patella.
fornicata Aranea, J. C. Fabricius, Syst. Ent. 1775, 435.
fornicatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3487.
fornicata Calappa, Fab., F. Weber, Nomen. Fabricii, 1795, 92.—Cancer, 1781.
fornicata Calappa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 345.
fornicatus Cancer, J. C. Fabricius, Spec. Ins. II. 1781, 502.
fornicata Cheilea (L.), A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 111.—Patella.
fornicata Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 436; ed. 12, 1767, 706.
fornicata Crepidula (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 78.—Patella.
fornicatus Dermestes, C. de Geer, Mém. Ins. IV. 1774, 216.
fornicatus Ichneumon, Linnaeus, Syst. Nat., ed. 12, 1767, 938.
fornicatus Murex (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3547.—
fornicata Ostrea, P. Forskal, Descr. Anim. 1775, 124. [Tritonium].
fornicata Parthenope, Fab., F. Weber, Nomen. Fabricii, 1795, 92.—Cancer, 1781.
fornicata Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 781; ed. 12, 1767, 1257.
fornicata Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 79.
fornicatus Ptomaphagus (De G.), Illiger in Kugelann, Käfer Preuss. 1798, 89.—Der-
fornicatus Reduvius, J. C. Fabricius, Ent. Syst. IV. 1794, 208. [mestes].
fornicatum Tritonium, O. Fabricius, F. Groen. 1780, 399.
forniculosa Eschara, P. S. Pallas, Elench. 1766, 47. [Eschara].
forniculosa Millepora (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3786.—
foriorum *v.* foriorum.
forskaleana [Phalaena], C. Clerck, Icones, I. 1759, pl. x, 4.

- forskaleana** Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 531; ed. 12, 1767,
forskähleana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 652.—Phalaena. [878.
forskaelii Aranea, Scopoli, Ent. Carn. 1763, 398.
forskahlII Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2150.
forskahlII Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 263.
forskoehlII Murex, J. F. Bolten, Mus. Bolten. (2) 1798, 145.
forskahlII Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3336.
forskohlII Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 82.
forsterana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 406.—Pyralis.
forsterana Pyralis, J. C. Fabricius, Spec. Ins. II. 1781, 279.
forsterella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 507.
forsterella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 509.
forsteri Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 368.
forsteri Cistela, J. C. Fuessly, Schweiz. Ins. 1775, 5.
forsteri Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1717.
forsteri Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1770.
forsteri Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 164.—Cimex, 1781.
forsteri Procellaria, J. Latham, Index Orn. 1790, 827.
fortificata Noctua, J. C. Fabricius, Mant. II. 1787, 149.
fortis Apis, M. Harris, Exp. Eng. Ins. 1776, 134.
fortunatus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 214.
Fortunus J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 24.—Cr.
fossa Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122.
fossa Viverra, J. C. D. Schreber, Säugth. III. 424 (1777), pl. cxiv (1776).
fossana Viverra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 32.
fossarum Cimex, J. C. Fabricius, Syst. Ent. 1775, 727.
fossarum Curculio, G. C. Reich, Mant. Ins. 1797, 9.
fossarum Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 188.—Cimex, 1775.
fossarum Hydrophilus, [D. H. Schneider], Nom. Ent. 1785, 20 [*n. n.*].
fossilis Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3308.
fossile Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3485.
fossilis Chama, J. F. Bolten, Mus. Bolten. (2), 1798, 196 [*n. n.*].
fossilis Cobitis, Linnaeus, Syst. Nat., ed. 10, 1758, 303; ed. 12, 1766, 500.
fossile Dentalium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3738.
fossilis Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3555.
fossilis Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116 [*n. n.*].
fossilis Placites, J. F. Blumenbach, Abb. nat. Gegen., no. 40, 1799.
fossilis Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 59.
fossilis Plotia, J. F. Bolten, Mus. Bolten. (2) 1798, 95 [*n. n.*].
fossilis Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 52 [*n. n.*].
fossilis Silurus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 46.
fossilis Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99 [*n. n.*].
fossilis Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
fossilis Vexillum, J. F. Bolten, Mus. Bolten. (2) 1798, 138 [*n. n.*].
fossilis Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3457.
fossor Acheta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 191.
fossor Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 19.—Scarabaeus.
fossor Athelabus (L.), C. de Geer, Mém. Ins. IV. 1774, 350.—Tenebrio.
fossor Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 144.—Scarabaeus.
fossor Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 348; ed. 12, 1767, 548.
fossor Scarites (L.), Illiger in Kugelann, Käfer Preuss. 1798, 111.—Tenebrio.
fossor Staphylinus, J. A. Scopoli, Annus V. 1772, 109.
fossor Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 523.
fossor Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 417; ed. 12, 1767, 675.
fossor Tenebrio, J. C. Fabricius, Spec. Ins. I. 1781, 323.
fosoria (*sic*) Apis, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 220.
fossoria Aranea, G. de Razoumowsky in Bertholon's Nature Considérée, VII. 1789, 3.
fossorius Crabro (L.), J. C. Fabricius, Syst. Ent. 1775, 374.—Sphex.

- fossorius** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 562; ed. 12, 1767, 933.
- fossoria** Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 571; ed. 12, 1767, 946.
- fossoria** Vespa (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2761.—Sphex.
- fossula** Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 28.
- fossularum** Cimex, P. Rossi, Fauna Etrus. II. 1790, 253.
- fossularum** Gerris (Ross.), J. C. Fabricius, Suppl. Ent. Syst., 1798, 543.—Cimex.
- foveatus** Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 52.
- foveatus** Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 377.—Buprestis.
- foveatus** Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 217.
- foveata** Trichoda, O. F. Müller, An. Infus. 1786, 182.
- foveolatus** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1759.
- foveolatus** Scarabaeus, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 170.
- foveolatus** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3580.
- fowat** Columba, J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 251.
- fracticornis** Copris (Preys.), J. Sturm, Verz. Ins. Samml. 1800, 105.—Scarabaeus.
- fracticornis** Paederus, G. Paykull, Faun. Suec. III. 1800, 430.
- fracticornis** Scarabaeus, J. D. Preyßler, Verz. böhm. Ins. 1790, 99.
- fracti-cornis** Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 99.
- fracticornis** Staphylinus, G. Paykull, Mon. Carab. 1790, 135.
- fracta** Leucopha, O. F. Müller, An. Infus. 1786, 146.
- frænata** Anas, A. Sparrman, Mus. Carls. II. 1787, no. xxxviii.
- fragariae** Coccus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2219.
- fragariae** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 448.
- fragariae** Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 56.
- fragariae** Phalaena Bom., E. J. C. Esper, Die Schmett. Suppl. 3 Abschn. [1797], 40.
- fragariae** Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 497.
- fragilis** Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 229; ed. 12, 1766, 392.
- fragilis** Asterias, P. C. Abildgaard in Müller, Zool. Dan. ed. 3, III. 1789, 28.
- fragile** Cardium, J. F. Bolten, Mus. Bolten. (2) 1798, 190 [*n. n.*].
- fragilis** Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 720; ed. 12, 1767, 1175.
- fragilis** Eschara, Linnaeus, Syst. Nat., ed. 10, 1758, 805.
- fragilis** Gryllus, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 176.
- fragilis** Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 109.
- fragilis** Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 774; ed. 12, 1767, 1249.
- fragilis** Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 62.
- fragilis** Lumbricus, O. F. Müller, Z. Dan. Prod. 1776, 216.
- fragilis** Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3261.
- fragilis** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3332.
- fragilis** Peronaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 257.—Tellina.
- fragilis** Pinna, T. Pennant, Brit. Zool. ed. 4, IV. 1777, 97.
- fragilis** Solen, R. Pulteney, Cat. Birds &c. Dorset, 1799, 28.
- fragilis** Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 674; ed. 12, 1767, 1117.
- fragilis** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3577.
- fragilis** Tubularia, Linnaeus, Syst. Nat., ed. 12, 1767, 1302.
- fragilis** Venus, O. Fabricius, F. Groen. 1780, 413.
- fragilissima** Corallina, Linnaeus, Syst. Nat., ed. 10, 1758, 806; ed. 12, 1767, 1305.
- fragrans** Apis, P. S. Pallas, Reise Russ. I. 1771, 474.
- Fragum** J. F. Bolten, Mus. Bolten. (2) 1798, 189.
- fragum** Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 679; ed. 12, 1767, 1123.
- fragum-granulatum** Cardium, F. C. Meuschen, Mus. Gever. 1787, 442.
- fragum** Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 55.
- fragum** Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (3) 1795, 79.
- franciae** Coluber, G. A. Suckow, Naturges. III. 1798, 241.
- franciae** Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 779.
- francia** Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1017.
- francillana** Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 264.
- franciscanus** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 698.
- franciscana** Loxia, P. E. Isert, Schrift. Berlin. Ges. Nat. Freunde, IX. 1789, 332.

- franciscana** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 315.
francisci redi Vipera, J. N. Laurenti, Syn. Rept. 1768, 99 & 198.
francisca Bombyx, J. C. Fabricius, Mant. II. 1787, 131.
francisca Cetonia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 129.
francisca [Papilio], C. Stoll in Cramer, Uilt. Kapellen, IV (28) 1780, 75.
francofurthana Lytta, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 145.
francofurtana Sphinx, Pall. C. C. Jung, Alph. Verz. Schmett. 1791, 230.
francolinus Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 261.
francolinus Perdix (L.), J. Latham, Index Orn. 1790, 644.—Tetrao.
francolinus Tetrao, Linnaeus, Syst. Nat., ed. 12, 1766, 275.
franconica Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 57.
franconica Phalaena B. (D. & S.), E. J. C. Esper, Die Schmett. III (20) 1785, 139.—
frangutella Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 230. [Bombyx.
frascone Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 192.
Fratercula M. J. Brisson, Ornith. VI. 1760, 81.—A.
fraterna Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 724.
fraternaria Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [n. n.].
fraudatorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 144.
fraxinella Tinea, C. Bjerkander, K. Vet. Ak. Nya Handl. V. 1784, 324.
fraxinea Cantharis, Scopoli, Ent. Carn. 1763, 42.
fraxineus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 40.
fraxini Aphis, J. C. Fabricius, Gen. Ins. 1777, 303.
fraxini Bostrichus, G. W. F. Panzer, Ins. Germ. heft 66 [1799], tab. 15.
fraxini Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 454; ed. 12, 1767, 739.
fraxini Curculio, C. de Geer, Mém. Ins. V. 1775, 212.
fraxini Hypophloeus, J. G. Kugellann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 527.
fraxini Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 172.
fraxini Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 602.—Phalaena.
fraxini Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 292.
fraxini Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 512; ed. 12, 1767, 843.
fraxini Psylla, O. F. Müller, Z. Dan. Prod. 1776, 109.
fraxinina Vorticella, O. F. Müller, An. Infus. 1786, 276.
"Fregata, Briss. 1760," Waterh.; not used in a generic sense.
Fregata B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 15.—A.
Fregata G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [n. n.].—A.
fregata Procellaria, Linnaeus, Syst. Nat., ed. 12, 1766, 212.
freiia Papilio (Nymph.), C. Quensel, K. Vet. Ac. Nya Handl. XII. 1791, 276.
freiia Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 263.
frejus Papilio, L. Prunner, Lep. Pedemont. 1798, 76.
frenatus Cryptocephalus, J. N. Laicharting, Tyrol. Ins. I. 1781, 183.
frenatus Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 60.
friabilis Spongia, C. Girtanner, Naturforscher, XXII. 1787, 122.
fricato Scarabaeus, J. C. Fabricius, Mant. I. 1787, 15.
fricator Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 161.—Scarabaeus fricato.
friderici Salmo, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 94.
fridrichsdalensis Chrysomela, O. F. Müller, F. Ins. Frid. 1764, 8.
fridrichsdalensis Libellula, O. F. Müller, F. Ins. Frid. 1764, 62.
frigga Papilio (Nymph.), C. Quensel, K. Vet. Ac. Nya Handl. XII. 1791, 275.
frigidus Curculio, J. C. Fabricius, Mant. II. 1787, 381.
frigida Emberiza, J. Latham, Syn. Birds, Suppl. I. 1787, 286.
frima Mustela, *err. pro* erminea Linn., J. M. Bechstein, Stubenthiere, 1797, Register.
Fringilla Linnaeus, Syst. Nat., ed. 10, 1758, 179; ed. 12, 1766, 317.—A.
Fringilla B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 6.—A.
fringillaceus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 337.
fringillae Pediculus, J. A. Scopoli, Annus V. 1772, 125.
fringillae Pediculus (De G.), C. de Villers, Linn. Ent. IV. 1789, 31.—Ricinus.
fringillae Ricinus, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 201.
frischella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 541; ed. 12, 1767, 896.

- frischella** Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 663.—Phalaena.
frischii Aranea, Scopoli, Ent. Carn. 1763, 395.
frischii Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 138.
frischii Cerambyx, G. A. Harrer, Besch. Schaeffer Icones, 1784, 193.
frischii Centonia, F. v. P. Schrank, F. Boica, I. 1798, 416.
frischii Cimex, G. A. Harrer, Besch. Schaeffer Icones, 1784, 288.
frischii Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2134.
frischii Dermestes, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 478.
frischii Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 415.
frischii Melolontha, J. C. Fabricius, Syst. Ent. 1775, 37.
frischii Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
frischii Scarabaeus (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 15.—Melolontha.
frisius Talpa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 36.
frit Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 256.
frit Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 598; ed. 12, 1767, 994.
fritillarius Papilio (Plebeius), N. Poda, Ins. Mus. Graec. 1761, 79.
fritillina Vorticella, O. F. Müller, An. Infus. 1786, 273.
fritillum Curculio, G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 19.
fritillum Enchelis, O. F. Müller, Verm. I (1) 1773, 37.
fritillum Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 351.
fritillum Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 159.—fritillarius, Poda.
frulicus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 60.
frobenia Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 425.
froelichii Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3080.
frondescentiae Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 601; ed. 12, 1767, 999.
frondiculosa Eschara, P. S. Pallas, Elench. 1766, 55.
frondiculosa Flustra (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3829.—
 [Eschara].
frondipora Millepora, P. S. Pallas, Elench. 1766, 241.
fronditia Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 435; ed. 12, 1767, 705.
fronditia Membracis (L.), J. C. Fabricius, Spec. Ins. II. 1781, 316.—Cicada.
frondosa Amphitrite, P. A. Ascanius, K. Norske Vid. Selsk. Skrift. V. 1774, 158.
frondosa Doris (Ascan.), O. F. Müller, Z. Dan. Prod. 1776, 229.—Amphitrite.
frondosa Holothuria, J. E. Gunnerus, K. Vet. Ac. Handl. XXVIII. 1767, 115.
frondosa Medusa, P. S. Pallas, Spic. Zool. X. 1774, 29.
frondosa Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII, 1796, 80.
frondosa Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74 [*n. n.*].
frondosa Spongia, P. S. Pallas, Elench. 1766, 395.
frons Loph (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 169.—Mytilus.
frons Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 704; ed. 12, 1767, 1155.
frons Ostrea (L.), F. C. Meuschen, Mus. Gev. 1787, 424.—Mytilus.
frontalis Acarus, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 23.
frontalis Apis, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 64.
frontalis Apis, C. de Villers, Linn. Ent. III. 1789, 330.
frontalis Aranea, A. G. Olivier, Ency. Méth. IV (Ins.), 1789, 223.
frontalis Asilus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 271.
frontalis Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 388.
frontalis Bembex, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 292.
frontalis Brachycerus (Spar.), A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 55.—
 [Curculio].
frontalis Buprestis, A. G. Olivier, Entom. II. 1790, 45.
frontalis Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 24.
frontalis Cicada, E. Donovan, Ins. China, 1798.
frontalis Coccinella, J. C. Fabricius, Mant. I. 1787, 60.
frontalis Coccinella, J. C. Fabricius, Mant. Ins. I. 1787, 60.
frontalis Coccinella, C. P. Thunberg, N. Acta Soc. Sci. Upsal. V. 1792, 105.
frontalis Columba, J. Latham, Index Orn. 1790, 594.
frontalis Crabro, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 11.
frontalis Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 47.
frontalis Dermestes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 72.

- frontalis** Falco, F. M. Daudin, *Traité élém. Orn.* 1800, 118.
- frontalis** Hister, G. Paykull, *Faun. Suec.* I. 1798, 40.
- frontalis** Ichneumon, A. F. de Fourcroy, *Ent. Paris.* 1785, 396.
- frontalis** Loxia, F. M. Daudin, *Traité élém. Orn.* 1800, 445.
- frontalis** Mordella, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 420; ed. 12, 1767, 682.
- frontalis** Scolytus, A. G. Olivier, *Entom.* IV. 1795, 13.
- frontalis** Spheg, J. C. Fabricius, *Syst. Ent.* 1775, 349.
- frontalis** Trochilus, J. Latham, *Index Orn.* 1790, 318.
- frontana** Phalaena, A. F. de Fourcroy, *Ent. Paris.* 1785, 273.
- frontatornis** Ichneumon, J. C. Fabricius, *Ent. Syst.* II. 1793, 145.
- fronticornis** Apis, G. W. F. Panzer, *Ins. Germ.* heft 63 [1799], tab. 20.
- fronticornis** Cerambyx (Fab.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1827.—
- fronticornis** Lamia, J. C. Fabricius, *Spec. Ins.* I. 1781, 216. [Lamia.]
- frontis** Noctua, C. P. Thunberg, *D. D. Mus. Ac. Upsal.* 1788, 72.
- frosinaria** [Phalaena], C. Stoll, *Aanhang. Cramer's Util. Kapellen*, V. 1790, 161.
- frugalis** Noctua, J. C. Fabricius, *Syst. Ent.* 1775, 601.
- frugelegi** Ascaris, F. v. P. Schrank, *K. Vet. Ac. Nya Handl.* XI. 1790, 121.
- frugilegus** Corvus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 105; ed. 12, 1766, 156.
- frugilegus** Curculio, C. de Geer, *Mém. Ins.* V. 1775, 273.
- frugillgus** Corvus, *err. pro frugilegus*, Linn., S. G. Gmelin, *Reise Russ.* I (1770), 67.
- frugiperda** Phalaena, J. E. Smith in *Abbot, Ins. Georgia*, 1797, 191.
- frumentaria** Phalaena (Pyralis), Linnaeus, *Faun. Suec.*, ed. 2, 1761, 351.
- “**Frumentaria**, Sold. 1780,” Ag.; not used in a Linnean sense.
- frumentarium** Anobium, J. C. Fabricius, *Syst. Ent.* 1775, 62.
- frumentarium** Apion (L.), *Herbst in Jablonsky, Nat. Ins. (Käfer)* VII. 1797, 107.—Curculio.
- frumentarius** Attelabus (L.), A. G. Olivier, *Ency. Méth.* IV (Ins.) 1789, 282.—Curculio.
- frumentarius** Cimex, N. Poda, *Ins. Mus. Graec.* 1761, 60.
- frumentarium** Colydidium, J. C. Fabricius, *Ent. Syst.* I (2) 1792, 496.—Anobium.
- frumentarius** Curculio, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 378; ed. 12, 1767, 608.
- frumentarium** Cylonium, J. C. Fabricius, *Actes Soc. H. N. Paris*, I (1) 1792, 32.—Anobium.
- frumentaria** Ips (Fab.), A. G. Olivier, *Entom.* II. 1790, 11.—Anobium. [1775.]
- frumentarius** Ptinus (Fab.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1605.—
Anobium.
- frumentarius** Rhinomacer (Linn.), O. F. Müller, *Z. Dan. Prod.* 1776, 90.—Curculio.
- frumentata** Phalaena, J. Mayers, *Naturforscher*, XV. 1781, 112.
- frumentii** Libellula, O. F. Müller, *F. Ins. Frid.* 1764, 62.
- frustulosa** Sabella, C. J. Phipps, *Voy. N. Pole*, 1774, 198.
- frutescens** Sertularia, J. Ellis & D. Solander, *Nat. Hist. Zooph.* 1786, 55.
- frutescens** Spongia, J. E. Gunnerus, *Flora Norveg.* I. 1766, 83.
- frutetorum** Musca (Fab.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2870.—Syrphus.
- frutetorum** Syrphus, J. C. Fabricius, *Syst. Ent.* 1775, 765.
- frutetorum** Tenthredo, J. C. Fabricius, *Ent. Syst.* II. 1793, 111.
- fruticans** Sertularia, P. S. Pallas, *Elench.* 1766, 157.
- fruticeti** Motacilla, J. M. Bechstein, *Gem. Nat. Deutschl.* IV. 1795, 555.
- fruticola** Melolontha, J. C. Fabricius, *Mant. I.* 1787, 23.
- fruticola** Scarabaeus (Fab.), C. de Villers, *Linn. Ent.* IV. 1789, 211.—Melolontha.
- fruticosa** Spongia, E. J. C. Esper, *Pflanzenth.* II (11) 1793, 188.
- fruticulosa** Corallina, J. Ellis & D. Solander, *Nat. Hist. Zooph.* 1786, 116.
- fruticulosus** Curculio, *Herbst in Jablonsky, Nat. Ins. (Käfer)* VI. 1795, 400.
- fruticum** Melix, O. F. Müller, *Verm.* II. 1774, 71.
- fucata** Baphia, F. C. Meuschen, *Mus. Gever.* 1787, 422.
- fucatum** Cardium, L. Spengler, *Skr. nat. Selsk. [Copen.]*, V (1) 1799, 30.
- fucata** Cetonia, J. C. Fabricius, *Ent. Syst.* I (2) 1792, 145.
- fucata** Chrysomela, J. C. Fabricius, *Spec. Ins.* I. 1781, 126.
- fucatus** Cimex, P. Rossi, *Fauna Etrus.* II. 1790, 235.
- fucatus** Conus, F. C. Meuschen, *Mus. Gever.* 1787, 348.
- fucata** Crioceris, J. C. Fabricius, *Mant. II.* 1787, 381. [Crioceris.]
- fucatus** Cryptocephalus (Fab.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1721.—

- fucata* Emberiza, P. S. Pallas, Reise Russ. III. 1776, 698.
fucatus Musca, M. Harris, Exp. Eng. Ins. 1776, 83.
fucata Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 359.
fucata Nomada, G. W. F. Panzer, Ins. Germ. heft 55 [1798], tab. 19.
fucatus Papilio, F. Boddaert, Tab. Planch. Enl. 1783, 5.
fucata Phalaena Noct., E. J. C. Esper, Die Schmett. IV (46) 1791, 341.
fucata Solen, L. Spengler, Skr. nat. Selsk. [Copen.] III (2) 1794, 111.
fucata Tellina, F. C. Meuschen, Mus. Gever. 1787, 460.
fuci Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3327.
“*fuciformis* Graptolithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 173.
fuciformis Sesia (L.), J. C. Fabricius, Syst. Ent. 1775, 548.—Sphinx.
fuciformis Sphex, J. A. Scopoli, Del. Insub. II. 1786, 59.
fuciformis Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 493; ed. 12, 1767, 803.
fuciformis Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 290.
fucorum Acarus, C. de Geer, Mém. Ins. VII. 1778, 112.
fucorum Acarus, J. C. Fabricius, Reise Norwegen, 1779, 262.
fucorum Millepora, E. J. C. Esper, Pflanzenth., Forts. I (5) 1796, 121.
fucorum Palaemon, F. Weber, Nomen. Fabricii, 1795, 94.
fucorum Palaemon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 404.
fucorum Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 278.
Fucus Linnaeus, Syst. Nat., ed. 10, II. 1759, 1345 (sp. 24).—Alga.
fucus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3538.
fueslella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 301.
fueslinaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (7) 1799, 188.—*fueslinella*,
fueslinella Phalaena Tinea, J. H. Sulzer, Gesch. Ins. 1776, 163. [auct.
fueslini Mylabris, G. W. F. Panzer, Ins. Germ. heft 31 [1796], tab. 18.
fuesslini Scarabaeus, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], I (4) 1782, 376.
fuesliniana [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 163.
fugax Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 253.
fugax Carabus, A. G. Olivier, Entom. III. 1795, 70.
fugax Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 142 [*n. n.*]; Essai
fugax Lepura, J. C. Fabricius, Suppl. Ent. Syst. 1798, 153. [Fourmis, 1798, 46.
fugax Leucosia, F. Weber, Nomen. Fabricii, 1795, 92 [*n. n.*].
fugax Leucosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 351.
fugax Libellula, M. Harris, Exp. Eng. Ins. 1776, 156.
fugax Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 250.—Sphex, 1775.
fugax Sphex, J. C. Fabricius, Syst. Ent. 1775, 350.
fugeo Empis, M. Harris, Exp. Eng. Ins. 1776, 150.
fugitivus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 206.
fugitivus Syrphus, P. Rossi, Fauna Etrus. II. 1790, 297.
fulcratus Asilus, Scopoli, Ent. Carn. 1763, 366.
fulcratum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 320.
fulgens Astacus, J. C. Fabricius, Syst. Ent. 1775, 415.
fulgens Buprestis, C. de Geer, Mém. Ins. VII. 1778, 633.
fulgens Cancer (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2986.—Astacus.
fulgens Cantharis, [D. H. Schneider], Nom. Ent. 1785, 18 [*n. n.*].
fulgens Elater, A. G. Olivier, Entom. II. 1790, 12.
fulgens Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 230.
fulgens Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 522.
fulgerator *v.* *fulgurator*.
fulges Musca, M. Harris, Exp. Eng. Ins. 1776, 87.
fulgida Buprestis, A. G. Olivier, Entom. II. 1790, 10.
fulgida Buprestis, A. G. Olivier, Entom. II. 1790, 32.
fulgidus Carabus, G. W. F. Panzer, Deutsch. Ins. [1795], 60.
fulgida Cetonia, J. C. Fabricius, Syst. Ent. 1775, 48.
fulgida Chrysis, Linnaeus, Faun. Suec., ed. 2, 1761, 415.
fulgida Cicada, J. C. Fabricius, Syst. Ent. 1775, 687.
fulgidus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 176.

- fulgidus** Helix, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 254.
fulgida Lampyris, A. G. Olivier, Entom. II. 1790, 16.
fulgidus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3361.
fulgidus Paederus, J. C. Fabricius, Ent. Syst. I (2) 1792, 537.—Staphylinus, 1787.
fulgidus Rhinomacer, A. F. de Fourcroy, Ent. Paris. 1785, 116.
fulgidus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1574.—
fulgidus Scarabaeus [Copriss], A. G. Olivier, Entom. I. 1789, 167. [Cetonia.
fulgidus Staphylinus, J. C. Fabricius, Mant. I. 1787, 220.
fulgida Tipula, J. Cederhielm, F. Ingrid. 1798, 296.
Fulgora Linnaeus, Syst. Nat., ed. 12, I. 1767, 703.—Hem.
fulgur Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8 [n. n.].
fulgurans Buprestis, F. v. P. Schrank, Naturforscher, XXIV. 1789, 85.
fulgurans Buprestis, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 117.
fulgurans Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 687.
fulgurans Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3685.
fulgurator (*sic*) Papilio, P. Cramer, Utitl. Kapellen. III (24) 1780, 162.
fulgurator Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 36.
fulgura Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 52.
Fulica Linnaeus, Syst. Nat., ed. 10, 1758, 152; ed. 12, 1766, 257.—A.
fulica Colymbus, P. Boddaert, Tab. Planch. Enl. 1783, 54.
fulica Gralla, J. P. Eberling in Sonnerat, Reise Neuguinea, 1777, 45.
fulica Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107 [n. n.].
fulicae Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 613; ed. 12, 1767, 1019.
fulicaria Columbus, M. T. Brännich, Orn. Boreal. 1764, 61.
fulicarius Heliornis, J. P. Bonnatere, Ency. Méth. (Orn.) 1790, 65.
fulicarius Phalaropus (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 294.—Tringa.
fulicaria Tringa, Linnaeus, Syst. Nat., ed. 10, 1758, 148; ed. 12, 1766, 249.
fulicata Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 336.
fulicata Sylvia (L.), J. Latham, Index Orn. 1790, 524.—Motacilla.
fulicula Rallus, J. A. Scopoli, Annus I. 1769, 108.
fuligana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 132.
fuliginaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 508.
fuliginaria Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 327.
fuliginaria Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2466.
fuliginator Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 393; ed. 12, 1767, 629.
fuliginator Ichneumon, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 196.
fuliginator Lamia (L.), J. C. Fabricius, Syst. Ent. 1775, 175.—Cerambyx.
fuliginata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 610.
fuligineus Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 156.
fuliginea Cetonia, A. G. Olivier, Entom. I. 1789, 20.
fuligineus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 205.
fuliginosum Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 223.
fuliginosa Amphisbaena, Linnaeus, Syst. Nat., ed. 10, 1758, 229; ed. 12, 1766, 392.
fuliginosa Apis, J. A. Scopoli, Annus IV. 1770, 15.
fuliginosa Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 16.
fuliginosus Asilus, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 21.
fuliginosus Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 588.—Phalaena.
fuliginosa Buprestis, J. R. Forster, Cat. Brit. Ins. 1770, 7 [n. n.].
fuliginosa Buprestis, J. R. Forster, N. Sp. Ins. 1771, 51.
fuliginosus Canis, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, I. 1799, 270.
fuliginosa Cantharis, A. G. Olivier, Entom. III. 1795, 14. [Prionus.
fuliginosus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1814.—
fuliginosus Cerambyx (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1858.—
Stenocorus.
fuliginosus Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 299.
fuliginosus Cerambix, A. G. Olivier, Entom. IV. 1795, 14.
fuliginosa Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 163 [n. n.].
fuliginosa Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1688.

- fuliginosus** Cimex, Linnaeus, Faun. Suec., ed. 2, 1761, 246.
fuliginosus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 2164.
fuliginosus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 1726.
fuliginosus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 1758.
fuliginosa Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 22.
fuliginosus Dermestes, P. Rossi, Mant. Ins. I. 1792, 17.
fuliginosa Diomedea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 568.
fuliginosus Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 191.
fuliginosus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 1919.
fuliginosus Elater, A. G. Olivier, Entom. II. 1790, 27. [Essai Fourmis, 1798, 36.]
fuliginosa Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [n. n.];
fuliginosa Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 574.
fuliginosa Fulica, J. A. Scopoli, Annus I. 1769, 104.
fuliginosus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 2083.
fuliginosus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 2720.
fuliginosa Lamia, *id. ac* fuliginator, Fabr., F. v. P. Schrank, F. Boica, I, 1798, 658.
fuliginosa Leptura, J. A. Scopoli, Del. Insub. II. 1786, 49.
fuliginosa Loxia, F. M. Daudin, Traité élém. Orn. 1800, 372.
fuliginosus Macrocephalus, A. G. Olivier, Entom. IV. 1795, 11.
fuliginosa Muscicapa, A. Sparrman, Mus. Carls. II. 1787, no. xlvii.
fuliginosa Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 932.
fuliginosa Noctua (L.), E. J. C. Esper, Die Schmett. IV (32) 1787, 56.—Phal.
fuliginosus Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 2261.
fuliginosa Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 509; ed. 12, 1767,
fuliginosa Phryganea, Scopoli, Ent. Carn. 1763, 267. [836.]
fuliginosus Prionus, J. C. Fabricius, Syst. Ent. 1775, 160.
fuliginosa Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 562.
fuliginosa Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 143.
fuliginosus Scarabaeus, J. A. Scopoli, Del. Insub. I. 1786, 51.
fuliginosa Sphex, Scopoli, Ent. Carn. 1763, 292.
fuliginosus Stenocorus, J. A. Scopoli, Annus V. 1772, 98.
fuliginosa Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 605.
fuliginosa Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 334.
fuligula Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 128; ed. 12, I, 1766, 207.
fuligulae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3033.
fulla Papilio (Nymph.), C. Quensel, K. Vet. Ac. Nya Handl. XII. 1791, 278.
fullo Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 42.
fullo Curculio, F. v. P. Schrank, Ins. Aust. 1781, 116.
fullo Melolontha (L.), J. C. Fabricius, Syst. Ent. 1775, 31.—Scarabaeus.
fullo Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 352; ed. 12, 1767, 553.
fullonica Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 812.
fullonica Raja, Linnaeus, Syst. Nat., ed. 10, 1758, 231; ed. 12, 1766, 396.
fullonicus Squalus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 522.
fullonia [? Phalaena], C. Clerck, Icones, II. 1764, pl. xlviij.
fulminans Buprestis, J. C. Fabricius, Mant. I. 1787, 178.
fulminans Buprestis, F. v. P. Schrank, Naturforscher, XXIV. 1789, 84.
fulminans Callidium, J. C. Fabricius, Syst. Ent. 1775, 192.
fulminans Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 1853.—
fulminans Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 104. [Callidium.]
fulminea Bombyx, J. C. Fabricius, Gen. Ins. 1777, 282.
fulmineus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3388.
fulminea Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3672.
fulminea Phalaena, Scopoli, Ent. Carn., 1763, 206.
fulminea Phalaena Bom., Panzer in Drury, Exot. Ins. 1785, 67.
fulminea Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 181.
fulminea Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 183.
fulsipes Staphylinus, *v. fulvipes*, Scopoli, Ent. Carn. 1763, 99.
fultaria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 330.

- fulvago** Apis, J. L. Christ, Nat. Ins. 1791, 189.
fulvago Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 41.
fulvago [Phalaena], C. Clerck, Icones, I. 1759, pl. vi. 15.
fulvago Phalaena (Noctua), Linnaeus, Faun. Succ. ed. 2, 1761, 312.
fulvago Phalaena Noctua, J. Hübner, Beitr. Schmett. I (1) 1786, 12.
fulvalis Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2528.
fulvana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 477.—*Tinea fulvella*, 1794.
fulvana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 128.
fulvaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 160.
fulvaria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 329.
fulvata Aranea, J. C. Fabricius, Mant. I. 1787, 345.
fulvata Geometra, C. de Villers, Linn. Ent. IV. 1789, 507.
fulvata Geometra, J. Hübner, Europ. Schmett. (Geom.), [me judice 1796], fig. 297 [*n. n.*].
fulvata Phalaena, J. R. Forster, Cat. Brit. Ins. 1770, 11 [*n. n.*].
fulvata Phalaena, J. R. Forster, N. Sp. Ins. 1771, 76.
fulvata Phalaena, J. C. Fabricius, Mant. II. 1787, 206.
fulvata Phalaena Geometra, J. Hübner, Beitr. Schmett. I (4) 1789, 26.
fulvata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
fulvella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
fulvella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 317.
fulvescens Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 10.
fulvicans Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 274.
fulvicephalus Hemerobius, Scopoli, Ent. Carn. 1763, 270.
fulvicollis Altica (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 107.—*Chrysomela*.
fulvicolle Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 324.
fulvicollis Cantharis, Scopoli, Ent. Carn. 1763, 43.
fulvicollis Cantharis, J. C. Fabricius, Ent. Syst. I (1) 1792, 218.
fulvicollis Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 152.
fulvicollis Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 133.
fulvicollis Crioceris, J. C. Fabricius, Ent. Syst. I (2) 1792, 5.
fulvicollis Gallerua, J. C. Fabricius, Ent. Syst. I (2) 1792, 29.—*Chrysomela*, 1781.
fulvicollis Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 499.
fulvicollis Mycetophagus, Zenker in G. W. F. Panzer, Ins. Germ. heft 62 [1799], tab. 4.
fulvicollis Necydalis, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's] II (4) 1785, 321.
fulvicollis Necydalis, J. C. Fabricius, Ent. Syst. I (2) 1792, 353.
fulvicornis Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1985.
fulvicornis Cimex, J. C. Fabricius, Mant. II. 1787, 288.
fulvicornis Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 468.
fulvicornis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 223.
fulvicornis Gallerua, J. C. Fabricius, Ent. Syst. I (2) 1792, 30.
fulvicornis Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2072.
fulvicornis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 136.—*Cimex*, 1787.
fulvicornis Nomada, J. C. Fabricius, Ent. Syst. II. 1793, 348.
fulvicornis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 305.
fulviflamma Sciaena, P. Forskal, Descr. Anim. 1775, 45.
fulvipennis Paederus, J. C. Fabricius, Ent. Syst. I (2) 1792, 537.
fulvipennis Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 218.
fulvipennis Tipula, C. de Geer, Mém. Ins. VI. 1776, 343.
fulvipennis Zonitis, J. C. Fabricius, Ent. Syst. I (2) 1792, 49.
fulvipes Apis, C. de Villers, Linn. Ent. III. 1789, 320.
fulvipes Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2790.
fulvipes Apis, J. C. Fabricius, Ent. Syst. II. 1793, 333.
fulvipes Bombylius, C. de Villers, Linn. Ent. III. 1789, 609.
fulvipes Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1983.
fulvipes Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 134.
fulvipes Cimex, Scopoli, Ent. Carn. 1763, 134.
fulvipes Cimex, C. de Geer, Mém. Ins. III. 1773, 355.
fulvipes Cistela, J. C. Fabricius, Ent. Syst. I (2) 1792, 44.

- fulvipes** *Cryptocephalus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1725.
fulvipes *Curculio*, J. C. Fabricius, Mant. I. 1787, 116.
fulvipes *Dermestes*, A. F. de Fourcroy, Ent. Paris. 1785, 22.
fulvipes *Leptura*, A. F. de Fourcroy, Ent. Paris. 1785, 79.
fulvipes *Musca*, A. F. de Fourcroy, Ent. Paris. 1785, 495.
fulvipes *Rhinomacer*, A. F. de Fourcroy, Ent. Paris. 1785, 114.
fulvipes *Staphylinus*, Scopoli, Ent. Carn. 1763, 99.
fulvipes *Staphylinus*, J. C. Fabricius, Ent. Syst. I (2) 1792, 526.
fulvipes *Tenthredo*, Scopoli, Ent. Carn. 1763, 278.
fulvipes *Upis*, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 238.
fulvipes *Vespa*, A. F. de Fourcroy, Ent. Paris. 1785, 439.
fulvirostris *Anthribus* (Fab.), G. Paykull, Faun. Suec. III. 1800, 167.—*Curculio*.
fulvirostris *C[urculio]*, J. C. Fabricius, Mant. II. 1787, 381.
fulvius *Coluber*, Linnaeus, Syst. Nat., ed. 12, 1766, 381.
fulvia *Libellula*, D. Drury, Ill. Nat. Hist. II. 1773, index & 84.
fulvia *Noctua* (L.), J. C. Fabricius, Syst. Ent. 1775, 597.—*Phalaena*.
fulvia *Phalaena* (*Noctua*), Linnaeus, Syst. Nat., ed. 10, 1758, 509; ed. 12, 1767, 836.
fulvia *Zygaena*, J. C. Fabricius, Gen. Ins. 1777, 275.
fulvivenia *Tenthredo*, F. v. P. Schrank, Ins. Aust. 1781, 338.
fulviventris *Apis*, Scopoli, Ent. Carn. 1763, 302.
fulviventris *Apis*, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 18.
fulviventris *Ichneumon*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2704.
fulviventris *Musca*, F. v. P. Schrank, Ins. Aust. 1781, 469.
fulviventris *Tenthredo*, Scopoli, Ent. Carn. 1763, 280.
fulvo-cincta *Apis*, C. de Geer, Mém. Ins. VII. 1778, 607.
fulvo-fasciata *Vespa*, C. de Geer, Mém. Ins. III. 1773, 581.
fulvo-guttatus *Scomber*, P. Forskal, Descr. Anim. 1775, 56.
fulvolunaria *Phalaena Geometra*, E. J. C. Esper, Die Schmett. V (3) 1795, 78.
fulvomaculatus *Cimex*, C. de Geer, Mém. Ins. III. 1773, 294.
fulvoniger *Cimex*, C. de Geer, Mém. Ins. III. 1773, 340.
fulvo-pilosa *Formica*, C. de Geer, Mém. Ins. VII. 1778, 613.
fulvopterus *Asilus*, A. F. de Fourcroy, Ent. Paris. 1785, 466.
fulvopterus *Staphylinus*, A. F. de Fourcroy, Ent. Paris. 1785, 167.
fulvularia *Phalaena*, Hufnagel, Berl. Mag. IV. 1767, 518.
fulvulata *Phalaena*, P. S. Pallas, Reise Russ. II. 1773, 732.
fulva *Alauda*, J. Latham, Index Orn. 1790, 492.
fulva *Allucita*, J. Hill, Decade Curious Insects, 1773, 23.
fulva *Altica*, A. F. de Fourcroy, Ent. Paris. 1785, 101.
fulva *Anas*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 530.
fulvus *Antribus*, A. F. de Fourcroy, Ent. Paris. 1785, 138.
fulva *Apis*, C. Allioni, Misc. Taurin. III. 1766, 197.
fulva *Apis*, F. v. P. Schrank, Ins. Aust. 1781, 400.
fulva *Aquila* (L.), F. v. P. Schrank, F. Boica, I. 1798, 108.—*Falco*.
fulvus *Asilus*, A. F. de Fourcroy, Ent. Paris. 1785, 459.
fulvus *Astacus*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 408.
fulvus *Bulimus*, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 359.
fulvus *Buprestis*, A. F. de Fourcroy, Ent. Paris. 1785, 48.
fulva *Cantharis*, Scopoli, Ent. Carn. 1763, 39.
fulva *Cantharis*, C. de Geer, Mém. Ins. VII. 1778, 650.
fulva *Cantharis*, A. F. de Fourcroy, Ent. Paris. 1785, 155.
fulva *Cantharis*, F. v. P. Schrank, F. Boica, I. 1798, 581.
fulvus *Carabus*, O. F. Müller, Z. Dan. Prod. 1776, 77.
fulvus *Cerambyx*, Scopoli, Ent. Carn. 1763, 53.
fulvus *Cerambyx*, C. de Villers, Linn. Ent. I. 1789, 256.
fulvus *Charadrius*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 687.
fulva *Chrysomela*, C. de Geer, Mém. Ins. VII. 1778, 663.
fulva *Chrysomela* (Fourc.), C. de Villers, Linn. Ent. I. 1789, 158.—*Cryptocephalus*.
fulvus *Cimex*, C. de Geer, Mém. Ins. III. 1773, 341.

- fulvus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2160.
fulvus Copris, A. F. de Fourcroy, Ent. Paris. 1785, 14.
fulvus Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 93.
fulvus Curculio, C. de Geer, Mém. Ins. V. 1775, 214.
fulvus Curculio, J. C. Fabricius, Mant. I. 1787, 113.
fulva Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3413.
fulvus Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 88; ed. 12, 1766, 125.
fulva Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 484, & *var. canadensis*.
fulva Helix, O. F. Müller, Verm. II. 1774, 56.
fulvus Homarus, F. Weber, Nomen. Fabricii, 1795, 94.
fulvus Hydrophilus, A. F. de Fourcroy, Ent. Paris. 1785, 66.
fulvus Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 341.
fulvus Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 68.
fulvus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 287; ed. 12, 1766, 479.
fulva Lamia (Scop.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 475.—Cerambyx.
fulvus Lemur, E. Geoffroy, Mag. encyclop. I (1) 1796, 47.
fulva Leptura, C. de Geer, Mém. Ins. V. 1775, 137.
fulva Libellula, O. F. Müller, F. Ins. Frid. 1764, 62.
fulvum Litophyton, P. Forskal, Descr. Anim. 1775, 139.
fulva Mordella, A. F. de Fourcroy, Ent. Paris. 1785, 162.
fulva Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 973.
fulvus Musca, M. Harris, Exp. Eng. Ins. 1776, 80.
fulva Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2878.
fulva Mustela (Lutra), R. Kerr, Anim. Kingd. 1792, 173.
fulva Mylabis, P. Rossi, Mant. Ins. I. 1792, 94.
fulvus Nematelus, C. de Geer, Mém. Ins. VI. 1776, 203.
fulvus Notoxus, A. G. Olivier, Entom. III. 1795, 5.
fulvus Oriolus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
fulva Patella, O. F. Müller, Z. Dan. Prod. 1776, 237.
fulva Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 273.
fulva Planaria, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 39.
fulvus Rhinomacer, N. J. Brahm, Ins. Kal. I (1) 1790, 110.
fulva Rhyncops, Linnaeus, Syst. Nat., ed. 10, 1758, 138; ed. 12, 1766, 229.
fulva Saperda, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 57.
fulvus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 277.
fulvus Sciurus, G. Shaw in Miller, Cim. Phys. 1796, 87.
fulvus Simia (Cercop.), R. Kerr, Anim. Kingd. 1792, 73.
fulvus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 163.
fulva Spongia, P. S. Pallas, Elench. 1766, 383.
fulvus Staphylinus, C. de Geer, Mém. Ins. IV. 1774, 25.
fulva Strix, J. Latham, Index Orn. 1790, 65.
fulva Sylvia (Gm.), J. Latham, Index Orn. 1790, 542.—Motacilla.
fulva Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 74.
fulvus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 492.
fulvus Turdus, R. L. Desfontaines, Mém. Ac. Roy. Sci. [Paris], 1787 (1789), 498.
fulva Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3290.
fulva Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2757.
fulvus Vultur, K. Hablitzl (*ex* Briss.) in P. S. Pallas, N. nord. Beytr. IV. 1783, 58.
fumans Carabus, J. C. Fabricius, Spec. Ins. I. 1781, 307.
fumatus Dermestes, Linnaeus, Syst. Nat., ed. 12, 1767, 564.
fumatus Ips (L.), C. de Geer, Mém. Ins. V. 1775, 195.—Dermestes.
fumatus Trixagus (L.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
fumicata SpheX, J. L. Christ, Nat. Ins. 1791, 295. [534.—Dermestes.
[fumigatus Araneus, C. Clerck, Aran. Svec. 1757, 104.]
fumigata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 621; ed. 12, 1767, 1032.
fumigatus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 704.
fumigata Musca, Scopoli, Ent. Carn. 1763, 336.
fumosus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 54.

- fumosus** Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 378.—Buprestis.
fumosus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 217.
fumosa Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 139.
fumosus Curculio, P. Rossi, Fauna Etrus. I. 1790, 124.
fumosus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 418.
fumosa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 81.
fumosa Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. europ. Schmett. IV. 1792,
fumosus Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 11. [581.—Noctua.
funalis Phalaena, E. Donovan, Brit. Ins. III. 1794, 76.
fundambulus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 374.
fundulus Cobitis, J. C. Wulff, Ichthy. 1765, 32.
funebres Musca, M. Harris, Exp. Eng. Ins. 1776, 106.
funebri Andrena, G. W. F. Panzer, Ins. Germ. heft 55 [1798], tab. 5.
funebri Cimex, J. C. Fabricius, Syst. Ent. 1775, 713.
funebri Clytus, J. N. Laicharting, Tyrol. Ins. II. 1784, 111.
funebri Dytiscus, F. v. P. Schrank, F. Boica, I. 1798, 713.
funebri Erotylus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 38.
funebri Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2706.
funebri Musca, J. C. Fabricius, Mant. II. 1787, 345.
funebri Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 299.
funebri Phalaena (Geometra), H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 339.
funebri Sphinx, J. C. Fabricius, Ent. Syst. III (1) 1793, 371.
funeralis Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 321.
funeralis Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 376.
funeralis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 20.
funerana Phalaena (Tortrix), O. F. Müller, Z. Dan. Prod. 1776, 132. [1792, 169.
funerarius Ichneumon, *id. ac* funereus, Fourc., A. G. Olivier, Ency. Méth. VII (Ins.)
“**funeraria** Phalaena, Müll.”, C. C. Jung, Alph. Verz. Schmett. 1791, 235, *err. pro*
funerarius Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 8. [funerana.
funeraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 260 [n. et
funerata Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 268. [f].
funerata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
funerella Tinea, J. C. Fabricius, Mant. II. 1787, 247.
funereus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 121.
funereus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 341.
funereus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 164.
funereus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1918.
funereus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 406.
funerea Leptura, C. de Villers, Linn. Ent. I. 1789, 274.
funerea Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 356.
funereus Psittacus, G. Shaw, Nat. Misc. VI. 1794, pl. 186.
funereus Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 89.
funerea Strix, Linnaeus, Syst. Nat., ed. 10, 1758, 93; ed. 12, 1766, 133.
funerosus Pullata, M. Harris, Exp. Eng. Ins. 1776, 76.
funesta Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 189.
funestus Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 305.—Lamia.
funesta Cetonia, J. C. Fabricius, Spec. Ins. II. 1781, 497.
funesta Cetonia (Poda), F. v. P. Schrank, F. Boica, I. 1798, 418.—Scarabaeus.
funesta Lamia, J. C. Fabricius, Mant. I. 1787, 139.
funesta Noctua, E. J. C. Esper, Die Schmett. IV (33) 1787, 72.
funesta Noctua, G. Paykull, Skr. Nat. Selsk. [Copen.] II (2) 1793, 100.
funestus Pullata, M. Harris, Exp. Eng. Ins. 1776, 77.
funestus Scarabaeus, N. Poda, Ins. Mus. Graec. 1761, 20.
funestus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 302.
fungella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 93.
Fungidora J. G. Meigen, N. Class. Mouches, 1800, 16.—Dip.
fungites Lepas, L. Spengler, Skr. nat. Selsk. [Copen.] I (1) 1790, 189.
fungites Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 793; ed. 12, 1767, 1273.

- fungoides** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8 [*n. n.*].
- fungorum** Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 618; ed. 12, 1767, 1026.
- fungorum** Chaos, Linnaeus, Syst. Nat., ed. 12, 1767, 1326.
- fungorum** Dermestes, G. W. F. Panzer, Ins. Germ. heft 39 [1797], tab. 14.
- fungorum** Ips (Fab.), C. P. Thunberg, Ins. Suecica (6) 1794, 77.—Tetratoma.
- fungorum** Musca, Scopoli, Ent. Carn. 1763, 337.
- fungorum** Silpha, [D. H. Schneider], Nom. Ent. 1785, 7 [*n. n.*].
- fungorum** Tetratoma, J. C. Fabricius, Skr. nat. Selsk. [Copen.] 1 (1) 1790, 217.
- fungorum** Tipula, C. de Geer, Mém. Ins. VI. 1776, 361.
- fungosus** Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 380.
- fungosa** Formica, J. C. Fabricius, Suppl. Ent. Syst. 1798, 281.
- Fungus** P. L. S. Müller, Del. Nat. I. 1766, 128.—Cor.
- funiculatus** Turbinus, F. C. Meuschen, Mus. Gever. 1787, 278.
- funigera** Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 329.
- fur** Bruchus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 57.—Ptinus.
- fur** Buprestis (Linn.), Scopoli, Ent. Carn. 1763, 68.—Cerambyx.
- fur** Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 393.
- fur** Ptinus (Scop.), Linnaeus, Syst. Nat., ed. 12, 1767, 566.—Buprestis.
- fur** Tipula, H. Ström, Nye Saml. K. Danske Skrifter, III. 1788, 285.
- furax** Apis, P. Rossi, Mant. Ins. II. 1794, 124.
- furcaria** Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 247.
- furcata** Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 8.
- furcata** Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 229.
- furcata** Aranea, C. de Villers, Linn. Ent. IV. 1789, 129.
- furcatus** Bostrichus, L. Bosc, J. Nat. Hist. (Choix des Mém.) II. 1792, 259.
- furcata** Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 52.
- furcatus** Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 174.
- furcatus** Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 164.
- furcata** Cassida, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 87.
- furcatus** Cimex, J. C. Fabricius, Syst. Ent. 1775, 705.
- furcatus** Cimex, J. C. Fabricius, Mant. II. 1787, 301.
- furcatus** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 170.—Scarabaeus.
- furcatus** Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 224.
- furcatus** Falco, Linnaeus, Syst. Nat., ed. 12, 1766, 129.
- furcata** Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 13.
- furcata** Geometra (D. & S.), C. de Villers, Linn. Ent. IV. 1789, 503.—Phalaena.
- furcatus** Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 354.—Oriolus.
- furcatus** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 160.—Cimex, 1775.
- furcata** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 343.
- furcata** Muscicapa, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- furcata** Nais, A. Modeer, K. Vet. Ac. Nya Handl. XIX. 1798, 136.
- furcata** Notonecta, J. C. Fabricius, Ent. Syst. IV. 1794, 58.
- furcatus** Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 395.
- furcata** Paradisea, J. Latham, Index Orn. 1790, 196.
- furcata** Phalaena (Noctua), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 77.
- furcata** Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 561.
- furcatus** Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 30.
- furcatus** Scarabaeus, C. de Villers, Linn. Ent. IV. 1789, 208.
- furcata** Spheg, Scopoli, Ent. Carn. 1763, 293.
- furcata** Stratiomys, J. C. Fabricius, Ent. Syst. IV. 1794, 264.
- furcata** Tenthredo, C. de Villers, Linn. Ent. III. 1789, 86.
- furcatus** Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 486.
- furcata** Vorticella, O. F. Müller, Verm. I (1) 1773, 110.
- furcifer** Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 84.
- furcifer** Merganser, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 105.
- furcifer** Mergus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 548.
- furcifera** Phalaena, Hufnagel, Berl. Mag. III. 1767, 402.
- furcifer** Scarabaeus, P. Rossi, Mant. Ins. I. 1792, 7.

- furcilla** Syngnathus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 9.
furcula Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 584.—Phalaena.
furculus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 33.
furcula Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 79.
furcula [Phalaena], C. Clerck, Icones, I. 1759, pl. ix. 9.
furcula Phalaena (Bombyx), Linnaeus, Faun. Suec., ed. 2, 1761, 298.
furfuracea Gorgonia, E. J. C. Esper, Pflanzenth., Forts. I (6) 1796, 155.
Furia Linnaeus, Syst. Nat., ed. 10, 1758, 647; ed. 12, 1767, 1325.—Ver.
furo Mustela, Linnaeus, Syst. Nat., ed. 10, 1758, 46; ed. 12, 1766, 68.
furo-hybrida Mustela, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 688.
furta Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 991.
Furunculus Linnaeus, Amoen. Acad. VII (1766), 450.—M.
furunculus Bruchus, O. F. Müller, Z. Dan. Prod. 1776, 57.
furunculus Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 39.—Mus.
furunculus Mus, P. S. Pallas, N. sp. Quad. II. 1779, 273.
furunculus Mus (Cricetus), R. Kerr, Anim. Kingd. 1792, 245.
furuncula Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 89.
furuncula Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 176.—Noctua.
furvalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 30.
furvana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 132.
furvaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 144 [n. et f.]
furvata Cetonina, J. C. Fabricius, Suppl. Ent. Syst. 1798, 130.
furvata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 108.
furvata Phalaena Geometra, J. Hübner, Beitr. Schmett. I (4) [1789], 11.
furva Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 994.
furva Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 81.
furva Nomada, G. W. F. Panzer, Ins. Germ. heft 55 [1798], tab. 23.
furva Perca, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 336.
furva Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 587.—
furva Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797–1800], 530. [Noctua].
furva Sylvia (Gm.), J. Latham, Index Orn. 1790, 548.—Motacilla.
Fusaria J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 16.—Verm.
fuscago Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 382.
fuscalis Phalaena, J. C. Fabricius, Syst. Ent. 1775, 643.
fuscalis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 450.
fuscalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 121.
fuscalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 11 & 29.
fuscana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 530.
fuscana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 648.—Phalaena.
fuscaria Phalaena, C. P. Thunberg, Ins. Suecica (4) 1792, 58.
fuscaria Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 321.
fuscator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 163.
fuscator Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 291.
fuscata Aranea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2951.
fuscatum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 282.
fuscatus Bulimus (Born), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 332.—Helix.
fuscata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2115.
fuscata Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 28.
fuscata Cistela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 102.
fuscatus Conus, I. v. Born, Index Mus. Caes. Vind. 1778, 126.
fuscatus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1713.
fuscatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1804.
fuscatus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1914.
fuscata Ephemera, Linnaeus, Faun. Suec., ed. 2, 1761, 376.
fuscata Flata, J. C. Fabricius, Suppl. Ent. Syst. 1798, 518.—Cicada, 1794.
fuscatus Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 404.
fuscatus Hemerobius, J. C. Fabricius, Ent. Syst. II. 1793, 84.

- fuscata** Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191.
fuscatus Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 437.
fuscatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2684.
fuscata Membracis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 513.
fuscata Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 982.
fuscatus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 755; ed. 12, 1767, 1225.
fuscata Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2865.—Tipula.
fuscata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3726.
fuscata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 524.
fuscata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 284.
fuscata Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 75.
fuscata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 200.
fuscata Plotia, J. F. Bolten, Mus. Bolten. (2) 1798, 95.
fuscatus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 248.—Sphex, 1793.
fuscatus Rhagio, J. C. Fabricius, Mant. II. 1787, 332.—Tipula, 1781.
fuscata Semblis, J. C. Fabricius, Spec. Ins. I. 1781, 386.
fuscata Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 212.
fuscata Sterna, Linnaeus, Syst. Nat., ed. 12, 1766, 228.
fuscatus Strombus (L.), F. C. Meuschen, Mus. Gever. 1787, 292.—Murex.
fuscata Sylvia (Gm.), J. Latham, Index Orn. 1790, 535.—Motacilla.
fuscatus Syrphus (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 89.—Tipula.
fuscata Tenthredo, J. L. Christ, Nat. Ins. 1791, 452.
fuscata Tipula, J. C. Fabricius, Syst. Ent. 1775, 755.
fuscatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3576.
fuscata Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 260.
fuscata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3465.
fuscellata Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2584.
fuscella Phalaena, Scopoli, Ent. Carn. 1763, 245.
fuscella Phalaena, [D. H. Schneider], Nom. Ent. 1785, 55 [*n. n.*].
fuscella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 539; ed. 12, 1767, 893.
fuscella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 662.—Phalaena.
fuscescens Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 534.
fuscescens Apis, C. de Villers, Linn. Ent. III. 1789, 320.
fuscescens Centrogaster, M. Houttuyn, Verh. Holl. Maat. Weet. Haarlem, XX (2) 1782.
fuscescens Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2166. [333.
fuscescens Formica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2804.
fuscescens Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3639.
fuscescens Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2703.
fuscescens Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2718.
fuscescens Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 984.
fuscescens Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 942.
fuscescens Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3701.
fuscescens Planaria, O. Fabricius, Skr. nat. Selsk. [Copen.] IV (2) 1798, 58.
fuscescens Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1571.—[fuscus,
fuscescens Sertularia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3846. [Scop.]
fuscescens Sparus, M. Houttuyn, Verh. Holl. Maat. Weet. Haarlem, XX (2) 1782, 324.
fuscescens Sylvia (Gm.), J. Latham, Index Orn. 1790, 537.—Motacilla.
fusciata Chrysomela (*err. pro fasciata*, 1775), J. C. Fabricius, Mant. Ins. I. 1787, 73.
fusciata Necdalis, C. de Villers, Linn. Ent. I. 1789, 283.
fuscicaudis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2187.
fusicollis Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 906.
fusicollis Loxia (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 440.—Fringilla.
fusicollis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 959.
fusicollis Sylvia (Gm.), J. Latham, Index Orn., 1790, 520.—Motacilla.
fusicornis Altica (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 112.—Chrysomela.
fusicornis Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2794.
fusicornis Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 386.
fusicornis Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1992.

- fuscicornis Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1837.
 fuscicornis Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 595.
 fuscicornis Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 126.
 fuscicornis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1729.
 fuscicornis Ichneumon, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 327.
 fuscicornis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2684.
 fuscicornis Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 98.
 fuscicornis Telephorus, A. G. Olivier, Entom. II. 1790, 11.
 fuscifolia Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 636.
 fusciformis Cerambyx, C. de Geer, Mém. Ins. VII. 1778, 657.
 fusciformis Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 70.
 fusciformis Sirex, J. C. Fabricius, Mant. I. 1787, 257.
 fusciolus Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 245.
 fuscipennis Dytiscus, G. Paykull, Faun. Suec. I. 1798, 209.
 fuscipennis Staphylinus, L. H. v. Bloch in Becker, Plau. Grund. 1799, 116.
 fuscipes Altica, J. C. Fabricius, Syst. Ent. 1775, 114.
 fuscipes Asilus, C. de Villers, Linn. Ent. III. 1789, 604.
 fuscipes Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1987.
 fuscipes Chrysomela, Fabr., J. C. Fabricius, Spec. Ins. I. 1781, 135.—Altica, 1775.
 fuscipes Chrysomela (Geoff.), C. de Villers, Linn. Ent. I. 1789, 158.—Cryptocephalus.
 fuscipes Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1672.
 fuscipes Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2200.—Reduvius.
 fuscipes Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 94.
 fuscipes Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 127.
 fuscipes Dermestes, G. W. F. Panzer, Deutsch. Ins. [1795], 99.
 fuscipes Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 411; ed. 12, 1767, 664.
 fuscipes Elater, J. C. Fabricius, Syst. Ent. 1775, 211.
 fuscipes Empis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2891.
 fuscipes Empis, J. C. Fabricius, Ent. Syst. IV. 1794, 406.
 fuscipes Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 32.—Chrysomela, 1781.
 fuscipes Hydrophilus, A. F. de Fourcroy, Ent. Paris. 1785, 66.
 fuscipes Hydrophilus (L.), C. de Geer, Mém. Ins. IV. 1774, 377.—Dytiscus.
 fuscipes Hydrous, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 38.
 fuscipes Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 412.
 fuscipes Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2684.
 fuscipes Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2718.
 fuscipes Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2843.
 fuscipes Reduvius, J. C. Fabricius, Mant. II. 1787, 312.
 fuscipes Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 423; ed. 12, 1767, 685.
 fuscipes Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
 fuscipes Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2819.
 fuscipes Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 826.
 fuscirostris Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 389.—Curculio, 1775.
 fuscirostris Curculio, J. C. Fabricius, Syst. Ent. 1775, 131.
 fusciventris Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2789.
 fuscoculus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2165.
 fuscodactyla Alucita, C. de Villers, Linn. Ent. II. 1789, 535.
 fuscofasciatus Clerus, C. de Geer, Mém. Ins. V. 1775, 159.
 fuscofasciata Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17 [*n. n.*].
 fuscofasciata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 41.
 fuscifulva Emberiza, P. Boddaert, Tab. Planch. Enl. 1783, 20.
 fusco-grisea Ephemera, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 57.
 fuscomaculata Coccinella, F. v. P. Schrank, F. Boica, I. 1798, 455.
 fuscomaculatus Curculio, J. C. Fabricius, Mant. I. 1787, 122.
 fuscomarginata Aranea (Cancroides), C. de Geer, Mém. Ins. VII. 1778, 301.
 fusconebulosa Phalaena, C. de Geer, Mém. Ins. VII. 1778, 598.
 fusconebulosa Phalaena Noc., C. de Villers, Linn. Ent. II. 1789, 536.
 fusconigra Cebus, H. F. Link, Beytr. Nat. I (2) 1795, 63 [*n. n.*].

- fuscoptera** Formica, A. F. de Fourcroy, Ent. Paris. 1785, 452.
fuscoptera Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 307.
fuscopterus Psocus, A. J. Coquebert, Icon. Ins. (1) 1799, 10.
fuscopunctata Coccinella, F. A. A. Meyer, Zool. Archiv (1) 1796, 211.
fuscopunctatus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 36.
fuscorubella Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 237.
fusco rubra Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 245.
fuscosa Bombyx, E. J. C. Esper, Die Schmett. III (26) [1786], 324.
fuscosa Phalaena Noctua (Esp.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 563.—
 fuscus [Bombyx].
fuscus Dytiscus, F. v. P. Schrank, Ins. Aust. 1781, 203.
fuscula Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 89.
fuscula Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
fuscus Serropalpus, Illiger in Kugelann, Käfer Preuss. 1798, 132. [1792.—Noctua.
fusca Alauda, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 15.
fusca Alcedo, P. Boddaert, Tab. Planch. Enl. 1783, 54.
phusca (*sic*) Alcyonium, P. Forskal, Descr. Anim. 1775, 129.
fusca Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 123; ed. 12, 1766, 196.
fuscus Anthrenus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 152.
fuscus Anthrenus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1615.
fusca Apis, Scopoli, Ent. Carn. 1763, 303.
fusca Apis, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. III. 1794, 141 [*n. n.*].
fusca Aranea, C. de Geer, Mém. Ins. VII. 1778, 235.
fusca Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 102.
fusca Ardea, J. Latham, Index Orn. 1790, 700.
fusca Ardea (Ciconia), P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 111.
phusca (*sic*) Ascidia (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3127.—
fusca Blatta, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 76. [Alcyonium].
fuscus Blennius, O. F. Müller, Z. Dan. Prod. 1776, 43.
fuscus Blennius, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 55.
fuscus Bombylius, J. C. Fabricius, Spec. Ins. II. 1781, 474.
fusca Bombyx, C. P. Thunberg, Ins. Suecica (4) 1792, 53.
fuscus Bostrichus, A. F. de Fourcroy, Ent. Paris. 1785, 133.
fuscus Bostrichus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1603.
fuscus Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 408.
fuscus Bufo, J. N. Laurenti, Syn. Rept. 1768, 28 & 122.
fusca Buprestis, J. C. Fabricius, Spec. Ins. I. 1781, 279.
fuscus Byrrhus, F. v. P. Schrank, F. Boica, I. 1798, 472.
fuscus Calamita, J. G. Schneider, Hist. Amph. I. 1799, 174.
fuscum Callidium, J. C. Fabricius, Mant. I. 1787, 154.
fusca Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 401; ed. 12, 1767, 647.
fusca Cantharis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 277.
fuscus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1987.
fuscus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 158.
fusca Cassida, J. N. Laicharting, Tyrol. Ins. I. 1781, 112.
fuscus Kateretes, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 14.
fuscus Cerambix, A. G. Olivier, Entom. IV. 1795, 83.—Lamia, 1792.
fuscus Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 308.—Callidium.
fuscus Cebrio, J. C. Fabricius, Ent. Syst. I (2) 1792, 41.
fusca Cercopithecus, J. R. Forster in Latham & Davies, Faun. Ind. ed. 2, 1795, 3 [*n. n.*].
fusca Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 472.
fusca Certhia, B. S. Barton, Frag. N. H. Pennsylv. 1799, 11.
fusca Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 257.
fusca Chama, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3304.
fuscus Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3204.
fusca Chrysomela, C. de Geer, Mém. Ins. V. 1775, 348.
fusca Cicada, O. F. Müller, Z. Dan. Prod. 1776, 102.
fusca Cicada, J. A. E. Goeze in de Geer, Gesch. Insekt. III. 1780, 116.
fusca Cicada, A. G. Olivier, Ency. Méth. V (Ins.), 1790, 749.

- fusca* Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 59.
fuscus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 44.
fuscus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2134.
fusca Cistela, F. v. P. Schrank, Baier. Reise, 1786, 63.
fusca Cistela, A. G. Olivier, Entom. III. 1795, 10.
fusca Cistela, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 610.
fusca Clava, T. Martyn, Univ. Conch. III [1789], fig. 98.
fuscus Clerus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 17.
fuscus Coccus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2221.
fuscus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 222; ed. 12, 1766, 383.
fusca Columba, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 134.
fusca Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 773.
fuscus Colymbus, A. Vroeg, Catal. Vogel. 1764, adumb., 6.
fuscus Conops, Scopoli, Ent. Carn. 1763, 355.
fuscus Conops, M. Harris, Exp. Eng. Ins. 1776, 72.
fuscus Corvus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 85.
fuscus Kryptophagus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 174.
fuscus Cuculus, J. M. Bechstein, Mag. Neuste Phys. u. Nat. VI (1) 1789, 69.
fuscus Curculio, J. N. Laicharting, Tyrol. Ins. I. 1781, 211.
fuscus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 540.
fuscus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 370.
fuscus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 376.
fuscus Dermestes, J. C. Fabricius, Mant. I. 1787, 35.
fuscus Diplolepis, A. F. de Fourcroy, Ent. Paris. 1785, 393.
fusca Donacia, J. J. Zschachi, Mus. Lesk. 1788, 27.
fusca Doris, O. F. Müller, Z. Dan. Prod. 1776, 229.
fuscus Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 411; ed. 12, 1767, 665.
fuscus Elater, F. v. P. Schrank, Ins. Aust. 1781, 189.
fuscus Elater, A. F. de Fourcroy, Ent. Paris. 1785, 39.
fusca Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 878.
fusca Ephemera, J. Miller, Icones Insect. IX. 1759 [*n. et f.*].
fuscus Falco, J. F. Miller, Icon. Anim. pl. 18 (1777).
fuscus Falco, O. Fabricius, F. Groen. 1780, 56.
fuscus Falco, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
fusca Fasciola, P. S. Pallas, Spic. Zool. X. 1774, 21.
fusca Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 580; ed. 12, 1767, 963.
fusca Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 163.
fusca Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 911.
fusca Fulica, Linnaeus, Syst. Nat., ed. 12, 1766, 257.
fusca Gallinula (L.), J. C. Schaeffer, Mus. Orn. 1789, 58.—Fulica.
fuscus Gryllus (Locusta), P. S. Pallas, Reise Russ. II. 1773, 727.
fuscus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2083.
fuscus Helops, G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 1.
fusca Hydra, Linnaeus, Syst. Nat., ed. 12, 1767, 1320.
fuscus Hydrophilus, C. de Geer, Mém. Ins. IV. 1774, 378.
fusca Hyla, J. N. Laurenti, Syn. Rept. 1768, 34.
fuscus Ichneumon, Linnaeus, Syst. Nat., ed. 12, 1767, 933. [Kryptophagus.
fusca Ips (Herbst), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 552.—
fuscus Julus, Linnaeus, Syst. Nat., ed. 10, 1758, 640; ed. 12, 1767, 1065.
fuscus Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1295.
fuscus Labrus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 263.
fusca Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 462.
fuscus Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 308.
fuscus Larus, Linnaeus, Syst. Nat., ed. 10, 1758, 136; ed. 12, 1766, 225.
fusca Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 84.
fusca Leptura (Zsch.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1867.—Donacia.
fusca Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1868.
fuscus Limax, O. F. Müller, Verm. II. 1774, 11.

- fusca-spicatus** Limax, T. Martyn, Univ. Conch. IV [1792], fig. 121.
- fusca** Locusta, J. C. Fabricius, Ent. Syst. II. 1793, 43.
- fusca** Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 175; ed. 12, 1766, 307.
- fuscus** Lucanus, J. D. Preyßler, Verz. böhm. Ins. 1790, 6.
- fuscus** Luperus, J. A. Frolich, Naturforscher, XXVIII. 1799, 24.
- fuscus** Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 539.
- fuscus** Malacopteryx (L.), J. R. Forster, Cat. Brit. Ins. 1770, 7 [n. n.]—Cantharis.
- fusca** Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 635.
- fusca** Medusa, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 48.
- fusca** Melolontha (Scop.), A. G. Olivier, Entom. I. 1789, 19.—Scarab.
- fusca** Melolontha, J. A. Frolich, Naturforscher, XXVI. 1792, 99.
- fuscus** Mergus, J. Latham, Index Orn. 1790, 832.
- fusca** Mordella, F. v. P. Schrank, Ins. Aust. 1781, 229.
- fusca** Motacilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 175.
- fusca** Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 973.
- fusca** Muraena, B. Zuiew, Nova Acta Ac. Sci. Petrop. VII. 1793, 296.
- fuscus** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3561.
- fuscus** Musca, M. Harris, Exp. Eng. Ins. 1776, 42.
- fusca** Musca (Scop.), F. v. P. Schrank, Ins. Aust. 1781, 452.—Conops.
- fusca** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2833.
- fusca** Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 170.
- fusca** Muscicapa, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
- fusca** Muscicapa, P. Boddaert, Tab. Planch. Enl. 1783, 33.
- fusca** Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 931.
- fusca** Mylabris, A. F. de Fourcroy, Ent. Paris. 1785, 112.
- fuscus** Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3359.
- fuscus** [Mytilus], T. Martyn, Univ. Conch. IV [1792] fig. 151.
- fuscus-undatus** [Mytilus], T. Martyn, Univ. Conch. IV [1792], fig. 152.
- fusca** Nepa, Linnaeus, Syst. Nat., ed. 10, 1758, 440; ed. 12, 1767, 713.
- fusca** Neritaeiformis, F. C. Meuschen, Mus. Gev. 1787, 276.
- fusca** Nitidula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1628.
- fuscus** Oniscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3014.
- fuscum** Opatrum, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 225.
- fuscum** Opatrum, J. C. Fabricius, Suppl. Ent. Syst. 1798, 40.
- fuscus** Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 393.
- fusca** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3320.
- fusca** Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 784; ed. 12, 1767, 1261.
- fuscus** Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 570.
- fusca** Perca, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIV. 1793, 297.
- fusca** Perla, C. de Geer, Mém. Ins. III. 1773, 567.
- fusca** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 37.
- fusca** Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
- fusca** Phalaena Bom., C. de Villers, Linn. Ent. II. 1789, 159.
- fusca** Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 281.
- fuscus** Phalaropus (Gm.), J. Latham, Index Orn. 1790, 776.—Tringa.
- fusca** Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 549; ed. 12, 1767, 910.
- fusca** Planaria, O. Fabricius, F. Groen. 1780, 324.
- fusca** Planaria (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3090.—Fasciola.
- fusca** Podura, Linnaeus, Syst. Nat., ed. 10, 1758, 608.
- fuscus** Pompilus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 246.—Sphecx.
- fuscus** Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 78.
- fuscus** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 333.
- fusca** Psylla, A. F. de Fourcroy, Ent. Paris. 1785, 224.
- fuscus** Pterophorus, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 35.
- fuscus** Ptilinus, A. F. de Fourcroy, Ent. Paris. 1785, 4.
- fuscus** Ptinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1606.
- fuscus** Rallus, Linnaeus, Syst. Nat., ed. 12, 1766, 262.
- fusca** Rana, J. M. Bechstein, Getreue Abbild. heft 9 [? 1794], 115.

- fusca* Rana, J. G. Schneider, Hist. Amph. I. 1799, 130.
fusca Salamandra, J. N. Laurenti, Syn. Rept. 1768, 42.
fuscus Scarabaeus, J. A. Scopoli, Del. Insub. I. 1786, 53.
fuscus Scarabaeus, P. Rossi, Mant. Ins. I. 1792, 8.
fusca Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 145.
fusca Scolopax, Linnaeus, Syst. Nat., ed. 12, 1766, 243.
fusca Scolopendra, A. F. de Fourcroy, Ent. Paris. 1785, 543.
fusca Silpha, Linnaeus, Syst. Nat., ed. 12, 1767, 573.
fusca Silpha, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 200.
fuscus Simia (Cercop.), R. Kerr, Anim. Kingd. 1792, 74.
fuscum Sinum, J. F. Bolten, Mus. Bolten. (2) 1798, 14.
fuscum Sphaeridium, A. G. Olivier, Entom. II. 1790, 10.
fusca SpheX, Linnaeus, Faun. Suec., ed. 2, 1761, 412.
fuscus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2027.
fusca Sterna, J. Latham, Syn. Birds, Suppl. I. 1787, 296.
fuscus Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3523.
fuscus Sturnus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 805.
fusca Sylvia (Gm.), J. Latham, Index Orn. 1790, 1543.—Motacilla.
fusca Talpa, E. A. W. Zimmermann, Spec. Zool. 1777, 497.
fusca Tanagra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 159.
fuscus Tantalus, Linnaeus, Syst. Nat. ed. 12, 1766, 241.
fuscus Telephorus (L.). C. de Geer, Mém. Ins. IV. 1774, 60.—Cantharis.
fusca Tellina, J. X. Poli, Test. Sicil. II. 1795, 49.
fuscus Tenebrio, P. Rossi, Fauna Etrus. I. 1790, 233.
fusca Tenebrio, A. G. Olivier, Entom. III. 1795, 18.
fuscus Thelephorus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 61.—Cantharis.
fuscus Thrips, J. H. Sulzer, Gesch. Ins. 1776, 113.
fusca Thrips, O. F. Müller, Z. Dan. Prod. 1776, 96.
fuscus Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 444.
fusca Tringa, Linnaeus, Syst. Nat., ed. 12, 1766, 252.
fusca Tringa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 114.
fusca Tringa, J. Latham, Syn. Birds, Suppl. I. 1787, 293.
fusca Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 675.
fusca Tritoma (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 39.—Silpha.
fuscus Trixagus (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
fuscus Trochus, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 638. [535.—Dermestes.
fuscus Turbo, O. F. Müller, Z. Dan. Prod. 1776, 242.
fuscus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 142.
fuscus Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
fuscus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 817.
fusca Upupa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 468.
fuscus Ursus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 325.
fusca Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3281.
fuscus Vultur, P. Boddaert, Tab. Planch. Enl. 1783, 25.
fuscus Vultur, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 248.
fusicollis Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 906.
fusiformis Apis, C. de Geer, Mém. Ins. VII. 1778, 608.
fusiformis Aranea, F. H. W. Martini & J. A. E. Goetze in Lister, Spinnen, 1778, 232.
fusiforme Distoma, J. G. H. Zerber in Goetze, 1 Nachtr. Eingeweidewürm. 1800, 171.
fusiformis Fistularia, J. A. Donndorff, Zool. Beyt. III. 1798, 653.
fusiformis Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3549.
fusiformis Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 144.
fusiformis Syngnathus, J. G. Walbaum, Artdi. Ichth. (3), ed. 2, 1792, 9.
fusorius Ichneumon, Linnaeus, Faun. Suec., ed. 2, 1761, 401.
fustigatus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 623.
fustigata Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 180 [n. n.].
fusulus Helix, O. F. Müller, Verm. II. 1774, 109.
fusulus Turbo (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3610.—Helix.

- Fusus** Helbling, Abh. Privatges. Böhmen, IV. 1779, 116.—G.
Fusus J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xv.—G.
Fusus J. F. Bolten, Mus. Bolten. (2) 1798, 118.—G.
Fusus Lamarck, Mem. Soc. H. N. Paris, 1799, 73.—G.
fusus Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 334.—Murex.
fusus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 348.
fusus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3390.
fusus Enchelis, O. F. Müller, Verm. I (1) 1773, 36.
fusus Helix, O. F. Müller, Verm. II. 1774, 108.
fusus Holothuria, O. F. Müller, Z. Dan. Prod. 1776, 232.
fusus Murex, P. Forskal, Descr. Anim. 1775, xxxiii.
fusus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 752.—[Strombus, ed. 12.]
fusus Rostellaria (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 72.—Strombus.
fusus Strombus, Linnaeus, Syst. Nat., ed. 12, 1767, 1207.
fusus Turbo (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3610.—Helix.
fusus Vespa, J. L. Christ, Nat. Ins. 1791, 242: *varr.* maior & minor.
fusus Vibrio, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 317.
futilis Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 110.
fysesella Tinea, *id.* ac fuesella. Mant. II. 250, J. C. Fabricius, Ent. Syst. III (2) 1794, 318.
- gabar** Falco, F. M. Daudin, Traité élém. Orn. 1800, 87.
gabriela [Papilio], P. Cramer, Utit. Kapellen, I (1) 1775, 9.
gabrielis Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 262.—Papilio gabriela.
gabrielis Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 65.—[= P. gabriela, Cr.]
gabrielis Scolopendra, Linnaeus, Syst. Nat., ed. 12, 1767, 1063.
Gabula Bonnatere, Ency. Méth. (Orn.) I. 1790, xcvi.—A.
gacialis Cancer, *v.* **glacialis**.
gadi Ascaris, O. F. Müller, Z. Dan. Prod. 1776, 214.
gadi Echinorynchus, O. F. Müller, Z. Dan. Prod. 1776, 214.
gadi Proboscidea (Müll.), J. G. Bruguière, Ency. Méth. (Vers Int. 1791), 98.—Ascaris.
gadina Lernaea, O. F. Müller, Z. Dan. Prod. 1776, 226.
gaditanum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3255.
gaditana Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3221.
gaditana Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2765.
gadoides Blennius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 458.
Gadus Linnaeus, Syst. Nat., ed. 10, 1758, 251; ed. 12, 1766, 435 [Artedio, Ichth. 1738,
gadus Blennius, G. A. Suckow, Naturges. IV. 1799, 257. [gen. xvi. 19].
gaideropum Argoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Spondylus.
gaederopus Spondylus, Linnaeus, Syst. Nat., ed. 10, 1758, 690; ed. 12, 1767, 1136.
Gafrarium J. F. Bolten, Mus. Bolten. (2) 1798, 176.—L.
gagates Cetonia (Forst.), J. C. Fabricius, Syst. Ent. 1775, 49.—Scarabaeus.
gagates Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 148.
gagates Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 480.
gagates Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 398. [Fourmis, 1798, 36.
gagates Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [*u. n.*]; Essai
gagates Rynchophorus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 26.—
gagates Scarabaeus, J. R. Forster, N. Sp. Ins. 1771, 6. [Curculio.
gagates Scarabaeus, O. F. Müller, Z. Dan. Prod. 1776, 55.
gagates Scarites, Hellwig in G. W. F. Panzer, Ins. Germ. heft 11, 1793, tab. 1.
gagathes Bombyx, C. C. Jung, Alph. Verz. Schmett. 1791, 238.
gagatinus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 21.
gagatinus Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 10.
gages Blaps (L.), J. C. Fabricius, Spec. Ins. I. 1781, 321.—Tenebrio.
gages Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 416.
gages Pimelia (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2000.—Tenebrio.
gages Rynchophorus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 17.—Cur-
gages Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1766 [errata end of vol. I.] [*v.* **gigas**]. [culio.

- gahm** Chaetodon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1268.
gaideropum *v.* **gaederopus**.
gaietanus Chiton, J. X. Poli, Test. Sicil. I. 1791, 10.
gala Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 17.
galactodactyla Alucita, [Denis & Schiffermüller], Schmett. Wien, 1775, 320.
galactodactyla Phalaena Alucita, J. Hübner, Beitr. Schmett. I (1) 1786, 28.
Galago E. Geoffroy, Mag. encyclop. I (1) 1796, 49.—M.
Galago G. Cuvier, Tabl. élément. 1798, 101.—M.
Galago B. G. E. de Lacépède, Tabl. Mamm. 1799, 5.—M.
galanthis [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 39.
[galanthus Papilio, MS.], T. Martyn, Psyche, 1797, fig. 22.
Galatea J. G. Bruguière, Ency. Méth. (Tabl. Vers) pl. 250 (1797) [*n. et f.*].—L.
galatea Ardea, G. I. Molina, Sag. stor. nat. Chili, 1782, 235.
Galathea J. C. Fabricius, Ent. Syst. II. 1793, 471.—Cr.
galathea Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 474; ed. 12, 1767, 772.
galaxaera Papilio, Nym., E. J. C. Esper, Die Schmett. Suppl., 1 Abschn. [1799], 97.
galaxea Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 168.
galba Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 352.
Galbula Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 8 & 73.—A.
Galbula M. J. Brisson, Ornith. IV. 1760, 88.—A.
Galbula J. A. Scopoli, Intr. Hist. Nat., 1777, 480.—A.
Galbula B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 2.—A.
Galbula G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [*n. n.*].—A.
galbula Alcedo, Linnaeus, Syst. Nat., ed. 12, 1766, 182.
galbula Apis (Pall.), Lamarck in Pallas, Voy. Russie (8vo. ed.) VIII [1794], 188.—Vespa.
galbula Coracias, Linnaeus, Syst. Nat., ed. 10, 1758, 108.
galbula Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 160.
galbula Turdus (L.), J. C. Schaeffer, Mus. Orn. 1789, 20.—Oriolus.
galbula Vespa, P. S. Pallas, Reise Russ. I. 1771, 473.
G. album Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 235.
Galea F. C. Meuschen, Mus. Gever. 1787, 486.—Ech.
galeator Globosa, F. C. Meuschen, Mus. Gever. 1787, 386.
galeatus Balanus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 170.—Iepas.
galeatus Buceros, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 360.
galeatus Casuarius, G. Shaw in Miller, Cim. Phys. 1796, 27.
galeata Columba, M. T. Brünnich, Orn. Boreal. 1764, 61.
galeata Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 280.
galeata Crax, J. Latham, Index Orn. 1790, 624.
galeata Lepas, Linnaeus, Mant. II. 1771, 544.
galeata Membracis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 668.
galeata Motacilla, P. Boddaert, Tab. Planch. Enl. 1783, 24.
galeata Musca, P. Rossi, Mant. Ins. II. 1794, 73.
galeata Patella, G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 103.
galeatus Silurus, Linnaeus, Syst. Nat., ed. 12, 1766, 503.
galeata Testudo, J. D. Schoepff, Hist. Test. 1792, 12.
galeatus Turbo, I. v. Born, Index Mus. Cæs. Vind. 1778, 354.
galegae Bruchus, P. Rossi, Mant. Ins. II. 1794, 82.
galenus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 350.
Galeodes A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 579.—Ar.
Galeodes J. F. Bolten, Mus. Bolten. (2) 1798, 53.—G.
Galeopithecus P. S. Pallas, Acta Ac. Sci. Petrop. 1780 (1), 1783, 208.—M.
Galeopithecus B. G. E. de Lacépède, Tabl. Mamm. 1799, 16.—M.
Galeopithecus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
galeopsidis Chrysomela, F. v. P. Schrank, F. Boica, I. 1798, 532.
Galera P. Browne, Hist. Jamaica, ed. 2, 1789, 485.—M.
galericulata Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 128; ed. 12, 1766, 206.
galerita Alcedo, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 94.
galerita Blennius, Linnaeus, Syst. Nat., ed. 10, 1758, 256; ed. 12, 1766, 441.

- galeritus** Psittacus, J. Latham, Index Orn. 1790, 109.
- galerita** Simia, M. T. Brünnich, Dyr. Hist. 1782, 26.
- galeritus** Trochilus, G. I. Molina, Sag. stor. nat. Chili, 1782, 247.
- Galeruca** E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 251.—Col.
- galleruca** Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 56.
- Galerus** [G. Humphreys], Mus. Calonn. 1797, 5.—G.
- galera** Mustela, J. C. D. Schreber, Säugth. III. 493 (1777), pl. cxxxv (1776).
- galera** Mustela, J. C. P. Erxleben, Syst. Anim. 1777, 453.
- galerus** Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 87 [*n. n.*].
- Galeus** (*ex* Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 580.—P.
- galea** Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 734; ed. 12, 1767, 1197.
- galea-ferrea** Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 91.
- galea-variata** Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 91.
- galea** Cadus, J. F. Bolten, Mus. Bolten. (2) 1798, 150 [*n. n.*].
- galea** Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 100.
- galeus** Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 234; ed. 12, 1766, 399.
- Galgulus** M. J. Brisson, Ornith. II. 1760, 64.—A.
- galgulus** Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 103; ed. 12, 1766, 150.
- galgulus** Psittacus, R. Kerr, Anim. Kingd. 1792; *var.* philippensis, 610.
- galian** Cyprinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1421.
- galiata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.
- galiata** Geometra, J. Hübnér, Europ. Schmett. (Geom.) [me jurice 1796], fig. 272 [*n. et f.*].
- galiata** Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 393.—
- galii** Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 42. [Geometra.]
- galilaeus** Araneus, Linnaeus in Hasselquist, Palast. 1762, 473.
- galilaeus** Merops, Linnaeus in Hasselquist, Palast. 1762, 302.
- galilaeus** Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 282; ed. 12, 1766, 473.
- gallae** Cixes, O. F. Müller, F. Ins. Frid. 1764, 29.
- gallaepyriiformis** Diplolepis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 282.
- gallae tinctoriae** Diplolepis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 281.
- gallarum** Aphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2210.
- gallarum** Cynips (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 782.—Ichneumon.
- gallarum** Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 389.—Ichneumon.
- gallarum** Ichneumon, Linnaeus, Faun. Suec., ed. 2, 1761, 409.
- gallata** Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 358.
- Galleria** J. C. Fabricius, Suppl. Ent. Syst. 1798, 419.—Lep.
- galli** Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 9.
- galii** Sphinx, J. C. Fabricius, Gen. Ins. 1777, 273; *v.* galii, D. & S. *→ see galii. von Pallas 1771*
- gallica** Apis, C. de Villers, Linn. Ent. III. 1789, 319.
- gallica** Blatta, J. C. Fabricius, Ent. Syst. II. 1793, 8.
- gallicus** Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 692.
- gallicus** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 259.
- gallica** Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 487.
- gallica** Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1877.
- gallica** Leucospis, C. de Villers, Linn. Ent. III. 1789, 261.
- gallicum** Oscabrium, K. Schreibers, Vers. Conch. II. 1793, 334.
- gallica** Pyramis, J. F. Bolten, Mus. Bolten. (2) 1798, 58.
- gallica** Raja, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 533.
- gallica** Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3244.
- gallica** Vespa, Linnaeus, Syst. Nat., ed. 12, 1767, 949.
- gallica** Viverra, R. Kerr, Anim. Kingd. 1792, 167.
- gallina** Callistoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—Venus.
- gallina** Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 56.
- gallina** Scolopax, M. Houttuyn in Nozeman & Houttuyn, Ned. Vogel. III (179—), 247.
- gallina** Trichoda, O. F. Müller, An. Infus. 1786, 209.
- gallina** Trigonella, E. M. da Costa, Brit. Conch. 1778, 199.
- gallina** Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 685; ed. 12, 1767, 1130.
- gallinacea** Gracula (Lath.), F. M. Daudin, Traité élém. Orn. 1800, 291.—Sturnus.

- gallinaceus** Gryllus, J. C. Fabricius, Ent. Syst. II. 1793, 48.
gallinaceus Sturnus, J. Latham, Index Orn. 1790, 324.
gallinae Acarus, C. de Geer, Mém. Ins. VII. 1778, 111.
gallinae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3034.
gallinae Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3040.
gallinae Gordius, J. G. Bruguière, Ency. Méth. (Vers Int. 1791), 89.
gallinae Pediculus (De G.), C. de Villers, Linn. Ent. IV. 1789, 33.—Ricinus.
gallinae Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 613; ed. 12, 1767, 1020.
gallinae Ricinus, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 202.
gallinago Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 147; ed. 12, 1766, 244.
gallinarius Buteo (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 155.—Falco.
gallinarius Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 266, & *var.* naevius.
gallinaria Scolopax, O. F. Müller, Z. Dan. Prod. 1776, 23.
gallinarum Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 9.
Gallinula M. J. Brisson, Ornith. VI. 1760, 3.—A.
Gallinula G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [*n. n.*].—A.
gallinula Kolpoda, O. F. Müller, An. Infus. 1786, 94.
gallinula Scolopax, Linnaeus, Syst. Nat., ed. 12, 1766, 244.
gallipennella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 68.
Gallopavo M. J. Brisson, Ornith. I. 1760, 158.—A.
gallopavo Meleagris, Linnaeus, Syst. Nat., ed. 10, 1758, 156; ed. 12, 1766, 268.
gallopavonis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3034.
galloprovincialis Cerambyx, A. G. Olivier, Entom. IV. 1795, 125.
gallorum Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2180.
gallorum Lepas, L. Spengler, Skr. nat. Selsk. [Copen.] I (1) 1790, 203.
Gallus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 3 & 37.—A.
Gallus M. J. Brisson, Ornith. I. 1760, 166.—A.
Gallus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [*n. n.*].—A.
gallus Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 338.—Strombus.
gallus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 361.
gallus Labrus (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1284.—Scarus.
gallus Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 64.—Strombus.
gallus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 145.—Cimex, 1781.
gallus Phasianus, Linnaeus, Syst. Nat., ed. 10, 1758, 158; ed. 12, 1766, 270; *varr.*
cristatus, ecaudatus, crispus, pusillus, morio, lanatus.
gallus Phasianus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788: *varr.* domesticus
(737); pentadactylus, pumilio, plumipes (738); turcicus, patavinus, niger, tophaceus (739).
gallus Scarus, P. Forskal, Descr. Anim. 1775, 26.
gallus Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 743; ed. 12, 1767, 1209.
gallus Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3277.
gallus-radiatus Venus, K. Schreibers, Vers. Conch. II. 1793, 114.
gallus Zeus, Linnaeus, Syst. Nat., ed. 10, 1758, 267; ed. 12, 1766, 454.
galpinus Musca, M. Harris, Exp. Eng. Ins. 1776, 118.
gambensis Anas, Linnaeus, Syst. Nat., ed. 12, 1766, 195.
gamberina [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 159.
gambetta Tringa, Linnaeus, Syst. Nat., ed. 10, 1758, 148; ed. 12, 1766, 248.
gambrisius [Papilio], P. Cramer, Utitl. Kapellen, II (14) 1777, 95.
gambrisius Papilio, J. C. Fabricius, Mant. II. 1787, 12.
gamma Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 607.—Phalaena.
gamma Phalaena, J. A. Scopoli, Annus V. 1772, 115.
gamma Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 513; ed. 12, 1767, 843.
Gammarellus J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 106.—Cr.
gammarellus Cancer (Pall.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 129.—Oniscus.
gammarellus Gammarus (Pall.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 187.—Oniscus.
gammarellus Oniscus, P. S. Pallas, Misc. Zool. 1766, 191.
Gammarus J. C. Fabricius, Syst. Ent. 1775, 418.—Cr.
Gammarus J. C. Fabricius, Suppl. Ent. Syst. 1798, 395.—Cr.
gammarus Astacus (Linn.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 8.—Cancer.

- gammarus** Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 631; ed. 12, 1767, 1050.
gammarus Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (1) 1791, 42.
gammoides Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 81.
gangeticus Crocodylus (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 20.—Lacerta.
gangetica Lacerta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1057.
gangeticus Tantalus, G. Shaw, Nat. Misc. VIII. 1797, pl. 293.
gangis Phalaena, Linnaeus, Amoen. Acad. VI. 1763, 410.
gangraenosa Musca, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 22.
ganhancus [Sphinx], C. Stoll, Aahang. Cramer's Utl. Kapellen, V. 1790, 157.
ganimedes [Papilio], P. Cramer, Utl. Kapellen, I (4) 1775, 64.
garamit Blennius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 460.
garbas Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 312.—[garbus est. 1787.]
garbus Papilio, J. C. Fabricius, Mant. II. 1787, 81.
gardeni Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 645.
gardeniana Hiattula, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 522.
gardetta Papilio, L. Prunner, Lep. Pedemont. 1798, 74.
gargadia Cardium (L.), F. C. Meuschen, Mus. Gever. 1787, 440.—Tellina.
gargadia Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 674; ed. 12, 1767, 1116.
garganicus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1861.—
garganicus Stenocorus, J. C. Fabricius, Syst. Ent. 1775, 178. [Stenocorus.
gari Peronaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 257.—Tellina.
gari Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 674; ed. 12, 1767, 1117.
Garrulus M. J. Brisson, Ornith. II. 1760, 47.—A.
garrulus Ampelis, Linnaeus, Syst. Nat., ed. 12, 1766, 297.
garrula Apis, P. Rossi, Fauna Etrus. II. 1790, 101.
garrula Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 758.
garrulus Coracias, Linnaeus, Syst. Nat., ed. 10, 1758, 107; ed. 12, 1766, 159 [a].
garrula Galgulus (L.), J. C. Schaeffer, Mus. Orn. 1789, 14.—Coracias.
garrulus Lanius, Linnaeus, Syst. Nat., ed. 10, 1758, 95.
garrulus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 100; ed. 12, 1766, 144.
garrulus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 333; *vary.* aurorae,
garrulus Psittacus, R. Kerr, Anim. Kingd. 1792; *vary.* maculatus, 591. [moluccensis.
garrula Tettigonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 100.
garrulus Turdus (L.), J. C. Schaeffer, Mus. Orn. 1789, 20.—Ampelis.
garzetta Ardea, Linnaeus, Syst. Nat., ed. 12, 1766, 237.
garzetto Labrus, J. A. Donndorff, Zool. Beyt. III. 1798, 477.
Gasteropelecus L. T. Gronovius, Zooph. I. 1763, 135.—P.
gasteropelecus Salmo, P. S. Pallas, Spic. Zool. VIII. 1770, 50.
gasterostei Alysseminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 255.
gasterostei Binoculus, A. F. de Fourcroy, Ent. Paris. 1785, 539.
gasterostei Taenia, O. Fabricius, F. Groen. 1780, 320.
Gasterosteus Linnaeus, Syst. Nat., ed. 10, 1758, 295; ed. 12, 1766, 489; [Artedi, Ichth. 1738, gen. xxxvii, 52].—P.
Gasteruption P. A. Latreille, Préc. Car. Ins. 1796, 113.—Hym.
Gastridium A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 106.—G.
Gastrobranchus M. E. Bloch, Nat. ausl. Fische, IX. 1795, 67.—P.
Gastrochaena L. Spengler, Nye Saml. K. Danske Skrifter, II. 1783, 179.—L.
gastrodes Musca, P. Rossi, Mant. Ins. II. 1794, 67.
gaterina Sciaena, P. Forskal, Descr. Anim. 1775, 50.
gattair Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 542.
gattarugine Blennius, Linnaeus, Syst. Nat., ed. 10, 1758, 256; ed. 12, 1766, 442.
gaura Emberiza, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 9 [n. n.].
gaurae Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 197.
gaurae Sphinx, J. E. Smith in Abbot, Ins. Georgia, 1797, 61.
gauvera Bos, T. Pennant in Forster, Ind. Zool. 1781, 39 [n. n.].
Gavia Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 5 & 54.—A.
Gavia J. R. Forster, Ench. 1788, 38.—A.
gavial Crocodilus, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 34.

- gavial** Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
gazae Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3046.
gazella Antilope, P. S. Pallas, Misc. Zool. 1766, 7.
gazella Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 333.
gazella Capra, Linnaeus, Syst. Nat., ed. 10, 1758, 69; ed. 12, 1766, 96.
gazella Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 92.
gazella Lucanus, J. C. Fabricius, Mant. I. 1787, 1.
gazella Scarabaeus, J. C. Fabricius, Mant. II. 1787, 377.
gazella Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 56.
gazella Tetratoma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 16.
gazella Vespa, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 10.
gazellicornis Nautilus, J. J. N. A. Spalowsky, Prod. Test. 1795, 10.
gazellicorne Orthoceras, J. J. N. A. Spalowsky, Prod. Test. 1795, 10.
gea Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 32.
Gebus, *err. pro Cebus* P. B. C. Graumann, Introd. Hist. Nat. 1778, 20.—M.
Gecko *v.* **Gekko**.
gecko Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 205; ed. 12, 1766, 365.
geckotus Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
geerii Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1983.
geerii Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1772.
geflon Papilio (Nymph.), C. Quensel, K. Vet. Ac. Nya Handl. XII. 1791, 270.
geitje Gekko (Spar.), F. A. A. Meyer, Syn. Rept. 1795, 26.—Lacerta.
geitje Lacerta, A. Sparman, Götheborg. Samhalle Hand. (Wet. Afd.) I. 1778, 75.
geitie Stello, J. G. Schneider, Amph. Phys. sp. alt. 1792, 34.
Gekko J. N. Laurenti, Syn. Rept. 1768, 43.—R.
gelanor [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 89.
gelatella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 370.
gelatinosum Alcyonium, Linnaeus, Faun. Suec., ed. 2, 1761, 538.
gelatinosum Ascidia, Linnaeus, Syst. Nat., ed. 12, 1767, 1087. [Planorbis gelatinus.
gelatinosa Bulla (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3428.—
gelatinosus Cyclopterus, P. S. Pallas, Spic. Zool. VII. 1769, 19.
gelatinosa Hydra, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 25.
gelatinosa Sertularia, P. S. Pallas, Elench. 1766, 116.
gelatinosa Tubularia, P. S. Pallas, Elench. 1766, 85.
gelatina Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 225.
gelatinus Planorbis, O. F. Müller, Verm. II. 1774, 170.
gelata Lithosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 460.—Tinea gelatella, L.
gelbinus Scarabaeus, F. v. P. Schrank, F. Boica, I. 1798, 391.
gelida Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 564.
gemellata Blaps, A. G. Olivier, Entom. III. 1795, 9.
gemellata Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 110.
gemellata Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 157.
gemella Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 44.
gemella Coccinella, J. G. Linck, De Coccinellae, 1787, 8.
gemellus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 319.
gemma Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 539; ed. 12, 1767, 894.
gemma [Phalaena], C. Clerck, Icones, I. 1759, pl. x, 10.
gemella Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 142 [*n. n.*].
gemellus Scarabaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 3.
gemma Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 663.—Phalaena.
gemella Vorticella, O. F. Müller, Verm. I (1) 1773, 120.
gemicum Buccinum, Linnaeus, Mant. II. 1771, 550.
geminalis Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2528.
geminataria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 328.
geminata Aranea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 292.
geminata Cassis, F. C. Meuschen, Mus. Gever. 1787, 390.
geminatus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1859.—
geminata Chrysomela, G. Paykull, Faun. Suec. II. 1799, 65. [Stenocorus.

- geminatus** Curculio, J. C. Fabricius, Mant. I. 1787, 116.
geminata Mylabris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 120.
geminata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 277.
geminata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 212.
geminata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 457.
geminata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2492.
geminatus Stenocorus, J. C. Fabricius, Mant. I. 1787, 144.
geminata Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2668.
geminia [Phalaena], P. Cramer, Uitl. Kapellen, II (12) 1777, 57.
geminum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3506.
geminus Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 199.
geminus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 322.
gemina Hyblaea, J. C. Fabricius, Ent. Syst. III (2) 1794, 128.
geminus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2685.
gemina Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 444.
gemina Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 273.
gemmaea Actinia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 3.
gemmaea Hydra (S. & E.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3868.—
gemmaeans Madrepora, P. S. Pallas, Char. Thierpfl. II. 1787, 144. [Actinia.
gemmaeans Madrepora, E. J. C. Esper, Pflanzenzth., Forts. I (2) 1794, 60.
gemmatella Phalaena, Scopoli, Ent. Carn. 1763, 249.
gemmatum Attelabus, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 68.
gemmata Buprestis, A. G. Olivier, Entom. II. 1790, 90.
gemmatum Brachycerus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 185.
gemmatum Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 22.
gemmatum Carabus, J. C. Fabricius, Spec. Ins. I. 1781, 300.
gemmatum Conops, Scopoli, Ent. Carn. 1763, 356.
gemmatum Curculio, Scopoli, Ent. Carn. 1763, 30.
gemmata Enchelis, O. F. Müller, An. Infus. 1786, 35.
gemmata Ephemera, Scopoli, Ent. Carn. 1763, 264.
gemmatum Erotylus, J. C. Fabricius, Ent. Syst. I (2) 1792, 38.
gemmata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 283 [u.
gemmata Nerita, F. C. Meuschen, Mus. Gever. 1787, 268. [et f].
gemmata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 614.
gemmata Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 82.
gemmata Rana, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
gemmatum Trox, A. G. Olivier, Entom. I. 1789, 7.
gemma v. **gemellus**.
gemonensis Natrix, J. N. Laurenti, Syn. Rept. 1768, 76.
generalis Conus, Linnaeus, Syst. Nat., ed. 12, 1767, 1166.
generalis Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 44.—Conus.
generilla Papilio, *err. pro* gonerilla, Fabr. 1781, J. C. Fabricius, Mant. II. 1787, 44.
generosus Apis, M. Harris, Exp. Eng. Ins. 1776, 134.
generosus Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 211.
genetta Viverra, Linnaeus, Syst. Nat., ed. 10, 1758, 45; ed. 12, 1766, 65.
geniculatus Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 617; ed. 12, 1767, 1025.
geniculata Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 214.
geniculatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1992.
geniculatus Cimex, J. C. Fabricius, Mant. II. 1787, 293.
geniculatus Crabro, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 517.
geniculatus Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 301.
geniculatus Culex, A. G. Olivier, Ency. Méth. VI (Ins.), 1791, 134.
geniculatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 397.
geniculatus Murex, F. C. Meuschen, Mus. Gever. 1787, 330.
geniculatus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 318.
geniculata Musca, C. de Geer, Mém. Ins. VI. 1776, 38.
geniculata Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 812; ed. 12, 1767, 1312.
geniculatus Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 86.

- geniculata** Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 374.
- geniculata** Tipula, J. C. Fabricius, Mant. II. 1787, 326.
- genii** Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1877.
- genistae** Aphis, Scopoli, Ent. Carn. 1763, 139.
- genistae** Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2093.—Mem-
- genistae** Cimex, Scopoli, Ent. Carn. 1763, 134. [bracis.]
- genistae** Membracis, J. C. Fabricius, Syst. Ent. 1775, 677.
- genistae** Noctua, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 24.
- genistae** Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 272.
- genistae** Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 355.
- genistae** Phalaena Noctua, C. P. Pezold in Scriba, Beitr. Ins. III. 1793, 241.
- genistaria** Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 328.
- genistella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 137.
- genistellae** Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 725.—
- genius** Anthrax, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 4. [genistae, Villers, *est.*]
- genoveva** [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 4.
- gentianaeanae** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 12
- gentilis** Accipiter (L.), J. C. Schaeffer, Mus. Orn. 1789, 6.—Falco. [*v. cf.*]
- gentilis** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 50.
- gentilis** Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 89; ed. 12, 1766, 126.
- gentius** Hesperia, (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 350.—Papilio.
- gentius** [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777, 127.
- genuanus** Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 714; ed. 12, 1767, 1168.
- genuinus** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 42.
- genutia** [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 24.
- genutia** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 193.
- geodartella** *v.* **goedartella**.
- geoffrella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 896.
- geoffrella** Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 664.—Phalaena.
- geoffroae** Carabus, N. J. Brahm, Ins. Kal. I (1) 1790, 61.
- geoffroae** Cistela, J. C. Fuessly, Schweiz. Ins. 1775, 5.
- geoffroae** Copris (Fuess.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 29.—Scarab.
- geoffroae** Copris, L. G. Scriba, J. Lieb. Ent. I. 1790, 54.
- geoffroae** Copris, N. J. Brahm in Borkhausen, Rhein. Mag. I. 1793, 693.
- geoffroae** Scarabaeus, J. C. Fuessly, Schweiz. Ins. 1775, 2.
- geoffroaei** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1804.
- Geoffroya** *v.* **Geofroia**.
- geoffroyanus** Attelabus, J. N. Laicharting, Tyrol. Ins. I. 1781, 247.
- geoffroyana** Silpha, F. A. A. Meyer, Zool. Archiv (1) 1796, 210.
- geoffroyi** Actinophorus (Sulz.), J. Sturm, Verz. Ins. Samml. 1800, 78.—Scarabaeus
- geoffroae** *v.* **geoffroae**. [geoffroyae.]
- Geofroia** C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 38.—Col.; *melius* **Geoffroya**.
- geographica** Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 191.
- geographicus** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 39.
- geographicus** Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 128.
- geographica** Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
- geographica** Musca, A. F. de Fourcroy, Ent. Paris. 1785, 478.
- geographica** Noctua, J. C. Fabricius, Mant. II. 1787, 167. [189.—Noctua.]
- geographica** Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
- geographicum** Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 405.—Hydrachna.
- geographica** Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3293.
- geographus** Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 718; ed. 12, 1767, 1172.
- geographus** Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 50.—Conus.
- geographus** Gastridium (L.), A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 111.—Conus.
- geomantius** Conus, F. C. Meuschen, Mus. Gever. 1787, 358.
- Geometra** [*v.* **Phalaena Geometra**], Linnaeus, Syst. Nat., ed. 10, 1758, 519; ed. 12, 1767,
- geometra** Hirudo, Linnaeus, Syst. Nat., ed. 10, 1758, 650; ed. 12, 1767, 1080. [858.]
- geometrica** Cassis, F. C. Meuschen, Mus. Gever. 1787, 392.

- geometrica* Noctua, J. C. Fabricius, Syst. Ent. 1775, 599.
geometrica Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
geometricus Staphylinus, F. v. P. Schrank, F. Boica, I. 1798, 642.
geometrica Testudo, Linnaeus, Syst. Nat., ed. 10, 1758, 199; ed. 12, 1766, 353.
georgiana Fringilla, J. Latham, Index Orn. 1790, 460.
georgica Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 516.
Geotrupes P. A. Latreille, Préc. Car. Ins. 1796, 6.—Col.
Geotrupes J. C. Fabricius, Suppl. Ent. Syst. 1798, 1.—Col.
geranii Curculio, G. Paykull, Faun. Suec. III. 1800, 256.
gerbillus Dipus, Oliver, Bull. Sci. Soc. Philom. [Paris], no. 40, 1800, 121.
gerboa *v.* *jerboa*.
gerdinia Spongia, F. C. Meuschen, Mus. Gever. 1787, 532.
gerdrudtus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 72.
gergon Scarabaeus, *err. pro* geryon, Drury, J. C. Fabricius, Mant. I. 1787, 5.
gerini Bucco, J. Latham, Index Orn. 1790, 207.
gerini Psittacus, J. Latham, Index Orn. 1790, 119.
germanicum Acridium (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 264.—Gryllus.
germanicus Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 606; ed. 12, 1767, 1008.
germanica Blatta, Linnaeus, Syst. Nat., ed. 12, 1767, 688.
germanicus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 49.
germanica Cicindela, Linnaeus, Syst. Nat., ed. 10, 1758, 407; ed. 12, 1767, 657.
germanicus Gryllus, J. C. Fabricius, Syst. Ent. 1775, 291.
germanicus Mus, (Cricetus), R. Kerr, Anim. Kingd. 1792, 243, *var.* *niger*.
germanica Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2842.
germanicus Microphorus (L.), J. C. Fabricius, Syst. Ent. 1775, 71.—Silpha.
germanica Nitidula (Fabr.), C. P. Thunberg, D D. Mus. Ac. Upsal. 1787, 39.—Nicro-
germanica Panorpa, Linnaeus, Syst. Nat., ed. 10, 1758, 551; ed. 12, 1767, 915. [phorus.
germanicus Rynchites, Herbst in Jablonsky, Nat. Ins. (Kafer) VII. 1797, 134, sign. I 3.
germanicus Scorpio, J. F. W. Herbst, Nat. ungl. Ins. (4) 1800, 71.
germanica Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 359; ed. 12, 1767, 569.
germanica Tenthredo, J. C. Fabricius, Syst. Ent. 1775, 321.
germanica Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 256.
germanus Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1047.
germanus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 415; ed. 12, 1767, 672.
germanus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 383; ed. 12, 1767, 613.
germanus Elater, Linnaeus, Faun. Suec. ed. 2, 1761, 207.
germanus Ptinus, Linnaeus, Syst. Nat. ed. 12, 1767, 566.
germana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 47 [*n. et f.*].
germinationis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 600; ed. 12, 1767, 998.
germana *v.* *germanus*.
germon Scomber, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 598.
gerningana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 232.—Phalaena.
gerningana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 318.
gerningiana [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 164.
gerningiana Phalaena (Tort.), Herbst, Einl. Ins. II. 1785, 128.
gerontes Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 275.
gerontes Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 117.
Gerris J. C. Fabricius, Ent. Syst. IV. 1794, 187.—Hem.
geryon Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 14.—Scarabaeus, 1792.
geryon Noctua, J. C. Fabricius, Spec. Ins. II. 1781, 216.
geryon Papilio, S. A. v. Rottemberg, Naturforscher, VI. 1775, 31.
geryon Scarabaeus, D. Drury, Ill. Nat. Hist. II. 1773, index & 55.
gesneri Triton, J. N. Laurenti, Syn. Rept. 1768, 38.
gesserensis Planaria, O. F. Müller, Zool. Dan. II. 1784, 70.
getulus Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 382.
getulus Sciurus, Linnaeus, Syst. Nat., ed. 10, 1758, 64; ed. 12, 1766, 87.
getus Papilio, J. C. Fabricius, Mant. II. 1787, 66.
geversianum Buccinum, P. S. Pallas, Spic. Zool. X. 1774, 33.

- ghanam Sciaena, P. Forskal, Descr. Anim. 1775, 50.
ghobban Scarus, P. Forskal, Descr. Anim. 1775, 28.
ghomfodensis Scyllaea, P. Forskal, Descr. Anim. 1775, 103.
gibber Buccinum, F. C. Meuschen, Mus. Gever. 1787, 300.
gibber Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 112.
gibber Curculio, P. S. Pallas, Icon. Ins. 1781, 32.
gibbera Cythere, O. F. Müller, Entom. 1785, 66.
gibber Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3001.—Cythere [gibbera].
gibber Mytilus, F. C. Meuschen, Mus. Gever. 1787, 466.
gibber Porcellana, F. C. Meuschen, Mus. Gever. 1787, 406.
gibber Salmo, J. G. Walbaum, Artedi, Ichth. (3) ed. 2, 1792, 69.
gibberula Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 344.—Strombus.
gibberula Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2116.
gibberula Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 62.—Strombus.
gibberulus Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 744; ed. 12, 1767, 1210.
Gibbium J. A. Scopoli, Intr. Hist. Nat. 1777, 505.—Col.
gibbosulum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 737; ed. 12, 1767, 1201.
gibbosula Cassis, F. C. Meuschen, Mus. Gever. 1787, 390.
gibbosus Alata, F. C. Meuschen, Mus. Gever. 1787, 336.
gibbosum Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 105.
gibbosus Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 605; ed. 12, 1767, 1007.
gibbosa Asterias, T. Pennant, Brit. Zool. ed. 4, IV. 1777, 52.
gibbosa Balaena, J. C. P. Erxleben, Syst. Anim. 1777, 610.
gibbosus Bombylius, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 329.
gibbosus Bruchus, J. C. Fabricius, Gen. Ins. 1777, 212.
gibbosus Bufo (Linn.), J. N. Laurenti, Syn. Rept. 1768, 27.—Rana, 1758.
gibbosa Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 726; ed. 12, 1767, 1183.
gibbosa Buprestis, A. G. Olivier, Entom. II. 1790, 48.
gibbosa Bursa, J. F. Bolten, Mus. Bolten. (2) 1798, 128.
gibbosum Callidium, J. C. Fabricius, Mant. I. 1787, 156.
gibbosus Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2993.—Oniscus.
gibbosum Cardium, F. C. Meuschen, Mus. Gever. 1787, 440.
gibbosa Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 112.
gibbosus Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 309.—Callidium.
gibbosa Chrysomela, Linnaeus, Amoen. Acad. VI 1763, 393.
gibbosa Chrysomela, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 14.
gibbosa Cicada, C. de Geer, Mém. Ins. III. 1773, 211.
gibbosa Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 186.
gibbosus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 172.—Scarabaeus.
gibbosus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1727.—
gibbosus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1756. [Chrysomela.
gibbosus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 370.
gibbosa Cyphoma (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 21.—Bulla.
gibbosus Dermestes (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 100.—Latridius.
gibbosus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1918.
gibbosa Empis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2891.
gibbosus Erotylus (L.), J. C. Fabricius, Spec. Ins. I. 1781, 157.—Chrysomela.
gibbosus Falco, F. M. Daudin, Traité élém. Orn. 1800, 93. [Fourmis, 1798, 50.
gibbosa Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 142 [n. n.]; Essai
gibbosa Fulgora (Fourc.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 576.—Cicada.
gibbosus Gammarus, J. C. Fabricius, Mant. I. 1787, 335.—Oniscus, 1775.
gibbosa Hyla, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
gibbosa Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 62.
gibbosus Latridius, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 5.
gibbosa Membracis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 98.
gibbosus Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 325.
gibbosa Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 593; ed. 12, 1767, 987.
gibbosa Musca, C. de Geer, Mém. Ins. VI. 1776, 35.

- gibbosa** Musca, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 90.
gibbosa Mylaris, P. S. Pallas, Icon. Ins. 1781, 38.
gibbosus Oniscus, J. C. Fabricius, Syst. Ent. 1775, 298.
gibbosus Ostracion, Linnaeus, Syst. Nat., ed. 10, 1758, 332; ed. 12, 1766, 409.
gibbosa Peltis, A. F. de Fourcroy, Ent. Paris. 1785, 30.
gibbosa Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 292.
gibbosa Phalaena, J. E. Smith in Abbot. Ins. Georgia, 1797, 163.
gibbosa Phalaena (Bombyx), O. F. Müller, F. Ins. Frid. 1764, 39.
gibbosa Phryganea, J. H. Sulzer, Gesch. Ins. 1776, 173.
gibbosa Pimelia, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 49.
gibbosa Pimelia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2005.—[Tenebrio gibbus,
gibbosa Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 211; ed. 12, 1766, 355. [1767.]
gibbosus Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 311; ed. 12, 1766, 513.
gibbosus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 322.
gibbosus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 28.
gibbosa Sphex, P. Rossi, Fauna Etrus. II. 1790, 66.
gibbosus Syrphus [L.], J. C. Fabricius, Syst. Ent. 1775, 770.—Musca.
gibbosa Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3231.
gibbosa Tenebrio, Herbst, Einl. Ins. I. 1784, 173.
gibbosa Vespa, J. C. Fabricius, Syst. Ent. 1775, 370.
gibbosa Voluta, I. v. Born, Index Mus. Caes. Vind. 1778, 202.
gibbosa Voluta, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 151.
gibbulus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3557.
gibbula Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 51.
gibbulus Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 7.
gibbula Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3289.
gibba Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 75.
gibbum Acrydium, A. G. Olivier, Ency. Méth. VI. (Ins.) 1791, 233.
gibba Apis (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2794.—Nomada.
gibbum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 267.
gibbum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3476.
gibbus Carabus, Linnaeus, Faun. Suec., ed. 2, 1761, 226.
gibbus Carabus, J. C. Fabricius, Ent. Syst. IV. 1794, 442.
gibba Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 82.
gibbus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 116.
gibba Cercaria, O. F. Müller, An. Infus. 1786, 120.
gibba Cercopis, J. C. Fabricius, Syst. Ent. 1775, 689.
gibba Chlamys (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 162.—Ostrea.
gibba Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1685.
gibba Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2102.—Cercopis.
gibba Cistela (Th.), O. Estlund, K. Vet. Ac. Nya Handl. XVII. 1796, 128.—Cricocaris.
gibba Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 13. [Upsal. 1787, 47.
gibba Cricocaris, *id. ac* Chrysomela gibbosa, Thunb., C. P. Thunberg, D. D. Mus. Ac.
gibbus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1726.
gibbus Curculio (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1757.—Rhino-
gibbus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 431. [macr.
gibba Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3403.
gibba Cythere, O. F. Müller, Entom. 1785, 66.
gibbus Dytiscus, J. C. Fabricius, Gen. Ins. 1777, 238.
gibbus Dytiscus, *err. pro* gilvus, Müll., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1957.
gibbus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1917.
gibbus Erodium, J. C. Fabricius, Syst. Ent. 1775, 258.
gibbum Galea, F. C. Meuschen, Mus. Gever. 1787, 486.
gibba Galleruca, J. C. Fabricius, Ent. Syst. 1798, 99.
gibbus Hemerobius, O. F. Müller, Z. Dan. Prod. 1776, 147.
gibbus Henops (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 501.—Syrphus.
gibba Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 98.
gibbus Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1295.

- gibba** Libellula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 284.
gibba Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 46.
gibbus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3001.—
gibba Musca, O. F. Müller, Z. Dan. Prod. 1776, 175. [Cythere.
gibba Musca, P. Rossi, Mant. Ins. II. 1794, 73.
gibba Nomada, J. C. Fabricius, Syst. Ent. 1775, 389.
gibbum Opatrum, J. C. Fabricius, Syst. Ent. 1775, 76.
gibba Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 698; ed. 12, 1767, 1147.
gibbus Pecten (L.), F. C. Meuschen, Mus. Gever. 1787, 418.—Ostrea.
gibbus Pentaceros, C. F. Schultze, Verst. Seest. 1760, 50.
gibba Pimelia, J. C. Fabricius, Mant. I. 1787, 207.
gibbus Pompilus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 249.—Sphex.
gibbus Rhinomacer, O. F. Müller, Z. Dan. Prod. 1776, 90.
gibbus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1567.—
gibbus Scarites, J. C. Fabricius, Ent. Syst. I (1) 1792, 96. [Melolontha.
gibbus Scarites, A. G. Olivier, Entom. III. 1795, 15.
gibba Sciaena, P. Forskal, Descr. Anim. 1775, 46.
gibba Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 86.—Opatrum.
gibbus Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 104.
gibba Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 571; ed. 12, 1767, 946.
gibba Sphex, C. de Villers, Linn. Ent. III. 1789, 228.
gibbum Synodendron, J. C. Fabricius, Suppl. Ent. Syst. 1798, 156.
gibbus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 311.
gibba Tellina, G. Olivi, Zool. Adriat. 1792, 101.
gibbus Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 676.
gibbus Tenebrio, C. de Geer, Mém. Ins. VII. 1778, 652.
gibbus Tenebrio, P. S. Pallas, Icon. Ins. 1781, 46.
gibba Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 245.
gibba Trichoda, O. F. Müller, An. Infus. 1786, 179.
gibbus Trox, A. G. Olivier, Entom. I. 1789, 13.
gibbus Unio, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, 64.
gibelio Cyprinus, M. E. Bloch, Nat. Fische Deutschl. I. 1782, 71.
gibraltarica Perdix (Gm.), J. Latham, Index Orn. 1790, 656.—Tetrao.
gibraltaricus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 766.
gibraltarica Turnix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 7.
gibraltariensis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 987.
gibraltariensis Sylvia (Gm.), J. Latham, Index Orn. 1790, 513.—Motacilla.
gideon Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 8.—Scarabaeus.
gideon Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 541.
gieben Cyprinus, J. C. Wulff, Ichthy. 1765, 50.
gigantella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
gigantea Actinia (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3134.—Priapus.
gigantea Aloe, J. F. Blumenbach, Hand. Naturg., ed. 6, 1799, 697.
gigantea Alcedo, J. Latham, Index Orn. 1790, 245.
gigantea Apate, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 25.
gigantea Ardea, S. G. Gmelin, Reise Russ. II. 1774, 189.
gigantea Blatta, Linnaeus, Syst. Nat., ed. 10, 1758, 424; ed. 12, 1767, 687.
gigantea Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 408; ed. 12, 1767, 659.
giganteus Cerambyx, Linnaeus, Mant. II. 1771, 531.
gigantea Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 586.—[Coccinella, ed. 10.]
gigantea Chrysomela (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 117.—
gigantea Cicindella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 25. [Erotylus.
gigantea Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 368.—[Chrysomela, ed. 12.]
giganteus Cryptocephalus (L.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1726.—Chry-
gigantea Didelphys, J. C. D. Schreber, Säugth. III. 552 (1777), pl. cliv (1777). [somela.
giganteus Elater, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 304.
giganteus Erotylus (L.), J. C. Fabricius, Syst. Ent. 1775, 123.—Chrysomela.
gigantea Forficula, J. C. Fabricius, Mant. I. 1787, 224.

- gigantea* Galleruca, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 131.
gigantia Gigantomys, H. F. Link, Beytr. Nat. I (1) 1794, 70.
giganteus Gryllus (Tett.), C. de Villers, Linn. Ent. I. 1789, 451.
gigantea Haliotis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3691.
gigantea Helix, J. A. Scopoli, Del. Insub. I. 1786, 66.
giganteus Jaculus, J. C. P. Erxleben, Syst. Anim. 1777, 409.
gigantea Jerboa, E. A. W. Zimmermann, Spec. Zool. 1777, 526.
giganteus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 107.
giganteus Macropus (Zimm.), G. Shaw, Nat. Misc. I. 1790, pl. 33.—Jerboa.
gigantea Mantis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2055.
giganteus Merops, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 95.
gigantea Mordella (Linn.), Scopoli, Ent. Carn. 1763, 60.—Buprestis.
gigantea Musca, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 213.
gigantea Mylaris, P. S. Pallas, Icon. Ins. 1781, 37.
gigantea Nereis, Linnaeus, Syst. Nat., ed. 10, 1758, 654; ed. 12, 1767, 1086.
giganteus Priapus, P. Forskal, Descr. Anim. 1775, 100.
giganteus Prionus (L.), J. C. Fabricius, Syst. Ent. 1775, 161.—Cerambyx.
gigantea Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 563.
gigantea Scolopendra, Linnaeus, Syst. Nat., ed. 10, 1758, 638; ed. 12, 1767, 1063.
gigantea Serpula, P. S. Pallas, Misc. Zool. 1766, 139.
giganteus Tabanus, C. de Geer, Mém. Ins. VI. 1776, 226.
giganteus Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1993.
gigantea Tipula, F. v. P. Schrank, Beitr. Nat. 1776, 92.
giganteus Truxalis, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 191.
gigantea Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3282.
gigantea Vespertilio, M. T. Brünnich, Dyr. Hist. 1782, 45.
gigantica Ostrea, D. Solander in G. Brander, Foss. Hant. 1766, 36.
Gigantomys H. F. Link, Beytr. Nat. I (1) 1794, 70.—M.
gigas Acheta, J. H. Sulzer, Gesch. Ins. 1776, 83.
gygas Actinia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 12.
gigas Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 342.—Strombus.
gigas Alcedo, P. Boddaert, Tab. Planch. Enl. 1783, 40.
gigas Apis, C. de Geer, Mém. Ins. III. 1773, 576.
“*gigas* Ascaris,” J. A. E. Goeze, Eingeweidewürm. 1782, 62.—[Not a specific name.]
gigas Asilus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 212.
gigas Blaps (L.), J. C. Fabricius, Syst. Ent. 1775, 254.—Tenebrio.
gigas Bodianus (Brün.), G. A. Suckow, Naturges. IV. 1799, 518.—Perca.
gigas Byrrhus, J. C. Fabricius, Mant. I. 1787, 38.
gigas Cantharis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 277.
gigas Carabus, C. Creutzer, Ent. Vers. 1799, 107.
gigas Cerambyx, J. C. Fabricius, Mant. I. 1787, 132.
gigas Cerambix (Fab.), A. G. Olivier, Entom. IV. 1795, 59.—Lamia.
gigas Cercopis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 522.
gigas Chama, Linnaeus, Syst. Nat., ed. 10, 1758, 691; ed. 12, 1767, 1137.
gigas Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3206.
gigas Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 101.
gigas Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 51.
gigas Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 263.—Cistela.
gigas Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 750.
gigas Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2195.—Reduvius.
gigas Cistela, J. C. Fabricius, Mant. I. 1787, 84.
gigas Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 164.—Scarabaeus.
gigas Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1713.—
gigas Eurchulio, J. C. Fabricius, Syst. Ent. 1775, 127. [Cistela.
gigas Echinorynchus, J. A. E. Goeze, Eingeweidewürm. 1782, 143.
gigas Elater (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 119.—Cistela.
gigas Gryllus (Mantis), Linnaeus, Syst. Nat., ed. 10, 1758, 425.
gigas Gryllus (Sulz.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2062.—Acheta.

- gigas** Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 13.—[H. gigantea, Gm.]
- gigas** Hippopus (L.), F. C. Meuschen, Mus. Gever. 1787, 430.—Chama.
- gigas** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 560 [Sirex, ed. 12].
- gigas** Ichneumon, E. Laxmann, Nov. Comm. Sci. Petrop. XIV (1) 1770, 600.
- gigas** Ips, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 404.
- gigas** Kanguroo, B. G. E. de Lacépède, Tabl. Mamm. 1799, 6.
- gigas** Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 66.—Strombus.
- gigas** Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 265.
- gigas** Leucospis, J. C. Fabricius, Ent. Syst. II. 1793, 245.
- gigas** Limulus, O. F. Müller, Entom. 1785, 125.
- gigas** Lytta, J. C. Fabricius, Ent. Syst. I (2) 1792, 84.
- gigas** Manati, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 426.
- gigas** Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 689.—[Gryllus, ed. 10.]
- gigas** Monopterus, G. S. Volta, Itt. Veron. (2) [circa 1800], xcxi.
- gigas** Murex, I. v. Born, Test. Mus. Caes. Vindob. 1780, 325.
- gigas** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3557.
- gigas** Ostrea, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIV. 1793, 140.
- gigas** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 9.
- gigas** Perca, M. T. Brünnich, Ich. Massil. 1768, 65.
- gigas** Phasma (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 187.—Mantis.
- gigas** Pinna, J. F. Bolten, Mus. Bolten. (2) 1798, 159.
- gigas** Podura, O. Fabricius, Nye Saml. K. Danske Skrifter, II. 1783, 302.
- gigas** Prionus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 38.
- gigas** Psittacus, J. Latham, Index Orn. 1790, 107.
- gigas** Ptinus, J. C. Fabricius, Syst. Ent. 1775, 63.
- gigas** Rana, J. J. Walbaum, Schrift. Berlin. Ges. Nat. Freunde, V. 1784, 239.
- gigas** Reduvius, J. C. Fabricius, Syst. Ent. 1775, 729.
- gigas** Rynchophorus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 21.—Curculio.
- gigas** Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 348; ed. 12, 1767, 549.
- gigas** Scarites, J. C. Fabricius, Spec. Ins. I. 1781, 314.
- gigas** Sirex, Linnaeus, Faun. Suec., ed. 2, 1761, 396.
- gigas** Sirex (Linn.), O. F. Müller, F. Ins. Frid. 1764, 70.—Ichneumon.
- gigas** Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 197.
- gigas** Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 745; ed. 12, 1767, 1210.
- gigas** Syrphus, P. Rossi, Fauna Etrus. II. 1790, 283.
- gigas** Tenebrio, Linnaeus, Amoen. Acad. VI. 1763, 396.
- gigas** Testudo, J. J. Walbaum, Schrift. Berlin. Ges. Nat. Freunde, XI. 1794, 249.
- gigas** Tridachnes (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 171.—Chama.
- gigas** Tridacna (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 86.—Chama.
- gigas** Trogosita, J. C. Fabricius, Suppl. Ent. Syst. 1798, 51.
- gigas** Upis (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 232.—Tenebrio.
- gigas** Urocerus, A. F. de Fourcroy, Ent. Paris. 1785, 363.
- gilippus** [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 41.
- gilvago** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 87.
- gilvaria** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 102.
- gilvaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 201 [*n. et f.*].
- gilvata** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 208.
- gilvella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 40.
- gilvus** Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 605; ed. 12, 1767, 1007.
- gilva** Cochlea, T. Martyn, Univ. Conch. IV [1792], 148.
- gilvus** Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 72.
- gimel** Cicindela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 31.
- gingica** Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 795.
- gingica** Perdix (Gm.), J. Latham, Index Orn. 1790, 648.—Tetrao.
- gingicus** Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 760.
- ginginianus** Buceros, J. Latham, Index Orn. 1790, 146.
- ginginiana** Gracula, F. M. Daudin, Traité élém. Orn. 1800, 288.
- ginginianus** Psittacus, J. Latham, Index Orn. 1790, 99.

- ginginianus Turdus, J. Latham, Index Orn. 1790, 362.
ginginianus Vultur, J. Latham, Index Orn. 1790, 7.
Gioena J. G. Bruguière, Ency. Méth., Tabl. Vers 170 (1791).—v. Gioenia.
gioeni Tricla, A. J. Retzius, Diss. Nova Test. Gen. 1788, 8.
gioenii Triola, *err. pro gioeni* Tricla, Retz.: Journ. de Phys. L. 1800, 146.
“Gioenia, Gioeni, 1783,” Ag.; does not occur.
Gioenia J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xii.—L.
giornae Gryllus, P. Rossi, Mant. Ins. II. 1794, 104.
Giraffa M. J. Brisson, Reg. Anim. 1762, 37.—M.
Giraffa M. T. Brännich, Fund. Zool. 1772, 46.—M.
Giraffa J. F. Blumenbach, Hand. Naturg., ed. 2, 1782, 121.—M.
giraffa Camelopardalis, P. Boddaert, Elench. 1785, 133.
girafa Lucanus, A. G. Olivier, Entom. I. 1789, 21.
giraffa Parthenope, F. Weber, Nomen. Fabricii, 1795, 92.
giraffa Parthenope, J. C. Fabricius, Suppl. Ent. Syst. 1798, 352.
giu Strix, J. A. Scopoli, Annus I. 1769, 19.
Givenia *err. pro Gioenia* in Millin, Mag. ency. VI (5) 1799, 378.—G.
gizensis Nautilus? P. Forskal, Descr. Anim. 1775, 140.
glabella Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 37.
glabellus Dorylus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 210.
glabella Marginella (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 70.—Voluta.
glabella Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 61.
glabella Pterygia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 51.—Voluta.
glabella Trochus, F. C. Meuschen, Mus. Gever. 1787, 282.
glabella Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 730; ed. 12, 1767, 1189.
glabrum Anisotoma, Illiger in Kugelann, Käfer Preuss. 1798, 76.
glaber Anthrenus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 26.
glaber Anthrenus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 11.
glaber Anthribus, O. F. Müller, Z. Dan. Prod. 1776, 57.
glabra Apis, J. C. Fuessly, Schweitz. Ins. 1775, 51.
glaber Asilus, Geoff., A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 270.
glaber Attelabus, C. de Geer, Mém. Ins. IV. 1774, 352.
glabra Blaps, J. C. Fabricius, Ent. Syst. I (1) 1792, 109.—Helops.
glabrum Buccinum, O. F. Müller, Verm. II. 1774, 135.
glaber Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 312.—Buccinum.
glaber Cancer, G. Olivi, Zool. Adriat. 1792, 51.
glaber Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 141.
glaber Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1990.
glabra Cassis, F. C. Meuschen, Mus. Gever. 1787, 388.
glabra Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 32.
glabra Chama, F. C. Meuschen, Mus. Gever. 1787, 454.
glabra Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 60.
glabra Cicada, O. F. Müller, Z. Dan. Prod. 1776, 103.
glaber Cottus, J. D. Schoepf, Schrift. Berlin. Ges. Nat. Freunde, VII. 1788, 146.
glaber Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 77.
glaber Dermestes, O. F. Müller, Z. Dan. Prod. 1776, 56.
glaber Dermestes (Herbst), G. W. F. Panzer, Deutsche. Ins. [1795], 101.—Latridius.
glaber Dytiscus, J. R. Forster, N. Sp. Ins. 1771, 55.
glabra Formica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2804.
glaber Gasterosteus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 450.
glaber Gryllus (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2069.—Locusta.
glabra Haliotis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3690.
glabra Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3658.—Buccinum.
glaber Helops, J. C. Fabricius, Syst. Ent. 1775, 258.
glaber Hydrophilus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 298.
glaber Latridius, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 7.
glabra Locusta, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 193.
glabra Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 314.

- glabra** Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 698; ed. 12, 1767, 1146.
glaber Pecten (L.), T. Pennant, Brit. Zool. ed. 4, IV. 1777, 87.—Ostrea.
glaber Pectunculus, E. M. da Costa, Brit. Conch. 1778, 184.
glabra Pimelia, J. C. Fabricius, Syst. Ent. 1775, 253.
glaber Ramphastos, J. Latham, Index Orn. 1790, 138.
glaber Serrocerus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 486.
glabra Silpha, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 255.
glaber Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 98.
glaber Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2035.
glaber Strombiformis, E. M. da Costa, Brit. Conch. 1778, 117.
glabra Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 74.
glaber Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1999.
glaber Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2000.
glaber Tenebrio (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. IV. 1796, 148.
glabra Tritoma, J. C. Fabricius, Mant. I. 1787, 44. [—Blaps.
glaber Turbo, E. M. da Costa, Brit. Conch. 1778, 87.
glabra Upis, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 32.
glabra Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3436.
glabra Volvoxis (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
glaberrima Antipathes, E. J. C. Esper, Pflanzenth. II (9) 1792, 160. [538.—Tritoma.
glaberrima Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3488.
glaberrimus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 262.
glaberrima Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1670.
glaberrimus Dermestes, G. Paykull, Faun. Succ. I. 1798, 287.
glaberrimus Staphylinus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 151.
glabra *v.* **glaber**.
glabralis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 227.
glabralis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 12 & 22.
glabraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 162 [*v.* *etf.*].
glabratorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 154.
glabratum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 739; ed. 12, 1767, 1203.
glabrata Capisterium (L.), F. C. Meuschen, Mus. Gever. 1787, 464.—Mactra.
glabratus Carabus, G. Paykull, Mon. Carab. 1790, 14.
glabrata Cassis (L.), F. C. Meuschen, Mus. Gever. 1787, 388.—Buccinum.
glabratus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1862.—
glabrata Cetonia (Fab.), A. G. Olivier, Entom. I. 1789, 70.—Melolontha. [Stenocorus.
glabrata Chrysomela, J. C. Fabricius, Mant. I. 1787, 76.—Crioceris, 1781.
glabrata Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 318.
glabrata Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 156.
glabrata Crioceris, G. W. F. Panzer, Deutsch. Ins. [1795], 170.
glabratus Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 110.
glabratus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1759.
glabrata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 25.—Chrysomela, 1787.
glabratus Hister, J. C. Fabricius, Ent. Syst. I (1) 1792, 73.
glabrata Lagria, J. C. Fabricius, Syst. Ent. 1775, 125.
glabrata Mactra, Linnaeus, Syst. Nat., ed. 12, 1767, 1125.
glabrata Melolontha, J. C. Fabricius, Syst. Ent. 1775, 34.
glabrata Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 341.
glabrata Mutilla, J. C. Fabricius, Syst. Ent. 1775, 398.
glabratum Opatrum, J. C. Fabricius, Ent. Syst. I (1) 1792, 90.
glabrata Pimelia, J. C. Fabricius, Ent. Syst. I (1) 1792, 100. [Melolontha.
glabratus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1570.—
glabrata Silpha (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1626.—
glabratum Sphaeridium, J. C. Fabricius, Spec. Ins. I. 1781, 78. [Sphaeridium.
glabratus Stenocorus, J. C. Fabricius, Syst. Ent. 1775, 180.
glabratus Strombus, F. C. Meuschen, Mus. Gever. 1787, 294.
glabratus Tenebrio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 49.
glabrata Tiphia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 254.

- glabrirostris** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 254.
- glabrum** *v.* **glaber**.
- glacialis** Anas, Linnaeus, Syst. Nat., ed. 12, 1766, 203.
- glacialis** Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 661; ed. 12, 1767, 1099.
- glacialis** Balaena, O. F. Müller, Z. Dan. Prod. 1776, 7.
- glacialis** Balaena, J. P. Bonnaterre, Ency. Méth. (Cet.), 1789, 3.
- glaciale** Buccinum, Linnaeus, Faun. Suec., ed. 2, 1761, 523.
- gacialis** (*sic*) Cancer, O. F. Müller, Z. Dan. Prod. 1776, 196.
- glacialis** Cancer (Mantis), Linnaeus, Mant. II. 1771, 542.
- glacialis** Coccinella, J. C. Fabricius, Syst. Ent. 1775, 80.
- glacialis** Colymbus, Linnaeus, Syst. Nat., ed. 12, 1766, 221.
- glacialis** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 9.
- glacialis** Emberiza, J. Latham, Index Orn. 1790, 398.
- glaciale** Glaucoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Ostrea.
- glacialis** Melolontha, J. C. Fabricius, Syst. Ent. 1775, 35.
- glacialis** Mergus, E. Pontoppidan, Danske Atlas, I. 1763, 620.
- glacialis** Mus, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 718.
- glacialis** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3332.
- glacialis** Ostrea, J. X. Poli, Test. Sicil. II. 1795, 165.
- glacialis** Papilio (Dan.), K. E. v. Moll in Schrank & Moll, Nat. Briefe Oesterreich. I. 1785.
- glacialis** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8 [*u. n.*]. [102.]
- glacialis** Phalaropus (Gm.), J. Latham, Index Orn. 1790, 776.—Tringa.
- glacialis** Pleuronectes, P. S. Pallas, Reise Russ. III. 1776, 706.
- glacialis** Procellaria, Linnaeus, Faun. Suec., ed. 2, 1761, 51.
- glacialis** Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1560.—
- glacialis** Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 675. [Melolontha.]
- glaciale** Tritonium (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 243.—Buccinum.
- glacialis** Volema, J. F. Bolten, Mus. Bolten. (2) 1798, 58.
- glaciata** Ostrea, C. U. v. Salis, Reise Neapel, 1793, 397.
- gladbaghiana** [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (30) 1781, 138.
- gladiator** Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 449.
- gladiator** Cimex, J. C. Fabricius, Syst. Ent. 1775, 705.
- gladiator** Delphinus, J. P. Bonnaterre, Ency. Méth. (Cet.), 1789, 23.
- gladiator** Ichneumon, Scopoli, Ent. Carn. 1763, 283.
- gladiator** Locusta, J. C. Fabricius, Ent. Syst. II. 1793, 42.
- gladiator** Portunus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer, 1793.
- gladiatorius** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 154.
- gladius** Cepola, J. A. Donndorff, Zool. Beyt. III. 1798, 317.
- gladius** Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 81.
- gladius** Solen, J. F. Bolten, Mus. Bolten. (2) 1798, 154.
- gladius** Xiphias, Linnaeus, Syst. Nat., ed. 10, 1758, 248; ed. 12, 1766, 432.
- glama** Camelus, Linnaeus, Syst. Nat., ed. 10, 1758, 64; ed. 12, 1766, 91.
- llama** (*sic*) Camelus, J. C. P. Erxleben, Syst. Anim. 1777, 224.
- clacma** (*sic*) Camelus, J. F. Blumenbach, Hand. Naturg. 1779, 114.
- glandarius** Corvus, Linnaeus, Syst. Nat., ed. 10, 1758, 106; ed. 12, 1766, 156.
- glandarius** Cuculus, Linnaeus, Syst. Nat., ed. 10, 1758, 111; ed. 12, 1766, 169.
- glandarius** Garrulus (L.), J. C. Schaeffer, Mus. Orn. 1789, 14.—Corvus.
- glandifer** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 483.
- glandifera** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 70. [128.—Noctua.]
- glandifera** Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
- glandiformis** Ascidia, A. Coquebert, Bull. Sci. Soc. Philom. [Paris], no. 1, 1797, 1.
- glandiformis** Tenebrio, P. S. Pallas, Icon. Ins. 1781, 45.
- glanis** Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 47.
- glanis** Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 304; ed. 12, 1766, 501.
- glans** Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 737; ed. 12, 1767, 1200.
- glans** Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 365.
- glans** Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 31.
- glans** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 735.

- glans** Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 185.
- glans** Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 56.
- glans** Hippopus, F. C. Meuschen, Mus. Gever. 1787, 428.
- glans** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3468.
- glarearia** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 106.
- glarearia** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 131 [*u. et f.*].
- Glareola** M. J. Brisson, Ornith. V. 1760, 141.—A.
- Glareola** B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 16.—A.
- glareolus** Lagomys (Schr.), G. C. C. Storr, Prod. 1780, 39.—Mus.
- glareolus** Lemmus (Schr.), H. F. Link, Beytr. Nat. I (2) 1795, 75.—Mus.
- glareolus** Mus, J. C. D. Schreber, Säugth. IV. 680 (1780), pl. cxc B (1780).
- glareola** Pratincola, F. v. P. Schrank, F. Boica, I. 1798, 209.
- glareola** Tringa, Linnaeus, Syst. Nat., ed. 10, 1758, 149.—A.
- glareosa** Phalaena Noct., E. J. C. Esper, Die Schmett. IV (48) 1796, 387.
- glaucatorius** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 136.
- glaucata** Phalaena, Scopoli, Ent. Carn. 1763, 221.
- glaucata** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 167.
- glaucescens** Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 535.
- glaucescens** Necydalis, Linnaeus, Syst. Nat., ed. 12, 1767, 642.
- glaucescens** [Phalaena Noctua], C. C. Jung, Alph. Verz. Schmett. 1791, 244 (*ex* Goeze).
- glaucescens** Thelephorus (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 84.—Necydalis.
- glaucinalis** Phalaena (Pyralis), Linnaeus, Syst. Nat., ed. 10, 1758, 533; ed. 12, 1767, 881.
- glaucinalis** Pyralis, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 10 [2]. [*et f.*].
- glaucinaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 150 [*u.*].
- glaucinatus** Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 464.—Phalaena glaucinalis.
- glaucina** Bombyx (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. I. 1791, 244.
- glaucinus** Curculio, O. F. Müller, Z. Dan. Prod. 1776, 89.
- glaucina** Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 776; ed. 12, 1767, 1251.
- glaucion** Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 126; ed. 12, 1766, 201.
- glaucippe** Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 469; ed. 12, 1767, 762.
- “**Glaucium**, Briss. 1760,” Ag.; not used in a generic sense.
- glaucius** Asilus, P. Rossi, Fauna Etrus. II. 1790, 327.
- glaucius** Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 386.
- glaucius** Conops (Linn.), Scopoli, Ent. Carn. 1763, 356.—Musca.
- glaucia** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 593; ed. 12, 1767, 986.
- glaucius** Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 770.—Musca.
- glaucocephala** Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 277 (S 3).
- glaucocephalus** Cryptocephalus (Schall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1709.—Chrysomela.
- glaucocincta** Apis, P. Rossi, Mant. Ins. II. 1794, 124. [1789, 1709.—Chrysomela.
- Glaucoderma** J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—L.
- glaucofasciata** [Phalaena Geom.], C. C. Jung, Alph. Verz. Schmett. 1791, 244 (*ex* Goeze).
- glaucoma** Cyclidium, O. F. Müller, Verm. I (1) 1773, 51.
- Glaucopis** J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 363.—*Aves*
- Glaucopis** B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 8.—*Aves*
- glaucopis** Aquila, B. Merrem, Avium rar. Icones, II. 1786, 21.
- glaucopis** Falco, L. Merrem, Schrift. Berlin. Ges. Nat. Freunde, IX. 1789, 190.
- glaucopis** Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 482.
- glaucopis** Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 11.
- glaucopis** Tenthredo, P. Rossi, Fauna Etrus. II. 1790, 31.
- glaucopis** Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 497.
- glaucopis** Zygaena (Drury), J. C. Fabricius, Spec. Ins. II. 1781, 164.—Phalaena.
- glaucopterus** Cerambyx, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 294.
- glaucopterus** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 566; ed. 12, 1767, 938.
- glaucoptera** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
- glaucopterus** Ophion (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 236.—Ichneumon.
- glaucurus** Coracias, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 86.
- Glaucus** (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 585.—P.

- Glaucus** J. X. Poli. Test. Sicil. II. 1795, 148; a generic name founded on the fleshy parts
- Glaucus** Forster in Blumenbach, Abh. nat. Gegen. no. 48, 1800.—Nud. [of Pectines.—L.
- glauca** Apis, J. C. Fabricius, Syst. Ent. 1775, 388.
- glauca** Apis (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. III. 1794, 141.—
- glauca** Bembex, J. C. Fabricius, Mant. I. 1787, 285. [Bembex.]
- glaucum** Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 737; ed. 12, 1767, 1200.
- glaucum** Callidium, J. C. Fabricius, Spec. Ins. I. 1781, 243.
- glaucum** Cardium, J. L. M. Poiret, Voy. Barbarie, II. 1789, 13.
- glauca** Cassidea (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 419.—Buccinum.
- glauca** Cassis (L.), F. C. Meuschen, Mus. Gev. 1787, 392.—Buccinum.
- glaucus** Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 390; ed. 12, 1767, 626.
- glauca** Certhia, J. R. Forster in Latham & Davies, Faun. Ind. ed. 2, 1795, 8 [n. n.].
- glaucus** Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 112.
- glaucus** Cimex, J. C. Fabricius, Syst. Ent. 1775, 714.
- glaucus** Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1092.
- glaucus** Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 714; ed. 12, 1767, 1168.
- glaucus** Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 40.—Conus.
- glaucus** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48.
- glaucus** Curculio, Scopoli, Ent. Carn. 1763, 31.
- glaucus** Curculio, J. C. Fabricius, Mant. I. 1787, 114.
- glauca** Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 26.
- glauca** Eucera, J. C. Fabricius, Ent. Syst. II. 1793, 344.—Apis, 1775.
- glaucus** Falco, Bartram: B. S. Barton, N. H. Pennsylv. 1799, 11.
- glauca** Fasciola, O. F. Müller, Verm. I (2) 1774, 60.
- glaucus** Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 119 [n. n.].
- glaucus** Gasterosteus, J. R. Forster in Latham & Davies, Faun. Ind. ed. 2, 1795, 15 [n. n.].
- glauca** Gracula, A. Sparrman, Mus. Carls. III. 1788, no. liv.
- glauca** Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 771; ed. 12, 1767, 1245.
- glauca** Lamia (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 274.—Cerambyx.
- glauca** Lampyrus, A. G. Olivier, Entom. II. 1790, 13.
- glaucus** Larus, M. T. Brünnich, Orn. Boreal. 1764, 44.
- glauca** Mactra, I. v. Born, Index Mus. Caes. Vind. 1778, 40.
- glauca** Melolontha, A. G. Olivier, Entom. I. 1789, 21.
- glauca** Necydalis, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 109.
- glauca** Notonecta, Linnaeus, Syst. Nat., ed. 10, 1758, 439; ed. 12, 1767, 712.
- glaucus** Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 460; ed. 12, 1767, 746.
- glauca** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3725.
- glauca** Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
- glauca** [Phalaena], P. Cramer, Uitl. Kapellen, II (9) 1777, 17.
- glauca** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 45.
- glauca** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 152.
- glauca** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 267.
- glaucus** Ramphastos, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 84.
- glaucus** Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1583.
- glaucus** Scomber, Linnaeus, Syst. Nat., ed. 10, 1758, 298; ed. 12, 1766, 494.
- glaucus** Scomber, P. Osbeck, Reise Ost-Indien China, 1765, 387.
- glaucus** Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 235; ed. 12, 1766, 401.
- glaucus** Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2034.
- glauca** Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2769.—Bembex.
- Gleba** P. Forskal, Icones, 1776, 14.—Moll.
- Gleba** J. G. Bruguière, Ency. Méth. (Tabl. Vers), pl. 89 (1791) [n. et f.].—Prot.
- glechomae** Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 553; ed. 12, 1767, 917.
- glechomatis** Cynips=glechomae, L., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
- gleditsiae** Bruchus, Linnaeus, Syst. Nat., ed. 12, 1767, 605.—Dermestes, 1763. [2649.
- gleditsiae** Dermestes, Linnaeus, Amoen. Acad. VI. 1763, 392.
- gleichenella** Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 303.
- glesne** Ophidium, P. Ascanius, Nye Saml. K. Danske Skrifter, III. 1788, 421.—Rega-
- glesne** Regalecus, P. Ascanius, Icon. II. 1772, 5. [leucus, 1772.]

- glicereus** Elater, [D. H. Schneider], Nom. Ent. 1785, 18 [*n. n.*].
- glicereus** Elater, G. W. F. Panzer, Deutsch. Ins. [1795], 241.
- gliciria** [Papilio], P. Cramer, Utitl. Kapellen, II (15) 1777, 115.
- glycyrrhizae** *v.* **glycyrrhizae**.
- glicricapa** Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 29.
- Glis** M. J. Brisson, Reg. Anim. 1762, 113.—M.
- Glis** Linnaeus, Amoen. Acad. VII (1766), 450.—M.
- Glis** J. C. P. Erxleben, Syst. Anim. 1777, 358.—M.
- Glis** G. C. C. Storr, Prod. 1780, 39.—M.
- Glis** J. F. Blumenbach, Hand. Naturg. 1779, 79.—M.
- glis** Curculio, P. Rossi, Mant. Ins. II. 1794, 93.
- glis** Glis, G. C. C. Storr, Prod. 1780, 39.
- glis** Mus, P. S. Pallas, N. sp. Quad. II. 1779, 88.
- glis** Myoxus (Linn.), P. Boddaert, Elench. 1785, 121.—Mus.
- glis** Myoxus (Linn.), J. C. D. Schreber, Säugth. IV. 825 (1787).—Sciurus.
- glis** Sciurus, Linnaeus, Syst. Nat., ed. 12, 1766, 87.
- Globaria** J. A. Scopoli, Intr. Hist. Nat. 1777, 384.—Verm.
- globator** Asellus (Pall.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 256.—Oniscus.
- globator** Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 188.
- globator** Melolontha (Fab.), A. G. Olivier, Entom. I. 1789, 40.—Scarabaeus.
- globator** Oniscus, P. S. Pallas, Spic. Zool. IX. 1772, 70.
- globator** Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 20.
- globator** Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 403.—Hydrachna.
- globator** Volvox, Linnaeus, Syst. Nat., ed. 10, 1758, 820; ed. 12, 1767, 1325.
- globatus** Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 83.
- globatus** Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 390.—Ichneumon.
- globatus** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 568; ed. 12, 1767, 940.
- globiceps** Ichneumon, C. de Villers, Linn. Ent. III. 1789, 211.
- glocicera** Columba, J. R. Forster in Latham and Davies, Faun. Ind., ed. 2, 1795, 10 [*n. n.*].
- glocicera** Crax, Linnaeus, Syst. Nat., ed. 12, 1766, 270.
- glocicola** Ascaris (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3036.—Gordius.
- glocicola** Gordius, O. Fabricius, F. Groen. 1780, 268.
- globiferus** Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 21.
- globifer** Curculio, J. C. Fabricius, Syst. Ent. 1775, 823.
- globiferus** Nautilus (O.), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 9.
- globifera** Pedicellaria, O. F. Müller, Z. Dan. Prod. 1776, 229.
- globifera** Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 199.
- globina** Bursaria, O. F. Müller, An. Infus. 1786, 118.
- globocaudatus** Echinorhynchus, J. G. H. Zeber in Goetze, 1 Nachtr. Eingeweidewürm.
- Globosa** F. C. Meuschen, Mus. Gever. 1787, 380.—G. [1800, 128.
- Globosites** J. Gesner, Tract. Petref. 1758, 57.
- globosa** Altica, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 602.
- globosus** Aphodius (Kug.), Illiger in Kugelann, Käfer Preuss. 1798, 20.—Scarabaeus.
- globosa** Apis, Scopoli, Ent. Carn. 1763, 300.
- globosa** Apis, J. C. Fabricius, Ent. Syst. II. 1793, 333.
- globosa** Aranea, J. C. Fabricius, Syst. Ent. 1775, 432.
- globosus** Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 391.
- globosus** Brachycerus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 184.—Curculio.
- globosus** Cadus, J. F. Bolten, Mus. Bolten. (2) 1798, 150 [*n. n.*].
- globosus** Cancer, J. F. W. Herbst, Krabben, II. 1783, 90.
- globosus** Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 142.
- globosus** Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 148.
- globosus** Cerambix, A. G. Olivier, Entom. IV. 1795, 27.
- globosa** Chrysomela, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 11.
- globosa** Coccinella, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. 1792, 149.
- globosus** Cucullanus, J. G. H. Zeber in Goetze, 1 Nachtr. Eingeweidewürm. 1800, 94.
- globosus** Curculio, D. Drury, Ill. Nat. Hist. I. 1770, index & 69.
- globosus** Curculio, J. C. Fabricius, Syst. Ent. 1775, 132.

- globosus** Erodium, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 41.
globosus Erodium, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 124.
globosa Hydatigena, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 89.
globosa Leucosia (Herbst), J. C. Fabricius, Suppl. Ent. Syst. 1798, 349.—Cancer.
globosa Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 92.
globosa Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2875.—Syrphus.
globosa Pimelia, J. C. Fabricius, Ent. Syst. IV. 1794, 438.
globosa Rapa, J. F. Bolten, Mus. Bolten. (2) 1798, 148.
globosus Scarabaeus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 514.
globosum Sphaeridium (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 28.—Tetratoma.
globosus Syrphus, J. C. Fabricius, Syst. Ent. 1775, 770. [Hydatigena.]
globosa Taenia (Batsch), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3063.—
globosus Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1999.
globosa Tetratoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 84.
globosum Trombidium, J. C. Fabricius, Spec. Ins. I. 1781, 535.
globosa Venus, P. Forskal, Descr. Anim. 1775, 122.
globosa Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3287.
globosa Volvoxis (Herbst), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794.
globularia Vorticella, O. F. Müller, Verm. I (1) 1773, 117. [539.—Tetratoma.]
globulariae Sphinx, J. Hübner, Samml. Vögel u. Schmett. 1793, 12 [*n. cf. f.*].
globulariae Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 11.
globularis Ascidia, P. S. Pallas, Reise Russ. III. 1776, 709.
globularis Astroites, J. E. I. Walch, Naturforscher, V. 1775, 51.
globularis Cantharus, J. F. Bolten, Mus. Bolten. (2) 1798, 132.
globularis Madrepora (Walch), P. S. Pallas, Char. Thierph. II. 1787, 132.—*v.* Astroites.
globularis Medusa, A. Modeer, Nova Acta Acad. Caes. VIII., App. 1791, 33.
globularis Pimelia, A. G. Olivier, Entom. III. 1795, 18.
globularis Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 237.
globulator Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 350.
globulata Capisterium, F. C. Meuschen, Mus. Gever. 1782, 462.
globulata Libellula, O. F. Müller, Nova Acta Acad. Caes. III. 1767, 129.
globulata Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 36.
globulifera Cicada, P. S. Pallas, Misc. Zool. 1766, 187.
globulifer Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 405.
globulifera Leucophra, O. F. Müller, An. Infus. 1786, 149.
globulifer Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 164.
globulipes Musca, A. F. de Fourcroy, Ent. Paris. 1785, 495.
globulosus Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 608.
globulosus Hister, A. G. Olivier, Entom. I. 1789, 16.
globulosa Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 43.
globulosa Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 160.
globulosa Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 434.
globula Anadema (L.), F. C. Meuschen, Mus. Gever. 1787, 482.—Echinus.
globulus Byrrhus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 58.
globulus Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 31.
globulus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 398.
globulus Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 326.
globulus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 378.
globulus Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 725; ed. 12, 1767, 1181.
globulus Dermestes, G. Paykull, Faun. Suec. I. 1798, 295.
globulus Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 664; ed. 12, 1767, 1102.
globulus Helix, O. F. Müller, Verm. II. 1774, 68.
globulus Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107 [*n. n.*].
globulus Hister, C. Creutzer, Ent. Vers. 1799, 83.
globulus Hydrophilus, G. Paykull, Faun. Suec. I. 1798, 188.
globulus Mammaria, O. Fabricius, F. Groen. 1780, 329.
globulus Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 404.—Cypraea.
globulus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 83.

- globulus** Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 87.
globulus Volvox, O. F. Müller, Verm. I (1) 1773, 28.
Globus J. A. Scopoli, Annus V. 1772, 127.—Verm.
globus Cancer, J. C. Fabricius, Syst. Ent. 1775, 401.
globus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 88.
globus Sphaeridium, J. C. Fabricius, Ent. Syst. I (1) 1792, 78.
Glochidium J. Rathke, Skr. nat. Selsk. [Copen.], IV (1) 1797, 166.—L.
glocitans Anas, P. S. Pallas, K. Vet. Ac. Handl. XL. 1779, 33.
glomeratum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 304.
glomeratus Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 391.—Ichneumon.
glomeratus Erodium, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 125.
glomeratus Erodium, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 41.
glomeratus Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 568; ed. 12, 1767, 940.
glomerata Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 787; ed. 12, 1767, 1266.
glomeratus Vermetus (L.), F. M. Daudin, Rec. Mém. Moll. 1800, 35.—Serpula.
glomerata Vermiculus (L.), F. C. Meuschen, Mus. Gever. 1787, 236.—Serpula.
gloria-maris Conus, J. H. Chemnitz, Beschäft. Ges. Nat. Freunde, III. 1777, 330.
gloria-maris Conus, F. C. Meuschen, Mus. Gever. 1787, 366.
gloria maris Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 49.
gloriosae Anthrenus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 76.
gloriosae Bombyx, J. C. Fabricius, Syst. Ent. 1775, 587.
gloriosa Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 153.
gloriosa Chrysis, J. C. Fabricius, Ent. Syst. II. 1793, 242.
gloriosa Chrysomela, J. C. Fabricius, Spec. Ins. II. 1781, 497.
gloriosus Psittacus, G. Shaw, Nat. Misc. II. 1791, pl. 53.
gloriosum Vexillum, J. F. Bolten, Mus. Bolten. (2) 1798, 139 [n. n.].
Glossoderma J. X. Poli, Test. Sicil. II. 1795, 253 & 259.—L.
glossodonta Argentina, P. Forskal, Descr. Anim. 1775, 68.
“glossopetrae Amphibolithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 158.
“glossopetra Ichthyolithus” (L.), Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 390.—
 Amphibolithus, 1768.
Glossus J. X. Poli, Test. Sicil. II. 1795, 112.—A generic term applied to the fleshy parts
 of certain Chamae.—L.
glottis Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 146; ed. 12, 1766, 245.
glutinis Anguillula, O. F. Müller, An. Infus. 1786, 64.
glutinis Vibrio, O. F. Müller, Naturforscher, XIX. 1783, 162.
glutinosae Cimex, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 339.
glutinosum Buccinum, O. F. Müller, Verm. II. 1774, 129. [cinum].
glutinosus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 306.—Buc-
glutinosa Caecilia, Linnaeus, Syst. Nat., ed. 10, 1758, 229; ed. 12, 1766, 393.
glutinosa Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3659.—
 Buccinum.
glutinosa Myxine, Linnaeus, Syst. Nat., ed. 10, 1758, 650; ed. 12, 1767, 1080.
glycerie Papilio, J. C. Fabricius, Mant. II. 1787, 36.
glycerion Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 90.
Glycymeris E. M. da Costa, Brit. Conch. 1778, 168.—L.
Glycymeris P. Browne, Hist. Jamaica, ed. 2, 1789, 411.—L.
Glycymeris [G. Humphreys], Mus. Calonn. 1797, 50.—L.
Glycymeris Lamarck, Mém. Soc. H. N. Paris, 1799, 83.—L.
glycymeris Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 695; ed. 12, 1767, 1143.
glycymeris Axinaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Arca.
glycymeris Glycymeris (Born), Lamarck, Mém. Soc. H. N. Paris, 1799, 83.—Mya.
glycymeris Mya, I. v. Born, Index Mus. Caes. Vind. 1778, 10.
glycymeris Solen (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 155.—Mya.
glycymeris Tuceta (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 172.—Arca.
glycyrrhizae Cerambyx, P. S. Pallas, Reise Russ. II. 1773, 723.
glycyrrhizae Lamia (Pall.), J. C. Fabricius, Spec. Ins. I. 1781, 222.—Cerambyx.
gliciphicus Curculio, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 282.

- glyphicus** Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 109.
glyphica Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 598.—Phalaena.
glyphica Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 280.
glyphica Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 510; ed. 12, 1767, 838.
gmelini Anas, J. Latham, Index Orn. 1790, 876.
gnatho Brentus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 53.
gnatho Brentus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 180.
gnatho Spheg, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 199.
gnetus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 342.
gnetus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 135.
gnidia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 137.
gnidus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 258.
gnidus Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 64.
gnita Buprestis, *v.* ignita.
gnoma Bombyx, J. C. Fabricius, Gen. Ins. 1777, 279.
gnoma Bombyx, J. C. Fabricius, Ent. Syst. III. (1) 1793, 443.
gnoma Papilio, J. C. Fabricius, Syst. Ent. 1775, 828.
gnoma Sphinx, J. C. Fabricius, Syst. Ent. 1775, 546.
gnomana [Phalaena], C. Clerck, Icones, I. 1759, pl. iv, 13.
gnomana Pyralis (Clerck), J. C. Fabricius, Syst. Ent. 1775, 651.—Phalaena.
gnomon Isogonum, J. F. Bolten, Mus. Bolten. (2) 1798, 168.
gnou Antilope, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 102.
gnu Antilope, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 189.
goana Tringa, J. R. Forster in Latham & Davies, Faun. Ind. ed. 2, 1795, 11 [*n. n.*].
Gobiesox B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 595.—P.
gobina Lernaea, O. F. Müller, Z. Dan. Prod. 1776, 226.
Gobio (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 584.—P.
gobio Cottus, Linnaeus, Syst. Nat., ed. 10, 1758, 265; ed. 12, 1766, 452.
gobio Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 320; ed. 12, 1766, 526.
Gobioides B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 576.—P.
gobioides Blennius, J. R. Forster in Latham & Davies, Faun. Ind. ed. 2, 1795, 14 [*n. n.*].
Gobiomaroides B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 592.—P.
Gobiomarus B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 583.—P.
gobionis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3037.
gobionis Filaria, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 2.
Gobius Linnaeus, Syst. Nat., ed. 10, 1758, 262; ed. 12, 1766, 499; [Artedi, Ichth. 1738, gen. xxiii, p. 28].—P.
goedartella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 541; ed. 12, 1767, 897.
goedartella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 664.—Phalaena.
goedarti Aranea, Scopoli, Ent. Carn. 1763, 396.
goedenii Salmo, M. E. Bloch, Nat. Fische Deutschl. III. 1784, 155.
goensis Parra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 706.
goensis Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 434.
goensis Tringa (Gm.), J. Latham, Index Orn. 1790, 727.—Parra.
goertae Picus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 91.
goertan Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 434.
görtzensis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 52.
goettingensis Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 368; ed. 12, 1767, 586.
gottingensis (*sic*) Dytiscus, F. A. A. Meyer, Zool. Archiv (1) 1796, 235.
goezella Phalaena (Tinea), O. F. Müller, Z. Dan. Prod. 1776, 137.
goezenii Aranea, F. v. P. Schrank, Ins. Aust. 1781, 534.
Goezia J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 96.—Verm.
goezii Aranea, *id. ac* goezenii, Schrank, J. F. Gmelin in Linn. Syst. Nat. I. 1790, 2957.
goiavier Muscivora, J. A. Scopoli, Del. Insub. II. 1786, 96.
goiana *v.* gouana.
goliathus Cetonia (L.), A. G. Olivier, Entom. I. 1789, 7.—Scarabaeus.
goliatus Scarabaeus, Linnaeus, Mant. II. 1771, 530.
golok Simia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 3 [*n. n.*].

- golak** Simia, J. M. Bechstein in Pennant, Uebers. 4ftuss. Thiere, I. 1799, 181.
 "Gomphosus, Lacép. 1800," Ag.; is 1802.
- gonagra** Alpheus, F. Weber, Nomen. Fabricii, 1795, 91.—Cancer, 1781.
- gonagra** Apate, J. C. Fabricius, Suppl. Ent. Syst. 1798, 156.
- gonagra** Bruchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 159.
- gonagra** Cancer, J. C. Fabricius, Spec. Ins. I. 1781, 505.
- gonagra** Cimex, J. C. Fabricius, Syst. Ent. 1775, 708.
- gonagra** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 140.—Cimex, 1775.
- gonagra** Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 45.
- gonagra** Tenthredo, J. C. Fabricius, Spec. Ins. I. 1781, 412.
- gonagricus** Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1565.—
 [Melolontha gonagra, F. est.]
- gondi** Mus, P. Boddaert, Elench. 1785, 106.
- gondola** Globosa, F. C. Meuschen, Mus. Gever. 1787, 380.
- gondola** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 6.
- gonerilla** Papilio, J. C. Fabricius, Syst. Ent. 1775, 498.
- gongyloides** Empusa (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 499.—Mantis.
- gongyloides** Gryllus (Mantis), Linnaeus, Syst. Nat., ed. 10, 1758, 426.—[Mantis, ed. 12.]
- gongyloides** Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 690.—[Gryllus, ed. 10.]
- Gonium** O. F. Müller, Verm. I (1) 1773, 60.—Prot.
- gonodactyla** Alucita, [Denis & Schiffermüller], Schmett. Wien, 1775, 320.
- Gonorynchus** L. T. Gronovius, Zooph. I. 1763, 55.—P.
- gonorynchus** Cyprinus, Linnaeus, Syst. Nat., ed. 12, 1766, 528.
- gonostigma** Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 585.—Phalaena.
- gonostigma** Phalaena, Scopoli, Ent. Carn. 1763, 199.
- gonymelas** Cimex, E. Donovan, Brit. Ins. VII. 1798, 5.
- gootenaria** [Phalaena], P. Cramer, Uitl. Kapellen, III (21) 1779, 102.
- gorbuscha** Salmo, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 69.
- Gordius** Linnaeus, Syst. Nat., ed. 10, 1758, 647; ed. 12, 1767, 1075.
- gordius** Papilio Plebejus, J. H. Sulzer, Gesch. Ins. 1776, 146.
- gordius** [Sphinx], P. Cramer, Uitl. Kapellen, III (21) 1779, 91.
- gordius** [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 147.
- gordius** Vibrio, O. F. Müller, An. Infus. 1786, 60.
- goreensis** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3694.
- goreensis** Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3745.
- goreensis** Vermetus (Gm.), F. M. Daudin, Rec. Mém. Moll. 1800, 35.—Serpula.
- gorensis** Alauda, A. Sparrman, Mus. Carls. IV. 1789, no. xcix.
- gorfua** Aptenodyta, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 68.
- gorgias** [Papilio], C. Stoll, Aanh. Cramer's Uitl. Kapellen, V. 1790, 150.
- gorgon** [Sphinx], P. Cramer, Uitl. Kapellen, II (12) 1777, 73.
- Gorgonia** Linnaeus, Syst. Nat., ed. 10, 1758, 800; ed. 12, 1767, 1289.—Anth.
- gorgonia** Sertularia, P. S. Pallas, Elench. 1766, 158.
- gorgoniae** Lepas, H. Ström, Nye Saml. K. Danske Skrifter, III. 1788, 295.
- gorgonoides** Alcyonium, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 181.—[= Sert.
- gorteriae** Chrysomela, Linnaeus, Amoen. Acad. VI. 1763, 394. [gorgonia, Pall.]
- gorteriae** Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 107.—Chrysomela.
- gossypii** Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 78.
- gossypii** Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 96.
- gossypinus** Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 69.
- gossypinus** Reduvius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 112.
- gossypina** Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 72.
- gothica** Architectonica, J. F. Bolten, Mus. Bolten. (2) 1798, 78.
- gothicus** Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 447; ed. 12, 1767, 726.
- gothica** Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 770; ed. 12, 1767, 1243.
- gothicus** Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 180.—Cimex.
- gothica** Noctua (L.), J. C. Fabricius, Spec. Ins. II. 1781, 229.—Phalaena.
- gothica** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 516; ed. 12, 1767, 851.
- gothicus** Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 82.

- gothica** Turriss, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
gottingensis *v.* **goettingensis**.
Gouan B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 12.—A. [Suec. 1761, no. 1342.]
gouana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 12, 1767, 879.—[gouiana. Faun.
govana (*sic*) *Pyralis* (L.), J. C. Fabricius, Syst. Ent. 1775, 651.—Phalaena.
gouani Meloe, Linnaeus, Syst. Nat., ed. 12, 1767, 1068.
gouanianus Lepidopus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 519.
govana *v.* **gouana**.
gozo *Gobius*, *v.* **jozo**, Linnaeus, Mus. Adolph. Frid. II. 1764, 67.
gracharus Scomber, Linnaeus, in Hasselquist, Palast., 1762, 407.
grachus Papilio, J. C. Fabricius, Suppl. Ent. Syst., 1798, 422.
gracilipes Curculio, G. W. F. Panzer, Ins. Germ., heft 57 [1798], tab. 18.
gracilipes Elaphrus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 32.
gracilipes Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 68.
gracile Buccinum, E. M. da Costa, Brit. Conch. 1778, 124.
gracilis Cicindela, P. S. Pallas, Reise Russ. II. 1773, 724.
gracilis Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 70.
gracilis Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1914.
gracilis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2699.
gracilis Loris, E. Geoffroy, Mag. encyclop. I (1) 1796, 48.
gracilis Lutra, J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere. II. 1800, 408.
gracilis Mantis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 80.
gracilis Melolontha, J. A. Frolich, Naturforscher, XXVI. 1792, 96.
gracilis Notoxus, Kugelann in G. W. F. Panzer, Ins. Germ. heft 38 [1796], tab. 21.
gracilis Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 76.
gracilis Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
gracilis Saperda, C. Creutzer, Ent. Vers. 1799, 124. [597.—Noctua.
gracilis Staphylinus, G. Paykull, Mon. Staph. 1789, 38.
Gracula Linnaeus, Syst. Nat., ed. 10, 1758, 108; ed. 12, 1766, 164.—A.
graculinus Corvus, G. Shaw in White, Journ. N. S. W. 1790, 251.
Graculus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 5 & 52.—A.
graculus Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 132.
graculus Corvus, Linnaeus, Syst. Nat., ed. 12, 1766, 158.
graculus Pelecanus, Linnaeus, Syst. Nat., ed. 12, 1766, 217.
graeca Musca, E. Pontoppidan, Kurz. Nachr. N.-H. Dännemark, 1765, 229.
graeca Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 784; ed. 12, 1767, 1262.
graecum Phalaena (Noctua), N. Poda, Ins. Mus. Graec. 1761, 90.
graecus Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 368.
graeca Testudo, Linnaeus, Syst. Nat., ed. 10, 1758, 108; ed. 12, 1766, 352.
graeca Stratiomys, O. F. Müller, Z. Dan. Prod. 1776, 177.
Gralla J. P. Eberling in Sonnerat, Reise Neugueina, 1777, 31.—A.
grallarius Turdus, J. Latham, Index Orn. 1790, 361.
grallator Cimex, Herbst, Einl. Ins. I. 1784, 259.
gramella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 294.
graminana Phalaena (Tortrix), O. F. Müller, Z. Dan. Prod. 1776, 132.
graminata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 614.
gramineana Phalaena, Scopoli, Ent. Carn. 1763, 238.
graminella Bombyx (D. & S.), [C. F. Viewveg], Tab. Verz. Schmett. (1) 1789, 68.—Tinea.
graminella Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790.
graminella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 133. [279.—Tinea.
graminea Anas, E. Pontoppidan, Kurz. Nachr. N.-H. Dännemark, 1765, 168.
graminea Cicada, J. C. Fabricius, Suppl. Ent. Syst. 1798, 521.
gramineus Cimex, J. C. Fabricius, Mant. II. 1787, 295.
gramineus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2186.
gramineus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1804.
gramineus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 465.
gramineus Elater, Scopoli, Ent. Carn. 1763, 95.
graminea Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 922.

- graminea* Geometra, C. C. Jung, Alph. Verz. Schmett. 1791, 249.
gramineus Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 542.
graminea Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2554.
gramineus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 338.
graminea Tipula, Scopoli, Ent. Carn. 1763, 317.
gramineus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 488.
graminifera Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 335.
graminifolius Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2064.—
graminifolia Locusta, J. C. Fabricius, Syst. Ent. 1775, 826. [Locusta.
graminis Altica, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 4.
graminis Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 586.—Phalaena.
graminis Buprestis, G. W. F. Panzer, Ins. Germ. heft 66 [1799], tab. 8.
graminis Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 453; ed. 12, 1767, 737.
graminis Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 369; ed. 12, 1767, 587.
graminis Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 107.
graminis Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2100.
graminis Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 385.
graminis Coccinella (Linn.), Scopoli, Ent. Carn. 1763, 71.—Chrysomela.
graminis Phalaena, Hufnagel, Berl. Mag. II. 1766, 412.
graminis Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 506; ed. 12, 1767, 830.
graminis Sphinx, C. de Villers, Linn. Ent. II. 1789, 115.
graminum Acarus, F. v. P. Schrank, Ins. Aust. 1781, 515.
graminum Cynipsichneumon (Scop.), J. L. Christ, Nat. Ins. 1791, 391.—Ichneumon.
graminum Ichneumon, Scopoli, Ent. Carn. 1763, 289.
graminum Musca, J. C. Fabricius, Syst. Ent. 1775, 785.
Grammarus, *err. pro Gammarus* F. Weber, Nomen. Fabricii, 1795, 96.
grammatica Phryganea, N. Poda, Ins. Mus. Graec. 1761, 99.
grammea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 308.
grammica Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 579.—Phalaena.
grammicus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 716.
grammicus Curculio, G. W. F. Panzer, Naturforscher, XIV. 1789, 21.
grammica Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 822; ed. 12, 1767,
grammistes Perca, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 335. [831.
gramnicola Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 175.
grana punctulata Purpura, F. C. Meuschen, Mus. Gever. 1787, 314.
granarius Aphodius (L.), Illiger in Kugelann, Käfer Preuss. 1798, 22.—Scarabaeus.
granarius Bruchus, Linnaeus, Syst. Nat., ed. 12, 1767, 605.
granaria Calendra (L.), J. R. Schellenberg, Helvet. Entom. I. 1798, 62.—Curculio.
granarius Cancer, J. F. W. Herbst, Nat. Krabb. I (2—5) 1783, 107.
granarius Carabus, N. Poda, Ins. Mus. Graec. 1761, 46.
granarius Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 147.—Scarabaeus.
granarius Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 378; ed. 12, 1767, 608.
granaria Ligia (Herbst), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
granarius Rynchophorus (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 14.—
granarius Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 547. [Curculio.
granatina Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 319.
granatina Loxia (L.), F. M. Daudin, Traité élém. Orn. 1800, 446.—Fringilla.
granatina Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 782; ed. 12, 1767, 1258.
granatinus Trochilus, J. Latham, Index Orn. 1790, 305.
granatinus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 97.
granatus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 316.
granata Porcellana, F. C. Meuschen, Mus. Gever. 1787, 404.
granata Trichoda, O. F. Müller, Verm. I (1) 1773, 78.
granatum Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3584.
grandaevella Phalaena (Tinea), G. Pajjkull, K. Vet. Ac. Nya Handl. VI. 1785, 224.
grandaeva Arca, J. F. Bolten, Mus. Bolten. (2) 1798, 174.
grandella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 288.
grandinatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3585.

- grandinatus** Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 80.
- grandinella** Trichoda, O. F. Müller, Verm. I (1) 1773, 77.
- grandinella** Volvox, O. F. Müller, An. Infus. 1786, 14.
- grandior** Chrysis, P. S. Pallas, Reise Russ. I. 1771, 474.
- grandis** Aeshna (L.), J. C. Fabricius, Syst. Ent. 1775, 424.—Libellula.
- grandis** Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 488.
- grandis** Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 504.
- grandis** Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 110.
- grandis** Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 408.
- grandis** Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1029.
- grandis** Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 31.
- grandis** Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 12.
- grandis** Elophorus, Illiger in Kugelann, Käfer Preuss. 1798, 272.
- grandis** Gypaëtus, G. C. C. Storr, Alpenreise, I. 1784, 69.
- grandis** Hemerobius, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 28.
- grandis** Ips, J. C. Fabricius, Ent. Syst. I (2) 1792, 511.
- grandis** Leptura, N. Poda, Ins. Mus. Graec. 1761, 38.
- grandis** Leptura, G. A. Harter, Besch. Schaeffer Icones, 1784, 227.
- grandis** Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 544; ed. 12, 1767, 903.
- grandis** Lithosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 461.—Tinea grandella, 1794.
- grandis** Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3259.
- grandis** Necrophorus, J. C. Fabricius, Ent. Syst. I (1) 1792, 247.
- grandis** Nepa, Linnaeus, Syst. Nat., ed. 10, 1758, 440; ed. 12, 1767, 713.
- grandis** Notoxus, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 102.
- grandis** Pennatula, P. S. Pallas, Elench. 1766, 366.
- grandis** Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 548; ed. 12, 1767, 909.
- grandis** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 335.
- grandis** Psittacus, R. Kerr, Anim. Kingd. 1792; *var.* porphyrogaster, 593.
- grandis** Scarites, J. C. Fabricius, Suppl. Ent. Syst. 1798, 43.
- grandis** Stratiomys, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 175.
- granditarsa** Musca, J. R. Forster, Cat. Brit. Ins. 1779, 15 [*n. n.*].
- granditarsa** Musca, J. R. Forster, N. Sp. Ins. 1771, 99.
- grandoculis** Sciaena, P. Forskal, Descr. Anim. 1775, 53.
- granella** Alucita (L.), J. C. Fabricius, Syst. Ent. 1775, 668.—Phalaena.
- granella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 537; ed. 12, 1767, 889.
- granella** Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 494.—Alucita, 1775.
- granifer** Conus, F. C. Meuschen, Mus. Gev. 1787, 352.
- granifera** Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 120.
- granifera** Patella, F. C. Meuschen, Mus. Gev. 1787, 242.
- graniolaris** *z.* craniolaris.
- granosa** Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 694; ed. 12, 1767, 1142.
- granosa** Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 173.
- granosus** Murex (Fusus), G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 116.
- granosus** Trochus, T. Martyn, Univ. Conch. I. [1784 non 1769], fig. 37.
- granosa** Unio, J. G. Bruguière, J. Nat. Hist. (Choix des Mém.) I. 1792, 107.
- granosa** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3453.
- granularis** Asterias, A. J. Retzius, K. Vet. Ac. Nya Handl. IV. 1783, 238.
- granulare** Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112 [*n. n.*].
- granularis** Buprestis, Linnaeus, Faun. Suec., ed. 2, 1761, 214.
- granularis** Dyticus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 72.—Dytiscus.
- granularis** Dytiscus, Linnaeus, Syst. Nat., ed. 12, 1767, 667.
- granularis** Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 135 [*n. n.*].
- granularis** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3557.
- granularis** Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 782; ed. 12, 1767, 1258.
- granulare** Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 127.
- granularis** Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81.
- granulator** Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 44.
- granulatum** Acrydium, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 190.

- granulatus* Alyselminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 37. [235.]
granulata Arca, F. C. Meuschen, Mus. Gever. 1787, 426.
granulata Balistes, G. Shaw in White, Journ. N. S. W. 1790, 295.
granulata Blaps, J. C. Fabricius, Ent. Syst. I (1) 1792, 107.—Helops, 1787.
granulatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 306.
granulatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 306, no. 593.
granulatum Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 239.
granulatus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 41.
granulata Calappa (L.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
granulatus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 627; ed. 12, 1767, 1043.
granulatus Cancer, J. R. Forster, Cat. Anim. N. Amer. 1771, 33 [*n. n.*].
granulatus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 413; ed. 12, 1767, 668.
granulatum Cardium, F. C. Meuschen, Mus. Gever, 1787, 440.
granulatum Cerithium (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 476.—Murex.
granulatus Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3205.
granulata Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 152.
granulata Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 86.
granulatus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 716; ed. 12, 1767, 1170.
granulatus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 177.
granulatus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 40.—Conus.
granulatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 45 [*n. n.*].
granulatus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 386; ed. 12, 1767, 618.
granulatus Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 84.
granulatus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3179.
granulatus Gorgonia, E. J. C. Esper, Pflanzenth. II (7) 1791, 30.
granulata Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2058.
granulata Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 14.
granulatus Helops, J. C. Fabricius, Mant. I. 1787, 214.
granulatus Hydrus, J. G. Schneider, Hist. Amph. I. 1799, 243.
granulatus Lumbricus, H. Ström, Nye Saml. K. Danske Skrifter, III. 1788, 293.
granulata Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 102.
granulatus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 756; ed. 12, 1767, 1226.
granulatus Octopus, Lamarck, Bull. Sci. Soc. Philom. [Paris], no. 17, 1798, 130.
granulatum Opatrum, J. C. Fabricius, Ent. Syst. I (1) 1792, 90.
granulata Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2010.—
granulata Sabella, Linnaeus, Syst. Nat., ed. 12, 1767, 1268. [Helops.]
granulatus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 168.
granulata Serpula, Linnaeus, Syst. Nat., ed. 12, 1767, 1266.
granulata Silpha, J. C. Fabricius, Mant. I. 1787, 49.
granulata Silpha, C. P. Thunberg, Ins. Suecica (5) 1794, 72.
granulatus Strombus (L.), F. C. Meuschen, Mus. Gever. 1787, 292.—Murex.
granulatus Tenebrio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 70.
granulatus Throx, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 12.
granulatus Trochus, I. v. Born, Index Mus. Caes. Vind. 1778, 343.
granulatus Trochus, F. C. Meuschen, Mus. Gever. 1787, 280.
granulatus Trochus, F. C. Meuschen, Mus. Gever. 1787, 286.
granulatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3601.
granulatus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 88 [*n. n.*].
granulata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3277.
granulella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
granulosa Cassidea, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 421.
granulosus Chiton, J. F. Bolten, Mus. Bolten. (2), 1798, 196.
granulosus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 40.
granulosus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1779.
granulosa Hydatigena, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 87.
granulosa Nerita, F. C. Meuschen, Mus. Gever. 1787, 274. [Hydatigena.]
granulosa Taenia (Batsch), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3062.—

- granulosa** Testudo, J. A. Donndorff, Zool. Beyt. III. 1798, 34.
- granulosa** Vesicaria, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 31.
- granulum** Volvox, O. F. Müller, An. Infus. 1786, 13. [canaliculatus].
- granum** Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 752; ed. 12, 1767, 1222 [as *var.* of
- granum** Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 711; ed. 12, 1767, 1164.
- granum** Orthocera (L.), A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 143. —Nautilus.
- graphicus** Cancer, *err. pro* grapsus, L., M. Houttuyn, Nat. Hist. I (13) 1769, 356.
- graphica** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 295.
- Graphium** J. A. Scopoli, Intr. Hist. Nat. 1777, 433. —Lep.
- grapsus** Alpheus (L.), F. Weber, Nomen. Fabricii. 1795, 92. —Cancer.
- grapsus** Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 630; ed. 12, 1767, 1048.
- Graptolithus** Linnaeus, Syst. Nat., ed. 12, III. 1768, 173. —Coel.
- grataria** Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 453.
- gratilla** Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 664; ed. 12, 1767, 1102.
- gratilla** Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer), VIII. 1799, 75.
- gratiosus** Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 57.
- grata** Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 457.
- gravidator** Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 133.
- gravidator** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 565; ed. 12, 1767, 936.
- gravidata** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 175.
- gravidus** Cataretus, Illiger in Kugelann, Käfer Preuss. 1798, 395.
- gravidus** Dermestes (Ill.). G. Paykull, Faun. Suec. III. 1800, 448. —Cataretus.
- gravida** Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 181.
- gravipes** Syrphus, P. Rossi, Fauna Etrus. II. 1790, 286.
- gravis** Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 355.
- gravis** Curculio, J. C. Fabricius, Syst. Ent. 1775, 140.
- grenovicensis** Tringa, J. Latham, Syn. Birds, Suppl. I. 1787, 293.
- grenovicensis** Tringa, J. Latham, Index Orn. 1790, 731.
- regalis** Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 39. —Mus.
- regalis** Mus, P. S. Pallas, N. sp. Quad. II. 1779, 79.
- gregarius** Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2985. —Pagurus.
- gregarius** Cancer (Astacus) (Fabr.), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 65. —
- gregarius** Charadrius, P. S. Pallas, Reise Russ. I. 1771, 456. [Pagurus.]
- gregarius** Cimex, G. A. Harrer, Besch. Schaeffer Icones, 1784, 316.
- gregarius** Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 389.
- gregaria** Galathea, J. C. Fabricius, Ent. Syst. II. 1793, 473.
- gregarius** Gryllus, P. Forskal, Descr. Anim. 1775, 81.
- gregarius** Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 377.
- gregarius** Microtus (L.), F. v. P. Schrank, F. Boica, I. 1798, 73. —Mus.
- gregarius** Mus, Linnaeus, Syst. Nat., ed. 12, 1766, 84.
- gregarius** Pagurus, J. C. Fabricius, Syst. Ent. 1775, 412.
- gregaria** Sphex, Scopoli, Ent. Carn. 1763, 293.
- gregarius** Staphylinus, Scopoli, Ent. Carn. 1763, 102.
- gregaria** Tringa, B. C. Otto in Buffon, Naturg. Vögel, XXVI. 1797, 242.
- gremius** Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 433.
- gressorius** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 465.
- griela** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 236.
- grieseus** Turdus, P. Boddart, Tab. Planch. Enl. 1783, 39.
- grillii** Gymnetrus, P. G. Lindroth, K. Vet. Ac. Nya Handl. XIX. 1798, 291.
- grillivora** Gracula, F. M. Daudin, Traité élém. Orn. 1800, 285.
- grimmia** Antilope, P. S. Pallas, Misc. Zool. 1766, 1.
- grimmia** Capra, Linnaeus, Syst. Nat., ed. 10, 1758, 70. —[Moschus, ed. 12.]
- grimmia** Moschus, Linnaeus, Syst. Nat., ed. 12, 1766, 92. —[Capra, ed. 10.]
- gripus** Papilio, J. C. Fabricius, Syst. Ent. 1775, 829.
- grisaria** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 159.
- grisator** Cerambix (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1832. —Lamia.
- grisator** Lamia, J. C. Fabricius, Mant. I. 1787, 136.
- grisata** Phalaena, J. C. Fabricius, Gen. Ins. 1777, 288.

- grisealis** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 231.
grisealis Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2528.
grisealis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 120.
griseana Pyralis, J. C. Fabricius, Ent. Syst. III (2), 1794, 265.
grisearia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 216 [*u. et f.*].
grisearia Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 331.
grisearia Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2459.
griseata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 116.
griseata Phalaena, Giorna, Cal. Ent. 1791, 41.
griseata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.
grisebla Pupa, J. F. Bolten, Mus. Bolten. (2) 1798, 110.
grisegena Coleymbus, P. Boddaert, Tab. Planch. Ent. 1783, 55.
grisella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 289.
griseo-aeneus Curculio, C. de Geer, Mém. Ins. V. 1775, 221.
griseo-alba Ardea, Richard & Bernard, Actes Soc. H. N. Paris, I (1) 1792, 117.
griseo-apterus Curculio, C. de Geer, Mém. Ins. V. 1775, 242.
griseo-apterus Gryllus Tett. (De G.), C. de Villers, Linn. Ent. I. 1789, 450.—Locusta.
griseo-aptera Locusta, C. de Geer, Mém. Ins. III. 1773, 436.
griseo-capillata Columba, J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 238.
griseo-collis Apis, C. de Geer, Mém. Ins. III. 1773, 576.
griseo-fusca Thrips, J. A. E. Goeze in de Geer, Gesch. Insekt. III. 1780, 7.
griseolus Larus, Richard & Bernard, Actes Soc. H. N. Paris, I (1) 1792, 117.
griseola Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2581.
griseola Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 35 [*u. u.*].
griseo-nitida Chrysomela, C. de Geer, Mém. Ins. V. 1775, 325.
griseo-punctatus Curculio, C. de Geer, Mém. Ins. V. 1775, 217.
griseo-reticulata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 49.
griseo-rubicundus Chiton, J. F. Bolten, Mus. Bolten. (2) 1798, 196 [*u. u.*].
griseo-striatus Dytiscus, C. de Geer, Mém. Ins. IV. 1774, 403.
griseo-thorax Motacilla, Maus [? Nau], Beytr. Nat. Mainzer Landes, II. [17..], 192 [not
[seen]].
griseoscens Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 110. [seen].
grisea Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 74.
grisea Alauda, J. A. Scopoli, Del. Insub. II. 1786, 95.
grisea Anas, P. Forskal, Descr. Anim. 1775, vi & 3.
grisea Anas, T. Pennant in Forster, Ind. Zool. 1781, 42 [*u. u.*].
grisea Andrena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 272.
grisea Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 254.—Helix.
griseus Anthribus, J. C. Fabricius, Ent. Syst. I (2) 1792, 377.
grisea Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2785.
grisea Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 276.
grisea Apis, J. C. Fabricius, Ent. Syst. IV. 1794, 460.
grisea Ardea, Linnaeus, Syst. Nat., ed. 12, 1766, 239.
grisea Blatta, C. de Geer, Mém. Ins. III. 1773, 540.
griseus Bombylius, J. C. Fabricius, Mant. II. 1787, 366.
grisea Bombyx, C. P. Thunberg, Ins. Suecica (1) 1784, 1.
grisea Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 480.
griseus Buceros, J. Latham, Index Orn. 1790, 147.
griseum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 325.
griseus Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1029.
griseus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1841.—
griseus Cerambyx, J. C. Fabricius, Ent. Syst. I (2) 1792, 261. [Saperda].
grisea Certhia, J. A. Scopoli, Del. Insub. II. 1786, 91.
grisea Certhia, J. Latham, Index Orn. 1790, 300.
grisea Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 161.
grisea Cicada, J. C. Fabricius, Syst. Ent. 1775, 683. [Tettigonia].
grisea Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2098.—
griseus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 445; ed. 12, 1767, 721.
grisea Columba, J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 252.

- grisea** Coturnix, J. P. Bonnaterre, Ency. Méth. (Orn.). 1791, 220.
grisea Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 154.
grisea-maculata Crotophaga, P. Forskal, Descr. Anim. 1775, vi & 2.
griseus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1722.—
griseus Curculio, J. C. Fabricius, Syst. Ent. 1775, 148. [Crioceris.]
griseus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 88.
griseus Dytiscus, J. C. Fabricius, Spec. Ins. I. 1781, 293.
griseus Dytiscus, C. de Villers, Linn. Ent. I. 1789, 354.
griseus Dytiscus (Fab.), C. de Villers, Linn. Ent. IV. 1789, 342.—Hydrophilus.
griseus Elater, J. F. W. Herbst in Fues-sly, Arch. Ins. V. 1784, 114.
griseus Elophorus, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 143.
grisea Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 887.
grisea Eucera, J. C. Fabricius, Ent. Syst. II. 1793, 345.
griseus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 275.
grisea Flata, J. C. Fabricius, Suppl. Ent. Syst. 1798, 519.—Cicada, 1794.
grisea Gracula, F. M. Daudin, Traité élém. Orn. 1800, 286.
griseus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2059.
griseus Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2067.—Locusta.
grisea Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2088.
grisea Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 773; ed. 12, 1767, 1247.
griseus Hemerobius, J. C. Fabricius, Gen. Ins. 1777, 244.
griseus Hemerobius, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 59.
grisea Hydra, Linnaeus, Syst. Nat., ed. 12, 1767, 1320.
griseus Hydrophilus, J. C. Fabricius, Mant. I. 1787, 189.
griseus Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 344.—Oriolus.
griseus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 283; ed. 12, 1766, 474.
grisea Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 63 [*n. n.*].
griseus Lemur, H. F. Link, Beytr. Nat. I (2) 1795, 64.
griseus Lemur, E. Geoffroy, Mag. Encyclop. I (1) 1796, 48.
grisea Locusta, J. C. Fabricius, Spec. Ins. I. 1781, 359.
grisea Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 857.
griseus Macrocephalus (Fab.), B. E. Manuel, Ency. Méth. VII (In-) 1792, 606.—
grisea Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 22. [Curculio.]
grisea Motacilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 175.
grisea Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 964.
grisea Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 942.
griseus Mycterus, J. R. Schellenberg, Helvet. Entom. I. 1798, 124.
grisea Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
grisea Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 69.
griseum Opatrum, J. C. Fabricius, Spec. Ins. I. 1781, 89.
griseus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 386.
griseus Parus, O. F. Müller, Z. Dan. Prod. 1776, 34.
grisea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3727.
grisea Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 1.
grysea Pennatula, P. S. Pallas, Elench. 1766, 367.
grisea Perdix (Gm.), J. Latham, Index Orn. 1790, 654.—Tetrao.
grisea-fasciata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 41.
grisea Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 283.
grisea Phalaena Pyralis, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 87.
grisea Phalaena, Hufnagel, Berl. Mag. III. 1767, 412.
grisea Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 547; ed. 12, 1767, 909.
grisea Pimelia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 68.
grisea Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1000.
grisea Planaria, P. C. Abildgaard in Müller, Zool. Dan. ed. 3, III. 1789, 38.
grisea Porcellana, F. C. Meuschen, Mus. Gever. 1787, 400.
grisea Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 564.
griseus Reduvius, P. Rossi, Fauna Etrus. II. 1790, 257.
grisea Saperda, J. C. Fabricius, Syst. Ent. 1775, 186.

- grisea** Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 658.
- griseus** Scorpio, J. C. Fabricius, Ent. Syst. II. 1793, 435.
- griseus** Semblis, J. C. Fabricius, Spec. Ins. I. 1781, 386.—Hemerobius, 1777.
- grisea** Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 362; ed. 12, 1767, 574.
- grisea** Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 85.—Opatrum.
- grisea** Spheg (Fab.), J. L. Christ, Nat. Ins. 1791, 313.—Vespa.
- griseus** Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1495.
- grisea** Stomoxys, J. C. Fabricius, Ent. Syst. IV. 1794, 394.
- grisea** Sylvia (Gm.), J. Latham, Index Orn. 1790, 532.—Motacilla.
- griseus** Tabanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2886.
- grisea** Taenia, P. S. Pallas, Elench. 1766, 408.
- grisea** Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 892.
- griseus** Tantalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 653.
- griseus** Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 764.
- grisea** Tettigonia, J. C. Fabricius, Syst. Ent. 1775, 678.
- grisea** Thais, J. F. Bolten, Mus. Bolten. (2) 1798, 54.
- grisea** Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 681.
- griseus** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3576.
- griseus** Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 824.
- grisea** Vespa, J. C. Fabricius, Syst. Ent. 1775, 372.
- grislagine** Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 323; ed. 12, 1766, 529.
- grisola** Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 328.
- grispus** Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 28.
- groendaliana** Tortrix, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 77.
- groenlandicus** Astacus, J. C. Fabricius, Syst. Ent. 1775, 416. [Astacus.
- groenlandicus** Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2987.—
- grönlandicus** Cancer (Astacus) Fabr., J. F. W. Herbst, Vers. Nat. Krab. II (3) 1792, 79.—Astacus.
- groenlandicus** Canis, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, I. 1799, 270.
- groenlandicum** Cardium (ex Chem.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 222.
- groenlandica** Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 488.
- groenlandicus** Falco, F. M. Daudin, Traité élém. Orn. 1800, 107.
- groenlandicus** Homo, O. Fabricius, F. Groen. 1780, 3.
- groenlandica** Phoca, O. Fabricius in O. F. Müller, Z. Dan. Prod. 1776, viii.
- groenlandica** Phoca, R. Kerr, Anim. Kingd. 1792, 125; var. nigra.
- grönlandica** Procellaria, J. E. Gunnerus, Trondhiemske Selsk. Skrift. I. 1761, 200.
- groenlandicus** Salmo, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 99.
- groenlandicus** Tabanus, O. Fabricius, F. Groen. 1780, 208.
- groenlandicus** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3574.
- groenlandicus** Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 88.
- grogne** Papilio, *err. pro* progne, Fab. 1777, J. C. Fabricius, Mant. II. 1787, 50.
- gronovianus** Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1101.—
- gronoviana** Natrix, J. N. Laurenti, Syn. Rept., 1768, 75. [Natrix.
- gronoviella** Phalaena, J. A. Scopoli, Annus V. 1772, 119.
- [gronovii]—
- gronvoii** (*sic*) Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 52.
- gronovii** Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 730.
- gronovii** Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 88.
- gronovii** Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1954.
- gronovii** Gobiomorus (Gm.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 583.—
- gronovii** Gobius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1205. [Gobius.
- gronovii** Miris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 185.—Cimex.
- gronovii** Papilio (ex Scop.), C. C. Jung, Alph. Verz. Schmett. I. 1791, 251.
- gronovii** Salmo, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 83.
- gronovii** Scarabaeus, J. A. Scopoli, Annus V. 1772, 82.
- gronovii** Scorpaena, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 383.
- gronovius** Caudisona, J. N. Laurenti, Syn. Rept. 1768, 94.
- gronvoii** *v.* gronovii.

- Gros** *err. pro* Grus, P. Boddaert, Tab. Planch. Enl. 1783, 52.—A.
- grosepe** Papilio, *err. pro* prosope, Fabr. 1775, J. C. Fabricius, Mant. II. 1787, 49.
- grossana** Tortrix, C. P. Thunberg, Ins. Suecica (2) 1791, 45.
- grossicornis** Cerambyx, C. de Geer, Mém. Ins. VII. 1778, 656.
- grossificationis** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 599; ed. 12, 1767, 996.
- grossipes** Aranea (Phalangium), C. de Geer, Mém. Ins. VII. 1778, 290.
- grossipes** Astacus, F. C. Meuschen, Mus. Gronov. 1778, 86.
- grossipes** Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1055.
- grossipes** Cancer (Gammarellus) L., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 123.
- grossipes** Cimex, C. de Geer, Mém. Ins. III. 1773, 308.
- grossipes** Gammarus, J. C. Fabricius, Gen. Ins. 1777, 248.
- grossipes** Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
- grossipes** Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 207.
- grossipes** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 135.
- grossipes** Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 988.
- grossipes** Nymphon (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 417.—Phalangium.
- grossipes** Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (3), 1799, 1.
- grossipes** Phalangium, Linnaeus, Syst. Nat., ed. 12, 1767, 1027.
- grossipes** Pycnogonum, O. Fabricius, F. Groen. 1780, 229.
- grossipes** Pycnogonum (L.), J. C. Fabricius, Spec. Ins. II. 1781, 476.—Phalangium.
- grossorius** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 136.
- grossularia** Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 55. [*u. et f.*].
- grossulariaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 81
- grossulariata** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 525; ed. 12, 1767, 867.
- grossus** Acarus, P. S. Pallas, Spic. Zool., IX. 1772, 43.
- grossum** Acridium, O. F. Müller, Z. Dan. Prod. 1776, 100.
- grossum** Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.), 1791, 230.—Gryllus.
- grossus** Alurnus, J. C. Fabricius, Syst. Ent. 1775, 94.
- grossa** Apis, D. Drury, Ill. Nat. Hist. I. 1770, index & 108.
- grossus** Asilus, J. C. Fabricius, Syst. Ent. 1775, 791.
- grossa** Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 363; ed. 12, 1767, 577.
- grossa** Cercopis, J. C. Fabricius, Spec. Ins. II. 1781, 328.
- grossa** Chrysomela, O. F. Müller, Z. Dan. Prod. 1776, 81.
- grossa** Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 317.
- grossa** Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2098.—Tetti-
- grossa** Cicindela, J. C. Fabricius, Spec. Ins. I. 1781, 282. [gonia].
- grossus** Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 72.
- grossa** Fasciola, O. F. Müller, Verm. I (2) 1774, 67.
- grossa** Formica, J. C. Fabricius, Mant. I. 1787, 309.
- grossus** Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 433; ed. 12, 1767, 702.
- grossus** Gyrimus, A. Modeer, Physiogr. Sölsk. Handl. I (3) 1776, 156.
- grossa** Hirudo, O. F. Müller, Z. Dan. Prod. 1776, 220.
- grossa** Hispa (Fab.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 96.—Alurnus.
- grossa** Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 307.
- grossa** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 596; ed. 12, 1767, 991.
- grossa** Nepa, J. C. Fabricius, Mant. II. 1787, 277.
- grossa** Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 779; ed. 12, 1767, 1255.
- grossa** Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 63.—Silpha.
- grossa** Pimelia, J. C. Fabricius, Ent. Syst. I (1) 1792, 101.
- grossa** Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
- grossa** Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 361; ed. 12, 1767, 572.
- grossa** Sphex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 245.
- grossa** Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 232.
- grossus** Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 676.
- grossa** Tettigonia, J. C. Fabricius, Syst. Ent. 1775, 678.
- grotiana** Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 414.—Pyralis.
- grotiana** Pyralis, J. C. Fabricius, Spec. Ins. II. 1781, 508.
- gruis** Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3055.

- gruis** *Pediculus*, Linnaeus, Syst. Nat., ed. 10, 1758, 613; ed. 12, 1767, 1019.
- grunniens** *Bos*, Linnaeus, Syst. Nat., ed. 12, 1766, 99.
- grunniens** *Bos*, R. Kerr, Anim. Kingd. 1792; *varr.* *ghainouk*, sarlyk, ecornis, 338.
- grunniens** *Cottus*, Linnaeus, Syst. Nat., ed. 10, 1758, 264; ed. 12, 1766, 451.
- Grus** Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 6 & 60.—A.
- Grus** P. S. Pallas, Misc. Zool. 1766, 66.—A.
- grus** *Ardea*, Linnaeus, Syst. Nat., ed. 10, 1758, 141; ed. 12, 1766, 234.
- grus** *Curculio*, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 73.
- grylle** *Alca*, Linnaeus, Syst. Nat., ed. 10, 1758, 130.
- grylle** *Colymbus*, Linnaeus, Faun. Suec., ed. 2, 1761, 52.
- grylle** *Uria* (L.), M. T. Brünnich, Orn. Boreal. 1764, 28.—*Colymbus*.
- grylle** *Pediculus*, *v.* *P. colymbi grylle*, Müll., O. Fabricius, F. Groen. 1780, 218.
- grylli** *Filaria*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3040.
- gryllivora** *Gracula*, G. Cuvier, Tab. Elém. 1798, 205.
- gryllodes** *Gryllus*, P. S. Pallas, Spic. Zool. IX. 1772, 16.
- grylloides** *Acanthia* (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 69.—*Cimex*.
- grylloides** *Cimex*, Linnaeus, Faun. Suec., ed. 2, 1761, 246.
- grylloides** *Cercopis*, J. C. Fabricius, Ent. Syst. IV. 1794, 54.
- grylloides** *Colymbus* [= *grylle*, L.], E. Pontoppidan, Danske Atlas, I. 1763, 621.
- grylloides** *Gryllus*, *v.* **gryllodes**.
- grylloides** *Uria*, M. T. Brünnich, Orn. Boreal. 1764, 28.
- gryllotalpa** *Acheta* (L.), J. C. Fabricius, Syst. Ent. 1775, 279.—*Gryllus*.
- gryllotalpa** *Gryllus* (*Acheta*), Linnaeus, Syst. Nat., ed. 10, 1758, 428; ed. 12, 1767, 693.
- gryllotalpae** *Pediculus*, J. C. Fabricius, Gen. Ins. 1777, 310.
- Gryllus** Linnaeus, Syst. Nat., ed. 10, 1758, 425; ed. 12, 1767, 692; divided by him into *Mantis*, *Acrida*, *Bulla*, *Acheta*, *Tettigonia*, *Locusta*. Apparently these words are used by Linnaeus in a subgeneric sense, for in the 12th ed. *Mantis* is elevated to the rank of a genus.
- grynea** [*Phalaena*], P. Cramer, Uitl. Kapellen, III (18) 1779, 29.
- gryphica** *Chama*, Linnaeus, Mant. II. 1771, 546.
- gryhipennella** *Tinea*, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 68.
- “**gryphites** *Helmintholithus*,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 164.
- “**Gryphites**, Walch, 1768,” Herm.; not used in a generic sense.
- gryphoide** *Psilopoderma* (L.), J. X. Poli, Test. Sicil. II. 1795, 253 & 258.—*Chama*.
- gryphoides** *Anomia*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3348.
- gryphoides** *Chama*, Linnaeus, Syst. Nat., ed. 10, 1758, 692; ed. 12, 1767, 1139.
- gryphoides** *Chama*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3302.
- gryphoides** *Macerophyllum* (L.), F. C. Meuschen, Mus. Gever. 1787, 430.—*Chama*.
- gryphoides** *Terebratula*, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 99 [*n. n.*].
- “**Gryphus**, Briss. 1760,” Ag.; not used in a generic sense.
- “**Gryphus**, Humph. 1797,” Scudd.; I cannot find this word.
- gryphus** *Anomia*, Linnaeus, Syst. Nat., ed. 10, 1758, 701; ed. 12, 1767, 1151.
- gryphus** *Curculio*, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 399.
- gryphus** *Vultur*, Linnaeus, Syst. Nat., ed. 10, 1758, 86; ed. 12, 1766, 121.
- “**Gryphytes**, Da Costa, 1776,” Herm.; not used in Linnaean sense.
- griphytes** *Chama*, J. F. Bolten, Mus. Bolten. (2) 1798, 196 [*n. n.*].
- guadeloupensis** *Acheta*, J. C. Fabricius, Ent. Syst. II. 1793, 32.
- guadeloupensis** *Bulimus*, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 313.
- guadeloupensis** *Cymothoa*, J. C. Fabricius, Ent. Syst. II. 1793, 504.
- guadeloupensis** *Galleruca*, J. C. Fabricius, Ent. Syst. I (2) 1792, 16.
- guainumbi** *Trochilus*, A. Vroeg, Catal. Vogel. 1764, Adumb., 2.
- guajanensis** *v.* **guianensis**.
- guajanus** *v.* **guianus**.
- gualterianus** *Cucullus*, J. F. Bolten, Mus. Bolten. (2) 1798, 42.
- gualtierana** *Helix*, Linnaeus, Syst. Nat., ed. 10, 1758, 770; ed. 12, 1767, 1243.
- guanicoe** *Camelus*, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 50.
- huanacus** (*sic*) *Camelus*, G. I. Molina, Sag. stor. nat. Chili, 1782, 317.
- guara** *Scomber*, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 598.

- guarauna** Numenius (L.), J. Latham, Index Orn. 1790, 712.—Scolopax.
guarauna Scolopax, Linnaeus, Syst. Nat., ed. 12, 1766, 242.
guarouba Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 320; *var. mexicanus*.
guaza Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1289.
gubernacula Ostrea, F. C. Meuschen, Mus. Gever. 1787, 422.
gubernaculum Pinna, J. F. Bolten, Mus. Bolten. (2) 1798, 159.
gubernator Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 727.
guebiensis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 318.
guenbyensis Psittacus, J. A. Scopoli, Del. Insub. II. 1786, 87.
guepard Felis, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 30.
gujanensis Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1030.
guianensis Didelphis, R. Kerr, Anim. Kingd. 1792, 194.
guianensis Falco, F. M. Daudin, Traité élém. Orn. 1800, 78.
gujanensis Lutra, H. F. Link, Beytr. Nat. I (2) 1795, 84.
guyannensis (*sic*) Manatus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800,
gujanensis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 988. [732.
guianensis Mustela, R. Kerr, Anim. Kingd. 1792, 177.
guianensis Mustela (Lutra), R. Kerr, Anim. Kingd. 1792, 174.
guianensis Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 162.
guianensis Perdix (Gm.), J. Latham, Index Orn. 1790, 650.—Tetrao.
gujanensis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 324.
guajanensis (*sic*) Sciurus, R. Kerr, Anim. Kingd. 1792, 265.
guianensis Sylvia (Gm.), J. Latham, Index Orn. 1790, 514.—Motacilia.
gujanensis Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 893.
gujanensis Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 767.
gujanensis Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 498.
gujanensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 809.
guajanus (*sic*) Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 146.
guigna Felis, G. I. Molina, Sag. stor. nat. Chili, 1782, 295.
guinaicus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 697.
guinea Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 163; ed. 12, 1766, 282.
guineensis Apis, J. C. Fabricius, Ent. Syst. II. 1793, 328.
guineensis Cervus, Linnaeus, Syst. Nat., ed. 10, 1758, 68; ed. 12, 1766, 94.
guineensis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2198.
guineensis Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 20.
guineensis Columba, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 245.
guineensis Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 165.
guineensis Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1914.
guineensis Elops, G. A. Suckow, Naturges. IV. 1799, 727.
guineensis Formica, J. C. Fabricius, Ent. Syst. II. 1793, 357.
guineensis Haliotis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3689.
guineensis Mutilla, J. C. Fabricius, Ent. Syst. II. 1793, 367.
guinensis Mya, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, 34.
guineensis Ovis, Linnaeus, Syst. Nat., ed. 10, 1758, 71; ed. 12, 1766, 98.
guineensis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3726.
guineensis Picus, J. A. Scopoli, Del. Insub. II. 1786, 89.
guineensis Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 81.
guineensis Psittacus, J. F. Miller, Icon. Anim., pl. 29 (1780).
guineensis Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 43.
guineensis Scyllarus, L. Spengler, Nye Saml. K. Danske Skrifter, V (2), 333.
guineensis Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3574.
guineensis Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3270.
guineensis Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 277.
guineensis Zygaena, J. C. Fabricius, Syst. Ent. 1775, 551.
"Guinetta, Briss. 1760," Waterh.; not used in a generic sense.
guira Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 414.
guira Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 335.
guira Sylvia (L.), J. Latham, Index Orn. 1790, 547.—Motacilla.

- guisea** Cancroma, P. Boddaert, Tab. Planch. Enl. 1783, 54.
gujanensis *v.* **guianensis**.
gularis Ardea, L. Bosc, Actes Soc. H. N. Paris, I (1) 1792, 4.
gularis Certhia, A. Sparrman, Mus. Carls. IV. 1789, no. lxxix.
gularis Colymbus, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIX. 1798, 188.
gularis Loxia, F. M. Daudin, Traité élém. Orn. 1800, 412.
gularis Merops, G. Shaw, Nat. Misc. IX. 1798, pl. 337.
gularis Motacilla, J. F. Miller, Icon. Anim., pl. 30 (1779).
gularis Paradisea, J. Latham, Index Orn. 1790, 196.
gularis Sylvia (Mill.), J. Latham, Index Orn. 1790, 552.—Motacilla.
gularis Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 316.
gularis Todus, J. Latham, Index Orn. 1790, 268.
gularis Trochilus, J. F. Miller, Icon. Anim., pl. 30 (1779).
gularis Trochilus, J. Latham, Index Orn. 1790, 306.
Gulo P. S. Pallas, Spic. Zool. XIV. 1780, 25.—M. [? used in a generic sense.]
Gulo G. C. C. Storr, Prod. 1780, 34 & tab. A.—M.
gulo Fasciola, O. F. Müller, Verm. I (2) 1774, 56.
gulo Meles (L.), P. Boddaert, Elench. 1785, 81.—Mustela.
gulo Mergus, J. A. Scopoli, Annus I. 1769, 69.
gulo Mustela, Linnaeus, Syst. Nat., ed. 10, 1758, 45; ed. 12, 1766, 67.
gulo Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.—Fasciola, 1774.
gulo Ursus (L.), J. C. D. Schreber, Saugth. III. 525 (1777) & pl. cxliv (1776).—Mustela.
gulonis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3032.
gulonis Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3060.
gulos Andrena, J. C. Fabricius, Syst. Ent. 1775, 377.
gulos Apis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2792.—Andrena.
gulosus Curculio, J. C. Fabricius, Syst. I (2) 1792, 441.
gulos Formica, J. C. Fabricius, Syst. Ent. 1775, 395.
gundi Arctomys (Roth.), P. S. Pallas, Nov. Sp. Quad. II. 1779, 98.—Mus.
gundi Mus, G. Rothman in Schloezer, Briefwechsel, I. 1776, 339.
gundiana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 42 [*n. et f.*].
gundiana Tortrix, [Roth v. Schreckenstein], Schmett. Donau, 1800, 36.
gunnellus Bleinnius, Linnaeus, Syst. Nat., ed. 10, 1758, 257; ed. 12, 1766, 443.
gurgens Gryllus, O. G. Tychsen in Asso y del Rio, Heuschrecken, 1787, 73.
gurnardus Trigla, Linnaeus, Syst. Nat., ed. 10, 1758, 301; ed. 12, 1760, 497.
gusio Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 164.—*err. pro* pusio Ostrea, Gm.
guttacum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 94.
guttalis Nitidula, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 247.
guttalis Phalaena Pyralis, J. Hübner, Beitr. Schmett. I (1) 1786, 4.
guttalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 124.
guttato-punctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 367; ed. 12, 1767, 583.
guttato-pustulata Coccinella, J. C. Fabricius, Syst. Ent. 1775, 87.
guttata Alcedo, P. Boddaert, Tab. Planch. Enl. 1783, 42.
guttata Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2794.
guttatus Asilus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 272.
guttatus Balistes, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 467.
guttata Bembex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 205.
guttatus Bodianus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 36.
guttatus Bufo, J. G. Schneider, Hist. Amph. I. 1799, 218.
guttata Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 235.
guttata Buprestis, A. G. Olivier, Entom. II. 1790, 70.
guttata Cantharis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 55.
guttata Cassida, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 384.
guttata Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 30 [*n. n.*].
guttata Cetonia, A. G. Olivier, Entom. I. 1789, 15.
guttatus Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 55.
guttata Chama, F. C. Meuschen, Mus. Gever. 1787, 456.
guttata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 444.

- guttata* Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 313.
guttata Cicada, J. R. Forster, N. Sp. Ins. 1771, 68.
guttata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2104.
guttata Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 751.
guttatus Cimex, J. C. Fabricius, Mant. II. 1787, 291.
guttatus Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 385.
guttatus Conus, F. C. Meuschen, Mus. Gever. 1787, 356.
guttatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48.
guttatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1801.
guttatus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 502.
guttatus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 372.
guttatum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 152.
guttatum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 153.
guttata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3402.
guttatus Dytiscus, G. Paykull, Faun. Suec. I. 1798, 211.
guttatus Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1296.
guttatus Labrus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 149.
guttata Lacerta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1078.
guttatus Lampris, A. J. Retzius, K. Vet. Ac. Nya Handl. XX. 1799, 98.
guttatus Lanius, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
guttata Loxia, G. Shaw, Mus. Lever. II. 1796, 47.
guttata Mantis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 60.
guttata Mordella, G. Paykull, Faun. Suec. II. 1799, 186.
guttata Motacilla, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
guttata Muraena, P. Forskal, Descr. Anim. 1775, 22.
guttata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 495.
guttata Nerita, F. C. Meuschen, Mus. Gever. 1787, 266.
guttata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3330.
guttata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3721.
guttata Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 292; ed. 12, 1766, 485.
guttata Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 29.
guttata Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 252.—Sphex, 1793.
guttatus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1558.
guttata Sphex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2734.
guttata Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 215.
guttatus Stincus (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 30.—Lacerta.
guttatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 98.
guttata Testudo, J. G. Schneider, Schrift. Berlin. Ges. Nat. Freunde, X (3) 1792, 264.
guttatus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81.
guttata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3291.
guttata Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 436.
guttatus Zeus, M. T. Brünnich, Nye Saml. K. Danske Skrifter, III. 1788, 403.
guttella Phalaena (Tin.) Fab., C. de Villers, Linn. Ent. II. 1789, 506.—Tinea.
guttella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 509.
guttigerus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 32.
guttulatus Julus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 289.
guttulata Paphia, J. F. Bolten, Mus. Bolten. (2) 1798, 175.
guttulus Carabus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 50.
guttula Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 166.
guttula Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2195.—Reduvius.
guttula Curculio, J. C. Fabricius, Mant. I. 1787, 107.
guttula Elaphrus (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 229.—Carabus.
guttula Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 162.
guttula Reduvius, J. C. Fabricius, Mant. II. 1787, 314.
gutturalis Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 186.
gutturalis Hirundo, J. A. Scopoli, Del. Insub. II. 1786, 96.
gutturalis Pipra, Linnaeus, Syst. Nat., ed. 12, 1766, 340.
gutturalis Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 79.

- gutturalis** Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 144.
gutturator Cerambix (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1832.—
gutturator Lamia, J. C. Fabricius, Syst. Ent. 1775, 172. [Lamia.]
gutturium Tudicla, J. F. Bolten, Mus. Bolten. (2) 1798, 145.
gutturosa Antilope, P. S. Pallas, Spic. Zool. XII. 1777, 46.
gutturosa Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 162; ed. 12, 1766, 280.
guyannensis *v.* **guianensis**.
guzurata Sylvia, J. Latham, Index Orn. 1790, 554.
gvaza Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 285; ed. 12, 1766, 477.
gyas Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 324.—Papilio.
gyas [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 45.
gyas Scarabaeus, Jablonsky, Nat. Ins. (Käfer) I. 1785, 263.
gyges [Phalaena], P. Cramer, Uitl. Kapellen, II (9) 1777, 9.
gyllenhalella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 89.
gyllenhahlia Tortrix, C. P. Thunberg, Ins. Suecica (1) 1784, 22.
Gymneterus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [*n. n.*].—P.
Gymnetrus M. E. Bloch, Nat. ausl. Fische, IX. 1795, 94.—P.
gymnista Cancer, *err. pro* symnista, L., M. Houttuyn, Nat. Hist. I (13) 1769, 422.
Gymnocephalus M. E. Bloch, Nat. ausl. Fische, VII. 1793, 24.—P.
gymnocephalus Esox, Linnaeus, Syst. Nat., ed. 10, 1758, 315; ed. 12, 1766, 517.
Gymnogaster L. T. Gronovius, Zooph. I. 1763, 136.—P.
Gymnopterion F. v. P. Schrank, F. Boica, I. 1798, 373.—Col.
gymnopterorum Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 618; ed. 12, 1767, 1026.
Gymnothorax G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [*n. n.*].—P.
Gymnothorax M. E. Bloch, Nat. ausl. Fische, IX. 1795, 83.—P.
Gymnotus Linnaeus, Syst. Nat., ed. 10, 1758, 246; ed. 12, 1766, 427; [Artedi, Ichth. 1738,
gyon Zygaena, J. C. Fabricius, Mant. II. 1787, 105. [gen. xxi, 25.].—P.
 “Gypaetos, Storr, 1780,” Ag.; does not occur.
Gypaetos J. M. Bechstein in his ed. of Levaillant, Naturg. Afrik. Vögel, heft 3 [1798], 77.
Gypaetos B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 4.—A. [—A.]
Gypaetos F. M. Daudin, Traité Orn. II. 1800, 22.—A.
Gypaetus G. C. C. Storr, Alpenreise, I. 1784, 69.—A.
Gypaetus R. Kerr, Anim. Kingd. 1792, 477.—*v. et.* Falco.
Gyperogeranus Recensent in Bechstein, Latham's Vögel, VI. 1798, 536.—A.
gyratrix Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 280.
giratum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 114.
gyrfalco Accipiter (L.), J. C. Schaeffer, Mus. Orn. 1789, 7.—Falco.
gyrfalco Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 91; ed. 12, 1766, 130.
gyrinoides Dytiscus, F. v. P. Schrank, Ins. Aust. 1781, 199.
gyrinoides Gekko, F. A. A. Meyer, Syn. Rept. 1795, 25.
Gyrinus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 193.—Col.
Gyrinus Linnaeus, Syst. Nat., ed. 12, 1767, 567.—Col.
Gyrinus J. Hermann, Tab. aff. Anim. 1783, 258.—Amph.
Gyrinus C. Shaw, Nat. Misc. IX. 1798, pl. 342.—R.
gyrinus Cercaria, O. F. Müller, Verm. I (1) 1773, 64.
gyrinus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 748; ed. 12, 1767, 1216,
gyrinus Trichoda, O. F. Müller, An. Infus. 1786, 163.
gyrinus Tritonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 127.—Murex.
gyrola Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 181.—[Tanagra, ed. 12.]
gyrola Tanagra, Linnaeus, Syst. Nat. ed. 12, 1766, 315.
gyrosa Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 163.

haemacephalus Bucco, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 88.

haemachata Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 120.

haemagaster Cantharis, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 321.

haemagaster Cimex, F. v. P. Schrank, Ins. Aust. 1781, 270.

haemaptera Chrysomela, *v.* **haemoptera**, Linnaeus, Faun. Suec., ed. 2, 1761, 161.

- haemastica** Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 147.
haemastoma Puccinum, Linnaeus, Syst. Nat., ed. 12, 1767, 1202.
haemastomus Bulimus, J. A. Scopoli, Del. Insub. I. 1786, 67.
haemastoma Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 773; ed. 12, 1767, 1247.
haemastoma Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 320.
haemastomus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3597.
haematitodea Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [antea
haematitis Cassida, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 66. [1796], 12.
haematites Cassida, Herbst in Jablonsky, Nat. Ins. (Kafer) VIII. 1799, 280.
haematitis Cercopis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 102.
haematocephalus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2166.
haematoceras Elater, F. v. P. Schrank, Ins. Aust. 1781, 185.
haematocnemis Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 90.
haematoda Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 582; ed. 12, 1767, 965.
haematodes Chrysomela, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 28.
haematodes Cicada, Scopoli, Ent. Carn. 1763, 118.
haematodes Elater, J. C. Fabricius, Gen. Ins. 1777, 235.
haematodes Psittacus, Linnaeus, Mant. II. 1771, 524.
haematodes Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 336.
haematodes Tettigonia (Scop.), J. C. Fabricius, Syst. Ent. 1775, 680.—Cicada.
haematopi Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 613; ed. 12, 1767, 1019.
haematopodis Pediculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2919.—[haemato-
 topi, L., *est.*]
Haematopus Linnaeus, Syst. Nat., ed. 10, 1758, 152; ed. 12, 1766, 257.—A.
haematopum Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 219.—Gryllus.
haematopus Curculio, F. v. P. Schrank, F. Boica, I. 1798, 490.
haematopus Curculio, *z.* **haeruatopus**, J. F. Gmelin in Linn. Syst. Nat., ed. 13.
haematopus Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 432; ed. 12, 1767, 700.
haematopus Ichneumon, F. v. P. Schrank, Baier. Reise, 1786, 260.
haematopus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2705.
haematopus Pediculus, Scopoli, Ent. Carn. 1763, 381.
haematosticta Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3723.
haematostictos Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2181.
haematostoma Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1891.
haematostoma Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2687.
haematotus Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 39.
haematotus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 316; *varr.* mo-
 luccanus, novae-hollandia.
haematotus Psittacus, R. Kerr, Anim. Kingd. 1792, *varr.* daviesianus, 565.
haematragus Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 400.
haematurogygius Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 77.
haemelyter Elater, F. v. P. Schrank, F. Boica, I. 1798, 590.
haemoptera Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 369; ed. 12, 1767, 587.
haemopterus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1917.
haemorrhoea Apis, J. C. Fabricius, Spec. Ins. I. 1781, 481.
haemorrhoea Cantharis, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 321.
haemorrhoea Cicada, F. v. P. Schrank, Ins. Aust. 1781, 256.
haemorrhoea Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1004.
haemorrhoea Tipula, F. v. P. Schrank, Beitr. Nat. 1776, 93.
haemorrhoidalis Adimonia, J. A. Frolich, Naturforscher, XXVIII. 1799, 34.
haemorrhoidalis Andrena (L.), J. C. Fabricius, Syst. Ent. 1775, 377.—Apis.
haemorrhoidalis Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 23.—Scara-
haemorrhoidalis Apis, J. C. Fabricius, Syst. Ent. 1775, 386. [baeus.
haemorrhoidalis Apis (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791,
haemorrhoidalis Apis, J. L. Christ, Nat. Ins. 1791, 189. [126.—Andrena.
haemorrhoidalis Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 389.
haemorrhoidalis Buprestis, J. F. W. Herbst, Schrift. Berlin. Ges. Nat. Freunde, I. 1780,
haemorrhoidalis Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 223. [97.

- haemorrhoidalis Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1898.
 haemorrhoidalis Cantharis, J. C. Fabricius, Ent. Syst. I (1) 1792, 216.
 haemorrhoidalis Carabus, J. C. Fabricius, Mant. I. 1787, 203.
 haemorrhoidalis Cetonia, J. C. Fabricius, Syst. Ent. 1775, 819.
 haemorrhoidalis Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 369; ed. 12, 1767, 587.
 haemorrhoidalis Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 444; ed. 12, 1767, 720.
 haemorrhoidalis Coccinella (L.), Scopoli, Ent. Carn. 1763, 72.—Chrysomela.
 haemorrhoidalis Coccinella, J. C. Fabricius, Gen. Ins. 1777, 218.
 haemorrhoidalis Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 21.
 haemorrhoidalis Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 111.
 haemorrhoidalis Copris, A. F. de Fourcroy, Ent. Paris. 1785, 15.
 haemorrhoidalis Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 147.—Scarabaeus.
 haemorrhoidalis Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 608.
 haemorrhoidalis Cryptocephalus, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's] II.
 haemorrhoidalis Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 67. [1792, 202.
 haemorrhoidalis Culex, J. C. Fabricius, Mant. II. 1787, 364.
 haemorrhoidalis Curculio, J. C. Fabricius, Syst. Ent. 1775, 140.
 haemorrhoidalis Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 78.
 haemorrhoidalis Diaperis (Fab.), G. Paykull, Faun. Suec. III. 1800, 360.—Ips.
 haemorrhoidalis Dytiscus, J. C. Fabricius, Mant. I. 1787, 191.
 haemorrhoidalis Dytiscus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 64.
 haemorrhoidalis Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 569.
 haemorrhoidalis Helops, J. C. Fabricius, Ent. Syst. I (1) 1792, 119.
 haemorrhoidalis Hydrophilus, J. C. Fabricius, Ent. Syst. I (1) 1792, 185.
 haemorrhoidalis Hypophloeus (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's],
 haemorrhoidalis Ips, J. C. Fabricius, Mant. II. 1787, 378. [IV. 1792, 499.—Ips.
 haemorrhoidalis Lagria, J. C. Fabricius, Suppl. Ent. Syst. 1798, 118.
 haemorrhoidalis Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 153.
 haemorrhoidalis Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 539.
 haemorrhoidalis Lytta, J. C. Fabricius, Ent. Syst. I (2) 1792, 87.
 haemorrhoidalis Melolontha, A. G. Olivier, Entom. I. 1789, 79.
 haemorrhoidalis Musca, C. de Villers, Linn. Ent. III. 1789, 548.
 haemorrhoidalis Nitidula, J. C. Fabricius, Gen. Ins. 1777, 216.
 haemorrhoidalis Oestrus, Linnaeus, Syst. Nat., ed. 10, 1758, 584; ed. 12, 1767, 970.
 haemorrhoidalis Reduvius, J. C. Fabricius, Mant. II. 1787, 311.
 haemorrhoidalis Saperda, J. C. Fabricius, Ent. Syst. IV. 1794, 453.
 haemorrhoidalis Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 348; ed. 12, 1767, 548.
 haemorrhoidalis Scolia, J. C. Fabricius, Mant. I. 1787, 280.
 haemorrhoidalis Scymnus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 342.
 haemorrhoidalis Sesia, J. C. Fabricius, Syst. Ent. 1775, 549.
 haemorrhoidalis Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 235.—Ips.
 haemorrhoidalis Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 86.—Nitidula.
 haemorrhoidalis Silpha (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1625.—
 haemorrhoidale Sphaeridium, J. C. Fabricius, Syst. Ent. 1775, 67. [Sphaeridium.
 haemorrhoidalis Sphex, J. C. Fabricius, Spec. Ins. I. 1781, 443.
 haemorrhoidalis Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 266.—Tiphia.
 haemorrhoidalis Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2036.
 haemorrhoidalis Staphylinus, A. G. Olivier, Entom. III. 1795, 11.
 haemorrhoidalis Tenthredo, J. C. Fabricius, Spec. Ins. I. 1781, 417.
 haemorrhoidalis Tiphia, J. C. Fabricius, Syst. Ent. 1775, 353.
 haemorrhoidalis Trogon, B. Merrem, Avium rar. Icones, II. 1786, 33.
 haemorrhoidalis Vespa, J. C. Fabricius, Syst. Ent. 1775, 366.
 haemorrhous Cacicus (L.), F. M. Daudin, Traité élém. Orn. 1800, 328.—Oriolus.
 haemorrhous Cimex, Linnaeus, Amoen. Acad. VI. 1763, 400.
 haemorrhous Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1779.
 haemorrhous Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer), VI. 1795, 399.
 haemorrhous Dermestes, F. v. P. Schrank, Ins. Aust. 1781, 26.
 haemorrhous Oriolus, Linnaeus, Syst. Nat. ed. 12, 1766, 161.

- haemorrhousa** Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2772.
- haemorrhousa** Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2109.
- haemorrhousa** Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 941.
- haemostata** Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1688.
- haemotodes** Tenthredo, J. L. Christ, Nat. Ins. 1791, 440.
- haeruatopus** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1760.
- Haeruca** J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3050.—Ver. *z.* Heruca.
- haeruca** Pseudoechinorynchus (Pall.), J. A. E. Goeze, Eingeweidewürm. 1782, 41.—Taenia.
- haeruca** Taenia, P. S. Pallas, Elench. 1766, 415.
- Haerucula** P. S. Pallas, De Infestis, 1760, 52 (also in E. Sandifort, Thes. Diss. Progr. I.
- haffara** Sparus, P. Forskal, Descr. Anim. 1775, 33. [1768, 289].—Ver.
- hafniense** Callidium, J. C. Fabricius, Syst. Ent. 1775, 190.
- hafniensis** Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1977.
- hafniensis** Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 254.—Callidium.
- hafniensis** Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2103.
- hafniensis** Libellula, O. F. Müller, F. Ins. Frid. 1764, 61.
- hafniensis** Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2826.
- hagedash** Tantalus, J. Latham, Index Orn. 1790, 709.
- haje** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 225; ed. 12, 1766, 387.
- halavi** Raja, P. Forskal, Descr. Anim. 1775, 19.
- Halcyonia** P. S. Pallas, Char. Thierpl. II. 1787, 158.—*z.* Alcyonia.
- halecina** Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 809; ed. 12, 1767, 1308.
- halecis** Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3037.
- halecis** Capsularia (Gm.), J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm, 1800, 13.
- halecis** Cucullanus, O. Fabricius, Skr. nat. Selsk. [Copen.] III (2) 1794, 33. [—Ascaris.
- halecis** Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3058.
- halecum** Cancer, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2987.
- halensum** Carabus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 317.
- halensis** Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 589.
- halensis** Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1719.—
- halensis** Dytiscus, J. C. Fabricius, Mant. I. 1787, 192. [Chrysomela.
- halensis** Mutilla, J. C. Fabricius, Mant. I. 1787, 312.
- halensis** Oestrus, J. C. D. Schreber, Nov. Spec. Ins. 1759, 15.
- halesus** Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 273.—Papilio.
- halesus** [Papilio], P. Cramer, Utit. Kapellen, II (9) 1777, 3.
- haliaetus** Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 91; ed. 12, 1766, 129.
- haliaëtos** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 263; *varr.* arundinaceus, carolinensis, cayenensis.
- Haliotis** Linnaeus, Syst. Nat., ed. 10, 1758, 779; ed. 12, 1767, 1255.—G.
- Haliotoidea** [G. Humphreys] Mus. Calonn. 1797, 20.—G.
- haliotoidea** Auriformis, F. C. Meuschen, Mus. Gever. 1787, 250.
- haliotoidea** Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 775; ed. 12, 1767, 1250.
- haliotoidea** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 5.
- haliotoidea** Sigaretus (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 77.—Helix.
- haliotoideum** Sinum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 14.—Helix.
- Halix** G. Edwards in M. Catesby, Carol. I. 1771, xxxiii.—P.
- halliana** Tortrix, C. P. Thunberg, Ins. Suecica (2) 1791, 45.
- Hallomenus** G. W. F. Panzer, Fauna Germ. (16) 1793, tab. 17.—Col.
- Hallominus** G. Paykull, Faun. Suec. II. 1799, 179.—Col.
- halodendri** Cerambyx, P. S. Pallas, Reise Russ. II. 1773, 724.
- haloterata** Ephemera, J. C. Fabricius, Gen. Ins. 1777, 244.
- haloterata** Musca, G. W. F. Panzer, Ins. Germ., heft 54 [1798], tab. 13.
- haloterata** Panorpa, P. Forskal, Descr. Anim. 1775, 97.
- haloterata** Panorpa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 208.
- haloterata** Phalaena, Hufnagel, Berl. Mag. IV. 1767, 608.
- haloterata** Zygaena, J. C. Fabricius, Syst. Ent. 1775, 555.
- halyma** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 243.
- halys** Coluber, P. S. Pallas, Reise Russ. III. 1776, 703.

- halys** [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 129.
- hamadrius** *v.* **hamadryas**.
- hamadryas** Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 22.—Simia.
- hamadryas** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 152.—Scarabaeus.
- hamadrius** (*sic*) Cynocephalus (L.), E. Geoffroy & Cuvier, Mag. encyclop. III (12) 1795, [462.—Simia.]
- hamadryas** Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 22.
- hamadryas** Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 27; ed. 12, 1766, 36.
- hamadryas** Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 63; *var.* ursinus.
- hamalis** Pyralis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 76.
- hamana** Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 530; ed. 12, 1767, 876.
- hamatum** Acrydium, C. de Geer, Mém. Ins. III. 1773, 503.
- hamatus** Apate, J. C. Fabricius, Mant. I. 1787, 33.
- [**hamatus** Araneus, C. Clerck, Aran. Svec. 1757, 51.]
- hamatus** Araneus, T. Martyn, Aranei, 1793, 23.
- hamatus** Bostrichus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 108.—Apate.
- hamatus** Carabus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 50.
- hamata** Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 28.
- hamatus** Cimex, J. C. Fabricius, Mant. II. 1787, 286.
- hamatus** Dermestes (Fab.), C. de Villers, Linn. Ent. IV. 1789, 218.—Apate.
- hamata** Formica, J. C. Fabricius, Spec. Ins. I. 1781, 494.
- hamatus** Gryllus (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2087.—Acry-
[dium.]
- hamata** Phalaena, P. Rossi, Mant. Ins. II. 1794, 37.
- hamatus** Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 381.
- hamata** Vorticella, O. F. Müller, An. Infus. 1786, 278.
- hamatus** Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 507.
- hamburgia** Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 854.
- hamella** Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
- hameri** Lepas, P. Ascanius, Icon. I. 1767, 54.
- hamma** Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 61.
- “**Hammonia**, Sold. 1780,” Ag.; not used in a Linnean sense.
- Hammonia** P. Brown, Hist. Jamaica, ed. 2, 1789, 397.—G.
- hammonis** Helix, H. Ström, Trondhiemske Selsk. Skrift. III. 1765, 435.
- “**hammonites** Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 162.
- hamrur** Sciaena, P. Forskal, Descr. Anim. 1775, 45 [*v.* also 52].
- Hamster** B. G. E. de Lacépède, Tabl. Mamm. 1799, 10.—M.
- hamula** Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 64.
- hamula** Phalaena Bombyx, N. J. Brahm, Ins. Kal. II (1) 1791, 179.
- Hamularia** F. A. Treutler, Obs. Helminth. human. corp. 1793, 10.—Ver.
- hannasch-asuaed** Coluber, P. Forskal, Descr. Anim. 1775, viii & 15.
- hannibal** [Sphinx], P. Cramer, Uitl. Kapellen, III (18) 1779, 39.
- hanno** [Papilio], C. Stoll, Aanh. Cramer's Uitl. Kapellen, V. 1790, 170.
- hannoveriana** Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 102.
- hannoveriana** Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 44.
- haquinus** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 55.
- harak** Sciaena, P. Forskal, Descr. Anim. 1775, 52.
- haraldus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 317.
- haraldus** Papilio, J. C. Fabricius, Mant. II. 1787, 82.
- harangus** *v.* **harengus**.
- harbai** Lacerta, P. Forskal, Descr. Anim. 1775, ix.
- harcyniae** *v.* **hercyniae**.
- Harengus** E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 405.—P.
- Harengus** G. Edwards in M. Catesby, Carol. II. 1771, 24.—P.
- Harengus** (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 587.—P.
- harengum** Ascaris (Bl.), F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 9.—Gordius.
- harengum** Astacus, J. C. Fabricius, Reise Norwegen, 1779, 249. [114.—Astacus.]
- harangum** Cancer (Gammarellus) (Fabr.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793,
- harengus** Clupea, Linnaeus, Syst. Nat., ed. 10, 1758, 317; ed. 12, 1766, 522.
- harangum** Gordius, M. E. Bloch, Eingeweidewürmer, 1782, 33.

- harid** Scarus, P. Forskal, Descr. Anim. 1775, 30.
harmodius [Papilio], P. Cramer, Uitl. Kapellen, III (19) 1779, 49.
harmonia [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 142.
harmonia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 20.
Harpa [G. Humphreys], Mus. Calonn. 1797, 18.—G.
Harpa J. F. Bolten, Mus. Bolten. (2) 1798, 149.—G.
Harpa Lamarck, Mem. Soc. H. N. Paris, 1799, 71.—G.
harpa Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 738; ed. 12, 1767, 1201.
harpa Globosa (L.), F. C. Meuschen, Mus. Gever. 1787, 384.—Buccinum.
harpa Harpa (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 72.—Buccinum.
harpa Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3554.
harpa Nassa, J. F. Bolten, Mus. Bolten. (2) 1798, 132 [*n. n.*].
harpa Nautilus (O.), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 14.
harpa Pyramis, J. F. Bolten, Mus. Bolten. (2) 1798, 58 [*n. n.*].
harpago Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 67.
harpagon Cimex, J. C. Fabricius, Syst. Ent. 1775, 717.
harpagon Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 146.—Cimex, 1775.
harpagula Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 373.
harpalyce [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 78.
harpana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 77 [*n. et t.*].
harparia Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 449.
harpator Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2188.
harpax Asilus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 212.
harpax Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 274.
harpax Papilio, J. C. Fabricius, Syst. Ent. 1775, 829.
harpedone Libellula, J. H. Sulzer, Gesch. Ins. 1776, 168.
harpella Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 15 [*n. et f.*].
harpella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 136.
Harpurus J. R. Forster, Ench. 1788, 84.—P.
harpyja Falco (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 251.—Vultur.
harpyja Falco (Gypaetus) L., R. Kerr, Anim. Kingd. 1792, 477.
harpyja Gypaetus (L.), F. M. Daudin, Traité élém. Orn. 1800, 27.—Vultur.
harpyia Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 104.
harpyja Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 140.
harpyja Vultur, Linnaeus, Syst. Nat., ed. 10, 1758, 86; ed. 12, 1766, 121.
harrisella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 363.
harrisella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 666.—Phalaena.
hartmanniana [Phalaena], C. Clerck, Icones, I. 1759, pl. iv., 10.
hartmanniana Phalaena (Tort.), Linnaeus, Faun. Suec., ed. 2, 1761, 345.
hartmanniana Pyralis (Cl.), J. C. Fabricius, Mant. II. 1787, 226.—Phalaena.
haruspex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
hasdrubal [Sphinx], P. Cramer, Uitl. Kapellen, III (21) 1779, 90.
hassan [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 168.
hasselquistii Aranea, Scopoli, Ent. Carn. 1763, 399.
hasselquistii Lacerta, J. A. Donndorff, Zool. Beyt. III. 1798, 133.
hasta Latjanus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 109.
hastatoides Portunus, F. Weber, Nomen. Fabricii, 1795, 93.
hastatoides Portunus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 368.
hastator Banchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 233.—Ichneumon, 1793.
hastator Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 532.
hastator Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 28.
hastator Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 129.
hastator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 167.
[hastatus Araneus, C. Clerck, Aran. Svec. 1757, 115.]
hastatus Araneus, T. Martyn, Aranei, 1793, 53.
hastata Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 55.
hastatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3502.
hastatus Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1046.

- hastata** Cicada, C. de Geer, Mém. Ins. III. 1773, 209.
hastatus Cimex, J. C. Fabricius, Mant. II. 1787, 287.
hastata Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 77.
hastatus Coluber, G. A. Suckow, Naturges. III. 1798, 239.
hastatus Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 132.—Cimex, 1787.
hastatus Dytiscus, J. F. W. Herbst, Beschäf. Ges. Nat. Freunde, IV. 1779, 317. [*et f.*].
hastata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 256 [*z.*].
hastatus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 10.—Scarabaeus, 1792.
hastata Leptura, J. H. Sulzer, Gesch. Ins. 1776, 46.
hastata Membracis, J. C. Fabricius, Mant. II. 1787, 263.
hastata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 527; ed. 12, 1767, 870.
hastatus Phyllostomus, B. G. E. de Lacépède, Tabl. Mamm. 1799, 16.
hastatus Portunus (L.), F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
hastatus Pteropus, J. C. P. Erxleben, Syst. Anim. 1777, 136.
hastatus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 6.
hastatus Vespertilio, P. S. Pallas, Spic. Zool. III. 1767, 7.
hastiana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 532; ed. 12, 1767, 878.
hastiana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 650.—Phalaena.
hasticornis Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 53.
hastile Brentus (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1740.—Curculio.
hastile Curculio, P. S. Pallas, Icon. Ins. 1781, 25.
hastulata Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 110.
hastulifera Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 183.
hattorfiana Apis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2794.—Nomada.
hattorfiana Nomada (J. C. Fabricius, Syst. Ent. 1775, 389).
hattorfiana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 405.—Pyralis.
hattorfiana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 647.
hauberella Phalaena (Tinea), O. F. Müller, Z. Dan. Prod. 1776, 137.
haumela Clupea, P. Forskal, Descr. Anim. 1775, 72.
baustellatus Bombylius (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 329.—Tabanus.
haustellatus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 517.
haustellatus Tabanus, J. C. Fabricius, Spec. Ins. II. 1781, 455.
haustellum Kerona, O. F. Müller, An. Infus. 1786, 238.
haustellum Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 746; ed. 12, 1767, 1213.
haustellum Purpura (L.), F. C. Meuschen, Mus. Gever. 1787, 310.—Murex.
haustorium Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3498.
Haustrum [G. Humphreys], Mus. Calonn. 1797, 30.—G.
haustrum Buccinum, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 9.
haustrum Kerona, O. F. Müller, An. Infus. 1786, 237.
havanensis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 342.
havniensis *v.* hafniensis.
hawkenii Gymnetrus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 95.
hebe Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 581.—Phalaena.
hebe Papilio, J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 270.
hebe Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 12, 1767, 820.
hebenstreitella Phalaena (Tinea), O. F. Müller, F. Ins. Frid. 1764, 58.
heber [Sphinx], P. Cramer, Uitl. Kapellen, III (24) 1780, 169.
hebes Chama, F. C. Meuschen, Mus. Gever. 1787, 454.
hebes Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 448.
hebes Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 174.
hebes Musca, M. Harris, Exp. Eng. Ins. 1776, 158.
hebes Spondylus, F. C. Meuschen, Mus. Gever. 1787, 436.
hebetatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 306.
hebraea Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 109.
hebraeus Cerambyx, J. C. Fabricius, Spec. Ins. I. 1781, 210.
hebraea Cetonia, A. G. Olivier, Entom. I. 1789, 89.
ebraea Chrysomela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 86.
hebraea Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 365; ed. 12, 1767, 580.

- ebraeus** Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 715; ed. 12, 1767, 1169.
ebraea Crioceris, J. C. Fabricius, Mant. I. 1787, 89.
ebraeus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1721.—
ebraeus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 42.—Conus. [Crioceris.
ebraea Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 273.—Cerambyx, 1781.
ebraeus Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 326.—Voluta.
ebraea Plejona (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 59.—Voluta.
hebraea Vespa, J. C. Fabricius, Mant. I. 1787, 292.
ebraea Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 733; ed. 12, 1767, 1194.
hebraea Voluta, *id. ac* ebraea, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790.
hebraicus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 102. [3461.
hebraicus Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 70.
hebraica Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 363.
hebridalis Podiceps, J. Latham, Syn. Birds, Suppl. I. 1787, 294.
hebridicus Colymbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 594.
hebridicus Podiceps (Gm.), J. Latham, Index Orn. 1790, 785.—Colymbus.
hebrus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 301.—Papilio.
hebrus [Papilio], P. Cramer, Utit. Kapellen, I (5) 1775, 79.
hecabe Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 470; ed. 12, 1767, 763.
hecale Papilio, J. C. Fabricius, Gen. Ins. 1777, 254.
hecale Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 167.
hecate Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 179.
hekate [Papilio], J. A. B. Bergstraesser, Nom. Ins. IV. 1780, 33.
hecate Scarabaeus, G. W. F. Panzer, Fauna Ins. Amer. 1794, 5.
hecticus Asellus (Pall.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 255.—Oniscus.
hecticum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 741; ed. 12, 1767, 1206.
hecticus Oniscus, P. S. Pallas, Spic. Zool. IX. 1772, 61.
hecticum Phasma, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 78.
hector Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 459; ed. 12, 1767, 745.
hector Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 128.
hectorides Papilio E. T., E. J. C. Esper, Ausl. Schmett. (16) 1798, 249.
hectus Hepialus (L.), J. C. Fabricius, Syst. Ent. 1775, 589.—Phalaena.
hecta Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 119.
hecta Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 822.
hecuba Papilio (E.), Linnaeus, Mant. II. 1771, 534.
hecube Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 19.
hederaea Musca, A. F. de Fourcroy, Ent. Paris. 1785, 491.
hedonia Papilio (Nymphalis), Linnaeus, Mus. Lud. Ulr. 1764, 279.
hedyle [Papilio], P. Cramer, Utit. Kapellen. II (16) 1777, 137.
hedysari Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796]. 15.
hegesia [Papilio], P. Cramer, Utit. Kapellen, III (18) 1779, 30.
hegesia Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 425.
hegesippus [Papilio], P. Cramer, Utit. Kapellen, II (15) 1777, 128.
Hegialus *err. pro* Hepialus, J. C. Fabricius, Mant. II. 1787, 134.
heinrothi Lamia, J. Cederhielm, F. Ingrid. 1798, 88.
heiseana Phalaena Tortrix, N. J. Brahm, Ins. Kal. II (1) 1791, 138.
heiseana Pyralis, J. C. Fabricius, Mant. II. 1787, 231.
heisei Pselaphus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 109.
helblingii Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 99.
helciarum Cabestana, J. F. Bolten, Mus. Bolten. (2) 1798, 130.
helcita [Papilio], C. Clerck, Icones, II. 1764, pl. xxxix.
Helea J. G. Meigen, N. Class. Mouches, 1800, 18.—Dip.
helenii Musca, C. de Villers, Linn. Ent. III. 1789, 536.
helenor [Papilio], P. Cramer, Utit. Kapellen, I (8) 1776, 135.
helena Muraena, Linnaeus, Syst. Nat., ed. 10, 1758, 244; ed. 12, 1766, 425.
helena Murenophis (L.), G. Cuvier, Tab. Élém. 1798, 329.—Muraena.
helena Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 461; ed. 12, 1767, 748.
helenus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 459; ed. 12, 1767, 745.

- helenus** Papilio, J. C. Fabricius, Mant. II. 1787, 1.
heliaca Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 19.
heliaca Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 94.
heliaca Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 68.
helianthemoides Asterias, T. Pennant, Brit. Zool. ed. 4, IV. 1777, 56.
helianthi Musca, P. Rossi, Mant. Ins. II. 1794, 73. [436].
helianthus Actinia, Ellis & Solander, N. H. Zooph. 1786, 6 [see Phil. Trans. LVII. 1767].
helianthus Hydra (Ellis), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3869.—
helias Ardea, P. S. Pallas, N. nord. Beytr. II. 1781, 48. [Actinia].
helias Scolopax (Pall.), J. Latham, Index Orn. 1790, 725.—Ardea.
helice Papilio (Danaus), Linnaeus, Mus. Lud. Ulr. 1764, 243.
Helicina Lamarck, Mem. Soc. H. N. Paris, 1799, 76.—G.
helicina Clio, C. J. Phipps, Voy. N. Pole, 1774, 195.
helicina Pythia, J. F. Bolten, Mus. Bolten. (2) 1798, 105.
helicina Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3750.
helycinus Trochus, O. Fabricius, F. Groen. 1780, 393.
helycinus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3583.
helycinus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 83 [*n. n.*].
helycinus Turbo, C. J. Phipps, Voy. N. Pole, 1774, 198.
helycinus Turbo, I. v. Born, Index Mus. Caes. Vind. 1778, 355.
helycinus Turbo, J. Lightfoot, Phil. Trans. LXXXVI (1) 1786, 167.
helicis Salius, F. v. P. Schrank, F. Boica, I. 1798, 510.
helicita Papilio, Linnaeus, Amoen. Acad. VI. 1763, 405.
Helicites J. Gesner, Tract. Petref. 1758, 50.—?
helicitus Nautilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3371.
helicoides Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3598.
helicoides Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3602.
Heliconius *v.* **Papilio**.
heliconia Cicada, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 98. [P. Noctua].
heliconia Phalaena Bombyx (L.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 209.—
heliconia Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 511; ed. 12, 1767, 839.
helie Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 475; ed. 12, 1767, 773.
helima [Phalaena], C. Stoll in Cramer's Uitl. Kapellen, IV (26) 1780, 40.
heliodore [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 35.
heliodore Papilio, J. C. Fabricius, Mant. II. 1787, 52.
Heliolithes J. E. Guettard, Mém. diff. Sci. II. 1770, 419.—Cor.
heliophila Bombyx (Payk.), J. C. Fabricius, Ent. Syst. III (1) 1793, 467.—Noctua.
heliophila Noctua, G. Paykull, Skr. nat. Selsk. [Copen.] II (2) 1793, 102.
Heliornis J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, lxxxiv & 64.—A.
helioscopa Ameiva (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 29.—Lacerta.
helioscopa Lacerta, P. S. Pallas, Reise Russ. I. 1771, 457.
heliotropium Trochus, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 30.
helirius Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 328.—Papilio.
helirius [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 94.
helius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 259.
helius Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 329.—Papilio.
helius [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 10.
helius [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 15.
helius Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 112.
Helix Linnaeus, Syst. Nat., ed. 10, 1758, 768; ed. 12, 1767, 1241.—G.
helladia Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 94.—Phalaena.
helladia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 234.
helle Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 312.—Papilio.
helle Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 181.
helle [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 3.
hellebori Staphylinus, Scopoli, Ent. Carn. 1763, 102.
helles [Papilio], J. A. B. Bergstraesser, Ic. Pap. II. 1780, 7.
hellica Papilio (Danaus), Linnaeus, Syst. Nat., ed. 12, 1767, 760 [=helice of M. Lud. Ulr.].

- helluo** Fasciola, O. F. Müller, Verm. I (2) 1774, 64.
helluo Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
[hellwig-]—
hellwigella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 502.
hellwigii Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 35.
hellwigii Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (2) 1798, 16.
hellwigii Phalangium, G. W. F. Panzer, Ins. Germ., heft 13 [1793], tab. 18.
hellwigii Pselaphus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 111.
hellwigiana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 276.
Helmintholithus Linnaeus, Syst. Nat., ed. 12, III. 1768, 162. N.B. The Helmintholithi are referred to in groups, e.g. *H. lepadis*, *H. veneris*, and are therefore not quoted.
Helodes v. **Elodes**, Latr.
helopioides Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 154.
Helops J. C. Fabricius, Syst. Ent. 1775, 257.—Col.
Helops J. C. Fabricius, Gen. Ins. 1777, 77.—Col.
Helops P. Browne, Hist. Jamaica, ed. 2, 1789, 445.—P.
helops Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 185.—Phalaena.
helops [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 45.
helops [Phalaena], P. Cramer, Utitl. Kapellen, I (6) 1775, 113.
helveticus Coluber, B. G. E. de Lacepède, Quad. Ovip. II. 1789, 100.
helvetica Lacerta, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 111.
helvetica Tringa, Linnaeus, Syst. Nat., ed. 12, 1766, 250.
helvetus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 207.
helvolana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 318.
helvola Ancilla, F. C. Meuschen, Mus. Gev. 1787, 248.
helvola Andrena (L.), J. C. Fabricius, Syst. Ent. 1775, 376.—Apis.
helvola Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 575; ed. 12, 1767, 955.
helvola Bombyx, J. C. Fabricius, Mant. II. 1787, 122.
helvola Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 724; ed. 12, 1767, 1180.
helvolus Dorylus (L.), J. C. Fabricius, Ent. Syst. II. 1793, 365.—Mutilla.
helvola Ephemera, J. H. Sulzer, Gesch. Ins. 1776, 171.
helvola Mutilla, Linnaeus, Syst. Nat., ed. 12, 1767, 967.
helvola Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 507.
helvola Podura, Linnaeus, Mant. II. 1771, 541.
helvola Vespa, Linnaeus, Mus. Lud. Ulr. 1764, 412.
v. **hellwigii**.
helxinis Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 113.—Chrysomela.
helxines Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 373; ed. 12, 1767, 594.
helxines Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 30.—Chrysomela.
helymus [Sphinx], P. Cramer, Utitl. Kapellen, I (1) 1775, 4.
helymus Zygaena (Cram.), J. C. Fabricius, Gen. Ins. 1777, 276.—Sphinx.
hemaptera Chrysomela, v. **haemoptera**, Linn., O. F. Müller, F. Ins. Frid. 1764, 7.
hemerobiella Phalaena, Scopoli, Ent. Carn. 1763, 252.
hemerobioides Cicada, F. v. P. Schrank, Beitr. Nat. 1776, 74.
hemerobioides Tipula, Scopoli, Ent. Carn. 1763, 324.
Hemerobius Linnaeus, Syst. Nat., ed. 10, 1758, 549; ed. 12, 1767, 911.—Neur.
hemerobius Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 638.
hemes Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 345.—Papilio.
hemes [Papilio], P. Cramer, Utitl. Kapellen, II (9) 1777, 11.
hemicardium Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 678; ed. 12, 1767, 1121.
hemicardium Fragum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 189.—Cardium.
hemidactylella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 144.
hemidactylus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 506.—Tinea hemidactylella, D. & S.
hemionus Equus, P. S. Pallas, Nov. Comm. Ac. Sci. Petrop. XIX. 1775, 394.
hemipteron Ichneumon, A. Riche, Actes Soc. H. N. Paris, I (1) 1792, 39.
hemiptera Blatta, J. C. Fabricius, Ent. Syst. II. 1793, 12.
hemipterus Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [n. n.]

- hemipterus** Cerambyx, A. G. Olivier, Entom. IV. 1795, 127.
hemiptera Cetonia (L.), A. G. Olivier, Entom. I. 1789, 65.—Scarabaeus.
hemiptera Cicada, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 39.
hemiptera Coryphaena, Linnaeus, Syst. Nat., ed. 12, 1766, 448.
hemipterus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 377; ed. 12, 1767, 606.
hemipterus Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 358; ed. 12, 1767, 565.
hemipterus Dermestes, G. W. F. Panzer, Naturforscher, XXIV. 1789, 11.
hemipterus Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 190.
hemiptera Lampyris, A. F. de Fourcroy, Ent. Paris. 1785, 58.
hemiptera Locusta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 193.
hemiptera Melolontha (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 37.—
hemiptera Nitidula, J. C. Fabricius, Ent. Syst. I (1) 1792, 261. [Trichiusus.
hemipterus Rynchophorus (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 9.—
 Curculio.
hemipterus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 351; ed. 12, 1767, 555.
hemiptera Silpha, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 597.
hemiptera Spheg, J. A. Scopoli, Annus V. 1772, 122.
hemiptera Spheg, J. C. Fabricius, Suppl. Ent. Syst. 1798, 244.
hemipterus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 284.
hemiptera Thereva, J. C. Fabricius, Suppl. Ent. Syst. 1798, 560.—Syrphus, 1794.
hemiptera Tiphia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 254.
hemipterus Trichius (L.), J. C. Fabricius, Syst. Ent. 1775, 41.—Scarabaeus.
hemipterus Valgus (L.), L. G. Scriba, J. Lieb. Ent. I. 1790, 67.—Scarabaeus.
hemisphaericus Opilio, v. **hemisphaericus**, J. F. W. Herbst, Nat. ungefl. Ins. (3)
hemisphaerica Actinia, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 41. [1799, 11.
hemisphaerica Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 115.—Chrysomela.
hemisphaerica Apis, F. v. P. Schrank, Ins. Aust. 1781, 411.
hemisphaericus Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 170.
hemisphaerica Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 226.
hemisphaerica Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 373; ed. 12, 1767, 595.
hemisphaerica Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 90.
hemisphaericus Clypeus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 158.
hemisphaerica Coccinella, F. v. P. Schrank, F. Boica, I. 1798, 460.
hemisphaericus Cyphon (L.), G. Paykull, Faun. Suec. II. 1799, 119.—Chrysomela.
hemisphaericus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
 3170.—Cidaris.
hemisphaericae Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 34.—Chrysomela.
hemisphaerica Medusa, Linnaeus, Syst. Nat., ed. 12, 1767, 1098.
hemisphaerica Musca, A. F. de Fourcroy, Ent. Paris. 1785, 480.
hemisphaericus (sic) Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (3) 1799, 11.
hemisphaericus Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 20.
hemisphaericus Scarabaeus, A. G. Olivier, Entom. I. 1789, 66.
hemisphaericus Scarabaeus, J. Sturm, Verz. Ins. Samml. 1800, 66.
hemon Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 270.—Papilio.
hemon [Papilio], P. Cramer, Utitl. Kapellen, I (2) 1775, 30.
hemoris Monoculus, Herbst, Einl. Ins. III. 1787, 190.
Henops Illiger in Kugelann, Käfer Preuss. 1798, 500.—Dip.
heos Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) V. 1792, 213.
Hepa E. L. Geoffroy, Hist. Insect. Paris. I. 1762, 479.—Hem.
Hepa A. F. de Fourcroy, Ent. Paris. 1785, 221.—Hem.
heparana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 128.
hepararia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 58
heparata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 116. [n. et f.]
hepaticella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 38.
hepatica Albula, J. F. Bolten, Mus. Bolten. (2) 1798, 21.
hepatica Anguis, J. N. Laurenti, Syn. Rept. 1768, 72.
hepatica Apis, J. L. Christ, Nat. Ins. 1791, 186.
hepatica Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 437.

- hepaticum** Buccinum, R. Pulteney, Cat. Birds &c. Dorset, 1799, 41.
- hepaticus** Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 630; ed. 12, 1767, 1048.
- hepatica** Cetonia, A. G. Olivier, Entom. I. 1789, 21.
- hepaticus** Cuculus, A. Sparman, Mus. Carls. III. 1788, no. 1v.
- hepatica** Distoma (L.), P. C. Abildgaard, Skr. nat. Selsk. [Copen.] I (1) 1790, 36.—Fasciola.
- hepaticus** Elater, C. de Villers, Linn. Ent. I. 1789, 319.
- hepatica** Fasciola, Linnaeus, Syst. Nat., ed. 10, 1758, 648; ed. 12, 1767, 1077.
- hepatica** Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3053; *varr.* boum, porcorum, apri, cervi, equi, 3054.
- hepatica** Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 106.
- hepatica** Noctua (Clerck), J. C. Fabricius, Spec. Ins. II. 1781, 237.—Phalaena.
- hepatica** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3700.
- hepatica** [Phalaena], C. Clerck, Icones, I. 1759, pl. viii, 3.
- hepatica** Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 46.
- hepatica** Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 33.
- hepaticum** Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 126.
- hepatis** Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*u. n.*].
- [**Hepatus** P. Artedi, Ichth. 1738, syn., 113.]—P.
- Hepatus** L. T. Gronovius, Zooph. I. 1763, 113.—P.
- hepatus** Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 282; ed. 12, 1766, 474.
- hepatus** Teuthis, Linnaeus, Syst. Nat., ed. 12, 1766, 507.
- hephaestites** Chrysis, M. Harris, Exp. Eng. Ins. 1776, 69.
- hepialica** Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 469.
- Hepialus** J. C. Fabricius, Syst. Ent. 1775, 589.—Lep.
- hepsetus** Atherina, Linnaeus, Syst. Nat., ed. 10, 1758, 315; ed. 12, 1766, 519.
- hepsetus** Esox, Linnaeus, Syst. Nat., ed. 10, 1758, 314; ed. 12, 1766, 517.
- Heptactis** C. F. Schultze, Verst. Seest. 1760, 51.—Ast.
- hera** Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 583.—Phalaena.
- hera** Noctua (L.), E. J. C. Esper, Die Schmett. IV (31) 1787, 41.—Phalaena.
- hera** [Papilio], P. Cramer, Utit. Kapellen, III (22) 1779, 108.
- hera** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 835.
- heracliana** Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 532; ed. 12, 1767, 880.
- heracleana** Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 655.—Phalaena.
- heraclii** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 600; ed. 12, 1767, 998.
- heraclei** Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 45.
- heraclella** Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 484.—Pyralis heracleana, 1775.
- heraclitaea** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 309.
- heraclitus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 291.
- herbacea** Cetonia, A. G. Olivier, Entom. I. 1789, 35.
- herbaceus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2186.
- herbacea** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 282.
- herbaria** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 162.
- herbariata** Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 457.
- herbeus** Labrus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 258.
- herbida** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 313.
- herbstella** Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 262.
- herbstii** Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1899.
- herbstii** Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1968.
- herbstii** Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1981.
- herbstii** Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1827.
- herbstii** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1800.
- herculeana** Forficula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 185.
- herculeana** Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 579; ed. 12, 1767, 962.
- hercules** Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 7.—Scarabaeus.
- hercules** Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 345; ed. 12, 1767, 541.
- herculea** Clava, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 13.
- hercyna** Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 41.

[hercyn-]—

- harcyniae** (*sic*) Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 294.
hercyniana Pyralis, J. v. Ustar, Pyralis hercyn. 1798, 37.
hereditaria Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
herennius [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 213.
heres Cerambyx, J. C. Fabricius, Mant. I. 1787, 132.
herilia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 39.
hermannella Phalaena (Tin.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 507.—Tinea.
hermannella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 509.
hermanni Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 232.
hermannii Taenioides, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 532.
hermanni Testudo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1041.
hermanniae Mylabris, J. C. Fabricius, Ent. Syst. I (2) 1792, 89.
hermanniana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 225.—Tortrix.
hermanniana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 317.
hermaphrodita Aranea, F. W. H. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 298.
hermaphrodita Ascaris, J. A. Frolich, Naturforscher, XXIV. 1789, 151.
hermaphrodita Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 68.
hermaphrodita Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3278.
hermaphrodita Viverra, P. S. Pallas in J. C. D. Schreber, Säugth. III. 426 (1777).
hermelina Noctua, C. C. Jung, Alph. Verz. Schmett. 1791, 263.
hermes Papilio, J. C. Fabricius, Syst. Ent. 1775, 487.
hermia [Phalaena], P. Cramer, Utitl. Kapellen, II (16) 1777, 136.
herminatella Phalaena (Tin.), C. de Villers, Linn. Ent. I. 1789, 520.
herminata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 297.
herminata Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 332.
Hermione J. G. Meigen, N. Class. Mouches. 1800, 22.—Dip.
hermione Papilio (Nymphalis), Linnaeus, Mus. Lud. Ulr. 1764, 281.
hermioneus Papilio, C. C. Jung, Alph. Verz. Schmett. 1791, 264.
hermonia [Phalaena], P. Cramer, Utitl. Kapellen, II (15) 1777, 119.
hero Papilio (Helic.), Linnaeus, Faun. Suec., ed. 2, 1761, 274.
hero Papilio "L.", [Denis & Schiffermüller], Schmett. Wien, 1775, 321.
herodias Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 143; ed. 12, 1766, 237.
herodotus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 286.
herodotus Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
heros Aeshna, J. C. Fabricius, Suppl. Ent. Syst. 1798, 285.
heros Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (6) 1796, 165.
heros Cerambyx, Scopoli, Ent. Carn. 1763, 51.
heros Cerambyx, G. A. Harrer, Besch. Schaeffer Icones, 1784, 196.
heros Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 532.
heros Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 136.
heros Spheg, J. C. Fabricius, Suppl. Ent. Syst. 1798, 245.
herrmann- *v.* **hermann-**
herse [Papilio], P. Cramer, Utitl. Kapellen, I (1) 1775, 15.
herse Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 320.
herse Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 94.
herse Papilio, J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 244.
herse Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 229.
hersilia Papilio, J. C. Fabricius, Gen. Ins. 1777, 265.
hersilia [Papilio], P. Cramer, Utitl. Kapellen, II (15) 1777, 117.
hersilia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 247.
herthus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 64.
hertha Papilio (Nymph.), C. Quensel, K. Vet. Ac. Nya Handl. XII. 1791, 280.
Heruca J. A. Scopoli, Intr. Hist. Nat. 1777, 383.—Verm.
herzbergii Silurus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 33.
hesiodus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 260.
hesione [Papilio], P. Cramer, Utitl. Kapellen, I (1) 1775, 16.
hesione Papilio Nymphalis, J. H. Sulzer, Gesch. Ins. 1776, 144.

- hesione** Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 29.
hesitans Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
hesparata Phalaena, *id. ac* hesparia, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 258.
Hesperia J. C. Fabricius, Ent. Syst. III (1) 1793, 258.—Lep.
hesparia [Phalaena], P. Cramer, Utitl. Kapellen, I (5) 1775, 87.
hesperia [Phalaena], P. Cramer, Utitl. Kapellen. III (21) 1779, 99.
hesperidea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 308.
hesperidella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 59.
hesperidis Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 54.
hesperidum Chalcis, P. Rossi, Mant. Ins. II. 1794, 117.—Chrysis, 1790.
hesperidum Chermes (L.), A. F. de Fourcroy, Ent. Paris. 1785, 228.—Coccus.
hesperidum Chrysis, P. Rossi, Fauna Etrus. II. 1790, 78.
hesperidum Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 455; ed. 12, 1767, 739.
hesperidum Tinea, E. L. Geoffroy, Hist. abrégée Insectes, II (2) 1799, 713.
hesperus Bibio, P. Rossi, Fauna Etrus. II. 1790, 277.
hesperus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 173.
hespera Lampyrus, Linnaeus, Syst. Nat., ed. 12, 1767, 644.
hesperus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 47.
hesperus Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 809.
hesperus Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 495.—[P. (Attacus).
hespera Scarabaeus, D. Drury, Ill. Nat. Hist. III. 1782, index & 61. [ed. 12.]
hesperus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 158.
hesperus Sphex, J. L. Christ, Nat. Ins. 1791, 311.
hespera Sphinx, J. C. Fabricius, Syst. Ent. 1775, 546.
heteroceros Blatta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 95.
Heterocerus J. C. Fabricius, Ent. Syst. I (1) 1792, 262.—Col.
"Heterocerus, Bosc, 1792." Ag.: does not occur; is Fabricius.
heteroclita Acheta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 86.
heteroclita Blatta, P. S. Pallas, Spic. Zool. IX. 1772, 9.
heteroclitus Charadrius, H. Lichtenstein, Cat. rerum Nat. I. 1793, 33.
heteroclitus Cobitis, Linnaeus, Syst. Nat., ed. 12, 1766, 500.
heteroclitus Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 72.
heteroclitita Hirudo, Linnaeus, Faun. Suec., ed. 2, 1761, 506.
heteroclitita Leucophaea, O. F. Müller, An. Infus. 1786, 158.
heteroclitita Phalaena, Linnaeus, Amoen. Acad. VI. 1763, 411.
heteroclitita Phalaena (Noctua), O. F. Müller, F. Ins. Frid. 1764, 47.
heteroclitityla Phalaena (Alucita), O. F. Müller, F. Ins. Frid. 1764, 59.
Heterogenea A. W. Knoch, Beitr. Insektenges. III. 1783, 60.—Lep.
heteroglossus Gadus, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 144.
heterogonos Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2721.
hetrusca v. etrusca.
hexacantha Aranea, J. C. Fabricius, Spec. Ins. I. 1781, 541.
Hexactis C. F. Schultze, Verst. Seest. 1760, 51.—Ast. [900.
hexadactyla Phalaena (Alucita), Linnaeus, Syst. Nat., ed. 10, 1758, 542; ed. 12, 1767,
hexadactylus Pterophorus (L.), J. C. Fabricius, Syst. Ent. 1775, 672.—Phalaena.
hexagonus Beroe, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 176.
hexagona Beroe, A. Modeer, Nova Acta Acad. Caes. VIII., App., 1791, 22.
hexagonum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 494.
hexagona Conops, O. F. Müller, F. Ins. Frid. 1764, 87.
hexagonus Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
hexagonus Murex, J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1790, 3565.
hexagonus Ostracion, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 30.
hexagonus Strombus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 98.—Murex.
exapodia (sic) Sepia, G. I. Molina, Sag. stor. nat. Chili, 1782, 199.
hexaporus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3189.
hexapterata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 109.
hexapterata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 232
hexapus Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1039. [*n. et f.*]

- hexapus** Sepia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3150.—[exapodia, Mol.]
- hexastylus** Lepas, O. Fabricius, Skr. nat. Selsk. [Copen.], IV (2) 1798, 35.
- Hexathyridium** F. A. Treutler, Obs. Helminth. human. Corp. 1793, 22.—Ver.
- Hexodon** A. G. Olivier, Entom. I. 1789, 1.—Col.
- hexophthalmus** Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 54.
- hexophthalmos** Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2289.
- Hians** B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 17.—A.
- Hians** C. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [n. n.].—A.
- “**hians** Argonauta, Solander” [Portland Catalogue]. This seems to have been a MS. name & *nomen nudum* until 1817, when Dillwyn described it in his “Descr. Catal. Recent Shells,” vol. 1, 1817, p. 334.
- hians** Cardium, L. Spengler, Skr. nat. Selsk. [Copen.], V (1) 1799, 39.
- hians** Mactra, R. Pulteney, Cat. Birds &c. Dorset, 1799, 32.
- hians** Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17.
- hians** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3332.
- hians** Pholas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3216.
- hians** Vorticella, O. F. Müller, Verm. I (1) 1773, 125.
- hiarba** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 128.
- hiarbas** [Papilio], P. Cramer, Utitl. Kapellen, I (2) 1775, 27.
- hiarbas** Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 17.
- hiaticula** Mochring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 7 & 65.—A.
- hiaticula** Charadrius, Linnaeus, Syst. Nat., ed. 10, 1758, 150; ed. 12, 1766, 253.
- hiaticula** Pluvialis (L.), J. C. Schaeffer, Mus. Orn. 1789, 48.—Charadrius.
- hiaticulae** Pediculus, O. F. Müller, Z. Dan. Prod. 1776, 185.
- hiatula** A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 178.—L.
- hiatula** B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 522.—P.
- hiatula** Labrus, Linnaeus, Syst. Nat., ed. 12, 1766, 475.
- hiatula** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3442.
- hiatus** Cardium, F. C. Meuschen, Mus. Gever. 1787, 442.
- hiberus** Apis, M. Harris, Exp. Eng. Ins. 1776, 135.
- hibisci** Bombyx, J. C. Fabricius, Syst. Ent. 1775, 564.
- hibisci** Bruchus, A. G. Olivier, Entom. IV. 1795, 21.
- [**hiemalis**]—
- hyemalis** Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 126; ed. 12, 1766, 202.
- hyemalis** Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 308.
- hyemalis** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 274.
- hyemalis** Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 183.
- hyemalis** Panorpa, Linnaeus, Syst. Nat., ed. 12, 1767, 915.
- hyemalis** Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 50.
- hyemalis** Phalaena (Noctua), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 75.
- hyemalis** Phalaena, Giorna, Cal. Ent. 1791, 18.
- hiemalis** Tipula, C. de Geer, Mém. Ins. VI. 1776, 360.
- hyemaria** Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 193.
- hyemata** Phalaena, Hufnagel, Berl. Mag. IV. 1767, 612.
- hyemata** Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 306.
- hiera** Papilio, J. C. Fabricius, Gen. Ins. 1777, 262.
- hieracii** Bombyx, J. C. Fabricius, Syst. Ent. 1775, 568.
- hieracii** Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 553; ed. 12, 1767, 917.
- hieracii** Musca, J. C. Fabricius, Syst. Ent. 1775, 787.
- hiere** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 310.
- hiere** Papilio, J. C. Fabricius, Mant. II. 1787, 80.
- hieroglyphicum** Callidula, J. F. W. Herbst, in Fuessly, Arch. Ins. V. 1784, 99.
- hieroglyphica** Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 296.
- hieroglyphicus** Cerambyx, P. S. Pallas, Reise Russ. II. 1773, 723.
- hieroglyphica** Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 365; ed. 12, 1767, 580.
- hieroglyphicus** Cryptocephalus, J. N. Laicharting, Tyrol. Ins. I. 1781, 182.
- hieroglyphica** Noctua (Dru.), J. C. Fabricius, Ent. Syst. III (2) 1794, 11.—Phalaena.
- hyroglyphica** [Phalaena], P. Cramer, Utitl. Kapellen, II (13) 1777, 81.

- hieroglyphica** Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 3.
hieroglyphica Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 286.
hieroglyphica Tenthredo, J. L. Christ, Nat. Ins. 1791, 459.
hierta Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 424.
hikkanelia Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 61.
hilaria [Papilio], P. Cramer, Utitl. Kapellen, II (10) 1777, 26.
hilaria [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 95.
hilaris Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 56.
hilaris Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 306.
hilda Papilio (Nymph.), C. Quensel, K. Vet. Ac. Nya Handl. XII. 1791, 272.
hille Papilio, C. P. Thunberg, Ins. Suecica (2) 1791, 40.
Himantopus M. J. Brisson, Ornith. V. 1760, 34.—A.
Himantopus O. F. Müller, An. Infus. 1786, 248.—Inf.
himantopus Charadrius, Linnaeus, Syst. Nat., ed. 10, 1758, 151; ed. 12, 1766, 255.
himantopus Himantopus (L.), F. v. P. Schrank, F. Boica, I. 1798, 214.—Charadrius.
himantopus Syrphus, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 9.
hina Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 523.
hinnularius Falco, J. Latham, Index Orn. 1790, 15.
hinnulus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 124.
hipnale Boa, Linnaeus, Syst. Nat., ed. 10, 1758, 215; ed. 12, 1766, 373.
hipolaste Papilio, misprint by C. C. Jung, Alph. Verz. Schmett. I. 1791, 14 (Agave) for Hippa
Hippa J. C. Fabricius, Mant. I. 1787, 329.—Cr. [hippolyte. Esp.
Hippa J. C. Fabricius, Suppl. Ent. Syst. 1798, 329.—Cr.
hipparchia [Phalaena], P. Cramer, Utitl. Kapellen, II (16) 1777, 135.—7. **hypparchus**.
hippelaphus Cervus, J. C. P. Erxleben, Syst. Anim. 1777, 304.
hippia Papilio, J. C. Fabricius, Mant. II. 1787, 55.
hippia [Papilio], P. Cramer, Utitl. Kapellen, III (19) 1779, 48.
hippia [Phalaena], C. Stoll, Anhang. Cramer's Utitl. Kapellen. II. 1790, 57.
hippo [Papilio], P. Cramer, Utitl. Kapellen, III (17) 1779, 4.
Hippobosca Linnaeus, Syst. Nat., ed. 10, 1758, 607; ed. 12, 1767, 1010.—Dip.
hippocampus Syngnathus, Linnaeus, Syst. Nat., ed. 10, 1758, 338; ed. 12, 1766, 417.
hippocastanaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 186
 [n. et f.].
hippocastanum Cantharus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 133.—Murex.
hippocastanum Helix, Lamarck, J. Nat. Hist. (Choix des Mém.) II. 1792, 350.
hippocastanum Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 751; ed. 12, 1767, 1219.
hippocastanum Muriciformis (L.), F. C. Meuschen, Mus. Gever. 1787, 316.—Murex.
hippocastana Vasum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 57.—Murex.
hippoclaus [Papilio], P. Cramer, Utitl. Kapellen, III (19) 1779, 46.
hippocoön Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 38.
hippocrates Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 288.
hippocrepis Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 226; ed. 12, 1766, 388.
hippocrepis Kolpoda, J. Hermann, Naturforscher, XX. 1784, 169.
hippocrepis Natrix (Linn.), J. N. Laurenti, Syn. Rept. 1768, 77.—Coluber.
hippocrepis Vespertilio, F. v. P. Schrank, F. Boica, I. 1798, 64.
hippodamia Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 169.—Phalaena.
hippodamia Papilio, J. C. Fabricius, Syst. Ent. 1775, 461.
hippodamia [Phalaena], P. Cramer, Utitl. Kapellen, II (11) 1777, 43.
hippoglossi Hirudo, O. F. Müller, Z. Dan. Prod. 1776, 220.
hippoglossoides Pleuronectes, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 115.
hippoglossus Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 269; ed. 12, 1766, 456.
hippolais Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 33.—Motacilla.
hippolais Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 185; ed. 12, 1766, 330.
hippolais Sylvia (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 287.—Motacilla.
hippolyte Papilio, C. C. Jung, Alph. Verz. Schmett. 1791, 268.
hippolyte Papilio N. G., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
hippona Papilio, J. C. Fabricius, Gen. Ins. 1777, 265. [1784-5], 164.
hippona Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 180.

- hipponoe [Papilio], J. A. B. Bergstraesser, Nom. Ins. III. 1779, 32.
 hippophæ Noctua, C. C. Jung, Alph. Verz. Schmett. 1791, 268.
 hippophaes Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 46.
 "Hippopodis, Linck, 1783," Herm.; Linck is non-binominal.
 Hippopotamus Linnaeus, Syst. Nat., ed. 10, 1758, 74; ed. 12, 1766, 101.—M.
 "Hippopus, Martini, 1773," Herm.; Martini is non-binominal.
 Hippopus F. C. Meuschen, Mus. Gever. 1787, 428.—L.
 Hippopus Lamarck, Mém. Soc. H. N. Paris, 1799, 86.—L.
 hippopus Chama, Linnaeus, Syst. Nat., ed. 10, 1758, 691; ed. 12, 1767, 1137.
 hippopus Gleba, P. Forskal, Icones, 1776, 14.
 hippopus Hippopus (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 86.—Chama.
 hippopus Tridachnes (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 172.—Chama.
 hippos Scomber, Linnaeus, Syst. Nat., ed. 12, 1766, 494.
 hipposideros Noctilio, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 736.
 hippotes [Sphinx], P. Cramer, Uitl. Kapellen, III (24) 1780, 166.
 hippothoe Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 309.—Papilio.
 hippothoë Papilio (Helic.), Linnaeus, Faun. Suec., ed. 2, 1761, 274.
 Hippuris (ex Klein), J. J. Walbaum, Artdi. Ichth. (3), ed. 2, 1792, 586. -P.
 hippuris Isis, Linnaeus, Syst. Nat., ed. 10, 1758, 799; ed. 12, 1767, 1287.
 "Hippurites, Schroet. 1783," Ag.; not used in a Linnaean sense.
 hippurus Coryphaena, Linnaeus, Syst. Nat., ed. 10, 1758, 261; ed. 12, 1766, 446.
 hircana Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 251.
 hirce [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 37.
 hirci Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3032.
 hircia [Phalaena], P. Cramer, Uitl. Kapellen, I (3) 1775, 49.
 hirci-jumoris Pediculus, J. A. Scopoli, Annus V. 1772, 124.
 hircinus Simia (Cercop.), R. Kerr, Anim. Kingd. 1792, 73.
 "Hircocervus" A. v. P. S., Schreiben Dethmaris Juliae et Mont. 1780, 37.
 Hircus M. J. Brisson, Reg. Anim. 1762, 38.—M.
 hircus Cancer, J. C. Fabricius, Spec. Ins. I. 1781, 503.
 hircus Capra, Linnaeus, Syst. Nat., ed. 10, 1758, 68; ed. 12, 1766, 94.
 hircus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 21.—Scarabaeus, 1775.
 hircus Hircus (Linn.), P. Boddaert, Elench. 1785, 146.—Capra.
 hircus Inachus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer, 1781.
 hircus Lucanus, Scheven in Fuessly's N. Mag. Ent. I. 1782, 60.
 hircus Lucanus, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 299.
 hircus Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 28.
 hircus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 13.
 hirlanda [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 156.
 hirondinella *v.* hirundinella.
 hirsutaria Phalaena, *id. ac* hirtaria, Fabr., J. C. Fabricius, Spec. Ins. II. 1781, 508.
 hirsutella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 318.
 hirsutissima Vespa, C. de Villers, Linn. Ent. III. 1789, 284.
 hirsutulus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 468.
 hirsutula Saperda, J. A. Frolsch, Naturforscher, XXVII. 1793, 141.
 hirsuta Ammophila, W. Kirby, Tr. Linn. Soc. [Lond.], IV. 1798, 201.
 hirsuta Andrena, J. C. Fabricius, Mant. I. 1787, 299.
 hirsuta Apis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2792.—Andrena.
 hirsuta Buprestis, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 173.
 hirsutus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 115.
 hirsutus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1703.
 hirsutus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 107.
 hirsuta Melolontha, *id. ac* hirta, Fab., C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 37.
 hirsuta Musca, C. de Villers, Linn. Ent. III. 1789, 427.
 hirsutum Phalangium, J. Adams, Tr. Linn. Soc. [Lond.], V. 1800, 7.
 hirsuta Simia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 3 [*n. n.*].
 hirsuta Sphex, Scopoli, Ent. Carn. 1763, 292.
 hirsutus Tabanus, C. de Villers, Linn. Ent. III. 1789, 561.

- hirsuta** Tenthredo, N. Poda, Ins. Mus. Graec. 1761, 102.
hirsutus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 490.
hirtaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 175 [*n. et f.*].
hirtaria [Phalaena], C. Clerck, Icones, I. 1759, pl. vii, 1.
hirtaria Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 325.
hirtaria Phalaena, J. C. Fabricius, Gen. Ins. 1777, 286.
hirtata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 181.
Hirtea J. A. Scopoli, Ent. Carn. 1763, 367.—Dip.
Hirtea J. C. Fabricius, Suppl. Ent. Syst. 1798, 547.—Dip.
Hirtea J. G. Meigen, N. Class. Mouches, 1800, 20.—Dip.
hirtellus Cancer, Linnaeus, Faun. Suec. ed. 2, 1761, 493.
hirtella Cetonia (L.), F. v. P. Schrank, F. Boica, I. 1798, 418.—Scarabaeus.
hirtella Madrepora, P. S. Pallas, Elench. 1766, 313.
hirtellus Notoxis, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 3.
hirtellus Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 556.
hirtellus Scarabaeus (Cetonia), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1577.
hirticollis Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 229.
hirticollis Melolontha, J. C. Fabricius, Mant. I. 1787, 21.
hirticollis Pselaphus, Illiger in Kugelann, Käfer Preuss. 1798, 292.
hirticollis Saperda, A. G. Olivier, Entom. IV. 1795, 11.
hirticollis Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1569.—
hirticornis Coccus, J. C. Fabricius, Ent. Syst. IV. 1794, 131. [Melolontha.
hirticornis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 327.
hirticornis Reduvius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 544.
hirticornis Saperda, J. C. Fabricius, Suppl. Ent. Syst. 1798, 148.
hirticornis Tenebrio, C. de Geer, Mém. Ins. V. 1775, 47.
hirtipennis Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer. 1783, 37.
hirtipes Andrena, J. C. Fabricius, Ent. Syst. II. 1793, 312.
hirtipes Apis, J. C. Fabricius, Ent. Syst. II. 1793, 325.
hirtipes Aranea, J. C. Fabricius, Mant. I. 1787, 346.
hirtipes Cerambyx, C. de Geer, Mém. Ins. V. 1775, 117.
hirtipes Cerambix, A. G. Olivier, Entom. IV. 1795, 36.
hirtipes Cimex, C. de Geer, Mém. Ins. III. 1773, 344.
hirtipes Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 460.
hirtipes Pimelia, A. G. Olivier, Entom. III. 1795, 15.
hirtipes Reduvius, J. C. Fabricius, Mant. II. 1787, 311.
hirtipes Saperda, A. G. Olivier, Entom. IV. 1795, 14.
hirtipes Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 207.
“hirtus” [*sine gen.*], Herbst in Fuessly, Arch. Insect. IV. 1783, 39.
hirta Andrena (Schr.), J. D. Preyssler in Mayer's Samml. Phys. Aufsätze, III. 1793, 224.
hirtus Anthrenus, J. C. Fabricius, Ent. Syst. I (1) 1792, 265.—Nitidula, 1781. [—Apis.
hirta Apis, F. v. P. Schrank, Ins. Aust. 1781, 407.
hirta Apis, A. F. de Fourcroy, Ent. Paris. 1785, 444.
hirta Apis, J. C. Fabricius, Ent. Syst. II. 1793, 335.
hirtus Bibio (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 301.—Tipula.
hirta Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 409; ed. 12, 1767, 661.
hirtum Callidium, J. C. Fabricius, Mant. I. 1787, 153.
hirta Cantharis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 55.
hirtus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1841.—Saperda.
hirtus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1848.—Callidium.
hirta Ceraria, O. F. Müller, An. Infus. 1786, 128.
hirta Cetonia (Poda), J. C. Fabricius, Syst. Ent. 1775, 50.—Scarabaeus.
hirta Cetonia, J. N. Laicharting, Tyrol. Ins. I. 1781, 51.—Scarab. hirtellus, L. est.
hirta Chrysmela, Linnaeus, Syst. Nat., ed. 10, 1758, 377; ed. 12, 1767, 602.
hirtus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 108.
hirtus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 51.
hirta Cistela, J. C. Fabricius, Spec. Ins. I. 1781, 149.
hirtus Clerus (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 41.—Lagria.

- hirtus** Clerus (L.), F. v. P. Schrank, F. Boica, I. 1798, 515.—Dermestes.
hirta Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 23.
hirtus Crabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 474.
hirta Crioceris (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 85.—Chrysomela.
hirta Crioceris (Fabr.), F. v. P. Schrank, F. Boica, I. 1798, 569.—Lagria. [Cistela.
hirta Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1716.—
hirtus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1730.—
hirtus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807. [Chrysomela.
hirtus Dermestes, Linnaeus, Syst. Nat., ed. 12, 1767, 563.
hirtus Elater, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 114.
hirta Flustra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3830.
hirtus Hemerobius, Linnaeus, Faun. Suec., ed. 2, 1761, 382.
hirta Hispa (L.), J. C. Fabricius, Syst. Ent. 1775, 70.—Dermestes.
hirta Lagria (L.), J. C. Fabricius, Syst. Ent. 1775, 125.—Chrysomela.
hirta Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 47.
hirta Melolontha (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I. 1791, 114.—
hirta Musca, D. Drury, Ill. Nat. Hist. I. 1770, index & 109. [Cetonia.
hirta Musca (De G.), C. de Villers, Linn. Ent. III. 1789, 420.—Nemotelus.
hirtus Nemotelus, C. de Geer, Mém. Ins. VI. 1776, 187.
hirta Nicrophorus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 34.
hirta Nitidula, J. C. Fabricius, Spec. Ins. I. 1781, 93.
hirta [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (30) 1781, 131.
hirta Phryganea, J. C. Fabricius, Syst. Ent. 1775, 308.
hirtus Pleuronectes, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 36.
hirtus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 252.
hirta Saperda, J. C. Fabricius, Syst. Ent. 1775, 184.
hirta Saperda, J. C. Fabricius, Ent. Syst. I. (2) 1792, 317.
hirtus Scarabaeus, N. Poda, Ins. Mus. Graec. 1761, 21.
hirta Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 87.—Nitidula.
hirtus Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 421; ed. 12, 1767, 683.
hirta Tipula, Linnaeus, Faun. Suec., ed. 2, 1761, 438.
hirtus Trichius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 128.
hirudinacea Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 107.
Hirudo Linnaeus, Syst. Nat., ed. 10, 1758, 649; ed. 12, 1767, 1079.—Ver.
hirudo Acarus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2926.
hirudana Tortrix, C. P. Thunberg, Ins. Suecica (2) 1791, 44.
hirundinacea Motacilla, G. Shaw, Nat. Misc. IV. 1792, pl. 114.
hirundinaceus Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 113; ed. 12, 1766, 174.
hirundinaria Apis, J. L. Christ, Nat. Ins. 1791, 188.
hirundinella Bursaria, O. F. Müller, Verm. I (1) 1773, 63.
hirundinella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 516.
hirondinella (*sic*) Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 320.
hirundineus Merops, H. Lichtenstein, Cat. rerum Nat. I. 1793, 21.
hirundinis Fasciola, J. A. Frolich, Naturforscher, XXV. 1791, 75.
hirundinis Hippobosca, Linnaeus, Syst. Nat., ed. 10, 1758, 607; ed. 12, 1767, 1010.
hirundinis Pediculus, Linnaeus, Faun. Suec., ed. 2, 1761, 478.
hirundinis Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 51.
hirundinum Distoma, J. G. H. Zerber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 169.
Hirundo Linnaeus, Syst. Nat., ed. 10, 1758, 191; ed. 12, 1766, 343.—A.
Hirundo G. Edwards in M. Catesby, Carol. II. 1771, 8.—P.
hirundo Avicula (L.), G. Cuvier, Tab. Elém. 1798, 423.—Mytilus.
hirundo Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 722; ed. 12, 1767, 1178.
hirundo Glaucoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 260.—Mytilus.
hirundo Larus (Linn.), J. A. Scopoli, Annus I. 1769, 82.—Sterna.
hirundo Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 706; ed. 12, 1767, 1159.
hirundo Pinctada, J. F. Bolten, Mus. Bolten. (2) 1798, 167.
hirundo Porcellana (L.), F. C. Meuschen, Mus. Gev. 1787, 402.—Cypraea.
hirundo Riparia (L.), F. C. Meuschen, Mus. Gev. 1787, 468.—Mytilus.

- hirundo** *Sterna*, Linnaeus, Syst. Nat., ed. 10, 1758, 137; ed. 12, 1766, 227.
hirundo *Trigla*, Linnaeus, Syst. Nat., ed. 10, 1758, 301; ed. 12, 1766, 497.
hisbon *Hesperia* (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 318.—*Papilio*.
hisbon [Papilio], P. Cramer, Utitl. Kapellen, I (7) 1775, 130.
Hispa Linnaeus, Syst. Nat., ed. 12, 1767, 603.—Col.
hispanica *Alauda*, Linnaeus in Hasselquist, Palast. 1762, 335.
hispanica *Apis*, J. C. Fabricius, Mant. I. 1787, 300.
hispanicus *Cimex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2174.
hispanica *Columba*, Linnaeus, Syst. Nat., ed. 10, 1758, 163; ed. 12, 1766, 279.
hispanica *Motacilla*, Linnaeus, Syst. Nat., ed. 10, 1758, 186.
hispanicus *Mullus*, J. A. Donndorff, Zool. Beyt. III. 1798, 561.
hispanicus *Scarabaeus*, Linnaeus, Mus. Lud. Ulr. 1-64, 12.
hispanica *Vespa*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2764.
hispaniolensis *Turdus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 822.
hispanus *Acarus*, J. C. Fabricius, Mant. II. 1787, 371.
hispanus *Cancer*, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 150.
hispanus *Carabus*, J. C. Fabricius, Mant. I. 1787, 195.
hispanus *Copris* (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 157.—*Scarabaeus*.
hispanus *Curculio*, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 41.
hispana *Helix*, Linnaeus, Syst. Nat. ed., 10, 1758, 772; ed. 12, 1767, 1246.
hispana *Phalaena*, A. F. de Fourcroy, Ent. Paris. 1785, 316.
hispanus *Scarabaeus*, Linnaeus, Syst. Nat., ed. 12, I. 1767, 546.
hispicornis *Callidium* (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 250.—*Cerambyx*.
hispicornis *Calopus* (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1865.—*Cerambyx*.
hispicornis *Cerambyx*, Linnaeus, Syst. Nat., ed. 12, 1767, 634.
hispidaria *Geometra*, [Denis & Schiffermüller], Schmett. Wien, 1775, 99.
hispidaria *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 177 [*n. et f.*].
hispidata *Phalaena*, J. C. Fabricius, Ent. Syst. III (2) 1794, 210.
hispidulus *Cerambyx*, *id. ac hispidus*, L., M. Piller & L. Mitterpacher, Iter Poseg. 1783, 35.
hispidulus *Curculio*, J. C. Fabricius, Gen. Ins. 1777, 226.
hispidulus *Notoxus*, P. Rossi, Mant. Ins. I. 1792, 47.
hispidulus *Scarabaeus*, Giorna, Cal. Ent. 1791, 126.
hispidia *Akis*, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 131.
hispidum *Anobium*, G. Paykull, Faun. Suec., I. 1798, 310.
hispidia *Asterias*, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 52.
hispidus *Balistes*, Linnaeus, Syst. Nat., ed. 12, 1766, 405.
hispidus *Cancer*, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 247.
hispidus *Cancer*, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 178.
hispidus *Cerambyx*, Linnaeus, Syst. Nat., ed. 10, 1758, 391; ed. 12, 1767, 627.
hispidus *Cerambyx*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1857.
hispidia *Cetonia*, A. G. Olivier, Entom. I. 1789, 90.
hispidus *Chiton*, Linnaeus, Syst. Nat., ed. 10, 1758, 667; ed. 12, 1767, 1106.
hispidus *Cimex*, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 33.
hispidia *Columba*, Linnaeus, Syst. Nat., ed. 10, 1758, 164; ed. 12, 1766, 280.
hispidus *Cordylus* (Linn.), J. N. Laurenti, Syn. Rept. 1768, 51.—*Lacerta*.
hispidus *Curculio*, Linnaeus, Syst. Nat., ed. 10, 1758, 383; ed. 12, 1767, 614.
hispidus *Erotylus*, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 374.
hispidia *Eschara*, P. S. Pallas, Elench. 1766, 49.
hispidia *Flustra*, O. Fabricius, F. Groen. 1780, 438.
hispidia *Helix*, Linnaeus, Syst. Nat., ed. 10, 1758, 771; ed. 12, 1767, 1244.
hispidia *Lacerta*, Linnaeus, Syst. Nat., ed. 10, 1758, 205.
hispidia *Lamia* (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 27.—*Cerambyx*.
hispidus *Notoxus*, P. Rossi, Mant. Ins. I. 1792, 46.
hispidus *Opilio*, J. F. W. Herbst, Nat. ungefl. Ins. (2) 1798, 20.
hispidia *Patella*, J. F. Bolten, Mus. Bolten. (2) 1798, 5.
hispidia *Phoca*, J. P. C. Erxleben, Syst. Reg. Anim. 1777, 589.
hispidia *Pimelia*, J. C. Fabricius, Syst. Ent. 1775, 251.
hispidus *Scarabaeus*, E. Pontoppidan, Danske Atlas, I. 1763, 666.

- hispidus** Tenebrio, P. Forskal, Descr. Anim. 1775, 79.
hispidus Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2000.
hispidus Tetraodon, Linnaeus, Syst. Nat., ed. 10, 1758, 333; ed. 12, 1766, 411 [Tetro-].
hispidus Trox, J. N. Laicharting, Tyrol. Ins. I. 1781, 30.
hispidus Vespertilio, J. C. D. Schreber, Säugth. I. 169 (1774) pl. lvi (1774).
Hister Linnaeus, Syst. Nat., ed. 10, 1758, 358; ed. 12, 1767, 566.—Col.
histeroides Acanthia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 526.
histeroides Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
histeroides Hister, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 8.
histeroides Lyctus, J. C. Fabricius, Ent. Syst. I (2) 1792, 504.
histeroides Ryzophagus, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 21.
histeroides Silpha, C. P. Thunberg, Nov. Acta Soc. Sci. Upsal. IV. 1784, 8.
histeroides Synchita, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 404.
 "Histerolithus, Walch, 1768," Herm.; not used in a generic sense.
histrio Acarus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 571.
histrio Anthrenus, J. C. Fabricius, Ent. Syst. I (1) 1792, 264.
histrio Apis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2795.—Nomada.
histrio Astacus, J. C. Fabricius, Syst. Ent. 1775, 415.
histrio Banchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 234.
histrio Bombyx, J. C. Fabricius, Spec. Ins. II. 1781, 203.
histrio Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2987.—Astacus.
histrio Cancer (Astacus) Fabr., J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 78.—Astacus.
histrio Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1897.
histrio Cetonia, J. C. Fabricius, Syst. Ent. 1775, 51.
histrio-fulvus Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 252.
histrio Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 157.—Cryptoccephalus.
histrio Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 34.
histrio Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 442; ed. 12, 1767, 717.
histrio Cimex, J. C. Fabricius, Mant. II. 1787, 296.
histrio Columba, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 134.
histrio Cryptoccephalus, J. C. Fabricius, Spec. Ins. I. 1781, 145.
histrio Cryptoccephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1727.—
histrio Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3403. [Erotylus.
histrio Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1914.
histrio Erotylus, J. C. Fabricius, Mant. I. 1787, 91.
histrio Evania, J. C. Fabricius, Suppl. Ent. Syst. 1798, 241.
histrio Ichneumon, J. L. Christ, Nat. Ins. 1791, 356.
histrio Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 182.
histrio Kerona, Müll., O. F. Müller, An. Infus. 1786, 235.—Paramaecium.
histrio Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 288.
histrio Libellula, J. C. Fabricius, Mant. I. 1787, 337.
histrio Lophius, Linnaeus, Syst. Nat., ed. 10, 1758, 237; ed. 12, 1766, 403.
histrio Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 778; ed. 12, 1767, 1254.
histrio Noctua, C. C. Jung, Alph. Verz. Schmett. 1791, 270.
histrio Nomada, J. C. Fabricius, Syst. Ent. 1775, 388.
histrio Papilio, C. C. Jung, Alph. Verz. Schmett. 1791, 270.
histrio Paramaecium, O. F. Müller, Verm. I (1) 1773, 55.
histrio Porcellana, F. C. Meuschen, Mus. Gever. 1787, 404.
histrio Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 76.
histrio Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1577.—Cetonia.
histrio Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 237.
histrio Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 244.
histrio Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3287.
histrio Vespa, C. de Villers, Linn. Ent. III. 1789, 282.
histrionella Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 270.
histrionica Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 127; ed. 12, 1766, 204.
histrionica Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 56.
histrionicus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 728.

- histrionicus** Curculio, J. C. Fabricius, Gen. Ins. 1777, 227.
- histrionica** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 343.
- histrionica** Noctua, J. C. Fabricius, Syst. Ent. 1775, 612.
- histrionica** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3326.
- histrionica** Scolia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 256.
- histrionica** Tiphia, J. C. Fabricius, Mant. I. 1787, 279.
- histro-ruber** Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 253.
- histrix** *v.* **hystrix**.
- hisutch** Salmo, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 70.
- hitambocia** Coluber (Laur.), *err. pro* hotambocia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1113.—Coronella.
- hiulca** Buprestis, P. S. Pallas, Icon. Ins. 1782, 68.
- Hixiene** J. B. Hartmann, Diss. Hirudine, 1777, 7 [*n. n.*].—Verm.
- hoactli** Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 630.
- hoazin** Phasianus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 125.
- hobara** *v.* **houbara**.
- hochenwarthi** Phalaena, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde. VI. 1785.
- hochenwartiana** Phalaena, J. A. Scopoli, Annus V. 1772, 117. [335.]
- hochenwartiella** Tinea, P. Rossi, Fauna Etrus. II. 1790, 208.
- Hoematopus** *id. ac* Haematopus, L., Bonnaterre, Ency. Méth. (Orn.) I. 1790, 25.
- hoffmanni** Fusaria, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 59.
- hoffmanniana** Phalaena Tortrix, N. J. Brahm, Ins. Kal. II (1) 1791, 269.
- hoffmanseggii** Cossyphus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 229.
- hohenwartiana** Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
- hohu** Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 630.
- hoieri** Skua, J. E. Gunnerus, Trondhiemske Selsk. Skrift. III. 1765, 103 & 112.
- hoilotl** Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 777.
- hollandiae** Scarabaeus, *see* novae-hollandiae.
- hollandica** Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1685.
- hollandicus** Psittacus, R. Kerr, Anim. Kingd. 1792, 580.
- hölleik** Coluber, P. Forskal, Descr. Anim. 1775, 15.
- holmiana** [Phalaena], C. Clerck, Icones, I. 1759, pl. x, 7.
- holmiana** Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 532; ed. 12, 1767, 878.
- holmiana** Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 650.—Phalaena.
- holmiana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 39 [*n. et f.*].
- holocanthus** Diodon, Linnaeus, Syst. Nat., ed. 10, 1758, 335; *var.* of **hystrix**, ed. 12.
- Holocentrus** L. T. Gronovius, Zooph. I. 1763, 65.—P. [1766, 413.]
- hololeucus** Curculio, P. S. Pallas, Icon. Ins. 1781, 35.
- hololeucus** Melolontha (Pall.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 41.—
- hololeucus** Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 19. [Scarabaeus.]
- holomelanus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 271.
- holosericalis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 12 [2].
- holosericeus** Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 617; ed. 12, 1767, 1025.
- holosericea** Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 258.
- holosericea** Apis, J. C. Fabricius, Ent. Syst. II. 1793, 336.
- holosericea** Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 622; ed. 12, 1767, 1034.
- holosericeum** Callidium, P. Rossi, Fauna Etrus. I. 1790, 153.
- holosericeus** Cancer, J. C. Fabricius, Mant. I. 1787, 326.
- holosericeus** Carabus, J. C. Fabricius, Mant. I. 1787, 199.
- holosericeus** Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1988.
- holosericeus** Cerambyx, J. C. Fabricius, Mant. I. 1787, 135.
- holosericea** Cetonia, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 413.
- holosericeus** Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1717.
- holosericeus** Elater, A. G. Olivier, Entom. II. 1790, 27.
- holosericea** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3641.
- holosericea** Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1866.
- holosericea** Melolontha, J. C. Fabricius, Mant. I. 1787, 21.
- holosericeus** Portunus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer, 1787.

- holosericea** Melolontha (Laich.), L. G. Scriba, J. Lieb. Ent. I. 1790, 64.—Trox.
holosericeus Scarabaeus, J. A. Scopoli, Annus V. 1772, 77.
holosericeus Scarabaeus (Fab.), C. de Villers, Linn. Ent. IV. 1789, 211.—Melolontha.
holosericea Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 205.
holosericeus Styrex, Scopoli, Ent. Carn. 1763, 367.
holosericeus Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 120; ed. 12, 1766, 191.
holosericeum Trombidium (L.), J. C. Fabricius, Syst. Ent. 1775, 431.—Acarus.
holosericeus Trox, J. N. Laicharting, Tyrol. Insect. 1781, 31.
holosericea Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3290.
holosericus Xanthornus, J. A. Scopoli, Del. Insub. II. 1786, 88.
Holothuria Linnaeus, Syst. Nat., ed. 10, 1758, 657; ed. 12, 1767, 1089.
holsatica Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 115.—Chrysomela.
holsatica Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 373; ed. 12, 1767, 595.
holsatica Galleraea (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 33.—Chrysomela.
holsatica Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 257.
holsatus Acarus, J. C. Fabricius, Mant. II. 1787, 372.
holsatus Cimex, J. C. Fabricius, Mant. II. 1787, 306.
holsatus Miris, J. C. Fabricius, Ent. Syst. IV. 1794, 184.—Cimex, 1787.
holsatus Portunus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 366.
holthusiana [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (30) 1781, 138.
homalocephala Lacerta, G. A. Suckow, Naturges. III, 1798, 138.
 "Homaloceratites, Hüpsch, 1768," Herm.; not used in a generic sense.
homari Astacus, J. C. Fabricius, Reise Norwegen, 1779, 248.
homari Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2986.—Astacus.
homari Cancer (Gammarellus) (Fabr.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 113.—Astacus.
homari Gammarus, F. Weber, Nomen. Fabricii, 1795, 96.—Astacus, 1779.
homaroides Cancer, O. Fabricius, F. Groen. 1780, 241.
Homarus F. Weber, Nomen. Fabricii, 1795, 94.—Cr.
homarus Astacus (L.), J. C. Fabricius, Syst. Ent. 1775, 414.—Cancer.
homarus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 633; ed. 12, 1767, 1053.
homarus Cancer (Astacus), L., J. F. W. Herbst, Vers. Nat. Krab. II (3) 1792, 84.
homarus Pallinurus (L.), F. Weber, Nomen. Fabricii, 1795, 94.—Cancer.
hombergii Aranea, Scopoli, Ent. Carn. 1763, 403.
homerus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 29.
hominis Oestrus, A. Modeer, K. Vet. Ac. Nya Handl. VII. 1786, 184.
hominis Polycephalus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 309.
hominis Trichocephalus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 4.
 "hominis Zoolithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 156.
hominum Ascaris, J. A. E. Goeze, Eingeweidewürm. 1782, 65.
Homo Linnaeus, Syst. Nat., ed. 10, 1758, 20; ed. 12, 1766, 28.—M.
homomalla Gorgonia, E. J. C. Esper, Pflanzenth. II (9) 1792, 104.
honckenii Tetrodon, M. E. Bloch, Nat. ausl. Fische, I. 1785, 133.
honesta [Phalaena], P. Cramer, Utit. Kapellen, IV (26) 1780, 25.
honoraria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 315.
honoraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796], fig. 16 [*u. et f.*].
honoratus Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 169.
honoratus Sparus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 23.
honorius Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 151.
honorus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 59.
horaria Ephemera, Linnaeus, Syst. Nat., ed. 10, 1758, 547; ed. 12, 1767, 907.
horatius Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 64.
hordaceus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 334.
hordeacea Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 173; ed. 12, 1766, 303.
hordei Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 115.—Cryptocephalus, 1787.
hordei Crioceris, A. F. de Fourcroy, Ent. Paris. 1785, 95.
hordei Cryptocephalus, J. C. Fabricius, Mant. I. 1787, 83.
hordei Musca, C. Bierkander, K. Vet. Ac. Handl. XXXVIII. 1777, 34.

- hordei Phalaena, Beckmann, Grundsätze Teutsch-Landwirths., ed. 4, 1790, 589; (no. 9, 149) [teste L. B. Prout].
- hordonia [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 149.
- Horia J. C. Fabricius, Mant. I. 1787, 164.—Col.
- hornotinus Falco, F. M. Daudin, Traité élém. Orn. 1800, 92.
- hornus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 296.
- horologica [Phalaena Noct.], Panzer in Drury, Exot. Ins. 1785, 88.
- horologium Cimex, G. A. Harrer, Besch. Schaeffer Icones, 1784, 308.
- horreorum Hirundo, B. S. Barton, N. H. Pennsylv. 1799, 17.
- horridaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 100. [et f.].
- horridaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 149 [u.].
- horridaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 312 [u.].
- horrida Aranea, J. C. Fabricius, Syst. Ent. 1775, 432. [et f.].
- horridus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 629; ed. 12, 1767, 1047.
- horridus Cerambix (Fab.), A. G. Olivier, Entom. IV. 1795, 66.—Lamia.
- horrida Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2095.—Membracis.
- horridus Crotalophorus, F. C. Meuschen, Mus. Gronov. 1778, 16. [bracis].
- horridus Crotalus, Linnaeus, Syst. Nat., ed. 10, 1758, 214; ed. 12, 1766, 372.
- horrida Diaperis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 273.
- horridus Erodus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 41.
- horridus Erodus, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 127.
- horridus Lamia (Ol.), J. C. Fabricius, Ent. Syst. I (2) 1792, 273.—Cerambyx.
- horrida Membracis, J. C. Fabricius, Mant. II. 1787, 264.
- horridus Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (3) 1799, 7.
- horrida Parthenope (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 353.—Cancer.
- horridum Phalangium, Block in G. W. F. Panzer, Ins. Germ., heft 17, 1794, tab. 21.
- horridus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1586.—
- horrida Scorpaena, Linnaeus, Syst. Nat., ed. 12, 1766, 453. [Trox].
- horrida Trichoda, O. F. Müller, An. Infus. 1786, 169.
- horridus Trox, J. C. Fabricius, Syst. Ent. 1775, 818.
- hortaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 153 [u. et f.].
- hortaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 130.
- hortella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 296.
- hortella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 327.
- hortensis Altica, A. F. de Fourcroy, Ent. Paris. 1785, 98.
- hortensis Aphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2204.
- hortensis Apis, A. F. de Fourcroy, Ent. Paris. 1785, 446.
- hortensis Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 414; ed. 12, 1767, 668.
- hortensis Cimex, O. F. Müller, Z. Dan. Prod. 1776, 109.
- hortensis Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 21.
- hortensis Helix, O. F. Müller, Verm. II. 1774, 52.
- hortensis Helix, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 118.
- hortensis Ichneumon Mutilla, J. L. Christ, Nat. Ins. 1791, 375.
- hortensis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 955.
- hortensis Musca, A. F. de Fourcroy, Ent. Paris. 1785, 481.
- hortensis Pomatia (Müll.), J. F. Bolten, Mus. Bolten. (2) 1798, 74.—Helix.
- hortensis Sphex, N. Poda, Ins. Mus. Graec. 1761, 106.
- hortensis Sylvia (Gm.), J. Latham, Index Orn. 1790, 507.—Motacilla.
- hortensis Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3587.
- horticola Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 225.
- horticola Melolontha (L.), J. C. Fabricius, Syst. Ent. 1775, 37.—Scarabaeus.
- horticola Melolontha, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 15.
- horticola Musca, C. de Geer, Mémoires. Ins. VI. 1776, 140.
- horticola Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 351; ed. 12, 1767, 554.
- horticola Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 87 [u. n.].
- horticola Vespa, C. Allioni, Misc. Taurin. III. 1766, 196.
- horticola [Vespa], Giorna, Cal. Ent. 1791, 87.
- hortorum Apis, Linnaeus, Faun. Suec., ed. 2, 1761, 424.

- hortorum Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2194.
 hortorum Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 469.—*Tinea hortella*, 1794.
 hortorum Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 446.
 hortorum Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 35.
 hortorum Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2869.—*Syrphus*.
 hortorum Philanthus, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 9.
 hortorum Scolia, J. C. Fabricius, Mant. I. 1787, 281.
 hortorum Syrphus, J. C. Fabricius, Syst. Ent. 1775, 764.
 hortorum Tenthredo, O. F. Müller, Z. Dan. Prod. 1776, 150.
 hortorum Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 585; ed. 12, 1767, 971.
 hortuella *Tinea*, J. Hübner, Europ. Schmett. 8 Horde [me justice 1796], 29.
 "Hortulanus, Briss. 1760," Waterh.; not used in a generic sense.
 hortulanus Bibio, O. F. Müller, Z. Dan. Prod. 1776, 171.
 hortulana Boa, Linnaeus, Syst. Nat., ed. 10, 1758, 215; ed. 12, 1766, 374.
 hortulanus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 129.
 hortulana Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 177; ed. 12, 1766, 309.
 hortulana Hirtea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 551.—*Tipula*.
 hortulana Musca, Scopoli, Ent. Carn. 1763, 343.
 hortulana Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 279.
 hortulana Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 588; ed. 12, 1767, 977.
 hortulata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 529.—[=*urticata*, ed.
 horta Papilio (Heliconius), Linnaeus, Mus. Lud. Ulr. 1764, 234. [12.]
 hospes Acheta, J. C. Fabricius, Syst. Ent. 1775, 281.
 hospes Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2061.—*Acheta*.
 hospes Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 150.
 hospita Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 470.
 hospitator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 335.
 hostilia [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 38.
 hostilis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 44.
 hotamboeja Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 11.
 hotamboeja Coronella, J. N. Laurenti, Syn. Rept. 1768, 85.
 hottentotta Anthrax (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 260.—*Musca*.
 hottentotta Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 388.
 hottentotta Bibio (L.), J. C. Fabricius, Syst. Ent. 1775, 758.—*Musca*.
 hottentottum Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 266.
 hottentottus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1829.—
 hottentotta Cetonina, J. C. Fabricius, Syst. Ent. 1775, 52. [Lamia].
 hottentotta Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 309.
 hottentotta Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 758.
 hottentotta Cimex, J. C. Fabricius, Syst. Ent. 1775, 699.
 hottentottus Corvus, Linnaeus, Syst. Nat., ed. 12, 1766, 155.
 hottentotta Helops, J. C. Fabricius, Ent. Syst. I (1) 1792, 122.
 hottentotta Lamia, J. C. Fabricius, Syst. Ent. 1775, 173.
 hottentotta Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 965.
 hottentotta Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 590; ed. 12, 1767, 981.
 hottentottus Nematelus (L.), C. de Geer, Mém. Ins. VI. 1776, 190.—*Musca*.
 hottentottus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1577.—
 hottentotta Scarites, A. G. Olivier, Entom. III. 1795, 9. [Cetonia].
 hottentotta Scorpio, J. C. Fabricius, Mant. I. 1787, 348.
 hottentotta Stratiomys (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 177.—*Musca*.
 hottentotta Sylvia (Gm.), J. Latham, Index Orn. 1790, 531.—*Motacilla*.
 hottentottus Tabanus, A. A. H. Lichenstein, Cat. rerum Nat. III. 1796, 214.
 houbara Otis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 725.
 hobara (*sic*) Otis, R. L. Desfontaines, Mém. Ac. Roy. Sci. [Paris], 1787 (1789), 496.
 houtuyn Uranoscopus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 346.
 houtuinialis [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 192.
 houtuyni Esox, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 88.
 hrota Anas, O. F. Müller, Z. Dan. Prod. 1776, 14.

- huanacus** *v.* **guanicoe**.
hubner- *v.* **huebner-**.
hucho Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 309; ed. 12, 1766, 510.
huchonis Lernaea, F. v. P. Schrank, Baier. Reise, 1786, 99.
hudsonias Ardea, Linnaeus, Syst. Nat., ed. 12, 1766, 238.
hudsonias Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 26.
hudsonias Fringilla, J. R. Forster, Phil. Trans. LXII. 1772, 406 & 428.
hudsonias Scarabaeus, J. R. Forster, N. Sp. Ins. 1771, 3.
hudsonica Fringilla, J. F. Miller, Icon. Anim. pl. 21 (1777).
hudsonica Loxia, J. Latham, Index Orn. 1790, 379.
hudsonica Motacilla, J. Latham, Index Orn. 1790, 503.
hudsonicus Numenius, J. Latham, Index Orn. 1790, 712.
hudsonicus Parus, J. R. Forster, Phil. Trans. LXII. 1772, 408 & 430.
hudsonica Perdix, J. Latham, Index Orn. 1790, 655.
hudsonica Scolopax, J. Latham, Index Orn. 1790, 720.
hudsonica Tringa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 114.
hudsonica Arctomys, R. Kerr, Anim. Kingd. 1792, 254.
hudsonius Dipus, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 358.
hudsonius Falco, Linnaeus, Syst. Nat., ed. 12, 1766, 128.
hudsonia Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 926.
hudsonius Hyrax, J. C. D. Schreber, Säugth. IV. 927 (1792) pl. cxxl. C (1792).
hudsonius Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 40.—Mus.
hudsonius Lemmus (Pall.), H. F. Link, Beytr. Nat. I (2) 1795, 75.—Mus.
hudsonius Mus, P. S. Pallas, N. sp. Quad. II. 1779, 208.
hudsonius Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 387.
hudsonius Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1013.
hudsonia Petaurista (Gm.), H. F. Link, Beytr. Nat. I (2) 1795, 78.—Sciurus.
hudsonius Sciurus, P. Boddaert, Elench. 1785, 118.
hudsonius Sciurus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 153.
hudsonius Sciurus (Petaurus), R. Kerr, Anim. Kingd. 1792, 267.
hudsonia Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 295.
hudsonius Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 818.
hybnerana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 247.
hybnerella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me justice 1796], 58.
hybneri Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2107.
hybneri Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2151.
hübneri Copris (Fab.), J. Sturm, Verz. Ins. Samml. 1800, 91.—Scarabaeus.
huebneri Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 65.
hybneri Dytiscus, J. C. Fabricius, Mant. I. 1787, 190.
hybneri Dytiscus, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 120.
hybneri Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 61.
hubneriana [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, I. 1787, 41.
hugarus Proscarabaeus, *err. pro hungarus* (L.), F. v. P. Schrank, Ins. Aust. 1781, 226.—
huhula Strix, F. M. Daudin, Traité élém. Orn. 1800, 190; *err. pro ulula*. [Meloe.
huidobrius Castor, G. I. Molina, Sag. stor. nat. Chili, 1782, 285.
humanum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 682.
humanus Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1101.—
humanum Corculum, J. F. Bolten, Mus. Bolten. (2) 1798, 189. [Natrix.
humana Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3053.
humana Natrix, J. N. Laurenti, Syn. Rept. 1768, 80. [1091.]
humanus Priapus, Linnaeus, Syst. Nat., ed. 10, 1758, 656.—[? Holothuria priapus, ed. 12,
humanus Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 610; ed. 12, 1767, 1016.
humanus capitis Pediculus, C. de Villers, Linn. Ent. I. 1789, 41.
humator Nicrophorus, L. G. Scriba, J. Lieb. Ent. II. 1790, 168.
humator Silpha, J. G. Gleditsch, Verm. phys. bot. Abh. III. 1767, 224.
humerale Anisotoma (Ol.), Illiger in Kugelann, Käfer Preuss. 1798, 76.—Sphaeridium.
humeralis Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 56.
humeralis Cantharis (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 280.—Necydalis.

- humeralis** Carabus, G. Paykull, Mon. Carab. 1790, 40.
humeralis Carabus (Fourc.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 368.—Buprestis.
humeralis Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 137. [Lamia.
humeralis Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1830.—
humeralis Cerambyx (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791,
humeralis Cerambix, A. G. Olivier, Entom. IV. 1795, 38. [123.—Leptura.
humeralis Cerambyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 143.
humeralis Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 264.—Cistela.
humeralis Cimex (Fourc.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 769.—Crabro.
humeralis Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 40.
humeralis Cistela, J. C. Fabricius, Mant. I. 1787, 85.
humeralis Clytra, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. 1792, 192.
humeralis Coccinella, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 266.
humeralis Coccinella, R. Townson, Trav. Hungary, 1797, 458.
humeralis Coccinella, G. W. F. Panzer, Ins. Germ., ed. 2, heft 24 [1799], tab. 10.
humeralis Crabro, A. F. de Fourcroy, Ent. Paris. 1785, 361. [Cistela.
humeralis Crioceris (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 118.—
humeralis Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1715.—
humeralis Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 312. [Cistela.
humeralis Elophorus, J. C. Fabricius, Ent. Syst. I (1) 1792, 205.
humeralis Engis (Fab.), G. Paykull, Faun. Suec. III. 1800, 349.—Ips. [Mordella.
humeralis Hallomenus (Schneider), G. W. F. Panzer, Ins. Germ. heft 16, 1793, tab. 17.—
humeralis Ichneumon, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 196.
humeralis Ips, J. C. Fabricius, Mant. I. 1787, 45.
humeralis Lamia, J. C. Fabricius, Syst. Ent. 1775, 174.
humeralis Leptura, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 299.
humeralis Leptura, J. C. Fabricius, Mant. I. 1787, 158.
humeralis (*sic*) Melolontha, J. C. Fabricius, Syst. Ent. 1775, 40.
humeralis Mordella, Linnaeus, Syst. Nat., ed. 10, 1758, 420; ed. 12, 1767, 682.
humeralis Mordella, S. C. Rehn, N. Mag. Lieb. Ent. [Schneider's], II. 1792, 238.
humeralis Necydalis, J. C. Fabricius, Syst. Ent. 1775, 209.
humeralis Nitidula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 74.
humeralis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 287. [Melolontha.
humeralis Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1567.—
humeralis Serropalpus (Hallomenus) (Panz.), J. G. Kugelann, Käfer Preuss. 1798, 134.—
 Hallomenus.
humeralis Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 231.—Ips.
humeralis Sphaeridium, A. G. Olivier, Entom. II. 1790, 8.
humeralis Stenocorus, A. G. Olivier, Entom. IV. 1795, 22.
humeralis Tanagra, L. Bosc, J. Nat. Hist. (Choix des Mém.), II. 1792, 179.
humeralis Tetratoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 86.
humeralis Volvox (Ol.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
humeralis Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 380. [538.—Sphaeridium.
humeralis Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 137.
humeralis Rana, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
humeralis Scarabaeus, P. S. Pallas, Reise Russ. I. 1771, 462.
humeralis Podura, O. Fabricius, F. Groen. 1780, 213.
humeralis Phalaena, Hufnagel, Berl. Mag. IV. 1767, 614.
humeralis Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 65.
humeralis Conus, C. U. v. Salis, Reise Neapel, 1793, 364.
humeralis Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 553.
humeralis Echinanthus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 185.
humeralis Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 76.
humeralis Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 595.—
humeralis Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 461. [Noctua.
humeralis Gorgonia, E. J. C. Esper, Pflanzenz. II (7) 1791, 36.
humeralis Geometra, C. C. Jung, Alph. Verz. Schmett. 1791, 272.
humeralis Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 77.

humuli—hyalinus

- hyacinthus* *lesin. Papilio* 37. 4 5 6. (Nes 700) *Papilio* (1795) 471
- humuli** Bombyx (Linn.), J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 373.—Noctua.
- humuli** Hemerobius, Linnaeus, Faun. Suec., ed. 2, 1761, 383; = **humulinus**, S. N., ed. 10.
- humuli** Hepialus, J. C. Fabricius, Syst. Ent. 1775, 589.
- humuli** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 508; ed. 12, 1767, 833.
- humulinus** Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 550.
- humuralis** *v.* **humeralis**.
- hungaricus** *v.* **ungaricus**.
- hungarus** *v.* **ungarus**.
- huntera** Papilio, J. C. Fabricius, Syst. Ent. 1775, 499.
- Hupupa** *v.* **Upupa**, L.; Bonnaterra, Ency. Méth. (Orn.) I. 1790. lxxxix.—A.
- hurta** Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 279; ed. 12, 1766, 469.
- huso** Acipenser, Linnaeus, Syst. Nat., ed. 10, 1758, 238; ed. 12, 1766, 404.
- huttuinus** Papilio, C. C. Jung, Alph. Verz. Schmett. 1791, 273.—? = **houuttuynus**.
- hyacinthinus** Brachionus, P. S. Pallas, Elench. 1766, 93.
- hyacinthinus** Psittacus, J. Latham, Index Orn. 1790, 84. [Brachionus.]
- hyacinthina** Vorticella (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3880.—
- hyacinthus** Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 273.—Papilio.
- hyacinthus** [Papilio], P. Cramer, Utit. Kapellen, I (3) 1775, 59.
- hyades** Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 168.
- Hyaena** M. J. Brisson, Reg. Anim. 1762, 168.—M.
- Hyaena** E. Skioldebrand, N. Acta Soc. Sci. Upsal. I. 1773, 77.—M.
- Hyena** E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 256.—M.
- Hyaena** G. C. C. Storr, Prod. 1780, 35 & tab. A.—M.
- hyaena** Canis, Linnaeus, Syst. Nat., ed. 10, 1758, 40; ed. 12, 1766, 58.
- hyaena** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 656.
- hyale** Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 469; ed. 12, 1767, 764.
- hyale** Papilio, C. Stoll in P. Cramer, Utit. Kapellen, IV (30) 1781, 119.
- Hyalea** Lamarck, Mém. Soc. H. N. Paris, 1799, 89.—L.
- hyalinalis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 13 & 23.
- hyalinaria** Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 452.
- hyalinata** Fulgora, J. C. Fabricius, Spec. Ins. II. 1781, 315.
- hyalinatus** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 182.
- hyalinata** Musca, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 24.
- hyalinata** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 874.
- hyalinatus** Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 248.—Sphex, 1793.
- hyalinata** Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 212.
- hyalinus** Angarius, F. C. Meuschen, Mus. Gever. 1787, 256.
- hyalinum** Argoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Ostrea.
- hyalina** Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 472.
- hyalina** Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3432.
- hyalina** Cellepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1286.
- hyalina** Cicada, J. C. Fabricius, Syst. Ent. 1775, 832.
- hyalina** Cicada, O. F. Müller, Z. Dan. Prod. 1776, 103.
- hyalina** Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
- hyalina** Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 756.
- hyalinum** Cyclidium, O. F. Müller, An. Infus. 1786, 84.
- hyalinus** Dytiscus, C. de Geer, Mém. Ins. IV. 1774, 406.
- hyalina** Eschara (Cellepora) (Linn.), P. S. Pallas, Char. Thierpfl. I. 1787, 92.—Cellepora.
- hyalina** Fulgora, *id.* *ac* **hyalinata**, Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2091.
- hyalina** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3640. [1789, 2091.]
- hyalina** Hirudo, O. F. Müller, Verm. I (2) 1774, 49.
- hyalinus** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2700.
- hyalinus** Limax, Linnaeus, Syst. Nat., ed. 12, 1767, 1081.
- hyalinus** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 168.
- hyalina** Mantis, C. de Geer, Mém. Ins. III. 1773, 410.
- hyalina** Mantis, J. C. Fabricius, Syst. Ent. 1775, 277.
- hyalina** Ostrea, J. X. Poli, Test. Sicil. II. 1795, 159.
- hyalinus** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 185.

- hyalinus** Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2259.
hyalina Pterotrachea, P. Forskal, Descr. Anim. 1775, 118.
hyalina Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3235.
hyalina Tettigonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 101.
hyalina Tettigonia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 516.
hyalipennis Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 388.
Hyaloea Lamarck, Mém. Soc. H. N. Paris, 1799, 89.—L.
hybernus Larus, [M. Tunstall], Orn. Brit. 1771, 3 [*n. n.*].
hybernus Larus, J. Latham, Syn. Birds, Suppl. I. 1787, 296.
Hyblaea J. C. Fabricius, Ent. Syst. III (1) 1793, caract. gen., & III (2) 1794, 127.—Lep.
hybner- *v.* **huebner-**
hybridalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 29.
hybrida Anas, G. I. Molina, Sag. stor. nat. Chili, 1782, 241.
hybridus Anser (Mol.), J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 112.—Anas.
hybridus Camelus, R. Kerr, Anim. Kingd. 1792, 289.
hybrida Cicindela, Linnaeus, Syst. Nat., ed. 10, 1758, 407; ed. 12, 1767, 657.
hybridus Cimex, Scopoli, Ent. Carn. 1763, 131.
hybridus Inachus, F. Weber, Nomen. Fabricii, 1795, 93.
hybridus Inachus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 355.
hybrida Necydalis, P. Rossi, Mant. Ins. I. 1792, 56.
hybrida Noctua, J. C. Fabricius, Syst. Ent. 1775, 593.
hybrida Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3318.
hybridus Tetrao, Linnaeus, Faun. Suec., ed. 2, 1761, 72.
hybridus Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 757; ed. 12, 1767, 1228.
hydactina Diaperis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 178.
hydatidis Taenia, M. E. Bloch, Beschäft. Ges. Nat. Freunde, IV. 1779, 547.
 “Hydatigena, Bloch, 1780,” Ag.; does not occur.
Hydatigena J. A. E. Goeze, Nat. Eingeweidewürm. 1782, 192.—Ver.
Hydatigena A. J. G. C. Batsch, Nat. Bandwürm. 1786, 84.—Ver.
hydatigena Taenia, P. S. Pallas, Misc. Zool. 1766, 157.
Hydatis J. J. Virey, Journ. de Phys. IV. 434 (1798).—Ver.
Hydatis J. F. Blumenbach, Abb. nat. Gegen., no. 39, 1799.—Ver.
hydatis Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 726; ed. 12, 1767, 1183.
hidatis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8.
hydatoidea Taenia, P. S. Pallas, Diss. de infes. 1760, 50.
Hydatula P. C. Abildgaard, Skr. nat. Selsk. [Copen.], I (1) 1790, 33.—Ver.
hydatula Hydra, Linnaeus, Syst. Nat., ed. 12, 1767, 1320.
hydatula Hydatula (L.), P. C. Abildgaard, Skr. nat. Selsk. [Copen.], I (1) 1790, 33.—
hydaspes [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 19. [Hydra.
hydaspes Papilio, *err. pro* hystaspes, Fabr. 1781, J. C. Fabricius, Mant. II. 1787, 28.
hydaspus [Sphinx], P. Cramer, Utit. Kapellen, II (10) 1777, 31.
Hydra Linnaeus, Syst. Nat., ed. 10, 1758, 816; ed. 12, 1767, 1320.—Coel.
Hydrachna O. F. Müller, Z. Dan. Prod. 1776, xxvi & 188.—Ar.
hydrachnoides Acarus, O. F. Müller, Z. Dan. Prod. 1776, 188.
Hydraena J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 578.—Col.
Hydrochaeris M. T. Brännich, Fund. Zool. 1772, 44.—M.
hydrochaeris Sus, Linnaeus, Syst. Nat., ed. 12, 1766, 103.
hydrocharis Donacia, J. C. Fabricius, Ent. Syst. I (2) 1792, 118.
hydrochaeris Scarabaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 23.
Hydrochoerus M. J. Brisson, Reg. Anim. 1762, 80.—M.
Hydrochaeris J. C. P. Erxleben, Syst. Anim. 1777, 191.—M.
Hydrochaeris G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
Hydrocorax M. J. Brisson, Ornith. IV. 1760, 566.—A.
hydrocorax Buceros, Linnaeus, Syst. Nat., ed. 12, 1766, 153.
Hydrodamalis A. J. Retzius, K. Vet. Ac. Nya Handl. XV. 1794, 292.—M.
Hydrodromus Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (6) 1796, 164.
Hydrogallina B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 19.
hydroleon Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 589; ed. 12, 1767, 980.

- hydroleon Stratiomys (L.), J. C. Fabricius, Syst. Ent. 1775, 760.—Musca.
- Hydrometra P. A. Latreille, Préc. Car. Ins. 1796, 86.—Hem.
- Hydrophilus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 180.—Col.
- Hydrophilus J. C. Fabricius, Syst. Ent. 1775, 228.—Col.
- hydrophilus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 266.
- hydrophilus Cinclus, M. B. Borkhausen, Deutsch. Fauna, I. 1797, 300.
- hydrophylus Coluber, J. T. Lindaker, N. Abh. Böhm. Ges. Wiss. I. 1791, 123.
- hydrophila Musca, P. Rossi, Mant. Ins. II. 1794, 74.
- hydrostatica Physsophora, P. Forskal, Descr. Anim. 1775, 119.
- Hydrous C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 38.—Col.
- Hydrus J. G. Schneider, Hist. Amph. I. 1799, 233.—K.
- hydrus Coluber, P. S. Pallas, Reise Russ. I. 1771, 459.
- hyemalis *z.* hiemalis.
- hyemaria *z.* hiemaria.
- hyemata *z.* hiemata.
- hygenius [Papilio], C. Stoll, Anhang. Cramer's Utitl. Kapellen, II. 1790, 43.
- hygoleucos Tringa, *err. pro* hypoleucos, L., S. G. Gmelin, Reise Russ. III. 1774, 256.
- Hyla J. N. Laurenti, Syn. Rept. 1768, 32.—Am.
- hylactor [Papilio], J. A. B. Bergs-raesser, Nom. Ins. II. 1779, 78.
- Hylaeus J. C. Fabricius, Ent. Syst. II. 1793, 302.—Hym.
- hylaesus Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 45.
- hylas Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 185.
- hylas [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 142.
- hylas Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 486.
- hylas Sesia (L.), J. C. Fabricius, Syst. Ent. 1775, 547.—Sphinx.
- hylas Sphinx, Linnaeus, Mant. II. 1771, 539.
- hylaspes [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 145.
- hylax Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 19.—Scarabaeus, 1775.
- hylax Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 304.
- hylax Papilio, J. C. Fabricius, Syst. Ent. 1775, 526.
- hylax Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 817.
- hylea [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 48.
- hylloesus Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, 47.
- hyllus [Papilio], P. Cramer, Utitl. Kapellen, I (4) 1775, 67.
- hyla Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 213.
- hyulus Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 300.—Papilio hylas.
- hymen Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 262.
- hymen Papilio, J. C. Fabricius, Syst. Ent. 1775, 519.
- hymenaea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 91.
- hymenaea Phalaena Noctua, J. Hübner, Beitr. Schmett. I (43) [1788], 25.
- hyoscyami Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 113.—Chrysomela.
- hyosciami Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 372; ed. 12, 1767, 594.
- hyoscyami Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 447; ed. 12, 1767, 726.
- hyoscyami Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 29.—Chrysomela.
- hyoscyami Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 149.—Cimex.
- hyoscyami Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 600; ed. 12, 1767, 998.
- hyoseris Laria, Scopoli, Ent. Carn. 1763, 21.
- hyotis Lopho (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 169.—Mytilus.
- hyotis Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 704; ed. 12, 1767, 1155.
- hyotis Ostrea, F. C. Meuschen, Mus. Gever. 1787, 424.
- hypanus [Papilio], P. Cramer, Utitl. Kapellen, II (12) 1777, 72.
- hyparete Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 469; ed. 12, 1767, 763.
- hyparete Papilio [*non* Linn.], J. H. Sulzer, Gesch. Ins. 1776, 143.
- hypatia Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 15.
- hypenemium Volva, J. F. Bolten, Mus. Bolten. (2) 1798, 22 [*n. n.*].
- hyperantus Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 471; ed. 12, 1767, 768.
- hyperbius Papilio, Linnaeus, Amoen. Acad. VI. 1763, 408.
- hyperborea Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 504.

- hyperboreus** Anser, P. S. Pallas, Spic. Zool. VI. 1769, 25.
hyperborea Coccinella, G. Paykull, Faun. Suec. II. 1799, 38.
hyperborea Phalaropus (L.), J. Latham, Index Orn. 1790, 775.—Tringa.
hyperborea Tringa, Linnaeus, Syst. Nat., ed. 12, 1766, 249.
hyperia [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 74.
hyperia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 119.
hypericana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 23 [*n. et f.*].
hyperici Buprestis, C. Creutzer, Ent. Vers. 1799, 122.
hyperici Chrysomela, J. R. Forster, Cat. Brit. Ins. 1770, 6 [*n. n.*].
hyperici Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 20.
hyperici Chrysomela, C. de Geer, Mém. Ins. V. 1775, 312.
hyperici Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 162.
hyperici Coccus, P. S. Pallas, Reise Russ. Reich. I. 1771, 21.
hyperici Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 76. [351.—Noctua.
hyperici Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
hypericonis Coccus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2219.
hypermnestra Papilio, Scopoli, Ent. Carn. 1763, 149.
hypermnestra Papilio, Linnaeus, Amoen. Acad. VI. 1763, 407.
hypermnestra [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 69.
hyphea [Papilio], P. Cramer, Uitl. Kapellen, I (8) 1776, 145.
hyphinoe Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 181.—Phalaena.
hyphinoe [Phalaena], P. Cramer, Uitl. Kapellen, II (13) 1777, 91.
hyphinoe [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 130.
hypnoides Sertularia, P. S. Pallas, Elench. 1766, 155.
hypnorum Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 579; ed. 12, 1767, 960.
hypnorum Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 301.—Bulla.
hypnorum Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 727; ed. 12, 1767, 1185.
hypnorum Oniscus, G. Cuvier, J. Nat. Hist. (Choix des Mém.) II. 1792, 19.
hypnorum Oxyporus, J. C. Fabricius, Ent. Syst. I (2) 1792, 535.—Staphylinus, 1775.
hypnorum Podura, O. Fabricius, Nye Saml. K. Danske Skrifter, II. 1783, 299.
hypnorum Staphylinus, J. C. Fabricius, Syst. Ent. 1775, 266.
hypocastani Phalaena (Noctua), N. Poda, Ins. Mus. Graec. 1761, 88.
hypochaeridis Aphis, J. C. Fabricius, Reise Norwegen, 1779, 169.
hypochaeridis Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 370; ed. 12, 1767, 589.
hypochaeridis Cryptocephalus (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 51.—
hypochondriacus Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 67. [Chrysomela.
Hypogaea J. X. Poli, Test. Sicil. I. 1791, Introd. 29. A generic term applied to fleshy
 parts of Solenes, Pholades, and Tellinae.
Hypogaeoderma J. X. Poli, Test. Sicil. II. 1795, 251 & 257.—L.
hypoleon Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 980.
hypoleon Stratiomys (L.), J. C. Fabricius, Syst. Ent. 1775, 760.—Musca.
hypoleucoides Tringa, E. Pontoppidan, Danske Atlas, I. 1763, 624.
hypoleucus Curculio, C. Quensel, Diss. ignotus insectorum Species, 1790, 16.
hypoleuca Motacilla, A. Vroeg, Catal. Vogel. 1764, Adumb., 3.
hypoleucos Tringa, Linnaeus, Syst. Nat., ed. 10, 1758, 149; ed. 12, 1766, 250.
hypolithus Tenebrio, P. S. Pallas, Icon. Ins. 1781, 44.
hypolitus [Papilio], P. Cramer, Uitl. Kapellen, I (1) 1775, 14 & 16.
hypomelas Charadrius, P. S. Pallas, Reise Russ. III. 1776, 699.
hypophaeus Trochilus, J. Latham, Index Orn. 1790, 314.
Hypophlaeus J. C. Fabricius, Skriverter Nat. Selsk. I. 1790, 222.—Col.
hypothous [Sphinx], P. Cramer, Uitl. Kapellen, III (24) 1780, 165.
hypoxantha Loxia, A. Sparrman, Mus. Carls. III. 1788, no. lxxi.
hypozygia Membracis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 99.
hypparchus [Sphinx], P. Cramer, Uitl. Kapellen, III (17) 1779, 7.—*v.* hipparchia.
hypparchus Zygaena (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 160.—Sphinx.
hypspasia [Phalaena], P. Cramer, Uitl. Kapellen, III (21) 1779, 99.
hypspason [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 46.
hyppolite Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VIII. 1796, 200.

- hypsipyle** [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777, 124.
hypsipyle Papilio, J. C. Fabricius, Gen. Ins. 1777, 265.
hypsipyle Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 214.
Hypulus G. Paykull, Faun. Suec. I. 1798, 251.—Col.
Hyrax J. Hermann, Tab. aff. Anim. 1783, 115.—M.
Hyrax B. G. E. de Lacépède, Tabl. Mamm. 1799, 9.—M.
Hyrax G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*v. n.*].—M.
hyrcanus Culex, P. S. Pallas, Reise Russ. I. 1771, 475.
hyroglyphica *v.* **hieroglyphica**.
hyrtaca Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 53.—Phalaena.
hyrtaca [Phalaena], P. Cramer, Uitl. Kapellen, III (21) 1779, 97.
hysoscella Medusa, Linnaeus, Syst. Nat., ed. 12, 1767, 1097.
hystaspes Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 57.
hysterita Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 703; ed. 12, 1767, 1154.
hysteroides Lygdis, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 33.
"hysterolithus Helmintholithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 164.
hysterophorus Terebratula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 99 [*v. n.*].
Hystrix Linnaeus, Syst. Nat., ed. 10, 1758, 56; ed. 12, 1766, 76.—M.
Hystrix [G. Humphreys], Mus. Calonn. 1797, 30.—G.
hystrix Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 467.
hystrix Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1828.—Lamia.
hystrix Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 132.
hystrix Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 503.
hystrix Diodon, Linnaeus, Syst. Nat., ed. 10, 1758, 335; ed. 12, 1766, 413.
hystrix Diodon, M. E. Bloch, Nat. ausl. Fische, I. 1785, 69.
hystrix Hispa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 116.
hystrix Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 216.
hystrix Leucosia (Fab.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
hystrix Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 750; ed. 12, 1767, 1219.
hystrix Murex, J. F. Bolten, Mus. Bolten. (2) 1798, 145.
hystrix Musca, J. C. Fabricius, Syst. Ent. 1775, 777.
hystrix Phalangium, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris], no. 15, 1798, 114.
hystrix Purpura (L.), F. C. Meuschen, Mus. Gever. 1787, 308.—Murex.
hystrix Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 195.

- I** Muscicapa, K. Hablitzl (*ex* Briss.) in P. S. Pallas, N. nord. Beytr. IV. 1783, 86.
iacchus Callithrix (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 56.—Simia.
iacchus Cebus (L.), H. F. Link, Beytr. Nat. I (2) 1795, 63.—Simia.
iacchus Cercopithecus (L.), J. F. Blumenbach, Hand. Naturg. 1779, 69.—Simia.
jacchus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 155.—Scarabaeus.
jacchus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 342.
iacchus Papilio, J. C. Fabricius, Syst. Ent. 1775, 533.
jacchus Sagouin (L.), B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.
jacchus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 20.
jacchus Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 27; ed. 12, 1766, 40.
jacchus Simia (Sagouinus), L., R. Kerr, Anim. Kingd. 1792, 80; & *var.* *moschatus*.
iaceae *v.* **jaceae**.
iacintha *v.* **jacintha**.
iairus *v.* **jairus**.
ianirula Papilio Nym., E. J. C. Esper, Die Schmett., Suppl., 1 Abschn. [1799], 103.
ianthe Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 80.
ianthe Papilio, P. S. Pallas, Reise Russ. I. 1771, 469.
janthe Papilio, L. Prunner, Lep. Pedemont. 1798, 25.
janthe Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 111.
Janthina J. F. Bolten, Mus. Bolten. (2) 1798, 75.—G.
"Ianthina, Lam. 1799," Scudd.; does not occur; is *Janthina*.
ianthinae Helix, P. Forskal, Descr. Anim. 1775, 127.

- ianthina* Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 256.—Helix.
janthina Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1895.
janthinus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1842.
janthina Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1691.
janthina Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 772; ed. 12, 1767, 1246.
janthina Janthina (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 75.—Helix.
janthina Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 78.
janthinus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 319.
janthinus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1561.
ianus *v.* *janus*.
iaponicus *v.* *japonicus*.
iaquiniana *v.* *jacquiniana*.
jarbas Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 276.
jarbas Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 10.
iabus Papilio, J. C. Fabricius, Mant. II. 1787, 68.
iabus Papilio, J. C. Fabricius, Mant. II. 1787, 83.
iatrophae *v.* *jatrophae*.
iberica Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3243.
iberis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 168.
ibex Capra, Linnaeus, Syst. Nat., ed. 10, 1758, 68; ed. 12, 1766, 95.
ibex Capra, J. C. P. Erxleben, Syst. Anim. 1777; *var.* *capricornus*, 264.
ibex Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 45.
ibex Hircus (Linn.), P. Boddaert, Elench. 1785, 146.—Capra.
ibex Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 55.
ibiare Caecilia, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 140.
ibibe Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 118. [Meuschen.]
ibiboca Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 98.—[*v.* *iboboboca*,
Ibis Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 6 & 60.—A.
Ibis B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 18.—A.
ibis Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 144.—[Tantalus, ed. 12.]
ibis Numenius, G. Cuvier, Bull. Sci. Soc. Philom. [Paris], no. 39, 1800, 119.
ibis Rhagio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 556.
ibis Tantalus, Linnaeus, Syst. Nat., ed. 12, 1766, 241.
ibn-ed-dubb Gryllus, P. Forskal, Descr. Anim. 1775, xxii.
iboboboca Coluber, F. C. Meuschen, Mus. Gronov. 1778, 15.
ibyx Bulla, F. C. Meuschen, Mus. Gever. 1787, 396.
icarus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 172.
icarus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 302.
icarus [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 26.
icarus Papilio, S. A. v. Rottemberg, Naturforscher, VI. 1775, 21.
icarus Papilio, J. C. Fabricius, Gen. Ins. 1777, 269.
icarus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 155.
icasia [Phalaena], P. Cramer, Uitl. Kapellen, II (16) 1777, 130.
icelandica Tringa, *id.* *ac* islandica, L., J. Latham, Syn. Birds, Suppl. I. 1787, 292.
Ichneumon Linnaeus, Syst. Nat., ed. 10, 1758, 560; ed. 12, 1767, 930.—Hym.
Ichneumon M. J. Brisson, Reg. Anim. 1762, 181.—M.
Ichneumon B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.—M.
ichneumon Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 47.
ichneumon Meles, Linnaeus in Hasselquist, Palast. 1762, 271.
ichneumon Squilla, F. Weber, Nomen. Fabricii, 1795, 96 [*n. n.*].
ichneumon Squilla, J. C. Fabricius, Suppl. Ent. Syst. 1798, 416.
ichneumon Ursus (L.), G. Cuvier, Tab. Elém. 1798, 114.—Viverra.
ichneumon Viverra, Linnaeus, Syst. Nat., ed. 10, 1758, 43; ed. 12, 1766, 63.
ichneumonea Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 578; ed. 12, 1767, 959.
ichneumonea Apis, J. L. Christ, Nat. Ins. 1791, 198.
ichneumoneus Clerus, J. C. Fabricius, Gen. Ins. 1777, 230.
ichneumonea Diopsis, Linnaeus, Bigis Insect. 1775, 5.
ichneumoneus Mulio (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 559.—Musca.

- ichneumonea* Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 593; ed. 12, 1767, 986.
ichneumonea Necydalis, C. de Geer, Mém. Ins. V. 1775, 148.
ichneumonea SpheX (L.), J. C. Fabricius, Syst. Ent. 1775, 349.—*Apis*.
ichneumonea Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 768.—*Musca*.
ichneumonea Tipula, C. de Geer, Mém. Ins. VI. 1776, 350.
ichneumoniformis Larra, J. C. Fabricius, Ent. Syst. II. 1793, 221.
ichneumoniformis Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 44.
ichneumonius Attelabus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1811.—
Clerus ichneumoneus.
ichneumonoides Musca, A. F. de Fourcroy, Ent. Paris. 1785, 498.
ichthyaetus Larus, P. S. Pallas, Reise Russ. II. 1773, 713.
ichthyobroma Spongia, E. J. C. Esper, Pflanzenth., Forts. II (9) 1798, 18.
Ichthyocolla E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 399.—*P*.
 "Ichthyolithus" Linnaeus, Syst. Nat., ed. 12, III. 1768, 159.
icilia [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 158.
I-cinctum Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 78.
I cinctum Phalaena Noctua, J. Hübner, Beitr. Schmett. II. 1790, 35.
icosandriae Curculio, Scopoli, Ent. Carn. 1763, 28.
icterata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 382.
ictericus Scarabaeus, K. E. v. Moll in Schrank & Moll, Nat. Briefe Oesterreich, I. 1785, [168].
icterica *Apis*, J. L. Christ, Nat. Ins. 1791, 190.
ictericus Aphodius (Payk.), C. Creutzer, Ent. Vers. 1799, 52.—*Scarabaeus*.
ictericus Cerambyx, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 292.
icterica Chama, F. C. Meuschen, Mus. Gever. 1787, 456.
ictericus Cimex, Linnaeus, Amoen. Acad. VI. 1763, 399.
ictericus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2169.
ictericus Ichneumon, J. L. Christ, Nat. Ins. 1791, 341.
ictericus Scarabaeus, J. N. Laicharting, Tyrol. Ins. I. 1781, 14.
ictericus Scarabaeus, G. Paykull, Faun. Suec. I. 1798, 17.
icteritia Phalaena, Hufnagel, Berl. Mag. III. 1767, 296.
icterocephalus Icterus (L.), F. M. Daudin, Traité élém. Orn. 1800, 337.—*Oriolus*.
icterocephala Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 334.
icterocephalus Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 163.
icterocephalus Picus, J. Latham, Index Orn. 1790, 241.
icterocephala Sylvia (L.), J. Latham, Index Orn. 1790, 538.—*Motacilla*.
icterops Gracula, J. Latham, Index Orn. 1790, 193.
Icterus M. J. Brisson, Ornith. II. 1760, 86.—*A*.
Icterus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 6.—*A*.
Icterus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [n. n.].—*A*.
icterus Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 161.
ictor Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 277.
ida [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 66.
ida Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 25.
ida Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 43.
ida Papilio N. G., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1784-5], 184.
idaeus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 16.
idalia [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 69.
idas [Papilio], P. Cramer, Uitl. Kapellen, III (22) 1779, 118.
idas Papilio, E. Donovan, Brit. Ins. IX. 1800, 74.
idas Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 488.
idas Papilio (Pleb.), Linnaeus, Faun. Suec., ed. 2, 1761, 284.
idatula Hydra, *id. ac hydatula*, L., J. F. Maratti, Plant. Zooph. Med. 1776, 39.
idbari Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3050.
idbarus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 324; ed. 12, 1766, 529.
idea [Papilio], C. Clerck, Icones, II. 1764, pl. xxxviii.
idiota Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 162.
idmone Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 486.—[*P*. (Nymphalis) ed. 12.]
idolon Ichneumon, P. Rossi, Mant. Ins. II. 1794, 110.

- idolum** Coluber, G. A. Suckow, Naturges. III. 1798, 246.
- idomeneus** Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 464; ed. 12, 1767, 753.
- idonea** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 43.
- idonea** [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 150.
- Idotea** J. C. Fabricius, Suppl. Ent. Syst. 1798, 297 [not 1793 as stated by Agassiz].—Cr.
- Idothea** J. C. Fabricius, Ent. Syst., Index, 1796, 86 [*n. n.*].—*see* Idotea.
- idriacus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2183.
- idriensis** Phalaena, J. A. Scopoli, Annus V. 1772, 113.
- idriensis** Tipula, Scopoli, Ent. Carn. 1763, 316.
- idrieus** Sphinx, D. Drury, Ill. Nat. Hist. III. 1782, index and 2.
- idus** Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 324; ed. 12, 1766, 529.
- ieiuna** *v.* jejuna.
- Ignavus** J. F. Blumenbach, Hand. Naturg. 1779, 70.—M.
- ignavus** Asilus, O. F. Müller, F. Ins. Frid. 1764, 88.
- ignavus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 8.
- ignavus** Musca, M. Harris, Exp. Eng. Ins. 1776, 154.
- ignavus** Syrphus, G. W. F. Panzer, Ins. Germ. heft 60 [1798], tab. 4.
- igneata** Phalaena, Hufnagel, Berl. Mag. IV. 1767, 612.
- ignea** Ardea, *err. pro* nigra, Linn., J. J. Langius' ed. of Linn. Syst. Nat. 1760, 142.
- igneum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3494.
- igneus** Bufo, J. N. Laurenti, Syn. Rept. 1768, 29 & 129.
- ignea** Melolontha, A. G. Olivier, Entom. I. 1789, 81.
- igneus** Numenius, S. G. Gmelin, Reise Russ. I (1770), 166.
- igneus** Tantalus, J. Latham, Syn. Birds, Suppl. I. 1787, 291.
- igneus** Tantalus (S. G. Gm.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 649.—
- ignialis** Phalaena, [D. H. Schneider], Nom. Ent. 1785, 52 [*n. n.*]. [Numenius.]
- ignicolor** Bufo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
- ignifer** Mytilus, F. C. Meuschen, Mus. Gever. 1787, 466.
- ignifer** Purpura, F. C. Meuschen, Mus. Gever. 1787, 312.
- gnita** (*sic*) Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 408; ed. 12, 1767, 659.
- ignita** Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 400.—[Lampyrus, ed. 12.]
- ignita** Cetonina, A. G. Olivier, Entom. I. 1789, 69.
- ignita** Chrysis (L.), Linnaeus, Faun. Suec., ed. 2, 1761, 414.—Sphex.
- ignita** Chrysomela, J. C. Fabricius, Mant. I. 1787, 68.
- ignita** Cicada, J. C. Fabricius, Mant. II. 1787, 272.
- ignitus** Elater, J. C. Fabricius, Mant. I. 1787, 172.
- ignita** Ephemera, N. Poda, Ins. Mus. Graec. 1761, 97.
- ignita** Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 906.
- ignitus** Ichneumon, J. C. Fabricius, Mant. I. 1787, 269.
- ignita** Lampyrus, Linnaeus, Syst. Nat., ed. 12, 1767, 645.—[Cantharis, ed. 10.]
- ignita** Leptura, C. de Villers, Linn. Ent. I. 1789, 273.
- ignita** Loxia (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 448.—Fringilla.
- ignitus** Phasianus, G. Shaw, Nat. Misc. IX. 1797, pl. 321.
- ignita** Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 571.—[Chrysis, ed. 12.]
- ignitus** Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 89.
- ignita** Trichoda, O. F. Müller, An. Infus. 1786, 186.
- ignita** Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 440.
- ignobilis** Certhia, A. Sparman, Mus. Carls. III. 1788, no. lvi.
- ignobilis** Coluber, J. N. Laurenti, Syn. Rept. 1768, 96.
- ignobilis** Conus, G. Olivi, Zool. Adriat. 1792, 133.
- ignobilis** Phalaena, Hufnagel, Berl. Mag. III. 1767, 300.
- ignobilis** Scomber, P. Forskal, Descr. Anim. 1775, 55.
- ignotus** Cephus, M. B. Borkhausen, Deutsch. Fauna, I. 1797, 597.
- ignotus** Colymbus, J. M. Bechstein, Gem. Nat. Deutschl. II. 1791, 782.
- ignota** Cynips, J. L. Christ, Nat. Ins. 1791, 475.
- ignotus** Parus, M. T. Brünnich, Orn. Boreal. 1764, 73.
- ignota** Pila, J. F. Bolten, Mus. Bolten. (2) 1798, 146.
- ignotus** Tabanus, P. Rossi, Fauna Etrus. II. 1790, 320.

- Iguana** L. T. Gronovius, Zooph. I. 1763, 13.—R.
Iguana J. N. Laurenti, Syn. Rept. 1768, 47.—R.
igvana Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 206; ed. 12, 1766, 366.
iguanae Acarus, J. C. Fabricius, Syst. Ent. 1775, 811.
ilathera Anas, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 151.
ilia Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 426.
ileacea Serpula, J. F. Bolten, Mus. Bolten. (2) 1798, 69 [*n. n.*].
ilia Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 172.
ilia [Phalaena], P. Cramer, Utitl. Kapellen, I (3) 1775, 53.
iliaca Fringilla, B. Merrem, Avium rar. Icones, II. 1786, 37.
iliacus Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 168; ed. 12, 1766, 292.
iliacus Vermiculus, F. C. Meuschen, Mus. Gev. 1787, 236.
ilicana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 408.—Pyralis.
ilicana Pyralis, J. C. Fabricius, Spec. Ins. II. 1781, 283.
ilicaria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 302.
ilicifolia Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 562.—Phalaena.
ilicifolia Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 497; ed. 12, 1767, 813.
ilicis Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 434.
ilicis Chermes (L.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 440.—Coccus.
ilicis Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 455; ed. 12, 1767, 740.
ilicis Curculio, J. C. Fabricius, Mant. I. 1787, 110.
ilicis Papilio P. R., E. J. C. Esper, Die Schmett. I (9) 1779, 353.
ilione [Papilio], P. Cramer, Utitl. Kapellen, I (3) 1775, 42.
ilioneus Papilio, J. E. Smith in Abbot, Ins. Georgia, 1797, 3.
ilithya Papilio, D. Drury, Ill. Nat. Hist. II. 1773, index & 29.
illanca Salmo, Wartmann, Schrift. Berlin. Ges. Nat. Freunde, IV. 1783, 55.
illecebrator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 194.
illibaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 207 [*n. et f.*].
illibata Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 461.
illibata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 116.
illibata Noctua, J. C. Fabricius, Syst. Ent. 1775, 592.
illinensium Didelphys, H. F. Link, Beytr. Nat. I (2) 1795, 67.
illioneus [Papilio], P. Cramer, Utitl. Kapellen, I (5) 1775, 81.
illucens Bibio (L.), J. C. Fabricius, Syst. Ent. 1775, 756.—Musca.
illucens Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 589; ed. 12, 1767, 979.
illucens Mydas (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 253.—Musca.
illucens Nematelus (L.), C. de Geer, Mém. Ins. VI. 1776, 205.—Musca.
illumina Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [antea 1796], 15.
illunaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 36 [*n. et f.*].
illunaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (3) 1795, 76.
illustraria Geometra, J. Hübner, Europ. Schmett. 5 Horde [me judice 1800], 24.
illustraria (*sic*) Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 35 [*n. et f.*].
illustratus Musca, M. Harris, Exp. Eng. Ins. 1776, 104. [*et f.*].
illustrata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2497.
illustrella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 45.
illustris Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 340.
illustris Noctua, J. C. Fabricius, Mant. II. 1787, 164.
illustris Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 761.—
illyricus Charadrius, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 26. [Noctua].
illyricus Scarabaeus, Scopoli, Ent. Carn. 1763, 11.
illyrica Vipera, J. N. Laurenti, Syn. Rept. 1768, 101.
iltis Mustela, P. Boddaert, Elench. 1785, 87.
ilus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 17.
ilus [Phalaena], P. Cramer, Utitl. Kapellen, I (8) 1776, 145.
ilyraria Phalaena, *id. ac* ilyrias, Cram., J. C. Fabricius, Gen. Ins. 1777, 284.
ilyrias [Phalaena], P. Cramer, Utitl. Kapellen, I (1) 1775, 15.
imaon [Sphinx], P. Cramer, Utitl. Kapellen, III (21) 1779, 94.
imbecilla Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 113.

- imbellis** Musca, M. Harris, Exp. Eng. Ins. 1776, 60.
imberbis Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 210.
imberbis Cebus, H. F. Link, Beytr. Nat. I (2) 1795, 63 [n. n.].
imberbis Mullus, Linnaeus, Syst. Nat., ed. 10, 1758, 300; ed. 12, 1766, 496.
imberbe Ophidion, Linnaeus, Syst. Nat., ed. 10, 1758, 259; ed. 12, 1766, 431 [Ophidium].
imberbis Silurus, *err. pro* inermis, L., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1361.
imbricata Anomia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 73.
imbricata Aphrodita, Linnaeus, Syst. Nat., ed. 12, 1767, 1084.
imbricata Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 98.
imbricata Arca, J. X. Poli, Test. Sicil. II. 1795, 145.
imbricatus Asellus (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 252.—Oniscus.
imbricatus Cardium, I. v. Born, Index Mus. Caes. Vind. 1778, 29.
imbricatum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 489.
imbricatus Cymothoa, J. C. Fabricius, Ent. Syst. II. 1793, 503.—Oniscus, 1775.
imbricatum Daphnoderma, J. X. Poli, Test. Sicil. II. 1795, 255 & 260; = Arca of p. 145.
imbricatus Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 93.—Turbo.
imbricata Laticauda, J. N. Laurenti, Syn. Rept. 1768, 110.
imbricatus Monoceros (L.), F. C. Meuschen, Mus. Gever. 1787, 290.—Turbo.
umbricatus (*sic*) Oniscus, J. C. Fabricius, Syst. Ent. 1775, 296.
imbricatus Oniscus, J. C. Fabricius, Spec. Ins. I. 1781, 375.
imbricata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3318.
imbricata Pinctada, J. F. Bolten, Mus. Bolten. (2) 1798, 167.
imbricatus Planorbis, O. F. Müller, Verm. II. 1774, 165.
imbricata Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 75.
imbricata Sertularia, J. Adams, Tr. Linn. Soc. (Lond.), V. 1800, 11.
imbricata Testudo, Linnaeus, Syst. Nat., ed. 12, 1766, 350.
imbricata Tridachnes, J. F. Bolten, Mus. Bolten. (2) 1798, 172.
imbricatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3581.
imbricatus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 766; ed. 12, 1767, 1239.
imbricata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3277.
imbricornis Bruchus, G. W. F. Panzer, Ins. Germ. heft 25 [1794], tab. 24.
imbricornis Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 622.
imbricornis Prionus (L.), A. G. Olivier, Entom. IV. 1795, 28.—Cerambyx.
imitaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796], fig. 51 [n. et f.].
imitator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 197.
immacularia Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 131.
immacularia Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2466.
immaculataria Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 324.
immaculatus Ascalaphus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 246.
immaculatus Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 323.
immaculatus Cassida, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 382.
immaculata Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 54.
immaculatus Charax, F. C. Meuschen, Mus. Gronov. 1778, 38.
immaculata Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 695.
immaculata Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 752.
immaculatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2147.
immaculata Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1644.
immaculata Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 267.
immaculata Coccinella, P. Rossi, Mant. Ins. II. 1794, 86.
immaculatus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1728.
immaculatus Dytiscus, F. v. P. Schrank, Ins. Aust. 1781, 201.
immaculata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 8.
immaculatus Hemerobius, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 63.
immaculatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2698.
immaculata Ichneumon, P. Rossi, Mant. Ins. I. 1792, 126.
immaculata Lampyrus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 24.
immaculata Melolontha, A. G. Olivier, Entom. I. 1789, 29.
immaculata Mylabris, J. C. Fabricius, Syst. Ent. 1775, 826.

- immaculatum** Myrmeleon, C. de Geer, Mém. Ins. III. 1773, 564.
immaculata Nitidula, A. G. Olivier, Entom. II. 1790, 11.
immaculata Perca, J. J. Walbaum, Artedi. Ichth. (3), ed. 2, 1792, 330.
immaculatus Pnumora, C. P. Thunberg, K. Vet. Ac. Handl. XXXVI. 1775, 256.
immaculata Raphidia, E. Donovan, Brit. Ins. IX. 1800, 59.
immaculatus Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 312; ed. 12, 1766, 513.
immaculatum Scaphidium, A. G. Olivier, Entom. II. 1790, 5.
immaculatum Sphaeridium, P. Rossi, Fauna Etrus. I. 1790, 48.
immaculata Sphinx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2386.
immaculatus Synbranchus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 87.
immaculata Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 512.
immaculata Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2767.
immarginatus Dytiscus, J. C. Fabricius, Ent. Syst. IV. 1794, 444.
immer Colymbus, M. T. Brünnich, Orn. Boreal. 1764, 38.
immer Mergus (Br.), J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 72.—Colymbus.
immerina Taenia, P. C. Abildgaard, Skr. nat. Selsk. [Copen.], I (1) 1790, 61.
imminuitor Ichneumon, J. L. Christ, Nat. Ins. 1791, 369.
immoraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 133 [*u. et f.*].
immorata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 528; ed. 12, 1767, 871.
immundus Aphodius, C. Creutzer, Ent. Vers. 1799, 57.
immutaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 108 [*u. et f.*].
immutata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 528; ed. 12, 1767, 871.
impactus Mytilus, J. Hermann, Naturforscher. XVII. 1782, 152.
impar Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 110.
impatiens Fistularia, P. Forskal, Descr. Anim. 1775, 121.
impatiens Holothuria (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3143.—
impavidus Apis, M. Harris, Exp. Eng. Ins. 1776, 131. [Fistularia.]
impavidus Apis, M. Harris, Exp. Eng. Ins. 1776, 165.
impavida Musca, P. Rossi, Fauna Etrus. II. 1790, 304.
impejanus v. **impeyanus**.
impennis Alca, Linnaeus, Syst. Nat., ed. 10, 1758, 130; ed. 12, 1766, 210.
impennis Pinguin (L.), J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 29.—Alca.
imperator Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 51.
imperator Gryllus, P. Brown, Illust. Zool. 1776, 132.
imperator [Papilio], C. C. Jung, Alph. Verz. Schmett. 1791, 287.
imperatoria Phalaena, J. G. Gladbach in Kuehn, Kurz. Anleit. Ins., ed. 2, 1783, 155 [*u. u.*].
imperatoria Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 109.
imperfecta Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 18.
imperfecti Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 123.
imperfectatum Dentalium, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 635.
imporforata Haliotis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3690.
imporforata Stomatia, Lamarck, Mém. Soc. H. N. Paris, 1799, 77.
imperialis Astraea (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 79.—Trochus.
imperialis Bombyx (Dru.), J. C. Fabricius, Syst. Ent. 1775, 569.—Phalaena.
imperialis Bruchus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 57.—Ptinus.
imperialis Cimex, J. C. Fabricius, Syst. Ent. 1775, 697.
imperialis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2165.
imperialis Coccinella, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 261.
imperialis Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 712; ed. 12, 1767, 1165.
imperialis Cryptocephalus, J. N. Laicharting, Tyrol. Ins. I. 1781, 179.
imperialis Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 37.—Conus.
imperialis Curculio, J. R. Forster, N. Sp. Ins. 1771, 34.
imperialis Curculio, D. Drury, Ill. Nat. Hist. II. 1773, index & 62.
imperialis Emberiza, G. Shaw in Miller, Cim. Phys. 1796, 7.
imperialis Fringilla, J. Latham, Index Orn. 1790, 466.
imperialis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2722.
imperialis Lunatica (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 101.—Turbo.
imperialis Merganser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 106.

- imperialis* Mergus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 547.
imperialis Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 135.
imperialis Nitidula, J. C. Fabricius, Ent. Syst. I (1) 1792, 257.
imperialis [Papilio], P. Cramer, Utitl. Kapellen. I (7) 1775, 120.
imperialis Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 17.
imperialis Ptinus, Linnaeus, Syst. Nat., ed. 12, 1767, 565.
imperialis Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3576.
imperialis Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3594.
imperialis Zeus, G. Shaw, Nat. Misc. IV. 1793, pl. 140.
impejanus (*sic*) Phasianus, J. Latham, Index Orn. 1790, 632.
impeyiae Columba, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 10 [*n. n.*].
impiger Syrphus, P. Rossi, Fauna Etrus. II. 1790, 289.
impigius Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 302.
implexa Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 133.
implicata Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 164.
implicata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 386.
impluviata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 109.
impluviata Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794, [291.—Geometra].
impostor Ichneumon, Scopoli, Ent. Carn. 1763, 287.
impraegnator Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 368.
impresso-punctatus Dytiscus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 312.
impressa Aranea, J. C. Fabricius, Reise Norwegen, 1779, 359.
impressus Brachionus, O. F. Müller, An. Infus. 1786, 355.
impressum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 113 [*n. n.*].
impressa Buprestis, J. C. Fabricius, Syst. Ent. 1775, 220.
impressus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 51.
impressum Callidium, G. Paykull, Faun. Suec. III. 1800, 84.
impressus Carabus, A. G. Olivier, Entom. III. 1795, 83.
impressus Carabus, G. W. F. Panzer, Deutsch. Ins. [1795], 64.
impressus Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 57.
impressa Cassida, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 80.
impressa Cetonia, A. G. Olivier, Entom. I. 1789, 39.
impressa Crioceris, J. C. Fabricius, Mant. I. 1787, 88.
impressus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789.
impressus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 192. [1720.—Crioceris].
impressa Donacia, G. Paykull, Faun. Suec. II. 1799, 193.
impressus Dytiscus, O. F. Müller, Z. Dan. Prod. 1776, 72.
impressus Dytiscus, J. C. Fabricius, Mant. I. 1787, 193.
impressus Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 223.
impressus Hister, J. C. Fabricius, Suppl. Ent. Syst. 1798, 37.
impressa Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
impressus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2698.
impressus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2704.
impressa Ips, A. G. Olivier, Entom. II. 1790, 14.
impressa Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 90.—Crioceris, 1787.
impressus Paederus, P. Rossi, Fauna Etrus. I. 1790, 254.
impressa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3702.
impressa Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797–1800], 502.
impressus Scolytus, A. G. Olivier, Entom. IV. 1795, 12.
impressus Staphylinus, A. G. Olivier, Entom. III. 1795, 23.
impressus Staphylinus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 36, 1796, tab. 21.
impressum Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 406.—Hydrachna.
impugnator Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 368.
impunctat[us] Curculio, [D. H. Schneider], Nom. Ent. 1785, 12 [*n. n.*].
impuncta Cynips, E. Acharius, Götheborg. Wetensk. & Witterh. Samhällets Handl. (Wetensk. Afd.) I. 1778, 74.
impunctata Coccinella, Linnaeus, Syst. Nat., ed. 12, 1767, 579. [Misprint for ?*impunctata*.]
impura Helix, Studer in Coxe, Trav. Switz. III. 1789, 387 [*n. n.*].

- impura** Tenthredo, Scopoli, Ent. Carn. 1763, 280.
- impustulata** Coccinella, Linnaeus, Syst. Nat., ed. 12, 1767, 584.
- impustulata** Silpha, [D. H. Schneider], Nom. Ent. 1785, 7 [*n. n.*].
- inaccessus** Curculio, F. v. P. Schrank, Naturforscher, XXIV. 1789, 70.
- Inachus** F. Weber, Nomen. Fabricii, 1795, 93.—Cr.
- Inachus** J. C. Fabricius, Suppl. Ent. Syst. 1798, 318.—Cr.
- Inachus** J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 18.—Cr.
- Inachus** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 7 [*n. n.*].—Cr.
- inachus** [Papilio], P. Cramer, Utitl. Kapellen, I (3) 1775, 58.
- inaequalis** Brachycerus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 185.
- inaequalis** Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 166.
- inaequalis** Carabus, G. W. F. Panzer, Deutsch. Ins. [1795], 60.
- inaequalis** Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 364; ed. 12, 1767, 578.
- inaequalis** Coccinella, J. C. Fabricius, Syst. Ent. 1775, 80.
- inaequalis** Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 193.
- inaequalis** Curculio, C. de Villers, Linn. Ent. I. 1789, 216.
- inaequalis** Dytiscus, J. C. Fabricius, Gen. Ins. 1777, 239.
- inaequalis** Echinocyamus, N. G. Leske, Add. Klein. Nat. Disp. Ech. 1778, 216.
- inaequalis** Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3194.—
[Echinocyamus.]
- inaequalis** Elater, C. de Geer, Mém. Ins. IV. 1774, 148.
- inaequalis** Elater, A. G. Olivier, Entom. II. 1790, 22.
- inaequalis** Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 221.
- inaequalis** Hister, A. G. Olivier, Entom. I. 1789, 7.
- inaequalis** Hister, J. C. Fabricius, Suppl. Ent. Syst. 1798, 37.
- inaequalis** Lumbricus, O. F. Müller, Z. Dan. Prod. 1776, 216.
- inaequalis** Musca, A. F. de Fourcroy, Ent. Paris. 1785, 483.
- inaequalis** Nautilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3373.
- inaequalis** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3694.
- inaequalis** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3705.
- inaequalis** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3730.
- inaequalis** Peltis, A. F. de Fourcroy, Ent. Paris. 1785, 31.
- inaequalis** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 274.
- inaequalis** Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 449.
- inaequalis** Silpha, J. C. Fabricius, Spec. Ins. I. 1781, 87.
- inaequalis** Trochus, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 31.
- inaequalis** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3572.
- inaequilatera** Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3231.
- inaequivalvis** Arca, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 98 [*n. n.*].
- inaequivalvis** Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 106.
- inaequivalvis** Arca, J. F. Bolten, Mus. Bolten. (2) 1798, 173.
- inaequivalvis** Hypogaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 251 & 257.—Tellina.
- inaequivalvis** Pandora (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 88.—Tellina.
- inaequivalvis** Solen, Linnaeus, Syst. Nat., ed. 10, 1758, 673.
- inaequivalvis** Tellina, Linnaeus, Syst. Nat., ed. 12, 1767, 1118.
- inaequivalvis** Tellina, M. T. Brünnich, Beschäft. Ges. Nat. Freunde, III. 1777, 314.
- inanis** Ephemera, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2629.
- inanis** Gryllus, J. C. Fabricius, Syst. Ent. 1775, 827.
- inanis** Melolontha, N. J. Brahm in Borkhausen, Rhein. Mag. I. 1793, 705.
- inanis** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 595; ed. 12, 1767, 989.
- inanis** Scarabaeus, N. J. Brahm, Ins. Kal. I (1) 1790, 85.
- inanis** Syrphus, J. C. Fabricius, Syst. Ent. 1775, 763.
- inanis** Syrphus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 278.—Musca.
- inanis** Tabanus, J. C. Fabricius, Mant. II. 1787, 356.
- inanita** Cynips, Linnaeus, Syst. Nat., ed. 12, 1767, 920.
- inanita** Tenthredo, C. de Villers, Linn. Ent. III. 1789, 125.
- inara** [Phalaena], P. Cramer, Utitl. Kapellen, III (20) 1779, 78.
- inaria** [Papilio], P. Cramer, Utitl. Kapellen, III (18) 1779, 36.
- inaurata** Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 225.

- inaurata** Buprestis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1939.
- inauratus** Cimex, O. F. Müller, Z. Dan. Prod. 1776, 107.
- inaurata** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 135.
- inaurata** Sphinx, J. H. Sulzer, Gesch. Ins. 1776, 151.
- inaurata** Talpa, Pall.; see J. C. D. Schreber, Säugth. III., pl. clvii (1777).
- inauris** Erinaceus, Linnaeus, Syst. Nat., ed. 12, 1766, 75.
- inauris** Myoxus, E. A. W. Zimmermann, Geogr. Gesch. III. 1783, 275.
- inauris** Sciurus, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 344.
- inauritus** Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 202.
- inauritus** Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3190.—
Echinodiscus.
- inauritus** Myoxus, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 481. [*et f.*].
- incanaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 106 [*n.*].
- incanata** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 528; ed. 12, 1767, 871.
- incanescens** Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 322.
- incanus** Cancer, P. Forskal, Descr. Anim. 1775, 92.
- incanus** Cerambyx, J. R. Forster, N. Sp. Ins. 1771, 38.
- incana** Certhia, J. Latham, Index Orn. 1790, 296.
- incanus** Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 385; ed. 12, 1767, 616.
- incana** Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 976.
- incana** Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 658.
- incana** Sylvia (Gm.), J. Latham, Index Orn. 1790, 527.—Motacilla.
- incarcerato-striata** Testudo, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 29.
- incarcerata** Testudo, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 29.
- incarnata** Chlamys (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 164.—Ostrea.
- incarnatus** Cimex, D. Drury, Ill. Nat. Hist. II. 1773, index & 67.
- incarnata** Columba, P. Forskal, Descr. Anim. 1775, vi & 5.
- incarnata** Donax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3265.
- incarnatus** Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 87.
- incarnata** Helix, O. F. Müller, Verm. II. 1774, 63.
- incarnata** Mantis, Boeber in Reichs, Mag. Thierreichs, I. 1793, 140.
- incarnata** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3330.
- incarnata** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 300.
- incarnata** Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 59.
- incarnatus** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 327.
- incarnata** Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 142.
- incarnata** Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 675; ed. 12, 1767, 1118.
- incarnata** Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 978.
- incerta** Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 164 [*n. n.*].
- incertus** Falco, J. Latham, Index Orn. 1790, 32.
- incertus** Ichneumon, J. H. Sulzer, Gesch. Ins. 1776, 190.
- incertus** Ichneumon, J. L. Christ, Nat. Ins. 1791, 371.
- incerta** Phalaena, Hufnagel, Berl. Mag. III. 1767, 298.
- incerta** Tritoma, P. Rossi, Fauna Etrus. I. 1790, 48.
- inchoata** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 294.
- incineratus** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1806.
- incinerata** Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2492.
- incisa** Apis, A. F. de Fourcroy, Ent. Paris. 1785, 445.
- incisum** Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 87.
- incisus** Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 119.
- incisa** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3630.
- incisus** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2708.
- incisa** Nereis, O. Fabricius, F. Groen. 1780, 295.
- [**incisa** Papilio (*sic*) (N.) MS.], T. Martyn, Psyche, 1797, figs. 41 & 42.
- incisa** Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 283.
- [**incisa** Phalaena (N.) MS.], T. Martyn, Psyche, 1797, fig. 94.
- incitator** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 172.
- inclavatus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2163.

- inclinans** Vorticella, O. F. Müller, Verm. I (1) 1773, 116.
- inclya** Noctua, J. C. Fabricius, Syst. Ent. 1775, 599.
- incognitus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 97.
- incolorata** Tenthredo, J. L. Christ, Nat. Ins. 1791, 451.
- incompta** Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 83.
- inconspectus** Cancer, J. F. W. Herbst, Vers. Nat. Kur. II (5) 1794, 162.
- inconspectus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 405.
- inconspicua** Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2582.
- inconspicua** Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2637.
- incrassator** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 157.
- incrassatorius** Ichneumon, C. de Villers, Linn. Ent. III. 1789, 158.
- incrassatum** Buccinum, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 369.
- incrassata** Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 111.
- incrassatus** Murex (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3547.—
- incrassatus** Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 38. [Tritonium.]
- incrassatum** Tritonium, O. F. Müller, Z. Dan. Prod. 1776, 244.
- incrustans** Madrepora, P. Forskal, Descr. Anim. 1775, 135.
- incrustata** Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 13.
- incrustata** Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 688; ed. 12, 1767, 1134.
- incubitor** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 563; ed. 12, 1767, 933.
- incubitor** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 136.
- inculcator** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 565; ed. 12, 1767, 936.
- inculcator** Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 184.
- incurvatus** Mytilus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 95.
- incurvata** Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
- incurvata** Pinna, I. v. Born, Index Mus. Caes. Vind. 1778, 117.
- incurvata** Serpula, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 634.
- incurvatus** Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1999.
- incurvus** Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 312.
- incurva** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3715.
- incurva** Pinna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3366.
- indagator** Carabus, J. C. Fabricius, Mant. I. 1787, 197.
- indagator** Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 306.—Rhagium.
- indagator** Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 181.
- indagator** Rhagium, J. C. Fabricius, Mant. I. 1787, 145.
- indagator** Stenocorus (Fab.), A. G. Olivier, Entom. IV. 1795, 12.—Rhagium.
- inderiensis** Carabus (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1985.
- inderiensis** Curculio, P. S. Pallas, Reise Russ. I. 1771, 464. [Curculio.]
- index** Enchelis, O. F. Müller, An. Infus. 1786, 38.
- index** Trichoda, O. F. Müller, An. Infus. 1786, 190.
- indiarum** Tibia, J. F. Bolten, Mus. Bolten. (2) 1798, 123.
- indicator** Cuculus, A. Sparman, Phil. Trans. LXVII (1) 1777, 43.
- indicator** Cuculus, J. F. Miller, Icon. Anim., pl. 24 (1778).
- indicator** Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 641.
- indicata** Phalaena, J. C. Fabricius, Syst. Ent. 1775, 640.
- indica** Amia, G. S. Volta, Itt. Veron. (2) [circa 1800], cxlix.
- indica** Anas, T. Pennant in Forster, Ind. Zool. 1781, 42 [n. n.].
- indica** Anas, J. Latham, Index Orn. 1790, 839.
- indica** Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 274.
- indica** Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3312.
- indica** Ardea, J. Latham, Index Orn. 1790, 701.
- indicus** Atteblabus, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 68.
- indica** Blatta, J. C. Fabricius, Syst. Ent. 1775, 272.
- indicus** Bos, Linnaeus, Syst. Nat., ed. 10, 1758, 72; ed. 12, 1766, 99.
- indicum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3495.
- indicus** Bucco, J. Latham, Index Orn. 1790, 205. [Callionymus.]
- indicus** Calliomorus (L.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 343.—
- indicus** Callionymus, Linnaeus, Syst. Nat., ed. 10, 1758, 250; ed. 12, 1766, 434.

- indicus** Caprimulgus, J. Latham, Index Orn. 1790, 588.
indicus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 138.
indicus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1856.
indica Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 480.
indicus Cervus, R. Kerr, Anim. Kingd. 1792, 304.
indicus Charadrius, J. Latham, Index Orn. 1790, 750.
indicus Charadrius, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 20.
indica Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 52.
indicus Colius, J. Latham, Index Orn. 1790, 370.
indica Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 164; ed. 12, 1766, 284.
indica Columba, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 133.
indica Coracias, Linnaeus, Syst. Nat., ed. 12, 1766, 159.
indicus Cottus, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 68.
indicus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1720.
indicus Cuculus, J. Latham, Index Orn. 1790, 211.
indica Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3412.
indicus Dermestes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1600.
indica Didelphis, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 35.
indica Dipsas, J. N. Laurenti, Syn. Rept. 1768, 90.
indicus Dugong, B. G. E. de Lacépède, Tabl. Mamm. 1799, 17.
indicus Elater, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 110.
indicus Elephas, G. Guvier, Mém. Inst. [Paris], II (1798), 21.
indicus Erotylus (Fuesl.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 435.—Chrysomela.
indicus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 264.
indica Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 928.
indica Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 98. [Locusta.
indicus Gryllus (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2069.—
indica Hirudo, Linnaeus, Syst. Nat., ed. 10, 1758, 650; ed. 12, 1767, 1079.
indica Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1025.
indicus Kurtus, M. E. Bloch, Nat. ausl. Fische, II. 1786, 122.
indica Libellula, J. C. Fabricius, Spec. Ins. I. 1781, 521.
indica Locusta, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 193.
indica Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 847.
indica Loxia, J. Latham, Index Orn. 1790, 394.
indica Lytta, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 145.
indicus Macrotarsus, B. G. E. de Lacépède, Tabl. Mamm. 1799, 5.
indicus Meles, P. Boddaert, Elench. 1785, 80.
indica Meloe (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2019.—
indicus Moschus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 173. [Mylabris.
indicus Moschus, J. C. D. Schreber, Säugth. V (1) 962 (antea 1800), pl. ccxlv (1783).
indica Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 962.
indicus Mus, J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, II. 1800, 497.
indicus Musca, M. Harris, Exp. Eng. Ins. 1776, 47.
indica Mutilla, Linnaeus, Syst. Nat., ed. 10, 1758, 583; ed. 12, 1767, 966.
indica Myceteria, J. R. Forster in Latham and Davies, Faun. Ind., ed. 2, 1795, 11 [n. n.].
indica Mylabris, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 147.
indica Nitidula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 39.
indica Notonecta, Linnaeus, Mant. II. 1771, 534.
indicus Notoxus (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 46.—Attelabus.
indicus Notoxus, J. C. Fabricius, Ent. Syst. IV. 1794, 444.
indica Otis, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
indica Otis, J. F. Miller, Icon. Anim. pl. 33 (1782).
indica Parra, J. Latham, Index Orn. 1790, 765.
indicus Parus, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
indicus Parus, A. Sparrman, Mus. Carls. II. 1787, no. 1.
indica Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3716.
indica Perdix (Gm.), J. Latham, Index Orn. 1790, 650.—Tetrao.
indica Pimelia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2011.

- indicus** Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
- indicus** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 318.
- indicus** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 349.
- indicus** Ramphastos, G. Shaw in Miller, Cim. Phys. 1796, 102.
- indicus** Rosmarus, P. Boddaert, Elench. 1785, 169.
- indica** Sabella, L. T. Gronovius, Zooph. III. 1781, 352.
- indicus** Sciurus, J. C. P. Erxleben, Syst. Anim. 1777, 420.
- indica** Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 667.
- indicus** Scorpio, F. C. Meuschen, Mus. Gronov. 1788, 83.
- indica** Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 360; ed. 12, 1767, 570.
- indica** Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 571; ed. 12, 1767, 945.
- indicus** Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1503.
- indica** Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 289.
- indicus** Sukotyfus, R. Kerr, Anim. Kingd. 1792, 114.
- indica** Testudo, J. G. Schneider, Nat. Schildkr. 1783, 355.
- indicus** Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 755.
- indicus** Trichiurus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1142.
- indicus** Trochilus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- indicus** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3575.
- indicus** Trogon, J. Latham, Index Orn. 1790, 201.
- indicus** Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 145.
- indicus** Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 810.
- indica** Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
- indica** Upupa, J. Latham, Index Orn. 1790, 280.
- indicus** Ursus, R. Kerr, Anim. Kingd. 1792, 188.
- indicus** Vermetus, F. M. Daudin, Rec. Mém. Moll. 1800, 44.
- indicus** Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2769.
- indica** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3467.
- indicus** Vultur, J. A. Scopoli, Del. Insub. II. 1786, 85.
- indicus** Vultur, J. Latham, Index Orn. 1790, 7.
- indicus** Vultur, R. Kerr, Anim. Kingd. 1792, 476.
- indigena** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 170.
- indigenata** Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 383.
- indivisa** Tubularia, Linnaeus, Syst. Nat., ed. 10, 1758, 803; ed. 12, 1767, 1301.
- indostana** Sphex, Linnaeus, Mus. Lud. Ulr. 1764, 407.—[inda, Syst. Nat., ed. 10.]
- indri** E. Geoffroy, Mag. encyclop. I (1) 1796, 46.—M.
- indri** B. G. E. de Lacépède, Tabl. Mamm. 1799, 5.—M.
- indri** Lemur, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 42.
- indri** Sorex, J. A. Scopoli, Del. Insub. II. 1786, 84.
- indris** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
- indurata** Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 116.
- indus** Acarus, Linnaeus, Syst. Nat., ed. 12, 1767, 1022.
- indum** Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 234.
- inda** Alcedo, Linnaeus, Syst. Nat., ed. 12, 1766, 179.
- indus** Bucco, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 7 [*n. n.*].
- indus** Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1854.
- inda** Cetonia (L.), A. G. Olivier, Entom. I. 1789, 40.—Scarab.
- indus** Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3205.
- inda** Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 377; ed. 12, 1767, 603.
- indus** Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 447; ed. 12, 1767, 726.
- indus** Colius, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [*n. n.*].
- indus** Cottus, Linnaeus, Mus. Adolph. Frid. II. 1764, 66.
- indus** Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1730.—Chry-
- indus** Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 377; ed. 12, 1767, 606. [somela.]
- indus** Falco, P. Boddaert, Tab. Planch. Enl. 1783, 25.
- inda** Fringilla, H. Lichtenstein, Cat. rerum Nat. I. 1793, 46.
- inda** Fringilla, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 9 [*n. n.*].
- indus** Gyrimus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 65.

- indus** Julus, Linnaeus, Syst. Nat., ed. 10, 1758, 639; ed. 12, 1767, 1065.
- indus** Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 147.—Cimex.
- indus** Melolontha (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 37.—Trichius.
- inda** Musca, F. v. P. Schrank, Ins. Aust. 1781, 438.
- indus** Psittacus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 6 [*n. n.*].
- indus** Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 352; ed. 12, 1767, 556.
- indus** Scarites, A. G. Olivier, Entom. III. 1795, 9.
- indus** Scorpio, C. de Geer, Mém. Ins. VII. 1778, 341.
- inda** Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 569; ed. 12, 1767, 942.—[indostana.]
- indus** Trichius (L.), J. C. Fabricius, Syst. Ent. 1775, 40.—Scarabaeus.
- indus** Trogon, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 7 [*n. n.*].
- indus** Vultur, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 5 [*n. n.*].
- ineptus** Didus, Linnaeus, Syst. Nat., ed. 12, 1766, 267.
- ineptus** Plotus, Daldorf, Skr. nat. Selsk. [Copen.], II (2) 1793, 162.
- inermis** Chrysis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2747. [bracis.
- inermis** Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2093.—Mem-
- inermis** Curculio (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1804.—Rhino-
- inermis** Goezia, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 101. [macr.
- inermis** Labrus, P. Forskal, Descr. Anim. 1775, 34.
- inermis** Membracis, J. C. Fabricius, Syst. Ent. 1775, 677.
- inermis** Orbis, P. L. S. Müller, Del. Nat. II. 1767, 141.
- inermis** Rhinomacer, O. F. Müller, Z. Dan. Prod. 1776, 91.
- inermis** Silurus, Linnaeus, Syst. Nat., ed. 12, 1766, 503.
- inermis** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3576.
- iners** Curculio, Scopoli, Ent. Carn. 1763, 24.
- infausti** Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 612; ed. 12, 1767, 1018.
- infaustus** Corvus, Linnaeus, Syst. Nat., ed. 10, 1758, 107.
- infaustus** Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 138.—Corvus, 1758.
- infaustus** Lanius, R. Kerr, Anim. Kingd. 1792, *var.* minor, 557.
- infausta** Sphinx, Linnaeus, Syst. Nat., ed. 12, 1767, 807.
- infaustus** Turdus (L.), J. Latham, Index Orn. 1790, 335.—Corvus.
- infausta** Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 554.—Sphinx.
- infernalis** Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 189.
- infernalis** Furia, Linnaeus, Syst. Nat., ed. 10, 1758, 647; ed. 12, 1767, 1325.
- infidus** Carabus, P. Rossi, Mant. Ins. I. 1792, 88.
- infida** Chrysis, P. Rossi, Fauna Etrus. II. 1790, 80.
- infidus** Curculio, P. Rossi, Mant. Ins. I. 1792, 38.
- infidus** Ichneumon, P. Rossi, Mant. Ins. II. 1794, 111.—Chrysis, 1790.
- infinitum** Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 92.
- infirmus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 257.
- inflammatorius** Ichneumon, C. de Villers, Linn. Ent. III. 1789, 143.
- inflammatum** Ellobium, J. F. Bolten, Mus. Bolten. (2) 1798, 106.
- inflammata** Phalaena, Scopoli, Ent. Carn. 1763, 226.
- inflator** Sygnathus, G. A. Suckow, Naturges. IV. 1799, 172.
- inflata** Bernicla, J. F. Bolten, Mus. Bolten. (2) 1798, 198 [*n. n.*].
- inflatum** Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 113 [*n. n.*].
- inflata** Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2092.—Membracis.
- inflatum** Corculum, J. F. Bolten, Mus. Bolten. (2) 1798, 189.
- inflatum** Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 152.
- inflata** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3666.
- inflatum** Mantellum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 160.—Ostrea.
- inflata** Membracis, J. C. Fabricius, Mant. II. 1787, 262.
- inflata** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3321.
- inflata** Pimelia, A. G. Olivier, Entom. III. 1795, 6.
- inflata** Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 98.
- inflata** Pinna, J. F. Bolten, Mus. Bolten. (2) 1798, 159 [*n. n.*].
- inflatus** Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 280.
- inflata** Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3230.

- inflatus** Trochus, F. C. Meuschen, Mus. Gever. 1787, 282.
inflata Tuceta, J. F. Bolten, Mus. Bolten. (2) 1798, 173.
inflexipes Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 641.
inflexus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1983.
inflexa Fusaria, J. G. H. Zerber in Goetze. 1 Nachtr. Eingeweidewürm. 1800, 36.
inflexa Ligia, F. Weber, Nomen. Fabricii, 1795, 92.
inflexa Ostrea, J. X. Poli, Test. Sicil. II. 1795, 160.
inflexa Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2584.
infectoriosus Ichneumon, P. Rossi, Mant. Ins. I. 1792, 111.
informis Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2). 1792, 699.
informis Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 159.
infossor Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 248.
infractorius Ichneumon, Linnaeus, Faun. Suec., ed. 2, 1761, 398.
infractuosus Apis, M. Harris, Exp. Eng. Ins. 1776, 134.
infundibuliformis Alysseminthus, J. G. H. Zerber in Goetze, 1 Nachtr. Eingeweidewürm.
infundibuliformis Madrepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1282. [1800, 271.
infundibuliformis Spongia, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348; ed. 12, 1767, 1296.
infundibuliformis Taenia, J. A. E. Goetze, Eingeweidewürm. 1782, 386.
infundibuliformis Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3575.
infundibuliformis Tubipora, Linnaeus, Syst. Nat., ed. 10, 1758, 789.—[Madrepora, ed.
infundibuliformis Tubularia, J. F. Maratti, Plant. Zooph. Med. 1776, 20. [12.]
infundibuliformis Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 434.
infundibuliformis Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 672.
infundibulum Beroc, O. F. Müller, Z. Dan. Prod. 1776, 232.
infundibulum Medusa (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3152.—
infundibulum Medusa, G. Shaw, Nat. Misc. IV. 1792, pl. 112. [Beroc.
infundibulum Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3554.
infundibulum Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3705.
infundibulum Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3745. [1776, 15.
infundibulum Spongia, *id. ac* infundibuliformis, L., J. F. Maratti, Plant. Zooph. Med.
infundibulum Taenia, M. E. Bloch, Beschäf. Ges. Nat. Freunde. IV. 1779, 555.
infuscatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.
infuscatus Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 72.
infuscata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2490.
infuscata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
infuscus Labrus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 249.
infusorium Chaos, Linnaeus, Syst. Nat., ed. 12, 1767, 1326.
infusorius Monoculus, F. v. P. Schrank, Ins. Aust. 1781, 536.
ingenita Trichoda, O. F. Müller, An. Infus. 1786, 219.
ingens Blatta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 94.
ingens Pinna, T. Pennant, Brit. Zool. ed. 4, IV. 1777, 98.
ingens Rana, J. P. Bonnaterre, Ency. Méth. (Erp.), 1789, 8.
ingens Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 249.
inghaghith Salmo, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 73.
ingredior Musca, M. Harris, Exp. Eng. Ins. 1776, 140.
ingruo Musca, M. Harris, Exp. Eng. Ins. 1776, 144.
inguinalis Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 397.
inhaerens Holothuria, O. F. Müller, Z. Dan. Prod. 1776, 232.
inimicus Vespa, M. Harris, Exp. Eng. Ins. 1776, 128.
initiator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 161.
innata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 198.
innata Trichoda, O. F. Müller, An. Infus. 1786, 220.
innexus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 19.
innocua Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 461.
innocuous Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 62.
innominata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3329.
innominata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2492.
innotata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 616.

- innotata** Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 74.
innoxius Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 146.
innuba Cistela, J. C. Fabricius, Syst. Ent. 1775, 117.
innuba Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 63.
innuba Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 277.
innuba Crioceris (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 47.—Cistela.
innubus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1715.—
innubus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 172. [Cistela.
innuba Melolontha, J. C. Fabricius, Mant. I. 1787, 22.
innubus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1560.—
innumeris punctata Coccinella, J. G. Linck, De Coccinellae, 1787, 10. [Melolontha.
ino Papilio, S. A. v. Rottemberg, Naturforscher, VI. 1775, 19.
ino [Papilio], P. Cramer, Utitl. Kapellen, I (6) 1775, 96.
ino [Phalaena], D. Drury, Ill. Nat. Hist. III. 1782, index & 39.
inops Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 137 [*n. n.*].
inordinata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 269.
inquieta Cercaria, O. F. Müller, An. Infus. 1786, 121.
inquieta Tipula, Scopoli, Ent. Carn. 1763, 321.
[inquinus] Araneus, C. Clerck, Aran. Svec. 1757, 88.]
inquinus Araneus, T. Martyn, Aranei, 1793, 40.
inquinus Gordius, O. F. Müller, Verm. I (2) 1774, 33.
inquinus Phalaena, M. Harris, Exp. Eng. Ins. 1776, 93.
inquinus Trichoda, O. F. Müller, Z. Dan. Prod. 1776, 281.
inquinatana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 43 [*n. et f.*].
inquinataria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 328.
inquinatella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 134.
inquinatus Aphodius (Herbst), J. Sturm, Verz. Ins. Samml. 1800, 37.—Scarabaeus.
inquinatus Asilus (Scop.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 272.—Erax.
inquinatus Cimex, J. C. Fabricius, Mant. II. 1787, 304.
inquinatus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.), 1790, 147.—Scarabaeus.
inquinatus Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 71.
inquinatus Erax, Scopoli, Ent. Carn. 1763, 363.
inquinatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 173.—Cimex. 1787.
inquinata Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 36.
inquinata Phalaena, Scopoli, Ent. Carn. 1763, 230.
inquinatus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 79.
inquinatus Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 6.
inquinatum Sphaeridium, J. G. Kugelann, Käfer Preuss. 1798, 69.
inquisitor Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 414; ed. 12, 1767, 669.
inquisitor Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 393; ed. 12, 1767, 630.
inquisitor Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 42.
inquisitor Ichneumon, Scopoli, Ent. Carn. 1763, 286.
inquisitor Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 181.
inquisitor Leptura (L.), C. de Geer, Mém. Ins. V. 1775, 126.—Cerambyx.
inquisitor Rhagium (L.), J. C. Fabricius, Syst. Ent. 1775, 182.—Cerambyx.
inquisitor Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 85.
inquisitorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 151.
inscripta Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 142.
inscripta Noctua, E. J. C. Esper, Die Schmett. IV (42—44) 1791, 229.
inscripta Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2583.
insector Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 370.
insectella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 303.
insectorum Gordius, F. v. P. Schrank, Beitr. Nat. 1776, 98.
inserens Ichneumon, W. Kirby, Tr. Linn. Soc. [Lond.], V. 1800, 107.
insidiator Cimex, J. C. Fabricius, Mant. II. 1787, 287.
insidiator Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 131.—Cimex, 1787.
insidiator Cottus, P. Forskal, Descr. Anim. 1775, x & 25.
insidiator Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 429.

- insidiator** Sparus, P. S. Pallas, Spic. Zool. VIII. 1770, 41.
insidiator Zeus, M. E. Bloch, Nat. ausl. Fische, III. 1787, 41.
insidiatrix Aranea, P. Forskal, Descr. Anim. 1775, 86.
insidus Curculio, Scopoli, Ent. Carn. 1763, 31.
insignata Phalaena Geometra, J. Hübner, Beitr. Schmett. I (4) 1789, 9.
insigniata Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 97.
insignis Buprestis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1706, 35.
insignor Ichneumon, C. de Villers, Linn. Ent. III. 1789, 164.
insignita Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 222.
insignitus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2182.
insignitus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1578.
insignita Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1626.
insinuator Ichneumon, P. Rossi, Mant. Ins. I. 1792, 118.
insolens Vespa, M. Harris, Exp. Eng. Ins. 1776, 129.
insons Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3035.
inspectatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 301.
inspectata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
inspersa Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2584.
instabilis Noctua, [Denis & Schiffermüller], Schmett. Wien. 1775, 76.
[instibilis] Sphinx, MS., T. Martyn, Psyche, 1797, fig. 49 & 53.
instigator Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 47.
instigator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 164.
instilata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 526.
instructor Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 154.
insubrica Apis, C. Allioni, Misc. Taurin. III. 1766, 197.
insubricus Gryllus, J. A. Scopoli, Del. Insub. I. 1786, 64.
insubrica Sphex, J. A. Scopoli, Del. Insub. II. 1786, 58.
insulae choräb Tibia, J. F. Bolten, Mus. Bolten. (2) 1798, 123.
insulanus Dermestes, [D. H. Schneider], Nom. Ent. 1785, 5 [n. n.].
insulanus Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 127.
insulana Phalaena, [D. H. Schneider], Nom. Ent. 1785, 53 [n. n.].
insularis Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1859.
insularis Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3389.
insularis Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2824.
insularius Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1953.
insulatus Conus, F. C. Meuschen, Mus. Gever. 1787, 358.
insultans Formica, P. Forskal, Descr. Anim. 1775, 85.
intaminata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2492.
integra Anomala, L. H. v. Bloch in Becker, Plau. Grund. 1799, 119.
integer Bembex, J. C. Fabricius, Ent. Syst. II. 1793, 251.
[i]nteger Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 58.
integra Chrysis, J. C. Fabricius, Mant. Ins. I. 1787, 283.
integer Thynnus, J. C. Fabricius, Syst. Ent. 1775, 360.
integra Vespa (Fab.), J. L. Christ, Nat. Ins. 1791, 228.—Thynnus.
integrator Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
integrator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 157.
integrator Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 402.—Hydrachna.
intercus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 377.
intercus Tentredo, Linnaeus, Syst. Nat., ed. 10, 1758, 559; ed. 12, 1767, 927.
intermediatella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 519.
intermediata Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 328.
intermedius Attelabus, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 615.
intermedius Attelabus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 153.
intermedia Certhia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 98.
intermedius Cuculus, M. Vahl, Skr. nat. Selsk. [Copen.], IV (1) 1797, 59.
intermedia Enchelis, O. F. Müller, An. Infus. 1786, 28.
intermedius Vibrio, O. F. Müller, An. Infus. 1786, 77.
intermittens Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 331.

- intermixtus** Falco, Bosc, F. M. Daudin, *Traité élém. Orn.* 1800, 141.
interposita Phalaena Noctua, J. Hübner, *Beitr. Schmett.* II. 1790, 118.
interpres Tringa, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 148; ed. 12, 1766, 248.
[interpressa] Phalaena (N.) MS., T. Martyn, *Psyche*, 1797, fig. 86 & 87.
interpunctalis Pyralis, J. Hübner, *Europ. Schmett.* 6 Horde [me judice 1796], 11 [2].
interpunctata Lacerta, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1075.
interpunctatus Scarabaeus, J. F. W. Herbst in *Fuessly, Arch. Ins.* IV. 1783, 8.
interpunctus Musca, M. Harris, *Exp. Eng. Ins.* 1776, 59.
interpuncta Oliva, T. Martyn, *Univ. Conch.* III [1789], fig. 112.
interpuncta Voluta, T. Martyn, *Univ. Conch.* IV [1792], fig. 127.
interrogationana Phalaena, E. Donovan, *Brit. Ins.* II. 1793, 75.
interrogationis Leptura, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 398; ed. 12, 1767, 638.
interrogationis Noctua (L.), J. C. Fabricius, *Syst. Ent.* 1775, 607.—Phalaena.
interrogationis Papilio, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 424. [844-
inrrogationis Phalaena (Noctua), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 513; ed. 12, 1767,
interruptana Phalaena Tinea, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2518.
interrupte-fasciata Sphex, A. J. Retzius, *Gen. Sp. Ins. Geer*, 1783, 64.
interruptella Phalaena (Tin.), C. de Villers, *Linn. Ent.* II. 1789, 520.
interruptella (*sic*) Phalaena Tin., J. Hübner, *Samml. Vögel u. Schmett.* 1793, 14 [*u. et f.*].
interruptella (*sic*) Tinea, J. Hübner, *Europ. Schmett.* 8 Horde [me judice 1796], 49.
interrupta Ammonites, J. G. Bruguière, *Ency. Méth. (Vers)* (1) 1789, 41.
interrupta Apis, A. F. de Fourcroy, *Ent. Paris.* 1785, 448.
interrupta Apis, J. C. Fabricius, *Spec. Ins.* I. 1781, 482.
interrupta Arca, J. X. Poli, *Test. Sicil.* II. 1795, 136.
interrupta Bembex, J. C. Fabricius, *Mant.* I. 1787, 286.
interruptus Bolitophagus, K. Illiger, *Archiv Zool. (Wiedemann)* I (2) 1800, 112.
interruptus Brentus, Herbst in *Jablonsky, Nat. Ins. (Käfer)* VII. 1797, 197.
interruptus Bulinus (Müll.), J. G. Bruguière, *Ency. Méth. (Vers)* (1) 1789, 316.—Helix.
interrupta Buprestis, A. G. Olivier, *Entom.* II. 1790, 26.
interruptus Carabus, J. C. Fabricius, *Syst. Ent.* 1775, 242.
interruptus Carabus, C. de Villers, *Linn. Ent.* I. 1789, 384.
interrupta Cassida, J. C. Fabricius, *Syst. Ent.* 1775, 89.
interruptus Cerambyx, A. G. Olivier, *Ency. Méth. V (Ins.)* 1790, 306.
interrupta Cetonia, A. G. Olivier, *Entom.* I. 1789, 38.
interrupta Cicada, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 438; ed. 12, 1767, 710.
interrupta Ciciñdela, J. C. Fabricius, *Syst. Ent.* 1775, 225.
interrupta Coccinella, A. F. de Fourcroy, *Ent. Paris.* 1785, 149.
interrupta Coccinella, J. C. Fabricius, *Ent. Syst.* I (1) 1792, 272.
interruptus Conops, N. Poda, *Ins. Mus. Graec.* 1761, 118.
interruptus Crabro, J. C. Fabricius, *Mant.* I. 1787, 295.
interruptus Curculio, J. C. Fabricius, *Spec. Ins.* I. 1781, 188.
interruptus Cylindrus, F. C. Meuschen, *Mus. Gever.* 1787, 378.
interreptum (*sic*) Cymbium, J. F. Bolten, *Mus. Bolten.* (2) 1798, 153 [*u. n.*].
interrupta Cypraea, J. F. Bolten, *Mus. Bolten.* (2) 1798, 27 [*u. n.*].
interruptum Dentalium, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3729.
interruptus Dermestes, C. P. Thunberg, *Nov. Ins. Spec.* (1) 1781, 6.
interruptus Dytiscus, G. W. F. Panzer, *Ins. Germ. heft 26* [1795], tab. 5.
interruptus Elater, G. A. Olivier, *J. Nat. Hist. (Choix des Mém.)*, I. 1792, 265.
interrupta Geometra, C. C. Jung, *Alph. Verz. Schmett.* 1791, 290.
interrupta Helix, O. F. Müller, *Verm.* II. 1774, 94.
interrupta Helix, J. F. Bolten, *Mus. Bolten.* (2) 1798, 108.
interruptus Hylaeus, G. W. F. Panzer, *Ins. Germ. heft 55* [1798], tab. 4.
interrupta Lamia, A. G. Olivier, *Ency. Méth. VII (Ins.)* 1792, 468.
interruptus Lucanus, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 560.
interruptus Mellinus, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 266.
interrupta Musca, A. F. de Fourcroy, *Ent. Paris.* 1785, 482.
interrupta Musca, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2879.
interrupta Mutilla, P. A. Latreille, *Actes Soc. H. N. Paris*, I (1) 1792, 9.

- interrupta** Nomada, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 24.
- interruptus** Passalus (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 240.
- interrupta** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3715.
- interrupta** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 840.
- interruptus** Philanthus, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 17.
- interrupta** Phryganea, J. C. Fabricius, Syst. Ent. 1775, 307.
- interruptus** Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 354.—[Lucanus, ed. 12.]
- interrupta** Scolia, J. C. Fabricius, Spec. Ins. I. 1781, 454.
- interrupta** Sphex, J. A. Scopoli, Del. Insub. II. 1786, 60.
- interruptus** Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 82 [*n. n.*].
- interruptus** Turbo, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 3.
- interrupta** Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2702.—Crabro.
- intersectus** Antribus, A. F. de Fourcroy, Ent. Paris. 1785, 139.
- intersecta** Aranea, A. F. de Fourcroy, Ent. Paris. 1785, 532.
- intersecta** Clytra, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 128.
- intersectus** Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 120.
- intersectus** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 414.
- intersecta** Musca, A. F. de Fourcroy, Ent. Paris. 1785, 479.
- intersecta** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 283.
- intersecta** Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 287.
- intersecta** Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 354.
- intersectus** Tabanus, A. F. de Fourcroy, Ent. Paris. 1785, 457.
- intersecta** Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 439.
- intersepta** Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (3) 1795, 99.
- interstinctus** Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 445; ed. 12, 1767, 721.
- interstincta** Madrepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1276.
- interstinctus** Philanthus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 269.
- interstinctus** Turbo, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 66.
- interstitialis** Curculio, G. C. Reich, Mant. Ins. 1797, 6.
- intertextus** Balanus, R. Pulteney, Cat. Birds &c. Dorset, 1799, 25.
- intertexta** Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 163 [*n. n.*].
- intertexta** Lepas, E. Donovan, Brit. Shells (1800), pl. xxxvi.
- intertextus** Murex (Fusus), G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 120.
- intertexta** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 7.
- interventum** Musca, M. Harris, Exp. Eng. Ins. 1776, 144.
- interventus** Musca, M. Harris, Exp. Eng. Ins. 1776, 145.
- intestinalis** Actinia, O. Fabricius, F. Groen. 1780, 350.
- intestinalis** Ascidia, Linnaeus, Syst. Nat., ed. 12, 1767, 1087.
- intestinalis** Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3035.
- intestinalis** Aspis, J. N. Laurenti, Syn. Rept. 1768, 106.
- intestinalis** Chaos, M. E. Bloch, Eingeweidewürmer, 1782, 35. [Aspis.]
- intestinalis** Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1085.—
- intestinalis** Fasciola, Linnaeus, Syst. Nat., ed. 10, 1758, 649; ed. 12, 1767, 1078.
- intestinalis** Gordius, O. Fabricius, F. Groen. 1780, 269.
- intestinalis** Hirudo, M. E. Bloch, Eingeweidewürmer, 1782, 36.
- intestinalis** Ligula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3042.
- intestinalis** Lumbricus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 29.
- intestinalis** Oestrus, C. de Geer, Mém. Ins. VI. 1776, 292.
- intestinalis** Physis, J. A. Scopoli, Del. Insub. I. 1786, 46.
- intestinalis** Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.
- intestinalis** Serpula, M. Houttuyn, Nat. Hist. I (XVI) 1771, 573.
- intestinalis** Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3745.
- intestinalis** Vermetus (Gm.), F. M. Daudin, Rec. Mém. Moll. 1800, 35.—Serpula.
- intestinum** Vibrio, O. F. Müller, Verm. I (1) 1773, 44.
- intiotina** Serpula, C. U. v. Salis, Reise Neapel, 1793, 359.
- intorta** Patella, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 125.
- intratorius** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 132.
- intrepidus** Apis, M. Harris, Exp. Eng. Ins. 1776, 131.

- intricaria** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 592; ed. 12, 1767, 985.
- intricarius** Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 766.—Musca.
- intricataria** Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 327.
- intricatus** Carabus, Linnaeus, Faun. Suec., ed. 2, 1761, 217.
- intricatus** Dytiscus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 311.
- intricata** Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 86.
- intricata** Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 787; ed. 12, 1767, 1265.
- intricata** Vermiculus (L.), F. C. Meuschen, Mus. Gever. 1787, 236.—Serpula.
- intumescens** Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 209.
- inunctus** Cimex, J. C. Fabricius, Syst. Ent. 1775, 700.
- inunctus** Elater, G. W. F. Panzer, Deutsch. Ins. [1795], 241.
- inundana** Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 225.—Tortrix.
- inundana** Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 132.
- inundana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 60 [*n. et f.*].
- inundaria** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 316.
- inundata** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 214.
- inuus** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 166.—Scarabaeus.
- inuus** Cynocephalus (L.), E. Geoffroy and Cuvier, Mag. encyclop. III (12) 1795, 462.
- inuus** Macaca, B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.
- inuus** Onitis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 25.—Scarabaeus, 1781.
- inuus** Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 15.
- inuus** Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 35.
- invasor** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 414.
- invencus** Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 22.—Scarabaeus, 1775.
- invencus** Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 18.
- inversella** Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 517.
- inversella** Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 324.
- inversus** Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 315.—Helix.
- inversum** Busycon, J. F. Bolten, Mus. Bolten. (2) 1798, 149 [*n. n.*].
- inversa** Helix, O. F. Müller, Verm. II. 1774, 93.
- inversus** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 422.
- inversa** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 301.
- investigator** Carabus, Illiger in Kugelann, Käfer Preuss. 1798, 142.
- investigator** Ichneumon, P. Rossi, Mant. Ins. II. 1794, 109.
- investigator** Musca, M. Harris, Exp. Eng. Ins. 1776, 35.
- invictus** Apis, M. Harris, Exp. Eng. Ins. 1776, 134.
- invidus** Cimex, P. Rossi, Fauna Etrus. II. 1790, 243.
- invisito** Musca, M. Harris, Exp. Eng. Ins. 1776, 83.
- “**Involuta**, Da Costa, 1776,” Herm.; not used in a Linnean sense.
- involuta** Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 164.
- Involvulus** F. v. P. Schrank, F. Boica, I. 1798, 360.—Col.
- involvulus** Helix, O. F. Müller, Verm. II. 1774, 84.
- io** Bombyx, J. C. Fabricius, Syst. Ent. 1775, 560.
- io** Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 472; ed. 12, 1767, 769.
- jo** [Phalaena], P. Cramer, Uitl. Kapellen, IV (26) 1780, 26.
- io** Phalaena (Fab.), J. E. Smith in Abbot, Ins. Geogia, 1797, 97.—Bombyx.
- iole** Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 172.
- iole** [Papilio], P. Cramer, Uitl. Kapellen, I (1) 1775, 17.
- iole** Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 78.
- iole** [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 53.
- jole** [Papilio], C. Stoll, Anhang. Cramer's Uitl. Kapellen, IV. 1790, 136.
- jolus** [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 213.
- iomaculata** Buprestis, P. Rossi, Mant. Ins. II. 1794, 101.
- ion** Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 186.
- iontlandica** Papilio, *err. pro portlandica*, Fabr. 1781, J. C. Fabricius, Mant. II. 1787, 45.
- iota** Curculio, J. C. Fabricius, Mant. I. 1787, 110.
- jota** Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 608.—Phalaena.
- iota** Phalaena, P. Cramer, Uitl. Kapellen, II (14) 1777, 106.

- iota** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 296.
- jota** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 513; ed. 12, 1767, 844.
- jota** Vultur, G. I. Molina, Sag. stor. nat. Chili, 1782, 265.
- iphianasse** Noctua (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 210.—Phalaena.
- iphianasse** [Phalaena], P. Cramer, Utitl. Kapellen, II (15) 1777, 115.
- iphiclus** Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 486.—[P. (Nymphalis),
- iphidamas** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 17. [ed. 12.]
- iphigenia** [Papilio], P. Cramer, Utitl. Kapellen, I (6) 1775, 105.
- iphigenia** Papilio, J. C. Fabricius, Gen. Ins. 1777, 256. [1782, 128.
- iphigenia** Papilio, N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
- iphigenus** Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VIII. 1796, 108.
- Iphis** J. G. Meigen, N. Class. Mouches, 1800, 27.—Dip.
- iphis** Papilio, D. Drury, Ill. Nat. Hist. II. 1773, index & 26.
- iphis** Papilio, [Denis & Schiffermüller], Schmett. Wien. 1775, 321.
- iphis** Papilio, J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 241.
- iphis** Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 190.
- iphita** [Papilio], P. Cramer, Utitl. Kapellen, III (18) 1779, 30.
- Ips** J. C. Fabricius, Gen. Ins. 1777, 23.—Col.
- ips** Sphaeridium, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 116.
- ipsilon** Phalaena, Hufnagel, Berl. Mag. III. 1767, 416.
- ipsoides** Kryptophagus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 174.
- iracundus** Cimex, N. Poda, Ins. Mus. Graec. 1761, 58.
- iracundus** Reduvius (Poda), J. C. Fabricius, Syst. Ent. 1775, 731.—Cimex.
- iratus** Cimex, J. C. Fabricius, Mant. II. 1787, 292.
- Irculus** *err. pro* Jaculus, Linn., H. F. Link, Beytr. Nat. I. 1794, 66.
- ircutensis** Attelabus, E. Laxmann, Nov. Comm. Sci. Petrop. XIV (1) 1770, 595.
- irella** Tinea, [Denis & Schiffermüller], Schmett. Wien. 1775, 144.
- irene** [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 52.
- irene** [Phalaena], P. Cramer, Utitl. Kapellen, III (21) 1779, 96.
- irenea** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 77.
- ireos** Apis, P. S. Pallas, Reise Russ. II. 1773, 731.
- ireos** Curculio, P. S. Pallas, Reise Russ. II. 1773, 722.
- iridata** Musca, J. A. Scopoli, Ent. Carn. 1763, 340.
- iridea** Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 14.
- irideus** Hemerobius, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 59.
- iridis vulgaris** [Papilio], J. A. B. Bergstraesser, Ic. Pap. II. 1780, 7.
- iriformis** Mordella, A. F. de Fourcroy, Ent. Paris. 1785, 161.
- iris** Actinia, P. C. Abildgaard in Müller, Zool. Dan. ed. 3, III. 1789, 3.
- iris** Buprestis, A. G. Olivier, Entom. II. 1790, 33.
- iris** Cepola, J. A. Donndorff, Zool. Beyt. III. 1798, 317.
- iris** Cetonia, J. C. Fabricius, Spec. Ins. I. 1781, 57.
- iris** Chrysis, J. L. Christ, Nat. Ins. 1791, 405.
- iris** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 486.
- iris** Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 119.
- iris** Haliotis, T. Martyn, Univ. Conch. II. [1788], fig. 61.
- iris** Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 476; ed. 12, 1767, 775.
- iris** Pavo, J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 178.
- iris** Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1574.—Cetonia.
- iris** Tipula, O. F. Müller, F. Ins. Frid. 1764, 79.
- iris** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3580.
- iris** Turbo (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 87.—Trochus.
- irius** Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 409.
- irius** Papilio, J. C. Fabricius, Syst. Ent. 1775, 487.
- irmina** Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 37.—Phalaena.
- irmina** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30), 1781, 125.
- irregularis** Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 52.
- irregularis** Astropecten, C. F. Schultze, Verst. Seest. 1760, 51.
- irregularis** Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 127.

- irregularis* Carabus, A. G. Olivier, Entom. III. 1795, 29.
irregularis Cetonia, A. G. Olivier, Entom. I. 1789, 51.
irregularis Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 67.
irregularis Phalaena, Hufnagel, Berl. Mag. III. 1767, 394.
irregularis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 307.
irregularis Ptinus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 26.
irregularis Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99.
irregularis Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 88 [*n. n.*].
irrigator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 152.
irrisonus Ichneumon, P. Rossi, Mant. Ins. II. 1794, 108.
irrisus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 67.
irritans Conops, Linnaeus, Syst. Nat., ed. 10, 1758, 604; ed. 12, 1767, 1004.
irritans Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 363.
irritans Musca, M. Harris, Exp. Eng. Ins. 1776, 148.
irritans Pulex, Linnaeus, Syst. Nat., ed. 10, 1758, 614; ed. 12, 1767, 1021.
irritans Stomoxys (L.), J. C. Fabricius, Syst. Ent. 1775, 798.—Conops.
irritator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 336.
irrorana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 96 [*n. et f.*].
irrorator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 340.
irroratorius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 328.
irrorata Blatta, J. C. Fabricius, Syst. Ent. 1775, 272.
irroratus Bruchus, A. G. Olivier, Entom. IV. 1795, 21.
irrorata Buprestis, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 100.
irroratum Callidium, A. G. Olivier, Entom. IV. 1795, 70.
irroratus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 633.
irrorata Cetonia, A. G. Olivier, Entom. I. 1789, 23.
irrorata Cetonia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 130.
irrorata Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 33.
irroratus Cimex, J. C. Fabricius, Syst. Ent. 1775, 699.
irroratus Curculio, J. C. Fabricius, Mant. I. 1787, 106.
irroratus Curculio, F. v. P. Schrank, F. Boica, I. 1798, 506.
irroratus Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 233.
irroratus Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 397.
irrorata Libellula, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 191.
irrorata Lithosia (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 461.—Tinea irrorella.
irrorata Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 690.—[*v.* Gryllus.]
irrorata Melolontha, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 18.
irrorata Mylabris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 74.
irrorata Noctua, J. C. Fabricius, Spec. Ins. II. 1781, 506.
irrorata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 630.
irrorata Phryganea, J. C. Fabricius, Spec. Ins. I. 1781, 389.
irrorata Saperda, J. C. Fabricius, Mant. I. 1787, 147.
irroratus Scarabaeus, P. Rossi, Fauna Etrus. I. 1790, 7.
irroratus Stenocorus (L.), J. C. Fabricius, Syst. Ent. 1775, 180.—Cerambyx.
irrorea Bombyx (Linn.), J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 349.—Tinea irrorella.
irrorella Noctua (L.), [Denis & Schiffermüller], Schmett. Wien, 1775, 68.—Tinea irrorella.
irrorea Phalaena Bombyx (L.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 253.—
P. Tinea irrorella.
irrorella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 535; ed. 12, 1767, 885.
irrorella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 657.—Phalaena.
irus Donax, Linnaeus, Syst. Nat., ed. 10, 1758, 683; ed. 12, 1767, 1128.
irus [Sphinx], C. Stoll in Cramer, Utit. Kapellen, IV (31), 1781, 150.
isabella Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 44 [*n. n.*].
isabella Cylindrus, F. C. Meuschen, Mus. Gev. 1787, 376.
isabella Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 722; ed. 12, 1767, 1177.
isabella [Papilio], C. Stoll in Cramer, Utit. Kapellen, IV (30) 1781, 117.
isabella Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 131.

- isabella** Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 402.—Cypraea.
- isabella** Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 33.
- isabella** Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1489.
- isarchus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 316.
- isciatus** Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 636.
- isebequensis** Boa, J. P. Bonnaterre, Ency. Méth. (Oph.), 1790, 9.
- iseri** Callyodon, M. E. Bloch, Abh. Böhm. Ges. Wiss. 1788 (1789), 245.
- isertana** Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 281.
- iserti** Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 106.
- isidora** [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 72.
- Isis** Linnaeus, Syst. Nat., ed. 10, 1758, 799; ed. 12, 1767, 1287.—Cor.
- isis** [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 6.
- isis** Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 8.
- isis** Papilio, C. P. Thunberg, Ins. Suecica (2) 1791, 31.
- isis** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 124.
- islandica** Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 541.
- islandica** Balaena, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 547.
- islandicum** Buccinum, F. C. Meuschen, Mus. Gever. 1787, 298.
- islandicum** Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112.
- islandicum** Cardium, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 222.
- islandicus** Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3206.
- islandica** Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 161 [*n. n.*].
- islandicus** Colus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 117.—Murex.
- islandicus** Falco, J. Latham, Index Orn. 1790, 32.
- islandica** Millepora, E. J. C. Esper, Pflanzenth., Forts. I (4) 1795, 116.
- islandicus** Murex, G. Mohr, Island. Nat. 1786, 136.
- islandicus** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3555.
- islandica** Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3675.
- islandica** Ostrea (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3326.—
- islandica** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3698. [Pecten.
- islandicus** Pecten, O. F. Müller, Z. Dan. Prod. 1776, 248.
- yslandicus** Pecten, F. C. Meuschen, Mus. Gever. 1787, 418.
- islandica** Tringa, Linnaeus, Syst. Nat., ed. 12, 1766 [addenda, end of vol. i.].
- islandica** Venus, Linnaeus, Syst. Nat., ed. 12, 1767, 1131.
- islandus** Falco, M. T. Brünnich, Orn. Boreal. 1764, 2.
- islandus** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 271: *varr.* albus,
- ismare** [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 156. [maculatus.
- ismarus** [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777, 123.
- ismene** [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 40.
- Isocardia** Lamarck, Mem. Soc. H. N. Paris, 1799, 86.—L.
- isocardia** Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 679; ed. 12, 1767, 1122.
- isocrates** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 266.
- isognomostomos** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3621.
- isognomum** *v.* **isogonum**.
- isogoalata** Riparia, F. C. Meuschen, Mus. Gever. 1787, 470.
- Isogonum** J. F. Bolten, Mus. Bolten. (2) 1798, 168.—L.
- isogonum** Melina (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 23.—Ostrea.
- isognomum** Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 699.
- isogonum** Ostrea, Linnaeus, Syst. Nat., ed. 12, I. 1767, 1149.
- isognomum** Perna (L.), G. Cuvier, Tab. Elém. 1798, 422.—Ostrea.
- isogonum** Riparia (L.), F. C. Meuschen, Mus. Gever. 1787, 470.—Ostrea.
- isoscelata** Phalaena, Scopoli, Ent. Carn. 1763, 225.
- Ispida** Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 1 & 20.—A.
- Ispida** M. J. Brisson, Ornith. IV. 1760, 471.—A.
- Ispida** G. Edwards in M. Catesby, Carol. I. 1771, 69.—A.
- ispida** Alcedo, Linnaeus, Syst. Nat., ed. 10, 1758, 115; ed. 12, 1766, 179.
- ispida** Ispida (L.), J. C. Schaeffer, Mus. Orn. 1789, 47.—Alcedo.
- ispida** Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 35.

- ispidula *Cylindrus* (L.), F. C. Meuschen, Mus. Gev. 1787, 368.—*Voluta*.
 ispidula *Voluta*, Linnaeus, Syst. Nat., ed. 10, 1758, 730; ed. 12, 1767, 1188.
 israelitarum *Tetrao*, Linnaeus in Hasselquist, Palast. 1762, 331.
 israelitica *Cassida*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 66.
 isse [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 87.
 istriacus *Elater*, Scopoli, Ent. Carn. 1763, 94.
 istrianus *Cancer*, Scopoli, Ent. Carn. 1763, 409.
 itala *Helix*, Linnaeus, Syst. Nat., ed. 10, 1758, 772; ed. 12, 1767, 1245.
 italica *Acheta*, J. C. Fabricius, Spec. Ins. I. 1781, 355.
 italicum *Acridium* (L.), G. A. Harter, Besch. Schaeffer Icones, 1784, 263.—*Gryllus*.
 italica *Alauda*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 793.
 italica *Apis*, J. C. Fabricius, Ent. Syst. II. 1793, 321.
 italicus *Ascalaphus*, J. C. Fabricius, Spec. Ins. I. 1781, 400.
 italica *Bibio*, P. Rossi, Mant. Ins. II. 1794, 59.
 italica *Cantharis*, Linnaeus, Syst. Nat., ed. 10, 1758, 401.—[*Lampyrus*, ed. 12.]
 italicus *Cerambyx*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1851.
 italicus *Cimex*, A. F. de Fourcroy, Ent. Paris. 1785, 216.
 italica *Corrira*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 653.
 italica *Cynips*, J. C. Fabricius, Ent. Syst. II. 1793, 103.
 italicus *Falco*, F. M. Daudin, Traité élém. Orn. 1800, 96.
 italicus *Gryllus* (*Locusta*), Linnaeus, Syst. Nat., ed. 10, 1758, 432; ed. 12, 1767, 701.
 italicus *Hemerobius*, P. Rossi, Fauna Etrus. II. 1790, 12.
 italica *Lampyrus*, Linnaeus, Syst. Nat., ed. 12, 1767, 645.—[*Cantharis*, ed. 10.]
 italicus *Lanius*, J. Latham, Index Orn. 1790, 71.
 italica *Ligia*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 302.
 italica *Locusta*, J. C. Fabricius, Ent. Syst. II. 1793, 38.
 italica *Mutilla*, J. C. Fabricius, Ent. Syst. II. 1793, 370.
 italica *Noctua*, J. C. Fabricius, Spec. Ins. II. 1781, 218.
 italicus *Otus*, F. M. Daudin, Traité élém. Orn. 1800, 213.
 italica *Panorpa*, C. Allioni, Misc. Taurin. III. 1766, 194.
 italica *Pennatula*, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 61.
 italicus *Scorpio*, J. F. W. Herbst, Nat. ungefl. Ins. (4) 1800, 70.
 italicus *Tabanus*, J. C. Fabricius, Spec. Ins. II. 1781, 457.
 italica *Venus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3289.
 italica *Vespa*, J. L. Christ, Nat. Ins. 1791, 221.
 itea *Papilio*, J. C. Fabricius, Syst. Ent. 1775, 498.
 itinerator *Ichneumon*, J. C. Fabricius, Ent. Syst. II. 1793, 155.
 Itonida J. G. Meigen, N. Class. Mouches, 1800, 19.—*Dip*.
 itynx *Noctua*, J. C. Fabricius, Mant. II. 1787, 136.
 itys [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 34.
 itys *Scarabaeus*, A. G. Olivier, Entom. I. 1789, 179.
 iuba *v. juba*.
 iudaicus *v. judaicus*.
 iulia *v. julia*.
 iuncea *v. juncea*.
 iungiella *v. jungiella*.
 iuniperi *v. juniperi*.
 iupiter *v. jupiter*.
 iutica *v. jutica*.
 iuventus *v. juvenus*.
 ixilion *Papilio* (*Barbarus*), Linnaeus, Syst. Nat., ed. 10, 1758, 488.
 ixion *Anthrax*, J. C. Fabricius, Ent. Syst. IV. 1794, 261.
 ixion *Papilio*, J. C. Fabricius, Syst. Ent. 1775, 523.
 ixion *Sesia*, J. C. Fabricius, Spec. Ins. II. 1781, 154.
 ixion *Sphinx*, Linnaeus, Syst. Nat., ed. 10, 1758, 493; ed. 12, 1767, 803.
 Ixodes P. A. Latreille, Mag. encyclop. III (13) 1795, 18.—*Ar*.
 Ixodes P. A. Latreille, Préc. Car. Ins. 1796, 179.—*Ar*.
 izquiepatl *Viverra*, E. A. W. Zimmermann, Spec. Zool. 1777, 483.

- jabick** Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 127.
Jacana M. J. Brisson, Ornith. V. 1760, 121.—A.
Jacana B. G. E. de Lacépède, Tabl. Oiseaux. 1799, 19.—A.
jacana Parra, Linnaeus, Syst. Nat., ed. 12, 1766, 259.
jacapa Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 313.
jacapani Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 343.—Oriolus japacani.
jacarina Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 314.
jacchus *v.* iacchus.
jaceae Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 735.
jaceae Aphis, Scopoli, Ent. Carn. 1763, 138.
iaceae Curculio, J. C. Fabricius, Syst. Ent. 1775, 129.
iacintha [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 36.
jackia Rana, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 5.
jackie Rana, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
jacksoni Squalus, G. A. Suckow, Naturges. IV. 1799, 102; = portus-j. Donnd.
jacobaeae Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 588.—Phalaena.
jacobaeae Noctua (L.), E. J. C. Esper, Die Schmett. IV (34) 1787, 87.—Phal.
jacobaeae Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 290.
jacobaeae Phalaena (Noctua). Linnaeus, Syst. Nat., ed. 10, 1758, 511; ed. 12, 1767, 839.
jacobaearia Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 253.
jacobaenum Argoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Ostrea.
jacobaea Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 696; ed. 12, 1767, 1144.
jacobaeus Pecten (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 85.—Ostrea.
jacobaea Pecten (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 165.—Ostrea.
jacobin Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 151.
jacobinum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 153.
jacquini Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 536.
jacquini Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 251.
jacquini Falco (Gypaetus), R. Kerr, Anim. Kingd. 1792, 478.
iaquiniana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 229.—Tortrix.
jacquiniana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 132.
jaculator Foenus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 240.—Ichneumon.
jaculator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 565; ed. 12, 1767, 937.
jaculator Nerita, O. F. Müller, Verm. II. 1774, 185.
jaculatrix Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 381.
jaculatrix Sciaena, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 121.
Jaculus J. C. P. Erxleben, Syst. Anim. 1777, 404.—M.
Jaculus J. F. Blumenbach, Hand. Naturg. 1779, 88.—M.
jaculus Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 228; ed. 12, 1766, 391.
jaculus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 34.
jaculus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 104.
jaculus Dipus (L.), P. Boddaert, Elench. 1785, 114.—Mus.
jaculus Glis, G. C. C. Storr, Prod. 1780, 37.
jaculus Jerboa (L.), E. A. W. Zimmermann, Spec. Zool. 1777, 522.—Mus.
jaculus Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 63; ed. 12, 1766, 85.
jaculus Yerbua (L.), J. R. Forster, K. Vet. Ac. Handl. XXXIX. 1778, 113.—Mus.
jacupema Penelope, B. Merrem, Avium rar. Icones, II. 1786, 39.
jadreka Scolopax, O. F. Müller, Z. Dan. Prod. 1776, 23.
jagonis Perca, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 352.
jaguar Felis, H. F. Link, Beytr. Nat. I (2) 1795, 90.
jaquilha Psittacus, G. I. Molina, Sag. stor. nat. Chili, 1782, 257.
jairus [Papilio], P. Cramer, Utit. Kapellen, I (1) 1775, 9.
jairus [Papilio], P. Cramer, Utit. Kapellen, II (16) 1777, 135.
iairus Papilio (Nymph.), Herbst, Einl. Ins. II. 1785, 49.
jakal Falco, F. M. Daudin, Traité élém. Orn. 1800, 161.
jamacaii Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 335.—Oriolus.
jamacaii Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 391.
jamaica Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 323.

- jamaicensis** Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 519.
jamaicensis Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3312.
jamaicensis Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 625.
jamaicensis Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 57.
jamaicensis Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1029.
jamaicensis Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 364; ed. 12, 1767, 577.
jamaicensis Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1830.
jamaicensis Charadrius, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 117.
jamaicensis Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 283.
jamaicensis Conus, Hwass in J. G. Bruguère, Ency. Méth. (Vers) (2) 1792, 700.
jamaicensis Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 367.
jamaicensis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1729.
jamaicensis Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 173.
jamaicensis Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 266.
jamaicensis Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 16.
jamaicensis Geotrupes (Dru.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 18.—Scarabaeus.
jamaciensis Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3644.
jamaicensis Hemerobius, Panzer in Drury, Exot. Ins. 1785, 180.
jamaicensis Janthina (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 76.—Helix.
jamaicensis Mantis, D. Drury, Ill. Nat. Hist. II. 1773, index & 88.
jamaicensis Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2871.
jamaicensis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3715.
jamaicensis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3730.
jamaicensis Phasma (Dru.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 188.—Mantis.
jamaicensis Planorbis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 73.—Helix.
jamaicensis Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 718.
jamaicensis Scarabaeus, D. Drury, Ill. Nat. Hist. I. 1770, index & 74.
jamaciensis Sitta, Linnaeus, Syst. Nat., ed. 12, 1766, 178.
jamaicensis Sphex, J. C. Fabricius, Syst. Ent. 1775, 347.
jamaicensis Sturnus, F. M. Daudin, Traité élém. Orn. 1800, 317.
jamaicensis Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3237.
jamaicensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 809.
jamaicensis Vespa, D. Drury, Ill. Nat. Hist. I. 1770, index & 104.
jambos Columba, *id. ac* jambu, Gm., J. Latham, Index Orn. 1790, 598.
jambu Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 784.
jana Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 28.—Phalaena.
jana [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (33) 1782, 220.
janais [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 22.
janassa Papilio (Nymphalis), Linnaeus, Mus. Lud. Ulr. 1764, 294.
janassia Papilio, J. C. Fabricius, Mant. II. 1787, 49.
janata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 527; ed. 12, 1767, 870.
jandaya Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 319.
janias Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 259.—Papilio.
janias Papilio (Cr.), C. C. Jung, Alph. Verz. Schmett. I. 1791, 280.—Sphinx.
janias [Sphinx], P. Cramer, Utit. Kapellen, III (18) 1779, 36.
janira Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 475; ed. 12, 1767, 774.
janthe
janthina } *v. ianth-*
janthinae }
janthinus }
ianus Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 169.—Phalaena.
janus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 136.
ianus Cimex, J. C. Fabricius, Syst. Ent. 1775, 714.
janus Conus, Hwass in J. G. Bruguère, Ency. Méth. (Vers) (2) 1792, 690.
janus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 154.
janus [Phalaena], P. Cramer, Utit. Kapellen, I (6) 1775, 100.
janus Saperda, J. A. Frolich, Naturforscher, XXVII. 1793, 154.
janus Scarabaeus, G. W. F. Panzer, Fauna Ins. Amer. 1794, 5.

- japacani** Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 385.
japanensis }
japanicus } *v.* japon-
- japetus** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 145.
japeta [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 109.
japix [Sphinx], P. Cramer, Utitl. Kapellen, I (8) 1776, 137.
japonensis Ardea (Grus), P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 110.
japanensis Ardea, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 11 [*n. n.*].
japanensis Callyodon, M. E. Bloch, Abh. Böhm. Ges. Wiss. 1788 (1789), 244.
japonensis Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 257.
japonensis Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 485.
japonensis Pavo, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 179.
japonicum Amusium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 165.—Ostrea.
japonicus Anthias, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 5.
japonica Ardea, T. Pennant in Forster, Ind. Zool. 1781, 42 [*n. n.*].
japonica Atherina, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782, 340.
japonicus Balistes, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 466. [312.
japonicus Callionymus, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782,
japonica Chrysomela, E. F. Hornstedt, Schrift. Berlin. Ges. Nat. Freunde, VIII. 1788, 1.
japonica Cicindela, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 25.
japonica Cobitis, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782, 337.
japonica Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 12.
japonicus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 710.
japonica Coryphaena, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782,
japonicus Cottus, P. S. Pallas, Spic. Zool. VII. 1769, 30. [315.
japonica Felis, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 679. [329.
iaponicus Gasterosteus, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782,
japonicus Labrus, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782, 324.
japonica Lacerta, C. P. Thunberg, K. Vet. Ac. Nya Handl. VIII. 1787, 124.
japonica Lacerta (Houtt.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1076.—
japonica Lampyrus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 79. [Salamandra.
japonicus Mullus, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782, 334.
japonica Musca, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 90.
japonica Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3317.
japonica Panorpa, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 67.
japonica Perca, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 88.
japonicus Pleuronectes, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782,
japonicus Psittacus, Linnaeus, Syst. Nat., ed. 12, 1766, 141. [317.
japonica Salamandra, M. Houttuyn, Verh. Zeeuwsch Genoot. Wet. Vlissingen, IX.
japonica Saperda, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 57. [1782, 329.
japonicus Scomber, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782, 331.
japonicus Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 110.
japonica Testudo, C. P. Thunberg, K. Vet. Ac. Nya Handl. VIII. 1787, 178 & pl.
japonicus Uranoscopus, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782,
japonica Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3279. [314.
japonica Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 181.
japygia Papilio (N. G.), D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 3.
jarbas *v.* iarbas.
jarbua Sciaena, P. Forskal, Descr. Anim. 1775, 50.
jasius Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 156.
jasius Papilio (Eques), Linnaeus, Syst. Nat., ed. 12, 1766 [errata at end of vol. i].—[*v.*
jason.]
jason Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 485.—[P. (Eques), ed. 12.]
jason Papilio (Eques), Linnaeus, Syst. Nat., ed. 12, 1767, 749.
jason Papilio (Eques), Linnaeus, Syst. Nat., ed. 12, 1767, 752.—[*v.* P. (Barbarus).]
jason Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 6.
jaspideus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3387.
jaspideus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 48.—Conus.

- jaspidea* Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 284.
jaspidea Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3442.
jaspis Conus, C. U. v. Salis, Reise Neapel, 1793, 363.
jaspoides Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 267.
jatrophae Papilio, Linnaeus, Amoen. Acad. VI. 1763, 408.
jatrophae Sphinx, J. C. Fabricius, Syst. Ent. 1775, 538.
jatropharia Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 523; ed. 12, 1767,
java Papilio (Danaus), Linnaeus, Syst. Nat., ed. 12, vol. III. 1768, App., 225. [865].
javanensis Anas, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 160.
javanensis Columba, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 133.
javanensis Lacerta, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 41.
javanensis Monopetser, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 138.
javanensis Picus, S. I. Lungh, K. Vet. Ac. Nya Handl. XVIII. 1797, 137.
javanensis Strix, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 5 [*n. n.*].
javanensis Tetrao, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
javanicus Acerochordus, C. F. Hornstedt, K. Vet. Ac. Nya Handl. VIII. 1787, 307.
javanicus Cervus, P. Osbeck, Reise Ost-Ind. China, 1765, 357.
javanica Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 44.
javanicus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 45.
javanica Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 781.
javanicus Corvus, J. R. Forster in Osbeck, Voy. China, I. 1771, 157.
javanicus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 267.
javanica Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 489.
javanica Hirundo, A. Sparrman, Mus. Carls. IV. 1789, no. c.
javanicus Moschus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 174.
javanicus Murex, *id. ac javanus*, L., M. Houttuyn, Nat. Hist. I (XVI) 1771, 311.
javanica Muscicapa, A. Sparrman, Mus. Carls. III. 1788, no. lxxv.
javanica Mustela, E. A. W. Zimmermann, Spec. Zool. 1777, 488.
javanica Perdix (Gm.), J. Latham, Index Orn. 1790, 651.—Tetrao.
javanicus Psittacus, J. R. Forster in Osbeck, Voy. China, I. 1771, 156.
javanicus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 319.
javanica Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 295.
javanica Testudo, P. Osbeck, Reise Ost-Indien China, 1765, 128.
javanicus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 761.
javanulus Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 31.
javana Aeshna, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 189.
javana Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2098.
javanus Coluber, J. N. Laurenti, Syn. Rept. 1768, 96.
javanus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1712.
javanus Didelphis, P. Boddaert, Elench. 1785, 78.
javanus Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 398.
javanus Murex, Linnaeus, Syst. Nat., ed. 12, 1767, 1221.
javanus Penicillus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 128.
javana [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 146.
javana Tellina, F. C. Meuschen, Mus. Gever. 1787, 458.
javana Turris (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 124.—Murex.
javensis Cavia, E. A. W. Zimmermann, Spec. Zool. 1777, 507.
javensis Fringilla, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
javensis Loxia, A. Sparrman, Mus. Carls. IV. 1789, no. lxxxix.
javensis Motacilla, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
javirus Teuthis, Linnaeus, Syst. Nat., ed. 12, 1766, 507.
jecusculum Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 370.
ieiuna Musca, J. C. Fabricius, Mant. II. 1787, 342.
ieiuna Tettigonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 100.
Jerboa E. A. W. Zimmermann, Spec. Zool. 1777, 522.—M.
Yerboa E. A. W. Zimmermann, Spec. Zool. 1777, 526.—M.
Yerbua J. R. Forster, K. Vet. Ac. Handl. XXXIX. 1778, 111.—M.
Yerbua E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 231.—M.

- jerboa** Dipus, B. G. E. de Lacépède, Tabl. Mamm. 1799, 10.
jerboa (*sic*) Dipus, Olivier, Bull. Sci. Soc. Philom. [Paris], no. 40, 1800, 121.
jerboa Jaculus, J. F. Blumenbach, Hand. Naturg. 1779, 88.
jeses Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 325; ed. 12, 1766, 530.
jesis Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3058.
jesuita Apate, J. C. Fabricius, Syst. Ent. 1775, 54.
jesuita Bombyx, J. C. Fabricius, Syst. Ent. 1775, 586.
jesuite Bostrichus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 109.—Apate.
jesuita Dermestes, O. F. Müller, Z. Dan. Prod. 1776, 57.
jo Phalaena, *v.* 10.
joannis Bibio, *v.* **johannis**.
joblotii Aranea, Scopoli, Ent. Carn. 1763, 402.
jocator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 175.
jocator Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 238.—Ichneumon, 1793.
joco Musca, M. Harris, Exp. Eng. Ins. 1776, 157.
jocosus Lanius, Linnaeus, Syst. Nat., ed. 10, 1758, 95; ed. 12, 1766, 138.
jodutta Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 61.
jodutta Hepialus, J. C. Fabricius, Mant. Ins. II. 1787, 134.
jodutta Noctua (D. & S.), E. J. C. Esper, Die Schmett. IV (30) 1786, 30.—Bombyx.
jodutta Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 175.
johannae Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 629.
johannensis Falco, J. Latham, Index Orn. 1790, 47.
joannis (*sic*) Bibio (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 298.—Tipula.
johannis Hirtea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 552.—Tipula.
johannis Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 976.
johnii Anthias, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 113.
Johnius M. E. Bloch, Nat. ausl. Fische, VII. 1793, 132.—P.
Johnius G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [*n. v.*].—P.
johnsoni Sparus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 302.
jolaus [Papilio], P. Cramer, Uitl. Kapellen, III (23) 1780, 141.
jole *v.* iole.
jolus *v.* iolus.
jonensis Voluta, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 101.
jonstera Aranea, Scopoli, Ent. Carn. 1763, 400.
joptera Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 209.
jota *v.* iota.
jovianus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 348.
joviana Noctua (Cr.), J. C. Fabricius, Ent. Syst. III (2) 1794, 42.—Phalaena.
jovianus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 213.
joviana [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 237.
jozo Gobius, Linnaeus, Syst. Nat., ed. 10, 1758, 263; ed. 12, 1766, 450.
juba Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 314.
juba Ostrea, F. C. Meuschen, Mus. Gever. 1787, 422.
iuba Papilio, J. C. Fabricius, Mant. II. 1787, 82.
juba Perca, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 77.
jubata Felis, J. C. D. Schreber, Säugth. III. 392 (1777), pl. cv (1776).
jubata Myrmecophaga, Linnaeus, Syst. Nat., ed. 12, 1766, 52.
jubata Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 75.
jubata Phoca, J. C. D. Schreber, Säugth. III. 300 (1776), pl. lxxxiii B (1776).
jubilatorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 151.
jucunda [Phalaena], P. Cramer, Uitl. Kapellen, III (21) 1779, 96.
judaica Actinia, Linnaeus, Syst. Nat., ed. 12, 1767, 1088.
judaica Anadema, F. C. Meuschen, Mus. Gever. 1787, 480.
judaica Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 109.
“judiacus Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 165.
judaicus Priapus, Linnaeus, Faun. Suec., ed. 2, 1761, 510.
judex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
judith Papilio, J. C. Fabricius, Mant. II. 1787, 22.

- juglandis* Anobium, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 61.
juglandis Aphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2210.
juglandis Lyctus, J. C. Fabricius, Ent. Syst. I (2) 1792, 504.
juglandis Lygdus, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 33.
juglandis Sphinx, J. E. Smith in Abbot, Ins. Georgia, 1797, 57.
juglandis Synchita, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 403.
jugularis Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 185.
jugularis Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 225; ed. 12, 1766, 387.
jugularis Loxia, G. Shaw, Nat. Misc. II. 1791, pl. 56.
jugularis Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 80.
jugularis Trochilus, Linnaeus, Syst. Nat., ed. 12, 1766, 190.
jugularis Trochilus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 100.
jugularis Turdus, J. Latham, Index Orn. 1790, 351.
jugurtha [Papilio], P. Cramer, Utitl. Kapellen, II (16) 1777, 138.
jubinatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3570.
julacea Scolopendra, Scopoli, Ent. Carn. 1763, 419.
julettus [Papilio], C. Stoll, Aanh. Cramer's Utitl. Kapellen, II. 1790, 43.
julia [Papilio], P. Cramer, Utitl. Kapellen, I (1) 1775, 11.
iulia Papilio, J. C. Fabricius, Syst. Ent. 1775, 509.
julia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 180.
julialis Phalaena, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 216.
juliana [Papilio], P. Cramer, Utitl. Kapellen, III (24) 1780, 157.
julianata [Phalaena], C. Stoll, Aanh. Cramer's Utitl. Kapellen, I. 1787, 40.
julianella Alucita, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 119.
julii Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 167.
julis Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 284; ed. 12, 1766, 476.
Julus Linnaeus, Syst. Nat., ed. 10, 1758, 639; ed. 12, 1767, 1064.—Myr.
julus Cyprinus, G. I. Molina, Sag. stor. nat. Chili, 1782, 226.
junceti Sturnus, J. Latham, Index Orn. 1790, 326.
juncea Buprestis, P. S. Pallas, Icon. Ins. 1782, 65.
junceus Carabus, Scopoli, Ent. Carn. 1763, 89.
junceus Cimex, Scopoli, Ent. Carn. 1763, 135.
junceus Curculio, G. C. Reich, Mant. Ins. 1797, 15.
juncea Gorgonia, P. S. Pallas, Elench. 1766, 180.
juncea Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 544; ed. 12, 1767, 903.
junceus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 17.
junceus Pediculus, Scopoli, Ent. Carn. 1763, 384.
juncea Pennatula, P. S. Pallas, Elench. 1766, 371.
junceus Scorpio, J. F. W. Herbst, Nat. ungefl. Ins. (4) 1800, 65.
iuncea Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 468.
iuncea Vespa, J. L. Christ, Nat. Ins. 1791, 245.
junci Chrysomela, N. J. Brahm, Ins. Kal. I (1) 1790, 62.
junci Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 413.
juncto Turdus, M. Houttuyn in Nozeman & Houttuyn, Ned. Vogel. II (178—), 93.
juncorum Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 952.
juncorum Psylla, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris], no. 15, 1798, 113.
juncorum Sylvia (Gm.), J. Latham, Index Orn. 1790, 511.—Motacilla.
jungermanniae Curculio, G. C. Reich, Mant. Ins. 1797, 16.
iungtiella [Phalaena], C. Clerck, Icones, I. 1759, pl. xii, 9.
junia Libellula, D. Drury, Ill. Nat. Hist. I. 1770, index & 112.
junia [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 9. [et f.]
juniperata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 294 [n].
juniperata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 527; ed. 12, 1767,
juniperella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 370. [871
juniperi Aphis, C. de Geer, Mém. Ins. III. 1773, 56.
uniperi Curculio, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 56.
iuniperi Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 389.—Ichneumon.
juniperi Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 567; ed. 12, 1767, 939.

- juniperi** Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 556; ed. 12, 1767, 923.
juniperinus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 445; ed. 12, 1767, 722.
juniperina Hirtea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 553.—Tipula.
juniperinus Ichneumon, H. Ström, Nye Saml. K. Danske Skrifter, III. 1788, 278.
juniperina Thrips, Linnaeus, Syst. Nat., ed. 10, 1758, 457; ed. 12, 1767, 743.
juniperina Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 585; ed. 12, 1767, 977.
junix Brachycerus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 88.
juno [Papilio], P. Cramer, Utitl. Kapellen, III (18) 1779, 38.
juno Staphylinus, G. Paykull, Mon. Staph. 1789, 33.
juno Stenus (Fab.), G. Paykull, Faun. Suec. III. 1800, 433.—Staphylinus.
junx Brachycerus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 55.
jupiter Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 336.
iupiter Papilio, J. C. Fabricius, Mant. II. 1787, 87.
jurtina Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 475; ed. 12, 1767, 774.
justina Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 45.—Phalaena.
justina [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 75.
justina [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 186.
itica Phalaena (Noctua), O. F. Müller, F. Ins. Frid. 1764, 47.
juturna [Phalaena], P. Cramer, Utitl. Kapellen, II (11) 1777, 48.
juvenalis Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 339.
juvenalis Papilio (Fab.), J. E. Smith in Abbot, Ins. Georgia, 1797, 41.—Hesperia.
juvencus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 22.
juvencus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 631.
juvencus Copris, L. G. Scriba, Beitr. Ins. I. 1790, 30.
juvencus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 51.
juvencus Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 560.—[Sirex, ed. 12.]
iuuencus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 18.
juvencus Sirex, Linnaeus, Faun. Suec., ed. 2, 1761, 396.
juvenilis Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3287.
juventa [Papilio], P. Cramer, Utitl. Kapellen, II (16) 1777, 139.
juventina [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 245.
Jynx Linnaeus, Syst. Nat., ed. 10, 1758, 112.—[Yunx, ed. 12.]—A.
jynx Torquilla, J. C. Schaeffer, Mus. Orn. 1789, 42.
- kaehleri** Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 393; ed. 12, 1767, 631.
kaehleri Lamia (L.), J. C. Fabricius, Syst. Ent. 1775, 173.—Cerambyx.
kaekertiziana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 12, 1767, 876.
kaekritiziana Pyralis (L.), J. C. Fabricius, Mant. II. 1787, 229.—Phalaena.
kaempferi Tettigonia, J. C. Fabricius, Ent. Syst. IV. 1794, 23.
kagolca *v.* cogolca.
Kakatoe G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [n. n.].—A.
kakelik Perdix (Falk), J. Latham, Index Orn. 1790, 655.—Tetrao.
kakelik Tetrao, J. P. Falk, Reise Russ. (5) 1786, 390.
kakkerlac Blatta, C. de Geer, Mém. Ins. III. 1773, 535.
kalmiae Sphinx, J. E. Smith in Abbot, Ins. Georgia, 1797, 73.
kalmii Aranea, Scopoli, Ent. Carn. 1763, 399.
kalmii Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 448; ed. 12, 1767, 728.
kambeul Ampulla, J. F. Bolten, Mus. Bolten. (2) 1798, 110.
kambeul Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 322.
Kampylodon *v.* Campylodon.
camschatcensis Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1658.
camschatkensis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 986.
kamschatkensis Sylvia (Gm.), J. Latham, Index Orn. 1790, 552.—Motacilla.
camschatkensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 817.
Kanguroo B. G. E. de Lacépède, Tabl. Mamm. 1799, 6.—M.
kenguru Didelphis, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 231.
cangura Gigantomys, H. F. Link, Beitr. Nat. I (1) 1794, 70.

- canguru** Mus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 62.
caenguru Mus, in P. Höslin's ed. Linn. Syst. Nat. I. 1781, 125.
kanguru Yerbua, J. R. Forster, K. Vet. Ac. Handl. XXXIX. 1778, 113.
Kangurus E. Geoffroy & Cuvier, Mag. encyclop. II (6) 1795, 188.—M.
kannume G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
kannume Mormyrus, P. Forskal, Descr. Anim. 1775, 74.
kapirat Notopterus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 189.
karagan Canis, P. B. C. Graumann, Introd. H. N. 1779, 84.
karagan Canis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 74.
karakal Felis, Zimm., said by Donndorff to be a misprint for "manul."—See **caracal**.
karkinophagus *v.* **carcin-**
karrak Anarhichas, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 299.
karschina Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) V. 1792, 26.
kasmira Sciaena, P. Forskal, Descr. Anim. 1775, 46.
Kateretes Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 11.—Col.
kattlo Felis, F. v. P. Schrank, F. Boica, I. 1798, 52.
kayko Salmo, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 72.
keekask Larus, J. Latham, Index Orn. 1790, 818.
kekuschka Anas, S. G. Gmelin, Reise Russ. III. 1774, 249.
kenguru *v.* **kanguru**.
kephalopterus *v.* **cephalopterus**.
keptuschca Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 673.
kerathurus *v.* **cerathurus**.
"Keratophyton, Ellis, 1756," Ag.; this word occurs in Ellis, Naturg. Corall-Arten (Krüniz' ed.) 1767, p. 73, but is not used in a generic sense.
Keratophyton P. L. S. Müller, Del. Nat. I. 1766, 128.—Gorg.
"Keratoplatus, Latr. 1792," Scudd.; I do not find this spelling, see **Keroplatus**.
keratosqueleton *v.* **cerat-**
kerella Picus, B. C. Otto in Buffon, Naturg. Vögel, XXIII. 1796, 45.
kermes- *v.* **chermes-**
"Keron, Montin, 1776," Waterh.; is Lappish vernacular.—A.
Kerona O. F. Müller, An. Infus. 1786, 233.—Inf.
Keroplatus L. Bosc, Actes Soc. H. N. Paris, I (1) 1792, 42.—Dip.
kerran Charadrius, Linnaeus in Hasselquist, Palast. 1762, 312.
kerwan Charadrius, W. G. Browne, Trav. Africa, 1799, 263.—[*n. n.*—?kerran, L.]
keta Salmo, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 72.
kevella Antilope, P. S. Pallas, Misc. Zool. 1766, 7.
khalmyccica Capra, J. R. Forster, Phil. Trans. LVII (2) 1768, 344.
kiloniensis Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1978.
kiloniensis Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2102.
kiloniensis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1728.
Kinkajou B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.—M.
kiriwoula Vespertilio, P. Boddaert, Elench. 1785, 70.
kirm Scomber, P. Forskal, Descr. Anim. 1775, 55.
kitt Pleuronectes, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 120.
[kleemann-]—
klemannelle Phalaena (Tin.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 507.
klemannella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 304.
klemannella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 509.
kleemanni Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
klemaniana [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 192.
kleiniella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 528.
kleinii Aranea, Scopoli, Ent. Carn. 1763, 398.
kleinii Balistes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1472.
kleinii Chaetodon, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 7.
kleinii Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 86.
kleinii Xiphias, G. A. Suckow, Naturges. IV. 1799, 208.
kleinii Zeus, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 401.

klemann- *v.* **kleemann-**

- knjaescik** Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1013.
knockella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 318.
knorrii Aranea, Scopoli, Ent. Carn. 1763, 403.
knorrii Ostracion, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 482.
knorrii Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3231.
kob Antilope, J. C. P. Erxleben, Syst. Anim. 1777, 293.
koba Antilope, J. C. P. Erxleben, Syst. Anim. 1777, 293.
koba Antilope, E. A. W. Zimmermann, Spec. Zool. 1777, 545.
kochiella Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 299.
koechlini [S]phinx, J. C. Fuessly in Fuessly, Arch. Ins. I. 1781.
kolreuteri Bodianus (Walb.), G. A. Suckow, Naturges. IV. 1799, 516.—Perca.
koelreuteri Gobiomorus (Pall.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 583.—
koelrevteri Gobius, P. S. Pallas, Spic. Zool. VIII. 1770, 8. [Gobius.
koelreuteri Labrus, J. A. Donndorff, Zool. Beyt. III. 1798, 480.
koelreuteri Perca, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 343.
koenigii Cimex, J. C. Fabricius, Syst. Ent. 1775, 720.
koenigii Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 114.—Cryptoccephalus, 1775.
koenigii Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 175.—Scarabaeus.
koenigii Cryptoccephalus, J. C. Fabricius, Syst. Ent. 1775, 111.
koenigii Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 155.—Cimex, 1775.
koenigii Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 29.
königii Scorpaena, M. E. Bloch, K. Vet. Ac. Nya Handl. X. 1789, 235.
koenigiana Phalaena (Tortrix), O. F. Müller, F. Ins. Frid. 1764, 53.
koenigiana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 653.
kogolka *v.* **cogolca**.
kokolka *v.* **cogolca**.
kolbii Vultur, F. M. Daudin, Traité élém. Orn. 1800, 15.
kollina Papilio, N. Meerburgh, Zeldzam. Gewassen, 1775, pl. xliii.
Kolon Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 224.—Col.
kolosvarensis Papilio, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 41.
Kolpoda *v.* **Colpoda**.
kolurus Lemur, M. T. Brünnich, Dyr. Hist. 1782, 37.
kolywanense Myrmeleon, E. Laxmann, Nov. Comm. Sci. Petrop. XIV (1) 1770, 599.
korschun Accipiter, S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 444.
Korynetes *v.* **Corynetes**.
krameri *v.* **crameri**.
Kryptophagus *v.* **Cryptophagus**.
kugelanni Carabus, G. W. F. Panzer, Ins. Germ. heft 39 [1797], tab. 8.
kuhnella Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 299.
kumal Squalus, P. Forskal, Descr. Anim. 1775, x.
kundsha Salmo (Truttac.), P. S. Pallas, Reise Russ. III. 1776, 706.
Kuphus J. E. Guettard, Mém. diff. Sci. III. 1770, 139.
Kurtus *v.* **Curtus**.
kurukuru Columba, J. P. Bonnatte, Ency. Méth. (Orn.), 1791, 240.
kwakwa Ardea, S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 452.
Kyrtus *v.* **Curtus**.

labacensis Tipula, Scopoli, Ent. Carn. 1763, 324.

labda [Phalaena], P. Cramer, Uitl. Kapellen, II (16) 1777, 129.

labdacus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 90.

labellum Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 89 [*n. n.*].

labeo Cyprinus, P. S. Pallas, Reise Russ. III. 1776, 703.

labio Monodonta (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 74.—Trochus.

labeo Nerita, O. F. Müller, Verm. II. 1774, 180.

labio Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 759; ed. 12, 1767, 1230.

labeo Turbo (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3605.—Nerita.

- labeo** Turbo (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 88.—Trochus.
- labialis** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 420.
- labialis** Vespertilio, R. Kerr, Anim. Kingd. 1792, 93.
- labiata** Andrena, J. C. Fabricius, Spec. Ins. I. 1781, 472.
- labiata** Apis (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2793.—Andrena.
- labiata** Apis, J. C. Fabricius, Ent. Syst. II. 1793, 342.
- labiata** Bembex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 259.
- labiata** Chrysomela, Linnaeus, Faun. Suec. ed. 2, 1761, 169.
- labiatus** Crabro, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 517.
- labiatus** Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 296.
- labiatus** Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 112.—Chrysomela.
- labiatus** Cucuius, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 572.
- labiatus** Cylindrus, F. C. Meuschen, Mus. Gev. 1787, 378.
- labiatus** Dytiscus, N. J. Brahm, Ins. Kal. I (1) 1790, 27.
- labiata** Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 63.
- labiata** Mantis, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 61.
- labiatus** Mellinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 267.
- labiata** Musca, J. C. Fabricius, Mant. II. 1787, 346.
- labiatus** Philanthus (Fab.), G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 16.—Crabro.
- labiatus** Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 247.—Sphex, 1793.
- labiata** Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 211.
- labiata** Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 369.
- labiata** Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 260.
- labicula** Phalaena Noct., E. J. C. Esper, Die Schmett. IV (48) 1796, 393.
- labilis** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 244.
- labio** v. labeo.
- labiosus** Bulinus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 347.—Helix.
- labiosa** Helix, O. F. Müller, Verm. II. 1774, 96.
- laborator** Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 18.
- laboratorius** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 152.
- laboratorius** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 142.
- labradorica** Alca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 550.
- labradoricus** Meles, H. F. Link, Beitr. Nat. I (2) 1795, 86.
- labradoriensis** Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 32.
- labradoria** Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 537.
- labradorius** Dipus, R. Kerr, Anim. Kingd. 1792, 276.
- labradorius** Meles, F. A. A. Meyer, Zool. Archiv, II. 1796, 45.
- labradorius** Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 832.
- labradorius** Ursus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 102.
- Labrax** (ex Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 584.—P.
- labrax** Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 290; ed. 12, 1766, 482.
- labrax** Sciaena (Linn.), M. E. Bloch, Nat. ausl. Fische, VI. 1792, 52.—Perca.
- labrosium** Ellobium, J. F. Bolten, Mus. Bolten. (2) 1798, 105.
- labrum** Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 194.
- labrum** Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 126. [gen. xxvii. 33].—P.
- Labrus** Linnaeus, Syst. Nat., ed. 10, 1758, 282; ed. 12, 1766, 473; [Artedi, Ichth. 1738,
- labruscae** Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 491; ed. 12, 1767, 800.
- labyrinthella** Phalaena (Tinea), C. Bjerkerander, K. Vet. Ac. Nya Handl. XI. 1790, 134.
- labyrinthellae** Ichneumon, C. Bjerkerander, K. Vet. Ac. Nya Handl. XI. 1790, 135.
- [**labyrinthicus** Araneus, C. Clerck, Aran. Svec. 1757, 79.]
- labyrinthica** Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 620; ed. 12, 1767, 1031.
- labyrinthica** Madrepora=labyrinthiformis, Linn., P. S. Pallas, Elench. 1766, 297.
- labyrinthiformis** Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 794; ed. 12, 1767, 1274.
- labyrinthiformis** Spangia, M. Vahl, Skr. nat. Selsk. [Copen.], II (2) 1793, 55.
- labyrinthus** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3486.
- labyrinthus** Helix, Lamarck, J. Nat. Hist. (Choix des Mém.), II. 1792, 352.
- labyrinthus** Lampadion, J. F. Bolten, Mus. Bolten. (2) 1798, 78. [1776, 47.]
- labyrinthus** Madrepora, *id.* ac labyrinthiformis, L., J. F. Maratti, Plant. Zooph. Med.

- lacaena** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 35.
- lacca** Coccus, J. Kerr, Phil. Trans. LXXI (2) 1782, 374.
- laccata** Phalaena, Scopoli, Ent. Carn. 1763, 226.
- lacedemon** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 36.
- Lacerta** Linnaeus, Syst. Nat., ed. 10, 1758, 200; ed. 12, 1766, 359.—R.
- lacerta** Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 190.
- lacertae** Amphibolitus, Linnaeus, Syst. Nat., ed. 12, III. 1768, 158.
- lacertae** Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3035.
- lacertae** Trichocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3039.
- lacertida** Spheg, P. S. Pallas, Reise Russ. I. 1771, 472.
- Lacertina** F. C. Meuschen, Mus. Gronov. 1778, 43.—R.
- lacertina** Phalaena, *id. ac* lacertinaria, L., A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 40.
- lacertina** Siren, Linnaeus, Syst. Nat., ed. 12, 1766 [addenda at end of vol. i.].
- lacertinaria** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 519; ed. 12, 1767, 1767.
- lacertosa** Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 53. [860.]
- lacertosus** Reduvius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 112.
- lacertula** Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 64.
- lacertula** Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 371; lacertinaria, L., *est.*
- lacertula** Phalaena Bombyx, N. J. Brahm, Ins. Kal. II (1) 1791, 181.
- lacera** Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 201.
- lacera** Lepas, J. C. Fabricius, Reise Norwegen, 1779, 306.
- lacera** Madrepora, P. S. Pallas, Elench. 1766, 298.
- lacerus** Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 307.
- lacera** Noctua, J. C. Fabricius, Syst. Ent. 1775, 609.
- laches** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 317.
- laches** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 229.
- lachesis** Cobra, J. N. Laurenti, Syn. Rept. 1768, 104.
- lachesis** Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1085.—Cobra.
- lachesis** Papilio, J. Hübner, Beitr. Schmett. II. 1790, 70.
- lachesis** Sphinx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 434.
- lachicae** *v.* lactucae.
- “**Lachryma**, Humph. 1797,” Scudd., *teste* Reeve; I cannot find this word.
- Lacinia** [G. Humphreys], Mus. Calonn. 1797, 53.—L.
- lacinia** Alata, F. C. Meuschen, Mus. Gever. 1787, 334.
- lacinia** Chama, F. C. Meuschen, Mus. Gever. 1787, 456.
- lacinium** Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 42.
- lacinium** Cimex, C. de Villers, Linn. Ent. I. 1789, 493.
- lacinia** Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 68.
- laciniosa** Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 781; ed. 12, 1767, 1259.
- laciniosa** Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2637.
- lacinulatus** Cyclops, O. F. Müller, Z. Dan. Prod. 1776, 200.
- lacinulata** Doris, O. F. Müller, Z. Dan. Prod. 1776, 229.
- lacinulata** Doris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3105.
- lacinulata** Limacia, O. F. Müller, Zool. Dan. (Danish ed.), 1781, 66.—Doris, 1776.
- lacinulatus** Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2997.—
- lacinulata** Vorticella, O. F. Müller, An. Infus. 1786, 292. [Cyclops.]
- lacrymalis** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 2 [*n. n.*].
- lacrymosus** Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 465.
- lactana** Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 408.—*Pyralis laetana*.
- lactana** *Pyralis*, J. C. Fabricius, Ent. Syst. III (2) 1794, 250.
- lactaria** Nerita, Linnaeus, Mant. II. 1771, 551.
- lactatus** Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 627; ed. 12, 1767, 1042.
- lacteeae** Ampulla, J. F. Bolten, Mus. Bolten. (2) 1798, 110.
- lactearia** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 519; ed. 12, 1767, 858.
- lacteella** Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 337.
- lacteella** Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 313.
- lactella** Tinea (D. & S.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. III. 1794, 140.—
Tortrix.

- lactella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
lacteolus Cephphus, P. S. Pallas, Spic. Zool. V. 1769, 33.
lacteola Cicindela, P. S. Pallas, Reise Russ. I. 1771, 465.
lacteolus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2189.
lacteolus Colymbus (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 583.—Cep-
lacteolus Gordius, O. Fabricius, F. Groen. 1780, 271. [phus.
lacteolus Papilio Nym., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2290.
lacteola Uria (Pall.), J. Latham, Index Orn. 1790, 798.—Cepphus.
lacteus Accipiter, F. M. Daudin, Traité élém. Orn. 1800, 81.
lactea Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 694; ed. 12, 1767, 1141.
lacteus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 324.
lacteam Callistoderma (Gm.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—Mactra.
lacteus Cerastes (Linn.), J. N. Laurenti, Syn. Rept. 1768, 83.—Coluber.
lactea Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2112.
lacteus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 220; ed. 12, 1766, 381.
lacteus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 41.
lacteus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 185.
lacteus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 380.
lacteam Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 94.—Turbo.
lactea Fasciola, O. F. Müller, Verm. I (2) 1774, 61.
lacteus Gordius, O. F. Müller, Verm. I (2) 1774, 32.
lactea Helix, O. F. Müller, Verm. II. 1774, 19.
lacteus Hippopus, F. C. Meuschen, Mus. Gever. 1787, 428.
lactea Hyla, J. N. Laurenti, Syn. Rept. 1768, 34.
lacteam Loricoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 253 & 259.—Tellina.
lactea Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3258.
lactea Mactra, J. X. Poli, Test. Sicil. II. 1795, 73.
lactea Mya, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, 35.
lactea Noctua, J. C. Fabricius, Mant. II. 1787, 182.
lactea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3734.
lactea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 273.
lactea Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
lacteus Planorbis, J. F. Bolten, Mus. Bolten. (2) 1798, 72 [*n. n.*].
lactea Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 73 [*n. n.*].
lactea Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 142 [*n. n.*].
lactea Serpula, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 634.
lacteus Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 94.
lactea Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 676; ed. 12, 1767, 1119.
lacteus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 765; ed. 12, 1767, 1238.
lactinia [Phalaena], P. Cramer, Utit. Kapellen, II (11) 1777, 47.
lactinea [Phalaena], P. Cramer, Utit. Kapellen, II (12) 1777, 58.
lactis Acarus, Linnaeus, Syst. Nat., ed. 12, 1767, 1024.
lactuca Madrepora, P. S. Pallas, Elench. 1766, 289.
lactuca Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 141.
lactuca Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 255.
lactucae Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 735.
lacticæ (*sic*) Chrysomela, *err. pro* lactucae, J. C. Fabricius, Mant. I. 1787, 75.
lactucae Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 18.—Chrysomela, 1787.
lactucae, Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 74.
lactucae Phalaena, J. G. Gladbach in Kuehn, Kurze Anleit. Ins., ed. 2, 1783, 123 [*n. n.*].
lactucae Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 282.
lactucina [Phalaena], P. Cramer, Utit. Kapellen, III (23) 1780, 144.
lactuella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 66.
lacunana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 318.
lacunatus Echinus, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 142.
lacunosa Anomia, Linnaeus, Syst. Nat. ed. 10, 1758, 702; ed. 12, 1767, 1153.
lacunosum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 258.
lacunosum Cordiformis (L.), F. C. Meuschen, Mus. Gever. 1787, 486.—Echinus.

- lacunosus** Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 665; ed. 12, 1767, 1104.
- lacunosum** Sepidium, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 48.
- lacunosus** Spatangus (Linn.), N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 227.—
- lacunosus** Staphylinus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 54. [Echinus.]
- lacunosa** Terebratula, J. S. Schroeter, Journ. Liebh. Steinr. III. 1776, 374.
- lacunosa** Terebratula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 99 [n. n.].
- lacustris** Albula, F. C. Meuschen, Mus. Gronov. 1778, 34.
- lacustris** Ancyclus (Linn.), O. F. Müller, Verm. II. 1774, 199.—Patella.
- lacustris** Ascaris (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3036.—Gordius.
- lacustris** Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 450; ed. 12, 1767, 732.
- lacustris** Cucullanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3051; *varr.* percae, luciopercae, cernuae, 3051; farionis, salaris, ascaroides, marinus, cirratus, muticus, 3052.
- lacustris** Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 71.
- lacustris** Dytiscus, Kugelann in G. W. F. Panzer, Ins. Germ. heft 38 [1796], tab. 14.
- lacustris** Echinorynchus, O. F. Müller, Z. Dan. Prod. 1776, 214.
- lacustris** Gadus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 144.
- lacustris** Gekko (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 23.—Lacerta.
- lacustris** Gerris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 187.—Cimex.
- lacustris** Gordius, Linnaeus, Syst. Nat., ed. 12, 1767, 1076.
- lacustris** Helix, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 273.
- lacustris** Lacerta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1065.
- lacustris** Musca, Scopoli, Ent. Carn. 1763, 343.
- lacustris** Nautilus, J. Lightfoot, Phil. Trans. LXXVI (1) 1786, 163.
- lacustris** Nereis, Linnaeus, Syst. Nat., ed. 10, 1758, 654; ed. 12, 1767, 1085 [lacustris].
- lacustris** Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 778; ed. 12, 1767, 1253.
- lacustris** Orthoceras (Scop.), F. v. P. Schrank, Samml. Nat. Phys. Aufsatz. 1796, 131.—
- lacustris** Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 783; ed. 12, 1767, 1260. [Musca.]
- lacustris** Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 309; ed. 12, 1766, 510.
- lacustris** Spongia, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348; ed. 12, 1767, 1299.
- lacustris** Tellina, O. F. Müller, Verm. II. 1774, 204.
- lacustris** Tipula, Scopoli, Ent. Carn. 1763, 317.
- lades** [Sphinx], P. Cramer, Utitl. Kapellen, I (7) 1775, 131.
- ladis** Zygæna (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 165.—Sphinx.
- ladon** [Papilio], P. Cramer, Utitl. Kapellen, III (23) 1780, 141.
- ladon** [Papilio], P. Cramer, Utitl. Kapellen, III (24) 1780, 164.
- Laernea** J. G. Bruguière, Ency. Méth. (Tabl. Vers), pl. 78 (1791) [n. et f.].—Cr.
- laertes** [Papilio], P. Cramer, Utitl. Kapellen, I (7) 1775, 115.
- laertes** [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 19.
- laetana** Pyralis, J. C. Fabricius, Syst. Ent. 1775, 649.—[v. lactana].
- laetatorius** Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 424.
- laetata** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 164.
- laetata** Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 456.
- laeta** Bombyx, J. C. Fabricius, Syst. Ent. 1775, 576.
- laeta** Buprestis, J. C. Fabricius, Syst. Ent. 1775, 223.
- laetum** Callistoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—Venus.
- laeta** Cantharis, J. C. Fabricius, Ent. Syst. I (1) 1792, 218.
- laetus** Carabus, J. C. Fabricius, Ent. Syst. IV. 1794, 443.
- laeta** Cicada, J. C. Fabricius, Mant. II. 1787, 271.
- laetus** Cimex, J. C. Fabricius, Mant. II. 1787, 289.
- laeta** Cistela, G. W. F. Panzer, Ins. Germ. heft 8, 1793, tab. 8.
- laeta** Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 78.
- laetus** Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3391.
- laetus** Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 54.
- laetus** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 141.—Cimex, 1787.
- laeta** Melolontha, J. C. Fabricius, Syst. Ent. 1775, 36.
- laeta** Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 20.
- laetus** Philanthus, J. C. Fabricius, Ent. Syst. II. 1793, 291. [lontha.]
- laetus** Scarabæus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1561.—Melo-

- laeta* Sphinx, J. Hübner, Beitr. Schmett. II. 1790, 88.
laetus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 301.
laeta Tellina, R. Pulteney, Cat. Birds &c. Dorset, 1799, 29.
laeta Tenthredo, J. C. Fabricius, Suppl. Ent. Syst. 1798, 214.
laeta Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 239.
laeta Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 686; ed. 12, 1767, 1132.
laetum Vexillum, J. F. Bolten, Mus. Bolten. (2) 1798, 139 [*n. n.*].
laevicatum Buccinum, *v.* *laevigatum*, Linn., K. Schreibers, Vers. Conch. I. 1793, 165.
laevicollis Silpha, J. C. Fabricius, Syst. Ent. 1775, 73.
laevigana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 227.—Tortrix.
laevigana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
laevigaria Geometra, J. Hübner, Europ. Schmett. (Geom.), [me judice 1796], fig. 74 [*n. et f.*].
laevigator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 193.
laevigatulus Nautilus, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 641.
laevigatum Anobium, A. G. Olivier, Entom. II. 1790, 12.
laevigata Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 662; ed. 12, 1767, 1100.
laevigata Beroe, A. Modeer, Nova Acta Acad. Caes. VIII. App. 1791, 22.
laevigata Blaps, J. C. Fabricius, Ent. Syst. I (1) 1792, 108.
laevigatum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 741; ed. 12, 1767, 1205.
laevigata Buprestis, A. G. Olivier, Entom. II. 1790, 87.
laevigata Camerina, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 399.
laevigatus Carabus, J. C. Fabricius, Spec. Ins. I. 1781, 304.
laevigatus Carabus, M. B. Borkhausen in Scriba, Beitr. Ins. I. 1790, 4.
laevigatum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 680; ed. 12, 1767, 1123.
laevigatus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1846.
laevigatum Cerastoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 253 & 258.—Cardium.
laevigata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1699.
laevigatus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 449; ed. 12, 1767, 730.
laevigatus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 35.
laevigatus Curculio, G. Paykull, Mon. Curc. 1792, 141.
laevigatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 473.
laevigata Donax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3265.
laevigatus Dytiscus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 308.
laevigatus Elater, J. C. Fabricius, Suppl. Ent. Syst. 1798, 139.
laevigatus Erodium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 426.
laevigata Evania, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 453.
laevigatum Gafrarium, J. F. Bolten, Mus. Bolten. (2) 1798, 177 [*n. n.*].
laevigata Geometra (Scop.), C. de Villers, Linn. Ent. IV. 1789, 509.—Phalaena.
laevigata Helix, Linnaeus, Syst. Nat., ed. 12, 1767, 1250.
laevigatus Helops, G. W. F. Panzer, Ins. Germ. heft 50 [1798], tab. 6.
laevigatus Heterocerus, G. W. F. Panzer, Ins. Germ. heft 23, 1794, tab. 12.
laevigata Hippa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 82.
laevigatum Lymexylon (Hellen.), G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 16.—
laevigatus Meloe, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 650. [Serropalpus.
laevigatus Miris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 184.—Cimex.
laevigatus Monoculus (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 495.—Cypris laevis.
laevigatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3555.
laevigatus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3362.
laevigatum Opatrum, J. C. Fabricius, Spec. Ins. I. 1781, 90.
laevigata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3716.
laevigata Phalaena, Scopoli, Ent. Carn. 1763, 230.
laevigata Pimelia, J. C. Fabricius, Ent. Syst. I (1) 1792, 100.
laevigata Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 59.
laevigatus Scarabaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 23.
laevigatus Scarites (Fab.), A. G. Olivier, Entom. III. 1795, 7.—Carabus.
laevigatus Scarites, J. C. Fabricius, Ent. Syst. I (1) 1792, 95.
laevigatus Serropalpus, C. N. Hellenius, K. Vet. Ac. Nya Handl. VII. 1786, 318.
laevigata Silpha, J. C. Fabricius, Syst. Ent. 1775, 74.

- laevigata** Sphex, P. Rossi, Mant. Ins. II. 1794, 118.
laevigata Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 675; ed. 12, 1767, 1117.
laevigatus Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 678.
laevigatus Tenebrio, J. C. Fabricius, Spec. Ins. I. 1781, 323.
laevigatus Tetrodon, Linnaeus, Syst. Nat., ed. 12, 1766, 411.
laevigatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3573.
laevigata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3455.
laevigella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
levipes Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 624; ed. 12, 1767, 1037 [lae-].
levipes Carabus, P. Rossi, Fauna Etrus. I. 1790, 225.
laevipes Helix, O. F. Müller, Verm. II. 1774, 22.
laevipes Scarabaeus, J. R. Forster, Cat. Anim. N. Amer. 1771, 24 [*n. n.*].
laevis Acanthia, J. C. Fabricius, Syst. Ent. 1775, 695.
laevis Altica, A. F. de Fourcroy, Ent. Paris. 1785, 98.
laevis Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 35.
laevis Anatifa, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 62.
laevis Antribus, A. F. de Fourcroy, Ent. Paris. 1785, 137.
laevis Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 164.
laevis Balistes, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 82.
laeve Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3488.
laeve Buccinum, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 64.
laevis Carabus, O. F. Müller, Z. Dan. Prod. 1776, 78.
laevis Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 250.
laeve Chiton, P. Osbeck, Reise Ost-Ind. China, 1765, 80.
laevis Chiton, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 61.
laevis Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2126.—Acanthia.
laevis Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 22.
levis Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 98.
laevis Coluber, P. A. Latreille, Salamand. France, 1800, xxxiii.
laevis Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3391.
laevis Copris (Dr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 174.—Scarabaeus.
laevis Cypris, O. F. Müller, Z. Dan. Prod. 1776, 198.
laevis Doris, Linnaeus, Syst. Nat., ed. 12, 1767, 1083.
laevis Echinorynchus, O. F. Müller, Z. Dan. Prod. 1776, 215.
laevis Helops, J. C. Fabricius, Mant. I. 1787, 213.
laevis Holothuria, O. Fabricius, F. Groen. 1780, 353.
laevis Leptura, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 103.
laevis Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 340.
laevis Limax, O. F. Müller, Verm. II. 1774, 1.
laevis Monoculus, J. C. Fabricius, Spec. Ins. I. 1781, 373.
laevis Mustelus, P. L. S. Müller, Del. Nat. II. 1767, 141.
laevis Mustelus, H. F. Linck, Mag. Neuste Phys. u. Nat. VI (3) 1790, 31.
laevis Mutilla, P. A. Latreille, Actes Soc. H. N. Paris, I (1) 1792, 11.
laevis Ocyptode, J. C. Fabricius, Suppl. Ent. Syst. 1798, 348.
laevis Patella, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 125.
laevis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3704.
laevis Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2010.—Helops.
laevis Pimelia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2011.
laevis Platystacus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 58.
laevis Scarabaeus, D. Drury, Ill. Nat. Hist. I. 1770, index & 79.
laevis Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1553.
laevis Stenocorus, A. G. Olivier, Entom. IV. 1795, 21.
laevis Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3520.
laevis Taenia, M. E. Bloch, Eingeweidewürmer, 1782, 15.
laevis Tenebrio, P. Forskal, Descr. Anim. 1775, 78.
laevis Tenebrio (Fab.), C. de Villers, Linn. Ent. IV. 1789, 362.—Helops.
laevis Tenebrio, A. G. Olivier, Entom. III. 1795, 10.
laevis Turbo, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 113.

- laevis* Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3291.
laevisimum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3494.
laevisima Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3641.
laevus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 317.—Helix.
laeva Helix, O. F. Müller, Verm. II. 1774, 95.
laevus Hister, P. Rossi, Fauna Etrus. I. 1790, 28.
 “*Laganum*, Klein, 1734”—does not occur as a generic name in Leske, 1778.
laganum Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 51.
laganum Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 204.
laganum Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3190.—
Laganus F. C. Meuschen, Mus. Gever. 1787, 488.—Ech. [Echinodiscus].
Lagena G. Walker & W. Boys, Test. Min. Rar. [1784], 2.—Rh.
Lagena J. F. Bolten, Mus. Bolten. (2) 1798, 131.—G.
lagena-viactoria Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 153 [*n. n.*]. [Planaria.
lagena Fasciola (Braun), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3057.—
lagena Planaria, M. Braun, Schrift. Berlin. Ges. Nat. Freunde. VIII. 1788, 238.
lagena Trichoda, O. F. Müller, An. Infus. 1786, 228.
lagocephalus Gobius, P. S. Pallas, Spic. Zool. VIII. 1770, 14.
lagocephalus Tetraodon, Linnaeus, Syst. Nat., ed. 10, 1758, 332; ed. 12, 1766, 410
Lagomys G. C. C. Storr, Prod. 1780, 39 & tab. B.—M. [Tetro-].
Lagomys G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
lagopi Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 614; ed. 12, 1767, 1020.
lagopoda Apis, Linnaeus, Faun. Suec., ed. 2, 1761, 422.
lagopodes Cancer, P. Forskal, Descr. Anim. 1775, 93.
lagopodis Pediculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2920.—[lagopi,
Lagopus M. J. Brisson, Ornith. I. 1760, 216.—A. [*L., est.*]
lagopus Apis, *id. ac* lagopoda, L., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2776.
lagopus Bombyx, J. C. Fabricius, Syst. Ent. 1775, 568.
lagopus Canis, Linnaeus, Syst. Nat., ed. 10, 1758, 40; ed. 12, 1766, 59.
lagopus Falco, M. T. Brünnich, Orn. Boreal. 1764, 4.
lagopus Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 488.
lagopus Hyblaea, J. C. Fabricius, Ent. Syst. III (2) 1794, 127.
lagopus Lagopus (L.), J. C. Schaeffer, Mus. Orn. 1789, 3.—Tetrao.
lagopus Phalaena Noct., E. J. C. Esper, Die Schmett. IV (47) 1794, 356.
lagopus Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 159; ed. 12, 1766, 274.
Lagria J. C. Fabricius, Syst. Ent. 1775, 124.—Col.
lagurus Glis (Pall.), P. B. C. Graumann, Introd. H. N. 1779, 60.—Mus.
lagurus Julus (Linn.), Scopoli, Ent. Carn. 1763, 420.—Scolopendra.
lagurus Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 39.—Mus.
lagurus Lemmus (Pall.), H. F. Link, Beytr. Nat. I (2) 1795, 75.—Mus.
lagurus Mus, P. S. Pallas, Reise Russ. II. 1773, 704.
lagura Scolopendra, Linnaeus, Syst. Nat., ed. 10, 1758, 637; ed. 12, 1767, 1062.
lagus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 306.—Papilio.
lagus [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 31.
laichartingella Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 303.
laichartingii Chrysomela, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 195.
laidion Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 91.
lais [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 21.
laja [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 68.
lajus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 62.
lalage Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) V. 1792, 163.
l-album Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 606.—Phalaena.
L album Papilio N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. 1781,
l-album Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 850. [69].
Lama G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
lama Conus, F. C. Meuschen, Mus. Gever. 1787, 356.
lama Lucanus, A. G. Olivier, Entom. I. 1789, 14.
Lamarckia G. Olivi, Zool. Adriat. 1792, 255.—Pol.

- lambergiana** Phalaena, Scopoli, Ent. Carn. 1763, 234.
Lambis J. F. Bolten, Mus. Bolten. (2) 1798, 61.—G.
lambis Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 340.—Strombus.
lambis Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 66.—Strombus.
lambis Pterocera (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 72.—Strombus.
lambis Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 743; ed. 12, 1767, 1208.
lamboides Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 114 [*n. n.*].
lamboides Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 66.
lamboideus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 40 [*n. n.*].
lamda Leptura, F. v. P. Schrank, Beitr. Nat. 1776, 67.
lamda Noctua, J. C. Fabricius, Mant. II. 1787, 174.
lamda Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
lamda Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 341.—
lamdella Phalaena, E. Donovan, Brit. Ins. II. 1793, 53. [Noctua.
lamed Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 391; ed. 12, 1767, 630.
lamed Leptura (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 153.—Cerambyx.
lamed Musca, F. v. P. Schrank, Ins. Aust. 1781, 475.
lamed Stenocorus (L.), J. C. Fabricius, Syst. Ent. 1775, 178.—Cerambyx.
lamella Kolpoda, O. F. Müller, Verm. I (1) 1773, 56.
lamellaris Brachionus, O. F. Müller, An. Infus. 1786, 340.
lamellatella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 522.
lamellatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3498.
lamellatum Cardium, L. Spengler, Skr. nat. Selsk. [Copen.]. V (1) 1799, 8.
lamellata Chama, J. F. Bolten, Mus. Bolten. (2) 1798, 195.
lamellatus Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 429.—[lamellosus,
lamellatus Lynceus, O. F. Müller, Z. Dan. Prod. 1776, 199. [ed. 12.]
lamellatus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3008.—
lamellata Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 11. [Lynceus.
lamellata Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 140 [*n. n.*].
lamellatus Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 11.
lamellata Serpula, J. F. Bolten, Mus. Bolten. (2) 1798, 69.
lamellata Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 183.
lamellifera Nereis, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 232.
lamellifera Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 335. [1790, 3120.
lamelligera Nereis, ? *id. ac* lamellifera, Pall., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
lamellosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3498.
lamellosum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 113 [*n. n.*].
lamellosa Cellepora, E. J. C. Esper, Pflanzenth. I (6) 1790, 254.
lamellosum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 488.
lamellosus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 636.
lamellosus Gryllus (Tettigonia), Linnaeus, Mus. Lud. Ulr. 1764, 128; [lamellatus *est*,
 Syst. Nat., ed. 10].
lamellosa Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (3) 1795, 65.
lamellosus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3536.
lamellosa Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 270.
lamellula Monas, O. F. Müller, An. Infus. 1786, 7.
Lamia G. Edwards in M. Catesby, Carol. I. 1771, xxxiii.—P.
Lamia J. C. Fabricius, Syst. Ent. 1775, 170.—Col.
lamia [Papilio], P. Cramer, Utit. Kapellen, II (13) 1777, 85.
lamia Papilio Nymphalis, J. H. Sulzer, Gesch. Ins. 1776, 145.
lamii Apis, J. R. Forster, Cat. Brit. Ins. 1770, 13 [*n. n.*].
lamii Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 437.
lamina Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 311.
lamina Noctua, *id. ac* lumina, Mant. II. 161, J. C. Fabricius, Ent. Syst. III (2) 1794, 77.
lamina Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 118.
lamina Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 776.
laminator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 223.
laminatorius Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 220.

- laminatus** Dytiscus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 314.
laminatus Helops, J. C. Fabricius, Ent. Syst. I (1) 1792, 117.—Tenebrio, 1787.
laminatus Staphylinus, C. Creutzer, Ent. Vers. 1799, 128.
laminatus Tenebrio, J. C. Fabricius, Mant. I. 1787, 211.
laminella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
laminella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 57.
lamis Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 305.—Papilio.
lamis [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 77.
lamis [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 88.
lamis Phalaena, C. Stoll in P. Cramer, Uitl. Kapellen, IV (31) 1781, 149.
lampadeus Angarius, F. C. Meuschen, Mus. Gever. 1787, 258.
Lampadion J. F. Boltzen, Mus. Boltzen. (2) 1798, 77.—G.
Lampas F. C. Meuschen, Mus. Gever. 1787, 438.—Br.
Lampas [G. Humphreys], Mus. Calonn. 1797, 45.—Br.
lampas Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 308.—Murex.
lampas Chrysis, J. L. Christ, Nat. Ins. 1791, 405.
lampas Helix, O. F. Müller, Verm. II. 1774, 12.
lampas [Limax], T. Martyn, Univ. Conch. III [1789], fig. 117.
lampas Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 748; ed. 12, 1767, 1216.
Lampetia J. G. Meigen, N. Class. Mouches, 1800, 34.—Dip.
lampetia Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 476; ed. 12, 1767, 775.
lampetie Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 322.
Lampris A. J. Retzius, K. Vet. Ac. Nya Handl. XX. 1799, 97.—P.
lamprocephalus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 108.
lampros Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 143.
lamprotonus Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
"Lampus, Humph. 1797," Swains.; *err. typ.* Lampas.
Lampyris E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 165.—Col.
lampyris Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 400.
lampyroides Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1731.
Lampyrus *v.* Lampyris, Linnaeus, Syst. Nat., ed. 12, 1767, 644.—Col.
lamur Scarabaeus, J. C. Fabricius, Mant. I. 1787, 13.
lanaris Cynipsichneumon, J. L. Christ, Nat. Ins. 1791, 385.
lanarius Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 91; ed. 12, 1766, 129.
lanarius Falco, R. Kerr, Anim. Kingd. 1792, 513; *var.* albicans, celiurus.
lanata Andrena, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 135.
lanata Apis, J. C. Fabricius, Syst. Ent. 1775, 385.
lanata Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 48.—Phalaena.
lanatus Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1044.
lanata Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 438; ed. 12, 1767, 711.
lanatus Cimex, P. S. Pallas, Reise Russ. II. 1773, 729.
lanatus Coccus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2221.
lanatus Dorippe (L.), F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
lanata Mustela, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 376.
lanata [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 131.
lanata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 45.
lanatus Sorex, J. A. Scopoli, Del. Insub. II. 1786, 84.
lanatus Tabanus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 359.
lancea Fusaria, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 60.
lancea Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3556.
lancea Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 734.—Noctua lanceolata, Fab., *est.*
lancealana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 80 [*n. et f.*].
lancealis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 221.
lancealis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 121.
lanceato-lobatus Alysseminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm.
lanceatum Buccinum, Linnaeus, Syst. Nat., ed. 12, 1767, 1206. [1800, 246
lanceatus Cancer, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2970.]

- lanceata** Coluber, F. C. Meuschen, Mus. Gronov. 1778, 14.
lanceatus Strombus, F. C. Meuschen, Mus. Gever. 1787, 294.
lanceola Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 165.—T. lanceolata, Bloch, *est.*
lanceolatus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 277; ed. 12, 1766, 466.
lanceolata Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2094.—
lanceolatus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 80. [Membracis.
lanceolatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 465.—Phalaena lancealis,
lanceolata Fasciola, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 123. [1794.
lanceolatus Gobius, M. E. Bloch, Nat. Fische Deutschl. II. 1783, 8.
lanceolatus Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2065.—
lanceolatus Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 92. [Locusta.
lanceolatus Limax, P. S. Pallas, Spic. Zool. X. 1774, 19.
lanceolata Locusta, J. C. Fabricius, Syst. Ent. 1775, 284.
lanceolata Mantis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 191.
lanceolata Membracis, J. C. Fabricius, Mant. II. 1787, 263.
lanceolata Noctua, J. C. Fabricius, Gen. Ins. 1777, 283.
lanceolata Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 53.
lanceolata Perca, M. E. Bloch, Nye Saml. K. Danske Skrifter, III. 1788, 383.
lanceolatus Regalecus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 214.
lanceolata Taenia, M. E. Bloch, Eingeweidewürmer, 1782, 9.
lanceolata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3236.
lancifer Cancer, J. C. Fabricius, Mant. I. 1787, 320.
lancifer Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 154.—Scarabaeus.
lancifer Musca, M. Harris, Exp. Eng. Ins. 1776, 126.
lancifer Portunus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 366.—Cancer, 1787.
lancifer Portunus, F. Weber, Nomen. Fabricii. 1795, 93.—Cancer.
lancifer Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 544.
laniger Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 128.
lanestris Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 566.—Phalaena.
lanestris Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 499; ed. 12, 1767, 815.
“Langaha, Brug. 1784,” Ag.; is used in the vernacular, and not in generic sense.
Langaha B. G. E. de Lacépède, Quad. Ovip. II. 1789, 142 & 469.—R.
Langaha J. A. Donndorff, Zool. Beyt. III. 1798, 223.—R.
langiella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me giudice 1796], 69.
langis Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 218.
laniarius Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 726.
laniarius Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2169.
laniger Apis, J. L. Christ, Nat. Ins. 1791, 164.
laniger Coccus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2221.
laniger Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 43.
laniger Lemur, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 44.
laniger Mus, G. I. Molina, Sag. stor. nat. Chili, 1782, 301.
laniger Mustela, R. Kerr, Anim. Kingd. 1792, 177.
laniger Phoca, R. Kerr, Anim. Kingd. 1792, 128.
laniger Scarabaeus, A. G. Olivier, Entom. I. 1789, 178.
lanigerus Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 459.
lanigera Melolontha (L.), J. C. Fabricius, Syst. Ent. 1775, 33.—Scarabaeus.
lanigera Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 350; ed. 12, 1767, 555.
lanii Pediculus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 570.
lanio Cicada, Linnaeus, Faun. Suec., ed. 2, 1761, 242.
lanio Culex, Linnaeus, Mant. II. 1771, 541.
lanio Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 231.
lanio Musca, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 11.
lanio Vespa, J. C. Fabricius, Syst. Ent. 1775, 365.
lanipes Apis, J. C. Fabricius, Syst. Ent. 1775, 386.
lanipes Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 506.
lanipes Helops (L.), J. C. Fabricius, Syst. Ent. 1775, 257.—Tenebrio.

- lanipes** *Pimelia* (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2009.—*Tenebrio*.
- lanipes** *Tenebrio*, Linnaeus, Mant. II. 1771, 533.
- “**Lanistes**, Humph. 1797,” Herm.; I cannot find this word.
- Lanius** Linnaeus, Syst. Nat., ed. 10, 1758, 93; ed. 12, 1766, 134.—A.
- lanius** *Cetonia* (L.), J. C. Fabricius, Syst. Ent. 1775, 44.—*Scarabaeus*.
- lanius** *Scarabaeus*, Linnaeus, Syst. Nat., ed. 10, 1758, 352; ed. 12, 1767, 557.
- lanosa** *Aphis*, D. Drury, Ill. Nat. Hist. III. 1782, index & 70.
- lanosa** *Spongia*, F. C. Meuschen, Mus. Gever. 1787, 530.
- lantanae** *Bombyx*, J. C. Fabricius, Ent. Syst. III (1) 1793, 437.
- lanuginosa** *Millepora*, F. C. Meuschen, Mus. Gever. 1787, 512.
- lanuginosa** *Podura*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2911.
- lanuginosa** *Spongia*, E. J. C. Esper, Pflanzenth. II (12) 1799, 243. [7.]
- lanugithorax** *Melolontha*, F. v. P. Schrank in Born, Phys.-Arb. Freunde Wien, II (2) 1787,
- lanugithorax** *Scarabaeus* (Schr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1563.—*Melolontha*.
- laocoon** *Bombyx* (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 37.—*Phalaena*.
- laocoon** [*Phalaena*], P. Cramer, Utitl. Kapellen, II (10) 1777, 30.
- laodamia** [*Papilio*], P. Cramer, Utitl. Kapellen, II (11) 1777, 49.
- laodice** *Papilio*, P. S. Pallas, Reise Russ. I. 1771, 470.
- laodice** [*Papilio*], P. Cramer, Utitl. Kapellen, II (14) 1777, 95.
- laodice** *Papilio*, D. Drury, Ill. Nat. Hist. III. 1782, index & 34.
- laodice** *Papilio*, [D. H. Schneider], Besch. europ. Schmett. I. 1785, 175.
- laodice** *Papilio*, J. C. Fabricius, Mant. Ins. II. 1787, 36.
- laodocus** *Papilio*, J. C. Fabricius, Ent. Syst. III (1) 1793, 8.
- laomedea** *Papilio* (*Nymphalis*), Linnaeus, Syst. Nat., ed. 12, 1767, 772.
- laomedon** [*Papilio*], P. Cramer, Utitl. Kapellen, I (5) 1775, 78.
- laomedon** *Papilio*, J. C. Fabricius, Ent. Syst. III (1) 1793, 12.
- laothoe** [*Papilio*], P. Cramer, Utitl. Kapellen, II (11) 1777, 55.
- lapadifera** *Astraea*, J. F. Bolten, Mus. Bolten. (2) 1798, 80.
- lapathi** *Curculio*, Linnaeus, Syst. Nat., ed. 10, 1758, 379; ed. 12, 1767, 608.
- laphiati** *Coluber*, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 96.
- lapicida** *Helix*, Linnaeus, Syst. Nat., ed. 10, 1758, 768; ed. 12, 1767, 1241.
- lapicida** *Planorbis*, J. F. Bolten, Mus. Bolten. (2) 1798, 73.
- lapicida** *Sphex*, J. L. Christ, Nat. Ins. 1791, 318.
- lapicida** *Venus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3269.
- lapidanus** *Curculio*, G. Paykull, Faun. Suec. III. 1800, 292.
- lapidaria** *Apis*, Linnaeus, Syst. Nat., ed. 10, 1758, 579; ed. 12, 1767, 960.
- lapidaria** *Terebella*, Linnaeus, Syst. Nat., ed. 12, 1767, 1092.
- lapidaria** *Teredo*, Linnaeus, Syst. Nat., ed. 10, 1758, 651.
- lapidaris** *Vespa*, J. L. Christ, Nat. Ins. 1791, 246.
- lapidator** *Ichneumon*, J. C. Fabricius, Mant. I. 1787, 266.
- lapidator** *Ichneumon*, J. C. Fabricius, Ent. Syst. II. 1793, 160.
- lapidella** *Tinea*, C. C. Jung, Alph. Verz. Schmett. 1791, 306.
- lapidescens** *Corallina*, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 112.
- lapideus** *Cancer*, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 185.
- lapidea** *Chamaeformis*, F. C. Meuschen, Mus. Gever. 1787, 448.
- lapidosa** *Tinea*, A. F. de Fourcroy, Ent. Paris. 1785, 336.
- lapidum** *Psylla*, A. F. de Fourcroy, Ent. Paris. 1785, 224.
- lapillus** *Buccinum*, Linnaeus, Syst. Nat., ed. 10, 1758, 739; ed. 12, 1767, 1202.
- lapillus** *Nuccella*, J. F. Bolten, Mus. Bolten. (2) 1798, 131.
- lapillus** *Tritonium* (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 244.—*Buccinum*.
- lapina** *Labrus*, P. Forskal, Descr. Anim. 1775, 36.
- lapis-cancris** *Echinites*, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 256.
- lapis-cancris** *Echinus* (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3201.—*Echinites*.
- Laplysia** Linnaeus, Syst. Nat., ed. 12, 1767, 1082.—*Moll*.
- lappae** *Musca*, J. Cederhielm, F. Ingrid. 1798, 319.
- lappella** *Alucita* (L.), J. C. Fabricius, Syst. Ent. 1775, 668.—*Phalaena*.

- lappella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 537; ed. 12, 1767, 889.
- lappona** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 591; ed. 12, 1767, 983.
- lappona** Papilio, C. P. Thunberg, Ins. Suecica (2) 1791, 37.
- lappona** Syrphus (L.), J. C. Fabricius, Spec. Ins. II. 1781, 422.—Musca.
- lappona** Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 178.—Musca.
- lapponica** Apis, J. C. Fabricius, Ent. Syst. II. 1793, 318.
- lapponica** Blatta, Linnaeus, Syst. Nat., ed. 10, 1758, 425; ed. 12, 1767, 688.
- lapponica** Bombyx, C. P. Thunberg, Ins. Suecica (2) 1791, 40.
- lapponica** Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 371; ed. 12, 1767, 591.
- lapponica** Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 113.
- lapponicus** Corvus, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIX. 1798, 178.
- lapponicus** Falco, G. v. Carlsson, Tal ... Falk-Slägtets, K. Vet. Acad. 1798, 27.
- lapponica** Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 180; ed. 12, 1766, 317.
- lapponicus** Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 326.—Voluta.
- lapponica** Noctua, C. P. Thunberg, Ins. Suecica (2) 1791, 42.
- lapponica** Plejona (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 60.—Voluta.
- lapponica** Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 147; ed. 12, 1766, 246.
- lapponica** Silpha, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 209.
- lapponica** Silpha, C. P. Thunberg, Ins. Suecica (5) 1794, 72.
- lapponica** Strix, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIX. 1798, 184.
- lapponica** Strix, Sparr. *in litt.*, A. J. Retzius in Linnaeus, F. Suec. 1800, 79.
- lapponicus** Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 751.
- lapponica** Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1195.
- lapreae** Coccus, A. Modeer. Götheborg. Samhalle Hand. (Wet. Afrl.) I. 1778, 22.
- Lapria** J. G. Meigen, N. Class. Mouches, 1800, 25.—Dip.
- lar** Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 257.—Bibio, 1787.
- lar** Bibio, J. C. Fabricius, Spec. Ins. II. 1781, 414.
- lar** Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 467.
- lar** Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 113.—Cryptocephalus, 1787.
- lar** Cryptocephalus, J. C. Fabricius, Mant. I. 1787, 80.
- lar** Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 335.
- lar** Homo, Linnaeus, Mant. II. 1771, 521.
- lar** Inachus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer, 1793.
- lar** Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2832.—Bibio.
- lar** Palaemon, F. Weber, Nomen. Fabricii, 1795, 94.
- lar** Palaemon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 402.
- lar** Parthenope, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer, 1793.
- lar** Scarabaeus, J. C. Fabricius, Mant. I. 1787, 13.
- lar** Scarabaeus, C. G. Jablonsky, Nat. Ins. (Käfer) II. 1789, 48.
- lar** Simia (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 27.—Homo.
- lardarius** Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 354; ed. 12, 1767, 561.
- lardaria** Musca, J. C. Fabricius, Spec. Ins. II. 1781, 436.
- lardarius** Tenebrio, C. de Geer, Mém. Ins. V. 1775, 45.
- largipennis** Trochilus, P. Boddaert, Tab. Planch. Enl. 1783, 41.
- largipes** Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 73.
- lari** Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3033.
- lari** Pediculus, O. F. Müller, Z. Dan. Prod. 1776, 185.
- lari** Ricinus, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 201.
- Laria** Scopoli, Ent. Carn. 1763, 21.—Col.
- laricis** Bostriachus, J. C. Fabricius, Ent. Syst. I (2) 1792, 365.
- laricis** Phalaena Bombyx, J. Hübner, Beitr. Schmett. II. 1790, 48.
- lariformis** Rallus, Linnaeus, Syst. Nat., ed. 10, 1758, 153.
- Larius**, *err. pro Lorius*, P. Boddaert, Tab. Planch. Enl. 1783, 42.—A.
- larix** Antipathes, E. J. C. Esper, Pflanzenth. II (9) 1792, 137.
- larix** Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 316.
- Larra** J. C. Fabricius, Ent. Syst. II. 1793, 220.—Hym.
- larra** Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 428.
- Larus** Linnaeus, Syst. Nat., ed. 10, 1758, 136; ed. 12, 1766, 224.—A.

- lara Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 315.—Papilio.
 lara Papilio (Plebejus), Linnaeus, Mus. Lud. Ulr. 1764, 320.
 larus Trichoda, O. F. Müller, An. Infus. 1786, 215.
 Larva [G. Humphreys], Mus. Calonn. 1797, 4.—G.
 larva Enchelis, O. F. Müller, An. Infus. 1786, 40.
 larva Himantopus, O. F. Müller, An. Infus. 1786, 251.
 larva Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3559.
 larva Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3679.
 larva Vorticella, O. F. Müller, An. Infus. 1786, 286.
 Larvaevora J. G. Meigen, N. Class. Mouches, 1800, 38.—Dip.
 larvarum Cynips (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 783.—Ichneumon.
 larvarum Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 389.—Ichneumon.
 larvarum Gordius, J. G. Bruguière, Ency. Méth. (Vers Int. 1791), 90.
 larvarum Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 567; ed. 12, 1767, 939.
 larvarum Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 596; ed. 12, 1767, 992.
 larvatus Cercopithecus, F. v. Wurmb, Mag. Neuste Phys. u. Nat. II (4) 1784, 7.
 larvatus Conus, K. Schreibers, Vers. Conch. I. 1793, 20.
 larvatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46.
 larvatus Ichneumon, J. L. Christ, Nat. Ins. 1791, 348.
 larvata Mordella, F. v. P. Schrank, Naturforscher, XXIV. 1789, 90.
 larvata Musca, F. v. P. Schrank, Ins. Aust. 1781, 452.
 larvata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 475.
 larvata Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2845.
 larydas [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 160.
 larynx Tubularia, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 31.
 lasciva Musca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 564. [ed. 13, I. 1788, 50.
 lascopterus Vespertilio (ex Schreber, tab. 58 B (1781)), J. F. Gmelin in Linn. Syst. Nat.,
 lasiurus Nycterus (Schr.), J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, II. 1800,
 628.—Vespertilio.
 lasiurus Vespertilio (ex Schreber, tab. 62 B (1781)), J. F. Gmelin in Linn. Syst. Nat.,
 ed. 13, I. 1788, 50.
 laspeyrella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 60.
 lassus Papilio, J. C. Fabricius, Mant. II. 1787, 26.
 lassus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 44.
 latebrosus Carabus, Bory de St. V., Journ. Santé Bordeaux, III. 1798, 74.
 latebrosa Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 170.
 latedigitatus Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 latens Acarus, O. F. Müller, Z. Dan. Prod. 1776, 187.
 latens Aranea, J. C. Fabricius, Syst. Ent. 1775, 432.
 latens Bulla, O. F. Müller, Z. Dan. Prod. 1776, 242.
 lateola Cicindela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1925.
 laterali-marginalis Dytiscus, C. de Geer, Mém. Ins. IV. 1774, 396.
 laterale Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 228.—Gryllus.
 lateralis Buprestis, A. G. Olivier, Entom. II. 1790, 65.
 lateralis Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 402; ed. 12, 1767, 648.
 lateralis Cantharis, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (2) 1782, 162.
 lateralis Carabus, J. C. Fabricius, Mant. I. 1787, 200.
 lateralis Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 364; ed. 12, 1767, 578.
 lateralis Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1841.—
 lateralis Cerambyx, A. G. Olivier, Entom. IV. 1795, 129. [Saperda.
 lateralis Cercopis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 524.
 lateralis Cetonia, A. G. Olivier, Entom. I. 1789, 80.
 lateralis Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 437; ed. 12, 1767, 709.
 lateralis Cimex, J. C. Fabricius, Gen. Ins. 1777, 300.
 lateralis Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 209.
 lateralis Coccinella, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 9.
 lateralis Curculio, G. W. F. Panzer, Naturforscher, XIV. 1789, 20.
 lateralis Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 508.

- lateralis** Curculio, G. Paykull, Mon. Curc. 1792, 95.
lateralis Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 454.
lateralis Dytiscus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 64.
lateralis Elater, A. G. Olivier, Entom. II. 1790, 50.
lateralis Elater, J. C. Fabricius, Ent. Syst. IV. 1794, 452.
lateralis Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 497.
lateralis Gryllus, J. C. Fabricius, Syst. Ent. 1775, 293.
lateralis Hemerobius, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 61.
lateralis Hydrophilus, J. C. Fabricius, Syst. Ent. 1775, 228.
lateralis Lacerta, C. P. Thunberg, K. Vet. Ac. Nya Handl. VIII. 1787, 126.
lateralis Leptura, A. G. Olivier, Entom. IV. 1795, 22.
lateralis Leptura, O. Estlund, K. Vet. Ac. Nya Handl. XVII. 1796, 127.
lateralis Mantis, J. C. Fabricius, Syst. Ent. 1775, 275.
lateralis Miris, J. C. Fabricius, Ent. Syst. IV. 1794, 184.—Cimex, 1777.
lateralis Mordella, J. C. Fabricius, Ent. Syst. I (2) 1792, 114.
lateralis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 597.
lateralis Musca, J. C. Fabricius, Syst. Ent. 1775, 778.
lateralis Musca, A. F. de Fourcroy, Ent. Paris. 1785, 496.
lateralis Musca, E. Donovan, Brit. Ins. I. 1792, 69.
lateralis Phasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 188.—Mantis, 1775.
lateralis Saperda, J. C. Fabricius, Syst. Ent. 1775, 185.
lateralis Tabanus, A. F. de Fourcroy, Ent. Paris. 1785, 458.
lateralis Telephorus (L.), A. G. Olivier, Entom. II. 1790, 15.—Cantharis.
lateralis Tenthredo, J. C. Fabricius, Reise Norwegen, 1779, 33.
lateralis Tenthredo, J. L. Christ, Nat. Ins. 1791, 456.
lateralis Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 466.
laterana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 264.
lateraria Phalaena, J. C. Fabricius, Mant. II. 1787, 193.
laterata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 206.
laterella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 137.
laterella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 94.
lateritia Gorgonia, F. C. Meuschen, Mus. Gev. 1787, 526.
lateritia Musca, F. v. P. Schrank, Samml. Nat. Phys. Aufsatz. 1796, 129.
lateritia Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 61.
lateritia Phalaena, Hufnagel, Berl. Mag. III. 1767, 306.
laterna Pleuronectes, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 121.
Laternaria Linnaeus, Mus. Lud. Ulr. 1764, 152.—Hem.
laternaria Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 434.—[Fulgora, ed. 12.]
laternaria Fulgora, Linnaeus, Syst. Nat., ed. 12, 1767, 703.—[Cicada, ed. 10.]
laternaria Musca, O. F. Müller, Z. Dan. Prod. 1776, 174.
Laternula J. F. Bolten, Mus. Bolten. (2) 1798, 155.—L.
lathami Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 408.
lathami Curculio, G. C. Reich, Mant. Ins. 1797, 13.
lathami Falco, F. M. Daudin, Traité élém. Orn. 1800, 73.
lathami Lanius, G. A. Suckow, Naturg. II [1] 1800, 258.
lathamiana Phalaena (Tinea), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 276.
Lathargus (ex Klein), J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 581.—P.
lathonia Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 481; ed. 12, 1767, 786.
lathyrus Echinocyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 215.
lathyrus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3194.—
laticapitatus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 84. [Echinocyamus.
Laticauda J. N. Laurenti, Syn. Rept. 1768, 109.—R.
laticauda Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 228; ed. 12, 1766, 392.
laticauda Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 280.
laticauda Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 151. [p. 228.]
laticaudatus Anguis, Linnaeus, Mus. Adolph. Frid. II. 1764, 48.—[?laticauda, ed. 10,
laticaudatus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 222; ed. 12, 1766, 383.
laticaudata Manis, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 565.

- laticaudata** Salamandra, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 63.
- laticeps** Phylline (Pall.), P. C. Abildgaard, Skr. nat. Selsk. [Copen.], I (1) 1790, 31.—
- laticeps** Taeria, P. S. Pallas, N. nord. Beytr. I. 1781, 106. [Taenia.]
- laticlavia** Cercopis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 102.
- laticlavia** Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 27. [1710.—Chrysomela.]
- laticlavius** Cryptcephalus (Forst.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
- laticlavia** Mylabris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 75.
- laticollis** Blaps, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 198.
- laticollis** Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 235.
- laticollis** Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1987.
- laticollis** Cerambyx, D. Drury, Ill. Nat. Hist. I. 1770, index & 83.
- laticollis** Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 171.—Scarabaeus.
- laticollis** Helops, Creutzer in G. W. F. Panzer, Ins. Germ. heft 36, 1796, tab. 1.
- laticollis** Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2008.—
- laticollis** Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 549. [Tenebrio.]
- laticollis** Tenebrio, P. S. Pallas, Icon. Ins. 1781, 56.
- laticornis** Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 538.
- laticornis** Pionus, J. A. Frolich, Naturforscher, XXVI. 1792, 134.
- latidactyla** Phalaena Alucita, J. Hübner, Beitr. Schmett. II. 1790, 27.
- latidens** Simia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 188.
- latifolia** Phalaena Noct., H. G. Lang, Verz. Schmett., ed. 2, 1789, 142.
- latiformis** Eschara, F. C. Meuschen, Mus. Gever. 1787, 516.
- latilinea** Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 16.
- latipennis** Trochilus, J. Latham, Index Orn. 1790, 310.
- latipes** Apis, D. Drury, Ill. Nat. Hist. II. 1773, index & 87.
- latipes** Cancer, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 3.
- latipes** Cancer, C. de Geer, Mém. Ins. VII. 1778, 425.
- latipes** Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 267.
- latipes** Cerambyx, C. de Geer, Mém. Ins. VII. 1778, 655.
- latipes** Cerapterus, N. S. Swederus. K. Vet. Ac. Nya Handl. IX. 1788, 203.
- latipes** Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 63.
- latipes** Cimex, Herbst, Einl. Ins. I. 1784, 257.
- latipes** Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191.
- latipes** Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 107.
- latipes** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
- latipes** Phasma, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 78.
- latipes** Saperda, J. C. Fabricius, Mant. I. 1787, 148.
- latipes** Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 678.
- latirostra** Anas, E. Pontoppidan, Danske Atlas, I. 1763, 620.
- latirostra** Anas, M. T. Brünnich, Orn. Boreal. 1764, 21.
- latirostra** Coronella, J. N. Laurenti, Syn. Rept. 1768, 86.
- lati-rostratus** Coluber (Laur.), J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 60.—Coro-
- latirostris** Anas, P. Boddaert, Tab. Planch. Enl. 1783, 58. [nella latirostra.]
- latirostris** Anthribus, J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 220.—
- latirostris** Curculio, J. C. Fabricius, Syst. Ent. 1775, 151. [Curculio, 1775.]
- latirostris** Curculio, O. F. Müller, Z. Dan. Prod. 1776, 86.
- latirostris** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.
- latirostris** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 251.
- latirostris** Procellaria, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 81.
- latissima** Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 338.—Strombus.
- latissima** Blatta, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 184.
- latissimus** Cottus, F. C. Meuschen, Mus. Gronov. 1778, 42.
- latissimus** Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 411; ed. 12, 1767, 665.
- latissimus** Dytiscus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 69.—Dytiscus.
- latissimus** Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 65.—Strombus.
- latissima** Lampyrus, Linnaeus, Syst. Nat., ed. 12, 1767, 646.
- latissima** Lycus, Fab., J. C. Fabricius, Mant. I. 1787, 163.—Pyrochroa.
- latissima** Pyrochroa (L.), J. C. Fabricius, Syst. Ent. 1775, 203.—Lampyrus.

- latissimus** Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 745; ed. 12, 1767, 1211.
- latiuscula** Altica, O. F. Müller, Z. Dan. Prod. 1776, 84. [Altica.]
- latiuscula** Chrysomela (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1698.—
- latiuscula** Planaria, J. A. E. Goeze, Eingeweidewürm. 1782, 169; [not a specific name].
- latona** [Phalaena], P. Cramer, Utitl. Kapellen, I (2) 1775, 20.
- latrator** Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 431.
- latrator** Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 184.
- latreillana** Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 479.
- latreillella** Alucita, J. C. Fabricius, Suppl. Ent. Syst. 1798, 502.
- Latridius** Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 3.—Col.
- latrinarum** Bibio (De G.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 300.—Tipula.
- latrinarum** Musca, C. de Geer, Mémoires. Ins. VI. 1776, 31.
- latrinarum** Tipula, C. de Geer, Mémoires. Ins. VI. 1776, 430.
- latro** Aranea, J. C. Fabricius, Spec. Ins. I. 1781, 538.
- latro** Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1049.
- latro** Cancer (Astacus) L., J. F. W. Herbst, Vers. Nat. Krab. II (1) 1791, 34.
- latro** Curculio, F. v. P. Schrank, Ins. Aust. 1781, 115.
- latro** Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 360.
- latro** Musca, J. C. Fabricius, Mant. II. 1787, 349.
- latro** Pagurus (L.), J. C. Fabricius, Syst. Ent. 1775, 410.—Cancer.
- latro** Ptinus, J. C. Fabricius, Syst. Ent. 1775, 63.
- latruncula** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 89.
- lata** Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3312.
- lata** Blatta, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 185.
- latus** Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 415; ed. 12, 1767, 672.
- latum** Cardium, I. v. Born, Index Mus. Caes. Vind. 1778, 37.
- lata** Crioceris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 47.
- latus** Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 71.
- latus** Cyprinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1438.
- latus** Elater, J. C. Fuessly, Schweiz. Ins. 1775, 16.
- latus** Elater, J. H. Sulzer, Gesch. Ins. 1776, 53.
- lata** Nitidula, L. G. Scriba, J. Lieb. Ent. II. 1790, 175.
- latus** Sparus, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782, 322.
- latus** Staphylinus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 332.
- latus** Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 97.
- latus** Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3520.
- lata** Taenia, Linnaeus, Syst. Nat., ed. 10, 1758, 820; ed. 12, 1767, 1324.
- lata** Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3237.
- lata** Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
- latus** Trochus, F. C. Meuschen, Mus. Gev. 1787, 284.
- laudonius** Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) IX. 1798, 186.
- laure** [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 31.
- laureatum** Distoma, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 192.
- laurentii** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3317.
- laurifoliaeformis** Hemerobius, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 211.
- laurifolius** Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 429; ed. 12, 1767,
- laurifolia** Locusta (L.), J. C. Fabricius, Syst. Ent. 1775, 282.—Gryllus. [695.]
- lausoniae** Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 95.
- lausona** [Papilio], P. Cramer, Utitl. Kapellen, III (20) 1779, 70.
- Lavacrum** F. C. Meuschen, Cat. Coll. Coq. Oudaan, 1766, 92 [v. n.].—L.
- lavacrum** Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 177.
- lavandulae** Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1783, 221.
- lavandulae** Zygaena, J. C. Fabricius, Ent. Syst. III (1) 1793, 387.
- lavareti** Lernaea, O. Fabricius, Skr. nat. Selsk. [Copen.], III (2) 1794, 21.
- lavareti** Scolex, O. Fabricius, Skr. nat. Selsk. [Copen.], III (2) 1794, 13. [(1770), 60.]
- lavaretus** Cyprinus, *err. pro* Salmo [v. Anmerk. II., p. vi], S. G. Gmelin, Reise Russ. I
- lavaretus** Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 310; ed. 12, 1766, 512.
- lavaterae** Acanthia, J. C. Fabricius, Mant. II. 1787, 278.

- lavaterae** Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2125.—
lavaterae Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 353. [Acanthia.
lavaterae Papilio, J. C. Fabricius, Mant. II. 1787, 91.
lavatherae Papilio Pl. Urb., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
lavatum Buccinum, D. Solander in G. Brander, Foss. Hant. 1766, 14. [1783, 148.
lavinia [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 32.
lavinia Papilio, J. C. Fabricius, Syst. Ent. 1775, 450.
laxmanni Gryllus, P. S. Pallas, Spic. Zool. IX. 1772, 19.—[laxmannianus, p. 20.]
laxmanni Gryllus (Tett.), P. S. Pallas, Reise Russ. I. 1771, 468.
laxmanni Locusta (Pall.), J. C. Fabricius, Spec. Ins. I. 1781, 361.—Gryllus.
“laxmanni Myospalax.” This does not exist; the sentence by Bechmann in A. G. Schloezer's Sibirische Briefe, 1769, p. 75 reads thus:—“Sollte nicht *Myospalax* Laxmanni *Mus amphibius* Linnei seyn? B.” See **Myospalax**.
Lazarus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 5 [n. n.].—Br.
lazarus Chama, Linnaeus, Syst. Nat., ed. 10, 1758, 691; ed. 12, 1767, 1139.
lazarus Macerophyllum (L.), F. C. Meuschen, Mus. Gever. 1787, 432.—Chama.
lazarus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 11.
lazuri Phryg[anea], C. Clerck, Icones, I. 1759, pl. xi, 7.
lea [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 87.
leander Dytiscus, P. Rossi, Fauna Etrus. I. 1790, 202.
leander Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 33.
leander Papilio Pl. Rur., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. 1784,
leberis Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 216; ed. 12, 1766, 375. [176.
lebetinus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 218; ed. 12, 1766, 378.
lecheana [Phalaena], C. Clerck, Icones, I. 1759, pl. x, 2.
lecheana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 531; ed. 12, 1767, 877.
lecheana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 649.—Phalaena.
lecheana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me justice 1796], fig. 67 [n. et f.].
lecticarium Callidium, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 48.
lectrix Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 584.—Phalaena.
lectrix Phalaena (Noctua), Linnaeus, Mus. Lud. Ulr. 1764, 389.
lectularius Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 441; ed. 12, 1767, 715.
lectularia Acanthia (L.), J. C. Fabricius, Syst. Ent. 1775, 693.—Cimex.
leda Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 474; ed. 12, 1767, 773.
lediana [Phalaena], C. Clerck, Icones, I. 1759, pl. x, 12.
lediana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 532; ed. 12, 1767, 879.
lediana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 650.—Phalaena.
leeana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 404.—Pyralis.
leeana Pyralis, J. C. Fabricius, Gen. Ins. 1777, 292.
leei Melolontha, A. G. Olivier, Entom. I. 1789, 30.
leei Scarabaeus (Melolontha), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 188.
legatella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
legatella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me justice 1796], 35.
leguan Iguana, F. A. A. Meyer, Syn. Rept. 1795, 16.
legumen Hypogaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 251 & 257.—Solen.
legumen Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 711; ed. 12, 1767, 1164.
legumen Orthocera (L.), A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 145.—Nautilus.
legumen Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3339.
legumen Solen, Linnaeus, Syst. Nat., ed. 10, 1758, 672; ed. 12, 1767, 1114.
leguminiformis Nautilus (O.), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 8.
leilus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 462; ed. 12, 1767, 750.
Leiodes P. A. Latreille, Préc. Car. Ins. 1796, 22.—Col.
leispida Phoca, *err. pro hispida*, R. R. Castel in Buffon, Hist. Nat. (Deterville ed.) Quads.
Leistus Frolich, Naturforscher, XXVIII. 1799, 1.—Col. [III. 1799, 302.
lelex [Phalaena], P. Cramer, Uitl. Kapellen, II (9) 1777, 2.
Lema J. C. Fabricius, Suppl. Ent. Syst. 1798, 4.—Col.
Lemmus H. F. Link, Beytr. Nat. I (2) 1795, 75.—M.
Lemmus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [n. n.].—M.

- lemmus** Glis (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 371.—Mus.
- lemmus** Lagomys (L.), G. C. C. Storr, Prod. 1780, 40.—Mus.
- lemmus** Lemmus (Linn.), H. F. Link, Beitr. Nat. I (2) 1795, 75.—Mus.
- lemmus** Marmota, J. F. Blumenbach, Hand. Naturg. 1779, 82.
- lemmus** Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 59; ed. 12, 1766, 80.
- lemmus** Mus, R. Kerr, Anim. Kingd. 1792, 241; *var.* sibiricus.
- lemna** Cercaria, O. F. Müller, Verm. I (1) 1773, 67.
- lemnae** Curculio, G. Paykull, Mon. Curc. 1792, 78.
- lemnae** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 412.
- lemnalis** Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
- lemnata** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 529; ed. 12, 1767, 874.
- lemnia** Rana, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 2.
- lemniscatus** Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 46.
- lemniscatus** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 224; ed. 12, 1766, 386.
- lemniscata** Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 209; ed. 12, 1766, 369.
- lemniscata** Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 41.
- lemniscata** Natrix (Linn.), J. N. Laurenti, Syn. Rept. 1768, 76.—Coluber.
- lemniscata** Neritaeformis, F. C. Meuschen, Mus. Gev. 1787, 276.
- lemniscata** Rana, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. meth.
- lemniscatus** Seps (Linn.), J. N. Laurenti, Syn. Rept. 1768, 60.—Lacerta.
- lemniscatus** Trochus, F. C. Meuschen, Mus. Gev. 1787, 282.
- lemonias** Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 473; ed. 12, 1767, 770.
- lemopicta** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 302.
- Lemur** Linnaeus, Syst. Nat., ed. 10, 1758, 29; ed. 12, 1766, 44.—M.
- lemur** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 163.—Scarabaeus.
- lemur** Phalaena Noctua, Meineckens, Naturforscher, VI. 1775, 112.
- lemur** Scarabaeus, J. C. Fabricius, Spec. Ins. II. 1781, 495.
- lena** Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 12, 1767, 784.
- lena** Thais, J. F. Bolten, Mus. Bolten. (2) 1798, 54.
- lenae** Mus, R. Kerr, Anim. Kingd. 1792, 242.
- lendigera** Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 812; ed. 12, 1767, 1311.
- Lendix** [G. Humphreys], Mus. Calonn. 1797, 63.—G.
- lendix** Sipunculus, C. J. Phipps, Voy. N. Pole, 1774, 194.
- lenea** [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 66.
- leneus** [Sphinx], P. Cramer, Uitl. Kapellen, III (21) 1779, 95.
- lenio** Musca, M. Harris, Exp. Eng. Ins. 1776, 147.
- lenis** Musca, M. Harris, Exp. Eng. Ins. 1776, 154.
- lenocinator** Ichneumon, P. Rossi, Mant. Ins. I. 1792, 124.
- lenok** Salmo, P. S. Pallas, Reise Russ. II. 1773, 716.
- lens** Chrysomela, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 13.
- lens** Monas, O. F. Müller, Verm. I (1) 1773, 26.
- lenticula** Solen, J. F. Bolten, Mus. Bolten. (2) 1798, 155.
- lenticularis** Diplolepis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 281.
- lenticularis** Monoculus, Linnaeus, Syst. Nat., ed. 10, 1758, 635; ed. 12, 1767, 1059.
- lenticularis** Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 55.
- lentigenella** Tinea, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 220.
- lentiginosa** Alata (L.), F. C. Meuschen, Mus. Gev. 1787, 338.—Strombus.
- lentiginosus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2135.
- lentiginosus** Coluber, J. A. Scopoli, Del. Insub. III. 1788, 41.
- lentiginosus** Holocentrus, M. Vahl, Skr. nat. Selsk. [Copen.], III (1) 1793, 118.
- lentiginosa** Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 63.—Strombus.
- lentiginosa** Perca, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 353.
- lentiginosus** Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 743; ed. 12, 1767, 1208.
- lentiginosa** Tuceta, J. F. Bolten, Mus. Bolten. (2) 1798, 172.
- lentigo** Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 23.
- lentipes** Phalaena B., E. J. C. Esper, Die Schmett. III (18) 1783, 91.
- lentis** Bruchus, J. A. Frolich, Naturforscher, XXVIII. 1799, 57.
- lentisci** Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 113.—Cryptocephalus, 1792.

- lentisci *Cryptocephalus*, J. C. Fabricius, *Ent. Syst.* I (2) 1792, 57.
 lenta *Helix*, D. Solander in G. Brander, *Foss. Hant.* 1766, 29.
 lentus *Sylvicola*, M. Harris, *Exp. Eng. Ins.* 1776, 160.
 leo *Conus*, F. C. Meuschen, *Mus. Gever.* 1787, 350.
 leo *Felis*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 41; ed. 12, 1766, 60.
 leo *Lacertus*, B. G. E. de Lacépède, *Quad. Ovip. I.* 1788, *Syn. méth.*
 leodice [*Papilio*], P. Cramer, *Uitl. Kapellen*, II (12) 1777, 64. [1782, 127.
 leodorus *Papilio Pl. Rur.*, E. J. C. Esper, *Die Schmett. I (Bd. 2) Forts. Tagschmett.*
 leonia *Phoca*, *err. pro leonina*, L., E. A. W. Zimmermann, *Geogr. Gesch. II.* 1780, 420.
 leonida [*Papilio*], C. Stoll in Cramer, *Uitl. Kapellen*, IV (33) 1782, 203.
 leonidas *Papilio*, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 35.
 leoninus *Cimex*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 2166.
 leonina *Coccinella*, J. C. Fabricius, *Syst. Ent.* 1775, 87.
 leoninus *Conus*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3386.
 leoninus *Conus*, Hwass in J. G. Bruguière, *Ency. Méth. (Vers)* (2) 1792, 683.
 leoninus *Cucullus* (Gm.), J. F. Bolten, *Mus. Bolten.* (2) 1798, 44.—*Conus*.
 leonina *Musca*, J. C. Fabricius, *Syst. Ent.* 1775, 776.
 leonina *Noctua*, J. C. Fabricius, *Syst. Ent.* 1775, 596.
 leonina *Phoca*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 37; ed. 12, 1766, 55.
 leonina *Stratiomys*, G. W. F. Panzer, *Ins. Germ. heft 58 [1798]*, tab. 21.
 leonis *Ascaris*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3031.
 leonis *Filaria*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3040.
 leontia [*Phalaena*], C. Stoll, *Aanhang. Cramer's Uitl. Kapellen*, V. 1790, 155.
 leontodontis *Musca*, C. de Geer, *Mém. Ins. VI.* 1776, 46.
 leopardalis *Felis*, R. Kerr, *Anim. Kingd.* 1792, 148.
 leopardina *Coccinella*, A. A. H. Lichtenstein, *Cat. rerum Nat.* III. 1796, 67.
 leopardus *Conus*, F. C. Meuschen, *Mus. Gever.* 1787, 352.
 leopardus *Cucullus*, J. F. Bolten, *Mus. Bolten.* (2) 1798, 41.
 leopardus *Felis*, J. C. D. Schreber, *Säugeth. III.* 387 (1777), pl. ci (1776).
 leopardus *Felis*, J. C. P. Erxleben, *Syst. Anim.* 1777, 509.
 lepadifera *Gorgonia*, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 1289.
 lepadiformis *Ascidia*, O. F. Müller, *Z. Dan. Prod.* 1776, 226.
 lepadis *Helmintholithus*, Gmelin in *Linn. Syst. Nat.*, ed. 13, III. 1793, 398.
 Lepadogaster A. Gouan, *Hist. Pisc.* 1770, 106 & 176.—P.
 Lepadogaster P. de Czenpinski (*ex Gouan*), *Diss. zool.-med.* 1778, 73.—P.
 lepodogaster (*sic*) *Cyclopterus*, J. P. Bonnaterre, *Ency. Méth. (Ich.)* 1788, 29.
 leparga *Tettigonia*, A. A. H. Lichtenstein, *Cat. rerum Nat.* III. 1796, 100.
 Lepas Linnaeus, *Syst. Nat.*, ed. 10, 1758, 667; ed. 12, 1767, 1107.—Cr.
 Lepas E. M. da Costa, *Brit. Conch.* 1778, 1.—G.
 lepas *Patella*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3697.
 lepechini *Chrysomela*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1689.
 lepechini *Gryllus Locusta*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 2083.
 lepechini *Salmo*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1374.
 lepheroides *v. lepturoides*.
 lepidaria [*Phalaena*], C. Stoll in Cramer, *Uitl. Kapellen*, IV (31) 1781, 161.
 lepidopterorum *Acarus*, G. Shaw, *Nat. Misc.* VI. 1794, pl. 187.
 lepidopterorum *Filaria*, Schrank, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3041; *varr. papilionum, polychlori, urticae, betulae, quercus, sphingum, phalaenarum, quercus* [2], *cajcae, ziczac, nuptae, psi, ponionellae*.
 lepidopterus *Curculio*, J. C. Fabricius, *Ent. Syst.* IV. 1794, 454.
 lepidopterus *Curculio*, Herbst in Jablonsky, *Nat. Ins. (Käfer)* VI. 1795, 362.
 Lepidopus A. Gouan, *Hist. Pisc.* 1770, 107 & 185.—P.
 Lepidopus P. de Czenpinski (*ex Gouan*), *Diss. Zool.-med.* 1778, 70.—P.
 Lepidopus (*ex Gouan*), J. Hermann, *Tab. aff. Anim.* 1783, 339.—P.
 Lepidopus G. Cuvier, *Leçons Comp. Anat. I.* 1800, tab. 4 [*n. n.*].—P.
 lepidota *Aphrodita*, P. S. Pallas, *Misc. Zool.* 1766, 94.
 lepidotus *Curculio*, Herbst in Jablonsky, *Nat. Ins. (Käfer)* VI. 1795, 233.
 lepidia *Bombyx* (Cr.), J. C. Fabricius, *Ent. Syst.* III (1) 1793, 457.—*Phalaena*.

- lepidus** Carabus, N. G. Leske, Reise Sachsen, 1785, 17.
lepidus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1993.
lepida Certhia, A. Sparrman, Mus. Carls. II. 1787, no. xxxv.
lepidus Dytiscus, A. G. Olivier, Entom. III. 1795, 32.
lepida Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 320.
lepidus Musca, M. Harris, Exp. Eng. Ins. 1776, 121.
lepida [Phalaena], P. Cramer, Utitl. Kapellen. II (11) 1777, 50.
lepida Phalaena Noctua, N. J. Brahm, Ins. Kal. II (1) 1791, 270.
Lepisma Linnaeus, Syst. Nat., ed. 10, 1758, 608; ed. 12, 1767, 1012.—Orth.
lepisma Sciaena, Linnaeus, Syst. Nat., ed. 10, 1758, 288; ed. 12, 1766, 480.
lepodogaster = **lepadogaster**.
leporina Apis, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 21.
leporina Bombyx (L.), J. C. Fabricius, Spec. Ins. II. 1781, 191.—Phalaena.
leporinus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 55.
leporinus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 378.—Buprestis.
leporina Cavia (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 355.—Mus.
leporina Cicada, Linnaeus, Faun. Suec., ed. 2, 1761, 242.
leporina Lepas, J. X. Poli, Test. Sicil. I. 1791, 38.
leporinus Mus. Linnaeus, Syst. Nat., ed. 10, 1758, 59; ed. 12, 1766, 80.
leporinus Musca, M. Harris, Exp. Eng. Ins. 1776, 117.
leporina Noctua (L.), E. J. C. Esper, Die Schmett. IV (34) 1787, 83.—Phalaena.
leporina Phalaena Bombyx (L.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 303.—
 P. Noctua.
leporina Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 510; ed. 12, 1767, 838.
leporina Phoca, I. Lepechin, Acta Ac. Sci. Petrop. 1777 (1), 1778, 264.
leporinus Pteropus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 139.—Vespertilio.
leporina Tethys, Linnaeus, Syst. Nat., ed. 10, 1758, 653; ed. 12, 1767, 1089.
leporinus Vespertilio, Linnaeus, Syst. Nat., ed. 10, 1758, 32.—[americanus Noctilio.
leporis Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3040. [ed. 12.]—M.
leprae Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 598; ed. 12, 1767, 994.
leprosus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1985.
leprosa Cellepora, E. J. C. Esper, Pflanzenth. I (5) 1790, 250.
leprosus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1829.—Lamia.
leprosus Cimex, J. C. Fabricius, Syst. Ent. 1775, 719.
leprosus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 208.
leprosus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1779.
leprosus Gryllus, J. C. Fabricius, Ent. Syst. II. 1793, 51.
leprosa Lamia, J. C. Fabricius, Syst. Ent. 1775, 178.
leprosus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 154.—Cimex, 1775.
leptelytra Mantis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 80.
Leptobatus (ex Klein), J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 581.—P.
leptocaryon Murex, F. C. Meuschen, Mus. Gev. 1787, 328.
Leptocephalus L. T. Gronovius, Zooph. I. 1763, 135.—P.
Leptocephalus G. Cuvier, Tab. Elém. 1798, 329.—P.
leptocephalus Cyprinus, P. S. Pallas, Reise Russ. III. 1776, 703.
leptocerus Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 57.
leptocnemos Asterias, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 289.
leptogaster Musca, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 19.
Leptura Linnaeus, Syst. Nat., ed. 10, 1758, 397; ed. 12, 1767, 637.—Col.
Lepturoides J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 103.—Col.
lepturoides Cantharis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 18.
lepturoides Cerambyx, J. C. D. Schreber, Nov. Spec. Ins. 1759, 8.
lepturoides Chrysomela, J. R. Forster, Cat. Anim. N. Amer. 1771, 25 [n. n.].
lepturoides Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 30.
lepturoides Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 263.—Cistela.
lepheroides (sic) Cistela, J. C. Fabricius, Mant. I. 1787, 85.
lepturoides Cistela, J. C. Fabricius, Ent. Syst. I (2) 1792, 43. [Cistela.
lepturoides Crioceris (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791, 118.—

- lepturoides** *Cryptocephalus* (Forst.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
lepturoides *Dermestes*, Scopoli, Ent. Carn. 1763, 17. [1716.—*Chrysomela*.]
Lepturus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 5 & 52.—A.
Lepturus M. J. Brisson, Ornith. VI. 1760, 480.—A.
lepturus *Gymnogaster*, F. C. Meuschen, Mus. Gronov. 1778, 40. [736.—*Vespertilio*.]
lepturus *Noctilio* (Schr.), J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800,
lepturus *Trichiurus*, Linnaeus, Syst. Nat., ed. 10, 1758, 246; ed. 12, 1766, 429.
lepturus *Vespertilio*, J. C. D. Schreber, Säugth. I. 173 (1774), pl. lvii (1774).
Leptus P. A. Latreille, Préc. Car. Ins. 1796, 177.—Ar.
Lepus Linnaeus, Syst. Nat., ed. 10, 1758, 57; ed. 12, 1766, 77.—M.
lepus Blennius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 456.
lepus Kerona, Müll., O. F. Müller, An. Infus. 1786, 243.—*Trichoda*.
lepus *Phalaena*, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 37.
lepus *Trichoda*, O. F. Müller, Verm. I (1) 1773, 89.
Lernaea Linnaeus, Syst. Nat., ed. 10, 1758, 655; ed. 12, 1767, 1092.—Cr.
Lernea P. Browne, Hist. Jamaica, ed. 2, 1789, 387.—? *Acal*.
lervia Antilope, P. S. Pallas, Spic. Zool. XII (1777), 12 [*lerwia*, Gmelin, *est*].
lesbia *Emberiza*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 882.
lesbia *Papilio*, J. C. Fabricius, Syst. Ent. 1775, 477.
lesiniformis *Pegasus*, G. S. Volta, Itt. Veron. (2) [circa 1800], clix.
leskiana *Lamia*, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 475.
leskii *Apis*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2789.
leskii *Chrysis*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2747.
leskii *Vespa*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2765.
“**lesses** *Cyprinus*, Linn.,” *id. ac jeses*, Linn., S. G. Gmelin, Reise Russ. I (1770), 59.
Lesteva P. A. Latreille, Préc. Car. Ins. 1796, 75.—Col.
lethe *Papilio*, J. C. Fabricius, Ent. Syst. III (1) 1793, 80.
lethe *Zygaena*, J. C. Fabricius, Syst. Ent. 1775, 553.
Lethrus J. A. Scopoli, Intr. Hist. Nat. 1777, 439.—Col.
leucanthemi *Aphis*, Scopoli, Ent. Carn. 1763, 138.
leucanthemi *Thrips*, F. v. P. Schrank, Ins. Aust. 1781, 298.
leucapennella *Tinea*, J. Hübner, Europ. Schmett. 8 Horde [me *judice* 1796], 67.
leucas *Delphinus*, P. S. Pallas, Reise Russ. Reich. III. 1776, 85.
leucas *Helix*, Linnaeus, Syst. Nat., ed. 10, 1758, 769; ed. 12, 1767, 1242.
leucaspis [*Sphinx*], P. Cramer, Utit. Kapellen, I (5) 1775, 83.
leucattella (*sic*) [*Phalaena*], C. Clerck, Icones, I. 1759, pl. xi, 3.
leucatella *Phalaena* (*Tinea*), Linnaeus, Faun. Suec., ed. 2, 1761, 369.
leucichthys *Salmo*, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XVI. 1772, 533.
leucippe [*Papilio*], P. Cramer, Utit. Kapellen, I (3) 1775, 57.
leucippe *Papilio*, [D. H. Schneider], Besch. europ. Schmett. I. 1785, 209.
Leuciscus (*ex* Klein), J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 586.—P.
leuciscus *Cyprinus*, Linnaeus, Syst. Nat., ed. 10, 1758, 323; ed. 12, 1766, 528.
leuocapilla *Pipra*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1001.
leucocephala *Alcedo*, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 94.
leucocephala *Anas*, J. A. Scopoli, Annus I. 1769, 65.
leucocephala *Ardea*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 642.
leucocephalus *Cacicus* (Lath.), F. M. Daudin, Traité élém. Orn. 1800, 328.—*Oriolus*.
leucocephala *Cicada*, Linnaeus, Syst. Nat., ed. 10, 1758, 437; ed. 12, 1767, 709.
leucocephalus *Cimex*, Linnaeus, Syst. Nat., ed. 10, 1758, 446; ed. 12, 1767, 723.
leucocephala *Coccinella*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1662.
leucocephala *Columba*, Linnaeus, Syst. Nat., ed. 10, 1758, 164; ed. 12, 1766, 281.
leucocephalus *Coracias*, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 86.
leucocephalus *Emberiza*, S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 480.
leucocephalus *Falco*, Linnaeus, Syst. Nat., ed. 12, 1766, 124.
leucocephala *Falco* (*Aquila*), R. Kerr, Anim. Kingd. 1792, 483.
leucocephalus *Lanius*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 307.
leucocephalus *Lygaeus* (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 175.—*Cimex*.
leucocephala *Musca*, C. de Villers, Linn. Ent. III. 1789, 550.

- leucocephala** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2878.
leucocephala Musca, P. Rossi, Fauna Etrus. II. 1790, 306.
leucocephala Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 169.
leucocephalus Numenius (Gm.), J. Latham. Index Orn. 1790, 711.—Scolopax.
leucocephalus Oriolus, J. Latham, Index Orn. 1790, 175.
leucocephalus Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 572.
leucocephalus Pipra, Linnaeus, Mus. Adolph. Frid. II. 1764, 33.
leucocephalus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 100; ed. 12, 1766, 145.
leucocephalus Psittacus, R. Kerr, Anim. Kingd. 1792: *varr.* purpuratus, albifrons.
leucocephalus Reduvius, J. C. Fabricius, Ent. Syst. IV. 1794, 205. [*cinerescens*: 396].
leucocephala Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 657.
leucocephala Simia, J. B. Audubert, Hist. nat. Singes. 1800, sig. Ee².
leucocephalus Sturnus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
leucocephala Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 896.
leucocephalus Tantalus, T. Pennant, Ind. Zool. [1769], 11.
leucocephalus Todus, P. S. Pallas, Spic. Zool. VI. 1769, 16.
leucocephalus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 829.
leucocephalus Vultur, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 249.
leucocephalus Vultur, R. Kerr, Anim. Kingd. 1792: *varr.* norvigicus, sardicus, fulliginosus, bengalensis, 471.
leucoceras Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
leucocerella Phalaena, Scopoli, Ent. Carn. 1763, 255.
leucocilla Pipra, Linnaeus, Mus. Adolph. Frid. II. 1764, 33.
leucodactyla Alucita, [Denis & Schiffermüller], Schmett. Wien, 1775, 146.
leucodactylus Pterophorus, J. C. Fabricius, Ent. Syst. III (2) 1794, 346.
leucodermis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2165.
leucodon Sorex, J. Hermann in E. A. W. Zimmermann, Geogr. Gech. II. 1780, 353.
leucogaster Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 628.
leucogastra Cantharis, J. D. Preyßler in Mayer, Samm. Phys. Aufsätze, I. 1791, 58.
leucogaster Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 687.
leucogaster Corvus, P. Boddaert, Tab. Planch. Enl. 1783, 15.
leucogaster Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3413.
leucogaster Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 237.
leucogaster Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 485.
leucogaster Pelecanus, P. Boddaert, Tab. Planch. Enl. 1783, 57.
leucogaster Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2354.
leucogaster Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 495.
leucogaster Turdus, P. Boddaert, Tab. Planch. Enl. 1783, 39.
leucogeranus Grus, P. S. Pallas, Reise Russ. II. 1773, 714.
leucognaphalus Corvus, F. M. Daudin, Traité élém. Orn. 1800, 231.
leucogonos Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2705.
leucogrammes Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2131.
leucogrammus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2165.
leucogrammus Tenebrio, P. S. Pallas, Reise Russ. II. 1773, 719.
leucographa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 83.
leucographa Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 470.—Noctua. [Tenebrio.]
leucographa Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2012.—
leucographus Tenebrio, *id.* ac leucogrammus, Pall., P. S. Pallas, Icon. Ins. 1781, 54.
leucolophos Penelope, B. Merrem, Avium rar. Icones, II. 1786, 43.
leucomela Cicada, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 67.
leucomela Motacilla, P. S. Pallas, Nov. Comm. Sci. Petrop. XIV (1) 1770, 584.
leucomelanos Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 249.
leucomelanos Phasianus, J. P. Bonnatere, Ency. Méth. (Orn.) 1791, 189.
leucomelanus Mergus, F. v. P. Schrank, F. Boica, I. 1798, 238.
leucomelana Phalaena, [D. H. Schneider], Nom. Ent. 1785, 53 [*n. n.*].
leucomelas Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2789.
leucomelas Bucco, P. Boddaert, Tab. Planch. Enl. 1783, 43.

- leucomelas** Cimey, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2160.
leucomelas Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1090.
leucomelas Ichneumon, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 350.
leucomelas Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2679.
leucomelas Motacilla, H. Ström, K. Norske Vid. Selsk. Skrift. V. 1774, 546.
leucomelas Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 613.—Phalaena.
leucomelas Papiilio N. Gem., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1783, 141.
leucomelas Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 291. [1783, 141.
leucomelas Phalaena Noctua, Linnaeus, Syst. Nat., ed. 10, 1758, 518; ed. 12, I. 1767,
leucomelas Phasianus, J. Latham, Index Orn. 1790, 633. [856.
leucomelas Picus, P. Boddaert, Tab. Planch. Enl. 1783, 21.
leucomelas Sphex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2735.
leucomelas Tenthredo, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 347.
leucomellis Sphex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2735.
leucometopon Salmo (Zuiew), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 86.—
Charax leucometopon.
leucometopon Charax, B. Zuiew, Nova Acta Ac. Sci. Petrop. IV. 1789, 275.
leuconotus Colius, J. Latham, Index Orn. 1790, 369.
leuconyx Musca, P. Rossi, Mant. Ins. II. 1794, 65.
leucopalpus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2700.
leucopalpus Ichneumon, J. D. Preyssler in Mayer, Samm. Phys. Aufsätze, III. 1793, 173.
Leucopera, Nemnich, Polyglot Lexicon, III. 1794—quoted by Agassiz as *errore pro* Leucophra.
leucophaealis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 11 & 27.
leucophaearia Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 101.
leucophaearia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 195
leucophaeataria Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 323. [*n. et f.*].
leucophaea Antilope, P. S. Pallas, Misc. Zool. 1766, 4.
leucophaea Capra (Pall.), Lamarck in Thunberg, Voy. Japon &c. II. 1796, 114.—
leucophaea Cassida, Linnaeus, Amoen. Acad. VI. 1763, 393. [Antilope.
leucophaea Cicada, J. D. Preyssler in Mayer's Samml. Phys. Aufsätze, II. 1792, 12.
leucophaeus Cylindrus, F. C. Meuschen, Mus. Gev. 1787, 368.
leucophaeus Musca, M. Harris, Exp. Eng. Ins. 1776, 74.
leucophaea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 82.
leucophaea Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 155.
leucophaea Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
leucophaea Scolopax, J. Latham, Index Orn. 1790, 719. [408.—Noctua.
leucophilus Dermestes, F. v. P. Schrank, Ins. Aust. 1781, 28.
leucophilus Dermestes, C. de Villers, Linn. Ent. I. 1789, 56.
leucophlebs Cimey, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2187.
Leucophra O. F. Müller, An. Infus. 1786, 140.—Inf.
leucophrys Columba, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 10 [*n. n.*].
leucophrys Emberiza, J. R. Forster, Phil. Trans. LXII. 1772, 403 & 426.
leucophrys Emberiza, J. F. Miller, Icon. Anim., pl. 21 (1777).
leucophrys Pimelia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 69.
leucophrys Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 115.
leucophthalmos Anas, M. B. Borkhausen, Deutsch. Fauna, I. 1797, 564.
leucophthalmos Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 42.
leucophthalmus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 413; ed. 12, 1767, 668.
leucophthalma Cercopis (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 52.—Cicada.
leucophthalma Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 437; ed. 12, 1767, 709.
leucophthalma Ephemera, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 90.
leucophthalmus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 75.
leucophthalmos (*sic*) Psittacus, J. A. Scopoli, Del. Insub. II. 1786, 87.
leucophyllata Calamita, J. G. Schneider, Hist. Amph. I. 1799, 168.
leucophyllata Rana, G. C. Beireis, Schrift. Berlin. Ges. Nat. Freunde, IV. 1783, 182.
leucopicta Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1692.
leucopis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2718.
leucopis Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.

- leucopis** Scolia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 204.
leucopleura Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3699.
leucopodius Platea, *err. pro* leucorodia (Linn.), S. G. Gmelin, Reise Russ. I (1770), 163.—
leucopsideus Clerus, A. G. Olivier, Entom. IV. 1795, 8. [Platealea, 1758.
leucopsiformis Sphinx, E. J. C. Esper, Die Schmett., Suppl., 2 Abschn. [1798], 25.
leucoptera Alauda, C. Hablizl, Fiz. Opis. Tavrisheskoi, 1785, 177 [*n. n.*].
leucoptera Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 505.
leucopterus Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 113.
leucopterus Asilus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 92.
leucoptera Cancroma, P. Boddaert, Tab. Planch. Enl. 1783, 54.
leucoptera Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2104.
leucopterus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2126.
leucopterus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2184.
leucoptera Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 164; ed. 12, 1766, 281.
leucoptera Crucirostra, F. M. Daudin, Traité élém. Orn. 1800, 358.
leucoptera Empis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2891.
leucopterus Gryllus (Locusta), Linnaeus, Mus. Lud. Ulr. 1764, 151.
leucoptera Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1022.
leucopterus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2699.
leucoptera Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 844.
leucoptera Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
leucoptera Noctua, C. P. Thunberg, Ins. Suecica (2) 1791, 41.
leucopterus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 392.
leucoptera Paradisea, J. Latham, Index Orn. 1790, 196.
leucoptera Scolopax, J. A. Scopoli, Annus I. 1769, 96.
leucoptera Spheg, P. S. Pallas, Reise Russ. I. 1771, 473.
leucoptera Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2828.
leucoptera Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 678.
leucopus Antilope, E. A. W. Zimmermann, Spec. Zool. 1777, 541.
leucopus Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2788.
leucopus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
leucopus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2195.
leucopus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2700.
leucopa Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 983.
leucopus Sciurus, T. Pennant in Forster, Ind. Zool. 1781, 39 [*n. n.*].
leucopus Syrphus (L.), J. C. Fabricius, Spec. Ins. II. 1781, 428.—Musca.
leucopus Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2666.
leucorhoa Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 966.
leucorrhoea Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2583.
leucorhoa Sylvia (Gm.), J. Latham, Index Orn. 1790, 531.—Motacilla.
leucorrhous Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2709.
leucorhousa Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2785.
leucorhyncha Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 450.
leucorhynchos Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 305.
leucorodia Platealea, Linnaeus, Syst. Nat., ed. 10, 1758, 139; ed. 12, 1766, 231.
leucorrhæus Conops, Scopoli, Ent. Carn. 1763, 354.
leucoryn Lanius, Linnaeus, Mant. II. 1771, 524.
leucorypha Aquila, P. S. Pallas, Reise Russ. I. 1771, 454.
leucoryphos Falco (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 259.—Aquila.
leucorypha Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 487.
leucoryx Antilope, P. S. Pallas, Spic. Zool. XII (1777), 17.
leucoryx Fulica, A. Sparrman, Mus. Carls. I. 1786, no. xi.
Leucosia F. Weber, Nomen. Fabricii, 1795, 92.—Cr.
Leucosia J. C. Fabricius, Suppl. Ent. Syst. 1798, 313.—Cr.
Leucosia J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 14.—Cr.
Leucospis J. C. Fabricius, Syst. Ent. 1775, 361.—Hym. [1785, 345.
leucospoides Ichneumon, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI.
leucostictos Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2148.

- leucostictos** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2180.
leucostictus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3388.
leucosticta Fulgora, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 96.
leucostictos Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2059.
leucostictos Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2069.
leucostictos Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2679.
leucostictos Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 107.
leucosticta Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.
leucostictos Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2289.
leucosticta Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3457.
leucostigma Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 157.
leucostigma Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797–1800], 542.
leucostoma Apis, F. v. P. Schrank, Ins. Aust. 1781, 406.
leucostomum Cardium, I. v. Born, Index Mus. Cæs. Vind. 1778, 34.
leucostomum Cardium, J. F. Bolten, Mus. Bolten. (2) 1798, 190.
leucostoma Crabro (L.), J. C. Fabricius, Syst. Ent. 1775, 376.—Sphex.
leucostoma Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 376.
leucostoma Cypræa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3413.
leucostoma Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2702.
leucostoma Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 571; ed. 12, 1767, 946.
leucostoma Vespa (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2765.—Sphex.
leucostoma Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3457.
leucotarsus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2718.
leucotella Phalaena (Tinea), *errore* leucatella, L., O. F. Müller, Z. Dan. Prod. 1776, 135.
leucothea Papilio, G. I. Molina, Sag. stor. nat. Chili, 1782, 211.
leucothoë Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 478; ed. 12, 1767, 780.
leucothorax Apis, C. de Geer, Mém. Ins. III. 1773, 573.
leucotis Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 905.
leucotis Loxia (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 440.—Fringilla.
leucotis Mustela, J. M. Bechstein in Pennant, Uebers. Thiere, II. 1800, 375.
leucotis Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1003.
leucozonia Apis, F. v. P. Schrank, Ins. Aust. 1781, 406.
leucozonias Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3489.
leucozonias Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1846.
leucozonias Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2164.
leucozonias Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1805.
leucozonias Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3672.
leucozonias Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3453.
leucurus Acarus, F. v. P. Schrank, Ins. Aust. 1781, 510.
leucurus Chaetodon, Linnaeus, Syst. Nat., ed. 12, 1766, 463.
leucurus Cimex, J. C. Fabricius, Mant. II. 1787, 299.
leucura Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 919.
leucurus Labrus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 249.
leucura Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 150.
leucura Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 852.
leucurus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 154.—Cimex, 1787.
leucura Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 939.
leucura Tringa, J. Latham, Syn. Birds, Suppl., I. 1787, 293.
leucurus Trochilus, Linnaeus, Syst. Nat., ed. 12, 1766, 190.
leucurus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 820.
leuwenhoekella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 361.—leuwen-
 koekella, Linn. Syst. Nat., ed. 12, 897.
leuwenhoekii Aranea, Scopoli, Ent. Carn. 1763, 394.
leudrum Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1706.
levana Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 480; ed. 12, 1767, 783.
leverianus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 266.
leverianus Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 302.
leverianus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 322.

- leverianus** Trogon, G. Shaw, Mus. Lever. I. 1792, 175.
leveriana Viverra, G. Shaw, Mus. Lever. II. 1796, 19.
leviatan Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 197.
levicollis Passalus, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 103.
levidus Musca, M. Harris, Exp. Eng. Ins. 1776, 124.
levida [Phalaena], P. Cramer, Uitl. Kapellen, II (11) 1777, 46.
levina [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 108.
levinia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 131.
levipes *v. laevipes*.
levistici Curculio, O. F. Müller, Z. Dan. Prod. 1776, 87.
libania [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 128.
libaninus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 177.
libaria [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 131.
libatrix Musca, Scopoli. Ent. Carn. 1763, 346.
libatrix Musca, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 12.
libatrix Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 604.—Phalaena.
libatrix Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 507; ed. 12, 1767, 831.
libatus Carabus, J. C. Fabricius, Mant. I. 1787, 202.
Libella, *err. pro Libellula*, Linnaeus, Syst. Nat., ed. 10, 1758, 343.—Neur.
Libella P. S. Pallas, Reise Russ. I. 1771, 469.—Neur.
Libelloides J. C. Schaeffer, Elem. Ent. 1766, gen. 74.—Neur.
libelloides Hemerobius, Linnaeus, Mus. Lud. Ulr. 1764, 401.
Libellula Linnaeus, Syst. Nat., ed. 10, 1758, 543; ed. 12, 1767, 901.—Neur.
libellulae Acarus, C. de Geer, Mém. Ins. VII. 1778, 119.
libelluloides Myrmeleon, Linnaeus, Syst. Nat., ed. 12, 1767, 913.
libelluloides pisanus Myrmeleon, P. Rossi, Fauna Etrus. II. 1790, 14.
libera Formica, Scopoli, Ent. Carn. 1763, 313.
liberana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 479.
liberia Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 505.—Phalaena.
liberia [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 31.
liberius Papilio, J. C. Fabricius, Mant. II. 1787, 25.
liberia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 135.
liberia [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 139.
libertina Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
liboria [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 106.
libye Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 12, 1767, 772.
libythea Papilio, J. C. Fabricius, Syst. Ent. 1775, 471.
libythea Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 427.
licaon [Sphinx], P. Cramer, Uitl. Kapellen, I (5) 1775, 86.
licarsis Papilio, J. C. Fabricius, Gen. Ins. 1777, 271.
licastus [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 180.
licca Papilio, J. C. Fabricius, Mant. II. 1787, 20.
licha Squalus, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 12.
lichas [Sphinx], P. Cramer, Uitl. Kapellen, I (4) 1775, 70.
lichas Zygaena, J. C. Fabricius, Spec. Ins. II. 1781, 505.
lichen Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 160.
lichenaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 100.
lichenaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796], fig. 164 [*n*].
lichenaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 512. [*et f.*]
lichenastrum Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 813; ed. 12, 1767, 1313.
lichenella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 370.
lichenella Tinea (L.), J. C. Fabricius, Spec. Ins. II. 1781, 306.—Phalaena.
lichenis Acarus, F. v. P. Schrank, Ins. Aust. 1781, 510.
lichenis Chermes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2214.
lichenis Noctua, J. C. Fabricius, Syst. Ent. 1775, 614.
lichenis Psylla, A. F. de Fourcroy, Ent. Paris. 1785, 224.
lichenoides Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 116.
lichenoides Millepora, Linnaeus, Syst. Nat., ed. 10, 1758, 791; ed. 12, 1767, 1283.

- lichenoides Spongia, P. S. Pallas, Elench. 1766, 378.
 "Lichenops, Comm. 1778," Ag.; not used in a Linnean sense.—A.
 lichenosa Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 336.
 lichenum Acarus, Scopoli, Ent. Carn. 1763, 391.
 liciatum Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1851.
 Licina P. Browne, Hist. Jamaica, ed. 2, 1789, 401.—G.
 licinia Nerita, O. F. Müller, Verm. II. 1774, 178.
 licinia [Papilio], P. Cramer, Utitl. Kapellen, II (13) 1777, 90.
 licinus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 299.
 Licium [G. Humphreys], Mus. Calonn. 1797, 7.—G.
 licomedes [Papilio], P. Cramer, Utitl. Kapellen, II (14) 1777, 97.
 licormas [Phalaena], P. Cramer, Utitl. Kapellen, I (7) 1775, 117.
 licursis Papilio, J. C. Fabricius, Syst. Ent. 1775, 532.
 licus Papilio, D. Drury, Ill. Nat. Hist. I. 1770, index & 30.
 lidia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 222.
 ligamen Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 94.
 ligata Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 23.
 ligata Helix, O. F. Müller, Verm. II. 1774, 58.
 ligata Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107 [*n. n.*].
 ligata Nassa, J. F. Bolten, Mus. Bolten. (2) 1798, 132.
 ligata Nerita, O. F. Müller, Verm. II. 1774, 181.
 ligata Sphinx, C. Allioni, Misc. Taurin. III. 1766, 193.
 ligata Tenthredo, O. F. Müller, Z. Dan. Prod. 1776, 149.
 ligata Vespa, O. F. Müller, F. Ins. Frid. 1764, 74.
 Ligea P. Browne, Hist. Jamaica, ed. 2, 1789, 385.—Acal.
 ligea Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 473; ed. 12, 1767, 772.
 liger Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 274.—Papilio.
 liger [Papilio], P. Cramer, Utitl. Kapellen, III (22) 1779, 109.
 Ligia F. Weber, Nomen. Fabricii, 1795, 92.—Cr.
 Ligia J. C. Fabricius, Suppl. Ent. Syst. 1798, 296.—Cr.
 ligiceps Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 234.
 [lignarius Araneus, C. Clerck, Aran. Svec. 1757, 90.]
 lignarius Araneus, T. Martyn, Aranei, 1793, 41.
 lignaria Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 727; ed. 12, 1767, 1184.
 lignaria Geometra, C. de Villers, Linn. Ent. IV. 1789, 500.
 lignarius Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3552.
 lignaria Phalaena, J. C. Fabricius, Mant. II. 1787, 195.
 lignarius Picus, G. I. Molina, Sag. stor. nat. Chili, 1782, 236.
 lignarius Tenebrio, C. de Geer, Mém. Ins. V. 1775, 38.
 lignarium Termes, C. de Geer, Mém. Ins. VII. 1778, 41.
 lignata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 270 [*n. et*
 lignella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 30. [*l.*].
 ligneum Callidium, J. C. Fabricius, Mant. I. 1787, 153.
 ligneus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1850.—
 ligneus Elater, Linnaeus, Amoen. Acad. VI. 1763, 395. [Callidium].
 ligniarius Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 755; ed. 12, 1767, 1224 (lignarius).
 Ligniperda J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 216.—Col.
 ligniperda Bostrichus, J. C. Fabricius, Mant. I. 1787, 37.
 ligniperda Cossus, J. C. Fabricius, Ent. Syst. III (2) 1794, 3.
 ligniperda Dermestes (Fab.), C. de Villers, Linn. Ent. IV. 1789, 221.—Bostrichus.
 ligniperda Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 8.—Bostrichus.
 lignorum Pholas, L. Spengler, Beschäf. Ges. Nat. Freunde, IV. 1779, 167.
 lignorum Podura, J. C. Fabricius, Syst. Ent. 1775, 302.
 lignorum Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 422; ed. 12, 1767, 684.
 lignosa Cantharis, O. F. Müller, F. Ins. Frid. 1764, 16.
 lignosus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3557.
 lignosus Thelephorus, O. F. Müller, Z. Dan. Prod. 1776, 63.—Cantharis, 1764.
 ligrina Felis, *id. ac* tigrina, Al. Brongniart, Actes Soc. H. N. Paris, I (1) 1792, 115.

- Ligula** M. E. Bloch, Abh. Eingeweidewürmer, 1782, 1.—Ver.
Ligula O. F. Müller, Naturforscher, XXII. 1787, 54.—Ver.
Ligula [G. Humphreys], Mus. Calonn. 1797, 58.—G.
Ligula, *err. pro Lingula* G. Cuvier, Tab. Elm. 1798, 435.—Br.
ligula Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797-1800], 595.
ligulata Antipathes, E. J. C. Esper, Pflanzenth. II (9) 1792, 149.
ligulata Cellepora, E. J. C. Esper, Pflanzenth., Forts. I (5) 1796, 146.
ligulata Vesicaria, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 124.
ligulella Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 6 [*u. et f.*].
ligulella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
ligustici Aphis, J. C. Fabricius, Reise Norwegen, 1779, 319.
ligustici Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 384; ed. 12, 1767, 615.
ligustrata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 112.
ligustrata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 282 [*u. et f.*].
ligustri Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 70.
ligustri Phalaena, [D. H. Schneider], Nom. Ent. 1785, 47 [*u. u.*].
ligustri Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 490; ed. 12, 1767, 799.
ligustriaria Phalaena Geom., H. G. Lang, Verz. Schmett., ed. 2, 1789, 180.
ligustrina Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 371.
liliacea Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen. 1778, 300.
liliacea Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
liliacea Millepora, P. S. Pallas, Elench. 1766, 248.
liliaceum Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 401.—Hydrachna.
liligerus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 32.
lilii Attelabrus, Scopoli, Ent. Carn. 1763, 36.
lilii Crioceris, F. v. P. Schrank, F. Boica, I. 1798, 568.
lilii Dermestes, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 175.
liligierra Aranea, P. Rossi, Fauna Etrus. II. 1790, 130.
lilliputiana Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 640.
Lima J. G. Bruguière, Ency. Méth. (Tabl. Vers), pl. 206 (1797) [*u. et f.*].—L.
Lima Lamarck, Mém. Soc. H. N. Paris, 1799, 88.—L.
lima Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 46.
lima Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3253.
lima Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 495.
lima Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 24.
lima Glaucotherma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Ostrea.
lima Lima (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 88.—Ostrea.
lima Mantellum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 161.—Ostrea.
lima Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3541.
lima Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 699; ed. 12, 1767, 1147.
lima Pecten (L.), F. C. Meuschen, Mus. Gev. 1787, 420.—Ostrea.
Limacia O. F. Müller, Zool. Dan. (Danm. Norges Dyrs Hist.) (Danish ed.) 1781, 66.—G.
limacina Clio, C. J. Phipps, Voy. N. Pole, 1774, 195.
[limacina Phalaena (B.) MS.], T. Martyn, Psyche, 1797, fig. 52.
limacina Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 73.
limacina Tethys, Linnaeus, Syst. Nat., ed. 10, 1758, 653.—[Laplysia depilans, ed. 12.]
limacina Vorticella, O. F. Müller, Verm. I (1) 1773, 100.
limacodes Phalaena, Hufnagel, Berl. Mag. III. 1767, 402.
limacoides Noctua, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 73.
limacum Acarus, F. v. P. Schrank, Ins. Aust. 1781, 521.
limanda Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 270; ed. 12, 1766, 457.
limandoides Pleuronectes, M. E. Bloch, Nat. ausl. Fische, III. 1787, 24.
limandoides Pleuronectes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1232.
limandula Pleuronectes, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 75.
limatus Musca, M. Harris, Exp. Eng. Ins. 1776, 122.
Limax Linnaeus, Syst. Nat., ed. 10, 1758, 652; ed. 12, 1767, 1081.—Moll.
limax Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (3) 1795, 77.
limax Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 449.

- limbalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 122.
 limbarius Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 172.
 limbaria Phalaena, J. C. Fabricius, Syst. Ent. 1775, 624.
 limbaria Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2459.
 limbatum Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 234.—Gryllus.
 limbatus Apate, J. C. Fabricius, Mant. I. 1787, 33.
 limbatus Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 382.
 limbatus Bostrichus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 24.
 limbatus Bostrichus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 111.—Apate.
 limbata Cantharis, J. C. Fabricius, Spec. Ins. I. 1781, 258.
 limbatus Carabus, J. C. Fabricius, Gen. Ins. 1777, 240.
 limbatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1991.
 limbata Cassida, J. C. Fabricius, Mant. I. 1787, 63.
 limbata Cetonia, J. C. Fabricius, Syst. Ent. 1775, 47.
 limbata Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 101.
 limbata Cicada, J. C. Fabricius, Spec. Ins. II. 1781, 322.
 limbata Cicada (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 747.—Tettigonia.
 limbata Coccinella, J. C. Fabricius, Spec. Ins. II. 1781, 497.
 limbata Coccinella, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 181.
 limbata Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1662.
 limbatus Cryptocephalus, J. C. Fabricius, Spec. Ins. II. 1781, 498.
 limbatus Cryptocephalus, J. N. Laicharting, Tyrol. Ins. I. 1781, 181.
 limbatus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 473.
 limbatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 469.
 limbata Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 22 [n. n.].
 limbatus Dermestes, J. C. Fabricius, Spec. Ins. I. 1781, 66.
 limbatus Dermestes (Fab.), C. de Villers, Linn. Ent. IV. 1789, 218.—Apate.
 limbata Donacia, G. W. F. Panzer, Ins. Germ. heft 29 [1796], tab. 12.
 limbatus Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 230.
 limbatus Elater, J. C. Fabricius, Gen. Ins. 1777, 235.
 limbatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 437.
 limbata Flata, J. C. Fabricius, Suppl. Ent. Syst. 1798, 518.—Cicada, 1781.
 limbata Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 574.
 limbata Fulgora, J. C. Fabricius, Ent. Syst. IV. 1794, 6.
 limbata Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 96.
 limbata Galleruca, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 134.
 limbata Geometra, C. C. Jung, Alph. Verz. Schmett. 1791, 319.
 limbatus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2085.
 limbata Helix, E. M. da Costa, Brit. Conch. 1778, 63.
 limbatus Iulus, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 414.
 limbata Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 75 [n. n.].
 limbata Leptura, J. N. Laicharting, Tyrol. Ins. II. 1784, 166.
 limbata Leptura, A. G. Olivier, Entom. IV. 1795, 31.
 limbatus Malachius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 71.
 limbata Melolontha, A. G. Olivier, Entom. I. 1789, 60.
 limbata Mordella, J. C. Fabricius, Spec. Ins. I. 1781, 332.
 limbata Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2853.
 limbata Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 115.
 limbata Nitidula, J. C. Fabricius, Mant. I. 1787, 52.
 limbata Nitidula, C. P. Thunberg, Ins. Suecica (5) 1794, 71.
 limbatus Notoxus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 67.
 limbata Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 1.
 limbata Peltis (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 378.—Cassida.
 limbata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 873.
 limbatus Ripiphorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 112. [Curculio].
 limbatus Rynchophorus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 23.—
 limbatus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1575.—
 limbatus Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 207. [Cetonia].

- limbatus** Scolytus, J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 222.—Carabus,
limbata Silpha, J. C. Fabricius, Spec. Ins. I. 1781, 89. [1787.]
limbata Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 234.—Nitidula.
limbatum Sphaeridium, J. C. Fabricius, Ent. Syst. I (1) 1792, 82.
limbatus Staphylinus, G. Paykull, Mon. Staph. 1789, 54.
limbatus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2035.
limbata Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
limbata Tettigonia, J. C. Fabricius, Syst. Ent. 1775, 678.
limbatum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 126.
limbatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3606.
limbata Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 693.
limbellus Elater, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 200.
limbella Tinea, J. C. Fabricius, Syst. Ent. 1775, 660.
limbosa Chrysomela (Fourc.), C. de Villers, Linn. Ent. I. 1789, 158.—Cryptoccephalus.
limbosus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 217.
limbosus Cryptoccephalus, A. F. de Fourcroy, Ent. Paris. 1785, 94.
limicola Scarabaeus, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 6.
limitata Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 172.
limitata Phalaena, Scopoli, Ent. Carn. 1763, 228.
Limnaea J. X. Poli, Test. Sicil. I. 1791, Introd. 31.—A generic term applied to the fleshy
Limnaea *v.* *Lymnoea*. [part of certain Uniones, Mytili &c.]
Limnaeoderma J. X. Poli, Test. Sicil. II. 1795, 253 & 259.—L.
limnata Phalaena, *err. pro* lemnata (L.), J. C. Fabricius, Mant. II. 1787, 215.
“**Limnea**, Brug. 1789,” Scudd.; does not occur.
“**Limneus**, Studer, 1800,” Ag.; misquotation for 1820.—G.
limniace [Papilio], P. Cramer, Utitl. Kapellen, I (5) 1775, 92.
Limnochares P. A. Latreille, Préc. Car. Ins. 1796, 181.—Ar.
Limosa M. J. Brisson, Ornith. V. 1760, 262.—A.
limosus Curculio, P. Rossi, Mant. Ins. I. 1792, 42.
limosa Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 774; ed. 12, 1767, 1249.
limosa Mitra, T. Martyn, Univ. Conch. III [1789], fig. 105.
limosa Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 147; ed. 12, 1766, 245.
limpata Silpha, *err. pro* limbata, Fabr. 1781, J. C. Fabricius, Mant. I. 1787, 50.
limpaticus Acarus, N. J. Brahm, Ins. Kal. I (1) 1790, 19.
Limulus O. F. Müller, Entom. 1785, 124.—Cr.
Limulus J. C. Fabricius, Suppl. Ent. Syst. 1798, 333.—Cr.
“**Linaria**, Briss. 1760,” Ag.; not used in a generic sense.
Linaria G. Edwards in M. Catesby, Carol. I. 1771, 45.—A.
linaria Acanthis (L.), M. B. Borkhausen, Deutsch. Fauna, I. 1797, 259.—Fringilla.
linaria Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 182; ed. 12, 1766, 322.
linaria Passer (L.), J. C. Schaeffer, Mus. Orn. 1789, 26.—Fringilla.
linaria vulgaris Passer, J. C. Schaeffer, Mus. Orn. 1789, 26.
linariae Curculio, F. v. P. Schrank, F. Boica, I. 1798, 505.
linariae Curculio, G. W. F. Panzer, Ins. Germ. heft 26 [1795], tab. 18.
linariae Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 73.
linariae Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 48.
linariae Phalaena Noct. (Fab.), E. J. C. Esper, Die Schmett. IV (44) 1791, 313.—Noctua.
linariaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 381.—
linariata, D. & S., *est.*
linariata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.
linariata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 242 [*n. et f.*].
lincana Tortrix, C. C. Jung [=lineana, D. & S.].
lincensis Musca, F. v. P. Schrank, Beitr. Nat. 1776, 96.
lincensis Silpha, F. v. P. Schrank, Ins. Aust. 1781, 47.
lincea Chrysis, J. C. Fabricius, Syst. Ent. 1775, 357.
linceus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 279.
lincea [Phalaena], P. Cramer, Utitl. Kapellen, III (19) 1779, 61.
lincina Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 765; ed. 12, 1767, 1239.

- lincolniensis** Tringa, J. Latham, Index Orn. 1790, 734.
lincta Venus, R. Pulteney, Cat. Birds &c. Dorset, 1799, 34.
lincus Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 192.—Phalaena.
lincus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 289.
lincus [Phalaena], P. Cramer, Uitl. Kapellen, I (5) 1775, 79.
linea Alyselminthus (Goeze), J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800,
linea Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 48. [277.—Taenia.
linea Buprestis, J. A. Scopoli, Annus V. 1772, 105.
linea Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 529.
linea Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 90.
linea-alba Gryllus (Locusta), Linnaeus, Mus. Lud. Ulr. 1764, 150.
linea Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 326.—Papilio.
linea Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 106.
linea Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 160.
linea Papilio, C. Allioni, Misc. Taurin. III. 1766, 192.
linea Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 70.
linea Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 399.
lineana Phalaena, J. A. Scopoli, Del. Insub. II. 1786, 57.
lineana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
lineana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 84 [*n. et f.*].
linearia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 68 [*n. et f.*].
linearia Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 76 [*n. n.*]. [*f.*].
linearis Agrion, J. C. Fabricius, Gen. Ins. 1777, 249.
linearis Apate, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 495.
linearis Asellus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 254.—Oniscus.
linearis Asilus, J. C. Fabricius, Mant. II. 1787, 360.
linearis Astacus (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 17.—Cancer.
linearis Brentus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 192.
linearis Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 410; ed. 12, 1767, 663.
linearis Buprestis, F. v. P. Schrank, Ins. Aust. 1781, 197.
linearis Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 213.
linearis Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1056.
linearis Cancer (Gammarellus), L., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 142.
linearis Carabus, A. G. Olivier, Entom. III. 1795, 111.
linearis Cerambyx, Linnaeus, Faun. Suec., ed. 2, 1761, 191.
linearis Chermes, A. F. de Fourcroy, Ent. Paris. 1785, 230.
linearis Cimex, J. C. Fabricius, Syst. Ent. 1775, 710.
linearis Cimex, J. C. Fuessly, Schweiz. Ins. 1775, 26.
linearis Cistela, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 607.
linearis Coccus, A. Modeer, Götheborg. Samhalle Hand. (Wet. Afd.) I. 1778, 22.
linearis Cossonus (Fab.), J. R. Schellenberg, Helvet. Entom. I. 1798, 59.—Curculio.
linearis Curculio, J. C. Fabricius, Syst. Ent. 1775, 136.
linearis Curculio, F. v. P. Schrank, Ins. Aust. 1781, 126.
linearis Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 506.—Oniscus.
linearis Dermestes, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 4.
linearis Dermestes, P. Rossi, Mem. Soc. Ital. IV. 1788, 129 [*n. n.*].
linearis Dermestes, G. Paykull, Faun. Suec. I. 1798, 302.
linearis Donacia, D. H. Hoppe, Ins. Elyt. 1795, 46.
linearis Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 404; ed. 12, 1767, 653.
linearis Fasciola, O. F. Müller, Verm. I (2) 1774, 67.
linearis Gammarus (L.), J. C. Fabricius, Syst. Ent. 1775, 419.—Cancer.
linearis Hypophlaeus, J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 223.
linearis Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 403.
linearis Idotea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 304.—Oniscus.
linearis Ips, P. Rossi, Fauna Etrus. I. 1790, 50.
linearis Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 287; ed. 12, 1766, 479.
linearis Lagria, P. Rossi, Mant. Ins. II. 1794, 92.
linearis Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 399; ed. 12, 1767, 641.

- linearis** Lepturoides, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 103.
linearis Libellula (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2625.—Agrion.
linearis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 144.—Cimex, 1775.
linearis Mantis, D. Drury, Ill. Nat. Hist. I. 1770, index & 130.
linearis Mantis, J. C. Fabricius, Mant. I. 1787, 227.
linearis Nepa, Linnaeus, Syst. Nat., ed. 10, 1758, 441; ed. 12, 1767, 714.
linearis Oniscus, Linnaeus, Amoen. Acad. VI. 1763, 415.
linearis Phalaena Noctua, J. Hübner, Beitr. Schmett. II. 1790, 26.
linearis Phasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 189.—Mantis, 1787.
linearis Pimelia (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2005.—Tenebrio.
linearis Planaria, O. F. Müller, Z. Dan. Prod. 1776, 223.—Fasciola, 1774.
linearis Ranatra (L.), J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 227.—Nepa.
linearis Rynchophorus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 5.
linearis Saperda (L.), J. C. Fabricius, Syst. Ent. 1775, 185.—Cerambyx.
linearis Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 87.
linearis Staphylinus, A. G. Olivier, Entom. III. 1795, 19.
linearis Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 677.
linearis Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 343.
linearis Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 673.
lineatocollis Cerambyx, E. Donovan, Brit. Ins. VI. 1797, 71.
lineatopunctata Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 22.
lineator Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 432.
lineatorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 157.
lineatus Acanthus (L.), G. A. Suckow, Naturges. IV. 1799, 376.—Chaetodon.
lineatus Acarus, J. C. Fabricius, Syst. Ent. 1775, 811.
lineatum Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 228.
lineata Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 6.—Lagria.
lineata Angaria, J. F. Bolten, Mus. Bolten. (2) 1798, 71.
lineata Anguis, J. N. Laurenti, Syn. Rept. 1768, 68.
lineatum Anobium, J. C. Fabricius, Syst. Ent. 1775, 62.
lineatus Anthias, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 7.
lineata Apis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2795.—Nomada.
[lineatus Araneus, C. Clerck, Aran. Svec. 1757, 60.]
lineata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 620.
lineata Ardea, P. Boddaert, Tab. Planch. Enl. 1783, 52.
lineata Ascaris, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 135.
lineatus Asilus, Scopoli, Ent. Carn. 1763, 364.
lineatus Asilus, J. C. Fabricius, Spec. Ins. II. 1781, 465.
lineata Bembex, J. C. Fabricius, Ent. Syst. II. 1793, 250.
lineata Blatta, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 317.
lineatus Bostrichus, A. G. Olivier, Entom. IV. 1795, 18.
lineatum Buccinum, E. M. da Costa, Brit. Conch. 1778, 130.
lineatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 304.
lineatum Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 84.
lineatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3493.
lineatum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112.
lineatus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 323.
lineata Buprestis, J. C. Fabricius, Syst. Ent. 1775, 217.
lineata Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 211.
lineatum Callidium, J. C. Fabricius, Syst. Ent. 1775, 189.
lineatus Calopus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 55.
lineata Cantharis, A. G. Olivier, Entom. III. 1795, 14.
lineatus Carabus, J. R. Forster, N. Sp. Ins. 1771, 59.
lineatum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3246.
lineata Cassida, J. C. Fabricius, Mant. I. 1787, 65.
lineatus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 389; ed. 12, 1767, 624.
lineatus Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 245.—Saperda.
lineatus Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 306.—Lamia.

- lineata* Cercopis, J. C. Fabricius, Spec. Ins. II. 1781, 330.
lineata Cerocoma (Thun.), J. C. Fabricius, Ent. Syst. I (2) 1792, 82.—Pausus.
lineata Cetonia (Fab.), A. G. Olivier, Entom. I. 1789, 66.—Trichius.
lineatus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 274; ed. 12, 1766, 463.
lineata Chrysomela, P. Rossi, Fauna Etrus. I. 1790, 88.
lineata Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 438; ed. 12, 1767, 709.
lineata Cicada, Scopoli, Ent. Carn. 1763, 114.
lineata Cicada, J. C. Fabricius, Mant. II. 1787, 270.
lineata Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 85 [*n. n.*].
lineatus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 442; ed. 12, 1767, 716.
lineata Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 21.
lineata Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 147.
lineatus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 221; ed. 12, 1766, 382.
lineata Conops (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II., 1791, 127.—
lineatus Conus, D. Solander in G. Brander, Foss. Hant. 1766, 15. [Rhingia].
lineatus Conus (*ex Chem.*), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 645.
lineata Corixa (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 119.—Sigara.
lineata Coryphaena, Linnaeus, Syst. Nat., ed. 12, vol. III. 1768, App., 224.
lineatus Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 300.
lineatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 470.—Tinea linetella, 1781.
lineatus Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 106.
lineatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 47.
lineatus Carculio, Linnaeus, Syst. Nat., ed. 10, 1758, 385; ed. 12, 1767, 616.
lineatus Cyclopterus, I. Lepechin, Nov. Comm. Sci. Petrop. XVIII. 1774, 520.
lineatus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 374.
lineatum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 153.
lineatum-punctatum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 153 [*n. n.*].
lineata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3413.
lineatus Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 234.
lineatus Dytiscus, O. F. Müller, Z. Dan. Prod. 1776, 74.
lineata Echeneis, A. Menzies, Tr. Linn. Soc. [Lond.], I. 1791, 187.
lineatus Elater, C. de Geer, Mém. Ins. IV. 1774, 158.
lineatus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1905.
lineatus Elater, A. G. Olivier, Entom. II. 1790, 10.
lineata Empis, C. de Villers, Linn. Ent. III. 1789, 571.
lineatum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 91.
lineatum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 94 [*n. n.*].
lineatum Erodium (Fab.), C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 122.—Pimelia.
lineata Eschara (Flustra) (Linn.), P. S. Pallas, Char. Thiérpfl. I. 1787, 91.—Flustra.
lineatus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 268.
lineata Fasciola, O. F. Müller, Verm. I (2) 1774, 60.
lineata Flustra, Linnaeus, Syst. Nat., ed. 12, 1767, 1301.
lineatus Gryllus, G. W. F. Panzer, Ins. Germ. heft 33 [1796], tab. 9.
lineatus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2084.
lineata Helix, G. Olivi, Zool. Adriat. 1792, 177.
lineata Hirudo, O. F. Müller, Verm. I (2) 1774, 39.
lineatus Labrus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 247.
lineata Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 209.
lineata Lagria, J. C. Fabricius, Syst. Ent. 1775, 124.
lineata Lagria, J. C. Fabricius, Spec. Ins. II. 1781, 498.
lineata Lamia, J. C. Fabricius, Mant. I. 1787, 141.
lineata Lepisma, J. C. Fabricius, Syst. Ent. 1775, 300.
lineatus Leptocephalus, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 39.
lineata Leptura, O. F. Müller, Z. Dan. Prod. 1776, 95.
lineata Libellula, J. C. Fabricius, Ent. Syst. II. 1793, 375.
lineata Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 858.
lineatus Lumbricus, O. F. Müller, Verm. I (2) 1774, 29.
lineatus Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 541.

- lineatus** Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 109.
lineata Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 46.
lineata Melolontha, J. C. Fabricius, Suppl. Ent. Syst. 1798, 133.
lineatus Melyris (Fab.), A. G. Olivier, Entom. II. 1790, 7.—Anobium.
lineatus Melyris, J. C. Fabricius, Ent. Syst. I (1) 1792, 226.
lineata Millepora, Linnaeus, Syst. Nat., ed. 10, 1758, 791; ed. 12, 1767, 1283.
lineata Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 990.
lineatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3559.
lineatus Musca, M. Harris, Exp. Eng. Ins. 1776, 42.
lineata Musca, J. C. Fabricius, Spec. Ins. II. 1781, 453.
lineata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 485.
lineatum Myrmeleon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 205.
lineatus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3359.
lineata Nerita, O. F. Müller, Verm. II. 1774, 189.
lineata Nerita, F. C. Meuschen, Mus. Gever. 1787, 272.
lineata Nerita, F. C. Meuschen, Mus. Gever. 1787, 274.
lineata Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3684.
lineata Nomada, J. C. Fabricius, Mant. I. 1787, 306.
lineata Notonecta, J. R. Forster, N. Sp. Ins. 1771, 70.
lineatus Oestrus, C. de Villers, Linn. Ent. III. 1789, 349.
lineatus Oriolus, J. A. Scopoli, Del. Insul. II. 1786, 87.
lineata Ostrea, J. F. Bolten, Mus. Bolten. (2) 1798, 169 [*n. n.*].
lineata Ostrea, R. Pulteney, Cat. Birds &c. Dorset, 1799, 36.
lineatus Pausus, C. P. Thunberg, K. Vet. Ac. Nya Handl. II. 1781, 171.
lineatus Pecten, E. M. da Costa, Brit. Conch. 1778, 147.
lineata Peltis, O. F. Müller, Z. Dan. Prod. 1776, 64.
lineata Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 293; ed. 12, 1766, 487.
lineata Phalaena, Scopoli, Ent. Carn. 1763, 218.
lineata Phryganea, O. F. Müller, Z. Dan. Prod. 1776, 145.
lineatus Picus, Linnaeus, Syst. Nat., ed. 12, 1766, 174.
lineata Pimelia, J. C. Fabricius, Spec. Ins. I. 1781, 319.
lineata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
lineata Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 59.
lineatus Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 268; ed. 12, 1766, 458.
lineata Plotia, J. F. Bolten, Mus. Bolten. (2) 1798, 96.
lineatus Prionus (L.), J. C. Fabricius, Syst. Ent. 1775, 160.—Cerambyx.
lineatus Psittacus, Linnaeus, Syst. Nat., ed. 12, vol. III. 1768, App., 223.
lineatus Psocus, A. J. Coquebert, Icon. Ins. (1) 1799, 12.
lineatus Ptinus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1605.—Anobium.
lineata Rana, J. G. Schneider, Hist. Amph. I. 1799, 138.
lineata Rhagio, Fabr., J. C. Fabricius, Gen. Ins. 1777, 305.—Tipula, 1775.
lineata Rhingia, J. C. Fabricius, Mant. II. 1787, 357.
lineata Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 314.
lineatus Scarabaeus, O. F. Müller, Z. Dan. Prod. 1776, 55.
lineata Sciaena, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 62.
lineata Scolopendra, P. Rossi, Fauna Etrus. II. 1790, 122.
lineatum Sepidium, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 48.
lineatus Seps (Linn.), J. N. Laurenti, Syn. Rept. 1768, 60.—Lacerta.
lineata Sigara, J. C. Fabricius, Mant. II. 1787, 276.
lineatus Silurus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 31.
lineatus Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 103.
lineatus Sparus, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 101.
lineata Sphex, C. de Villers, Linn. Ent. III. 1789, 254.
lineata Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 198.
lineata Sphinx, J. C. Fabricius, Syst. Ent. 1775, 541.
lineata Sphinx, J. C. Fabricius, Mant. Ins. II. 1787, 96.
lineatus Stenocorus, A. G. Olivier, Entom. IV. 1795, 13.
lineata Stomoxys (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2892.—457

[Rhingia.

- lineatus** Strombus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3521.—
lineata Sylvia (Gm.), J. Latham, Index Orn. 1790, 546.—Motacilla. [Nerita.]
lineatus Tabanus, J. C. Fabricius, Spec. Ins. II. 1781, 455.
lineata Taenia, M. E. Bloch, Beschäf. Ges. Nat. Freunde, IV. 1779, 555.
lineata Tenthredo, J. L. Christ, Nat. Ins. 1791, 450.
lineatum Terebellum, J. F. Bolten, Mus. Bolten. (2) 1798, 135.
lineatus Tetraodon, Linnaeus, Syst. Nat., ed. 10, 1758, 333; ed. 12, 1766, 411 [Tetro-].
lineata Tipula, O. F. Müller, F. Ins. Frid. 1764, 80.
lineata Tipula, Scopoli, Ent. Carn. 1763, 320.
lineata Tipula, J. C. Fabricius, Syst. Ent. 1775, 754.
lineatus Trichius, J. C. Fabricius, Syst. Ent. 1775, 820.
lineata Trigla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1345.
lineatus Triton, A. Modeer, K. Vet. Ac. Nya Handl. X. 1789, 56.
lineatus Trochus, E. M. da Costa, Brit. Conch. 1778, 43.
lineatus Turbo, E. M. da Costa, Brit. Conch. 1778, 100.
lineatus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 828.
lineata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3291.
lineata Vespa, J. C. Fabricius, Syst. Ent. 1775, 365.
lineata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3454.
lineola Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 221.—Gryllus.
lineola Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 465.
lineola Cantharis, J. C. Fabricius, Ent. Syst. I (1) 1792, 219.
lineola Carabus, J. C. Fabricius, Syst. Ent. 1775, 244.
lineola Cassida, C. Creutzer, Ent. Vers. 1799, 119.
lineola Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 244.—Saperda.
lineola Cerambyx (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 306.—Stenocorus.
lineola Cetonia (L.), J. C. Fabricius, Syst. Ent. 1775, 46.—Scarabaeus.
lineola Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 592.
lineola Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 164.—Crioceris.
lineola Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 445; ed. 12, 1767, 722.
lineola Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 340.
lineola Cimex, J. C. Fabricius, Mant. II. 1787, 302.
lineola Coccinella, J. C. Fabricius, Syst. Ent. 1775, 79.
lineola Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 283.
lineola Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 149.
lineola Crioceris, G. W. F. Panzer, Deutsch. Ins. [1795], 170.
lineola Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1718.—
lineola Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 59. [Crioceris.]
lineola Curculio, J. C. Fabricius, Syst. Ent. 1775, 136.
lineola-alba Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 74.
lineola Elater, G. W. F. Panzer, Deutsch. Ins. [1795], 239.
lineola Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 21.—Crioceris, 1781.
lineola Gryllus, J. C. Fabricius, Spec. Ins. I. 1781, 365.
lineola Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 174; ed. 12, 1766, 304.
lineola Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 163.—Cimex, 1787.
lineola Melolontha (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 156.—
lineola Nomada, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 23. [Cetonia.]
lineola Phalaena Geom., Panzer in Drury, Exot. Ins. 1785, 48.
lineola Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 183.
lineola Phryganea, F. v. P. Schrank, Ins. Aust. 1781, 307.
lineola Reduvius, J. C. Fabricius, Mant. II. 1787, 311.
lineola Rhagio, J. C. Fabricius, Ent. Syst. IV. 1794, 275.
lineola Saperda, J. C. Fabricius, Spec. Ins. I. 1781, 235.
lineola Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 350; ed. 12, 1767, 552.
lineola Stenocorus, J. C. Fabricius, Spec. Ins. I. 1781, 228.
lineola Stenocorus, J. A. Scopoli, Del. Insub. II. 1786, 44.
lineola Syrphus, J. D. Preyßler in Mayer, Samm. Phys. Aufsätze, III. 1793, 370.
lineola Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 369.

- lineola* Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 87 [*n. n.*].
lineola Vibrio, O. F. Müller, Verm. I (1) 1773, 39.
lineolae Musca, M. Harris, Exp. Eng. Ins. 1776, 58.
lineolaris Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2701.
lineolata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2104.
lineolata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
lineolatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2185.
lineolatus Echinorhynchus, O. F. Müller, Zool. Dan. I. 1777, 4.
lineolatus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1916.
lineolata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 102.
lineolata (*sic*) Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 311
lineolatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2678. [*n. et f.*].
lineolata Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2879.
lineolata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 192.
lineolata Phalaena Geometra, J. Hübner, Beitr. Schmett. I (2) [1787], 24.
lineolata Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2581.
linetella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 291.
lingeus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 176.
lingea [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 239.
lingua Planaria, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 40.
lingua-felis Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 164.
lingua-felis Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 674; ed. 12, 1767, 1116.
linguaria Apis, J. C. Fabricius, Syst. Ent. 1775, 388.
linguaria Eucera, J. C. Fabricius, Ent. Syst. II. 1793, 344.—Apis, 1775.
Linguatula Froelich, Naturforscher, XXIV. 1789, 148.—Ver.
Linguatula F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 227.—Ver.
Linguatula G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 6 [*n. n.*].—Ver.
linguatula Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 270; ed. 12, 1766, 457.
linguatula Thalia, J. F. Blumenbach, Hand. Naturg., ed. 6, 1799, 472.
Lingula J. G. Bruguère, Ency. Méth. (Tabl. Vers). pl. 250 (1797) [*n. et f.*].—Br.
Lingula Lamarck, Mém. Soc. H. N. Paris, 1799, 89.—Br.
lingulator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 194.
lingulata Thalia, J. F. Blumenbach, Abb. nat. Gegen., no. 30, 1798.
linkii Lutjanus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 127.
linnaeanella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 333.
linnaeana Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 69.
linnaei Aranea, Scopoli, Ent. Carn. 1763, 392.
lineellus Curculio, G. Bonsdorff, Curc. Suec. 1785, 30.
linneella [Phalaena], C. Clerck, Icones, I. 1759, pl. xii, 8.
linneella Tinea (Cl.), J. C. Fabricius, Syst. Ent. 1775, 666.—Phalaena.
linnei Rhagium, J. N. Laicharting, Tyrol. Ins. II. 1784, 122.
linneianum Callidium, J. N. Laicharting, Tyrol. Ins. II. 1784, 69.
linogrisea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 79.
linogrisea Phalaena Noctua, J. Hübner, Beitr. Schmett. I (2) [1787], 26.
linota Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 916.
linotte Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 165.
linteata Chrysomela, C. de Geer, Mém. Ins. VII. 1778, 662.
linteriformis Spongia, E. J. C. Esper, Pflanzenth., Forts. I (8) 1797, 205.
linter Trichoda, O. F. Müller, Verm. I (1) 1773, 93.
linter Vibrio, O. F. Müller, An. Infus. 1786, 68.
lirtingensis Papilio, P. Osbeck, Reise Ost-Ind. China, 1765, 148.
linus [Papilio], P. Cramer, Uitl. Kapellen, III (22) 1779, 111.
linus Papilio, J. C. Fabricius, Gen. Ins. 1777, 269.
lina Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) V. 1792, 75.
linzensis Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1799.
linzensis Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2863.
liparga Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 210.
Liparis [P. Artedi, Ichth. 1738, syn., 117].—P.

- liparis* Cyclogaster, F. C. Meuschen, Mus. Gronov. 1778, 23.
liparis Cyclopterus, Linnaeus, Syst. Nat., ed. 12, 1766, 414.
lipsiana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 237.—Phalaena.
lipsiana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
lipsiella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 138.
lipsiensis Acarus, J. C. Fabricius, Syst. Ent. 1775, 811.
liratum Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 43.
liria Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 126.
liria Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 239.
liricaudatus Sorex, R. Kerr, Anim. Kingd. 1792, 208.
liriodendrana Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 203.
liriodendri Coccus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2220.
Liriope J. G. Meigen, N. Class. Mouches, 1800, 14.—Dip.
liriope [Papilio], P. Cramer, Uitl. Kapellen, I (1) 1775, 2.
liriope Papilio N. P., D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 8.
liriophora Cassida, W. Kirby, Tr. Linn. Soc. [Lond.], III, 1797, 8.
liris [Phalaena], P. Cramer, Uitl. Kapellen, I (6) 1775, 98.
lisandra [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 10.
lisianassa [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 21.
lisias Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 261.
lisias [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 89.
lisias Papilio, J. C. Fabricius, Mant. II. 1787, 65.
lisimon [Papilio], C. Stoll, Aanh. Cramer's Uitl. Kapellen, V. 1790, 169.
Lispe P. A. Latreille, Préc. Car. Ins. 1796, 169.—Dip.
listerella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 540; ed. 12, 1767, 896.
listerella Tinea (L.), J. C. Fabricius, Mant. II. 1787, 250.—Phalaena.
listeri Aranea, Scopoli, Ent. Carn. 1763, 397.
listeri Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 108.
listeri Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3261.
listeri Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 185.
listerianus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 17.
lisus [Papilio], C. Stoll, Aanh. Cramer's Uitl. Kapellen, V. 1790, 167.
litea [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 148.
[litera-V-notatus Araneus, C. Clerck, Aran. Svec. 1757, 123.]
[litera-Ψ-insignitus Araneus, C. Clerck, Aran. Svec. 1757, 121.]
[litera-X-notatus Araneus, C. Clerck, Aran. Svec. 1757, 46.]
litera-X notatus Araneus, T. Martyn, Aranei, 1793, 21.
litteralis Cantharis, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 324.
litteralis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 122.
litterana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 530; ed. 12, 1767, 876.
litterana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 646.—Phalaena.
litterana Tortrix (L.), C. P. Thunberg, Ins. Suecica (1) 1784, 21.—Phalaena.
litteratus Alpheus, F. Weber, Nomen. Fabricii, 1795, 92 [n. n.].—Cancer.
litteratus Alyselminthus (Batsch), J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm.
litterata Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 206. [1800, 266.—Taenia.
litterata Aranea, P. Rossi, Mant. Ins. II. 1794, 6.
litteratum Callistoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—Venus.
litteratus Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 342.
litteratus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1857.
litteratum Cerithium (Born), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 499.—Murex.
litterata Chama (L.), F. C. Meuschen, Mus. Gever. 1787, 456.—Venus.
litterata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 448.
litteratus Cicindela, J. H. Sulzer, Gesch. Ins. 1776, 55.
litteratus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2148.
litteratus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 712; ed. 12, 1767, 1165.
litteratus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 41.—Conus.
litteratus Cyllindrus, F. C. Meuschen, Mus. Gever. 1787, 370.
literata major Donax, J. Barbut, Gen. Verm. II. 1788, 34.

- litteratus** Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 327.
litterata Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3685.
litterata Paphia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 176.—Venus.
litterata Phalaena, Scopoli, Ent. Carn. 1763, 229.
litterata Phalaena, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 2.
litterata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 36.
litterata Taenia, A. J. G. C. Batsch, Naturg. Bandwurm. 1786, 128.
litterata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 370.
litteratus Trochus, F. C. Meuschen, Mus. Gever. 1787, 282.
literata Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 689; ed. 12, 1767, 1135.
litterata Venus, *err. pro* literata, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
lithantrix Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 87. [1790, 3293-
lithargyrella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 30.
lithocardium Cardium, Linnaeus, Mant. II. 1771, 544.
lithofalco Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 278.
lithoglyphus Conus, F. C. Meuschen, Mus. Gever. 1787, 350.
litoglyphus Conus, Meuschen in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 692.
Lithophaga J. F. Bolten, Mus. Bolten. (2) 1798, 156.—L.
lithophagum Callitricoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Mytilus.
lithophagus Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 705; ed. 12, 1767, 1156.
lithophagus Tamarindiformis (L.), F. C. Meuschen, Mus. Gever. 1787, 412.—Mytilus.
lithophaga Venus, A. J. Retzius, Mém. Ac. Roy. Sci. [Turin], 1786-7 (1788), Corresp.,
Lithophilus J. A. Frolich, Naturforscher, XXVIII. 1799, 11.—Col. [11.
lithophilus Opatrum (*ex* Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1633.
lithophila Phalaena Noctua, N. J. Brahm, Ins. Kal. II (1) 1791, 440.
Lithoph[yta] P. Forskal, Descr. Anim. 1775, xxix.—Pol.
Litophyton, *id. ac* **Lithophyta** P. Forskal, Descr. Anim. 1775, 139.
lithoriza Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 339.
Lithosia J. C. Fabricius, Suppl. Ent. Syst. 1798, 419.—Lep.
lithospermella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 43.
lithostrotus Conus, F. C. Meuschen, Mus. Gever. 1787, 348.
lithoxylaea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 75.
lithoxylaea Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
litigiosus Elater, P. Rossi, Mant. Ins. I. 1792, 58. [324.—Noctua,
lithophila *v.* **lithop-**.
Litophyton *v.* **Lithop-**.
[litoralis]—
littoralis Acanthia (L.), J. C. Fabricius, Syst. Ent. 1775, 694.—Cimex.
littoralis Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 618; ed. 12, 1767, 1026.
littoralis Aranea, C. de Geer, Mém. Ins. VII. 1778, 274.
littoralis Carabus, A. G. Olivier, Entom. III. 1795, 110.
littoralis Chrysomela, J. C. Fabricius, Mant. I. 1787, 74.
littoralis Cicindela, J. C. Fabricius, Mant. I. 1787, 185.
littoralis Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 442; ed. 12, 1767, 717.
littoralis Elaphrus, A. G. Olivier, Entom. II. 1790, 6.
littoralis Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 587.—Chrysomela.
littoralis Hirudo, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 366.
littoralis Mutilla, V. Petagna, Spec. Ins. ult. Calab. 1786, 33.
littoralis Nais, O. F. Müller, Zool. Dan. II. 1784, 120.
littoralis Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 777; ed. 12, 1767, 1253.
littoralis Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 64.—Silpha.
littoralis Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.
littorale Pycnogonum, O. Fabricius, F. Groen. 1780, 233.
littoralis Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 360; ed. 12, 1767, 570.
littoralis Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 587; ed. 12, 1767, 974.
littoralis Unio, G. Cuvier, Tab. Elém. 1798, 425.
[litoreus]—
littorea Cicindela, P. Forskal, Descr. Anim. 1775, 77.

- littoreus** Gordius, O. F. Müller, Z. Dan. Prod. 1776, 213.
littoreus Larus, T. Pennant in Forster, Ind. Zool. 1781, 42 [n. n.].
littorea Motacilla, S. G. Gmelin, Reise Russ. III. 1774, 98.
littoreus Nautilus, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 241.
littorea Nerita, O. F. Müller, Z. Dan. Prod. 1776, 244.
littoreus Oniscus, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 308.
littorea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 312.
littoreus Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 422; ed. 12, 1767, 685.
littorea Sylvia (S. G. Gm.), J. Latham, Index Orn. 1790, 552.—Motacilla.
littorea Tringa, Linnaeus, Syst. Nat., ed. 10, 1758, 149; ed. 12, 1766, 251.
littoreus Triton, Linnaeus, Syst. Nat., ed. 10, 1758, 658; ed. 12, 1767, 1092.
littoreus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 761; ed. 12, 1767, 1232.
Litta, v. **Lytta** J. C. Fabricius, Mant. I. 1787, 215.
littera
littoralis
littoreus
 &c. &c.) , see *litera*, *littoralis*, *litoreus* &c.
- Lituities** J. Gesner, Tract. Petref. 1758, 46.—?
litura Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 102.
litura Cimex, J. C. Fabricius, Syst. Ent. 1775, 700.
litura Coccinella (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 419.—Nitidula.
litura Curculio, J. C. Fabricius, Syst. Ent. 1775, 141.
litura Nitidula, J. C. Fabricius, Mant. I. 1787, 52.
litura Noctua, J. C. Fabricius, Syst. Ent. 1775, 601.
litura Noctua (L.), J. C. Fabricius, Spec. Ins. II. 1781, 236.—Phalaena.
litura Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 320.
litura Reduvius, J. C. Fabricius, Mant. II. 1787, 310.
litura Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 234.—Nitidula. [f.].
litoraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 54 [n. et
litorataria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (4) [1795], 89.—*litorata*,
litoratorius Ichneumon, Linnaeus, Faun. Suec., ed. 2, 1761, 400. [auct.
- litorata** Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2789.
litorata Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 416.
litorata Bombyx, C. C. Jung, Alph. Verz. Schmett. I. 1791, 324.
litoratus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1991.
litorata Cetonia, A. G. Olivier, Entom. I. 1789, 86.
litoratus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 114.
litorata Coccinella, Scopoli, Ent. Carn. 1763, 73.
litoratus Dytiscus, J. C. Fabricius, Spec. Ins. I. 1781, 296.
litorata Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 98.
litorata Hyblaea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 449.
litoratus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2720.
litorata Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 153.
litorata Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
litorata [Phalaena], C. Clerck, Icones, I. 1759, pl. vi, 6.
litorata Phalaena, J. C. Fabricius, Mant. II. 1787, 197.
litorata Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 334.
litorata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
litoratus Ripiphorus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 126.
litoratus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2036.
litorata Strix, P. G. Lindroth, Mus. Grill. 1788, 5.
litorata Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2668.
liturella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 137.
liturella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 38.
litus Musca, M. Harris, Exp. Eng. Ins. 1776, 119.
 "Lituus, Sold. 1780," Ag.; not used in a Linnaean sense.
Lituus T. Martyn, Univ. Conch. I. 1784, fig. 27.—G.
Lituus P. Browne, Hist. Jamaica, 1789, 398.—Ceph.

- Lituus** [G. Humphreys], Mus. Calonn. 1797, 62.—G.
lituus Limax, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 27.
lituus brevis [Limax], T. Martyn, Univ. Conch. I [1784 non 1769], fig. 28.
lituus Nautilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3372.
lituus Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 152.
lituus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3589.
livea Simia (Papio), R. Kerr, Anim. Kingd. 1792, 62.
livens Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1891.
livens Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1711.
livens Elater, Linnaeus, Faun. Suec. ed. 2, 1761, 206.
livens Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 287; ed. 12, 1766, 478.
livens Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 345.
lividalis Phalaena Pyralis, J. Hübner, Beitr. Schmett. II. 1790, 86.
lividalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 6 & 5 [2].
lividaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 141 [*u. cf.*].
lividata Geometra, C. de Villers, Linn. Ent. IV. 1789, 503.
lividata [Phalaena], C. Clerck, Icones, I. 1759, pl. v, 10.
lividata Phalaena, J. C. Fabricius, Mant. II. 1787, 199.
lividata Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 337.
lividicornis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2719.
lividulum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3505.
livida Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 4.—Lagria.
lividus Anthribus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 161.
lividus Aphodius (Ol.), C. Creutzer, Ent. Vers. 1799, 44.—Scarabaeus.
livida Aranea, F. A. A. Meyer, Spinner Gött. 1790, 14.
livida Blatta, J. R. Forster, Cat. Anim. N. Amer. 1771, 27 [*u. u.*].
livida Blatta, C. de Geer, Mém. Ins. III. 1773, 538.
livida Blatta, J. C. Fabricius, Ent. Syst. II. 1793, 10.
livida Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 729.—[Voluta, ed. 12.]
lividum Callidium, P. Rossi, Mant. Ins. II. 1794, 98.
livida Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 401; ed. 12, 1767, 647.
lividus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 414; ed. 12, 1767, 670.
lividus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 160.
livida Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 261.
lividus Cerambyx (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1843.—
livida Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 59. [Saperda.]
livida Cistela, J. C. Fabricius, Syst. Ent. 1775, 116.
livida Coccinella, C. de Geer, Mém. Ins. V. 1775, 383.
livida Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 42.
lividus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 630.
lividus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 148.
livida Crioceris, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 165.
lividus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1713.—
lividus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 191. [Cistela.]
livida Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3403.
lividus Dytiscus, J. R. Forster, N. Sp. Ins. 1771, 52.
lividus Dytiscus, A. F. de Fourcroy, Ent. Paris. 1785, 68.
lividus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1959.
lividus Elater, C. de Geer, Mém. Ins. IV. 1774, 162.
lividus Elater, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 62.
livida Empis, Linnaeus, Syst. Nat., ed. 10, 1758, 604; ed. 12, 1767, 1003.
livida Forficula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2040.
livida Galeruca, A. F. de Fourcroy, Ent. Paris. 1785, 103.
livida Galeruca, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 589.
livida Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 17.
livida Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 22.
lividus Hydrophilus (Forst.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 127.—Dytiscus.
lividus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2719.

- livida** Lagria, J. C. Fabricius, Syst. Ent. 1775, 124.
livida Lagria, J. C. Fabricius, Suppl. Ent. Syst. 1798, 119.
livida Lampyrus, A. G. Olivier, Entom. II. 1790, 24.
livida Leptura, J. C. Fabricius, Gen. Ins. 1777, 233.
lividus Lucar, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 18.
lividus Malacopteryx (L.), J. R. Forster, Cat. Brit. Ins. 1770, 7 [*n. n.*].—Cantharis.
livida Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 981.
livida Nerita, F. C. Meuschen, Mus. Gev. 1787, 272.
livida Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 85.
livida Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 726.—
livida Podura, A. F. de Fourcroy, Ent. Paris. 1785, 523. [Noctua.
livida Saperda, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 95.
lividus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 86.
livida Silpha, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 34.
lividus Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 746; ed. 12, 1767, 1213.
livida Sylvia (Gm.), J. Latham, Index Orn. 1799, 534.—Motacilla.
lividus Thelephorus (Linn.) O. F. Müller, Z. Dan. Prod. 1776, 62.—Cantharis.
livida Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 557; ed. 12, 1767, 925.
livida Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 925, no. 32.—[=cincta, ed. 10,
lividum Vexillum, J. F. Bolten, Mus. Bolten. (2) 1798, 138. [p. 557.]
livida Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1187.—[Bulla, ed. 10.]
livius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 315.
livia Tettigonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 100.
livornica Sphinx, E. J. C. Esper, Die Schmett. II (13) 1780, 88.
lixula Echinometra, F. C. Meuschen, Mus. Gronov. 1778, 90.
lixula Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 664; ed. 12, 1767, 1102.
lizetta [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 166.
ljungiana Tortrix, C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 168.
llama v. glama.
L-nigrum Phalaena (Bombyx), O. F. Müller, F. Ins. Frid. 1764, 40.
Lobaria O. F. Müller, Z. Dan. Prod. 1776, xxix & 226.—Moll.
lobatulus Echinus, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 644.
lobatulus Nautilus, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 642.
lobatum Alcyonium, P. S. Pallas, Elench. 1766, 351.
lobatus Alyselminthus, J. G. H. Zeber in Goetze, 1 Nachtr. Eingeweidewürm. 1800, 241.
lobatus Anas, G. Shaw, Nat. Misc. VIII. 1796, pl. 255.
lobata Aranea, P. S. Pallas, Spic. Zool. IX. 1772, 46.
lobata Cetonia, A. G. Olivier, Entom. I. 1789, 23.
lobatus Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 63.
lobata Formica, C. de Geer, Mém. Ins. III. 1773, 602.
lobata Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 65.
lobata Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 68.
lobatus Malachius, A. G. Olivier, Entom. II. 1790, 12.
lobata Mantis, J. C. Fabricius, Spec. Ins. I. 1781, 350.
lobata Mantis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 190.
lobata Millepora, P. L. S. Müller, Del. Nat. I. 1766, 128.
lobata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.
lobatus Phalaropus (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 294.—Tringa.
lobata Pinna, Linnaeus, Syst. Nat., ed. 10, 1758, 708; ed. 12, 1767, 1160.
lobata Sphex, J. C. Fabricius, Syst. Ent. 1775, 348.
lobata Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 273.
lobata Squilla, O. F. Müller, Z. Dan. Prod. 1776, 197.
lobata Tringa, Linnaeus, Syst. Nat., ed. 10, 1758, 148, & errata p. 824; ed. 12, 1766,
lobata Vesicaria, O. Fabricius, Nye Saml. K. Danske Skrifter, II. 1783, 289. [249-
lobellii Antipathes, P. L. S. Müller, Del. Nat. I. 1766, 127.
lobella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 138.
lobipes Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 637.
lobulina Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 57.

- loco** Murex, G. I. Molina, Sag. stor. nat. Chili, 1782, 205.
loculator Tantalus, Linnaeus, Syst. Nat., ed. 10, 1758, 140; ed. 12, 1766, 240.
locumteneus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 45.
locupletella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 141.
Locusta *v.* **Gryllus**.
Locusta J. C. Fabricius, Syst. Ent. 1775, 282.—Orth.
locusta Acarus, Scopoli, Ent. Carn. 1763, 388.
locusta Astacus (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 17.—Cancer.
locusta Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 634; ed. 12, 1767, 1055.
locusta Cancer (Gammarellus) L., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 127.
locusta Gammarus (L.), J. C. Fabricius, Syst. Ent. 1775, 418.—Cancer.
locusta Oniscus (Linn.), P. S. Pallas, Misc. Zool. 1766, 191.—Cancer.
locusta Palaemon (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 404.—Cancer.
locustae Cynips, F. v. P. Schrank, Ins. Aust. 1781, 320.
locustae Filaria, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 2.
locustella Sylvia, J. Latham, Index Orn. 1790, 515.
loeflingiana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 531; ed. 12, 1767, 878.
loeflingiana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 652.—Phalaena.
loeflingii Labrus, J. A. Donndorff, Zool. Beyt. III. 1798, 480.
leuwenhoekella Tinea, C. C. Jung; = leuwenhoekella, L.
logiana [Phalaena], C. Clerck, Icones, I. 1759, pl. x, 3.
logiana Pyralis (Clerck), J. C. Fabricius, Syst. Ent. 1775, 651.—Phalaena.
logiana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 64 [*n. et f.*].
loliginis Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3059.
Loligo J. G. Schneider, Samml. Verm. Abh. 1784, 110.—Ceph.
Loligo Lamarck, Bull. Sci. Soc. Philom. [Paris], no. 17, 1798, 130.—Ceph.
loligo Sepia, Linnaeus, Syst. Nat., ed. 10, 1758, 659; ed. 12, 1767, 1096.
lolii Bombyx, E. J. C. Esper, Die Schmett. III (23) 1785, 246.
lolii Phalaena Noctua (Esp.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 398.—
lomata Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 54. [Bombyx.]
Lomvia J. E. Gunnerus, Trondhiemske Selsk. Skrift. III. 1765, 133.—A.
lomvia Alca, Linnaeus, Syst. Nat., ed. 10, 1758, 130.
lomvia Colymbus (Br.), J. C. Schaeffer, Mus. Orn. 1789, 59.—Uria.
lomvia Uria, M. T. Brännich, Orn. Boreal. 1764, 27.
lonchitis Sertularia, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 42.
Lonchirus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [*n. n.*].—P.
Lonchurus M. E. Bloch, Nat. ausl. Fische, VII. 1793, 143.—P.
longaevus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 22.
longara [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, III. 1790, 88.
longerro Musca, M. Harris, Exp. Eng. Ins. 1776, 152.
longicalcar Cuculus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
longicaudatus Daśypus, R. Kerr, Anim. Kingd. 1792, 112.
longicaudatus (*sic*) Indri, E. Geoffroy, Mag. encyclop. I (1) 1796, 46.
longicaudata Talpa, J. C. P. Erxleben, Syst. Anim. 1777, 118.
longicauda Anguis, J. N. Laurenti, Syn. Rept., 1768, 69.
longicauda Certhia, D. L. G. Karsten, Mus. Lesk. I. 1789, xvi.
longicauda Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 884.
longicauda Ephemera, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 418.
longicauda Loxia, J. F. Miller, Icon. Anim., pl. 3 (1776).
longicauda Loxia, J. Latham, Index Orn. 1790, 373.
longicauda Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 954.
longicaudus Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1496.
longicauda Sylvia (Gm.), J. Latham, Index Orn. 1790, 545.—Motacilla.
longicauda Trichoda, O. F. Müller, An. Infus. 1786, 216.
longicaudus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 498.
longicauda Turdus, P. Boddaert, Tab. Planch. Enl. 1783, 13.
longicollis Alysseminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800,
longicollis Attelabus, D. Drury, Ill. Nat. Hist. I. 1770, index & 95. [258.]

- longicollis Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 30.
 longicollis Cerambyx, C. de Geer, Mém. Ins. V. 1775, 117.
 longicollis Cerambyx, J. C. Fabricius, Mant. I. 1787, 135.
 longicollis Cicindela, J. C. Fabricius, Mant. I. 1787, 185.
 longicollis Curculio, C. de Geer, Mém. Ins. V. 1775, 274.
 longicollis Echinorhynchus, J. A. E. Goeze, Eingeweidewürm. 1782, 163.
 longicollis Elater, A. G. Olivier, Entom. II. 1790, 38.
 longicollis Fasciola, J. A. Frolich, Naturforscher, XXV. 1791, 73.
 longicollis Phoca, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 585.
 longicollis Reduvius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 112.
 longicollis Scarites (Dru.), Panzer in Drury, Exot. Ins. 1785, 160.—Attelabus.
 longicollis Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 110.
 longicollis Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 378.
 longicollis Testudo, G. Shaw, Zool. N. Holland, 1794, 19.
 longicollum Membracis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 667.
 longicornella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2614.
 longicornis Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 618; ed. 12, 1767, 1026.
 longicornis Anthribus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 160.
 longicornis Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 574; ed. 12, 1767, 953.
 longicornis Apis, M. Harris, Exp. Eng. Ins. 1776, 163.
 longicornis Apis, A. F. de Fourcroy, Ent. Paris. 1785, 445. [Myrmeleon.
 longicornis Ascalaphus (L.), M. B. Borkhausen in Scriba, Beitr. Ins. II. 1791, 157.—
 longicornis Bdella (L.), P. A. Latreille, Prec. Car. Ins. 1796, 180.—Acarus.
 longicornis Blatta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 94.
 longicornis Bostriachus, A. G. Olivier, Entom. IV. 1795, 15.
 longicornis Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 42.
 longicornis Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1040.
 longicornis Carabus (Fourc.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 368.—Buprestis.
 longicornis Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 150.
 longicornis Cebrio, A. G. Olivier, Entom. II. 1790, 5.
 longicornis Cerambyx, J. C. Fabricius, Spec. Ins. I. 1781, 215.
 longicornis Chelifer, A. F. de Fourcroy, Ent. Paris. 1785, 526.
 longicornis Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1688.
 longicornis Cicada, N. Poda, Ins. Mus. Graec. 1761, 53.
 longicornis Curculio, O. F. Müller, Z. Dan. Prod. 1776, 86.
 longicornis Curculio, F. A. A. Meyer, Zool. Archiv (1) 1796, 223.
 longicornis Cyclops, O. F. Müller, Entom. 1785, 115.
 longicornis Dermestes, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 23.
 longicornis Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 22.
 longicornis Dermestes, C. P. Thunberg, Ins. Suecica (6) 1794, 81.
 longicornis Dermestes, G. W. F. Panzer, Ins. Germ. heft 23, 1794, tab. 10.
 longicornis Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1916.
 longicornis Eucera (Linn.), J. A. Scopoli, Annus IV. 1770, 8.—Apis, 1758.
 longicornis Fistularia, O. F. Müller, Z. Dan. Prod. 1776, 254.
 longicornis Gammarus, J. C. Fabricius, Reise Norwegen, 1779, 258.
 longicornis Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2073.
 longicornis Hemerobius, Linnaeus, Mus. Lud. Ulr. 1764, 402.
 longicornis Hemerobius, O. F. Müller, Z. Dan. Prod. 1776, 147.
 longicornis Hemerobius, J. C. Fabricius, Gen. Ins. 1777, 245.
 longicornis Hemerobius, J. C. Fabricius, Ent. Syst. II. 1793, 84.
 longicornis Hirtea, Scopoli, Ent. Carn. 1763, 367.
 longicornis Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
 longicornis Ichneumon, C. de Villers, Linn. Ent. III. 1789, 215.
 longicornis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2716.
 longicornis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2722.
 longicornis Latridius, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 4.—Dermestes,
 longicornis Lepisma, Scopoli, Ent. Carn. 1763, 378. [1783.
 longicornis Melolontha, J. C. Fabricius, Mant. I. 1787, 20.

- longicornis** Molorchus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 52.
longicornis Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2997.—
longicornis Musca, J. C. Fabricius, Syst. Ent. 1775, 783. [Cyclops.
longicornis Musca, A. F. de Fourcroy, Ent. Paris. 1785, 477.
longicornis Myrmeleon, Linnaeus, Syst. Nat., ed. 12, 1767, 914.
longicornis Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 548; ed. 12, 1767, 910.
longicornis Phryganea, O. F. Müller, Z. Dan. Prod. 1776, 145 [no. 1677].
longicornis Podura, O. F. Müller, Z. Dan. Prod. 1776, 184.
longicornis Podura, A. F. de Fourcroy, Ent. Paris. 1785, 523.
longicornis Psocus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 203.—Hemerobius, 1793.
longicornis Ptinus, J. C. Fabricius, Spec. Ins. I. 1781, 72.
longicornis Rhagio, J. C. Fabricius, Spec. Ins. II. 1781, 421.
longicornis Saperda, J. C. Fabricius, Spec. Ins. I. 1781, 234.
longicorne Scaphidium, G. Paykull, Faun. Suec. III. 1800, 340.
longicornis Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1570.—
longicornis Scolopendra, J. C. Fabricius, Ent. Syst. II. 1793, 390. [Melolontha.
longicornis Sphex, P. Rossi, Fauna Etrus. II. 1790, 67.
longicornis Tabanus, J. C. Fabricius, Syst. Ent. 1775, 790.
longicornis Tenebrio, P. S. Pallas, Icon. Ins. 1781, 44.
longicornis Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 378.
longicornis Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 588; ed. 12, 1767, 978.
longicornis Tubularia (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3834.—
longicornis Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 433. [Fistularia.
longicuris Simia, H. F. Link, Beytr. Nat. I (2) 1795, 62.
longidigitata Mustela, J. M. Bechstein in Pennant, Uebers. 4ftüss. Thiere, II. 1800, 399.
longimana Aranea, J. C. Fabricius, Spec. Ins. I. 1781, 536.
longimanus Attelabus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 278.
longimanus Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 385.
longimanus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 629; ed. 12, 1767, 1047.
longimanus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 388; ed. 12, 1767, 621.
longimana Chrysomela, Linnaeus, Faun. Suec., ed. 2, 1761, 170.
longimana Chrysomela, P. S. Pallas, Reise Russ. II. 1773, 725.
longimana Clytra (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 31.—Chrysomela.
longimanus Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 107.—Chrysomela.
longimanus Curculio, J. R. Forster, Cat. Brit. Ins. 1770, 5 [n. n.].
longimanus Curculio, J. R. Forster, N. Sp. Ins. 1771, 32.
longimanus Curculio, J. C. Fabricius, Syst. Ent. 1775, 147.
longimanus Curculio, J. C. Fabricius, Syst. Ent. 1775, 822.
longimanus Erotylus, J. C. Fabricius, Mant. I. 1787, 92.
longimanus Gyrinus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 701.
longimana Melolontha (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 45.—Chry-
longimanus Palaemon, F. Weber, Nomen. Fabricii, 1795, 94. [somela.
longimanus Palaemon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 402.
longimana Parthenope (L.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
longimanus Prionus (L.), J. C. Fabricius, Syst. Ent. 1775, 159.—Cerambyx.
longimanus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 349; ed. 12, 1767, 549.
longimanus Scorpio, J. F. W. Herbst, Nat. ungefl. Ins. (4) 1800, 42.
longimana Simia, J. C. D. Schreber, Säugth. I. 66 (1774), pl. iii (1774).
longinasus Simia, H. F. Link, Beytr. Nat. I (2) 1795, 62.
longinus Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 430.
longipalpis Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 42.
longipalpa Blatta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 185.
longipalpus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2703.
longipenne Acrydium, C. de Geer, Mém. Ins. III. 1773, 501.
longipennis Caprimulgus, G. Shaw, Nat. Misc. VIII. 1796, pl. 265.
longipennis Cynips, J. C. Fabricius, Ent. Syst. II. 1793, 104.
longipennis Gryllus (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2087.—
longipennis Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 323. [Acrydium.

- longipes Aranea, J. C. Fuessly, Schweitz. Ins. 1775, 61.
 longipes Aranea, J. C. Fabricius, Spec. Ins. I. 1781, 545.
 longipes Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 290
 longipes Aranea, A. F. de Fourcroy, Ent. Paris. 1785, 534.
 longipes Callidium (Fab.), A. G. Olivier, Entom. IV. 1795, 28.—Saperda.
 longipes Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 629; ed. 12, 1767, 1047.
 longipes Cancer (Astartus), J. F. W. Herbst, Vers. Nat. Krab. II (3) 1792, 90.
 longipes Carabus, C. de Villers, Linn. Ent. I. 1789, 364.
 longipes Carabus, G. W. F. Panzer, Deutsch. Ins. [1795], 64.
 longipes Cerambyx, D. Drury, Ill. Nat. Hist. I. 1770, index & 84.
 longipes Cerambyx, C. de Villers, Linn. Ent. I. 1789, 256.
 longipes Cerambyx (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 308.—Saperda.
 longipes Chrysomela (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 44.—
 Cryptocephalus.
 longipes Cicindela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 61.
 longipes Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 724.
 longipes Cimex, J. C. Fabricius, Syst. Ent. 1775, 728.
 longipes Clytra (Fab.), J. N. Laicharting, Tyrol. Ins. I. 1781, 166.—Cryptocephalus.
 longipes Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 175.
 longipes Cordyle, C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 48.
 longipes Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 105.
 longipes Curculio, D. Drury, Ill. Nat. Hist. II. 1773, index & 61.
 longipes Curculio, J. N. Laicharting, Tyrol. Ins. I. 1781, 214.
 longipes Curculio, C. de Villers, Linn. Ent. I. 1789, 192.
 longipes Dermestes, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 176.
 longipes Dipus (Linn.), J. C. D. Schreber, Säugth. IV. 856 (1789).—Mus.
 longipes Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 191.—Cimex, 1775.
 longipes Glis, G. C. C. Storr, Prod. 1780, 39.
 longipes Helops, J. C. Fabricius, Spec. Ins. I. 1781, 326.
 longipes Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 159.
 longipes Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2698.
 longipes Inachus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
 longipes Jerboa (L.), E. A. W. Zimmermann, Spec. Zool. 1777, 523.—Mus.
 longipes Melolontha, J. C. Fabricius, Mant. I. 1787, 24.
 longipes Melolontha (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 41.—Crypto-
 longipes Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 979. [cephalus.
 longipes Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 62; ed. 12, 1766, 84.
 longipes Musca, Scopoli, Ent. Carn. 1763, 336.
 longipes Musca, A. F. de Fourcroy, Ent. Paris. 1785, 497.
 longipes Musca, J. C. Fabricius, Mant. II. 1787, 348.
 longipes Musca, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II., 1791, 127.
 longipes Necydalis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 155.
 longipes Opilio, J. F. W. Herbst, Nat. ungeff. Ins. (2) 1798, 22.
 longipes Pilularius (Scop.), F. v. P. Schrank, F. Boica, I. 1798, 398.—Scarabaeus.
 longipes Pimelia, J. C. Fabricius, Syst. Ent. 1775, 251.
 longipes Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2011.—Helops.
 longipes Ptinus, P. Rossi, Mant. Ins. I. 1792, 20.
 longipes Reduvius (L.), J. C. Fabricius, Syst. Ent. 1775, 730.—Cimex.
 longipes Rynchophorus (Dru.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 13.—
 longipes Saperda, J. C. Fabricius, Syst. Ent. 1775, 824. [Curculio.
 longipes Scarabaeus, Scopoli, Ent. Carn. 1763, 11.
 longipes Scarabaeus, Linnaeus, Mus. Lud. Ulr. 1764, 20.
 longipes Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 164.
 longipes Scarabaeus (Melolontha), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1567.
 longipes Scarabaeus (Trichius), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 192.
 longipes Stomoxys, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2892.
 longipes Sylvia (Gm.), J. Latham, Index Orn. 1790, 529.—Motacilla.
 longipes Yerbua (L.), J. R. Forster, K. Vet. Ac. Handl. XXXIX. 1778, 113.—Mus.

- longirostra** Aphrodita, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 86.
- longirostra** Certhia, J. Latham, Index Orn. 1790, 299.
- longirostra** Gracula, P. S. Pallas, Spic. Zool. VI. 1769, 5.
- longirostra** Motacilla, S. G. Gmelin, Reise Russ. III. 1774, 100.
- longirostra** Motacilla, J. M. Bechstein, Naturforscher, XXVII. 1793, 43.
- longirostratus** Gymnotus, *id. ac* rostratus, Gm., B. G. E. de Lacépède, Hist. Nat. Poiss.
- longirostris** Aphis, J. C. Fabricius, Mant. II. 1787, 314. [II. 1800, 145.]
- longirostris** Aphis, C. de Villers, Linn. Ent. IV. 1789, 406.
- longirostris** Apterodita, J. A. Scopoli, Del. Insub. II. 1786, 91.
- longirostris** Blochius, G. S. Volta, Itt. Veron. (2) [circa 1800], liii.
- longirostris** Cancer, J. C. Fabricius, Syst. Ent. 1775, 408.
- longirostris** Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 462.—[rostratus, Fab., Mant.]
- longirostris** Certhia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [*n. n.*].
- longirostris** Chaetodon, P. M. A. Broussonet, Ichth. 1782.
- longirostris** Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 60.
- longirostris** Colymbus, Picot de la Peirouse, K. Vet. Ac. Nya Handl. III. 1782, 111.
- longirostris** Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 900.
- longirostris** Inachus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer, 1775.
- longirostris** Lynceus, O. F. Müller, Z. Dan. Prod. 1776, 199.
- longirostris** Monoculus (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 499.—Lynceus.
- longirostris** Motacilla, *id. ac* longirostra, S. G. Gm., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 978.
- longirostris** Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 718.
- longirostris** Simia, H. F. Link, Beytr. Nat. I (2) 1795, 62.
- longirostris** Sitta, J. Latham, Index Orn. 1790, 264.
- longirostris** Sylvia (S. G. Gm.), J. Latham, Index Orn. 1790, 552.—Motacilla longirostra.
- longirostris** Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 823.
- longischo** Musca, M. Harris, Exp. Eng. Ins. 1776, 83.
- longiseta** Vorticella, O. F. Müller, An. Infus. 1786, 295.
- longispina** Daphne, O. F. Müller, Z. Dan. Prod. 1776, 199.
- longispinis** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2699.
- longispinus** Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2999.—
Daphne.
- longissima** Ascaris, J. E. Gunnerus, Skrift. Kiob. Selsk. Laerdoms, X. 1770, 173.
- longissima** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3556.
- longissima** Natrix, J. N. Laurenti, Syn. Rept. 1768, 74.
- longissima** Sertularia, P. S. Pallas, Elench. 1766, 119.
- longissima** Syrix (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 121.—Murex.
- longissima** Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 406.
- longitudinalis** Curculio, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 322.
- longitudinalis** Elater, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 327.
- longiusculum** Buccinum, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 639.
- longone** Venus, G. Olivi, Zool. Adriat. 1792, 109.
- longa** Aphrodita, O. F. Müller, Z. Dan. Prod. 1776, 218.
- longus** Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1724.
- longus** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1758.
- longa** Nereis, O. Fabricius, F. Groen. 1780, 300.
- loniceræ** Curculio, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 147.
- loniceræ** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 427.
- loniceræ** Sphinx, Scheven, Naturforscher, X. 1777, 97.
- loniceræ** Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 559; ed. 12, 1767, 928.
- Lopha** J. F. Bolten, Mus. Bolten. (2) 1798, 168.—L.
- lophaceata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.
- lophar** Anthias (Forsk.), G. A. Suckow, Naturges. IV. 1799, 556.—Perca.
- lophar** Perca, P. Forskal, Descr. Anim. 1775, 38.
- lophii** Ascaris, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 53.
- lophii** Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3050.
- lophii** Scolex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3042.

- Lophius** Linnaeus, Syst. Nat., ed. 10, 1758, 236; ed. 12, 1766, 402; [Artedi, Ichth. 1738, gen. xli, p. 62].—P.
- lophos** Calappa (Herbst), J. C. Fabricius, Suppl. Ent. Syst. 1798, 346.—Cancer.
- lophos** Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 201.
- lophus** Onitis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 26.
- “**Lophuriderma**, Poli, 1795,” Herm.; I cannot find this word. [part of Chiton.]
- Lophyrus** J. X. Poli, Test. Sicil. I. 1791, 2 & 4. A generic term applied to the fleshy
- lophyra** Pterotrachea, S. d. Chiaje in Poli, Test. Sicil. III (1) 1826, 29.
- lorentzianum** Amusium, J. F. Bolten, Mus. Bolten. (2) 1798, 165.
- “**Lori**, Geoff. 1796,” Ag.; does not occur, see **Loris**.
- Lori** B. G. E. de Lacépède, Tabl. Mamm. 1799, 5.—M.
- lori** Lemur, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 211.
- lory** Lemur, H. F. Link, Beytr. Nat. I (2) 1795, 64.
- lory** Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 100; ed. 12, 1766, 145.
- Loricaria** Linnaeus, Syst. Nat., ed. 10, 1758, 307; ed. 12, 1766, 508.—P.
- Loricaria** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [n. n.].—P.
- loricata** Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 117.
- loricata** Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 815; ed. 12, 1767, 1314 [loricatula].
- loricata** Sertularia, Linnaeus, Syst. Nat., ed. 12, 1767, 1316.—[non ed. 10, p. 815.]
- loriculata** Cellaria (L.), J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 24.—Sertularia.
- loriculata** Cellularia, L. T. Gronovius, Zooph. III. 1781, 355. [ed. 10.]
- loriculata** Sertularia, Linnaeus, Syst. Nat., ed. 12, 1767, 1314.—[misprint for *loricata*,
- Loripes** J. X. Poli, Test. Sicil. I. 1791, Introd. 31. A generic term applied to the fleshy part of *Tellina lactea*.
- loripes** Tenebrio, Illiger in Kugelann, Käfer Preuss. 1798, 113.
- Loripoderma** J. X. Poli, Test. Sicil. II. 1795, 253 & 259.—L.
- Loris** E. Geoffroy, Mag. encyclop. I (1) 1796, 48.—M.
- Loris** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [n. n.].—M.
- loris** Tardigradus (Z.), P. Boddaert, Elench. 1785, 67.—Lemur *lori*.
- “**Lorius**, Briss. 1760,” Ag.; not used in a generic sense.
- lorridus** Trox, *err. pro* horridus, Fabr., J. C. Fabricius, Mant. I. 1787, 18.
- lory** *v.* *lori*.
- lota** Bombyx (Clerck), J. C. Fabricius, Spec. Ins. II. 1781, 191.—Phalaena.
- lota** Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 720; ed. 12, 1767, 1175.
- lota** Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 255; ed. 12, 1766, 440.
- lota** Noctua, C. F. Vieweg, Tabl. Verz. Brand. Schmett. II. 1790, 13.
- lota** [Phalaena], C. Clerck, Icones, I. 1759, pl. viii, 1.
- lota** Phalaena (Bombyx), Linnaeus, Faun. Suec., ed. 2, 1761, 302.
- lotae** Lernaea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3146.
- lotatorius** Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 330.
- lotenia** Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 188.
- lotharingica** Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 882.
- lotharingica** Motacilla (L.), J. M. Bechstein, Gem. Nat. Deutschl. IV. 1795, 682.—Emberiza.
- lothos** [Phalaena], P. Cramer, Uitl. Kapellen, II (16) 1777, 136.
- loti** Bruchus, G. Paykull, Faun. Suec. III. 1800, 158.
- loti** Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 45.
- loti** Tipula, C. de Geer, Mém. Ins. VI. 1776, 420.
- loti** Zygaena (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 387.—Sphinx.
- lotis** [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 65.
- lotis** Papilio Nymphalis, J. H. Sulzer, Gesch. Ins. 1776, 144.
- Lotor** E. Geoffroy & Cuvier, Mag. encyclop. II (6) 1795, 187.—M.
- lotor** Campsiurus (Linn.), H. F. Link, Beytr. Nat. I (2) 1795, 87.—Ursus.
- lotor** Meles (Linn.), P. Boddaert, Elench. 1785, 80.—Ursus.
- lotor** Ursus, Linnaeus, Syst. Nat., ed. 10, 1758, 48; ed. 12, 1766, 70.
- lotor** Ursus, R. Kerr, Anim. Kingd. 1792, 189; *var.* *melinus*.
- lotorius** Ichneumon, C. de Villers, Linn. Ent. III. 1789, 157.
- lotorium** Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 749; ed. 12, 1767, 1217.
- lotorium** Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 126.

- lotrix** [Phalaena], P. Cramer, Uitl. Kapellen, II (10) 1777, 20.
- louhoujung** Ardea, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 11 [*n. n.*].
- louti** Bodianus (Forsk.), G. A. Suckow, Naturges. IV. 1799, 517.—Perca.
- louti** Perca, P. Forskal, Descr. Anim. 1775, 40.
- Loxia** Linnaeus, Syst. Nat., ed. 10, 1758, 171; ed. 12, 1766, 299.—A.
- loyca** Sturnus, G. I. Molina, Sag. stor. nat. Chili, 1782, 254.
- L'S** Phalaena (Noct.), *v. S.*
- lubb** Gadus, B. A. Euphrasen, K. Vet. Ac. Nya Handl. XV. 1794, 223.
- lubecula** Noctua, C. C. Jung, Alph. Verz. Schmett. I. 1791, 326 (=labecula, Esper).
- lubentina** [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 92.
- lubreola** *v. lutreola.*
- lubricepeda** Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 576.—Phalaena.
- lubricipeda** Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 505; ed. 12, 1767, 829.
- [lubricipedina** Phalaena (B.), MS.], T. Martyn, Psyche, 1797, figs. 90 & 91.
- lubricus** Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 311.—Helix.
- lubricus** Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1101.—Natrix.
- lubrica** Helix, O. F. Müller, Verm. II. 1774, 104.
- lubrica** Natrix, J. N. Laurenti, Syn. Rept. 1768, 80.
- luca** Aranea, *id. ac* lusca, Fab.; J. C. Fabricius, Spec. Ins. I. 1781, 546.
- lucagus** [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777 123.
- Lucanus** Scopoli, Ent. Carn. 1763, 1.—Col.
- lucana** Helix, O. F. Müller, Verm. II. 1774, 75.
- lucanus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 322.
- Lucar** B. S. Barton, N. H. Pennsylv. 1799, 18.—A.
- lucas** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 339.
- lucella** Alucita, J. C. Fabricius, Syst. Ent. 1775, 667.
- lucella** Phalaena (Tin.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 503.—Alucita.
- Lucerna** [G. Humphreys], Mus. Calonn. 1797, 61.—G.
- lucerna** Angarius, F. C. Meuschen, Mus. Gever. 1787, 258; *varr.* fasciata, carinata, dentata, [antiqua].
- lucerna** Helix, O. F. Müller, Verm. II. 1774, 13.
- lucerna** Lampadiou, J. F. Bolten, Mus. Bolten. (2) 1798, 78 [*n. n.*].
- lucerna** Trigla, Linnaeus, Syst. Nat., ed. 10, 1758, 301; ed. 12, 1766, 497.
- lucernalis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 20.
- Lucernaria** O. F. Müller, Z. Dan. Prod. 1776, xxix & 227.—Coel.
- Lucernaria** J. G. Bruguière, Ency. Méth. (Tabl. Vers), pl. 89 (1791) [*n. et f.*].—Coel.
- lucernaria** Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 434.—[Fulgora, ed. 12.]
- lucernaria** Fulgora, Linnaeus, Syst. Nat., ed. 12, 1767, 704.—[Cicada, ed. 10.]
- lucerneae** Fulgora, *id. ac* lucernaria, L., J. C. Fabricius, Ent. Syst. IV. 1794, 3.
- lucerneae** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 510; ed. 12, 1767, 837.
- lucetius** [Sphinx], P. Cramer, Uitl. Kapellen, IV (26) 1780, 21.
- lucetius** [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 129.
- lucianus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 313.
- luciata** [Phalaena], C. Stoll, Aahang. Cramer's Uitl. Kapellen, II. 1790, 56.
- lucicola** Melolontha, J. C. Fabricius, Suppl. Ent. Syst. 1798, 132.
- lucidator** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 170.
- lucidata** Phalaena, E. Donovan, Brit. Ins. III. 1794, 97.
- lucidata** Phalaena, *id. ac* lucida, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 259.
- lucidula** Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 191.
- lucidula** Buprestis, J. C. Fabricius, Ent. Syst. IV. 1794, 451.
- lucidula** Chrysis, J. C. Fabricius, Syst. Ent. 1775, 358.
- lucidula** Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 338.
- lucidus** Acarus, A. F. de Fourcroy, Ent. Paris. 1785, 529.
- lucida** Andrena, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 1.
- lucidum** Callidium, A. G. Olivier, Entom. IV. 1795, 18.—Cerambyx, 1790.
- lucidum** Callidium, A. G. Olivier, Entom. IV. 1795, 59.
- lucida** Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 400.—[Lampyrus, ed. 12.]
- lucidus** Carabus, J. A. Scopoli, Annus V. 1772, 108. [Stenocorus.
- lucidus** Cerambyx (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1857.—

- lucidus** Cerambyx, A. G. Olivier, Ency. Méth. V. (Ins.), 1790, 309.
- lucida** Cetonia, A. G. Olivier, Entom. I. 1789, 75.
- lucida** Copris, J. Sturm, Verz. Ins. Samml. 1800, 95.
- lucidus** Copris, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 106.
- lucidus** Ceculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 421.
- lucida** Helix, R. Pulteney, Cat. Birds, &c. Dorset, 1799, 47.
- lucida** Lampyris, Linnaeus, Syst. Nat., ed. 12, 1767, 645.—[Cantharis, ed. 10.]
- lucida** Leptura (Scop.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 229.—Stenocorus.
- lucida** Musca, Scopoli, Ent. Carn. 1763, 347.
- lucida** Phalaena, S. A. v. Rottemberg, Naturforscher, IX. 1776, 122.
- lucida** Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
- lucida** Phalaena, C. C. Jung, Alph. Verz. Schmett. I. 1791, 328.
- lucidus** Picus, J. A. Scopoli, Del. Insub. II. 1786, 89.
- lucida** Sphex, C. de Villers, Linn. Ent. III. 1789, 252.
- lucidus** Stenocorus, J. A. Scopoli, Annus V. 1772, 98.
- lucidus** Tenebrio, P. Rossi, Mem. Soc. Ital. IV. 1788, 129.
- lucida** Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3292.
- Lucifer** Linnaeus, Amoen. Acad. VI. 1760, 70.—M.
- lucifer** Alata (L.), F. C. Meuschen, Mus. Gev. 1787, 342.—Strombus.
- lucifer** Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 262.—Bibio, 1775.
- lucifer** Bibio, J. C. Fabricius, Syst. Ent. 1775, 759.
- lucifer** Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2832.—Bibio.
- lucifer** Portunus, F. Weber, Nomen. Fabricii, 1795, 93.
- lucifer** Portunus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 364.
- lucifer** Pyramis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 58.—Strombus.
- lucifer** Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 744; ed. 12, 1767, 1210.
- lucifera** Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. [1797—1800], 453.
- lucifuga** Blatta, N. Poda, Ins. Mus. Graec. 1761, 49.
- lucifugus** Libellula, M. Harris, Exp. Eng. Ins. 1776, 98.
- lucifuga** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 312.
- lucifuga** Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
- lucifugum** Termes, P. Rossi, Mant. Ins. I. 1792, 107. [295.—Noctua.
- lucii** Distoma, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 173.
- lucii** Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 23.
- lucii** Fasciola, O. F. Müller, Z. Dan. Prod. 1776, 224.
- lucii** Rhytelminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 217.
- lucii** Taenia, O. F. Müller, Z. Dan. Prod. 1776, 219.
- lucilla** [Papilio], N. R. E. J. C. Esper, Die Schmett. I (9) 1779, 351.
- lucilla** Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 173.
- lucilla** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 236.
- lucille** [Papilio], P. Cramer, Utitl. Kapellen, II (13) 1777, 93.
- Lucina** J. G. Bruguière, Ency. Méth. (Tabl. Vers) pl. 284 (1797) [n. et f.].—L.
- Lucina** Lamarck, Mém. Soc. H. N. Paris, 1799, 84.—L.
- lucina** Bombyx (Dru.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 31.—Phalaena.
- lucina** Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 480; ed. 12, 1767, 784.
- lucina** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 82.
- lucina** Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 46.
- lucinda** [Papilio], P. Cramer, Utitl. Kapellen, I (1) 1775, 3.
- luciola** Phalaena, Hufnagel, Berl. Mag. III. 1767, 294.
- lucionensis** Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 135.
- lucionensis** Psittacus, Linnaeus, Syst. Nat., ed. 12, 1766, 146.
- lucioperca** Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 289; ed. 12, 1766, 481.
- lucioercae** Cucullanus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 14.
- lucio-percae** Fasciola, O. F. Müller, Z. Dan. Prod. 1776, 223.
- lucipara** Noctua (L.), J. C. Fabricius, Spec. Ins. II. 1781, 233.—Phalaena.
- lucipara** Phalaena Noctua, Linnaeus, F. Suec., ed. 2, 1761, 318.
- lucipeta** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 71.
- Lucius** E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 407.—P.

- Lucius** (*ex* Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 587.—P.
- lucius** Esox, Linnaeus, Syst. Nat., ed. 10, 1758, 314; ed. 12, 1766, 516.
- lucius** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 320.
- lucia** Libellula, D. Drury, Ill. Nat. Hist. II. 1773, index & 82.
- lucia** [Papilio], C. Stoll in Cramer, Utit. Kapellen. IV (30) 1781, 117.
- lucorum** Apis, Linnaeus, Faun. Suec., ed. 2, 1761, 425.
- lucorum** Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 44.
- lucorum** Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 376.—Buprestis.
- lucorum** Cimbex (L.), A. G. Olivier, Ency. Meth. V (Ins.) 1790, 767.—Tenthredo.
- lucorum** Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 773; ed. 12, 1767, 1247.
- lucorum** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 592; ed. 12, 1767, 985.
- lucorum** Musca, M. Houttuyn, Nat. Hist. I (12) 1768, 488 (24) *err. pro* fallax, L.
- lucorum** Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 766.—Musca.
- lucorum** Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 555; ed. 12, 1767, 921.
- lucorum** Tenthredo, J. C. Fabricius, Syst. Ent. 1775, 324.
- lucorum** Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 508.—Alucita lucella. 1794.
- lucretia** Libellula, D. Drury, Ill. Nat. Hist. II. 1773, index & 87.
- lucretia** [Papilio], P. Cramer, Utit. Kapellen, I (4) 1775, 71.
- lucretius** [Papilio], P. Cramer, Utit. Kapellen, I (7) 1775, 129.
- luctor** Strombus, D. Solander in G. Brander. Foss. Hant. 1766, 30.
- luctatorius** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 562; ed. 12, 1767, 931.
- luctifera** Bombyx, (Denis & Schiffermüller), Schmett. Wien, 1775, 54.
- luctifera** Phalaena, B. (D. & S.). E. J. C. Esper. Die Schmett. III (22) 1785, 222.—Bombyx.
- luctiferella** Phalaena, Giorna, Cal. Ent. 1791, 125.
- luctinaria** Phalaena, *id. ac* lacticiuia, Cram., J. C. Fabricius, Mant. II. 1787, 193.
- luctualis** Phalaena Pyr., J. Hübner, Samml. Vögel u. Schmett. 1793, 5 [*n. et f.*].
- luctualis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796]. 20.
- luctuata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 316.
- luctuata** Geometra, C. de Villers, Linn. Ent. IV. 1789, 514.
- luctuata** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 253 [*n. et f.*].
- luctuata** Phalaena, J. C. Fabricius, Mant. II. 1787, 208.
- luctuata** Phalaena Geometra, J. Hübner, Beitr. Schmett. I (1) 1786, 31.
- luctuella** Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 5 [*n. et f.*].
- luctuosa** Apis, J. A. Scopoli, Annus IV. 1770, 13.
- luctuosa** Apis, J. C. Fabricius, Ent. Syst. II. 1793, 337.
- luctuosus** Bostrichus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 109.
- luctuosus** Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 53.
- luctuosus** Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 378.—Buprestis.
- luctuosa** Chrysomela, F. v. P. Schrank, Naturforscher, XXIV. 1789, 68.
- luctuosus** Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 67.
- luctuosa** Emberiza, J. A. Scopoli, Annus I. 1769, 146.
- luctuosa** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 90.
- luctuosus** Papilio, J. E. I. Walch, Naturforscher, VII. 1775, 113.
- luctuosus** Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 249.
- luctuosa** Phalaena Noctua, N. J. Brahm, Ins. Kal. II (1) 1791, 176.
- luctuosa** Phryganea, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 85.
- luctuosa** Tenthredo, J. Hill, Decade Curious Insects, 1773, 5.
- luctuosus** Tenebrio, F. v. P. Schrank, Ins. Aust. 1781, 219.
- luculenta** Noctua (*ex* Esper tab.), C. C. Jung, Alph. Verz. Schmett. 1791, 330.
- lucullus** Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VI. 1793, 94.
- lucunter** Cidaris (Linn.), N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 109.—Echinus.
- lucunter** Echinometra (L.), F. C. Meuschen, Mus. Gronov. 1778, 91.—Echinus.
- lucunter** Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 665; ed. 12, 1767, 1103.
- ludens** Musca, M. Harris, Exp. Eng. Ins. 1776, 157.
- ludicrus** Musca, M. Harris, Exp. Eng. Ins. 1776, 157.
- ludicra** Phalaena Noctua, J. Hübner, Beitr. Schmett. II. 1790, 95.
- ludifica** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 323.
- ludifica** Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 614.—Phalaena.

- ludifica** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 514; ed. 12, 1767, 848.
ludio Himantopus, O. F. Müller, An. Infus. 1786, 249.—Trichoda, 1773.
ludio Himantopus, E. Donovan, Brit. Ins. I. 1792, 46.
ludio Trichoda, O. F. Müller, Verm. I (1) 1773, 75.
ludovica [Papilio], P. Cramer, Utit. Kapellen, IV (25) 1780, 17.
ludovicea Libellula, A. F. de Fourcroy, Ent. Paris. 1785, 343.
ludovicia Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 310.
ludoviciana Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 793.
ludoviciana Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 630.
ludovicianus Coluber, G. A. Suckow, Naturges. III. 1798, 249.
ludovicianus Colymbus, P. Boddaert, Tab. Planch. Enl. 1783, 56.
ludovicianus Colymbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 592.
ludovicianus Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 134.
ludoviciana Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 306.
ludoviciana Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 983.
ludoviciana Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 934.
ludovicianus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 387.
ludoviciana Parra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 706.
ludovicianus Podiceps (Gm.), J. Latham, Index Orn. 1790, 786.—Colymbus.
ludovicianus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 347.
ludovicianus Sturnus, Linnaeus, Syst. Nat., ed. 12, 1766, 290.
ludoviciana Sylvia (Gm.), J. Latham, Index Orn. 1790, 535.—Motacilla.
ludoviciana Sylvia, J. Latham, Index Orn. 1790, 548.
ludoviciana Tringa (Gm.), J. Latham, Index Orn. 1790, 727.—Parra.
ludvigella Phalaena (Tinea), O. F. Müller, F. Ins. Frid. 1764, 58.
ludus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3601.
lugdunaea Cynips, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1790, 2653.
lugdunensis Cyprinus, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 29.
lugdunense Myrmeleon, C. de Villers, Linn. Ent. III. 1789, 63.
lugens Aphodius, C. Creutzer, Ent. Vers. 1799, 59.
lugens Bibio, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 89.
lugens Bombyx, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 70.
lugens Cimex, J. C. Fabricius, Syst. Ent. 1775, 716.
lugens Musca, J. C. Fabricius, Mant. II. 1787, 350.
lugens Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
lugens Syrphus, P. Rossi, Fauna Etrus. II. 1790, 298.
lugubrella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 299.
lugubris Bibio, J. C. Fabricius, Mant. II. 1787, 328.
lugubris Bombyx, J. C. Fabricius, Gen. Ins. 1777, 280.
lugubris Buprestis, J. C. Fabricius, Gen. Ins. 1777, 236.
lugubre Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 257.
lugubris Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1987.
lugubris Cebus, J. C. P. Erxleben, Syst. Anim. 1777, 53.
lugubris Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1847.
lugubris Cetonia, J. C. Fabricius, Syst. Ent. 1775, 819.
lugubris Cetonia, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 157.
lugubris Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
lugubris Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 302.
lugubris Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 474.
lugubris Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1727.
lugubris Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1777.
lugubris Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 22.
lugubris Elater, O. F. Müller, Z. Dan. Prod. 1776, 60.
lugubris Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3665.
lugubris Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
lugubris Lagria, J. C. Fabricius, Ent. Syst. I (2) 1792, 80.
lugubris Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 283.
lugubris Macrocephalus, A. G. Olivier, Entom. IV. 1795, 13.

- lugubris** Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2832.—Bibio
- lugubris** Panorpa, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 279.
- lugubris** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3705.
- lugubris** [Phalaena], D. Drury, Ill. Nat. Hist. III. 1782, index & 28.
- [lugubris** Phalaena (N.) MS.], T. Martyn, Psyche, 1797, figs. 72 & 73.
- lugubre** Phalangium, O. F. Müller, Z. Dan. Prod. 1776, 192.
- lugubris** Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 357. [Cetonia
- lugubris** Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1577.—
- lugubre** Sphaeridium (Fourc.), A. G. Olivier, Entom. II. 1790, 7.—Dermestes.
- lugubris** Sphex, C. de Villers, Linn. Ent. III. 1789, 252.
- lugubris** Sphex, J. L. Christ, Nat. Ins. 1791, 306.
- lugubris** Sphinx, Linnaeus, Mant. II. 1771, 537.
- lugubris** Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2036.
- lugubris** Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 159.
- lugubris** Syrphus, J. C. Fabricius, Syst. Ent. 1775, 770.
- lugubris** Tabanus, Linnaeus, Faun. Succ., ed. 2, 1761, 464.
- lugubris** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3583.
- lugubre** Trombidium (Muell.), J. C. Fabricius, Ent. Syst. II. 1793, 405.—Hydrachna
- lugubris** Turdus, P. Boddaert, Tah. Planch. Enl. 1783, 33.
- luhuana** Alata (L.), F. C. Meuschen, Mus. Gev. 1787, 344.—Strombus.
- luhuana** Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 61.—Strombus.
- luhuanus** Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 744; ed. 12, 1767, 1209.
- lulensis** Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 180; ed. 12, 1766, 318.
- lumbricalis** Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 35.
- lumbricalis** Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 228; ed. 12, 1766, 391.
- lumbricalis** Sabella, O. Fabricius, F. Groen. 1780, 374.
- lumbricalis** Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 787; ed. 12, 1767, 1266.
- lumbricalis** Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 107.
- lumbricalis** Vermicularia (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 78.—Serpula.
- lumbricalis** Vermiculata (L.), F. C. Meuschen, Mus. Gev. 1787, 238.—Serpula.
- lumbrici** Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3037.
- lumbricoides** Ascaris, Linnaeus, Syst. Nat., ed. 10, 1758, 648; ed. 12, 1767, 1076.
- lumbricoides** Fusaria (L.), J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800,
- lumbricoides** Lacerta, G. Shaw, Nat. Misc. VI. 1795, pl. 212. [25.—Ascaris.
- lumbricoides** Nereis, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 233.
- Lumbricus** Linnaeus, Syst. Nat., ed. 10, 1758, 647; ed. 12, 1767, 1076.—Ver.
- luminosa** [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 147.
- lumina** Noctua, J. C. Fabricius, Mant. II. 1787, 161.
- lumme** Colymbus, M. T. Brünnich, Orn. Boreal. 1764, 39.
- lumpenus** Blennius, Linnaeus, Syst. Nat., ed. 10, 1758, 258; ed. 12, 1766, 444.
- lumpenus** Enchelyopus, F. C. Meuschen, Mus. Gronov. 1778, 29.
- lumpretae-formis** Blennius, J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 184.
- lumpus** Cyclopterus, Linnaeus, Syst. Nat., ed. 10, 1758, 260; ed. 12, 1766, 414.
- luna** v. **lunus**.
- lunalis** Phalaena, Scopoli, Ent. Carn. 1763, 241.
- lunana** Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 478.
- lunana** Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 243.
- lunana** Tortrix, C. P. Thunberg, Ins. Suecica (1) 1784, 24.
- Lunaris** F. C. Meuschen, Cat. Coll. Coq. Oudaan, 1766, 15 [n. n.].—G.
- “Lunaris, Linck, 1783,” Herm.; not used in Linnaean sense.
- lunaris** Cancer, P. Forskal, Descr. Anim. 1775, 91.
- lunaris** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2178.
- lunaris** Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1657.
- lunaris** Copris (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 55.—v. Scarabaeus.
- lunaris** Copris, A. F. de Fourcroy, Ent. Paris. 1785, 13.
- lunaris** Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2087.
- lunaris** Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
- lunaris** Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 283; ed. 12, 1766, 474.

- lunaris** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 94.
lunaris Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 10 [*n. n.*].
lunaris Phalaena Noctua, J. Hübner, Beitr. Schmett. I (1) 1786, 16.
lunaris Saperda, A. G. Olivier, Entom. IV. 1795, 7.
lunaris Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 346; ed. 12, 1767, 543.
lunaris Trichoda, O. F. Müller, An. Infus. 1786, 204.
lunaris Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3587.
lunaris Vorticella, O. F. Müller, Verm. I (1) 1773, 117.
[lunarius]—
lunaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 103.
lunaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 33 [*n. et f.*].
lunaria Perca, P. Forskal, Descr. Anim. 1775, 39.
lunaria Phalaena (D. & S.), J. C. Fabricius, Syst. Ent. 1775, 623.—Geometra.
lunaria Phalaena Geometra, J. Hübner, Beitr. Schmett. I (4) 1789, 5.
Lunatica J. F. Bolten, Mus. Bolten. (2) 1798, 101.—G.
lunator Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 430.
lunatralis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 122.
Lunatus [G. Humphreys], Mus. Calonn. 1797, 21.—G.
lunata Acanthia, J. C. Fabricius, Syst. Ent. 1775, 694.
lunata Apis, *err. pro lanata*, Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, [2772].
[lunatus Araneus, C. Clerck, Aran. Svec. 1757, 52.]
lunatus Araneus, T. Martyn, Aranei, 1793, 23.
lunata Bembex, J. C. Fabricius, Ent. Syst. II. 1793, 249.
lunata Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 60.—Phalaena.
lunata Buprestis, Scopoli, Ent. Carn. 1763, 66.
lunatum Callidium, J. C. Fabricius, Spec. Ins. II. 1781, 500.
lunatus Carabus, J. C. Fabricius, Syst. Ent. 1775, 247.
lunatus Carabus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 72.
lunata Cassida, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 88.
lunatus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1852.—
lunata Chrysomela, J. C. Fabricius, Mant. I. 1787, 69. [Callidium].
lunatus Cimex, J. C. Fabricius, Mant. II. 1787, 289.
lunatus Cimex, J. C. Fabricius, Mant. II. 1787, 302.
lunatus Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2125.—Acanthia.
lunata Coccinella, J. C. Fabricius, Syst. Ent. 1775, 86.
lunata Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 19.
lunatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 148.
lunata Dermestes, J. C. Fabricius, Mant. II. 1787, 378.
lunatum Gonium, O. F. Müller, Verm. I (1) 1773, 62.
lunatus Hister, L. G. Scriba, J. Lieb. Ent. I. 1790, 72.
lunata Ips, J. C. Fabricius, Ent. Syst. I (2) 1792, 514.
lunatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 142.—Cimex, 1787.
lunata Madrepora, J. G. Bruguière, J. Nat. Hist. (Choix des Mém.) I. 1792, 461.
lunata Meloe, P. S. Pallas, Icon. Ins. 1782, 79.
lunatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 111.
lunata Membracis, J. C. Fabricius, Mant. II. 1787, 262.
lunata Mylabris (Thun.), A. G. Olivier, Entom. III. 1795, 6.—Meloe.
lunata Nitidula, A. G. Olivier, Entom. II. 1790, 19.
lunata Noctua, J. C. Fabricius, Mant. II. 1787, 163.
lunata [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 154.
lunata Phalaena, Giorna, Cal. Ent. 1791, 64.
lunata Phalaena Bombyx, C. de Villers, Linn. Ent. II. 1789, 159.
lunatum Phalangium, P. S. Pallas, Spic. Zool. IX. 1772, 35.
lunatus Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 269; ed. 12, 1766, 459.
lunata Silpha, J. C. Fabricius, Gen. Ins. 1777, 215.
lunata Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 87.—Nitidula.
lunatum Sphaeridium, J. C. Fabricius, Ent. Syst. I (1) 1792, 78.
lunata Sphecx, J. C. Fabricius, Syst. Ent. 1775, 347.

- lunatus** Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 296.
lunatus Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 370.
lunata Tarantula (Pall.), J. C. Fabricius, Ent. Syst. II. 1793, 433.—Phalangium.
lunatus Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2000.
lunata Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 386; ed. 12, 1767, 972.
lunatus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 82.
"Lunda, Pall. 1766," Ag.; I cannot trace this word.
lundana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 414.—Pyralis.
lundana Pyralis, J. C. Fabricius, Gen. Ins. 1777, 294.
lundii Cerambyx, J. C. Fabricius, Ent. Syst. I (2) 1792, 258.
lundii Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2178.
lundii Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 107.
lundii Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 134.
lundii Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1582.
Lunella J. F. Bolten, Mus. Bolten. (2) 1798, 103.—G.
lunicornis Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 249.
lunifera Vorticella, O. F. Müller, An. Infus. 1786, 257.
lunigera Bombyx, G. Paykull, Skr. nat. Selsk. [Copen.], II (2) 1793, 98.
lunigera Coccinella, N. J. Brahm, Ins. Kal. I (1) 1790, 119.
lunigera Phalaena Bombyx, E. J. C. Esper, Die Schmett. III (19) 1784, 114.
lunipes Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
lunula Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 96.
lunula Musca, C. de Villers, Linn. Ent. III. 1789, 433.
lunula Phalaena, Hufnagel, Berl. Mag. III. 1767, 394.
lunula Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer. 1783, 38.
lunula-lutea Phalaena B., C. de Villers, Linn. Ent. II. 1789, 175.
lunula Phalaena (Noctua), H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 335.
lunula Vibrio, O. F. Müller, An. Infus. 1786, 55.
lunula Volvox, O. F. Müller, Verm. I (1) 1773, 30.
lunulana Phalaena, J. A. Scopoli, Del. Insub. II. 1786, 56.
lunulana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 127.
lunulana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 35 [*n. et f.*].
lunularis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 287.
lunularis Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2582.
lunularia Phalaena Geometra, J. Hübner, Beitr. Schmett. I (3) [1788], 27.
lunularia Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2458.
lunulata Apis, C. de Villers, Linn. Ent. III. 1789, 320.
lunulatus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 51.
lunulatus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 377.—Buprestis.
lunulatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1967.—[=lunatus,
lunulatus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1864. [Thunb.]
lunulata Cetonia (Fab.), A. G. Olivier, Entom. I. 1789, 63.—Trichius.
lunulata Cicindela, J. C. Fabricius, Spec. Ins. I. 1781, 284.
lunulata Clytra (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 33.—Cryptocephalus.
lunulata Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1662.
lunulata Columba, J. P. Bonnatere, Ency. Méth. (Orn.) 1791, 251.
lunulatus Crabro, A. F. de Fourcroy, Ent. Paris. 1785, 362.
lunulatus Crabro, P. Rossi, Mant. Ins. I. 1792, 137.
lunulatus Cryptocephalus, J. C. Fabricius, Spec. Ins. I. 1781, 138.
lunulatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 435.
lunulatus Falco, F. M. Daudin, Traité élém. Orn. 1800, 122.
lunulatus Gryllus, Scopoli, Ent. Carn. 1763, 110.
lunulatus Ichneumon, C. de Villers, Linn. Ent. III. 1789, 203.
lunulatus Labrus, P. Forskal, Descr. Anim. 1775, 37.
lunulata Leptura, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 197.
lunulata Medusa, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 49.
lunulata Nerita, O. F. Müller, Verm. II. 1774, 180.
lunulatus Oxyporus (L.), J. C. Fabricius, Syst. Ent. 1775, 268.—Staphylinus.

- lunulatus** Papilio Pleb., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2359.
lunulata Perca, M. Park, Tr. Linn. Soc. [Lond.], III. 1797, 35.
lunulata Phalaena, J. C. Fabricius, Gen. Ins. 1777, 290.
lunulata Phalaena (Noctua), O. F. Müller, Z. Dan. Prod. 1776, 124.
lunulatus Psittacus, J. A. Scopoli, Del. Insub. II. 1786, 86.
lunulatus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1584—
lunulatus Staphylinus, Linnaeus, Faun. Suec., ed. 2, 1761, 231. [Trichiusus.
lunulatus Trichius, J. C. Fabricius, Syst. Ent. 1775, 41.
lunulatus Turbo (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3605.—Nerita.
lunulata Vespa, C. de Villers, Linn. Ent. III. 1789, 285.
lunum Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 216.—Gryllus.
luna Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 661; ed. 12, 1767, 1098.
luna Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 558.—Phalaena.
luna Cercaria, O. F. Müller, Z. Dan. Prod. 1776, 280.
lunus Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 397.
lunus Gryllus (Bulla), Linnaeus, Syst. Nat., ed. 12, 1767, 693.
luna Kolpoda, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 316.
lunus Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 590.—Phalaena.
luna Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 109.
luna Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 810.
lunus Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 810.
luna Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 496.—[P. (Attacus), ed. 12.]
lunus Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 508.—[P. (Attacus), ed. 12.]
lunus Pilularius, F. v. P. Schrank, F. Boica, I. 1798, 393.
luna Zeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1225.
Luperus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 230.—Col.
luperus Chrysomela, J. C. Fuessly, Schweiz. Ins. 1775, 9.
luperus Cryptocephalus (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1716.—
lupi Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 7. [Chrysomela.
lupi Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3031.
lupinalis Phalaena, [D. H. Schneider], Nom. Ent. 1785, 52 [u. u.].
lupinum Dentalium, J. F. Bolten, Mus. Bolten. (2) 1798, 69.
lupina Musca, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 289.
lupina Phoca, G. I. Molina, Sag. stor. nat. Chili, 1782, 275.
lupina Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 33.
lupinus Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 689.
lupulella Phalaena (Tinea), O. F. Müller, Z. Dan. Prod. 1776, 137.
lupulinus Hepialus (L.), J. C. Fabricius, Syst. Ent. 1775, 589.—Phalaena.
lupulina Musca, J. C. Fabricius, Mant. II. 1787, 344.
lupulina Phalaena Bombyx, J. Hübner, Beitr. Schmett. I (1) 1786, 27.
lupulina Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 508; ed. 12, 1767, 833.
Lupus C. de Geer, Mém. Ins. VII. 1778, 269.—Ar.
lupus Anarhichas, Linnaeus, Syst. Nat., ed. 10, 1758, 247; ed. 12, 1766, 430.
lupus Aranea, A. F. de Fourcroy, Ent. Paris. 1785, 536.
lupus Canis, Linnaeus, Syst. Nat., ed. 10, 1758, 39; ed. 12, 1766, 58.
lupus Canis, R. Kerr, Anim. Kingd. 1792, 137, 138; *varr.* flavus, albus, niger, fasciatus, mexicanus, mexicanus-albus, thous.
lupus Cercaria, O. F. Müller, Verm. I (1) 1773, 67.
lurcans Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 14.
luridaria Phalaena Geometra, N. J. Brahm, Ins. Kal. II (1) 1791, 496.
luridata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 526.
luridata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 235.
luridella Phalaena, Scopoli, Ent. Carn. 1763, 255.
luridum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 222.—Gryllus.
lurida Altica (Scop.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 112.—Chrysomela.
lurida Anas, S. G. Gmelin, Reise Russ. I (1770), 70.
lurida Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 221.
lurida Buprestis, J. C. Fabricius, Syst. Ent. 1775, 217.

- luridum** Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 190.—Cerambyx.
luridus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 634.
luridum Cerastoderma, J. X. Poli, Test. Sicil. II. 1795, 258.
lurida Cetonia, J. C. Fabricius, Syst. Ent. 1775, 49.
lurida Chrysomela, Scopoli, Ent. Carn. 1763, 70.
lurida Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 590.
lurida Cicindela, J. C. Fabricius, Spec. Ins. I. 1781, 284.
luridus Cimex, J. C. Fabricius, Syst. Ent. 1775, 701.
luridus Coluber, G. Edwards in M. Catesby, Carol. II. 1771, Cat., 1.
luridus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 149.—Scarabaeus.
luridus Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 106.
luridus Curculio, J. C. Fabricius, Syst. Ent. 1775, 138.
lurida Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 720; ed. 12, 1767, 1175.
luridus Dytiscus, Linnaeus, Faun. Suec., ed. 2, 1761, 214.
luridus Dytiscus, F. v. P. Schrank, F. Boica, I. 1798, 717.
luridus Elater, J. C. Fabricius, Spec. Ins. I. 1781, 265.
luridus Gryllus, J. C. Fabricius, Spec. Ins. I. 1781, 366.
luridus Helops, J. C. Fabricius, Syst. Ent. 1775, 258.
luridus Hydrophilus (L.), J. C. Fabricius, Syst. Ent. 1775, 229.—Dytiscus.
luridus Hydrous, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 38.
lurida Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 343.
lurida Melolontha, J. C. Fabricius, Syst. Ent. 1775, 35.
lurida Musca, J. C. Fabricius, Spec. Ins. II. 1781, 441.
lurida Plotia, J. F. Bolten, Mus. Bolten. (2) 1798, 95 [*n. n.*].
luridus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1569.—
[Melolontha.]
luridus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 19.
luridus Stenocorus, P. Rossi, Mant. Ins. II. 1794, 96.
luridus Tenebrio, J. C. Fabricius, Mant. I. 1787, 211.—Helops, 1775.
luridus Trox, J. C. Fabricius, Spec. Ins. II. 1781, 496.
luscana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 255.
luscaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 146.
luscata Phalaena, J. C. Fabricius, Mant. II. 1787, 200.
Luscinia Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 2 & 27.
 “**Luscinia**, Briss. 1760,” Waterh.; not used in a generic sense.
luscinia Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 34.—Motacilla.
luscinia Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 184; ed. 12, 1766, 328.
luscinia Sylvia (L.), J. A. Scopoli, Annus I. 1769, 154.—Motacilla.
lusca Aranea, J. C. Fabricius, Syst. Ent. 1775, 439.
lusca Bombyx, J. C. Fabricius, Mant. II. 1787, 112.
luscum Callidium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 152.
luscus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1836.—[*lusia* Lamia,
luscus Elater, J. C. Fabricius, Syst. Ent. 1775, 824. [Fab., *est.*]
luscus Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 252; ed. 12, 1766, 437.
luscus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 287; ed. 12, 1766, 478.
lusca Lamia, *id. ac* *lusia*, 1787, J. C. Fabricius, Ent. Syst. I (2) 1792, 283.
luscus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 165.
luscus Meles (Linn.), P. Boddaert, Elench. 1785, 80.—Ursus.
lusca Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 106.
lusca Sphinx, J. C. Fabricius, Gen. Ins. 1777, 272.
luscus Ursus, Linnaeus, Syst. Nat., ed. 10, 1758, 47; ed. 12, 1766, 71.
lusia Lamia, J. C. Fabricius, Mant. I. 1787, 139.
lusitanica Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 254.—Helix.
lusitanicus Asilus, Linnaeus, Syst. Nat., ed. 12, 1767, 1009.
lusitanica Blaps, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 197.
lusitanicum Callidium (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 269.—Cerambyx
lusitanica Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 1066. [lusitanus.]
lusitanica Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 116. [Chrysomela.]
lusitanicus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1726.—

- lusitanicus** Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 187.
lusitanica Helix, Linnaeus, Syst. Nat., ed. 12, 1767, 1245. [lusitanus.
lusitanica Lamia (L.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 475.—Cerambyx
lusitanica Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3715.
lusitanicus Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 244.
lusitanica Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3281.
lusitana Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 798.
lusitanus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 1067.
lusoria Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 506; ed. 12, 1767, 831.
lusoria Phalaena Noctua (L.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 802.—
lusoria Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 180. [P. Bombyx.
lustrator Musca, M. Harris, Exp. Eng. Ins. 1776, 148.
lutarella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 535; ed. 12, 1767, 886.
lutarella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 657.—Phalaena.
lutarius Aphodius (Fab.), J. Sturm, Verz. Ins. Samml. 1800, 45.—Scarabaeus.
lutaria Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 772; ed. 12, 1767, 1246.
lutarius Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 550; ed. 12, 1767, 913.
lutaria Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 344.
lutaria Nereis, P. S. Pallas, Misc. Zool. 1766, 213.
lutaria Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 34.
lutarius Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 35.
lutaria Semblis (L.), J. C. Fabricius, Syst. Ent. 1775, 305.—Hemerobius.
lutaria Sphex, J. C. Fabricius, Mant. I. 1787, 273.
lutaria Testudo, Linnaeus, Syst. Nat., ed. 10, 1758, 198; ed. 12, 1766, 352.
luteago Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 86.
lutealis Phalaena, P. Rossi, Mant. Ins. II. 1794, 38.
lutearia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 103 [n. et f.].
lutearia Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 143.
lutearia Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 325.
lutearia Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2458.
luteator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 222.
luteata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 110.
luteata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.
luteella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 134.
luteicornis Bruchus, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 619.
luteicornis Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1673.
luteicornis Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 316.
luteicornis Cimex, C. de Villers, Linn. Ent. I. 1789, 535.
luteicornis Tenthredo, J. C. Fabricius, Mant. I. 1787, 254.
[luteolante Phalaena, MS.), T. Martyn, Psyche, 1797, figs. 50, 51.
luteolaris Phalaena, J. A. Scopoli, Annus V. 1772, 118.
luteolaria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 329.
luteolata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 522.
luteolata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 525.
luteola Altica, O. F. Müller, Z. Dan. Prod. 1776, 84.
luteola Bombyx (D. & S.), J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 350.—
luteolum Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 92. [Noctua.
luteola Chrysomela, C. Allioni, Misc. Taurin. III. 1766, 187.
luteola [Chrysomela], Giorna, Cal. Ent. 1791, 81.
luteola Emberiza, A. Sparrman, Mus. Carls. IV. 1789, no. xciii.
luteola Ephemera, O. F. Müller, Z. Dan. Prod. 1776, 143.
luteolus Ichneumon, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 87.
luteolus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2706.
luteolus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2708.
luteola Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 104.
luteola Musca, Scopoli, Ent. Carn. 1763, 349.
luteola Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2879.
luteola Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 68.

- luteola** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 281. [249.—Noctua.]
luteola Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790,
luteola Phalaena Noctua, J. Hübner, Beitr. Schmett. I (3) [1788], 11.
luteolus Psittacus, *id. ac* luteus, Gm., J. Latham, Index Orn. 1790, 123.
luteolus Simia (Cercop.), R. Kerr, Anim. Kingd. 1792, 73.
luteolus Sturnus, Linnaeus, Syst. Nat., ed. 10, 1758, 167.
luteostama Murex, F. C. Meuschen, Mus. Gever. 1787, 326.
luteo-striatus Coluber, C. C. Gmelin, Naturforscher, XXVIII. 1799, 170.
lutescens Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2790.
lutescens Carabus, G. W. F. Panzer, Ins. Germ. heft 30 [1796], tab. 20.
lutescens Chaetodon, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 82.
lutescens Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 43.
lutescens Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 758.
lutescens Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 61.
lutescens Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2186.
lutescens Culex, J. C. Fabricius, Syst. Ent. 1775, 800.
lutescens Hemerobius, J. C. Fabricius, Ent. Syst. II. 1793, 84.
lutescens Hydra, Bosc, Bull. Sci. Soc. Philom. [Paris], no. 2, 1797, 10.
lutescens Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2700.
lutescens Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2708.
lutescens Leptura, C. de Villers, Linn. Ent. I. 1789, 274.
lutescens Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 986.
lutescens Naja, J. N. Laurenti, Syn. Rept. 1768, 91.
lutescens Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 87.
lutescens Sylvia (Gm.), J. Latham, Index Orn. 1790, 523.—Motacilla.
lutescens Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
lutescens Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2828.
lutescens Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3295.
luteus Ampelis, A. Sparrman, Mus. Carls. III. 1788, no. lxx.
luteum Anobium, J. C. Fabricius, Mant. II. 1787, 378.
lutea Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2789.
lutea Bombyx, J. C. Fabricius, Syst. Ent. 1775, 574.
lutea Cantharis, O. F. Müller, F. Ins. Frid. 1764, 16.
luteus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1836.
lutea Certhia, J. A. Scopoli, Del. Insub. II. 1786, 91.
lutea Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 692.
lutea Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
lutea Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 758.
lutea Cimbex (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 767.—Tenthredo.
lutea Coccinella, P. Rossi, Mant. Ins. II. 1794, 89.
lutea Conops, C. de Villers, Linn. Ent. III. 1789, 585. [544.—Sphaeridium.]
luteus Cychramus (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
lutea Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3414.
lutea Cythere, O. F. Müller, Entom. 1785, 65.
lutea Ephemera, Linnaeus, Syst. Nat., ed. 12, 1767, 906.
luteus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2070.
luteus Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 566; ed. 12, 1767, 937.
luteus Labrus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 236.
lutea Lamia (Gm.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 475.—Cerambyx.
luteus Limax, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 269.
lutea Lithosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 461.
luteus Lutjanus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 111.
lutea Lytta (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2016.—Meloe.
lutea Meloe, P. S. Pallas, Reise Russ. II. 1773, 722.
lutea Melolontha, A. G. Olivier, Entom. I. 1789, 23.
lutea Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 136 [n. n.].
luteus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3001.—
luteus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 320. [Cythere.]

- luteus** Musca, M. Harris, Exp. Eng. Ins. 1776, 116.
lutea Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2843.
lutea Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 944.
luteum Myrmeleon, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 78.
lutea Nerita, F. C. Meuschen, Mus. Gever. 1787, 272.
lutea Nitidula (Fab.), A. G. Olivier, Entom. II. 1790, 16.—Sphaeridium.
lutea Notonecta, O. F. Müller, Z. Dan. Prod. 1776, 103.
luteus Ophion (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 235.—Ichneumon.
lutea Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3320.
luteus Parus, S. G. Gmelin, Reise Russ. III. 1774, 101.
luteus Parus, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 18.
lutea Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 783; ed. 12, 1767, 1260.
lutea [Phalaena], C. Stoll in Cramer, Util. Kapellen, IV (31) 1781, 157.
lutea Phalaena (Geom.), Herbst, Einl. Ins. II. 1785, 122.
lutea Phalaena (Noctua), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 78.
lutea Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2580.
luteus Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 30.
luteus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 341.
luteus Ramphastos, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 356.
lutea Rana, G. I. Molina, Sag. stor. nat. Chili, 1782, 216.
lutea Saperda, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 57.
lutea Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 235.—Sphaeridium.
luteum Sphaeridium (Ol.), J. C. Fabricius, Ent. Syst. I (1) 1792, 79.—Nitidula.
luteus Strongylus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 183.
lutea Sylvia, J. A. Scopoli, Del. Ins. II. 1786, 96.
lutea Tellina, F. C. Meuschen, Mus. Gever. 1787, 458.
lutea Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 159.
lutea Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 555; ed. 12, 1767, 921.
lutea Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2819.
lutea Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2768.
luth Perca, Linnaeus in Hasselquist, Palast. 1762, 402.
luticornis Leptura, J. C. Fabricius, Syst. Ent. 1775, 197.
Lutjanus M. E. Bloch, Nat. ausl. Fische, IV. 1790, 105.—P.
lutjanus Lutjanus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 107.
lutorius Ichneumon, J. C. Fabricius, Mant. I. 1787, 262.
lutosus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.
lutosa Eschara, P. S. Pallas, Elench. 1766, 37.
lutosa Noctua, E. J. C. Esper, Die Schmett. IV (35) 1787, 100.
lutosus Oniscus, M. Slabber, Nat. Verlust. 1778, 143.
Lutra M. J. Brisson, Reg. Anim. 1762, 201.—M.
lutra Mustela, Linnaeus, Syst. Nat., ed. 10, 1758, 45; ed. 12, 1766, 66.
lutra Viverra, Linnaeus, Faun. Suec., ed. 2, 1761, 5.
Lutraria Lamarck, Mém. Soc. H. N. Paris, 1799, 85.—L.
lutraria Lutraria (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 85.—Mactra.
lutraria Mactra, Linnaeus, Syst. Nat., ed. 12, 1767, 1126.
lutraria Mya, Linnaeus, Syst. Nat., ed. 10, 1758, 670.
[lutreola]—
lubreola (sic) Lutra, H. F. Link, Beitr. Nat. I (2) 1795, 84.
lutreola Mustela, Linnaeus, Syst. Nat., ed. 12, 1766, 66.—Viverra, 1761.
lutreola Viverra, Linnaeus, Faun. Suec., ed. 2, 1761, 5.
lutris Lutra (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 446.—Mustela.
lutris Mustela, Linnaeus, Syst. Nat., ed. 10, 1758, 45; ed. 12, 1766, 66.
lutrix Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 216; ed. 12, 1766, 375.
lutulenta Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2790.
lutulenta Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 81.
lutulenta Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
luyur Silurus, G. I. Molina, Stor. Nat. Chili, 1782, 346. [576.—Noctua.
Luxuria A Modeer, K. Vet. Ac. Nya Handl. XIII. 1792, 263.—Nud.

- luzena** *Anatifera*, F. C. Meuschen, *Mus. Gever.* 1787, 476.
luzonensis *Motacilla*, J. A. Scopoli, *Del. Insub.* II. 1786, 95.
luzonensis *Trogon*, J. A. Scopoli, *Del. Insub.* II. 1786, 89.
luzonia Parra, J. R. Forster in Latham & Davies, *Faun. Ind.*, ed. 2, 1795, 12 [*n. n.*].
luzonica *Columba*, J. A. Scopoli, *Del. Insub.* II. 1786, 94.
luzonicus *Conus*, Hwass in J. G. Bruguière, *Ency. Méth. (Vers)* (2) 1792, 706.
luzoniensis *Muscicapa*, J. F. Gmelin in Linn. *Syst. Nat.*, ed. 13, I. 1788, 942.
luzoniensis *Numenius* (Gm.), J. Latham, *Index Orn.* 1790, 711.—*Scolopax*.
luzoniensis Parra, J. F. Gmelin in Linn. *Syst. Nat.*, ed. 13, I. 1788, 709.
luzoniensis *Perdix* (Gm.), J. Latham, *Index Orn.* 1790, 656.—*Tetrao*.
luzoniensis *Scolopax*, J. F. Gmelin in Linn. *Syst. Nat.*, ed. 13, I. 1788, 656.
luzoniensis *Tetrao*, J. F. Gmelin in Linn. *Syst. Nat.*, ed. 13, I. 1788, 767.
luzoniensis *Turnix*, J. P. Bonnatere, *Ency. Méth. (Orn.)* 1790, 7.
luzonum *Cerambyx* (Fab.), J. F. Gmelin in Linn. *Syst. Nat.*, ed. 13, I. 1789, 1817.—
luzonum *Prionus*, J. C. Fabricius, *Syst. Ent.* 1775, 160. [Prionus.
lyanopterus *Psittacus*, P. Boddaert, *Tab. Planch. Enl.* 1783, 9.
lybica *Felis*, F. A. A. Meyer, *Zool. Entdeck.* 1793, 101.
lybiensis *Felis* (Lynx), R. Kerr, *Anim. Kingd.* 1792, 156.
Lybius J. Hermann, *Tab. aff. Anim.* 1783, 217 & 235.—A.
lybius *Melursus*, F. A. A. Meyer, *Zool. Entdeck.* 1793, 156.
lybia *Papilio*, J. C. Fabricius, *Syst. Ent.* 1775, 460.
lybia *Papilio*, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 163.
lycabas [*Papilio*], P. Cramer, *Uitl. Kapellen*, II (10) 1777, 31.
lycagus *Hesperia* (Cr.), J. C. Fabricius, *Ent. Syst.* III (1) 1793, 348.—*Papilio lucagus*.
lycaon *Canis*, J. C. D. Schreber, *Säugeth.* III. 333 (1776), pl. Lxxxix (1776).
lycaon *Papilio*, C. C. Jung, *Alph. Verz. Schmett.* I. 1791, 336.
lycaon *Papilio*, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 228.
lycaste *Papilio*, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 161.
lycetus [*Sphinx*], P. Cramer, *Uitl. Kapellen*, I (6) 1775, 96.
lychnidis *Aphis*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 451; ed. 12, 1767, 734.
lychnidis *Musca*, J. C. Fabricius, *Mant.* II. 1787, 353.
lychnidis *Noctua*, [Denis & Schiffermüller], *Schmett. Wien.* 1775, 76.
lychnidis *Phalaena*, [D. H. Schneider], *Nom. Ent.* 1785, 46 [*n. n.*].
lychnidis *Phalaena Noctua* (D. & S.), M. B. Borkhausen, *Nat. eur. Schmett.* IV. 1792,
lychnuchus *Helix*, O. F. Müller, *Verm.* II. 1774, 81. [598.—*Noctua*.
lycia *Papilio*, J. C. Fabricius, *Syst. Ent.* 1775, 464.
lycidas [*Papilio*], P. Cramer, *Uitl. Kapellen*, II (10) 1777, 25.
lycidas *Papilio*, J. E. Smith in Abbot, *Ins. Georgia*, 1797, 39.
lycimnia [*Papilio*], P. Cramer, *Uitl. Kapellen*, II (9) 1777, 13.
lycoperdi *Kryptophagus* (Scop.), *Herbst in Jablonsky, Nat. Ins. (Käfer)* IV. 1792, 176.—
lycoperdi *Dermestes*, Scopoli, *Ent. Carn.* 1763, 18. [Dermestes.
lycopodium *Spongia*, E. J. C. Esper, *Pflanzenth.* II (12) 1799, 269.
lycopordi *Dermestes*, J. C. Fabricius, *Ent. Syst.* I (1) 1792, 231.
Lycoria J. G. Meigen, *N. Class. Mouches*, 1800, 17.—Dip.
Lyctus J. C. Fabricius, *Ent. Syst.* I (2) 1792, 502.—Col.
lyctus [*Sphinx*], P. Cramer, *Uitl. Kapellen*, III (19) 1779, 56.
lycurgus *Papilio*, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 67.
Lycus J. C. Fabricius, *Mant.* I. 1787, 163.—Col.
lydia *Libellula*, D. Drury, *Ill. Nat. Hist.* I. 1770, index & 112.
lydia *Libellula*, D. Drury, *Ill. Nat. Hist.* II. 1773, index & 85.
lydia [*Papilio*], P. Cramer, *Uitl. Kapellen*, III (13) 1777, 83.
lye [*Papilio*], J. A. B. Bergstraesser, *Nom. Ins.* IV. 1780, 28.
Lygaeus J. C. Fabricius, *Ent. Syst.* IV. 1794, 133.—Hem.
Lymexylon J. C. Fabricius, *Syst. Ent.* 1775, 204.—Col.
lymexylon *Curculio*, J. C. Fabricius, *Ent. Syst.* I (2) 1792, 420.
lymma Raja, P. Forskal, *Descr. Anim.* 1775, 17.
lymnoea Lamarck, *Mém. Soc. H. N. Paris*, 1799, 75.—G.
lymnia Raia, *err. pro lymma*, Forsk., J. P. Bonnatere, *Ency. Méth. (Ich.)* 1788, 5.

- lymphatica** Hamularia, F. A. Treutler, Obs. Helminth. hum. corp. 1793, 10.
lynceaster Kerona, O. F. Müller, An. Infus. 1786, 234.
lynceaster Trichoda, O. F. Müller, Z. Dan. Prod. 1776, 281.
Lynceus O. F. Müller, Z. Dan. Prod. 1776, xxvii & 199.—Cr.
lynceum Callidium, J. C. Fabricius, Syst. Ent. 1775, 191. [Saperda.
lynceus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1841.—
lynceus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1849.—
 Callidium.
lyncea Chrysis, J. C. Fabricius, Spec. Ins. I. 1781, 455.—[lincea, Syst. Ent. 1775, 357,
lyncea Cicada, J. C. Fabricius, Syst. Ent. 1775, 687. [est.]
lyncea Cicada, J. C. Fabricius, Mant. II. 1787, 269.
lynceus Cimex, J. C. Fabricius, Syst. Ent. 1775, 722.
lynceus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 87.
lynceus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 166.—Cimex, 1775.
lynceum Myrmeleon, J. C. Fabricius, Mant. I. 1787, 249.
lyncea Noctua, J. C. Fabricius, Spec. Ins. II. 1781, 506.
lynceus [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 12.
lynceus Papilio P. R., E. J. C. Esper, Die Schmett. I (9) 1779, 356.
lyncea Phalaena, J. C. Fabricius, Syst. Ent. 1775, 635.
lyncea Saperda, J. C. Fabricius, Syst. Ent. 1775, 185.
lynceus Trichoda, O. F. Müller, Verm. I (1) 1773, 86.
lyncida [Papilio], P. Cramer, Uitl. Kapellen, II (11) 1777, 52.
lyncurium Alcyonium, Linnaeus, Syst. Nat., ed. 12, 1767, 1295.
Lynx R. Kerr, Anim. Kingd. 1792, 155.—M.
lynx Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 110.
lynx Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 721; ed. 12, 1767, 1176.
lynx Felis, Linnaeus, Syst. Nat., ed. 10, 1758, 43; ed. 12, 1766, 62.
lynx Melolontha, J. C. Fabricius, Gen. Ins. 1777, 210. [lontha.
lynx Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1567.—Melo-
 [lyonet]—
lyonnetella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 541; ed. 12, 1767, 897.
lyonnetella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 665.—Phalaena.
lyonetti Aranea, Scopoli, Ent. Carn. 1763, 403.
lyonettianus Bulimus (Pall.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 299.—Helix.
lyonettiana Helix, P. S. Pallas, Spic. Zool. X. 1774, 33.
lyra Callionymus, Linnaeus, Syst. Nat., ed. 10, 1758, 249; ed. 12, 1766, 433.
lyra Musca, M. Harris, Exp. Eng. Ins. 1776, 42.
lyra Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
lyra Trigla, Linnaeus, Syst. Nat., ed. 10, 1758, 300; ed. 12, 1766, 496.
lyratum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3494.
lyratus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3530.
lyricen Cicada, C. de Geer, Mém. Ins. III. 1773, 212.
lyricornes Antilope, P. S. Pallas, Misc. Zool. 1766, 6.
lysan Gasterosteus (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1325.—
lysan Scomber, P. Forskal, Descr. Anim. 1775, 54. [Scomber.
lysander [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 46.
lysander Papilio, J. C. Fabricius, Gen. Ins. 1777, 251.
lysandra [Papilio], C. Stoll, Anhang. Cramer's Uitl. Kapellen, IV. 1790, 135.
lysidice [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777, 111.
lysimnia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 161.
lysippus Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 321.—Papilio.
lysippus Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 484; ed. 12, 1767, 793.
lythargyria Phalaena Noct. (ex Esper, tab.), H. G. Lang, Verz. Schmett., ed. 2, 1789, 142.
lythargyria Phalaena Noct. (Lang), E. J. C. Esper, Die Schmett. IV (46) 1791, 341.—
 Noctua.
lythoxylata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 218 [n.
lythri Cionus (Fab.), J. R. Schellenberg, Helvet. Entom. I. 1798, 68.—Curculio. [est f.].
lythri Curculio, M. Pillar & L. Mitterpacher, Iter Poseg. 1783, 68.

- lythri Curculio, J. C. Fabricius, Mant. I. 1787, 102.
 Lytta J. C. Fabricius, Syst. Ent. 1775, 260.—Col.
 Lytta F. A. A. Meyer in Thunberg, Char. Gen. Ins., ed. 2, 1791, 26.—Col.
- M Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 293.
 mabonya Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 Macaca B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.—M.
 macaco Lemur, Linnaeus, Syst. Nat., ed. 12, 1766, 44.
 macaco Lemur, L., R. Kerr, Anim. Kingd. 1792, 86; *varr.* niger, fuscus, albus, variegatus.
 macaco Prosimia (Linn.), P. Boddaert, Elench. 1785, 65.—Lemur.
 macaensis Corvus, R. Kerr, Anim. Kingd. 1792, 637.
 macaensis Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 259.
 macao Corvus, G. A. Suckow, Naturg. II [1] 1800, 420.
 macao Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 96; ed. 12, 1766, 139.
 macarea [Phalaena], P. Cramer, Utitl. Kapellen, II (9) 1777, 17.
 macaria Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 174.
 macaria [Phalaena], P. Cramer, Utitl. Kapellen, II (11) 1777, 48.
 macaro Lemur, *err. pro* macaco, L., E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 215.
 macaronius Myrmelion (Scop.), F. v. P. Schrank, Ins. Aust. 1781, 315.—Papilio.
 macaronius Papilio, Scopoli, Ent. Carn. 1763, 168.
 macassarica Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3290.
 macassariensis Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 480.
 maccabaeus Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VIII. 1796, 185.
 macellarius Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 297.
 macellarius Dermestes, J. C. Fabricius, Spec. Ins. I. 1781, 63.
 macellaria Musca, J. C. Fabricius, Syst. Ent. 1775, 776.
 macellus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 66.
 maceratorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 157.
 Maceris A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 174.—L.
 macerona Columba, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 134.
 macerophylla Chama, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3304.
 Macerophyllum F. C. Meuschen, Mus. Gever. 1787, 430.—[*v. et.* Cat. Cab. Coq. Leers, "Macerovilla, Linck, 1783," Herm.; not used in a Linnaean sense. [1767, 120.
 macha Solen, G. I. Molina, Sag. stor. nat. Chili, 1782, 203.
 machaon Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 462; ed. 12, 1767, 750.
 machaonides Papilio E. A., E. J. C. Esper, Ausl. Schmett. (12) 1796, 191.
 machinatorius Ichneumon, P. Rossi, Mant. Ins. I. 1792, 112.
 Machla Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 152.—Col.
 machnata Argentina, P. Forskal, Descr. Anim. 1775, 68.
 machuelo Raia, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 5.
 macida Spongia, *err. pro* mucida, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3825.
 macilentus Carabus, A. G. Olivier, Entom. III. 1795, 26.
 macilentus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 20.
 macilentus Sirex, J. C. Fabricius, Ent. Syst. II. 1793, 131.
 macilenta Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 468.
 macina Nucella, J. F. Bolten, Mus. Bolten. (2) 1798, 131 [*v. n.*].
 macis Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 194.
 macloviense Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3493.
 macra Papilio, Hufnagel, Berlin. Mag. II. 1766, 78.
 Macrocephalus N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 183.—Col.
 Macrocephalus A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 36.—Col.
 Macrocephalus P. Browne, Hist. Jamaica, ed. 2, 1789, 450.—P.
 Macrocephalus F. A. A. Meyer in Thunberg, Char. Gen. Ins., ed. 2, 1791, 34.—Hem
 macrocephalus Catodon, Linnaeus, Faun. Suec., ed. 2, 1761, 18.
 macrocephalus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 205.
 macrocephala Conops, Linnaeus, Syst. Nat., ed. 10, 1758, 604; ed. 12, 1767, 1005.
 macrocephalus Gobius, P. S. Pallas, Nova Acta Ac. Sci. Petrop. I. 1787, 352.

- macrocephala Musca (L.), M. Harris, Exp. Eng. Ins. 1776, 82.—Conops.
macrocephala Musca, P. Rossi, Mant. Ins. II. 1794, 72.
macrocephalus Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1013.
macrocephala Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 46.
macrocephalus Physeter, Linnaeus, Syst. Nat., ed. 10, 1758, 76; ed. 12, 1766, 107.
macrocephalus Physeter, R. Kerr, Anim. Kingd. 1792; *varr.* niger, 360; albicans, cinereus, 361.
macrocephala Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 587; ed. 12, 1767, 975.
macrocephala Vespa, J. L. Christ, Nat. Ins. 1791, 245.
macroceras Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1839.
macroceras Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2866.
macrocheiros Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1728.
macrochelos Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 254.
macrochyton Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 164.
MacroGLOSSUM J. A. Scopoli, Intr. Hist. Nat. 1777, 414.—Lep.
Macrognathus B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 283.—P.
macroleon Stratiomys, G. W. F. Panzer, Ins. Germ. heft 9, 1793, tab. 20.
macrolepidotus Bodianus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 53.
macrolepidotus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 274; ed. 12, 1766, 464.
macrolepidota Cobitis, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 11.
macrolepidotus Cyprinus, C. L. v. Meidinger, Icon. pisc. Austriae (5) 1794, no. xli.
macrolepidotus Labrus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 135.
macrolepidotus Pleuronectes, M. E. Bloch, Nat. ausl. Fische, III. 1787, 34.
macrolepidota Sciaena, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 40.
macrophthalmus Anthias, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 115.
macrophthalmus Cyprinus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 51.
macrophthalmum Mastacembelus, F. C. Meuschen, Mus. Gronov. 1778, 40.
macrophthalma Musca, J. D. Preyssler in Mayer, Samml. Phys. Aufsätze, I. 1791, 68.
macrophthalmum Ophidion, Linnaeus, Syst. Nat., ed. 10, 1758, 259.
macrophthalmus Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 93.
macrops Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, III. 1768, App., 225.
macropterus Balistes, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 465.
macropterus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2072.
macropterus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2034.
Macropus G. Shaw, Nat. Miscell. I. 1790, pl. 33.—M.
macropus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2186.
macropus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2193.
macropus Clytra, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 128.
macropus Ichneumon, F. v. P. Schrank, Beitr. Nat. 1776, 90.
macropus Scarabaeus, J. Francillon, Scarab. 1795.
macropus Testudo, J. J. Walbaum, Chelonogr. [1782], 112.
“Macrorhynchus, Lacép. 1800,” Ag.; occurs only in the vernacular on 75, 76.
macrorhynchus Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 406.
macrorhynchus F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 338.
macrorhynchus Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 446.
MacroTARSUS H. F. Link, Beytr. Nat. I (2) 1795, 51 & 65.—M.
MacroTARSUS B. G. E. de Lacépède, Tabl. Mamm. 1799, 5.—M.
MacroTARSUS B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 18.—A.
macroTARSOS Didelphys, J. C. D. Schreber, Säugth. III. 554 (1777) pl. clv (1777).
macroTARSUS Dipus (Gm.), H. F. Link, Beytr. Nat. I (1) 1794, 70.—Didelphys.
macroTARSUS Lemur (Schr.), J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795,
MacrouRA F. C. Meuschen, Mus. Gronov. 1778, 3.—M. [3.—Didelphis *[n. n.]*.]
MacrouRUS M. E. Bloch, Nat. ausl. Fische, II. 1786, 150.—P.
MacrouRUS G. Cuvier, Tab. Elém. 1798, 345.—P.
MacrouRUS G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [*n. n.*].—P.
macrouRUS Accipiter, S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 439.
macrouRA Certhia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [*n. n.*].
macrouRA Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 164.

- macrourea** Didelphis, G. Shaw, Zool. N. Holland, 1794, 33.
macrourus Falco, S. G. Gmelin, Reise Russ. I. (1770), 48.
macrourea Fringilla, A. Vroeg, Catal. Vogel. 1764, Adumb., 3.
macrourea Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 918.
macrourea Hystrix, Linnaeus, Syst. Nat., ed. 10, 1758, 57; ed. 12, 1766, 77.
macrurus Ichneumon, Linnaeus, Mant. II. 1771, 540.
macrourus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2687.
macrourus Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 134.
macrourea Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 845.
macrourus Lynceus, O. F. Müller, Z. Dan. Prod. 1776, 199.
macrourea Manis, J. C. P. Erxleben, Syst. Anim. 1777, 101. [Lynceus.
macrourus Monoculus, (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3008.—
macrourea Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 953.
macrourea Muscicapa, J. A. Scopoli, Del. Insub. II. 1786, 95.
macrourea Podura, N. Poda, Ins. Mus. Graec. 1761, 121.
macrourus Sciurus, T. Pennant, Ind. Zool. [1769], 1.
macrourea Sylvia (Gm.), J. Latham, Index Orn. 1790, 545.—Motacilla.
macrourea Tanagra, J. A. Scopoli, Del. Insub. II. 1786, 95.
macrourus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 487.
macrourus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 820.
macrourea Volucella, J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, II. 1800, 353.
macrourea Vorticella, J. Hermann, Naturforscher, XIX. 1783, 57.
macrozonias Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2581.
mactans Aranea, J. C. Fabricius, Syst. Ent. 1775, 432.
mactans Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 366.
mactans Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 534.
mactans Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 161.—Cimex, 1781.
mactans Musca, J. C. Fabricius, Mant. II. 1787, 344.
mactata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
Mactra Linnaeus, Syst. Nat., ed. 12, 1767, 1125.—L.
mactroides Venus, I. v. Born, Index Mus. Caes. Vind. 1778, 53.
mactroides Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 182.
macula Phalaena, Giorna, Cal. Ent. 1791, 91.
macula-alba Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 404.
maculania Phalaena Bomb., H. G. Lang, Verz. Schmett., ed. 2, 1789, 91.
maculana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 406.—Pyralis.
maculana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 647.
macularis Cerambix, A. G. Olivier, Entom. IV. 1795, 98.
macularis Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 63.
macularis Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 475.
macularis Phalaena Noctua, J. Hübner, Beitr. Schmett. I (2) [1787], 8.
macularis Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 370.
macularis Vespa, *id. ac maculata*, Scop., A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 695.
macularia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 135
[*macularia* Papilio, MS.], T. Martyn, Psyche, 1797, figs. 61 & 62. [*n. et f.*].
macularia Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 246.
macularia Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 521; ed. 12, 1767, 862.
macularia Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 672.
maculatella Phalaena, D. H. Schneider, Nom. Ent. 1785, 55 [*n. n.*].
maculatella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 60.
maculator Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
maculator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 337.
maculatorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 153.
maculatorius Ichneumon, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 350.
maculatorius Ichneumon, J. C. Fabricius, Mant. I. 1787, 261.
maculata Acanthia, J. C. Fabricius, Mant. II. 1787, 279.
maculatus Accipiter, J. C. Schaeffer, Mus. Orn. 1789, 6.
maculata Acheta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 192.

- maculatum Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.), 1791, 224.
 maculata Actinia, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 14.
 maculata Actinia, J. Adams, Tr. Linn. Soc. [Lond.], V. 1800, 8.
 maculata Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 451.
 maculatus Alphaeus (L.), F. Weber, Nomen. Fabricii, 1795, 91.—Cancer.
 maculata Altica, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 112.
 maculatus Ampelis, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 147.
 maculata Anaspis, A. F. de Fourcroy, Ent. Paris. 1785, 142.
 maculata Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 228; ed. 12, 1766, 391.
 maculatus Anthias, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 9.
 maculatus Anthrenus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 76.
 maculatus Aphodius, J. Sturm, Verz. Ins. Samml. 1800, 42.
 maculata Apis, J. C. Fabricius, Spec. Ins. I. 1781, 482.
 maculata Aranea, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 363.
 maculata Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 209.
 maculata Aranea, J. C. Fabricius, Ent. Syst. II 1793, 425.
 maculata Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 645.
 maculatus Ascalaphus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 246.
 maculatus Asilus, O. F. Müller, F. Ins. Frid. 1764, 88.
 maculatus Asilus, J. C. Fabricius, Syst. Ent. 1775, 794.
 maculatus Asilus, P. Rossi, Fauna Etrus. II. 1790, 328.
 maculatus Balistes, M. E. Bloch, Nat. ausl. Fische, II. 1786, 25.
 maculata Blatta, J. C. D. Schreber, Naturforscher, XV. 1781, 89.
 maculatus Bodianus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 48.
 maculatus Bombylius, J. C. Fabricius, Syst. Ent. 1775, 803.
 maculatus Bostrichus (Th.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1603.—
 maculatus Brachycerus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 183. [Dermestes.
 maculatus Brentus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 192.
 maculatus Bruchus, J. C. Fabricius, Syst. Ent. 1775, 65.
 maculatum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 741; ed. 12, 1767, 1205.
 maculatum Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 256.
 maculatus Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 49.
 maculatus Bucco, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 89.
 maculatus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, p. 365.
 maculata Buprestis, J. C. Fabricius, Spec. Ins. I. 1781, 275.
 maculatus Byrrhus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 25.
 maculatus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 626; ed. 12, 1767, 1042.
 maculata Cancroma, P. Boddaert, Tab. Planch. Enl. 1783, 54.
 maculata Cantharis, C. de Villers, Linn. Ent. I. 1789, 297.
 maculatum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3255.
 maculata Cassida, Linnaeus, Syst. Nat., ed. 12, 1767, 575.
 maculata Cassis, F. C. Meuschen, Mus. Gever. 1787, 390.
 maculatus Cerambyx, J. C. Fuessly, Schweiz. Ins. 1775, 12.
 maculatus Cerambix, A. G. Olivier, Entom. IV. 1795, 68.
 maculata Cercopis, J. C. Fabricius, Spec. Ins. II. 1781, 329.
 maculata Cetonia, J. C. Fabricius, Spec. Ins. I. 1781, 58.
 maculatus Chaetodon, J. A. Scopoli, Del. Insub. III. 1788, 44.
 maculatus Chaetodon, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 104.
 maculata Chalcis, J. C. Fabricius, Mant. I. 1787, 273.
 maculata Chamaeformis (L.), F. C. Meuschen, Mus. Gever. 1787, 446.—Venus.
 maculatus Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3205.
 maculata Chrysis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 258.
 maculata Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 692.
 maculata Cicada, D. Drury, Ill. Nat. Hist. II. 1773, index & 68.
 maculata Cicada, O. F. Müller, Z. Dan. Prod. 1776, 103.
 maculata Cicada, J. C. Fabricius, Mant. II. 1787, 272.
 maculata Cicada, C. de Villers, Linn. Ent. I. 1789, 472.
 maculata Cicindela, C. de Geer, Mém. Ins. IV. 1774, 115.

- maculata** Cimex (Fourc.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 770.—Crabro.
maculatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 704.
maculata Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2125.—
maculata Clava, T. Martyn, Univ. Conch. II [1788], fig. 57. [Acanthia.
maculatus Clerus, A. F. de Fourcroy, Ent. Paris. 1785, 136.
maculata Coccinella, C. de Geer, Mém. Ins. V. 1775, 392. [Vipera.
maculatus Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1092.—
maculata Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 780.
maculatus Crabro, A. F. de Fourcroy, Ent. Paris. 1785, 361.
maculatus Crabro, J. C. Fabricius, Spec. Ins. I. 1781, 470.
maculatus Cucujus, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 199.
maculatus Cuculus, P. Boddaert, Tab. Planch. Enl. 1783, 48.
maculatus Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 415.
maculatus Curculio, R. Townson, Trav. Hungary, 1797, 476.
maculatus Cyllindrus, F. C. Meuschen, Mus. Gever. 1787, 372.
maculatum Cymatium, J. F. Bolten, Mus. Bolten. (2) 1798, 129 [n. n.].
maculatus Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 152.
maculatus Dasyurus, B. G. E. de Lacépède, Tabl. Mamm. 1799, 5.
maculatus Dermestes, C. de Geer, Mém. Ins. IV. 1774, 223.
maculatus Dermestes, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 7.
maculata Diaperis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 273.
maculata Didelphis, R. Kerr, Anim. Kingd. 1792, 199.
maculatus Dyticus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 72.—Dytiscus.
maculatus Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 412: ed. 12, 1767, 666.
maculatus Elater, C. de Geer, Mém. Ins. IV. 1774, 163.
maculatus Elater, P. Rossi, Fauna Etrus. I. 1790, 182.
maculatus Elater, A. G. Olivier, Entom. II. 1790, 19.
maculata Empis, J. C. Fabricius, Spec. Ins. II. 1781, 472.
maculata Ephemera, N. Poda, Ins. Mus. Graec. 1761, 97.
maculata Ephemera, C. de Villers, Linn. Ent. III. 1789, 22.
maculatum Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 93.—Buccinum.
maculatus Erax, Scopoli, Ent. Carn. 1763, 362.
maculatus Erollytus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 436.
maculata Evania, J. C. Fabricius, Syst. Ent. 1775, 345.
maculatus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 258.
maculatus Falco, F. M. Daudin, Traité élém. Orn. 1800, 95 & 98.
maculata Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 486.
maculata Felis, T. Pennant in Forster, Ind. Zool. 1781, 39 [n. n.].
maculata Formica, A. F. de Fourcroy, Ent. Paris. 1785, 452.
maculata Formica, J. C. Fabricius, Spec. Ins. I. 1781, 491.
maculata Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 568.
maculata Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 701.
maculata Gallinula (Gm.), J. Latham, Index Orn. 1790, 773.—Fulica.
maculata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 115.—macularia, L.
maculata Geometra (L.), C. P. Thunberg, Ins. Suecia (1) 1784, 9.—Phalaena macularia.
maculata Helix, O. F. Müller, Verm. II. 1774, 25.
maculata Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 380.
maculata Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 404.
maculatus Hemerobius, J. C. Fabricius, Mant. I. 1787, 247.
maculata Hirundo, P. Boddaert, Tab. Planch. Enl. 1783, 32.
maculata Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 96.
maculatus Hister, P. Rossi, Mant. Ins. I. 1792, 12.
maculatus Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 96.
maculata Horia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 102.
maculata Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191.
maculatus Ichneumon, J. L. Christ, Nat. Ins. 1791, 337.
maculatus Labrus, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 17.
maculata Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 67.

- maculata Lampyris, C. de Geer, Mém. Ins. IV. 1774, 50.
 maculata Lampyris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 55.
 maculata Lampyris, A. G. Olivier, Entom. II. 1790, 12.
 maculatus Larus, E. Pontoppidan, Danske Atlas, I. 1763, 622.
 maculatus Larus, M. T. Brünnich, Orn. Boreal. 1764, 44.
 maculata Leptura, N. Poda, Ins. Mus. Graec. 1761, 37.
 maculata Leptura, J. N. Laicharting, Tyrol. Ins. II. 1784, 163.
 maculata Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1877.
 maculata Libellula, M. Harris, Exp. Eng. Ins. 1776, 155.
 maculata Loricaria, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 73.
 maculata Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 150.
 maculata Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 861.
 maculata Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 102.
 maculatus Macrocephalus, A. G. Olivier, Entom. IV. 1795, 11.
 maculata Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3260.
 maculata Mantis, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 61.
 maculata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 636.
 maculata Membracis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 668.
 maculatus Mergus, J. M. Bechstein, Latham's Vögel, VI. 1798, 376.
 maculata Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 965.
 maculatus Mullus, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 95.
 maculata Musca, Scopoli, Ent. Carn. 1763, 326.
 maculata Musca, M. Harris, Exp. Eng. Ins. 1776, 140.
 maculatus Musca (De G.), C. de Villers, Linn. Ent. III. 1789, 418.—Nemotelus.
 maculata Musca, C. de Villers, Linn. Ent. III. 1789, 433.
 maculata Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 169.
 maculata Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 171.
 maculata Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 945.
 maculata Mylabris, A. G. Olivier, Entom. III. 1795, 7.
 maculatum Myrmeleon, C. de Geer, Mém. Ins. III. 1773, 565.
 maculata Naja, J. N. Laurenti, Syn. Rept. 1768, 91.
 maculata Naucoris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 525.
 maculatus Nemotelus, C. de Geer, Mém. Ins. VI. 1776, 165.
 maculata Nepa, J. C. Fabricius, Syst. Ent. 1775, 692.
 maculata Nereis, Linnaeus, Syst. Nat., ed. 12, 1767, 1086.
 maculata Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
 maculata Nerita, C. U. v. Salis, Reise Neapel, 1793, 379.
 maculata Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 19 [n. n.].
 maculata Nitidula, P. Rossi, Mant. Ins. I. 1792, 23.
 maculata Notonecta, J. C. Fabricius, Ent. Syst. IV. 1794, 58.
 maculatus Oniscus, J. C. Fabricius, Spec. Ins. I. 1781, 378.
 maculata Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 90.
 maculatus Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 579.
 maculata Peltis, A. F. de Fourcroy, Ent. Paris. 1785, 31.
 maculata Perca, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 92.
 maculata Phalaena, Scopoli, Ent. Carn. 1763, 224.—[? macularia, L.]
 maculata [Phalaena], C. Stoll, Aanh. Cramer's Utit. Kapellen, II. 1790, 56.
 maculata Phalaena (Tortrix), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 86.
 maculata Phoca, P. Boddaert, Elench. 1785, 171.
 maculata Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 355.
 maculatus Picus, J. A. Scopoli, Del. Insub. II. 1786, 89.
 maculata Pimelia, J. C. Fabricius, Spec. Ins. I. 1781, 317.
 maculata Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 59.
 maculata Pneumora, C. P. Thunberg, K. Vet. Ac. Handl. XXXVI. 1775, 257.
 maculatus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 251.—Sphex, 1787.
 maculatus Prionus, A. G. Olivier, Entom. IV. 1795, 27.
 maculatus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 74.
 maculatus Ptinus, C. de Villers, Linn. Ent. I. 1789, 65.

- maculatus** Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 378.
maculatus Rhagio, J. C. Fabricius, Spec. Ins. II. 1781, 420.
maculatum Rhagium, J. N. Laicharting, Tyrol. Ins. II. 1784, 116.
maculata Saperda, A. G. Olivier, Entom. IV. 1795, 32.
maculata Saperda, A. G. Olivier, Entom. IV. 1795, 39.
maculatus Scarabaeus, J. A. Scopoli, Annus V. 1772, 83.
maculata Sciaena, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 44.
maculatus Scorpio, C. de Geer, Mém. Ins. VII. 1778, 346.
maculata Silpha, C. de Geer, Mém. Ins. IV. 1774, 184.
maculatus Silurus, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIII. 1792, 31.
maculata Sphex, D. Drury, Ill. Nat. Hist. II. 1773, index & 77.
maculata Sphex, J. C. Fabricius, Mant. I. 1787, 277.
maculata Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 274.—Evania.
maculata Sphinx, *err. pro* Sesia octo maculata, Fab., C. C. Jung, Alph. Verz. Schmett.
maculatus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 153, [II. 1792, 3.
maculata Squilla, J. C. Fabricius, Ent. Syst. II. 1793, 511.
maculatus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 169.
maculata Stellio, J. G. Schneider, Amph. Phys. sp. alt. 1792, 31.
maculata Stratiomys, A. F. de Fourcroy, Ent. Paris. 1785, 468.
maculata Strix, R. Kerr, Anim. Kingd. 1792, 533.
maculatus Strombus (L.), F. C. Meuschen, Mus. Gever. 1787, 294.—Buccinum.
maculata Sylvia (Gm.), J. Latham, Index Orn. 1790, 532.—Motacilla.
maculata Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122.
maculatus Tabanus, C. de Geer, Mém. Ins. VI. 1776, 221.
maculatus Tabanus, P. Rossi, Mant. Ins. II. 1794, 75.
maculata Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 193.
maculata Tellina, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 252.
maculata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 365.
maculata Tettigonia (Drury), J. C. Fabricius, Syst. Ent. 1775, 831.—Cicada.
maculata Tiphia, J. C. Fabricius, Ent. Syst. II. 1793, 224.
maculata Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 586; ed. 12, 1767, 972 [bimaculata].
maculata Tipula, C. de Geer, Mém. Ins. VI. 1776, 345.
maculata Tipula, C. de Geer, Mém. Ins. VI. 1776, 394.
maculatus Trichius, J. C. Fabricius, Spec. Ins. I. 1781, 49.
maculata Tringa, Linnaeus, Syst. Nat., ed. 12, 1766, 249.
maculatum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 126.
maculatus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 488.
maculatus Trochilus, J. Latham, Index Orn. 1790, 320.
maculatus Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 756; ed. 12, 1767, 1227.
maculatus Trogon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 404.
maculatum Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 400.—Hydrachna.
maculatus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 141.
maculata Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 686; ed. 12, 1767, 1132.
maculata Vespa, Scopoli, Ent. Carn. 1763, 312.
maculata Vespa, Linnaeus, Amoen. Acad. VI. 1763, 412.
maculata Vespa, D. Drury, Ill. Nat. Hist. II. 1773, index & 73.
maculata Vipera, J. N. Laurenti, Syn. Rept. 1768, 102.
maculata Viverra, R. Kerr, Anim. Kingd. 1792, 170.
maculata Volucella, A. F. de Fourcroy, Ent. Paris. 1785, 501.
maculata Yerbua, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 686.
maculatus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 510.—Alucita maculella,
maculella Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 333. [1794.
maculella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 306.
maculicornis Leptura, C. de Geer, Mém. Ins. V. 1775, 139.
maculicornis Leptura, G. W. F. Panzer, Deutsch. Ins. [1795], 274.
maculicornis Leptura, J. C. Fabricius, Suppl. Ent. Syst. 1798, 153.
maculosa Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2793.
maculosus Asilus (L.), M. Harris, Exp. Eng. Ins. 1776, 64.—Tipula maculata.

- maculosa* Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 54.
maculosum Buccinum, T. Martyn, Univ. Conch. I [1784 *non* 1769], fig. 8.
maculosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3476.
maculosa Buprestis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1929.
maculosus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1854.
maculosus Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 305.
maculosa Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 254.
maculosa Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 444.
maculosus Chaetodon, P. Forskal, Descr. Anim. 1775, 62.
maculosa Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2101.
maculosa Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2112.
maculosus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2184.
maculosa Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 145.
maculosus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 202.
maculosus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48.
maculosus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 86.
maculosus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 232.
maculosus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 372.
maculosus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 376.
maculosus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 378.
maculosa Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3412.
maculosus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1915.
maculosus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2085.
maculosa Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3622.
maculosa Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1874.
maculosa Mordella, D. E. Naezén, K. Vet. Ac. Nya Handl. XV. 1794, 273.
maculosa Motacilla, P. Boddaert, Tab. Planch. Enl. 1783, 47.
maculosa Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 984.
maculosus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3548.
maculosa Mylabris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 76.
maculosa Nerita, F. C. Meuschen, Mus. Gever. 1787, 268.
maculosa Ostrea, P. Forskal, Descr. Anim. 1775, 123.
maculosa Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3322.
maculosa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3701.
maculosa Perca, A. J. Retzius in Linnaeus, F. Succ. 1800, 337.
maculosa [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 156.
maculosa Phalaena B. (D. & S.), E. J. C. Esper, Die Schmett. III (20) 1785, 1179.—
 Bombyx.
maculosa Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 277.
maculosa Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2637.
maculosa Salamandra, J. N. Laurenti, Syn. Rept. 1768, 42 & 151.
maculosa SpheX, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2731.
maculosus Stenocorus (Ol.), J. C. Fabricius, Ent. Syst. I (2) 1792, 296.—Cerambyx.
maculosa Sylvia (Gm.), J. Latham, Index Orn. 1790, 536.—Motacilla.
maculosa Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2819.
maculosus Trochilus, G. A. Suckow, Naturg. II [1] 1800, 678.
maculosus Trochus, F. C. Meuschen, Mus. Gever. 1787, 280.
maculosa Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3291.
maculosa Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2761.
maculosa Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3453.
madagarensis Tetrao, J. A. Scopoli, Del. Insub. II. 1786, 93.
madagascariensis Alcedo, Linnaeus, Syst. Nat., ed. 12, 1766, 179.
madagascariensis Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 522.
madagascariensis Aye-Aye, B. G. E. de Lacépède, Tabl. Mamm. 1799, 6.
madagascariensis Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 283.
madagascariensis Coracias, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 379.
madagascariensis Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 416.
madagascariensis Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3419.

- madagascariensis** Daubentonia (Gm.), Geoffroy, *Décad. phil. litt.*, no. 28 (10 pluviöse. An III) 29 Jan. 1795, 195.—Sciurus.
madagascarensis Erinaceus, E. A. W. Zimmermann, *Spec. Zool.* 1777, 503.
madagascariensis Falco, F. M. Daudin, *Traité élém. Orn.* 1800, 75.
madagascariensis Langaha, J. A. Donndorff, *Zool. Beyt.* III. 1798, 223.
madagascariensis Lanius, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 137.
madagascariensis Loxia, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 300.
madagascariensis Motacilla, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 952.
madagascariensis Motacilla, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 981.
madagascariensis Muscicapa, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 940.
madagascariensis Mustela, H. F. Link, *Beytr. Nat.* I (2) 1795, 82.
madagascariensis Numenius (L.), J. Latham, *Index Orn.* 1790, 710.—Scolopax.
madagascariensis Perdix (Gm.), J. Latham, *Index Orn.* 1790, 645.—Tetrao.
madagascariensis Sciurus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 152.
madagascariensis Scolopax, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 242.
madagascariensis Sylvia (Gm.), J. Latham, *Index Orn.* 1790, 507.—Motacilla.
madagascariensis Sylvia (Gm.), J. Latham, *Index Orn.* 1790, 533.—Motacilla.
madagascariensis Tellina, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3237.
madagascariensis Tetrao, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 756.
madagascariensis Turdus, P. L. S. Müller in *Linn. Syst. Nat.*, *Suppl.* (1776), 139.
madagascariensis Turdus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 823.
madagascariensis Upupa, J. Latham, *Index Orn.* 1790, 282.
madagascarina Loxia, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 306.
maderensis v. **maderensis**.
madarogaster Simia, E. A. W. Zimmermann, *Geogr. Gesch.* II. 1780, 176.
maderae Blatta, J. C. Fabricius, *Spec. Ins.* I. 1781, 341.
maderae Carabus, J. C. Fabricius, *Syst. Ent.* 1775, 237.
maderaspatana Fulica, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 700.
maderaspatana Gallinula (Gm.), J. Latham, *Index Orn.* 1790, 767.—Fulica.
madraspātana Glareola, J. R. Forster in Latham & Davies, *Faun. Ind.*, ed. 2, 1795, [11 [*n. n.*]].
maderaspatana Motacilla, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 334. [11 [*n. n.*]].
madraspātanus Rhyncops, T. Pennant in Forster, *Ind. Zool.* 1781, 42 [*n. n.*].
madraspātana Scolopax, T. Pennant in Forster, *Ind. Zool.* 1781, 42 [*n. n.*].
maderaspatana Scolopax, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 667.
madraspātana Sphex, J. C. Fabricius, *Spec. Ins.* I. 1781, 445.
maderaspatensis Motacilla, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 961.
maderensis Coluber (Laur.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1092.—
madarensis Vipera, J. N. Laurenti, *Syn. Rept.* 1768, 102. [Vipera].
madidus Carabus, J. C. Fabricius, *Syst. Ent.* 1775, 241.
madida Noctua, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 443.
madrāsensis Fulica, T. Pennant in Forster, *Ind. Zool.* 1781, 42 [*n. n.*].
madraspātanus v. **maderaspat-**.
Madrepora Linnaeus, *Syst. Nat.*, ed. 10, 1758, 793; ed. 12, 1767, 1272.—Cor.
“**madreporus** Helmintholithus,” Linnaeus, *Syst. Nat.*, ed. 12, III. 1768, 167.
madurensis Conus, Hwass in J. G. Bruguière, *Ency. Méth. (Vers)* (2) 1792, 709.
maeandrata Tellina, F. C. Meuschen, *Mus. Gever.* 1787, 460.
Maeandrites J. G. Bruguière, *Ency. Méth. (Vers)* (1) 1789, xvii.—Cor.
maeandrites Madrepora, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 794; ed. 12, 1767, 1274
maeandrites Madrepora, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3761.
maecenas Hesperia, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 271.
maecenas Hesperia, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 306.
maelbyensis Emberiza, A. Sparrman, *Mus. Carls.* I. 1786, no. xxi.
maena Sparus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 278; ed. 12, 1766, 468.
Maenas (*ex* Klein), J. J. Walbaum, *Arledi, Ichth.* (3), ed. 2, 1792, 585.—1'.
maenus (*sic*) Alpheus (L.), F. Weber, *Nomen. Fabricii*, 1795, 91.—Cancer.
maenas Amygone, O. F. Müller, *Entom.* 1785, 45.
maenas Cancer, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 627; ed. 12, 1767, 1043.
maenas Hesperia, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 347.

- maenas** Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3004.—
maenas Papilio, J. C. Fabricius, Mant. II. 1787, 90. [Amymone].
maeniata Phalaena, Scopoli, Ent. Carn. 1763, 226.
maenus *v.* **maenas**.
maera Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 473; ed. 12, 1767, 771.
maerula Papilio, J. C. Fabricius, Syst. Ent. 1775, 479.
maerula Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 212.
maestingella Phalaena (Tinea), O. F. Müller, F. Ins. Frid. 1764, 58.
maevius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 352.
mafan Conus, F. C. Meuschen, Mus. Gever. 1787, 356.
magdalenae Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3677.
magellanica Anas, A. Sparrman, Mus. Carls. II. 1787, no. xxxvii.
magellanica Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 505.
magellanicus Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 117.
magellanica Aptenodytes, J. R. Forster, Comm. Soc. R. Sci. Gött. III. 1781, 134.
magellanica Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 100.
magellanica Cavia, R. Kerr, Anim. Kingd. 1792, 220.
magellanicus Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3204.
magellanicus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 632.
magellanica Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 979.
magellanicus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3548.
magellanicus Mytilus, J. F. Bolten, Mus. Bolten. (2) 1798, 158.
magellanica Neptunea (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 116.—Murex.
magellanica Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3317.
magellanica Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3703.
magellanicus Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 576.
magellanica Perna, A. J. Retzius, Diss. Nova Test. Gen. 1788, 20.
magellanica Pinguinaria (Forst.), G. Shaw in Miller, Cim. Phys. 1796, 67.—Aptenodytes.
magellanica Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 52.
magellanica Sylvia (Gm.), J. Latham, Index Orn. 1790, 528.—Motacilla.
magellanica Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3465.
magellanicus Vultur, G. Shaw, Mus. Lever. I. 1792, 1.
magellanicus Mytilus, F. C. Meuschen, Mus. Gever. 1787, 466.
magneticum Amusium, J. F. Bolten, Mus. Bolten. (2) 1798, 165.
magnicornis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 168.
magnificalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 18.
magnifica Amphisbaena, J. N. Laurenti, Syn. Rept. 1768, 66.
magnifica Paradisea, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
magnifica Paradisea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 401.
magnificus Psittacus, G. Shaw, Nat. Misc. II. 1790, pl. 50.
magnifica Tubularia, G. Shaw, Tr. Linn. Soc. [Lond.], V. 1800, 228.
magnipes Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2142.
magnirostris Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 282.
magna Alauda, Linnaeus, Syst. Nat., ed. 10, 1758, 167; ed. 12, 1766, 289.
magnum Buccinum, E. M. da Costa, Brit. Conch. 1778, 120.
magnum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 680; ed. 12, 1767, 1123.
magna Chama, E. M. da Costa, Brit. Conch. 1778, 230.
magna Lithosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 460.
magna Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 968.
magna Phalaena Noctua, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2544.
magnus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 344.
magna Sylvia (Gm.), J. Latham, Index Orn. 1790, 525.—Motacilla.
magna Taenia, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 50.
magna Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 890.
magna Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 76.
magna Upupa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 468.
magnus Vespertilio, J. Berkenhout, Syn. N. H. Gt. Brit. I. 1789, 1.
maguari Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 623.

- magus** Cidaris (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 85.—Trochus.
- magus** Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 716; ed. 12, 1767, 1171.
- magus** Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 49.—Conus.
- magus** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 223.
- magus** Sirex, J. C. Fabricius, Mant. I. 1787, 257.
- magus** Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 757; ed. 12, 1767, 1228.
- mahia** Zonitis, J. G. Hübner, Naturforscher, XXIV. 1789, 44.
- mahsena** Sciaena, P. Forskal, Descr. Anim. 1775, 52.
- “**Maia**, Briss. 1760,” Waterh.; not used in a generic sense.
- maia** *v.* **maja**.
- maimon** Cynocephalus, B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.
- maimon** Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 15.—Scarabaeus, 1775.
- maimon** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 349.
- maimon** Papilio, J. C. Fabricius, Syst. Ent. 1775, 534.
- maimon** Papio (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 17.—Simia.
- maimon** Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 10.
- maimon** Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 35.
- maimon** Simia (Papio) L., R. Kerr, Anim. Kingd. 1792, 61.
- “**Mainatus**, Briss. 1760,” Waterh.; not used in a generic sense.
- maiolis** Meloe, *err. pro* majalis, L., J. C. Fabricius, Mant. I. 1787, 215.
- maior** *v.* **major**.
- maiorum** Apis, *id. ac* mniorum, Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
- maja** Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 629; ed. 12, 1767, 1046. [2783.]
- maja** Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 323.
- maja** Inachus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 358.—Cancer.
- maja** Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 301.
- maja** Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 150.
- maja** Papilio, J. C. Fabricius, Syst. Ent. 1775, 512.
- maja** [Papilio], P. Cramer, Utitl. Kapellen, I (3) 1775, 39.
- maja** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 138.
- maja** Parthenope (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 354.—Cancer.
- maia** Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 42.
- maja** [Phalaena], P. Cramer, Utitl. Kapellen, II (9) 1777, 3.
- maja** Zygæna, J. C. Fabricius, Mant. II. 1787, 106.
- majalis** Cobitis, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 12.
- majalis** Curculio, G. Paykull, Mon. Curc. 1792, 60.
- majalis** Meloe, Linnaeus, Syst. Nat., ed. 10, 1758, 419; ed. 12, 1767, 679.
- majalis** Phalaena, Scopoli, Ent. Carn. 1763, 242.
- majalis** Proscarabaeus (L.), F. v. P. Schrank, Ins. Aust. 1781, 225.—Meloe.
- majalis** Scarabaeus, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 289.
- major** Ardea, Linnaeus, Syst. Nat., ed. 12, 1766, 236.
- major** Bombylius, Linnaeus, Syst. Nat., ed. 10, 1758, 606; ed. 12, 1767, 1009.
- major** Bombyx, J. C. Fabricius, Syst. Ent. 1775, 560.
- major** Byrrhus, [D. H. Schneider], Nom. Ent. 1785, 5 [*n. n.*].
- major** Colymbus, P. Boddaert, Tab. Planch. Enl. 1783, 24.
- major** Crotophaga, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 363.
- major** Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 81.
- major** Draco, J. N. Laurenti, Syn. Rept. 1768, 50.
- major** Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1915.
- major** Eurychora, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 71.
- major** Forficula, C. de Geer, Mém. Ins. III. 1773, 545.
- major** Gallinula, J. M. Bechstein, Gem. Nat. Deutschl. III. 1793, 248.
- major** Harpa, J. F. Bolten, Mus. Bolten. (2) 1798, 149.
- major** Hister, Linnaeus, Syst. Nat., ed. 12, 1767, 566.
- major** Machla, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 67.
- major** Nautilus, P. Forskal, Descr. Anim. 1775, 140.
- major** Necydalis, Linnaeus, Syst. Nat., ed. 10, 1758, 421; ed. 12, 1767, 641.
- major** Parus, Linnaeus, Syst. Nat., ed. 10, 1758, 189; ed. 12, 1766, 341.

- major Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 114; ed. 12, 1766, 176.
- major Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 661.
- major Sitta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 442.
- major Spalax, J. C. P. Erxleben, Syst. Anim. 1777, 377.
- major Staphylinus, C. de Geer, Mém. Ins. IV. 1774, 18.
- major Stratiomys, F. v. P. Schrank, Briefe Donaumoor, 1795, 146.
- major Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 767.
- majorella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 141.
- majus Anobium, F. v. P. Schrank, F. Boica, I. 1798, 539.
- majus Gymnopteron (Laich.), F. v. P. Schrank, F. Boica, I. 1798, 688.—Necydalis major.
- makawuanna Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 314.
- malabarica Alauda, J. A. Scopoli, Del. Insub. II. 1786, 94.
- malabarica Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 795.
- malabaricus Alphaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 405.—Astacus, 1775.
- malabaricus Ampelis, J. A. Scopoli, Del. Insub. II. 1786, 95.
- malabarica Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2791.
- malabaricus Astacus, J. C. Fabricius, Syst. Ent. 1775, 415.
- malabaricus Buceros, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 359.
- malabaricus Buceros, R. Kerr, Anim. Kingd. 1792, 622; *varr.* lathamii, sonnerati.
- malabaricus Cancer (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2987.—
Astacus.
- malabaricus Cancer (Astacus) Fabr., J. F. W. Herbst, Vers. Nat. Krab. II (3) 1792, 79.—
malabaricus (*sic*) Charadrius, P. Boddaert, Tab. Planch. Enl. 1783, 53. [Astacus.
- malabaricus Cimex, J. C. Fabricius, Syst. Ent. 1775, 718.
- malabaricus Clupea, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 115.
- malabarica Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 779.
- malabaricus Crangon, F. Weber, Nomen. Fabricii, 1795, 94.—Astacus, 1775.
- malabaricus Esox, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 149.
- malabarica Gracula (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 289.—Turdus.
- malabaricus Lanius, J. Latham, Index Orn. 1790, 66.
- malabarica Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 175; ed. 12, 1766, 305.
- malabaricus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 151.—Cimex, 1775.
- malabarica Muscicapa, J. A. Scopoli, Del. Insub. II. 1786, 96.
- malabaricus Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1012.
- malabaricus Sciurus, J. A. Scopoli, Del. Insub. II. 1786, 85.
- malabaricus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 816.
- malabaricus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 837.
- malacca Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 302.
- malacanus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 645.
- malaccensis Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 643.
- malaccensis Certhia, J. A. Scopoli, Del. Insub. II. 1786, 91.
- malaccensis Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1691.
- malaccensis Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 788.
- malaccensis Erinaceus, Linnaeus, Syst. Nat., ed. 12, 1766, 75.
- malaccensis Hystrix, J. R. Forster in Latham and Davies, Faun. Ind., ed. 2, 1795, 3.
- malaccensis Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3684. [*n. n.*].
- malaccensis Pavo, J. A. Scopoli, Del. Insub. II. 1786, 93.
- malaccensis Picus, J. Latham, Index Orn. 1790, 241.
- malaccensis Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
- malaccensis Psittacus, J. Latham, Index Orn. 1790, 130.
- malaccensis Turdus, J. A. Scopoli, Del. Insub. II. 1786, 95.
- malaccensis Viverra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 92.
- Malachius J. C. Fabricius, Syst. Ent. 1775, 207.—Col.
- malachura Muscicapa, T. Davies, Tr. Linn. Soc. [Lond.], IV. 1798, 242.
- Malacopteryx J. R. Forster, Cat. Brit. Ins. 1770, 7 [*n. n.*].—Col.
- malacorhynchus Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 526.
- malapterus Labrus, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 29.
- malarthrum A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 257.—Cor.

- m-album** Callidium, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 50.
malchus Cyprinus, G. I. Molina, Sag. stor. nat. Chili, 1782, 225. [*n. n.*].
maldivarum Glareola, J. R. Forster in Latham & Davies, Fauna Ind., ed. 2, 1795, 11.
maldivus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 644.
mali Aphis, J. C. Fabricius, Syst. Ent. 1775, 737.
mali Bombyx, C. de Villers, Linn. Ent. IV. 1789, 447.
mali Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 434.—*moli errore* Mant. II. 1787,
mali Coccus, F. v. P. Schrank, Ins. Aust. 1781, 295. [115].
mali Curculio, J. C. Fabricius, Spec. Ins. II. 1781, 499.
mali Curculio, J. C. Fabricius, Mant. I. 1787, 122. [Bombyx].
mali Phalaena Bombyx (Fab.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 468.—
malifoliella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 70.
maligna Formica, P. Forskall, Descr. Anim. 1775, 84.
malletella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 333.
malletina Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 276.
malletinaria Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 323.
Malleus Lamarck, Mem. Soc. H. N. Paris, 1799, 82.—L.
malleus Alysseminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 274.
malleus Avicula (L.), G. Cuvier, Tab. Elém. 1798, 423.—Ostrea.
malleus Malleus (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 82.—Ostrea.
malleus Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 699; ed. 12, 1767, 1147.
malleus Pinctada (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 167.—Ostrea.
malleus Riparia (L.), F. C. Meuschen, Mus. Gev. 1787, 468.—Ostrea.
malleus Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 383.
malleus Vibrio, O. F. Müller, Verm. I (1) 1773, 47.
malma Salmo, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 66.
maloninus Tetrao, P. Boddaert, Tab. Planch. Enl. 1783, 139.
malphigii Aranea, Scopoli, Ent. Carn. 1763, 396.
malpolon Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 106.
malum Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 31.
malvae Altica, A. F. de Fourcroy, Ent. Paris. 1785, 97.
malvae Altica, F. v. P. Schrank, F. Boica, I. 1798, 563.
malvae Apis, P. Rossi, Fauna Etrus. II. 1790, 107.
malvae Attelabus (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 283.—Curculio.
malvae Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 109.
malvae Curculio, J. C. Fabricius, Syst. Ent. 1775, 132.
malvae Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 350.—Papilio.
malvae Papilio, Linnaeus, Reise Schwed. (ed. Schreber) I. 1764, 6.
malvae Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 485; ed. 12, 1767, 795.
malvae Rynchites (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 138, sign. I 5.—
mambrica Capra, Linnaeus, Syst. Nat., ed. 10, 1758, 70; ed. 12, 1766, 95. [Attelabus].
mambricus Hircus (Linn.), P. Boddaert, Elench. 1785, 146.—Capra.
mamers [Papilio], J. A. B. Bergstraesser, Nom. Ins. III. 1779, 16.
mamerta [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 75.
Mammaria O. F. Müller, Z. Dan. Prod. 1776, xxviii & 224.—Med.
Mammaria A. Modeer, K. Vet. Ac. Nya Handl. XIII. 1792, 264.—Med.
mammarius Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3360.
mammata Albula, J. F. Bolten, Mus. Bolten. (2) 1798, 21.
mammata Aranea, C. de Geer, Mém. Ins. VII. 1778, 318.
mammata Bursa, J. F. Bolten, Mus. Bolten. (2) 1798, 128.
mammilla Albula, J. F. Bolten, Mus. Bolten. (2) 1798, 20.
mammilla Ascidia, O. F. Müller, Nova Acta Acad. Caes. VI. 1778, 52.
mamilla Leucophaea, O. F. Müller, An. Infus. 1786, 141.
mamilla Mammaria, O. F. Müller, Z. Dan. Prod. 1776, 224.
mamilla Murex, F. C. Meuschen, Mus. Gev. 1787, 326.
mamilla Murex, F. C. Meuschen, Mus. Gev. 1787, 328.
mammilla Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 53.
mammilla Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 776; ed. 12, 1767, 1252.

- mammilla** *Neritaeformis* (L.), F. C. Meuschen, Mus. Gever. 1787, 274.—*Nerita*.
mamillar *Anadema*, F. C. Meuschen, Mus. Gever. 1787, 482.
mamillar *Ascidia*, P. S. Pallas, Spic. Zool. X. 1774, 24.
mamillar *Astroites*, J. E. I. Walch, Naturforscher, V. 1775, 50.
mamillar *Cancer*, J. C. Fabricius, Ent. Syst. II. 1793, 465.
mamillar *Helix*, Linnaeus, Syst. Nat., ed. 12, 1767, 1246.
mamillar *Madrepora* (Walch), P. S. Pallas, Char. Thierpfl. II. 1787, 131.—*Astroites*.
mamillar *Nerita* (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II., 1791, 129.—*Helix*.
mamillar *Orithuja* (Fab.), F. Weber, Nomen. Fabricii, 1795, 93.—*Cancer*, 1793.
mamillar *Orithyia*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 363.—*Cancer*, 1793.
mamillar *Patella*, Linnaeus, Syst. Nat., ed. 10, 1758, 782; ed. 12, 1767, 1259.
mamillar *Patella*, F. C. Meuschen, Mus. Gever. 1787, 244, no. 77.
mamillata *Ciliaris* (Linn.), N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 121.—
mamillatus *Echinometra*, F. C. Meuschen, Mus. Gronov. 1778, 90. [Echinus].
mamillatus *Echinus*, Linnaeus, Syst. Nat., ed. 10, 1758, 664; ed. 12, 1767, 1103.
mamillata *Pimelia*, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 73.
mamillosum *Aleyonium*, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 179.
mammontus *Elephas*, G. Cuvier, Mém. Inst. [Paris], II (1798), 21.
mammula *Patella*, J. F. Bolten, Mus. Bolten. (2) 1798, 5.—[*P. mamillar*, Gm.]
Mammut J. F. Blumenbach, Handb. Naturg., ed. 6, 1799, 698.—M.
Manacus M. J. Brisson, Ornith. IV. 1760, 442.—A.
Manacus P. S. Pallas, Spic. Zool. (6) 1769, 8.—A.
manacus *Pipra*, Linnaeus, Syst. Nat., ed. 12, 1766, 340.
Manati P. Boddaert, Elench. 1785, 173.—M.
Manatus M. T. Brünnich, Fund. Zool. 1772, 38.—M.
Manatus G. C. C. Storr, Prod. 1780, 41 & tab. C.—M.
manatus *Trichechus*, Linnaeus, Syst. Nat., ed. 10, 1758, 34; ed. 12, 1766, 49.
manatus *Trichechus*, L., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 60; & *varr.*
australis & *borealis*.
mancinella *Drupa* (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 56.—*Murex*.
mancinella *Murex*, Linnaeus, Syst. Nat., ed. 10, 1758, 751; ed. 12, 1767, 1219.
mancinella *Muriciformis*, F. C. Meuschen, Mus. Gever. 1787, 320.
manca *Buprestis*, Linnaeus, Syst. Nat., ed. 12, 1767, 1067.
manca *Perca*, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 349.
mancus *Pluronectes*, P. M. A. Broussonet, Ichth. 1782.
mandana [Papilio], P. Cramer, Utit. Kapellen, III (23) 1780, 142.
mandane *Papilio*, J. C. Fabricius, Ent. Syst. III (1) 1793, 183.
mandarina *Cetonia*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 14.
mandarina *Phalaena*, A. F. de Fourcroy, Ent. Paris. 1785, 311.
mandator *Ichneumon*, Linnaeus, Syst. Nat., ed. 10, 1758, 565; ed. 12, 1767, 936.
mandator *Ichneumon*, J. C. Fabricius, Mant. I. 1787, 266.
mandril *Papio*, J. F. Blumenbach, Handb. Naturg. 1779, 68.
manduco *Sphex*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 199.
manducus *Curculio*, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 33.
manetou *Pila*, J. F. Bolten, Mus. Bolten. (2) 1798, 145.
mangiferae *Curculio*, J. C. Fabricius, Syst. Ent. 1775, 139.
mango *Trochilus*, Linnaeus, Syst. Nat., ed. 10, 1758, 121; ed. 12, 1766, 191.
mangos *Strombus*, J. F. Bolten, Mus. Bolten. (2) 1798, 97.
"Mangusta, Cuv. 1797," Ag.; does not occur.
manguste *Viverra*, E. A. W. Zimmermann, Geogr. Ges. Mensch. II. 1780, 286.
manicatus *Acarus*, L. Bosc, Mag. encyclop. 1796, II (5), 26.
manicata *Apis*, Linnaeus, Syst. Nat., ed. 10, 1758, 577; ed. 12, 1767, 958.
manicata *Musca*, J. C. Fabricius, Ent. Syst. IV. 1794, 334.
manicata *Phalaena* (Noct.), C. de Villers, Linn. Ent. II. 1789, 275.
manicata *Sphex*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 199.
manifestator *Ichneumon*, Linnaeus, Syst. Nat., ed. 10, 1758, 563; ed. 12, 1767, 934.
manilatus *Psittacus*, P. Boddaert, Tab. Planch. Enl. 1783, 52.

- manilia** [Papilio], P. Cramer, Uitl. Kapellen, III (22) 1779, 109.
manillensis Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 523.
manillensis Buceros, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 361.
manillensis Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 471.
manillensis Coturnix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 221.
manillensis Lanius, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
manillensis Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 943.
manillensis Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 571.
manillensis Perdix (Gm.), J. Latham, Index Orn. 1790, 655.—Tetrao.
manillensis Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 434.
manillensis Tantalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 649.
manillensis Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 764.
manillensis Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
manillensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 833.
manipularis Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 134.
Manis Linnaeus, Syst. Nat., ed. 10, 1758, 36; ed. 12, 1766, 52.—M.
Manis B. G. E. de Lacépède, Tabl. Mamm. 1799, 12.—M.
manlia Noctua (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 216.—Phalaena.
manlius Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 422.
manlia [Phalaena], P. Cramer, Uitl. Kapellen, I (8) 1776, 144.
mannifica Cicada, P. Forskal, Descr. Anim. 1775, xxiii.
mannus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 69.
mano Musca, M. Harris, Exp. Eng. Ins. 1776, 142.
manophoros Mylabris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 76.
manophorus Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 45.
manusetus Anas, J. Berkenhout, Syn. N. H. Gt. Brit. I. 1789, 19.
mantata Phalaena, *id. ac* manto, Cram., J. C. Fabricius, Gen. Ins. 1777, 287.
Mantellum J. F. Bolten, Mus. Bolten. (2) 1798, 160.—L.
Mantes, v. Mantis E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 399.—Or.
mantes Musca, M. Harris, Exp. Eng. Ins. 1776, 148.
manticata Sphex, P. S. Pallas, Reise Russ. I. 1771, 473.
Manticora J. C. Fabricius, Spec. Ins. I. 1781, 320.—Col.
mantiformis Asilus, G. Cuvier, Mag. encyclop. I (2) 1795, 205.
Mantis v. Gryllus.
Mantis Linnaeus, Syst. Nat., ed. 12, 1767, 689.—Or.
Mantis Linnaeus, Mant. II. 1771, 542.—Cr.
mantis Astacus (L.), J. C. Fabricius, Syst. Ent. 1775, 417.—Cancer.
mantis Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 633; ed. 12, 1767, 1054.
mantis Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 190.
mantis Gryllus, P. Forskal, Descr. Anim. 1775, xxii.
mantis Musca, C. de Geer, Mém. Ins. VI. 1776, 143.
mantis Squilla (L.), C. de Geer, Mém. Ins. VII. 1778, 533.—Cancer.
Mantispa Illiger in Kugelann, Käfer Preuss. 1798, 499.—Neur.
mantispa Raphidia, Linnaeus, Syst. Nat., ed. 12, 1767, 916.
mantispus Reduvius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 112.
manto Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 169.
manto [Phalaena], P. Cramer, Uitl. Kapellen, I (1) 1775, 15.
manturna Phalaena, Hufnagel, Berl. Mag. III. 1767, 406.
manto Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 306.—Papilio.
mantus [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 74.
manubrium Brentus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 53.
manubrium Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 149.
Manucodia P. Boddaert, Tabl. Planches Enlum. 1783, 39.—A.
"Manucodiata, Briss. 1760," Ag.; not used in a generic sense.
manul Felis, P. S. Pallas, Reise Russ. III. 1776, 692.
manus Lepus, *err. pro* nanus, J. C. D. Schreber, Säugth. IV., index, p. 935 (1792).
manus Spongia, N. Mohr, Island. Nat. 1786, 143.
manus-diaboli Alcyonium, Linnaeus, Syst. Nat., ed. 12, 1767, 1296.

- mappa** Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 718; ed. 12, 1767, 1173.
- mappa** Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 406.—Cypraea.
- "mappalis** Graptolithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 173.
- napurita** (*sic*) Viverra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 32.
- mapurito** Viverra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 88.
- maraena** }
maraenae } *v. mur.*
maraenula }
- marail** Penelope, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 734.
- marail** Phasianus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 125.
- marauqa** Felis, H. F. Link, Beytr. Nat. I (2) 1795, 91.
- marcellina** [Papilio], P. Cramer, Uitl. Kapellen, II (14) 1777, 103.
- marcellina** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 48.
- marcellus** [Papilio], P. Cramer, Uitl. Kapellen, II (9) 1777, 4.
- marcgravi** Aranea, Scopoli, Ent. Carn. 1763, 401.
- margravii** Salmo, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 80.
- marchiae** Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1731.
- marchicus** Anthribus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 167.
- marchicum** Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 128.
- marchicus** Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 137.
- marci** Attelabus (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 237.—Meloe.
- marci** Bibio, O. F. Müller, Z. Dan. Prod. 1776, 171.
- marci** Lymexylon (L.), A. G. Olivier, Entom. II. 1790, 4.—Meloe.
- marci** Meloe, Linnaeus, Syst. Nat., ed. 12, 1767, 681.
- marci** Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 588; ed. 12, 1767, 976.
- marcia** Libellula, D. Drury, Ill. Nat. Hist. II. 1773, index & 83.
- marcia** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 177.
- marcus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 338.
- marcus** [Papilio], J. G. Schaller, Naturforscher, XXI. 1785, 174.
- marcus** Papilio, J. C. Fabricius, Mant. II. 1787, 87.
- mardania** [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 36.
- mardania** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 249.
- mareca** Anas, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 152.
- margana** Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 257.
- margarita** Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 709.
- margaritacea** Anomia, J. X. Poli, Test. Sicil. II. 1795, 186.
- margaritacea** Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 109.
- margaritacea** Cassida, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 259.
- margaritaceus** Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 204. [tella, D. & S.
- margaritaceus** Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 470.—Tinea margari-
- margaritaceum** Echionoderma, J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—Anomia
- margaritaceum** Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 93. [of p. 187.
- margaritacea** Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 138 [*n. n.*].
- margaritacea** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3707.
- margaritacea** Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 272.
- margaritaceus** Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 490.
- margaritaceus** Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 764; ed. 12, 1767, 1236.
- margaritaceus** Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 88 [*n. n.*].
- margaritalis** Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
- margaritalis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 11.
- margaritaria** Geometra (L.), [Denis & Schiffermüller], Schmett. Wien, 1775, 95.—Phal.
 (G.) margaritata.
- margaritaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 13 [*n.*
 [Phalaena], C. Clerck, Icones, II. 1764, pl. li. [et f.].
- margaritaria** Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 328.
- [**margaritatus** Araneus, C. Clerck, Aran. Svec. 1757, 130.]
- margaritatus** Araneus, T. Martyn, Aranei, 1793, 62.
- margaritata** Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 28.

- margaritata** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 865.
margaritella Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 183.
margaritella Phalaena Tinea, J. Hübner, Beitr. Schmett. I (2) [1787], 28.
margaritella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 134.
"Margaritifera, Da Costa, 1776," Scudd.; not used in a Linnaean sense.
Margaritifera P. Browne, Hist. Jamaica, ed. 2, 1789, 412.—L.
Margaritifera [G. Humphreys], Mus. Calonn. 1797, 44.—L.
margaritifera Avicula (L.), G. Cuvier, Tab. Elém. 1798, 423.—Mytilus.
margaritifera Baphia (L.), F. C. Meuschen, Mus. Gever. 1787, 472.—Mya.
margaritiferus Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 56.
margaritifera Mya, Linnaeus, Syst. Nat., ed. 10, 1758, 671; ed. 12, 1767, 1112.
margaritiferus Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 704; ed. 12, 1767, 1155.
margaritiferus Nautilus (O.), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 12.
margaritifera Pinctada (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798. 166.—Mya.
margaritifera Rana, J. N. Laurenti, Syn. Rept. 1768, 30.
margaritifera Riparia (L.), F. C. Meuschen, Mus. Gever. 1787, 470.—Mytilus.
margaritiferus Unio (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 16.—Mya.
Margaritites J. Gesner, Tract. Petref. 1758, 39.—?
margay Felis, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 29.
marggravii *v.* **marcgravii**.
marginalis Armadillo, G. Cuvier, J. Nat. Hist. (Choix des Mém.), II. 1792, 30.
marginalis Bibio, A. F. de Fourcroy, Ent. Paris. 1785, 514.
marginalis Bruchus, J. C. Fabricius, Gen. Ins. 1777, 212.
marginalis Buprestis, A. G. Olivier, Entom. II. 1790, 15.
marginalis Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 215.
marginalis Carabus, J. C. Fabricius, Ent. Syst. IV. 1794, 440.
marginalis Cerambyx, J. C. Fabricius, Syst. Ent. 1775, 169.
marginalis Cicada, Scopoli, Ent. Carn. 1763, 113.
marginalis Dytiscus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 70.—Dytiscus.
marginalis Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 411; ed. 12, 1767, 665.
marginalis Epinephelus, M. E. Bloch, Nat. ausl. Fische. VII. 1793, 14.
marginalis Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 550; ed. 12, 1767, 912.
marginalis Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 414.
marginalis Ips (Mycetophagus), G. W. F. Panzer, Ins. Germ. heft 2, 1792, tab. 24.
marginalis Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 284; ed. 12, 1766, 476.
marginalis Musca, A. F. de Fourcroy, Ent. Paris. 1785, 497.
marginalis Papilio, C. C. Jung, Alph. Verz. Schmett. II. 1792, 8.
marginalis [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 160.
marginalis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 275.
marginalis Phalaena Pyralis, J. Hübner, Beitr. Schmett. I (1) 1786, 17.
marginalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 317.
marginalis Silpha, J. C. Fabricius, Gen. Ins. 1777, 215.
marginalis Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 98.
marginalis Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 509.
marginalis Vespa, J. C. Fabricius, Syst. Ent. 1775, 367.
marginaria Geometra, C. C. Jung, Alph. Verz. Schmett. II. 1792, 9.
marginaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 80 [*v. cf.*].
marginaria Phalaena, J. C. Fabricius, Gen. Ins. 1777, 286. [*f.*].
marginaria [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 156.
marginaria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 303.
marginatella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 322.
marginatorius Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 40.
marginatorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 145.
marginata Acarus, J. H. Sulzer, Gesch. Ins. 1776, 245.
marginatus Acarus, C. de Geer, Mém. Ins. VII. 1778, 133.
marginatus Acarus, J. C. Fabricius, Ent. Syst. IV. 1794, 427.
marginatum Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 229.
marginata Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 8.—Lagria.

- marginata Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 338.—Strombus.
marginata Altica, J. C. Fabricius, Syst. Ent. 1775, 822.
marginata Altica, A. F. de Fourcroy, Ent. Paris. 1785, 99.
marginata Andrena, J. C. Fabricius, Gen. Ins. 1777, 246.
marginatus Apate, J. C. Fabricius, Mant. I. 1787, 33.
marginata Apis, O. F. Müller, Z. Dan. Prod. 1776, 164.
marginata Apis, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. III., 1794, 141 [*n. n.*].
marginata Aranea, C. de Geer, Mém. Ins. VII. 1778, 281.
marginatus Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 605; ed. 12, 1767, 1008.
marginatus Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 462.
marginata Bibio, J. C. Fabricius, Spec. Ins. II. 1781, 413.
marginata Blatta, J. C. D. Schreber, Naturforscher, XV. 1781, 88.
marginata Blatta, J. C. Fabricius, Spec. Ins. II. 1781, 502.
marginatus Bombylius, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 8.
marginatus Bostrichus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 111.—Apate.
marginatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3486
marginata Buprestis, O. F. Müller, F. Ins. Frid. 1764, 18.
marginata Buprestis, J. A. Scopoli, Annus V. 1772, 106.
marginatus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 49.
marginata Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 52.
marginata Buprestis, A. G. Olivier, Entom. II. 1790, 67.
marginata Cantharis, Scopoli, Ent. Carn. 1763, 41.
marginata Cantharis, J. C. Fabricius, Syst. Ent. 1775, 206.
marginata Cantharis (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 279.—Lytta.
marginata Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 416; ed. 12, 1767, 670.
marginatus Carabus, Scopoli, Ent. Carn. 1763, 90.
marginatus Carabus, P. S. Pallas, Reise Russ. I. 1771, 464.
marginata Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 363; ed. 12, 1767, 576.
marginata Cercopis, J. C. Fabricius, Mant. II. 1787, 273.
marginata Cercopis, J. C. Fabricius, Mant. II. 1787, 274.
marginatum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 493.
marginatus Cetonia (Drury), J. C. Fabricius, Syst. Ent. 1775, 46.—Scarabaeus.
marginatus Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 98.
marginata Chama, F. C. Meuschen, Mus. Gever. 1787, 452.
marginata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 444.
marginatus Chiton, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 60.
marginata Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 371; ed. 12, 1767, 591.
marginata Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 132.—Altica, 1775.
marginata Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 107.
marginata Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 156.—Cryptocephalus.
marginata Cicada, Scopoli, Ent. Carn. 1763, 116.
marginata Cicada, Linnaeus, Syst. Nat., ed. 12, I. 1767, 710.
marginata Cicada, C. de Geer, Mém. Ins. III. 1773, 226.
marginata Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 188.
marginata Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 755.
marginata Cicindela, J. C. Fabricius, Syst. Ent. 1775, 226.
marginata Cicindela, C. de Geer, Mém. Ins. VII. 1778, 629.
marginata Cimex (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 769.—Tenthredo.
marginatus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 443; ed. 12, 1767, 719.
marginatus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 201.
marginatus Cimex, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 109.
marginatus Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 532.
marginata Cistela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 103.
marginata Clytra (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 36.—Crypto-
marginata Coccinella, Linnaeus, Syst. Nat., ed. 12, 1767, 579. [cephalus.
marginata Coccinella, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 10.
marginata Coccinella, A. F. de Fourcroy, Ent. Paris. 1785, 147.
marginata Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 286.

- marginata** Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 115.
marginatus Coreus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 126.—Cimex.
marginatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 472.—Tinea marginella,
marginatus Crangon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 410. [D. & S.
marginatus Cryptocephalus, J. C. Fabricius, Spec. Ins. I. 1781, 140.
marginatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 145.
marginatus Curculio, G. Paykull, Mon. Curc. 1792, 27.
marginatus Dermestes, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 7.
marginatus Dermestes (Fab.), C. de Villers, Linn. Ent. IV. 1789, 218.—Apate.
marginatus Dermestes, G. Paykull, Faun. Suec., I. 1798, 280.
marginatus Dermestes, G. Paykull, Faun. Suec. I. 1798, 300.
marginata Donacia, D. H. Hoppe, Ins. Elyt. 1795, 42.
marginatus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 405; ed. 12, 1767, 654.
marginatus Elater, O. F. Müller, Z. Dan. Prod. 1776, 60.
marginatus Elater, J. C. Fabricius, Spec. Ins. I. 1781, 272.
marginata Empis, J. C. Fabricius, Mant. II. 1787, 364.
marginata Ephemera, Linnaeus, Syst. Nat., ed. 12, 1767, 906.
marginatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 437.
marginatus Erotylus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 101.
marginatus Esox, P. Forskal, Descr. Anim. 1775, 67.
marginata Falco, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 28.
marginata Flata (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 519.—Cicada.
marginata Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [n. n.]; Essai
marginata Fulgosa, J. C. Fabricius, Ent. Syst. IV. 1794, 7. [Fourmis, 1798, 35.
marginata Globosa, F. C. Meuschen, Mus. Gever. 1787, 380.
marginatus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2070.
marginata Helix, O. F. Müller, Verm. II. 1774, 41.
marginatus Helops, J. C. Fabricius, Ent. Syst. I (1) 1792, 118.
marginatus Helops, J. C. Fabricius, Ent. Syst. IV. 1794, 440.
marginata Hirudo, O. F. Müller, Verm. I (2) 1774, 46.
marginatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2698.
marginatus Involvulus, F. v. P. Schrank, F. Boica, I. 1798, 476.
marginatus Iulus, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 414.
marginata Lagria, J. C. Fabricius, Spec. Ins. I. 1781, 159.
marginatum Lampadion, J. F. Bolten, Mus. Bolten. (2) 1798, 77.
marginata Lampyris, Linnaeus, Syst. Nat., ed. 12, 1767, 644.
marginata Leptura, C. Allioni, Misc. Taurin. III. 1766, 188.
marginata Leptura, J. C. Fabricius, Spec. Ins. I. 1781, 247.
marginata [Leptura], Gioma, Cal. Ent. 1791, 82.
marginata Libellula, C. de Geer, Mém. Ins. III. 1773, 558.
marginata Libellula, J. C. Fabricius, Spec. Ins. I. 1781, 523.
marginatus Limax, O. F. Müller, Verm. II. 1774, 10.
marginata Lithosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 461.—Alucita marginella,
marginata Locusta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 193. [1781.
marginata Lytta, J. C. Fabricius, Syst. Ent. 1775, 260.
marginatus Malachus, F. v. P. Schrank, F. Boica, I. 1798, 585.
marginata Mantis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 191.
marginata Medusa, A. Modeer, Nova Acta Acad. Caes. VIII. App., 1791, 28.
marginata Meloe, J. C. Fabricius, Spec. Ins. I. 1781, 328.
marginata Melolontha, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 14.
marginata Melolontha, A. G. Olivier, Entom. I. 1789, 70.
marginata Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 164.
marginata Melyris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 46.
marginata Membracis, J. C. Fabricius, Mant. II. 1787, 263.
marginata Musca, J. C. Fabricius, Syst. Ent. 1775, 784.
marginata Mylabris, J. C. Fabricius, Ent. Syst. I (2) 1792, 88.
marginata Necydalis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 155.
marginatus Nemotelus, J. C. Fabricius, Ent. Syst. IV. 1794, 270.—Stratiomys.

- marginata* Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3678.
marginata Nitidula, J. C. Fabricius, Spec. Ins. I. 1781, 91.
marginata Noctua, J. C. Fabricius, Syst. Ent. 1775, 597.
marginata Noctua, J. C. Fabricius, Syst. Ent. 1775, 610.
marginata Notonecta, O. F. Müller, Z. Dan. Prod. 1776, 104.
marginatus Oniscus, C. de Villers, Linn. Ent. IV. 1789, 187.
marginatus Oxyporus, J. C. Fabricius, Ent. Syst. I (2) 1792, 532.
marginatum Paramaecium, O. F. Müller, An. Infus. 1786, 92.
marginata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 524.
marginata Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 38.
marginata [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 243.
marginata Phalaena, *err. pro emarginata*, Linn., J. C. Fabricius, Mant. II. 1787, 200.
marginata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 527; ed. 12, 1767,
marginata Phalaena (Noctua), O. F. Müller, Z. Dan. Prod. 1776, 120. [870.
marginata Phryganea, Linnaeus, Syst. Nat., ed. 12, 1767, 910.
marginata Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 54.
marginatus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 77.
marginata Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 212; ed. 12, 1766, 356.
marginatus Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 379.
marginata Saperda, J. C. Fabricius, Suppl. Ent. Syst. 1798, 148.
marginatus Scarabaeus, D. Drury, Ill. Nat. Hist. II. 1773, index & 58.
marginatus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 324.
marginatus Scarabaeus, J. C. Fuessly, Schweiz. Ins. 1775, 3.
marginatus Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 9.
marginatus Scarabaeus, Poiret, Obs. sur la Physique, XXXI. 1787, 111.
marginatus Scarites, J. C. Fabricius, Mant. I. 1787, 206.
marginata Semblis, J. C. Fabricius, Ent. Syst. II. 1793, 73.
marginatum Sepidium, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 48.
marginata Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 86.—Nitidula.
marginata Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 230.—Sphaeridium.
marginatus Solen, R. Pulteney, Cat. Birds, &c., Dorset, 1799, 28.
marginatum Sphaeridium, J. C. Fabricius, Mant. I. 1787, 43.
marginatum Sphaeridium, L. G. Scriba, J. Lieb. Ent. II. 1790, 164.
marginatus Staphylinus, O. F. Müller, F. Ins. Frid. 1764, 23.
marginatus Staphylinus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 332.
marginatus Staphylinus, J. C. Fabricius, Syst. Ent. 1775, 266.
marginatus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 169.
marginata Stratiomys, J. C. Fabricius, Syst. Ent. 1775, 761.
marginatus Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 774; ed. 12, 1767, 1209.
marginatus Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3523.
marginata Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 125.
marginatus Tenebrio (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1993.—
marginata Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 920. [Scarites.
marginata Tenthredo, J. L. Christ, Nat. Ins. 1791, 438.
marginata Testudo, J. D. Schoepf, Hist. Test. 1793, 52.
marginata Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 508.
marginata Tritoma, J. C. Fabricius, Ent. Syst. I (2) 1792, 506.
marginata Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2766.
marginata Voluta, I. v. Born, Index Mus. Caes. Vind. 1778, 207.
Marginella Lamarck, Mém. Soc. H. N. Paris, 1799, 70.—G.
marginella Alucita, J. C. Fabricius, Spec. Ins. II. 1781, 307.
marginella Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2793.
marginellus Asilus, J. C. Fabricius, Spec. Ins. II. 1781, 464.
marginellus Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1891.
marginellus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 138.
marginellus Carabus, J. C. Fabricius, Ent. Syst. IV. 1794, 442.
marginella Cassida, J. C. Fabricius, Syst. Ent. 1775, 89. [1794, 52.
marginella Cercopis, *est marginata*, Mant. II. 274, no. 12; J. C. Fabricius, Ent. Syst. IV.

- marginella** Cetonina, J. C. Fabricius, Syst. Ent. 1775, 46.
marginella Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 371; ed. 12, 1767, 591.
marginella Cicada, J. C. Fabricius, Mant. II. 1787, 271.
marginella Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2100.
marginella Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 757.
marginellus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 374.
marginella Coccinella, O. F. Müller, Z. Dan. Prod. 1776, 66.
marginella Coccinella, J. C. Fabricius, Mant. I. 1787, 53.
marginella Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 110.
marginellus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 150.—Scarabaeus.
marginellus Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 616.
marginellus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 193.
marginellus Dermestes, C. Quesnel, Diss. ignotus insectorum species, 1790. 9.
marginellus Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 129.
marginellus Elater, *id. ac marginatus*, Fabr., 1781, J. C. Fabricius, Mant. I. 1787, 174.
marginella Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 575.
marginella Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3622.
marginellus Hydrophilus, J. C. Fabricius, Ent. Syst. I (1) 1792, 185.
marginella Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 346.
marginellus Limax, F. v. P. Schrank, Briefe Donaumoos, 1795, 149.
marginellus Malachius, A. G. Olivier, Entom. II. 1790, 6.
marginella Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 178.
marginellus Miris, J. C. Fabricius, Ent. Syst. IV. 1794, 186.—Cimex. 1781.
marginellus Murex, F. C. Meuschen, Mus. Gever. 1787, 328.
marginella Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2836.
marginella Musca, O. Estlund, K. Vet. Ac. Nya Handl. XVII. 1796, 131.
marginellus Oxyporus, J. C. Fabricius, Ent. Syst. I (2) 1792, 536.—Staphylinus.
marginella Phalaena (Fab.), E. Donovan, Brit. Ins. II. 1793, 58.—Alucita.
marginella Phalaena, Scopoli, Ent. Carn. 1763, 248.
marginella Phalaena (Tin.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 504.—Alucita.
marginellus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 21.
marginellus Staphylinus, J. C. Fabricius, Spec. Ins. I. 1781, 337.
marginellus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2036.
marginella Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 117.
marginella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
marginella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 293.
marginellus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3602.
marginella Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 263.
marginemaculata Coccinella, N. J. Brahm, Ins. Kal. I (1) 1790, 30.
marginemaculata Coccinella, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 260.
marginemaculatus Dytiscus, G. W. F. Panzer, Ins. Germ. heft 14, 1793, tab. 10.
marginata Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 69.
marginata Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 473.
marginosa Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 282.
marianne [Papilio], P. Cramer, Utitl. Kapellen, III (19) 1779, 41.
mariana Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 409; ed. 12, 1767, 660.
marriana (*sic*) [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 113.
marianus Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 549.
marica Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 113.
marica Sesia (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 155.—Sphinx.
marica [Sphinx], P. Cramer, Utitl. Kapellen, I (2) 1775, 31.
marica Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 685; ed. 12, 1767, 1130.
maricatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1762.
marila Anas, Linnaeus, Faun. Suec., ed. 2, 1761, 39.
mariland- *v.* **maryland-**.
marinata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 209.
marinus Acarus, P. S. Pallas, Misc. Zool. 1766, 188.
marinus Acus, P. L. S. Müller, Del. Nat. II. 1767, 141.

- marina** Anguillula, O. F. Müller, An. Infus. 1786, 66.
marinus Ascaris (Linn.) J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3035.—Gordius.
marinus Asellus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 254.—Oniscus.
marinus Astacus, P. L. S. Müller, Del. Nat., II. 1767, 139.
marinus Astacus, J. C. Fabricius, Syst. Ent. 1775, 413.
marinus Baculus, P. L. S. Müller, Del. Nat. I. 1766, 128.
marinus Bufo, J. G. Schneider, Hist. Amph. I. 1799, 219.
marina Cicindela, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 63.
marinum Cordiformis, F. C. Meuschen, Mus. Gever. 1787, 484.
marinus Cucullanus, O. F. Müller, Z. Dan. I. 1779, 99.
marinus Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 506.—Oniscus.
marinus Dermestes, *err. pro murinus*, L., J. C. Fabricius, Mant. I. 1787, 35.
marina Doris, J. E. Gunnerus, (*ex Baster*), Skrift. Kiob. Selsk. Laerdoms, X. 1770, 170.
marinus Elater, *err. pro murinus*, L., J. C. Fabricius, Mant. I. 1787, 172.
marinus Elephorus, G. Paykull, Faun. Succ. I. 1798, 245.
marina Erica, Besler, P. L. S. Müller, Del. Nat. I. 1766, 127.—? Sertularian.
marinus Esox, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 88.
marinus Gordius, Linnaeus, Syst. Nat., ed. 12, 1767, 1075.
marina Holocentrus (L.), G. A. Suckow, Naturges. IV. 1799, 536.—Perca.
marinus Homarus, F. Weber, Nomen. Fabricii, 1795, 94.—Astacus, 1775.
marina Idotea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 303.—Oniscus.
marinus Larus, Linnaeus, Syst. Nat., ed. 10, 1758, 136; ed. 12, 1766, 225.
marinus Lepus, P. Forskal, Icones, 1776, 9.
marina Limax, J. E. Gunnerus (*ex Baster*), Skrift. Kiob. Selsk. Laerdoms, X. 1770, 170.
marinus Limax, P. Forskal, Descr. Anim. 1775, 99.
marinus Lumbricus, Linnaeus, Syst. Nat., ed. 10, 1758, 648; ed. 12, 1767, 1077.
marina Lutra, H. F. Link, Beitr. Nat. I (2) 1795, 84.
marina Medusa, M. Slabber, Nat. Verlust. 1778, 67.
marinus Monoculus, M. Slabber, Nat. Verlust. 1778, 63.
marina Nais, O. Fabricius, F. Groen. 1780, 315.
marinus Oniscus, Linnaeus, Syst. Nat., ed. 10, 1758, 637; ed. 12, 1767, 1060.
marinus Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2289.
marina Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 290; ed. 12, 1766, 483.
marinus Petromyzon, Linnaeus, Syst. Nat., ed. 10, 1758, 230; ed. 12, 1766, 394.
marina Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 310.
marina Phtisica, M. Slabber, Nat. Verlust. 1778, 79.
marina Proboscidea (L.), J. G. Bruguière, Ency. Méth. (Vers Int. 1791), 98.—Ascaris.
marina Procellaria, J. Latham, Index Orn. 1790, 826.
marina Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 211; ed. 12, 1766, 356.
marina Scolopendra, Linnaeus, Syst. Nat., ed. 10, 1758, 639; ed. 12, 1767, 1064.
marinus Sol, C. F. Schultze, Verst. Seest. 1760, 51.
marinus Sorex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 114.
marina Squilla (L.), C. de Geer, Mém. Ins. VII. 1778, 523.—Oniscus.
marinus Staphylinus, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 65.
marinus Syngnat[h]us, Linnaeus in Hasselquist, Palast. 1762, 446.
marina Testudo, P. Forskal, Descr. Anim. 1775, 12.
marina vulgaris Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
marinus Ursus, P. S. Pallas, Reise Russ. III. 1776, 691.
marinus Vibrio, O. F. Müller, Naturforscher, XIX. 1783, 163.
mariposa Fringilla, J. A. Scopoli, Annus I. 1769, 151.
marisca Ichneumon, M. Houttuyn, Nat. Hist. I (12) 1768, 177.
marisca Sirex, Linnaeus, Faun. Succ., ed. 2, 1761, 397.
maris-rubri Chaetodon, Linnaeus in Hasselquist, Palast. 1762, 379.
maris-rubri Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 194.
maritimus Cimex, Scopoli, Ent. Carn. 1763, 129.
maritimus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 260.
maritimus Mus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 140.
maritima Mus (Myotalpa), R. Kerr, Anim. Kingd. 1792, 247.

- maritima** Musca, Scopoli, Ent. Carn. 1763, 344.
maritima Podura, N. Poda, Ins. Mus. Graec. 1761, 121.
maritima Podura, O. Fabricius, F. Groen. 1780, 212.
maritimus Tabanus, Scopoli, Ent. Carn. 1763, 374.
maritima Tringa, M. T. Brünnich, Orn. Boreal. 1764, 54.
maritimus Ursus, J. C. P. Erxleben, Syst. Anim. 1777, 160.
maritimus Ursus, J. C. D. Schreber, Säugth. III. p. 513 (1777) & pl. cxli (1776).
marius [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 14.
marius [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, IV. 1790, 137.
markovichiana Sylpha, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 105.
marmartius Picus, *err. pro* martius, Linn., S. G. Gmelin, Reise Russ. I (1770), 50.
marmoralis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 234.
marmorana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 477.
marmorana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 25 [*n. et f.*].
marmorarius Lamia, [D. H. Schneider], Nom. Ent. 1785, 15 [*n. u.*].
marmoraria Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 73.
marmoratella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 519.
marmoratum Acrydium (Vill.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 235.—Gryllus.
marmoratus Antribus, A. F. de Fourcroy, Ent. Paris. 1785, 136.
marmorata Aranea, A. F. de Fourcroy, Ent. Paris. 1785, 535.
marmorata Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3314.
marmoratus Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 461.
marmoratus Bufo, J. N. Laurenti, Syn. Rept. 1768, 29.
marmorata Calappa [Herbst], F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
marmoratus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 261.
marmorata Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 29.
marmoratus Cerambyx, C. de Villers, Linn. Ent. I. 1789, 239.
marmorata Cerambyx (Fab.), A. G. Olivier, Entom. IV. 1795, 124.—Lamia.
marmorata Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 127.
marmoratus Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3205.
marmorata Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162 [*n. u.*].
marmorata Chrysomela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 87.
marmoratus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2184.
marmorata Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 136.
marmoratus Colus, J. F. Bolten, Mus. Bolten. (2) 1798, 117.
marmoratus Colymbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 583.
marmoratus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 125.
marmoratus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 425.
marmoratus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 458.
marmoratum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 152 [*n. u.*].
marmoratus Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 70.
marmorata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 279
marmoratus Gryllus Loc., C. de Villers, Linn. Ent. I. 1789, 453. [*n. et f.*].
marmorata Haliotis, Linnaeus, Syst. Nat., ed. 10, 1758, 780; ed. 12, 1767, 1256.
marmorata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3665.
marmorata Iguana, F. C. Meuschen, Mus. Gronov. 1778, 8.
marmorata Iguana (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 17.—Lacerta.
marmorata Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 208; ed. 12, 1766, 368.
marmorata Lamia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 144.
marmoratus Lophius, G. Shaw, Nat. Misc. V. 1794, pl. 176.
marmorata Lunatica (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 101.—Turbo.
marmorata Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 103.
marmorata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 641.
marmorata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 474.
marmorata Nerita, F. C. Meuschen, Mus. Gev. 1787, 270.
marmoratus Pecten, F. C. Meuschen, Mus. Gev. 1787, 418.
marmorata Perna, A. J. Retzius, Diss. Nova Test. Gen. 1788, 21.
marmorata [Phalaena], P. Cramer, Uitl. Kapellen, II (13) 1777, 87.

- marmorata** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 192.
marmorata Phalaena Geom., J. H. Sulzer, Gesch. Ins. 1776, 161.
marmorata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 385.
marmorata Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2580.
marmorata Planaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3094.—
 [Fasciola marmorosa, Müll., est.]
marmorata Salamandra, P. A. Latreille, Salamand. France, 1800, 29 & 33.
marmorata Scolopax, J. Latham, Index Orn. 1790, 720.
marmoratus Seps, J. N. Laurenti, Syn. Rept. 1768, 59.
marmoratus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 160.
marmoratus Synbranchus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 87.
marmorata Syrix, J. F. Bolten, Mus. Bolten. (2) 1798, 122.
marmoratus Tabanus, A. F. de Fourcroy, Ent. Paris. 1785, 458.
marmoratus Tabanus, P. Rossi, Fauna Etrus. II. 1790, 322.
marmorata Tipula, E. L. Geoffroy, Hist. abrégée Insectes, II (2) 1799, 733.
marmoratus Turbinus (L.), F. C. Meuschen, Mus. Gev. 1787, 278.—Turbo.
marmoratus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 763; ed. 12, 1767, 1234.
marmorata Uria, J. Latham, Index Orn. 1790, 799.
marmorella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 330.
marmorella Tinea, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 125.
marmorella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 488.
 [marmoreus
marmoreus Araneus, C. Clerck, Aran. Svec. 1757, 29.]
marmoreus Cerambix, A. G. Olivier, Entom. IV. 1795, 78.—Lamia, 1792.
marmorea Cetonia, A. G. Olivier, Entom. I. 1789, 17.
marmoreus Chiton, O. Fabricius, F. Groen. 1780, 420.
marmoreus Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 534.
marmoreus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 712; ed. 12, 1767, 1165.
marmoreus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 38.—Conus.
marmoreus Curculio, F. v. P. Schrank, F. Boica, I. 1798, 500.
marmoreus Dytiscus, A. G. Olivier, Entom. III. 1795, 27.
marmoreum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 93.
marmoreus Iulus, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 414.
marmorea Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 461.
marmoreus Macrocephalus, A. G. Olivier, Entom. IV. 1795, 12.
marmorea Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 445.
marmorea Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 9.
marmorea Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3455.
marmorides [Phalaena], P. Cramer, Uitl. Kapellen, I (2) 1775, 25.
marmorinaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (8) 1800, 205.
 “marmoris Ichthyolithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 159.
marmorosa Fasciola, O. F. Müller, Verm. I (2) 1774, 71.
marmorosa Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 424.
marmorosa Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (49), 1798, 427.
marmorosa Planaria, O. F. Müller, Z. Dan. Prod. 1776, 223.—Fasciola, 1774.
Marmota J. F. Blumenbach, Handb. Naturg. 1779, 79.—M.
marmota Arctomys (Linn.), J. C. D. Schreber, Säugth. IV. 722 (1782), pl. ccvii (1780).—
marmota Glis (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 358.—Mus. [Mus.
marmota Lagomys (L.), G. C. C. Storr, Prod. 1780, 40.—Mus.
marmota Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 60; ed. 12, 1766, 81.
maro Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 432.
maroccanus Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 378.
maroccanum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 495.
maroccana Cidarid, F. C. Meuschen, Mus. Gev. 1787, 482.
maroccanus Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 529.
maroccana Ephemera, J. C. Fabricius, Ent. Syst. II. 1793, 69.
maroccanus Fusus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 121.—Murex maroccensis.
maroccanus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 163.
maroccana Nerita, C. U. v. Salis, Reise Neapel, 1793, 379.

- marocensis** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3558.
- marochiensis** Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3673.
- marohisa** Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) X. 1800, 105.
- marriana** v. **mariana**.
- mars** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 265.
- mars** Papilio, J. C. Fabricius, Gen. Ins. 1777, 268.
- marša** Anas, *id. ac mersa*, Pall., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 52.
- marshami** Chrysomela, E. Donovan, Brit. Ins. VIII. 1799, 83.
- marsigli** Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 637.
- Marsupiale** G. Edwards in M. Catesby, Carol. I. 1771, xxix.—M.
- marsupialis** Antilope, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 427.
- marsupialis** Didelphis, Linnaeus, Syst. Nat., ed. 10, 1758, 54; ed. 12, 1766, 71.
- marsupiale** Isogonum, J. F. Bolten, Mus. Bolten. (2) 1798, 168.
- marsupialis** Medusa, Linnaeus, Syst. Nat., ed. 10, 1758, 660; ed. 12, 1767, 1097.
- marsupialis** Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3751.
- marsyas** Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 167.
- marsyas** Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 272.—Papilio.
- marsyas** Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 482; ed. 12, 1767, 788.
- marsyas** Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 140.
- “**Martes**, Cuv. 1797,” Ag.; does not occur.
- martes** Mustela, Linnaeus, Syst. Nat., ed. 10, 1758, 46; ed. 12, 1766, 67.
- martha** Papilio, J. C. Fabricius, Mant. II. 1787, 56.
- marthesia** [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 143.
- marthesia** [Phalaena], P. Cramer, Uitl. Kapellen, III (22) 1779, 127.
- martialis** Staphylinus, F. v. P. Schrank, Ins. Aust. 1781, 237.
- martinetana** Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 141.
- martini** Arca, J. F. Bolten, Mus. Bolten. (2) 1798, 174.
- martinicensis** Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 909.
- martinicensis** Fulica, *err. pro martinica*, L., J. F. E. v. Jacquin, Beyt. Gesch. Vögel.
- martinicensis** Lacerta, G. A. Suckow, Naturges. III. 1798, 139. [1784, 12.]
- martinica** Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 283.
- martinica** Fulica, Linnaeus, Syst. Nat., ed. 12, 1766, 258.
- martinica** Gallinula (L.), J. Latham, Index Orn. 1790, 769.—Fulica.
- martinica** Muscipapa, Linnaeus, Syst. Nat., ed. 12, 1766, 325.
- martinica** Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 278.
- martinius** Cryptocephalus (Schall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
- martis** Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 8. [1710.—Chrysomela.
- martis** Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3040.
- martia** Musca, J. A. Scopoli, Ent. Carn. 1763, 327.
- martius** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 219.
- martia** [Phalaena], P. Cramer, Uitl. Kapellen, IV (26) 1780, 31.
- martia** Phryganea, J. A. Scopoli, Ent. Carn. 1763, 268.
- martius** Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 112; ed. 12, 1766, 173.
- marylandica** Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 273. [Stenocorus.
- marylandicum** Callidium (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 250.—
- marylandica** Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 274.
- marilandicus** Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1859.—Stenocorus.
- marilandica** Cetonia, J. A. Frolich, Naturforscher, XXVI. 1792, 116.
- marilandica** Coturnix (L.), J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 220.
- marilandica** Lamia (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791,
- marylandicus** Stenocorus, J. C. Fabricius, Syst. Ent. 1775, 179. [120.—Stenocorus.
- marilandicus** Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 161; ed. 12, 1766, 277.
- marilanda** Perdix (L.), J. Latham, Index Orn. 1790, 651.—Tetrao marilandicus.
- marilandus** Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 761.—[marilan-
- Masaris** J. C. Fabricius, Ent. Syst. II. 1793, 283.—Hym. [dicus, L.]
- mascarinus** Psittacus, Linnaeus, Mant. II. 1771, 524.
- mascarinus** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 333.

- mascarone** Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 191.
mascaronus Inachus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 357.—Cancer, 1793 = mascarone, Herbst.
masculella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 143.
masculus Gryllus (Mantis), Linnaeus, Mus. Lud. Ulr. 1764, 115.
masoreta Noctua, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 72.
massa Alcyonium, O. F. Müller, Z. Dan. Prod. 1776, 255.
massasa Squalus, P. Forskal, Descr. Anim. 1775, x.
massiliensis Buprestis, C. de Villers, Linn. Ent. I. 1789, 339.
massiliense Callidium (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 267.—Leptura.
massiliensis Cottus, P. Forskal, Descr. Anim. 1775, 24.
massiliensis Cottus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1213.
massiliensis Leptura, Linnaeus, Syst. Nat., ed. 12, 1767, 1067.
massiliensis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 965.
massiliensis Sylvia (Gm.), J. Latham, Index Orn. 1790, 531.—Motacilla.
Mastacembelus L. T. Gronovius, Zooph. I. 1763, 132.—P.
Mastacembelus (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 581.—P.
Mastacembelus Ophidium, Banks & Solander in Russell, N. H. Aleppo, ed. 2, II. 1794,
Mastigodes J. G. H. Zeder, 1 Nachtr. Goeze's Naturg. Eingew. 1800, 5.—Ver. [209].
mastious Vespertilio, M. Vahl, Skr. nat. Selsk. [Copen.], IV (1) 1797, 132.
mastos Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 17.
mastrucator Scolia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 204.
mastrucata Melolontha, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 18.
mat Cimex, P. Rossi, Fauna Etrus. II. 1790, 250.
matadou Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3282.
matamata Testudo, J. G. Bruguière, J. Nat. Hist. (Choix des Mém.), I. 1792, 257.
materna Noctua (L.), J. C. Fabricius, Spec. Ins. II. 1781, 212.—Phalaena.
materna [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 137.
materna Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 840.
mathias Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 433.
matronaria Phalaena (Geometra), O. F. Müller, F. Ins. Frid. 1764, 49.
matronula Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 584.—Phalaena.
matronula Noctua (L.), E. J. C. Esper, Die Schmett. IV (31) 1787, 44.—Phalaena.
matronula Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 509; ed. 12, 1767, 835.
matura Phalaena, Hufnagel, Berl. Mag. III. 1767, 414.
maturna Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 480; ed. 12, 1767, 784.
Matuta F. Weber, Nomen. Fabricii, 1795, 92.—Cr.
Matuta J. C. Fabricius, Suppl. Ent. Syst. 1798, 327.—Cr.
Matuta J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 26.—Cr.
matutinus Ichneumon, J. L. Christ, Nat. Ins. 1791, 338.
matutina Papilio, C. P. Thunberg, Ins. Suecica (2) 1791, 31.
maudytyi Falco, F. M. Daudin, Traité élém. Orn. 1800, 73.
maulica Chrysomela, G. I. Molina, Sag. stor. nat. Chili, 1782, 209.
maulina Arctomys (Mol.), R. Kerr, Anim. Kingd. 1792, 254.—Mus.
maulinus Mus, G. I. Molina, Sag. stor. nat. Chili, 1782, 302.
maurella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 142.
maurita Simia, M. T. Brunnich, Dyr. Hist. 1782, 21.
mauritanica Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 401.—[Lampyrus, ed. 12.]
mauritanicus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2196.
mauritanicus Cordylus (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 17.—Lacerta.
mauritanica Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 202; ed. 12, 1766, 361.
mauritanica Lampyrus, Linnaeus, Syst. Nat., ed. 12, 1767, 645.—[Cantharis, ed. 10.]
mauritanica Spheg, Linnaeus, Syst. Nat., ed. 12, 1767, 946.
mauritanicus Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 417; ed. 12, 1767, 674.
mauritanicus Trogossita (L.), A. G. Olivier, Entom. II. 1790, 6.—Tenebrio.
mauritanus Bombylius (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 330.—Tabanus.
mauritanus Tabanus, Linnaeus, Syst. Nat., ed. 12, 1767, 999. $\Sigma 10$
mauritanus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 703.

- mauritiana** Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 721; ed. 12, 1767, 1176.
mauritiana Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 981.
mauritiana Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 406.—Cypraea.
mauritiana Sylvia (Gm.), J. Latham, Index Orn. 1790, 534.—Motacilla.
mauritianus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3582.
mauritianus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 822.
mauritiit Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 109.
mauritiit Sciaena, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 68.
mauritia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 105.
maurosparus Sparus, J. A. Donndorff, Zool. Beyt. III. 1798, 442.
maura Anthrax (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 258.—Musca.
maurus Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 605; ed. 12, 1767, 1006.
maura Bibio (L.), J. C. Fabricius, Syst. Ent. 1775, 758.—Musca.
maurus Bombylius, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 328.
maurus Bombylius. C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 92.
maurus Bombylius, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 328.
maura Buprestis, A. G. Olivier, Entom. II. 1790, 19.
maura Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 216.
maurus Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 54.
maura Cercopithecus (Schr.), J. C. P. Erxleben, Syst. Anim. 1777, 41.—Simia.
maura Cicada, J. C. Fabricius, Syst. Ent. 1775, 686.
maura Cicindela, Linnaeus, Syst. Nat., ed. 10, 1758, 407; ed. 12, 1767, 658.
maura Cidaris, F. C. Meuschen, Mus. Gever. 1787, 484.
maurus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 441; ed. 12, 1767, 716.
maura Cistela, J. C. Fabricius, Ent. Syst. I (2) 1792, 45.
maurus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 219; ed. 12, 1766, 379.
maurus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 122.
maura Empis, J. C. Fabricius, Gen. Ins. 1777, 309.
maura Helops, J. C. Fabricius, Spec. Ins. I. 1781, 325.
maura Meloe, P. S. Pallas, Icon. Ins., 1782, 93.
maura Melolontha (Fab.), A. G. Olivier, Entom. I. 1789, 38.—Scarabaeus.
maura Motacilla, P. S. Pallas, Reise Russ. II. 1773, 708.
maura Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 590; ed. 12, 1767, 981.
maura Mutilla, Linnaeus, Syst. Nat., ed. 10, 1758, 583; ed. 12, 1767, 967.
maurus Nemotelus (L.), C. de Geer, Mém. Ins. VI. 1776, 191.—Musca.
maura Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 604.—Phalaena.
maurus Papilio Nym., E. J. C. Esper, Die Schmett. Suppl., 1 Abschn. [1797], 75.
maura Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 512; ed. 12, 1767, 843.
maura Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2010.—Helops.
maurus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 247.—Sphex, 1787.
maurus Reduvius, J. C. Fabricius, Syst. Ent. 1775, 732.
maurus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 348; ed. 12, 1767, 548.
maura Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 233.
maurus Scorpio, Linnaeus, Syst. Nat., ed. 10, 1758, 624; ed. 12, 1767, 1037.
maura Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 360.
maura Simia, J. C. D. Schreber, Säugth. I. 107 (1774), pl. xxii B (1774).
maurus Simia (Cercop.) Schr., R. Kerr, Anim. Kingd. 1792, 72.
maura Sphex, J. C. Fabricius, Mant. I. 1787, 276.
maura Sylvia (Pall.), J. Latham, Index Orn., 1790, 526.—Motacilla.
maurus Tenebrio, *id.* ac mauritanicus, L., C. de Geer, Mém. Ins. V. 1775, 52.
maura Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 116.
maurus Trox (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 26.—Scarabaeus.
mauvis Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 141.
maxillaris Ostrea, F. C. Meuschen, Mus. Gever. 1787, 422.
maxillosa Andrena (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 138.—Apis.
maxillosa Apis, Linnaeus, Syst. Nat., ed. 12, 1767, 954.
maxillosa Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 411.
maxillosus Brentus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 53.

- maxillosus** Brentus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 177.
maxillosus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 53.
maxillosus Carabus, J. C. Fabricius, Spec. Ins. I. 1781, 298.
maxillosus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 377.—Buprestis.
maxillosus Cerambyx, D. Drury, Ill. Nat. Hist. I. 1770, index & 86.
maxillosus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 84.
maxillosus Cerambix, A. G. Olivier, Entom. IV. 1795, 52.
maxillosa Clytra (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 32.—Cryptcephalus.
maxillosus Cryptcephalus, J. C. Fabricius, Spec. Ins. I. 1781, 139.
maxillosus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 472.
maxillosa Formica, C. de Geer, Mém. Ins. III. 1773, 601.
maxillosa Formica, J. C. Fabricius, Syst. Ent. 1775, 396. [Locusta.
maxillosus Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2064.—
maxillosus Hemerobius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 194.
maxillosus Hister, D. Drury, Ill. Nat. Hist. III. 1782, index & 71.
maxillosus Hylaeus (L.), J. C. Fabricius, Ent. Syst. II. 1793, 303.—Apis.
maxillosa Locusta, J. C. Fabricius, Syst. Ent. 1775, 284.
maxillosa Manticora, J. C. Fabricius, Spec. Ins. I. 1781, 320.
maxillosus Oxyporus, J. C. Fabricius, Ent. Syst. I (2) 1792, 531.
maxillosus Prionus (Drury), J. C. Fabricius, Syst. Ent. 1775, 163.—Cerambyx.
maxillosus Scarus, B. Zouiew, Acta Ac. Sci. Petrop. 1779 (1) 1782, 230.
maxillosa Sphex, Poiret, Obs. sur la Physique, XXX. 1787, 244.
maxillosus Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 421; ed. 12, 1767, 683.
maxillosus Tenebrio, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 39.
maxillosa Vespa, C. de Geer, Mém. Ins. III. 1773, 577.
maxima Alcedo, P. S. Pallas, Spic. Zool. VI. 1769, 14.
maxima Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 455.
maxima Biphora (Forsk.), J. G. Brugnière, Ency. Méth. (Vers) (1) 1789, 179.—Salpa.
maximus Calamita, J. G. Schneider, Hist. Amph. I. 1799, 163.
maximus Caprimulgus, G. Shaw, Mus. Lever. I. 1792, 136.
maximus Colymbus, J. E. Gunnerus, Trondhiemske Selsk. Skrift. III. 1765, 125.
maximus Corvus, J. A. Scopoli, Annus I. 1769, 34.
maximus Cylinder (*et* Cylindus), P. L. S. Müller, Del. Nat. I. 1766, 129.
maximus Dasypus, R. Kerr, Anim. Kingd. 1792, 112.
maximus Elater, J. H. Sulzer, Gesch. Ins. 1776, 52.
maximus Elephas, Linnaeus, Syst. Nat., ed. 10, 1758, 33; ed. 12, 1766, 48.
maxima Fistularia, P. Forskal, Descr. Anim. 1775, 121.
maxima Forficula, C. de Villers, Linn. Ent. I. 1789, 427.
maximus Hister, Linnaeus, Syst. Nat., ed. 12, 1767, 566.
maxima Holothuria (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3142.—
maximus Julus, Linnaeus, Syst. Nat., ed. 10, 1758, 640; ed. 12, 1767, 1066. [Fistularia.
maximus Labrus, G. Edwards in M. Catesby, Carol. II. 1771, Cat., 1.
maximus Labrus, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 261.
maximus Limax, Linnaeus, Syst. Nat., ed. 10, 1758, 652; ed. 12, 1767, 1081.
maxima Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 101.
maximus Merops, J. A. Scopoli, Del. Insub. II. 1786, 90.
maxima Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3683.
maxima Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 696; ed. 12, 1767, 1144.
maximus Pecten (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 248.—Ostrea.
maximus Pectidulus, Scopoli, Ent. Carn. 1763, 382.
maxima Phryganea, Scopoli, Ent. Carn. 1763, 269.
maximus Physeter, G. Cuvier, Tab. Elm. 1798, 176.
maximus Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 271; ed. 12, 1766, 459.
maxima Rana, J. N. Laurenti, Syn. Rept. 1768, 32.
maxima Salpa, P. Forskal, Descr. Anim. 1775, 112.
maximus Sciurus, J. C. D. Schreber, Säugth. IV. 784 (1785); pl. ccxvii B (1784).
maximus Solen, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3227.
maximus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 159.

- maximus** Squalus, Linnaeus, Syst. Nat., ed. 12, 1766, 400.
maximus Syngnathus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 7.
maxima Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 121.
maxima Tanagra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 159.
maxima Tipula, N. Poda, Ins. Mus. Græc. 1761, 113.
maxima Tridachnes, J. F. Bolten, Mus. Bolten. (2) 1798, 171.
maximus Trochilus, D. L. G. Karsten, Mus. Leske, I. 1789, xvii.
[maximus] Xanthornus, P. S. Pallas, Spic. Zool. VI. 1769, 3.
mayeri Aphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2211.
maynana Ampelis, Linnaeus, Syst. Nat., ed. 12, 1766, 298.
maynanensis Bucco, J. Latham, Index Orn. 1790, 203.
mays Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 329.
mazame Cervus, R. Kerr, Anim. Kingd. 1792, 303.
Mazocraes J. Hermann, Naturforscher, XVII. 1782, 182.—Ver.
mazzotella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 54.
meander [Papilio], P. Cramer, Uitl. Kapellen, I (1) 1775, 17.
Meandrites G. Cuvier, Tab. Élém. 1798, 677.—See **Maendrites**.—Cor.
means Syrphus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 562.
medarda [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 107.
medea Papilio, P. Cramer, Uitl. Kapellen, I (7) 1775, 128.
medea Papilio, J. C. Fabricius, Syst. Ent. 1775, 508.
medea Papilio, [Denis & Schiffermüller], Schmett. Wien. 1775, 167.
medea Sphinx, J. C. Fabricius, Spec. Ins. II. 1781, 143.
medialis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 225.
mediana Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2518.
mediana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 239.—Tortrix.
mediana Tortrix, [Denis & Schiffermüller], Schmett. Wien. 1775, 128.
mediatus Crabro, J. C. Fabricius, Suppl. Ent. Syst. 1798, 270.
mediata Phalaena, J. C. Fabricius, Gen. Ins. 1777, 290.
mediata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 293.
mediata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 317.
medicaginis Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 16.
medicinalis Hirudo, Linnaeus, Syst. Nat., ed. 10, 1758, 649; ed. 12, 1767, 1079.
mediella Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 337.
mediella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 19.
mediella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 494.—Alucita, 1794.
mediella Tinea (*ex* Geoff.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 15. [Gordius.
medinensis Filaria (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3039.—
medinensis Gordius, Linnaeus, Syst. Nat., ed. 10, 1758, 647; ed. 12, 1767, 1075.
mediopustulata Coccinella, F. v. P. Schrank, F. Boica, I. 1798, 465.
meditabunda Buprestis, J. C. Fabricius, Mant. I. 1787, 183.
meditabundus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 113.
meditabundus Curculio, J. C. Fabricius, Syst. Ent. 1775, 139.
meditabunda Musca, J. C. Fabricius, Spec. Ins. II. 1781, 444. [13, I. 1790, 2845.
meditalnenda Musca, *err. pro* meditabunda, Fab., J. F. Gmelin in Linn. Syst. Nat., ed.
mediterraneus Blennius (L.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 457.—
mediterraneum Buccinum, F. C. Meuschen, Mus. Gev. 1787, 298. [Gadus.
mediterraneus Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 150.
mediterraneus Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162 [*n. n.*].
mediterraneus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2). 1792, 701.
mediterraneus Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 255; ed. 12, 1766, 441.
mediterranea Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 291; ed. 12, 1766, 485.
mediterranea Perna, A. J. Retzius, Diss. Nova Test. Gen. 1788, 21.
mediterraneus Spondylus, J. Hermann, Naturforscher, XVI. 1781, 51.
mediterranea Sylvia, J. Latham, Index Orn. 1790, 551.
medius Asilus, O. F. Müller, F. Ins. Frid. 1764, 88.
medius Bombylius, Linnaeus, Syst. Nat., ed. 10, 1758, 606; ed. 12, 1767, 1009.
media Brachionus, J. F. Blumenbach, Mag. Neuste Phys. u. Nat. VI (1) 1790, 54.

- media** Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1891.
- medium** Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 678; ed. 12, 1767, 1122.
- media** Copris, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], III. 1792, 271.
- media** Copris, C. Creutzer, Ent. Vers. 1799, 62.
- medium** Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 91.
- medium** Fragum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 180.—Cardium.
- medium** Gymnopterion, F. v. P. Schrank, F. Boica, I. 1798, 689.
- media** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3640.
- media** Machla, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 67.
- media** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3330.
- medium** Phalangium, J. F. W. Herbst, Nat. ungefl. Ins. (1) 1797, 77.
- media** Phalaena Bombyx, [D. H. Schneider], Nom. Ent. 1785, 42 [*n. n.*].
- medius** Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 114; ed. 12, 1766, 176.
- medius** Scarabaeus (Kugel.), G. W. F. Panzer, Ins. Germ. heft 37 [1796], tab. 4.—Copris.
- media** Scolopax, J. Latham, Syn. Birds, Suppl. I. 1787, 292.
- media** Sepia, Linnaeus, Syst. Nat., ed. 10, 1758, 659; ed. 12, 1767, 1095.
- media** Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 679.
- medon** Papilio, Linnaeus, Amoen. Acad. VI. 1763, 402.
- medon** Papilio, Hufnagel, Berlin. Mag. II. 1766, 78.
- medor** [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 215.
- medulla** Chama, F. C. Meuschen, Mus. Gever. 1787, 456.
- medus** Papilio, J. C. Fabricius, Syst. Ent. 1775, 488.
- Medusa** Linnaeus, Syst. Nat., ed. 10, 1758, 659; ed. 12, 1767, 1096.—Med.
- medusa** Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 167.
- medusa** [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 86.
- medusa** Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VIII. 1796, 182.
- medusa** Sphynx, P. S. Pallas, Reise Russ. I. 1771, 472.
- medusa** Zygaena (Pall.), Lamarck in Pallas, Voy. Russie (8vo ed.) VIII [1794], 179.—
- medusae** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 43. [Sphinx].
- medusae** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 11.
- medusarum** Cancer, O. F. Müller, Z. Dan. Prod. 1776, 196. [139.—Gammarus.
- medusarum** Cancer (Gammarellus) (Fabr.), J. F. W. Herbst, Vers. Nat. Krab. II (4), 1793,
- medusarum** Gammarus (Müll.), J. C. Fabricius, Spec. Ins. I. 1781, 518.—Cancer.
- medusarum** Oniscus (Müll.), O. Fabricius, F. Groen. 1780, 257.—Cancer.
- megacephala** Buprestis, R. Townson, Trav. Hungary, 1797, 466.
- megacephalus** Carabus, P. Rossi, Mant. Ins. II. 1794, 102.
- megacephala** Cicindela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 727.
- megacephala** Cicindela, A. G. Olivier, Entom. II. 1790, 8.
- megacephalus** Cimex, P. Rossi, Fauna Etrus. II. 1790, 245.
- megacephalus** Crabro, P. Rossi, Fauna Etrus. II. 1790, 94.
- megacephala** Cynips, J. C. Fabricius, Ent. Syst. II. 1793, 103.
- megacephala** Formica, J. C. Fabricius, Ent. Syst. II. 1793, 361.
- megacephala** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 317.
- megacephala** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 67.
- megacephala** Noctua, C. C. Jung (*ex De Geer*), Alph. Verz. Schmett. II. 1792, 16.
- megacephalus** Syrphus, P. Rossi, Mant. Ins. II. 1794, 63.
- megacephalus** Syrphus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 561.
- megacles** [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 85.
- megadactyla** Alucita [Denis & Schiffermüller], Schmett. Wien, 1775, 146.
- megaera** Bombyx, J. C. Fabricius, Mant. II. 1787, 109.
- megaera** Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 12, 1767, 771.
- megaera** Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 492; ed. 12, 1767, 802.
- megaera** Zygaena, J. C. Fabricius, Ent. Syst. III (1) 1793, 401.
- megalocephalus** Coluber, G. A. Suckow, Naturges. III. 1798, 246.
- Megalonyx** T. Jefferson, Trans. Amer. Phil. Soc. IV. 1799, 248.—M.
- megalorhynchos** Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 45.
- megalostomus** Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 380.
- Megatherium** G. Cuvier, Mag. encyclop. I (3) 1796, 310.—M.

- Megatoma** Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 92.—Col.
megatoma Dermestes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 71.
Meioe *err. pro* Meloe, J. G. Fuessly, Schweitz. Ins. 1775, 20.
melacanthus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 349.
melagaster Labrus, M. E. Bloch, Nat. ausl. Fische, V. 1792, 27.
melagona Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 423.
melaleuca Bombyx, E. J. C. Esper, Die Schmett. III (26) 1788, 324.
melaleucus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 50.
melaleuca Noctua, C. R. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 68.
melaleuca Noctua, C. P. Thunberg, Ins. Suecica (2) 1791, 42.
melaleucas Oriolus, A. Sparrman, Mus. Carls. II. 1787, no. xxxi.
melampus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 142.
melampus Papilio, J. C. Fuessly, Schweitz. Ins. 1775, 31.
melampus Scarabaeus, A. G. Olivier, Entom. I. 1789, 49.
melanaetus Aquila (L.), S. Odmann, N. Acta Soc. Sci. Upsal. V. 1792, 53.—Falco.
melanaetus Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 88; ed. 12, 1766, 124.
melanaetos Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 482.
melanamathos Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3527.
melanarius Carabus, Illiger in Kugelann, Käfer Preuss. 1798, 163.
melanaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [mejudice 1796], fig. 86 [*u. et f.*].
melanaria Leptura, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 101. [862.
melanaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 521; ed. 12, 1767,
melanarla (*sic*) Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
 473.—*melanaria*, L., *est.*
melancholica Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 134.
melancholicum Callidium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 151.
melancholicus Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 54.
melancholica Cicindela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 63.
melancholicus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 462.
melancholicus Elater, J. C. Fabricius, Suppl. Ent. Syst. 1798, 139.
melancholica Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 180.
melancholicus Icterus (L.), F. M. Daudin, Traité élém. Orn. 1800, 337.—Oriolus.
melancholicus Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 163.—[Fringilla, ed. 10.]
melancholia Syrphula, M. Harris, Exp. Eng. Ins. 1776, 103.
melancholicus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 302. [ed. 1789, 7.]
melancoripha Anas, G. I. Molina, Sag. stor. nat. Chili, 1782, 234.—[melancorypha, Fr.,
melancoryphus Anser (Mol.), J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 108.—Ana-
melander [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 89.
melander [Papilio], P. Cramer, Uitl. Kapellen, III (23) 1780, 141.
melaneus [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 48.
melanea [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 130.
Melania Lamarck, Mém. Soc. H. N. Paris. 1799, 75.—G.
melanictera Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 910.
melanictera Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 941.
melanictera Tanagra, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIX. 1775, 465.
melanida [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 67.
melanippe [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 139.
melanippus [Papilio], P. Cramer, Uitl. Kapellen, II (11) 1777, 44.
melanis Coluber, P. S. Pallas, Reise Russ. I. 1771, 460.
melanius Musca, M. Harris, Exp. Eng. Ins. 1776, 59.
melania Papilio, J. C. Fabricius, Syst. Ent. 1775, 475.
melanocardius Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 379; ed. 12, 1767, 608.
melanocephala Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 502.
melanocephala Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2785.
melanocephalus Bombylius, J. C. Fabricius, Ent. Syst. IV 1794, 410.
melanocephalus Bostrichus, J. C. Fabricius, Ent. Syst. I (2) 1792, 368.
melanocephalus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 56.
melanocephala Cantharis, J. C. Fabricius, Spec. Ins. I. 1781, 260.

- melanocephala** Cantharis, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 108.
melanocephala Cantharis, Creutzer in G. W. F. Panzer, Ins. Germ. heft 39 [1797], tab. 12.
melanocephalus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 415; ed. 12, 1767, 671.
melanocephalus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1840.
 —Saperda.
melanocephalus Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 692.
melanocephala Chrysomela, C. de Geer, Mém. Ins. V. 1775, 348.
melanocephala Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 276.
melanocephalus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 728.
melanocephalus Cimex, J. C. Fabricius, Syst. Ent. 1775, 716.
melanocephala Cistela, J. C. Fabricius, Syst. Ent. 1775, 118.
melanocephalus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 218; ed. 12, 1766, 378.
melanocephala Columba, M. T. Brünnich, Orn. Boreal. 1764, 61.
melanocephala Columba, T. Pennant, Ind. Zool. [1769], 6.
melanocephalus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 178.
melanocephala Coracias, J. Latham, Index Orn. 1790, 172.
melanocephalus Corvus, F. M. Daudin, Traité élém. Orn. 1800, 241.
melanocephala Crioceris, J. C. Fabricius, Syst. Ent. 1775, 119.
melanocephalus Cryptocephalus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 46.
melanocephalus Curculio, C. de Geer, Mém. Ins. V. 1775, 272.
melanocephalus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 444.
melanocephalus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 167.
melanocephalus Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 356; ed. 12, 1767, 563.
melanocephalus Dermestes (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 102.—
melanocephalus Elater, J. C. Fabricius, Spec. Ins. I. 1781, 272. [Latridius].
melanocephala Emberiza, J. A. Scopoli, Annus I. 1769, 142.
melanocephala Empis, J. C. Fabricius, Ent. Syst. IV. 1794, 407.
melanocephala Formica, J. C. Fabricius, Ent. Syst. II. 1793, 353.
melanocephala Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 911.
melanocephala Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 699.
melanocephala Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 588.—
melanocephala Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 95. [Crioceris].
melanocephala Gallinula (Gm.), J. Latham, Index Orn. 1790, 768.—Fulica.
melanocephala Hydrophilus, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 127.
melanocephalos Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 400.
melanocephalus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2687.
melanocephalos Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 309.
melanocephalus Latridius, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 9.
melanocephala Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 175; ed. 12, 1766, 305.
melanocephala Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 150.
melanocephalus Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 540.
melanocephala Melolontha, J. C. Fabricius, Syst. Ent. 1775, 36.
melanocephala Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 970.
melanocephala Muscicapa, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
melanocephala Mutilla, F. v. P. Schrank, Ins. Aust. 1781, 416.
melanocephala Mutilla, C. de Villers, Linn. Ent. III. 1789, 344.
melanocephala Necydalis, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 300.
melanocephala Necydalis, J. C. Fabricius, Ent. Syst. IV. 1794, 453.
melanocephalus Notoxus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 5.
melanocephalus Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 160.
melanocephalus Paederus, J. C. Fabricius, Ent. Syst. I (2) 1792, 538.
melanocephala Pipelia, G. Shaw in Miller, Cim. Phys. 1796, 81.
melanocephala Pipra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 177.
melanocephalus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 102; ed. 12, 1766, 149.
melanocephala Saperda, J. C. Fabricius, Mant. I. 1787, 148. [—Melolontha].
melanocephalus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1562.
melanocephalus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 173. [Dermestes].
melanocephala Silpha (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1625.—

- melanocephalus** Silpha, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 596.
- melanocephalus** Sphaeridium (L.), J. C. Fabricius, Syst. Ent. 1775, 67.—Dermestes.
- melanocephalus** Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 172.
- melanocephalus** Staphylinus, J. C. Fabricius, Mant. I. 1787, 222.
- melanocephala** Sylvia (Gm.), J. Latham, Index Orn. 1790, 509.—Motacilla.
- melanocephalus** Tantalus, J. Latham, Index Orn. 1790, 709.
- melanocephalus** Telephorus (Fab.), A. G. Olivier, Entom. II. 1790, 9.—Cantharis.
- melanocephala** Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 364.
- melanocephala** Tenthredo, J. C. Fabricius, Suppl. Ent. Syst. 1798, 216.
- melanocephala** Tipula, J. C. Fabricius, Mant. II. 1787, 323.
- melanocephalus** Turdus, M. Vahl, Skr. nat. Selsk. [Copen.], III (2) 1794, 76.
- melanocephala** Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2760.
- melanoceras** Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1838.
- melanochloros** Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 427.
- melanochlora** Sphex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2735.
- melanochra** Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2657.
- melanochra** Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2666.
- melanochra** Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2760.
- melanochros** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2184.
- melanochrysos** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2164.
- melanochrysa** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2862.
- melanochrysa** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2879.
- melanogaster** Anhinga, T. Pennant, Ind. Zool. [1769], 13.
- melanogaster** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2166.
- melanogaster** Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1720.
- melanogaster** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2678.
- melanogastra** Loxia, J. Latham, Index Orn. 1790, 394.
- melanogaster** Plotus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 580.
- melanogonos** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2709.
- melanogrammus** Curculio, J. R. Forster, Cat. Brit. Ins. 1770, 5 [n. n.].
- melanogrammus** Curculio, J. R. Forster, N. Sp. Ins. 1771, 36.
- melanogramma** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3706.
- melanogramma** Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2582.
- melanoleucos** Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 406.
- melanoleucos** Buceros, H. Lichtenstein, Cat. rerum Nat. I. 1793, 8.
- melanoleucos** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2161.
- melanoleucos** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
- melanoleucos** Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 209.
- melanoleucos** Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 416.
- melanoleucos** Falco, T. Pennant, Ind. Zool. [1769], 2.
- melanoleuca** Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 910.
- melanoleucos** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2706.
- melanoleuca** Muscicapa, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIX. 1775, 468.
- melanoleucos** Nerita, F. C. Meuschen, Mus. Gever. 1787, 268.
- melanoleuca** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3713.
- melanoleucos** Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 426.
- melanoleuca** Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 659.
- melanoleuca** Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2666.
- melanonotus** Falco, J. Latham, Index Orn. 1790, 16.
- melanonota** Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 487.
- melanope** Motacilla, P. S. Pallas, Reise Russ. III. 1776, 696.
- melanopetala** Membracis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 668.
- melanophthalmus** Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1726.
- melanophthalmus** Curculio, G. Paykull, Mon. Curc. 1792, 10.
- melanophthalmus** Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 68.
- melanophthalmos** Elater, A. F. de Fourcroy, Ent. Paris. 1785, 39.
- melanophthalmus** Ichneumon, F. v. P. Schrank, Beitr. Nat. 1776, 91.
- melanophthalmus** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2705.

- melanophthalma** Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627.
melanophthalmos Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 171.
melanophthalmus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2027.
melanophyrra *v.* **melanopyrrhus**.
melanopis Formica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2804.
melanopis Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2836.
melanopis Tanagra, J. Latham, Index Orn. 1790, 422.
melanopis Tantalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 653.
melanopis Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 322.
melanopis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 829. [melanopa.
melanopoda Crioceris (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 85.—Chrysomela
melanops Falco, J. Latham, Index Orn. 1790, 37.
melanops Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 372.
melanopsis Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 507.
melanoptera Ardea, J. M. Bechstein, Latham's Vögel, V. 1796, 79.
melanoptera Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2116.
melanopterus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
melanoptera Columba, G. I. Molina, Sag. stor. nat. Chili, 1782, 236.
melanopterus Falco, F. M. Daudin, Traité élém. Orn. 1800, 152.
melanopterus Gobius, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 204.
melanoptera Gracula, F. M. Daudin, Traité élém. Orn. 1800, 286.
melanopterus Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 430; ed. 12, 1767,
melanopteros Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 402. [697.
melanopterus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2698.
melanopterus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2721.
melanoptera Locusta (L.), J. C. Fabricius, Syst. Ent. 1775, 285.—Gryllus.
melanoptera Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2833.
melanoptera Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 939.
melanopterus Psittacus, J. A. Scopoli, Del. Insub. II. 1786, 86.
melanopterus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 350.
melanopa Adimonia (L.), F. v. P. Schrank, F. Boica, I. 1798, 559.—Chrysomela.
melanopus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 623.
melanopus Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 376; ed. 12, 1767, 601 [pa].
melanopus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2149.
melanopus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2187.
melanopa Crioceris (L.), J. C. Fabricius, Syst. Ent. 1775, 121.—Chrysomela.
melanopus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1722.—
 Chrysomela.
melanopus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2700.
melanopa Mordella, J. R. Forster, Cat. Brit. Ins. 1770, 6 [*n. n.*].
melanopa Mordella, J. R. Forster, N. Sp. Ins. 1771, 64.
melanopa Noctua, C. P. Thunberg, Ins. Suecica (2) 1791, 42.
melanopus Prionus (L.), J. C. Fabricius, Spec. Ins. I. 1781, 208.—Cerambyx.
melanopus Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 562.
melanopus Rallus, T. Pennant in Forster, Ind. Zool. 1781, 42 [*n. n.*].
melanopa Thrips, F. v. P. Schrank, Ins. Aust. 1781, 298.
melanophyrrha Musca, J. R. Forster, Cat. Brit. Ins. 1770, 15 [*n. n.*].
melanopyrrha Musca, J. R. Forster, N. Sp. Ins. 1771, 98.
melanopyrrhus Turdus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8
melanorabdotos Calamita, J. G. Schneider, Hist. Amph. I. 1799, 173. [*n. n.*].
melanorhoea Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2668.
melanorhous Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2166.
melanorhynchos Cuculus, P. Boddaert, Tab. Planch. Enl. 1783, 18.
melanoryncha Mustela, P. Boddaert, Elench. 1785, 88.
melanorhynchos Phaëton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 582.
melanosceles Cassida, F. v. P. Schrank, F. Boica, I. 1798, 520.
melanostictus Bufo, J. G. Schneider, Hist. Amph. I. 1799, 216.
melanosticta Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2110.

- melanostictos** Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 91.
melanostictos Hemerobius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2642.
melanosticta Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3724.
melanosticta Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2581.
melanosticta Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2764.
melanostoma Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1673.
melanostoma Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3674.
melanostoma Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3581.
melanostoma Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2766.
melanotarsus Asilus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 213.
melanotis Felis, J. M. Bechstein in Pennant, Uebers. 4flüss. Thiere, II. 1800, 681.
melanotos Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 503.
melanotos Anser, T. Pennant, Ind. Zool. [1769], 12.
melanotragus Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 400.
melanoxanthus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2708.
melanozonias Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3703.
melanozonias Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3733.
melanozonias Phalaena Noctua, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2544.
melantha Papilio, J. C. Fabricius, Syst. Ent. 1775, 513.
melanthus [Phalaena], P. Cramer, Utitl. Kapellen, III (24) 1780, 166.
melanthus [Sphinx], P. Cramer, Utitl. Kapellen, III (21) 1779, 94.
melanthus [Sphinx], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 147.
melanura Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 9.—Necydali.
melanura Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 516.
melanurus Antelope, J. M. Bechstein in Pennant, Uebers. 4flüss. Thiere, I. 1799, 73.
melanurus Attelabus, Linnaeus, Syst. Nat., ed. 12, 1767, 620.
melanura Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 403; ed. 12, 1767, 651.
melanura Certhia, A. Sparrman, Mus. Carls. I. 1786, no. v.
melanura Columba, M. T. Brünnich, Orn. Boreal. 1764, 61.
melanura Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 22.
melanurus Gobioides, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 576.
melanuros Gobius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1201.
melanurus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2699.
melanura Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 92.
melanura Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 397; ed. 12, 1767, 637.
melanura Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 153.
melanura Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 853.
melanura Lytta, [D. H. Schneider], Nom. Ent. 1785, 23 [n. n.].
melanurus Malacopteryx (L.), J. R. Forster, Cat. Brit. Ins. 1770, 7 [n. n.].—Cantharis.
melanura Meloe, P. S. Pallas, Icon. Ins. 1782, 86.
melanura Musca, F. v. P. Schrank, Ins. Aust. 1781, 457.
melanura Mylabris, V. Petagna, Spec. Ins. ult. Calab. 1786, 27.
melanura Necydalis, J. C. Fabricius, Mant. I. 1787, 170.
melanurus Notoxus (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 46.—Attelabus.
melanura Odacanthus (L.), G. Paykull, Faun. Suec. I. 1798, 169.—Attelabus.
melanura Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 292; ed. 12, 1766, 486.
melanura Procellaria, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 79.
melanurus Salmo, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 104.
melanurus Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 278; ed. 12, 1766, 468.
melanurus Staphylinus, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 324.
melanurus Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 87.
melanurus Telephorus (L.), A. G. Olivier, Entom. II. 1790, 8.—Cantharis.
melapterus Labrus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 137.
melas Carabus, C. Creutzer, Ent. Vers. 1799, 114.
melas Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 166.
melas Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VIII. 1796, 191.
melas Sesia (Cram.), J. C. Fabricius, Gen. Ins. 1777, 274.—Sphinx.
melas [Sphinx], P. Cramer, Utitl. Kapellen, I (4) 1775, 71.

- Melasis** A. G. Olivier, Entom. II. 1790, 1.—Col.
- melastoma** Alata, F. C. Meuschen, Mus. Gever. 1787, 336.
- melostomus** Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 370.
- melata** Phalaena, *id. ac* milete, Cram., J. C. Fabricius, Gen. Ins. 1777, 291.
- melaura** Anas, J. A. Scopoli, Annus I. 1769, 66.
- melba** Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 180; ed. 12, 1766, 319.
- melba** Hirundo, Linnaeus, Syst. Nat., ed. 10, 1758, 192; ed. 12, 1766, 345.
- meleager** Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 30.
- meleager** Hesperia (Esp.), J. C. Fabricius, Ent. Syst. III (1) 1793, 292.—Papilio.
- meleager** Papilio P. R., E. J. C. Esper, Die Schmett. I (9) 1779, 375.
- meleagris** Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 613; ed. 12, 1767, 1019.
- meleagripennella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 69.
- Meleagris** Linnaeus, Syst. Nat., ed. 10, 1758, 156; ed. 12, 1766, 268.—A.
- meleagris** Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 227; ed. 12, 1766, 390.
- meleagris** Cadus, J. F. Bolten, Mus. Bolten. (2) 1798, 150.
- meleagris** Cimex, J. C. Fabricius, Mant. II. 1787, 297.
- meleagris** Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 25.
- meleagris** Gallina (Linn.), Linnaeus in Hasselquist, Palast. 1762, 327.—Phasianus.
- meleagris** Kolpoda, O. F. Müller, Verm. I (1) 1773, 59.
- meleagris** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 145.—Cimex, 1787.
- meleagris** Muraena, G. Shaw, Nat. Misc. VII. 1795, pl. 220.
- meleagris** Numida, Linnaeus, Syst. Nat., ed. 12, 1766, 273.
- meleagris** Ostracion, G. Shaw, Nat. Misc. VII. 1796, pl. 253.
- meleagris** [Papilio], P. Cramer, Utitl. Kapellen, I (6) 1775, 102.
- meleagris** Phasianus, Linnaeus, Syst. Nat., ed. 10, 1758, 158.—[Numida, ed. 12.]
- meleagris** Scarabaeus, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 134.
- meleagris** Testudo, G. Shaw, Nat. Misc. IV. 1793, pl. 144.
- meleander** Papilio E. T., Jablonsky, Nat. Ins. (Schmett.) II. 1784, 75.
- Meles** M. J. Brisson, Reg. Anim. 1762, 183.—M.
- Meles** E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 462.—M.
- Meles** G. C. C. Storr, Prod. 1780, 34 & tab. A.—M.
- meles** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 466.
- meles** Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 183.
- meles** Ursus, Linnaeus, Syst. Nat., ed. 10, 1758, 48; ed. 12, 1766, 70.
- meles** Ursus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 102; *varr.* alba, maculata.
- meliboeus** Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 20.—Scarabaeus, 1792.
- meliboeus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 271.
- meliboeus** Papilio, J. C. Fabricius, Gen. Ins. 1777, 271.
- meliboeus** Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 20.
- melicerta** [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 34.
- melicerta** [Papilio], J. A. B. Bergstraesser, Nom. Ins. IV. 1780, 38.
- melicerta** Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 46.
- melicerta** Phalaena Noct., Panzer in Drury, Exot. Ins. 1785, 86.
- meliloti** Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 14.
- Melina** A. J. Retzius, Diss. Nova Test. Gen. 1788, 22.—L.
- melinus** *v.* mellinus.
- melioratorius** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 147.
- melis** Distoma (Schr.), J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 194.—
- melis** Fasciola, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 17. [Fasciola.]
- melis** Strongylus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 15.
- melis** Uncinaria (Schrank), J. A. Frolich, Naturforscher, XXIV. 1789, 136.—Strongylus.
- melissa** Papilio, J. C. Fabricius, Syst. Ent. 1775, 513.
- melissa** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 172.
- melissa** Zyaena, J. C. Fabricius, Syst. Ent. 1775, 553.
- melissoctonus** Clerus, F. v. P. Schrank, F. Boica, I. 1798, 514.
- melita** [Papilio], P. Cramer, Utitl. Kapellen, I (3) 1775, 44.
- melitea** Trichoda, O. F. Müller, Z. Dan. Prod. 1776, 281.
- melitaeus** Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 30.

- melite** Papilio, Linnaeus, Amoen. Acad. VI. 1763, 403.
melite [Papilio], C. Clerck, Icones, II. 1764, pl. xlv.
melitensis Emberiza, Linnaeus in Hasselquist, Palast. 1762, 336.
melitensis Serpula, F. C. Meuschen, Mus. Gronov. 1778, 48.
melitensis Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3746.
melitensis Teredo, P. J. Bergius, K. Vet. Ac. Handl. XXVI. 1765, 229.
mellens Apis, M. Harris, Exp. Eng. Ins. 1776, 138.
mellea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3726.
mellifera Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 576; ed. 12, 1767, 955 [mellifica].
mellifica Apis, v. **mellifera**, Linnaeus, Syst. Nat., ed. 12, 1766, 955.
mellinata Geometra, C. de Villers, Linn. Ent. IV. 1789, 508.
mellinata Phalaena, J. C. Fabricius, Mant. II. 1787, 206.
Mellinus J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 226.—Hym.
melinus Apis, M. Harris, Exp. Eng. Ins. 1776, 138.
melinus Cimex, M. Harris, Exp. Eng. Ins. 1776, 90.
mellina Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 594; ed. 12, 1767, 988.
mellinus Musca, M. Harris, Exp. Eng. Ins. 1776, 74.
mellina Musca, M. Harris, Exp. Eng. Ins. 1776, 80.
melina Mustela, R. Kerr, Anim. Kingd. 1792, 183.
melinum Opatrum (ex Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1633.
melinus Strongylus, O. Fabricius, Skr. nat. Selsk. [Copen.], III (2) 1794, 12.
mellinus Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 771.—Musca.
Mellisuga M. J. Brisson, Ornith. III. 1760, 695.—A.
Mellisuga B. Merrem, Avium rar. Icones, 1786, 14.—A.
mellisugus Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 121; ed. 12, 1766, 192.
Mellivora G. Edwards in M. Catesby, Carol. I. 1771, 65.—A.
Mellivora G. C. C. Storr, Prod. 1780, 34 & tab. A.—M.
melliverous Meles, H. F. Link, Beytr. Nat. I (2) 1795, 86.
mellivorus Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 121; ed. 12, 1766, 193.
mellivora Ursus (Blum.), G. Cuvier, Tab. Élém. 1798, 112.—Viverra.
mellivora Viverra, J. F. Blumenbach, Handb. Naturg. I. 1779, 97.
mellonella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 537; ed. 12, 1767, 888.
mellonella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 660.—Phalaena.
Melo [G. Humphreys], Mus. Calonn. 1797, 16.—G.
melo Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 152.
melo Echinus, G. Olivii, Zool. Adriat. 1792, 70.
melo Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 118.
melodes Apis, M. Harris, Exp. Eng. Ins. 1776, 165.
melodes Turdus, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 19.
melodia Fringilla, B. S. Barton, N. H. Pennsylv. 1799, 15.
Meloe Linnaeus, Syst. Nat., ed. 10, 1758, 419; ed. 12, 1767, 679.—Col.
Meloides M. Piller & L. Mitterpacher, Iter Poseg. 1783, 39.—Col.
Melolontha E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 195.—Col.
Melolontha J. C. Fabricius, Syst. Ent. 1775, 31.—Col.
melolontha Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 351; ed. 12, 1767, 554.
melongena Galeodes (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 53.—Murex.
melongena Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 751; ed. 12, 1767, 1220.
melongina Muriciformis (L.), F. C. Meuschen, Mus. Gever. 1787, 318.—Murex.
meloides Cantharis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 55.
melophtalmos Cantharis, A. G. Olivier, Entom. III. 1795, 10.
melops Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 286; ed. 12, 1766, 477.
meloxantha Muscicapa, A. Sparman, Mus. Carls. IV. 1789, no. xcvi.
melpemone Papilio, *id.* ac melpomene, Linn., J. A. Scopoli, Annus V. 1772, 111.
melpomene Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 10, 1758, 467; ed. 12, 1767, [758].
Melursus F. A. A. Meyer, Zool. Entdeck. 1793, 155.—M.
Melusina J. G. Meigen, N. Class. Mouches, 1800, 19.—Dip.
melusina Papilio, J. C. Fabricius, Mant. II. 1787, 43.
Melyris J. C. Fabricius, Syst. Ent. 1775, 58.—Col.

- memaecison** Murex, F. C. Meuschen, Mus. Gever. 1787, 322.
memblitaria [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 139.
Membracis J. C. Fabricius, Syst. Ent. 1775, 675.—Hem.
membranacea Acanthia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 526.
membranacea Asterias, A. J. Retzius, K. Vet. Ac. Nya Handl. IV. 1783, 238.
membranacea Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 185.
membranaceus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 351.
membranaceus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2200.
membranacea Eschara (Flustra) (Linn.), P. S. Pallas, Char. Thierpfl. I. 1787, 91.—
membranacea Flustra, Linnaeus, Syst. Nat., ed. 12, 1767, 1301. [Flustra.
membranaceus Gryllus, D. Drury, Ill. Nat. Hist. II. 1773, index & 81.
membranaceus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 139.—Cimex, 1781.
membranacea Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3222.
membranaceus Pectunculus, E. M. da Costa, Brit. Conch. 1778, 193.
membranacea Spongia, *id. ac* membranosa, Pall., E. J. C. Esper, Pflanzenth. II (12) 1799,
membranacea Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 59. [256.
membranacea Testudo, J. F. Blumenbach, Handb. Naturges. I. 1779, 257.
membranacea Tubularia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3836.
membranaceus Turbo, J. Adams, Tr. Linn. Soc. [Lond.], V. 1800, 2.
membranella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 142.
membranosa Spongia, P. S. Pallas, Elench. 1766, 398.
memina Didelphys (Bodd.), G. Cuvier, Tab. Elem. 1798, 125.—Lutra.
memina Lutra, P. Boddaert, Elench. 1785, 168.
meminna Moschus, J. C. P. Erxleben, Syst. Anim. 1777, 322.
meminna Moschus, E. A. W. Zimmermann, Spec. Zool. 1777, 530.
meminna Tragulus (Erx.), P. Boddaert, Elench. 1785, 131.—Moschus.
memnon Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 460; ed. 12, 1767, 747.
Memphitis G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [n. n.].—See **Mephitis**.—M.
memphitis Viverra, Linnaeus, Syst. Nat., ed. 10, 1758, 44.—[*v. et. mephitis.*]
menalcas Copris (Pall.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 173.—Scarabaeus.
menalcas Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 353.
menalcas Papilio (Plebeius), N. Poda, Ins. Mus. Graec. 1761, 78.
menalcas Papilio, J. C. Fabricius, Syst. Ent. 1775, 535.
menalcas [Papilio], P. Cramer, Uitl. Kapellen, III (22) 1779, 117.
menalcas Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 4.
menalcas [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 209.
menander [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 86.
menander [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 53.
mendaria Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2580.
mendax Carabus, P. Rossi, Fauna Etrus. I. 1790, 223.
mendicaria Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 731; ed. 12, 1767, 1191.
mendicatoria Voluta, *id. ac* mendicaria, L., M. Houttuyn, Nat. Hist. I (16) 1771, 154.
mendicella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 137.
mendicella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 63.
mendica Bombyx (L.), J. C. Fabricius, Mant. II. 1787, 123.—Phalaena.
mendicus Bostrichus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 108.
mendicus Cimex, J. C. Fabricius, Syst. Ent. 1775, 720.
mendicus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 480.
mendicus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 156.—Cimex, 1775.
mendica Mantis, J. C. Fabricius, Syst. Ent. 1775, 275.
mendica Noctua, J. C. Fabricius, Syst. Ent. 1775, 611.
mendica [Phalaena], C. Clerck, Icones, I. 1759, pl. iii, 5.
mendica Phalaena (Bombyx), Linnaeus, Faun. Suec., ed. 2, 1761, 299.
menea Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 4.
menelaus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 461; ed. 12, 1767, 748.
menephron [Sphinx], P. Cramer, Uitl. Kapellen, III (24) 1780, 164.
meneria [Papilio], P. Cramer, Uitl. Kapellen, I (8) 1776, 147.
menes [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 215.

- menestheus** [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 15.
menetas Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 10.
menete Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 199.—Phalaena.
menete [Phalaena], P. Cramer, Utitl. Kapellen, I (6) 1775, 110.
menetes [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, IV. 1790, 139.
menetho Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 83.
Menidia P. Browne, Hist. Jamaica, ed. 2, 1789, 441.—P.
menidia Atherina, Linnaeus, Syst. Nat., ed. 12, 1766, 519.
meningeus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 39.
menippe Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 16.
menippe [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, IV. 1790, 131.
menippus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 353.
menippus Papilio, J. C. Fabricius, Gen. Ins. 1777, 272.
menstruata Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 181 [*u. u.*].
menstruus Picus, J. A. Scopoli, Del. Insub. II. 1786, 89.
menstruus Psittacus, Linnaeus, Syst. Nat., ed. 12, 1766, 148.
menstrua Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 203.
mensuraria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 111.—mensurata,
mensurator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 338. [Scop.
mensurata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me justice 1796], fig. 193 [*u.*
mensurata Phalaena, Scopoli, Ent. Carn. 1763, 225. [*et f.*].
menthae Chrysomela, F. v. P. Schrank, Beitr. Nat. 1776, 63.
menthae Phalaena Noct., J. Miller, Icones Insect. X. 1760 [*u. et f.*].
menthastri Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 54.
menthastri Bombyx, D. & S., E. J. C. Esper, Die Schmett. III (27) 1786, 334.
menthastri Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 594; ed. 12, 1767, 987.
menthastri Noctua, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 72.
menthastri Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 771.—Musca.
[menthastri] Phalaena (B.) MS., T. Martyn, Psyche, 1797, fig. 38.
mentula Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 225.
"Menura, Davies, 1800," Ag.; is 1802.
menyanthidis Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 50.
menyanthidis Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797-1800], 461.
meolans Papilio, L. Prunner, Lep. Pedemont. 1798, 71.
meon [Phalaena], P. Cramer, Utitl. Kapellen, I (6) 1775, 113.
meona [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 132.
meone [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (27) 1780, 51.
meones [Sphinx], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 73.
mephitidis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3032.
Mephitis E. Geoffroy & Cuvier, Mag. encyclop. II (6) 1795, 187.—M.
mephitis Mustela (L.), G. Cuvier, Tab. Elém. 1798, 117.—Viverra. [phtis, L. 1758.]
mephitis Viverra [*ex* Schreber *tab.*], J. C. P. Erxleben, Syst. Anim. 1777, 491.—[*v. mem-*
mercator Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 715; ed. 12, 1767, 1169.
mercator Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 47.—Conus.
mercator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 176.
mercator Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 238.—Ichneumon, 1793.
mercatoria Columbella (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 70.—Voluta.
mercatorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 143.
mercatoria Noctua, J. C. Fabricius, Syst. Ent. 1775, 604.
mercatoria Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 730; ed. 12, 1767, 1190.
mercatus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 332.
mercenaria Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 686; ed. 12, 1767, 1131.
mercurella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 538; ed. 12, 1767, 892.
mercurialis Altica (Fab.), G. W. F. Panzer, Deutsch. Ins. [1795], 180.—Galleruca.
mercurialis Columba, M. T. Brünnich, Orn. Boreal. 1764, 62.
mercurialis Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 33.
mercurialis Phalaena, J. G. Gladbach in Kuehn, Kurz Anleit. Ins., ed. 2, 1783, 138 [*u. u.*].
mercurii Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 474.—Tinea mercurella.

- mercurius** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 333.
mercurius Papilio, J. C. Fabricius, Mant. II. 1787, 86.
merdarius Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 34.—Scarabaeus.
merdarius Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 151.—Scarabaeus.
merdaria Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 344.
merdarius Oxyporus (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 533.—Staphylinus, 1775.
merdarius Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 19.
merdaria Serpula, J. F. Bolten, Mus. Bolten. (2) 1798, 70 [*n. n.*].
merdarius Staphylinus, J. C. Fabricius, Syst. Ent. 1775, 266.
merdigera Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 375; ed. 12, 1767, 599.
merdigera Crioceris (L.), J. C. Fabricius, Syst. Ent. 1775, 120.—Chrysomela.
merdiger Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1720.—
 Chrysomela merdigera.
merdigera Lema (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 91.—Chrysomela.
meretricula Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 187.
meretricula Thais, J. F. Bolten, Mus. Bolten. (2) 1798, 54.
Meretrix Lamarck, Mém. Soc. H. N. Paris, 1799, 85.—L.
meretrix Chamaeformis (L.), F. C. Meuschen, Mus. Gev. 1787, 444.—Venus.
meretrix Meretrix (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 85.—Venus.
meretrix Noctua, J. C. Fabricius, Spec. Ins. II. 1781, 507.
meretrix Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 686; ed. 12, 1767, 1132.
Merganser M. J. Brisson, Ornith. VI. 1760, 230.—A.
merganser Mergus, Linnaeus, Syst. Nat., ed. 10, 1758, 129; ed. 12, 1766, 208.
mergi Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 27.
mergi Pediculus, J. C. Fabricius, Spec. Ins. II. 1781, 480.
Mergulus Linnaeus, Amoen. Acad. VII. 1766, 450.—A.
Mergus Linnaeus, Syst. Nat., ed. 10, 1758, 129; ed. 12, 1766, 207.—A.
Mergus J. D. Petersen, Balth. Vögel, 1766, 7 [*n. n.*].—A.
Mergus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 14.—A.
mergus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 159.
meriana Apis, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 64.
merianae Anas, G. Shaw, Nat. Misc. II. 1791, pl. 69.
merianae Aranea, Scopoli, Ent. Carn. 1763, 395.
merianae Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 351.—[meriani 1775, 557.]
merianae Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 134.—Cimex, 1781.
merianana Phalaena Tort., H. G. Lang, Verz. Schmett., ed. 2, 1789, 206.
merianella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 541; ed. 12, 1767, 897.
merianella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 664.—Phalaena.
meriani Cimex, J. C. Fabricius, Syst. Ent. 1775, 707.
meridianus Carabus, Linnaeus, Faun. Suec., ed. 2, 1761, 221.
meridianus Cerambyx, Linnaeus, Faun. Suec., ed. 2, 1761, 187.
meridianus Dipus, J. C. D. Schreber, Säugth. IV. pl. ccxxxi (1782).—[? = Mus, Pallas.]
meridianus Dipus (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 159.—Mus.
meridiana Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 398.—[Cerambyx, ed. 12.]
meridianus Mus, P. S. Pallas, Reise Russ. II. 1773, 702.
meridiana Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 595; ed. 12, 1767, 989.
meridianus Stenocorus (L.), J. C. Fabricius, Syst. Ent. 1775, 178.—Cerambyx.
meridiana Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 178.—Musca.
meridiana Yerbua, J. R. Forster, K. Vet. Ac. Handl. XXXIX. 1778, 113.
meridionalis Ameiva, F. A. A. Meyer, Syn. Rept. 1795, 28.
meridionalis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2194.
meridionalis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1729.
meridionalis Falco, J. Latham, Index Orn. 1790, 36.
meridionalis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 333.
merione [Papilio], P. Cramer, Uitl. Kapellen, II (12) 1777, 76.
merione Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 94.
meriopterus Cimex, Scopoli, Ent. Carn. 1763, 131.
meris [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 146.

- meritalis** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 234.
- Merlangius** E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 401.—P.
- merlangus** Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 253; ed. 12, 1766, 438.
- merle** Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 139.
- merluccius** Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 254; ed. 12, 1766, 439.
- mermeria** [Papilio], P. Cramer, Utitl. Kapellen, I (8) 1776, 149.
- meroe** Paphia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 176.—Venus.
- meroë** Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 687; ed. 12, 1767, 1132.
- merope** Papilio, J. C. Fabricius, Syst. Ent. 1775, 495.
- merope** [Papilio], P. Cramer, Utitl. Kapellen, II (13) 1777, 87.
- merope** Papilio, L. Prunner, Lep. Pedemont. 1798, 73.
- Merops** Linnaeus, Syst. Nat., ed. 10, 1758, 117; ed. 12, 1766, 182.—A.
- merops** [Papilio], P. Cramer, Utitl. Kapellen, I (2) 1775, 26.
- merra** Epinephelus, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 17.
- merremii** Boa, U. J. Sentzen in Meyer, Zool. Archiv (2) 1796, 53.
- mersa** Anas, P. S. Pallas, Reise Russ. II. 1773, 713.
- Merula** Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.). 1758, 8 & 76.
- merula** Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 288; ed. 12, 1766, 480.
- merula** Tringa, J. C. Schaeffer, Mus. Orn. 1789, 52.
- merula** Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 86.
- merula** Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 170; ed. 12, 1766, 295.
- merulae** Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3046.
- merulinus** Cuculus, J. A. Scopoli, Del. Insub. 1786, 89.
- merulinus** Larus, J. A. Scopoli, Annus I. 1769, 81.
- merulina** Musca, Scopoli, Ent. Carn. 1763, 344.
- merulinus** Psittacus, J. A. Scopoli, Annus I. 1769, 30.
- mesembryanthemum** Actinia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 4.
- mesembryanthemea** Hydra (S. & E.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, [3868.—Actinia.
- mesenteria** Papilio, J. C. Fabricius, Mant. II. 1787, 57.
- mesentina** [Papilio], P. Cramer, Utitl. Kapellen, II (14) 1777, 102.
- mesentina** [Papilio], P. Cramer, Utitl. Kapellen, III (23) 1780, 140.
- mesogastor** Exocoetus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 17.
- mesoleucos** Chaetodon, P. Forskal, Descr. Anim. 1775, 61.
- mesoleuca** Musca, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 216.
- mesomelaena** Anthrax, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 214.
- mesomelaena** Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 210.
- mesomelaena** Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 198.
- mesomella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 535; ed. 12, 1767, 886.
- mesomella** Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 657.—Phalaena.
- mesomelas** Canis, J. C. D. Schreber, Säugth. III. 370 (1776), pl. xcv (1776).
- mesomelas** Chaetodon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1263.
- mesomelas** Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 105.
- mesomelas** Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 635.
- mesomelas** Dermestes, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 143.
- mesomelus** Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 405; ed. 12, 1767, 653.
- mesomelus** Latridius (Herbst), J. G. Kugellann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 574.—Dermestes.
- mesomela** Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 557; ed. 12, 1767, 924.
- mespili** Chermes, A. F. de Fourcroy, Ent. Paris. 1785, 230.
- mespili** Coccus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2221.
- mespilus** Galeodes, J. F. Bolten, Mus. Bolten. (2) 1798, 53 [*n. n.*].
- mespilus** Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3601.
- messalina** Papilio, J. C. Fabricius, Mant. II. 1787, 22.
- messalina** [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, IV. 1790, 125.
- messor** Cancer, P. Forskal, Descr. Anim. 1775, 88.
- messor** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 222.
- messorius** Mus, R. Kerr, Anim. Kingd. 1792, 230.
- metabus** [Phalaena], P. Cramer, Utitl. Kapellen, I (7) 1775, 117.

- metallata** Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 268.
metallella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
metallella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 144.
metallicana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me giudice 1796], fig. 68 [*n. et f.*].
metallica Andrena, J. C. Fabricius, Ent. Syst. II. 1793, 309.
metallica Buprestis, A. G. Olivier, Entom. II. 1790, 69.
metallica Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 210.
metallicus Carabus, Scopoli, Ent. Carn. 1763, 88.
metallicus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 146.
metallica Cetonia, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 157.
metallica Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 128.
metallica Chrysomela, C. de Geer, Mém. Ins. VII. 1778, 661.
metallica Chrysomela, J. N. Laicharting, Tyrol. Ins. I. 1781, 144.
metallica Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 311.
metallicus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 28.
metallicus Elater, G. Paykull, Faun. Suec. III. 1800, 19.
metallicus Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 32.
metallicus Involvulus, F. v. P. Schrank, F. Boica, I. 1798, 477.
metallica Lagria, J. C. Fabricius, Ent. Syst. I (2) 1792, 81.
metallicus Murex, F. C. Meuschen, Mus. Gev. 1787, 326.
metallicus Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 499.
metallica Phalaena (Tinea), N. Poda, Ins. Mus. Graec. 1761, 94.
metallicus Scarabaeus (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1582.—
metallica Thais, J. F. Bolten, Mus. Bolten. (2) 1798, 54. [Cetonia.
metallinus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 442.
metallina Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2874.—Syrphus.
metallina Syrphus, J. C. Fabricius, Gen. Ins. 1777, 307.
metalliqua Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 235.
metastatica Buprestis, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 121.
metellus [Papilio], P. Cramer, Uitl. Kapellen, III (19) 1779, 42.
meteorica Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 597; ed. 12, 1767, 993.
meteorica Musca, F. v. P. Schrank, Ins. Aust. 1781, 464.
metea [Papilio], C. Stoll, Anhang. Cramer's Uitl. Kapellen, IV. 1790, 122.
metea [Phalaena], P. Cramer, Uitl. Kapellen, IV (26) 1780, 27.
meteus [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 109.
meticulosa Aranea, A. F. de Fourcroy, Ent. Paris. 1785, 537.
meticulosus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 44.
meticulosa Musca, Scopoli, Ent. Carn. 1763, 344.
meticulosa Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 608.—Phalaena.
meticulosa Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 513; ed. 12, 1767, 845.
metis Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 329.—Papilio.
metis Papilio (Plebejus), Linnaeus, Mus. Lud. Ulr. 1764, 325.
meton Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 274.—Papilio.
meton [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 15.
metopoleucos Sterna, S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 475.
metron Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
metus Musca, M. Harris, Exp. Eng. Ins. 1776, 114.
meta Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) V. 1792, 104.
meulenii Balistes, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 461.
meulenii Diodon, J. A. Donndorff, Zool. Beyt. III. 1798, 787.
mexicanensis Felis, H. F. Link, Beytr. Nat. I (2) 1795, 91.
mexicana Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 519.
mexicana Apis, Linnaeus, Syst. Nat., ed. 12, 1767, 953.
mexicana Ardea (Grus), P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 110.
mexicanum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 260.
mexicanus Canis, Linnaeus, Syst. Nat., ed. 12, 1766, 60.
mexicanus Cerastes, J. N. Laurenti, Syn. Rept. 1768, 83.
mexicana Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 480.

- mexicanus** Cervus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 179.
mexicanus Chamaeleo, J. N. Laurenti, Syn. Rept., 1768, 45.
mexicanus Charadrius, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 117.
mexicanus Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 379.
mexicana Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 777.
mexicana Coracias, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 381.
mexicanus Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 375.
mexicana Coturnix (L.), J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 223.—Tetrao.
mexicana Emberiza, P. Boddaert, Tab. Planch. Enl. 1783, 23.
mexicana Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 873.
mexicana Felis, R. Kerr, Anim. Kingd. 1792, 151.
mexicana Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 165.
mexicana Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 914.
mexicana Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 704.
mexicanus Gyrimus, G. Shaw, Nat. Misc. IX. 1798, pl. 342.
mexicana Hystrix, R. Kerr, Anim. Kingd. 1792, 214.
mexicanus Icterus (L.), F. M. Daudin, Traité élém. Orn. 1800, 347.—Oriolus.
mexicana Lacerta, J. A. Donndorff, Zool. Beyt. III. 1798, 135.
mexicana Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 172 [no. 8]; ed. 12, 1766, 300 [no. 7].
mexicana Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 174 [no. 19]; ed. 12, 1766, 304 [no. 26].
mexicanus Mus, P. Boddaert, Elench. 1785, 111.
mexicana Mustela, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 383.
mexicanus Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 162 [no. 8].
mexicanus Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 162 [no. 13].
mexicana Perdix (L.), J. Latham, Index Orn. 1790, 653.—Tetrao.
mexicanus Phasianus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 741.
mexicanus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 352.
mexicanus Sciurus, J. C. P. Erxleben, Syst. Anim. 1777, 428.
mexicanus Sciurus, E. A. W. Zimmermann, Spec. Zool. 1777, 521.
mexicanus Sorex, R. Kerr, Anim. Kingd. 1792, 207.
mexicana Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 288.
mexicanus Sturnus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 804.
mexicanus Tabanus, Linnaeus, Syst. Nat., ed. 10, 1758, 602; ed. 12, 1767, 1000.
mexicana Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 315.
mexicanus Tantalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 652.
mexicanus Tetrao, Linnaeus, Syst. Nat., ed. 12, 1766, 277.
mexicana Upupa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 467.
mexicana Vespa (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 673.—Apis.
mexicana Viverra, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 383.
meyeriana [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 138.
mezenteria Noctua, *id.* ac mezentia, Cr., J. C. Fabricius, Ent. Syst. III (2) 1794, 41.
mezentia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (27) 1780, 70.
M-flavum Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2182.
mi Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 598.—Phalaena.
mi Ph[alae]na, C. Clerk, Icones, I. 1759, pl. ix, 5.
mi Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 309.
miacatototl Pipra, J. Latham, Index Orn. 1790, 560.
miana Phalaena (Tortrix), O. F. Müller, F. Ins. Frid. 1764, 53.
miaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.—miata, L. [metra].
miaria Phalaena Geom. (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 413.—Geo-
miata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 292 [*n. et f.*]
miata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 524.
miata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 526; ed. 12, 1767, 869.
mica Monas, O. F. Müller, Verm. I (1) 1773, 27.
mica Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 35.
micacea Noctua, C. C. Jung, Alph. Verz. Schmett. II. 1792, 28.—[Phalaena, Esper, *est.*]
micacea Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797—1800], 466.
micalia [Papilio], P. Cramer, Utitl. Kapellen, I (8) 1776, 148.

- micalia** [Papilio], P. Cramer, Uitl. Kapellen, II (9) 1777, 18.
micana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 127.
micana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 28 [*n. et f.*].
micans Anobium, J. C. Fabricius, Ent. Syst. I (1) 1792, 238.
micans Astraea, J. F. Bolten, Mus. Bolten. (2) 1798, 79 [*n. n.*].
micans Bombylius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 569.
micans Bostrichus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 523.
micans Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 189.
micans Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 151.
micans Cerambyx, J. C. Fuessly, Schweitz. Ins. 1775, 13.
micans Cetonia (Drury), J. C. Fabricius, Syst. Ent. 1775, 42.—Scarabaeus.
micans Chrysis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 676.
micans Chrysis, P. Rossi, Mant. Ins. I. 1792, 133.
micans Chrysomela, J. C. Fabricius, Ent. Syst. IV. 1794, 447.
micans Cicindela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 61.
micans Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 463.
micans Donacia, G. W. F. Panzer, Ins. Germ. heft 29 [1796], tab. 9.
micans Donacia, D. H. Hoppe, Ins. Elyt. 1795, 39.
micans Gyrinus, J. C. Fabricius, Ent. Syst. I (1) 1792, 203.
micans Hallomenus, Hellwig in G. W. F. Panzer, Ins. Germ. heft 16, 1793, tab. 18.
micans Hallominus, G. Paykull, Faun. Suec. II. 1799, 181.
micans Helops, J. C. Fabricius, Suppl. Ent. Syst. 1798, 51.
micans Hemerobius, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 63.
micans Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 7.
micans Saperda, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 14.
micans Scarabaeus, D. Drury, Ill. Nat. Hist. II. 1773, index & 59.
micans Seropalpus (Hallomenus) (Panz.), Illiger in Kugelann, Käfer Preuss. 1798, 135.—
micans Silpha, J. C. Fabricius, Ent. Syst. IV. 1794, 445. [Hallomenus].
micans Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 278.
micans Syrphus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 562.
micantaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (2) 1794, 28.
micella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
micella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 55.
micilia [Phalaena], P. Cramer, Uitl. Kapellen, III (19) 1779, 62.
miclonia Anas, P. Boddart, Tab. Planch. Enl. 1783, 58.
microcephala Cerocoma (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 82.—Pausus.
microcephala Formica, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 2.
microcephalus Pausus, Linnaeus, Bigis Insect. 1775, 6.
microcosma Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 279.
microdactylella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 144.
microphyllus Vespertilio, M. T. Brunnich, Dyr. Hist. 1782, 50.
mictodactyla (*sic*) Alucita, [Denis & Schiffermüller], Schmett. Wien, 1775, 320.
microdon Pristis, J. Latham, Tr. Linn. Soc. [Lond.], II. 1794, 280.
micrographus Bostrichus (L.), J. C. Fabricius, Mant. I. 1787, 37.—Dermestes.
micrographus Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 355; ed. 12, 1767, 562.
micrographus Ips (L.), C. de Geer, Mém. Ins. V. 1775, 195.—Dermestes.
micrographus Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 9.—Bostrichus.
microleon Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 589; ed. 12, 1767, 980.
microleon Stratiomys (L.), J. C. Fabricius, Syst. Ent. 1775, 760.—Musca.
microlepidotus Labrus, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 12.
microphthalmia Muraena, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 152.
microphthalmus Spalax, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIV (1) 1770, 411.
microphthalmia Talpa (Gueld.), E. A. W. Zimmermann, Spec. Zool. 1777, 499.—Spalax.
microps Physeter, Linnaeus, Syst. Nat., ed. 10, 1758, 76; ed. 12, 1766, 107.
microps Physeter, R. Kerr, Anim. Kingd. 1792; *varr.* falcidentatus, 361; rectidentatus,
microrrhoea Noctua, J. C. Fabricius, Syst. Ent. 1775, 593. [362].
micros Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 142.
microscopia Scolopendra, G. Shaw, Nat. Misc. VI. 1794, pl. 185.

- Microtus** F. v. P. Schrank, F. Boica, I. 1798, 66.—M.
micrurus Mus, S. G. Gmelin, Reise Russ. III. 1774, 50.
mictodactylus Alucita, Denis & Schiffermüller, *err. pro* microd.-*q.v.*
miculata Sabella, F. C. Meuschen, Mus. Gronov. 1778, 48.
micylus [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 160.
midæ Auriformis (L.), F. C. Meuschen, Mus. Gever. 1787, 248.—Haliotis.
midæ Ellobium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 105.—*Voluta auris midæ*.
midæ Haliotis, Linnaeus, Syst. Nat., ed. 10, 1758, 779; ed. 12, 1767, 1255.
midamas Papilio, P. Cramer, Uitl. Kapellen, III (23) 1780, 131.
midamus Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 470; ed. 12, 1767, 765.
Midas P. A. Latreille, Préc. Gen. Ins. 1796, 166.—? *v.* Mydas.—Dip.
midas Callithrix (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 62.—Simia.
midas Cebus (L.), H. F. Link, Beytr. Nat. I (2) 1795, 63.—Simia.
midas Cercopithecus (L.), F. C. Meuschen, Mus. Gronov. 1778, 5.—Simia.
midas Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 153.—Scarabæus.
midas Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 306.
midas [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 99.
midas Papilio, J. C. Fabricius, Syst. Ent. 1775, 527.
midas Scarabæus, J. C. Fabricius, Syst. Ent. 1775, 21.
midas Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 28; ed. 12, 1766, 42.
midas Simia (Sagoinus) L., R. Kerr, Anim. Kingd. 1792, 82.
miga Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 274.
migadactylus Pterophorus (D. & S.), J. C. Fabricius, Mant. II. 1787, 259.—*Alucita*
migrans Falco, P. Boddaert, Tab. Planch. Enl. 1783, 28. [megad-]
migrator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 334.
migratorium Acrydium (L.), C. de Geer, Mém. Ins. III. 1773, 466.—Gryllus.
migratoria Alauda, Bartram; B. S. Barton. N. H. Pennsylv., 1799, 15.
migratoria Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 285.
migratorius Colymbus, Bartram; B. S. Barton. N. H. Pennsylv., 1799, 17.
migratoria Formica, C. de Geer, Mém. Ins. III. 1773, 604.
migratorius Glis, P. B. C. Graumann, Introd. H. N. 1779, 60.
migratorius Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 432; ed. 12, 1767, 700.
migratorius Mus, P. S. Pallas, Reise Russ. II. 1773, 703.
migratorius Salmo, J. G. Georgi, Reise Russ. 1775, 182.
migratorius Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 292.
miguel Anguis, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 134.
miles Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2983.—Pagurus.
miles Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 713; ed. 12, 1767, 1167.
miles Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 43.—Conus.
miles Curculio, G. Paykull, Mon. Curc. 1792, 46.
miles Gryllus, D. Drury, Ill. Nat. Hist. II. 1773, index & 79.
miles Pagurus, J. C. Fabricius, Mant. I. 1787, 327.
milete [Phalaena], P. Cramer, Uitl. Kapellen, I (2) 1775, 26.
milhauseri Bombyx, J. C. Fabricius, Syst. Ent. 1775, 577.
miliare Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 218.—Gryllus.
miliaris Anguis, P. S. Pallas, Reise Russ. II. 1773, 718.
miliaris Buprestis, Scopoli, Ent. Carn. 1763, 64.
miliaris Cassida, J. C. Fabricius, Syst. Ent. 1775, 91.
miliaris Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 691.
miliaris Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 220; ed. 12, 1766, 380.
miliaris Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 629.
miliaris Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 176.—Scarabæus.
miliaris Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 499.
miliaris Cypræa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3420.
miliaris Echinus, P. L. S. Müller, Del. Nat. I. 1766, 130.
miliaris Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 432; ed. 12, 1767, 700.
miliaris Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3536.
miliaris Patella, Linnaeus, Mant. II. 1771, 552.

- miliaris* Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 817.
miliaris Tenthredo, G. W. F. Panzer, Ins. Germ. heft 45 [1797], tab. 13.
miliarius Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1969.
miliarius Crotalus, Linnaeus, Syst. Nat., ed. 12, 1766, 372.
miliaria Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 308.
miliarius Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 328.—Voluta.
miliaria Musca, F. v. P. Schrank, Ins. Aust. 1781, 476.
miliarius Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1587.
miliaria Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 730; ed. 12, 1767, 1189.
miliaria Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 278.
miliataria Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 324.
milibaris Sturnus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 803.—[? *militaris*, L.,
militaris Aranea, J. C. Fabricius, Syst. Ent. 1775, 434. [est.]
militaris Asterias, O. F. Müller, Z. Dan. Prod. 1776, 234.
militaris Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 559.—Phalaena.
militaris Cimex, J. C. Fabricius, Syst. Ent. 1775, 717.
militaris Coracias, G. Shaw, Mus. Lever. I. 1792, 61.
militaris Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 178.—[Tanagra, ed. 12.]
militaris Formica, J. C. Fabricius, Spec. Ins. I. 1781, 493.
militaris Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 147.—Cimex, 1775.
militaris Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 505.—[P. (Attacus), ed. 12.]
militaris Psittacus, Linnaeus, Syst. Nat., ed. 12, 1766, 139.
militaris Scarabaeus, A. G. Olivier, Entom. I. 1789, 35.
militaris Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 305; ed. 12, 1766, 503.
militaris Sphex, O. F. Müller, Z. Dan. Prod. 1776, 161.
militaris Sturnus, Linnaeus, Mant. II. 1771, 527.
militaris Tanagra, Linnaeus, Mus. Adolph. Frid. II. 1764, 30.
militata [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 159.
milium Cyclidium, O. F. Müller, Verm. I (1) 1773, 50.
milkshitsch Salmo, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 70.
millefolii Aphis, C. de Geer, Mém. Ins. III. 1773, 60.
millefolii Phalacrus, G. Paykull, Faun. Suec. III. 1800, 439.
millefolii Sphinx, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 239.
millegrana Noctua (ex Esper tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 30.
millepeda Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 340.—Strombus.
millepeda Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 67.—Strombus.
millepeda Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 743; ed. 12, 1767, 1208.
Millepora Linnaeus, Syst. Nat., ed. 10, 1758, 790; ed. 12, 1767, 1282.
“*milleporae* Helmintholitus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 167.
milleporia Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 147.
mille punctatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 47.
mille punctata Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 19.
millesima Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 309.
milo Scarabaeus, A. G. Olivier, Entom. I. 1789, 19.
milon Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 17.—Scarabaeus, 1792.
milon Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 16.—[S. *milo*, Ol.]
miltiades Papilio, E. A., Herbst in Jablonsky, Nat. Ins. (Schmett.) III. 1788, 154.
miltiades Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 66.
milvi Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3033.
milvi Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3054.
Milvus P. Forskal, Descr. Anim. 1775, 7.—A.—[Accidentally used as a generic word.]
Milvus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 4.
Milvus G. Cuvier, Leçons Comp. Anat. I. 1800, 2 [n. n.].—A.
milvus Accipiter (L.), J. C. Schaeffer, Mus. Orn. 1789, 9.—Falco.
milvus Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 89; ed. 12, 1766, 126. [jaicensis.
milvus Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 490; *varr.* sibiricus, korschun,
mimas Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 156.—Scarabaeus.
mimas Hesperia (Cr.) J. C. Fabricius, Ent. Syst. III (1) 1793, 349.—Papilio.

- mimas** [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 83.
mimas Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 347; ed. 12, 1767, 545.
mimosae Bruchus, J. C. Fabricius, Spec. Ins. I. 1781, 76.
mimosae Cerambyx, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 58.
"Mimus, Briss. 1760," Waterh.; not used in a generic sense.
minax Murex, D. Solander in G. Brander, Foss. Hant. 1766, 30.
minceus [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 109.
mindanensis Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 169.
mindanensis Turdus, P. Boddaert, Tab. Planch. Enl. 1783, 38.
mindanaensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 823.
mindanus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 711.
minereus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 304.
minereus Papilio, J. C. Fabricius, Mant. II. 1787, 77.
minerva Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 226; ed. 12, 1766, 388.
minerva Papilio, J. C. Fabricius, Syst. Ent. 1775, 493.
"minerva Sus," A. v. P. S., Schreiben Dethmaris Juliae et Mont. 1780, 37.
mineus Hepialus (Cram.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 74.—Phalaena.
mineus Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 471; ed. 12, 1767, 768.
mineus [Phalaena], P. Cramer, Uitl. Kapellen, II (11) 1777, 52.
miniacea Gorgonia, E. J. C. Esper, Pflanzenth. II (9) 1792, 126.
miniacea Millepora, P. S. Pallas, Elench. 1766, 251.
miniaceus Picus, T. Pennant, Ind. Zool., 1769, 4.
miniacea Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 33.
minialis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 239.
minialis Pyralis, C. P. Thunberg, Ins. Suecica (1) 1784, 16.
miniana Phalaena (Tortrix), O. F. Müller, Z. Dan. Prod. 1776, 132.
miniatus Gryllus (Loc.), P. S. Pallas, Reise Russ. I. 1771, 467.
miniatus Lutjanus (Forsk.). G. A. Suckow, Naturges. IV. 1799, 539.—Perca.
miniata Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 88.
miniata Patella, I. v. Born, Index Mus. Caes. Vind. 1778, 436.
miniata Perca, P. Forskal, Descr. Anim. 1775, 41.
miniata Phalaena, J. R. Forster, Cat. Brit. Ins. 1770, 11 [*n. n.*].
miniata Phalaena, J. R. Forster, N. Sp. Ins., 1771, 75.
miniatus Picus, *id. ac* miniaceus, Penn. 1769, J. R. Forster, Ind. Zool. 1781, 14.
miniata Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
minimella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
minimus Anthrenus, F. v. P. Schrank, F. Boica, I. 1798, 471.
minimum Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 125.
minima Apis, N. Poda, Ins. Mus. Graec. 1761, 110.
minimus Apis, M. Harris, Exp. Eng. Ins. 1776, 136.
minimus Bombylius, J. A. Scopoli, Annus V. 1772, 123.
minimus Bombylius, F. v. P. Schrank, Ins. Aust. 1781, 492.
minimus Bombylius, J. C. Fabricius, Mant. II. 1787, 366.
minimus Bostrichus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 158.
minimus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 310.
minimus Callitricoderma, J. X. Poli, Test. Sicil. II. 1795, 254 & 259.
minima Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 402; ed. 12, 1767, 649.
minimus Carabus, O. F. Müller, F. Ins. Frid. 1764, 21.
minimus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 168.
minimum Carychium, O. F. Müller, Verm. II. 1774, 125.
minimus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1865.
minimus Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3205.
minimus Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 95.
minimus Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 61.
minima Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 62.
minima Coccinella, O. F. Müller, Z. Dan. Prod. 1776, 65.
minima Coccinella, P. Rossi, Mant. Ins. II. 1794, 89.
minimus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 714; ed. 12, 1767, 1168.

- minimus** Dermestes (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 102.—Latridius.
minimus Dermestes, F. v. P. Schrank, F. Boica, I. 1798, 429.
minima Doris (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3105.—Limax.
minimus Dytiscus, Scopoli, Ent. Carn. 1763, 98.
minimus Elater, [D. H. Schneider], Nom. Ent. 1785, 19 [*n. n.*].
minimus Elophorus, J. C. Fabricius, Ent. Syst. I (1) 1792, 205.
minima Ephemera, O. F. Müller, Z. Dan. Prod. 1776, 142.
minima Fasciola, F. v. P. Schrank, Beitr. Nat. 1776, 100.
minima Fringilla, P. Boddaert, Tab. Planch. Enl. 1783, 28.
minimum Gymnopteron (Scop.), F. v. P. Schrank, F. Boica, I. 1798, 689.—Necydalis.
minima Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3666.
minima Hirundo, P. L. S. Müller, Del. Nat. II. 1767, 141.
minimus Hister, [D. H. Schneider], Nom. Ent. 1785, 4 [*n. n.*].
minimus Hister, P. Rossi, Fauna Etrus. I. 1790, 30.
minima Iguana, J. N. Laurenti, Syn. Rept. 1768, 48.
minimus Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 65.—Strombus.
minimus Latridius, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 9.
minimus Lepus, G. I. Molina, Sag. stor. nat. Chili, 1782, 306.
minimus Limax, P. Forskal, Descr. Anim. 1775, 100.
minima Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 307.
minima Lutra, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 317.
minimus Malacopteryx (L.), J. R. Forster, Cat. Brit. Ins. 1770, 7 [*n. n.*].—Cantharis.
minima Medusa, A. Modeer, Nova Acta Acad. Caes. VIII. App., 1791, 28.
minimus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3564.
minimus Mus, G. White, N. H. Selborne, 1789, 43.
minimus Mytilus, J. X. Poli, Test. Sicil. II. 1795, 209.
minima Necydalis, Scopoli, Ent. Carn. 1763, 57.
minimus Papilio, J. C. Fuessly, Schweiz. Ins. 1775, 31.
minimus Papilio, C. P. Thunberg, Ins. Suecica (2) 1791, 39.
minima Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3714.
minimus Picus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
minimus Picus, G. Shaw, Nat. Misc. II. 1790, pl. 44.
minima Prosimia, P. Boddaert, Elench. 1785, 66.
minimus Pullata, M. Harris, Exp. Eng. Ins. 1776, 77.
minimus Scarabaeus, Scopoli, Ent. Carn. 1763, 12.
minima Scolopax, M. T. Brünnich, Orn. Boreal. 1764, 49.
minimus Solen, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3227.
minimus Staphylinus, F. v. P. Schrank, Ins. Aust. 1781, 238.
minimus Strombus, Linnaeus, Mant. II. 1771, 549.
minima Sylvia, J. Latham, Index Orn. 1790, 529.
minima Tellina, Studer in Coxe, Trav. Switz. III. 1789, 392 [*n. n.*].
minimus Telephorus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 62.—Cantharis.
minimus Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 121; ed. 12, 1766, 193.
minima Vespa, N. Poda, Ins. Mus. Graec. 1761, 109.
miniosa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 88. [Noctua.
miniosa Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 645.—
ministra Bombyx (Dru.), A. G. Olivier, Ency. Méth. V (Index) 1790, 69.—Phalaena.
ministra Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, ind. & 25.
ministralis Mantis, J. C. Fabricius, Syst. Ent. 1775, 277.
ministrana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 531; ed. 12, 1767, 877.
ministrana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 648.—Phalaena.
minius Libellula, M. Harris, Exp. Eng. Ins. 1776, 97.
minna Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) V. 1792, 74.
minx Mustela (Lutra), R. Kerr, Anim. Kingd. 1792, 174.
minor Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 793.
minor Anarhichas, O. F. Müller, Z. Dan. Prod. 1776, 40.
minor Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2796.
minor Aptenodytes, J. R. Forster, Comm. Soc. R. Sci. Gött. III. 1781, 135.

- minor** Balistes, P. Forskal, Descr. Anim. 1775, xvii.
minor Bombylius, Linnaeus, Syst. Nat., ed. 10, 1758, 607; ed. 12, 1767, 1009.
minor Bombylius [*non* Linn.], F. v. P. Schrank, Ins. Aust. 1781, 491.
minor Bombylius, A. Modeer, Physiogr. Sölsk. Handl. I. (4) 1786, 297.
minor Bombyx, J. C. Fabricius, Syst. Ent. 1775, 559.
minor Caprimulgus, J. R. Forster, Cat. Anim. N. Amer. 1771, 13 [*n. n.*].
minor Colymbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 585.
minor Colymbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 591.
minor Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 411.
minor Draco, J. N. Laurenti, Syn. Rept. 1768, 51. [*undosa. laevis* (184).]
minor Echinocorytes, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 183; *varr.* papillosa,
minor Echinoneus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 110 & 174.
minor Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3186.—Echino-
minor Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1915. [*corytes*.]
minor Eurychora, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 71.
minor Forficula, Linnaeus, Syst. Nat., ed. 10, 1758, 423; ed. 12, 1767, 686.
minor Fringilla, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
minor Gracula, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
minor Hister, P. Rossi, Mant. Ins. I. 1792, 13.
minor Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 308.
minor Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 310.
minor Leopardus, T. Pennant in Forster, Ind. Zool. 1781, 39 [*n. n.*].
minor Lepas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3212.
minor Leptura, F. A. A. Meyer, Zool. Archiv (1) 1796, 229.
minor Lumbricus, T. Pennant, Brit. Zool., ed. 4. IV. 1777, 29.
minor Lutra, J. C. P. Erxleben, Syst. Anim. 1777, 451.
minor Machla, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 67.
minor Merops, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
minor Mustela, H. F. Link, Beytr. Nat. I (2) 1795, 82.
minor Necydalis, Linnaeus, Syst. Nat., ed. 10, 1758, 421; ed. 12, 1767, 641.
minor Necdalis, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 109.
minor Noctua (*ex* Briss.), S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 447.
minor Ochotona, H. F. Link, Beytr. Nat. I (2) 1795, 74.
minor Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 394.
minor Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 572.
minor Phaenicopterus, Geoffroy, Bull. Sci. Soc. Philom. [Paris], no. 13, 1798, 98.
minor Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 114; ed. 12, 1766, 176.
minor Podiceps (Gm.), J. Latham, Index Orn. 1790, 784.—Colymbus.
minor Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 351.
minor Regulus, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 18.
minor Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 661.
minor Simia, T. Pennant in Forster, Ind. Zool. 1781, 39 [*n. n.*].
minor Sitta, G. A. Suckow, Naturg. II (1) 1800, 564.
minor Spalax, J. C. P. Erxleben, Syst. Anim. 1777, 379.
minor Spatangus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 252 & xx [repage'd copy].
minor Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 97.
minor Turdus, A. Vroeg, Catal. Vogel. 1764, Adumb., 2.
minor Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 809.
minor Vulsella, J. F. Bolten, Mus. Bolten. (2) 1798, 156.
minos [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 4.
minos Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 45.
minos Sphinx, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 208.
minullus Falco, F. M. Daudin, Traité élém. Orn. 1800, 88.
minus Sphinx, J. C. Fabricius, Mant. II. 1787, 96.
minusculus Pullata, M. Harris, Exp. Eng. Ins. 1776, 77.
minutal Artocrea, F. C. Meuschen, Mus. Gever. 1787, 488.
minutalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 242.
minutana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 73 [*n. et f.*].

- minutaria Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 253.
 minutor Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 225.
 minutata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 110.
 minutata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 237 [n.
 minutata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 205. [et f.].
 minutella Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 344.
 minutella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 537; ed. 12, 1767, 893.
 minutella Tinea (L.), J. C. Fabricius, Spec. Ins. II. 1781, 300.—Phalaena.
 minutella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 500.—Alucita, 1794.
 minuticornis Cyclops, O. F. Müller, Entom. 1785, 117.
 minuticornis Hydra, O. F. Müller, Z. Dan. Prod. 1776, 230.
 minuticornis Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2998.—
 minutior Notonecta, J. H. Sulzer, Gesch. Ins. 1776, 91. [Cyclops].
 minutissima Apis, P. Rossi, Fauna Etrus. II. 1790, 109.
 minutissima Ascaris, J. A. E. Goeze, Eingeweidewürm. 1782, 110.
 minutissima Blatta, C. de Geer, Mém. Ins. III. 1773, 542.
 minutissima Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 588.
 minutissima Coccinella, F. v. P. Schrank, Ins. Aust. 1781, 65.
 minutissima Coccinella, P. Rossi, Fauna Etrus. I. 1790, 71.
 minutissimus Gryllus, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 175.
 minutissima Musca, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 230.
 minutissimus Murex, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 65.
 minutissima Notonecta, Linnaeus, Syst. Nat., ed. 10, 1758, 439; ed. 12, 1767, 713.
 minutissimus Picus, P. S. Pallas, N. nord. Beytr. III. 1782, 5.
 minutissima Thrips, Linnaeus, Syst. Nat., ed. 10, 1758, 487; ed. 12, 1767, 743.
 minutissima Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 979.
 minutissima Yunx (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 423.—
 minutulus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1986. [Picus].
 minuta Acheta (L.), J. C. Fabricius, Syst. Ent. 1775, 282.—Gryllus.
 minuta Aeshna, J. C. Fabricius, Mant. I. 1787, 339.
 minutus Alpheus (L.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
 minuta Altica, A. F. de Fourcroy, Ent. Paris. 1785, 99.
 minuta Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 127; ed. 12, 1766, 204.
 minutum Anobium, J. C. Fabricius, Spec. Ins. I. 1781, 72.
 minutum Anobium, J. C. Fabricius, Ent. Syst. I (1) 1792, 238.
 minutus Apate, J. C. Fabricius, Syst. Ent. 1775, 54.
 minuta Aphrodita, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 38.
 minuta Aphrodita, O. Fabricius, F. Groen. 1780, 314.
 minuta Apis, F. v. P. Schrank, Ins. Aust. 1781, 412.
 minuta Apis, J. C. Fabricius, Ent. Syst. II. 1793, 342.
 minuta Arca, O. F. Müller, Z. Dan. Prod. 1776, 247.
 minuta Arca, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 64.
 minuta Ardea, Linnaeus, Syst. Nat., ed. 12, 1766, 240.
 minuta Aranea, F. A. A. Meyer, Spinner Gött. 1790, 13.
 minutus Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 390.
 minuta Asterias, Linnaeus, Faun. Suec., ed. 2, 1761, 512.
 minutus Bostrichus, J. C. Fabricius, Gen. Ins. 1777, 211.
 minutus Bostrichus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 111.—Apate
 minutus Brentus (Dru.), Panzer in Drury, Exot. Ins. 1785, 159.—Curculio.
 minutum Buccinum, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 105.
 minutum Buccinum, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 64.
 minuta Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 410; ed. 12, 1767, 663.
 minutus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 48.
 minutus Byrrhus, C. P. Thunberg, Ins. Suecica (5) 1794, 68.
 minutus Byrrhus, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 595.
 minutus Byrrhus, J. C. Fabricius, Ent. Syst. IV. 1794, 437.
 minutum Callidium, J. C. Fabricius, Syst. Ent. 1775, 192.
 minutus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 625; ed. 12, 1767, 1040.

- minutus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 377.—Buprestis.
 minutus Carabus, P. Rossi, Fauna Etrus. I. 1790, 226.
 minutus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 167.
 minutus Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 245.—Saperda.
 minutus Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 307.—Rhagium.
 minuta Chalcis (L.), J. C. Fabricius, Mant. I. 1787, 272.—Vespa.
 minuta Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162 [*n. n.*].
 minuta Chrysomela, Linnaeus, Syst. Nat. ed. 10, 1758, 372; ed. 12, 1767, 593.
 minuta Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 57.
 minuta Cicada, J. C. Fabricius, Syst. Ent. 1775, 683.
 minuta Cicindela, A. G. Olivier, Entom. II. 1790, 31.
 minuta Cicindela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 735.
 minutus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 446; ed. 12, 1767, 723.
 minuta Cistela (L.), J. C. Fabricius, Syst. Ent. 1775, 118.—Chrysomela.
 minuta Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 11.
 minuta Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 285.
 minuta Corbula (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 185.—Solen.
 minutus Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 302.
 minuta Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 152.
 minutus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1716.—
 minutus Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 70. [Chrysomela.
 minutus Cucujus, A. F. de Fourcroy, Ent. Paris. 1785, 34.
 minutus Cucujus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 243.
 minutus Cucuius, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 573.
 minutus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46.
 minutus Curculio, D. Drury, Ill. Nat. Hist. I. 1770, index & 95.
 minutus Curculio, G. C. Reich, Mant. Ins. 1797, 11.
 minutus Cyclops, O. F. Müller, Z. Dan. Prod. 1776, 200.
 minutus Cyclopterus, P. S. Pallas, Spic. Zool. VII. 1769, 12.
 minutus Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 383.
 minuta Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3406.
 minutus Cyprinus, J. A. Donndorff, Zool. Beyt. III. 1798, 757.
 minutum Dentalium, Linnaeus, Syst. Nat., ed. 10, 1758, 786; ed. 12, 1767, 1264.
 minutus laevis Dermestes (Fab.), C. de Villers, Linn. Ent. I. 1789, 55.—Bostrichus.
 minutus striatus Dermestes (Fab.), C. de Villers, Linn. Ent. I. 1789, 55.—Sphaeridium.
 minutus Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 235.
 minutus Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 412; ed. 12, 1767, 667.
 minutus Echinorhynchus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800,
 minutus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3194. [142.
 minutus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 406; ed. 12, 1767, 656.
 minutus Elophorus, J. C. Fabricius, Syst. Ent. 1775, 66.
 minuta Empis, J. C. Fabricius, Mant. II. 1787, 365.
 minutum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 92.
 minutum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 95.
 minutus Erodius, J. C. Fabricius, Syst. Ent. 1775, 259.
 minuta Evania, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 453.
 minuta Evania, J. C. Fabricius, Ent. Syst. II. 1793, 194.
 minutus Falco, Linnaeus, Syst. Nat., ed. 12, 1766, 131.
 minuta Flata, J. C. Fabricius, Suppl. Ent. Syst. 1798, 519.—Cicada, 1775.
 minuta Fulgora, J. C. Fabricius, Mant. II. 1787, 262.
 minutus Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 119.
 minutus Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 253; ed. 12, 1766, 438.
 minutus Gobius, P. S. Pallas, Spic. Zool. VIII. 1770, 4.
 minutus Gryllus (Acheta), Linnaeus, Syst. Nat., ed. 12, 1767, 694.
 minutus Gyrinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 65.
 minuta Helix, O. F. Müller, Verm. II. 1774, 101.
 minuta Helix, Studer in Coxe, Trav. Switz. III. 1789, 385 [*n. n.*].
 minutus Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 41.

- minutus Hister, P. Rossi, Fauna Etrus., ed. 2, I. 1795, 32.—*minimus est*, ed. 1, 1790.
 minuta Holothuria, O. Fabricius, F. Groen. 1780, 354.
 minutus Hydrophilus (L.), J. C. Fabricius, Syst. Ent. 1775, 229.—Chrysomela.
 minutus Hylaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 272.
 minutus Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 189.
 minuta Ips, A. G. Olivier, Entom. II. 1790, 14.
 minuta Lagria, J. C. Fabricius, Spec. Ins. II. 1781, 499.
 minuta Lagria, J. C. Fabricius, Ent. Syst. I (2) 1792, 81.—Anobium, 1781.
 minuta Lampyris, Linnaeus, Syst. Nat., ed. 12, 1767, 645.—[Cantharis, ed. 10.]
 minuta Lampyris (Fabr.), F. v. P. Schrank, F. Boica, I. 1798, 577.—Pyrochroa.
 minutus Larus, P. S. Pallas, Reise Russ. III. 1776, 752.
 minuta Lepisma, O. F. Müller, Z. Dan. Prod. 1776, 183.
 minuta Libellula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 80.
 minuta Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 307.
 minutus Lumbricus, O. F. Müller, Z. Dan. Prod. 1776, 216.
 minutus Lycus (Fabr.), A. G. Olivier, Entom. II. 1790, 11.—Pyrochroa.
 minuta Mantis, D. Drury, Ill. Nat. Hist. II. 1773, index & 75.
 minuta Mantis, J. C. Fabricius, Syst. Ent. 1775, 278.
 minuta Melolontha, G. W. F. Panzer, Naturforscher, XXIV. 1789, 9.
 minuta Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 179.
 minuta Membracis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 514.
 minutus Merganser (L.), J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 105.—Mergus.
 minutus Mergus, Linnaeus, Syst. Nat., ed. 10, 1758, 129; ed. 12, 1766, 209.
 minutus Mergus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 548; *var. fasciolicus*.
 minuta Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 137. [Cyclops.]
 minutus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2997.—
 minuta Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 189.—[Pipra, ed. 12.]
 minutus Mus, P. S. Pallas, Reise Russ. I. 1771, 454.
 minutus Mus, R. Kerr, Anim. Kingd. 1792, 232; *var. flavus*.
 minutus Musca, M. Harris, Exp. Eng. Ins. 1776, 74.
 minuta Musca, J. C. Fabricius, Mant. II. 1787, 353.
 minuta Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 933.
 minuta Mylabris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 121.
 minuta Nerita, O. F. Müller, Verm. II. 1774, 179. [Elophorus.]
 minuta Nitidula (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1628.—
 minuta Notonecta, *id. ac* *minutior*, Sulz., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
 minutus Notoxus, J. C. Fabricius, Ent. Syst. I (1) 1792, 212. [1789, 2119.]
 minuta Ocyopode, J. C. Fabricius, Suppl. Ent. Syst. 1798, 348.
 minutum Opatrum, J. C. Fabricius, Syst. Ent. 1775, 77.
 minuta Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 696; ed. 12, 1767, 1144.
 minutus Oxyporus, J. C. Fabricius, Ent. Syst. I (2) 1792, 535.
 minutus Papilio Pleb., E. J. C. Esper, Die Schmett., Suppl., 1 Abschn. [1797], 71.
 minutus Passalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 241.
 minuta Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3732.
 minutum Phalangium, F. H. W. Martini & J. A. E. Goetze in Lister, Spinnen, 1778, 219.
 minuta Phryganea, Linnaeus, Faun. Suec., ed. 2, 1761, 381.
 minutus Picus, *id. ac* *minutissimus*, Pall., J. Latham, Index Orn. 1790, 243.
 minuta Pimelia, J. C. Fabricius, Spec. Ins. I. 1781, 318.
 minuta Pipra, Linnaeus, Mus. Adolph. Frid. II. 1764, 34.
 minuta Plotia, J. F. Bolten, Mus. Bolten. (2) 1798, 95.
 minutus Podiceps, J. Latham, Syn. Birds, Suppl. I., 1787, 294.
 minuta Podura, Linnaeus, Syst. Nat., ed. 12, 1767, 1013.
 minutus Ptinus (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1605.—Anobium.
 minutus Ptinus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 501.
 minuta Pyrochroa, J. C. Fabricius, Mant. I. 1787, 163.
 minutus Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 719.
 minutus Reduvius, J. C. Fabricius, Ent. Syst. IV. 1794, 208.
 minutum Rhagium, J. C. Fabricius, Mant. I. 1787, 146.

- minutus** Rhinomacer, A. F. de Fourcroy, Ent. Paris. 1785, 115.
minutus Rynchites, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 135, sign. I 4.
minuta Saperda, J. C. Fabricius, Spec. Ins. I. 1781, 235.
minutus Scarabaeus, D. Drury, Ill. Nat. Hist. I. 1770, index and 78.
minutus Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 10.
minutus Scomber, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 110.
minuta Sigara, J. C. Fabricius, Ent. Syst. IV. 1794, 60.
minuta Silpha (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 40.—Opatrum.
minuta Silpha (Fabr.), C. de Villers, Linn. Ent. I. 1789, 87.—Elophorus.
minuta Silpha, J. C. Fabricius, Ent. Syst. I (1) 1792, 254.
minutus Solen, Linnaeus, Syst. Nat., ed. 12, 1767, 1115.
minutus Sorex, Linnaeus, Syst. Nat., ed. 12, 1766, 73.
minutum Sphaeridium, J. C. Fabricius, Syst. Ent. 1775, 68.
minutus Staphylinus, A. G. Olivier, Entom. III. 1795, 38.
minutus Stenocorus (Fab.), A. G. Olivier, Entom. IV. 1795, 15.—Rhagium.
minuta Sterna, Linnaeus, Syst. Nat., ed. 12, 1766, 228.
minuta Stratiomys, J. C. Fabricius, Ent. Syst. IV. 1794, 268.
minuta Strix, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
minutus Tantalus, Linnaeus, Syst. Nat., ed. 12, 1766, 241.
minutus Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 675.
minuta Tenthredo, J. L. Christ, Nat. Ins. 1791, 438.
minuta Tettigonia, J. C. Fabricius, Ent. Syst. IV. 1794, 26.
minuta Thiara, J. F. Bolten, Mus. Bolten. (2) 1798, 109 [*n. n.*].
minuta Tipula, O. F. Müller, Z. Dan. Prod. 1776, 170.
minuta Trigla, Linnaeus, Mant. II. 1771, 528.
minuta Tritoma (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 507.—Chrysomela.
minutum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 125 [*n. n.*].
minutus Turdus, A. Sparrman, Mus. Carls. III. 1788, no. lxxviii.
minuta Venus, O. Fabricius, F. Groen. 1780, 412.
minuta Vespa, Linnaeus, Syst. Nat., ed. 12, 1767, 952.
minuta Vespa, P. Rossi, Fauna Etrus. II. 1790, 89.
minuta Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 203.
minuta Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 262.
minuta Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3436.
[mirabilis] Araneus, C. Clerck, Aran. Svec. 1757, 108.]
mirabilis Araneus, T. Martyn, Aranei, 1793, 50.
mirabilis Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 152.
mirabilis Cerambyx, D. Drury, Ill. Nat. Hist. II. 1773, index & 56.
mirabilis Pennatula, Linnaeus, Syst. Nat., ed. 10, 1758, 819; ed. 12, 1767, 1322.
mirabilis [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 143.
miraletus Raja, Linnaeus, Syst. Nat., ed. 10, 1758, 231; ed. 12, 1766, 396.
miran Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 268.
miriam Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 242.
mirifex Sphex, J. L. Christ, Nat. Ins. 1791, 300.
mirio Baphia, F. C. Meuschen, Mus. Gever. 1787, 472.
Miris J. C. Fabricius, Ent. Syst. IV. 1794, 183.—Hem.
miris Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 429.
mirtyllus Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 239.
mirus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 48.
miscella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 142.
miscellana Phalaena, Scopoli, Ent. Carn. 1763, 236.
misenensis Sertularia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 3854.
misenes [Papilio], P. Cramer, Utitl. Kapellen, II (10) 1777, 31.
misera Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2582.
misippus Papilio (Danaus), Linnaeus, Mus. Lud. Ulr. 1764, 264.
mississippensis Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 889.
mistothés Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 43.
mitella Anatifa (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 65.—Lepas.

- mitella* Bernicla (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 198.—Lepas.
mitella polonica Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 29.
mitella Lepas, Linnaeus, Syst. Nat., ed. 10, 1758, 668; ed. 12, 1767, 1108.
mitella Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 1.
mithras Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 87.
mithridates Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 336.
Mitra (ex Rumph), P. L. S. Müller, Del. Nat. I. 1766, 129.—G.
Mitra [G. Humphreys], Mus. Calonn. 1797, 35.—G.
Mitra J. F. Bolten, Mus. Bolten. (2) 1798, 135.—G.
Mitra Lamarck, Ency. Méth. (Tabl. Vers), pl. 369 (1798) [*n. et f.*].—G.
Mitra Lamarck, Mém. Soc. H. N. Paris, 1799, 70.—G.
mitra Angarius, F. C. Meuschen, Mus. Gever. 1787, 260.
mitra Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3655.
mitra Lepas, L. Spengler, Skr. nat. Selsk. [Copen.], I (1) 1790, 192.
mitra cardinalis Murex, F. C. Meuschen, Mus. Gever. 1787, 332.
mitra episcopalis Murex, F. C. Meuschen, Mus. Gever. 1787, 334.
mitra var. episcopalis Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 732; ed. 12, 1767, 1193.
mitra var. papalis Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 732; ed. 12, 1767, 1194.
mitratus Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 46.
mitratus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 738.
mitrata Meleagris, A. Vroeg, Catal. Vogel. 1764, Adumb., 4.
mitrata Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 977.
mitrata Numida, P. S. Pallas, Spic. Zool. IV. 1767, 18.
mitrata Simia, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, I. 1799, 211.
mitrata Sylvia (Gm.), J. Latham, Index Orn. 1790, 528.—Motacilla.
mitrata Tanagra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 159.
mitrula Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3708.
 [mitterpacher]—
mitterbacheriana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
mitterbachiana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 239.—Phalaena.
mitterbachiana Tortrix (D. & S.), C. de Villers, Linn. Ent. IV. 1789, 533.—Phalaena.
mitu Crax, Linnaeus, Syst. Nat., ed. 12, 1766, 270.
miunta Saperda, *err. pro minuta*, Fabr. 1781, J. C. Fabricius, Mant. I. 1787, 150.
Mixine J. G. Bruguière, Ency. Méth. (Vers. pl. 78, 1791) [*n. et f.*].—P.
mixtaria Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 453.
mixtoma Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 275.
mixtum Callidium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 150.
mixtus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 143.
mixta Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 39.
mixtus Cimex, J. C. Fabricius, Mant. II. 1787, 294.
mixtus Cryptocephalus, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. 1792, 212.
mixtus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 417.
mixtus Ichneumon, J. A. Pollich, Bemerk. Kuhrpfälz. phys.-oek. Ges. 1779 (1781), 281.
mixtus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2706.
mixtus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 287; ed. 12, 1766, 479.
mixta Lamia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 144.
mixta Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 165.
mixta Noctua, J. C. Fabricius, Mant. II. 1787, 144.
mixta Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 118.
mixtus Picus, P. Boddaert, Tab. Planch. Enl. 1783, 47.
mixtus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 248.
mixta Sphex, J. C. Fabricius, Ent. Syst. IV. 1794, 457.
mixtus Syrphus, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 8.
mixta Tiphia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 254.
M-litera Chrysomela, G. A. Harrer, Besch. Schaeffer Icones, 1784, 149.
M-nigrum Cerambyx, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 291.
m-nigrum Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 267.
mneme Papilio, Linnaeus, Amoen. Acad. VI. 1763, 403.

- mnemosyne** *Papilio* (*Heliconius*), Linnaeus, Syst. Nat., ed. 10, 1758, 465; ed. 12, 1767, 1754.
- mniorum** *Apis*, J. C. Fabricius, Gen. Ins. 1777, 247.
- mobilicornis** *Scarabaeus*, J. C. Fabricius, Syst. Ent. 1775, 11.
- mocanus** *Conus*, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 712.
- modeeri** *Altica* (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 109.—*Chrysomela*.
- modeeri** *Chrysomela*, Linnaeus, Faun. Suec., ed. 2, 1761, 167.
- modeeri** *Galleruca* (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 30.—*Chrysomela*.
- modeeriana** *Phalaena* (Tort.), Linnaeus, Faun. Suec., ed. 2, 1761, 347.
- modeeriana** *Pyralis* (L.), J. C. Fabricius, Syst. Ent. 1775, 650.—*Phalaena*.
- moderator** *Ichneumon*, Linnaeus, Syst. Nat., ed. 10, 1758, 564; ed. 12, 1767, 935.
- modesta** *Buprestis*, J. C. Fabricius, Spec. Ins. I 1781, 276.
- modestus** *Cancer*, J. F. W. Herbst, Vers. Nat. Krab. II (6) 1796, 173.
- modestus** *Cerambyx* (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1838.—
- modesta** *Cetonia*, J. C. Fabricius, Ent. Syst. I (2) 1792, 152. [Saperda.]
- modesta** *Chrysomela*, J. C. Fabricius, Ent. Syst. I (1) 1792, 323.
- modestus** *Curculio*, J. C. Fabricius, Spec. Ins. I 1781, 186.
- modestus** *Curculio*, A. F. de Fourcroy, Ent. Paris. 1785, 120.
- modesta** *Eurychora*, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 37.
- modestus** *Lygaeus*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 107.
- modestus** *Miris*, L. H. v. Bloch in Becker, Plau. Grund. 1799, 120.
- modesta** *Ostrea*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3331.
- modesta** [*Phalaena*], P. Cramer, Utitl. Kapellen, II (10) 1777, 28.
- modesta** [*Phalaena*], P. Cramer, Utitl. Kapellen, III (23) 1780, 143.
- modesta** *Phalaena*, A. F. de Fourcroy, Ent. Paris. 1785, 318.
- modesta** *Phalaena* (*Bombyx*), O. F. Müller, F. Ins. Frid. 1764, 42.
- modesta** *Phalaena* *Noctua*, J. Hübner, Beitr. Schmett. (1) 1786, 3.
- modesta** *Pimelia*, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 96.
- modesta** *Saperda*, J. C. Fabricius, Spec. Ins. I 1781, 231.
- modesta** *Sphinx*, J. C. Fabricius, Ent. Syst. III (1) 1793, 356.
- Modiola**—not found by me till after 1800.
- Modiolus** *Lamarck*, Mem. Soc. H. N. Paris, 1799, p. 87.—L.
- modiolus** *Arca*, Linnaeus, Syst. Nat., ed. 12, 1767, 1141.
- modiolus** *Daphnoderma* (L.), J. X. Poli, Test. Sicil. II. 1795, 255 & 260.—*Arca*.
- modiolus** *Modiolus* (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 88.—*Mytilus*.
- modiolus** *Mytilus*, Linnaeus, Syst. Nat., ed. 10, 1758, 706; ed. 12, 1767, 1158.
- modiolus** *Tamarindiformis* (L.), F. C. Meuschen, Mus. Gever. 1787, 412.—*Mytilus*.
- modularis** *Ficedula* (L.), J. C. Schaeffer, Mus. Orn. 1789, 34.—*Motacilla*.
- modularis** *Motacilla*, Linnaeus, Syst. Nat., ed. 10, 1758, 184; ed. 12, 1766, 329.
- modularis** *Sylvia* (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 287.—*Motacilla*.
- modulaides** (*sic*) *Musculus*, J. F. Bolten, Mus. Bolten. (2) 1798, 157.
- modulus** *Musculus* (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 157.—*Mytilus modiolus*.
- modulus** *Patella*, J. F. Bolten, Mus. Bolten. (2) 1798, 11.
- modulus** *Trochus*, Linnaeus, Syst. Nat., ed. 10, 1758, 757; ed. 12, 1767, 1228. [Scop.]
- moeniaria** *Geometra*, [Denis & Schiffermüller], Schmett. Wien, 1775, 112.—*moeniata*.
- moeniata** *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 298
- moeniata** *Phalaena*, J. A. Scopoli, Ent. Carn. 1763, 561. [u. et f.]
- moerens** *Curculio*, J. C. Fabricius, Ent. Syst. I (2) 1792, 465.
- moerens** *Crambus*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 473.
- moerens** *Ichneumon*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2703.
- moerens** *Melolontha*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 132.
- moerens** *Musca*, J. C. Fabricius, Ent. Syst. IV. 1794, 349.
- moerens** *Phalaena* *Noct.*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2584.
- moerens** *Tabanus*, J. C. Fabricius, Mant. II. 1787, 356.
- moeris** *Copris* (Pall.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 165.—*Scarabaeus*.
- moeris** *Scarabaeus*, P. S. Pallas, Icon. Ins. 1781, 3.
- moesta** *Buprestis*, J. C. Fabricius, Ent. Syst. I (2) 1792, 206.
- moestus** *Carabus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1990.
- moestus** *Carabus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1993.

- moestus** Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1838.
- moesta** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2874.
- moesta** Phalaena, Giorna, Cal. Ent. 1791, 34.
- moestus** Reduvius, J. C. Fabricius, Ent. Syst. IV. 1794, 198.
- moestus** Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1579.
- mogilnik** Aquila, S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 445.
- mogilnik** Falco (S. G. Gm.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 259.—
- mogilnik** Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 488. [Aquila.]
- moineau** Emberiza, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 157.
- moineau** Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 150.
- mokasen** Agkistrodon, de Beauvois, Trans. Amer. Phil. Soc. IV. 1799, 370.
- Mola** G. Cuvier, Tab. Elém. 1798, 323.—P.
- Mola** G. Cuvier, Leçons Comp. Anat. I. 1800, 4 [*n. n.*].—P.
- mola** Diodon, P. S. Pallas, Spic. Zool. VIII. 1770, 39.
- mola** Tetraodon, Linnaeus, Syst. Nat., ed. 10, 1758, 334; ed. 12, 1766, 412 [Tetro-].
- molator** Cerambix (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1831.—Lamia.
- molator** Lamia, J. C. Fabricius, Mant. I. 1787, 137.
- moldavica** Phalaena Bom., E. J. C. Esper, Die Schmett. Suppl., 3 Abschn. [1797], 38.
- molestus** Culex, P. Forskal, Descr. Anim. 1775, 85.
- moli** Bombyx, *err. pro mali*, J. C. Fabricius, Mant. II. 1787, 115.
- molina** [Phalaena], P. Cramer, Utitl. Kapellen, IV (26) 1780, 25.
- molinae** Aptenodytes, J. Latham, Index Orn. 1790, 881.
- molinella** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 113.
- molinella** Phalaena (Tin.), Herbst, Einl. Ins. II. 1785, 132.
- molio** Musca, M. Harris, Exp. Eng. Ins. 1776, 111.
- molitalis** Pyralis (Fab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 34.—[*v. motitalis.*]
- molitor** Cerambyx, [D. H. Schneider], Nom. Ent. 1785, 15 [*n. n.*].
- molitor** Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1835.—Lamia.
- molitor** Lamia, J. C. Fabricius, Syst. Ent. 1775, 176.
- molitor** Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 417; ed. 12, 1767, 674.
- molitorius** Ichneumon, Linnaeus, Faun. Suec., ed. 2, 1761, 399.
- molitoria** Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 158.
- molitus** Musca, M. Harris, Exp. Eng. Ins. 1776, 110.
- mollicina** Medusa, P. Forskal, Descr. Anim. 1775, 109.
- molle** Anobium (L.), J. C. Fabricius, Syst. Ent. 1775, 62.—Ptinus.
- mollis** Attelabus, Linnaeus, Syst. Nat., ed. 10, 1758, 388; ed. 12, 1767, 621.
- mollis** Byrrhus, A. F. de Fourcroy, Ent. Paris. 1785, 26.
- mollis** Carabus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 330.
- mollis** Clerus (L.), F. v. P. Schrank, F. Boica, I. 1798, 515.—Dermestes.
- mollis** Clerus (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 17.—Attelabus.
- mollis** Curculio, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 321.
- mollis** Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 355.—[Ptinus, ed. 12.]
- mollis** Dermestes (L.), F. v. P. Schrank, Ins. Aust. 1781, 22.—Attelabus.
- mollis** Gorgonia, P. S. Pallas, Elench. 1766, 203.
- mollis** Nereis, Linnaeus, Faun. Suec. ed. 2, 1761, 509.
- mollis** Notoxus (L.), J. C. Fabricius, Syst. Ent. 1775, 158.—Attelabus.
- mollis** Ptinus, Linnaeus, Syst. Nat., ed. 12, 1767, 565.—Dermestes, ed. 10.
- mollis** Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
- mollissima** Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 124; ed. 12, 1766, 198.
- mollissima** Anser (L.), J. C. Schaeffer, Mus. Orn. 1789, 68.—Anas.
- molluc-** *v. moluc-*.
- molluginis** Chrysomela, N. J. Brahm, Ins. Kal. I (2) 1791, 226.
- moloch** Simia, J. B. Audebert, Hist. nat. Singes, 1799, sig. F 2.
- molorchoides** Callidium, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 49.
- Molorchus** J. C. Fabricius, Ent. Syst. I (2) 1792, 356.—Col.
- molossces** Scarabaeus, *err. pro molossus*, L., J. C. Fabricius, Mant. I. 1787, 14.
- molossus** Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 153.—Scarabaeus.
- molossus** Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 347; ed. 12, 1767, 543.

- molossus** Vespertilio, P. S. Pallas, Spicil. Zool. III. 1767, 8.
molossus Vespertilio, R. Kerr, Anim. Kingd. 1792, 97; *varr.* major, minor.
molothina Bombyx (*ex* Esper tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 34.
molphea [Papilio], P. Cramer, Utitl. Kapellen, II (10) 1777, 29.
moltkiana Cardita, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 404.
moltkiana Chama, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3303.
moltkianus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3595.
molucca Didelphis, R. Kerr, Anim. Kingd. 1792, 192.
molucca Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 302.
moluccanus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. I. 1790, 3563.
moluccensis Columba, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 133.
moluccensis Didelphis, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere. II. 1800, 684.
moluccensis Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 465.
moluccensis Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 439.
molluccensis Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
molluccensis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 331.
molluccensis Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 144.
molluccensis Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
molucrum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 300.
molurus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 225; ed. 12, 1766, 387.
molva Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 254; ed. 12, 1766, 439.
Momot B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 9.—A.
“Momota, Shaw, 1800,” Ag.; is 1811.
“momotowa R. (Kosti),” in Geologist, 1863, 396;—*err. pro* “Russicé Momotowa Kosti”=mammoth bones, see Georgi, Ges.-phys. Nat. Besch. Russ. Reichs, III. 1798, 587.
Momotus M. J. Brisson, Ornith. IV. 1760, p. 465.—A.
Momotus Bonnatere, Ency. Méth. (Orn.) I. 1790, lxxxviii.—A.
Momotus J. Latham, Index Orn. 1790, 140.—A.
momota Ramphastos, Linnaeus, Syst. Nat., ed. 12, 1766, 152.
momus Curculio, Scopoli, Ent. Carn. 1763, 33.
momus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 334.
momus Papilio, J. C. Fabricius, Mant. II. 1787, 86.
momus Scarabaeus, A. G. Olivier, Entom. I. 1789, 60.
momus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 13.
mona Cercopithecus (Schr.), J. C. P. Erxleben, Syst. Anim. 1777, 32.—Simia.
mona Simia, J. C. D. Schreber, Säugth. I. 97 (1774), pl. xv (1774).
mona Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 70.
monachella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 65.
monachialis Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 136.
monacha Anas, J. A. Scopoli, Annus I. 1769, 65.
monachus Apate, J. C. Fabricius, Syst. Ent. 1775, 54.
monacha Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 574.—Phalaena.
monachus Bostrichus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 108.—Apate.
monachus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 714; ed. 12, 1767, 1168.
monachus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 39.—Conus.
monacha Cypraea, E. M. da Costa, Brit. Conch. 1778, 33.
monacha Cypris, C. F. Müller, Z. Dan. Prod. 1776, 199. [Apate.
monachus Dermestes (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1599.—
monachus Ligniperda (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 38.—Apate.
monacha Mantis, J. C. Fabricius, Mant. I. 1787, 228. [Cypris.
monachus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3003.—
monacha Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 501; ed. 12, 1767, 821.
monachus Phoca, J. Hermann, Beschäf. Ges. nat. Freunde, IV. 1779, 501.
monachus Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 102.
monachus Trox, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 25.
monacha Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 824.
monachus Vultur, Linnaeus, Syst. Nat., ed. 12, 1766, 122.

- Monas** O. F. Müller, Verm. I (1) 1773, 25.—Pro.
- monasteriata** Madrepora, P. Forskal, Descr. Anim. 1775, 133.
- monax** Arctomys (Linn.), J. C. D. Schreber, Säugth. IV. 737 (1782), pl. ccviii (1780).—
- monax** Glis (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 361.—Mus. [Mus.]
- monax** Lagomys (L.), G. C. C. Storr, Prod. 1780, 40.—Mus.
- monax** Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 60; ed. 12, 1766, 81.
- moncus** Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 113.
- Monedula** Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 1 & 16.—A.
- “**Monedula**, Coqueb. 1798”; Ag., I cannot find: is Latreille, 1802.
- monedula** Corvus, Linnaeus, Syst. Nat., ed. 10, 1758, 106; ed. 12, 1766, 156.
- monedula** Corvus, R. Kerr, Anim. Kingd. 1792; *varr.* torquata, candida, nigra, erythro-rhynchus, leucopterus, leucocephalus, 634; fuscescens, 635.
- monedula** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 424.
- monedula** Phalaena Noctua, E. J. C. Esper, Die Schmett. IV., Abschn. 2 [post 1796], 72.
- moneta** Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 723; ed. 12, 1767, 1178.
- moneta** Noctua, J. C. Fabricius, Mant. II. 1787, 162.
- moneta** Phalaena Noctua, J. Hübner, Beitr. Schmett. I (3) [1788], 22.
- moneus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 261.
- monea** Simia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 208.
- mongolica** Alauda, P. S. Pallas, Reise Russ. III. 1776, 697.
- mongolus** Charadrius, P. S. Pallas, Reise Russ. III. 1776, 700.
- mongoz** Lemur, Linnaeus, Syst. Nat., ed. 12, 1766, 44.
- mongoz** Lemur, L. R. Kerr, Anim. Kingd. 1792, 85; *varr.* maurus, negro, albipes, fuscus, cinereus.
- mongoz** Prosimia (Linn.), P. Boddaert, Elench. 1785, 65.—Lemur.
- mongus** Lemur, M. T. Brunnich, Dyr. Hist. 1782, 43.—[mongoz, L.]
- monilaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 59 [*n. et f.*].
- monilaria** Phalaena, J. C. Fabricius, Gen. Ins. 1777, 285.
- monilella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 138.
- moniliata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 117.
- monilicorne** Opatrum (*ex* Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1633.
- monilicornis** Synchita, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 402.
- monilifera** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 271.
- monilifera** Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 325.
- moniliferella** Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 517.
- moniliformis** Coluber, G. A. Suckow, Naturges. III. 1798, 244.
- moniliformis** Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 104.
- moniliformis** Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 135.
- moniligera** Aranea, C. de Villers, Linn. Ent. IV. 1789, 128.
- monilis** Brentus, J. C. Fabricius, Mant. I. 1787, 95.
- monile** Buccinum, Linnaeus, Mant. II. 1771, 550.
- monile** Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 338.
- monilis** Cantharis (Fab.), C. de Villers, Linn. Ent. IV. 1789, 325.—Cucujus.
- monilis** Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 126.
- monilis** Cerambyx, A. F. de Fourcroy, Ent. Paris. 1785, 75.
- monilis** Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 203.
- monilis** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 221; ed. 12, 1766, 381.
- monile** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 646.
- monile** Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 110.
- monilis** Cucuius, J. C. Fabricius, Mant. I. 1787, 166.
- monilis** Ips, A. G. Olivier, Entom. II. 1790, 4.
- monile** Madrepora, P. Forskal, Descr. Anim. 1775, 133.
- monilis** Murex (L.), F. C. Meuschen, Mus. Gev. 1787, 328.—Voluta.
- monile** Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17 [*n. n.*].
- monilis** Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 46. [Noctua.]
- monilis** Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 731.—
- monilis** Ramphastos, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 83.
- monilis** Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 587; ed. 12, 1767, 975.

- monilis** *Voluta*, Linnaeus, Syst. Nat., ed. 10, 1758, 730; ed. 12, 1767, 1189.
- monima** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 202.
- monina** Papilio, J. C. Fabricius, Mant. II. 1787, 51.
- monitata** Bursa, J. F. Bolten, Mus. Bolten. (2) 1798, 129.
- monitor** *Cordylus* (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 18.—*Lacerta*.
- monitor** *Lacerta*, Linnaeus, Syst. Nat., ed. 10, 1758, 201; ed. 12, 1766, 360.
- monita** Porcellana, F. C. Meuschen, Mus. Gever. 1787, 408.
- monocanta** Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (2) 1798, 19.
- Monoceros** E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 157.—M.
- Monoceros** F. C. Meuschen, Mus. Gever. 1787, 290.—G.
- monoceros** *Anthicus* (L.), G. Paykull, Faun. Suec. I. 1798, 254.—Meloe.
- monoceros** *Attelabus*, Linnaeus, Faun. Suec. ed. 2, 1761, 185.
- monoceros** *Balistes*, Linnaeus, Syst. Nat., ed. 10, 1758, 327; ed. 12, 1766, 404.
- monoceros** *Buccinum* (ex Chem.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 253.
- monoceros** *Epitonium*, J. F. Bolten, Mus. Bolten. (2) 1798, 92.
- monoceros** Meloe, Linnaeus, Syst. Nat., ed. 12, I. 1767, 681.
- monoceros** *Monodon*, Linnaeus, Syst. Nat., ed. 10, 1758, 75; ed. 12, 1766, 105.
- monoceros** *Notoxus* (L.), J. C. Fabricius, Syst. Ent. 1775, 158.—*Attelabus*.
- monoceros** *Notoxus* (L.), A. G. Olivier, Entom. III. 1795, 4.—Meloe.
- monoceros** Peneus, F. Weber, Nomen. Fabricii, 1795, 94 [n. n.].
- monoceros** Peneus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 409.
- monoceros** *Scarabaeus*, A. G. Olivier, Entom. I. 1789, 37.
- monoceros** *Thais*, J. F. Bolten, Mus. Bolten. (2) 1798, 55.
- monochroma** *Phalaena Noctua*, E. J. C. Esper, Die Schmett. IV. [1797–1800], 521.
- monoculi** *Entomolithus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 392.
- monoculi** *Filaria*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3041.
- monoculoïdes** *Pharetra*, J. F. Bolten, Mus. Bolten. (2) 1798, 159.
- Monoculus** Linnaeus, Syst. Nat., ed. 10, 1758, 634; ed. 12, 1767, 1057.—Cr.
- Monoculus** J. C. Fabricius, Suppl. Ent. Syst. 1798, 298.
- monoculus** *Musca* (*Syrphus*), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 287.
- monoculus** Papilio, C. C. Jung, Alph. Verz. Schmett. II. 1792, 36.
- “**Monodactylus**, Lacép. 1800.” Ag.: is 1802. [899.]
- monodactyla** *Phalaena* (*Alucita*), Linnaeus, Syst. Nat., ed. 10, 1758, 542; ed. 12, 1767, 1057.
- monodactylus** *Pterophorus* (L.), J. C. Fabricius, Syst. Ent. 1775, 671.—*Phalaena*.
- Monodon** Linnaeus, Syst. Nat., ed. 10, 1758, 75; ed. 12, 1766, 105.—M.
- monodon** *Buccinum*, P. S. Pallas, Spic. Zool. X (1774), 33.
- monodon** *Geotrupes*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 19.—*Scarabaeus*. 1792.
- monodon** Peneus, F. Weber, Nomen. Fabricii, 1795, 94 [n. n.].
- monodon** Peneus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 408.
- monodon** *Scarabaeus*, J. C. Fabricius, Ent. Syst. I (1) 1792, 20.
- Monodonta** Lamarck, Mém. Soc. H. N. Paris, 1799, 74.—G.
- monoglypha** *Phalaena*, Hufnagel, Berl. Mag. III. 1767, 308.
- monographica** *Phalaena*, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
- monographus** *Bostrichus*, J. C. Fabricius, Ent. Syst. I (2) 1792, 365.
- monolis** *Noctua*, J. C. Fabricius, Gen. Ins. 1777, 283.
- monopis** *Patella*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3707.
- Monopterus** B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 138.—P.
- monopterus** *Curculio*, A. F. de Fourcroy, Ent. Paris. 1785, 127.
- monoptera** *Tipula*, Linnaeus, Faun. Suec., ed. 2, 1761, 434.
- monopterygius** *Cottus*, M. E. Bloch, Nat. ausl. Fische, II. 1786, 156.
- monopterygius** *Lophius*, G. Shaw, Nat. Misc. VI. 1795, pl. 202.
- monos** *Sylvicola*, M. Harris, Exp. Eng. Ins. 1776, 103.
- Monostoma** J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 147.—Verm.
- monostriatus** *Dyticus*, A. F. de Fourcroy, Ent. Paris. 1785, 69.
- monostriata** *Madrepora*, id. ac *monasteriata*, Forsk. J. F. Gmelin in Linn. Syst. Nat., ed.
- monotis** *Pecten*, E. M. da Costa, Brit. Conch. 1778, 151. [13, I. 1790, 3773.]
- Monotoma** Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 22.—Col.
- monotomus** *Latridius*, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 576.

- monotropus** Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 101.
monspeiliensis Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1842.
monspeiliensis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2198.
monstrosa Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 74.
monstrosa Acheta (Drury), J. C. Fabricius, Syst. Ent. 1775, 826.—Gryllus.
monstrosum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3253.
monstrosa Chimera, Linnaeus, Syst. Nat., ed. 10, 1758, 236; ed. 12, 1766, 401.
monstrosa Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 111.
monstrosus Gryllus, D. Drury, Ill. Nat. Hist. II. 1773, index & 81.
monstrosa Raja, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 535.
monstrosa Sphex, C. de Villers, Linn. Ent. III. 1789, 252.
monstrosa Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3280.
montanata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113. [et f.]
montanata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 248 [n].
montanata Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
montanella Motacilla, P. S. Pallas, Reise Russ. III. 1776, 695. [397.—Geometra.
montanella Sylvia (Pall.), J. Latham, Index Orn. 1790, 526.—Motacilla.
montana Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 510.
montanus Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 122.
montana Apis, Scopoli, Ent. Carn. 1763, 302.
[montanus] Araneus, C. Clerck, Aran. Svec. 1757, 64.]
montana Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 621; ed. 12, 1767, 1032.
montana Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 53.—Phalaena.
montana Cicada, J. A. Scopoli, Annus V. 1772, 109.
montana Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 163; ed. 12, 1766, 281.
montanus Elater, Scopoli, Ent. Carn. 1763, 92.
montana Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 867.
montanus Falco, Picot de la Peirouse, K. Vet. Ac. Nya Handl. III. 1782, 107.
montanus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 278.
montanus Falco, R. Kerr, Anim. Kingd. 1792, 515; var. cinereus.
montana Felis (Lynx), R. Kerr, Anim. Kingd. 1792, 155.
montana Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 183; ed. 12, 1766, 324.
montana Helix, Studer in Coxe, Trav. Switz. III. 1789, 386 [n. n.].
montana Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1020.
montana Lacerta, G. de Razoumowsky in Bertholon's Nature Considérée, VII. 1789, 8.
montanus Papilio, L. Prunner, Lep. Pedemont. 1798, 71.
montana Perdix (Gm.), J. Latham, Index Orn. 1790, 646.—Tetrao.
montana Phalaena, Scopoli, Ent. Carn. 1763, 236.
montana [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30), 1781, 127.
montanus Sturnus, K. Hablitzl in P. S. Pallas, N. nord. Beytr. IV. 1783, 53.
montanus Tenebrio, J. A. Scopoli, Annus V. 1772, 108.
montana Tenthredo, Scopoli, Ent. Carn. 1763, 276.
montana Tetrao, P. Boddaert, Tab. Planch. Enl. 1783, 9.
montanus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 758.
montana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 37 [n. et f.].
montanus Turdus, F. W. Schmidt (ex Briss.) Samml. phys.-oek. Aufsätze, I. 1795, 54.
[monticola] Araneus, C. Clerck, Aran. Svec. 1757, 91.]
monticola Araneus, T. Martyn, Aranei, 1793, 42.
monticola Capra, C. P. Thunberg, Voy. Afrique, 1794, 164.
monticola Fringilla, J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1788, 912.
monticola Melolontha, J. C. Fabricius, Syst. Ent. 1775, 39. [Melolontha.
monticola Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1789, 1567.—
montifringilla Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 179; ed. 12, 1766, 318.
montifringilla Passer (L.), J. C. Schaeffer, Mus. Orn. 1789, 27.—Fringilla.
montiniana Tortrix, C. P. Thunberg, Ins. Suecica (1) 1784, 19.
montium Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 917.
montosa Porcellana, P. L. S. Müller, Del. Nat. I. 1766, 129.
monura Podura, F. v. P. Schrank, Ins. Aust. 1781, 497.

- monuste** Papilio (Danaus), Linnaeus, Mus. Lud. Utr. 1764, 237.
- monycha** [Phalaena], P. Cramer, Utitl. Kapellen, II (11) 1777, 52.
- monycha** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30), 1781, 130.
- mopsus** Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 487.
- mopsa** [Phalaena], D. Drury, Ill. Nat. Hist. III. 1782, index & 4.
- mopsus** Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 3.
- mopsus** Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 58.
- moraei** Buprestis (Linn.), Scopoli, Ent. Carn. 1763, 65.—Chrysomela.
- moraei** Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 374; ed. 12, 1767, 597.
- moraei** Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 110.—Chrysomela.
- morator** Scarabaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 24.
- moratorius** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 152.
- moratus** Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 171.
- moraviana** Papilio, F. C. Meuschen, Mus. Gronov. 1778, 74.
- morbillosum** Acrydium (L.), J. C. Fabricius, Mant. I. 1787, 230.—Gryllus.
- morbillosa** Buprestis, A. G. Olivier, Entom. II. 1790, 12.
- morbillosa** Buprestis, A. G. Olivier, Ency. Meth. V (Ins.) 1790, 214.
- morbillosus** Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 130.
- morbillosus** Curculio, D. Drury, Ill. Nat. Hist. III. 1782, index & 74.
- morbillosus** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 457.
- morbillosa** Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 27.
- morbillosa** Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 19.
- morbillosus** Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 431; ed. 12, 1767, 700.
- morbillosa** Saperda, J. C. Fabricius, Suppl. Ent. Syst. 1798, 147.
- morbillosus** Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 63.
- mordax** Cerambyx, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 58.
- mordax** Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 306.—Rhagium.
- mordax** Leptura, C. de Geer, Mém. Ins. V. 1775, 124.
- mordax** Rhagium, J. C. Fabricius, Mant. I. 1787, 145.
- mordax** Staphylinus, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. IV. 1796, 147.
- mordax** Staphylinus, L. H. v. Bloch, in Becker, Plau. Grund. 1799, 115.
- mordax** Stenocorus (De G.), A. G. Olivier, Entom. IV. 1795, 7.—Leptura.
- mordax** Termes, J. C. Fabricius, Spec. Ins. I. 1781, 397.
- mordax** Termes, D. Solander, Phil. Trans. LXXI (1) 1781, 141.
- Mordella** Linnaeus, Syst. Nat., ed. 10, 1758, 420; ed. 12, 1767, 682.—Col.
- mordelloides** Elater, N. Host in Jacquin, Coll. Bot. III. 1789, 298.
- morella** Cyprinus, N. G. Leske, Ichth. Lips. 1774, 47.
- mori** Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 567.—Phalaena.
- mori** Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 499; ed. 12, 1767, 817.
- [**moriata** Phalaena (G.) MS.], T. Martyn, Psyche, 1797, fig. 30.
- morilles** Patella, F. C. Meuschen, Mus. Gever. 1787, 244.
- Morinellus** G. Edwards, in M. Catesby, Carol. I. 1771, 72.—A.
- morinellus** Charadrius, Linnaeus, Syst. Nat., ed. 10, 1758, 150; ed. 12, 1766, 254.
- morinellus** Pluvialis (L.), J. C. Schaeffer, Mus. Orn. 1789, 48.—Charadrius.
- morinella** Tringa, Linnaeus, Syst. Nat., ed. 12, 1766, 249.
- morio** Acheta, J. C. Fabricius, Spec. Ins. I. 1781, 354.
- morio** Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 223.—Gryllus.
- morio** Anthrax (Linn.), Scopoli, Ent. Carn. 1763, 358.—Musca.
- morio** Apis, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 283.
- morio** Apis, J. C. Fabricius, Ent. Syst. II. 1793, 315.
- morio** Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 606; ed. 12, 1767, 1008.
- morio** Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 388.
- morio** Bibio (L.), J. C. Fabricius, Syst. Ent. 1775, 758.—Musca.
- morio** Bombylius, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 328.
- morio** Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 300.—Murex.
- morio** Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 210. [Lymexylon.
- morio** Calolymus (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791, 123.—
- morio** Cantharis (Fab.), C. de Villers, Linn. Ent. IV. 1789, 324.—Lymexylon.

- morio** Cantharis, J. C. Fabricius, Ent. Syst. I (1) 1792, 220.
morio Catops (Fab.), G. Paykull, Faun. Suec. I. 1798, 344.—Tritoma.
morio Cerambyx, J. C. Fabricius, Mant. I. 1787, 133.
morio Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 305.—Lamia.
morio Cetonia, J. C. Fabricius, Spec. Ins. I. 1781, 51.
morio Chrysomela, J. C. Fabricius, Mant. I. 1787, 66.
morio Chrysomela, (Fab.), C. de Villers, Linn. Ent. IV. 1789, 264.—Cistela.
morio Cimex, Linnaeus, Faun. Suec., ed. 2, 1761, 250.
morio Cistela, J. C. Fabricius, Mant. I. 1787, 86.
morio Coccinella, G. Paykull, K. Vet. Ac. Nya Handl. XIX. 1798, 151.
morio Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 151.
morio Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1715.—Cistela.
morio Culex, J. C. Fabricius, Syst. Ent. 1775, 800.
morio Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 198.
morio Elater, J. C. Fabricius, Suppl. Ent. Syst. 1798, 138.
morio Empis, J. C. Fabricius, Ent. Syst. IV. 1794, 405.
morio Erotylus, J. C. Fabricius, Syst. Ent. 1775, 123.
morio Forficula, J. C. Fabricius, Syst. Ent. 1775, 270.
morio Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [*n. n.*]; Essai Fourmis,
morio Fusus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 120.—Murex. [1798, 36.
morio Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 23.
morio Gryllus, J. C. Fabricius, Mant. I. 1787, 238.
morio Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2061.—Acheta.
morio Helops, J. C. Fabricius, Gen. Ins. 1777, 241.
morio Hylaeus, J. C. Fabricius, Ent. Syst. II. 1793, 306.
morio Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 436, no. 100.
morio Lamia, J. C. Fabricius, Mant. I. 1787, 141.
morio Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 349.
morio Lymexylon, J. C. Fabricius, Mant. I. 1787, 165.
morio Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 178.
morio Melolontha, J. C. Fabricius, Suppl. Ent. Syst. 1798, 131.
morio Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 753; ed. 12, 1767, 1221.
morio Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 332.—Voluta.
morio Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 590; ed. 12, 1767, 981.
morio Nemotelus (L.), C. de Geer, Mém. Ins. VI. 1776, 192.—Musca.
morio Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 237.—Ichneumon, 1781.
morio Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (2) 1798, 16.
morio Papilio, Scopoli, Ent. Carn. 1763, 181.
morio Papilio 'H', Hufnagel, Berl. Mag. II. 1766, 58.
morio Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 31.
morio Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 7 [*n. n.*].
morio Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 12, 1767, 828.
morio Phalangium, J. C. Fabricius, Reise Norwegen, 1779, 340.
morio Phasianus, J. Latham, Index Orn. 1790, 628.—*P. gallus* m. L., & *varr.* tophaceus,
morio Pimelia, J. C. Fabricius, Gen. Ins. 1777, 240. [cornutus, lanatus].
morio Porcellana, F. C. Meuschen, Mus. Gever. 1787, 406.
morio Rhagio, J. C. Fabricius, Ent. Syst. IV. 1794, 275.
morio Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1581.—Cetonia.
morio Scolia, J. C. Fabricius, Spec. Ins. I. 1781, 452.
morio Sphaeridium (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791, 116.—
morio Sphex, J. C. Fabricius, Syst. Ent. 1775, 349. [Tritoma].
morio Stomoxys, J. C. Fabricius, Syst. Ent. 1775, 797.
morio Stratiomys (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 177.—Musca.
morio Sturnus (L.), F. M. Daudin, Traité élém. Orn. 1800, 307.—Turdus.
morio Tabanus, Linnaeus, Syst. Nat., ed. 12, 1767, 1001.
morio Tabanus, D. Cyrillo, Ent. Neap. (typogr. ed.), 1787, 2.
morio Tenebrio (Fab.), C. de Villers, Linn. Ent. IV. 1789, 362.—Pimelia.
morio Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 247.

- morio** Tenthredo, J. C. Fabricius, Spec. Ins. I. 1781, 414, no. 41.
morio Tenthredo, J. C. Fabricius, Spec. Ins. I. 1781, 416, no. 50.
morio Termes, J. C. Fabricius, Ent. Syst. II. 1793, 90.
morio Tiphia, J. C. Fabricius, Mant. I. 1787, 280.
morio Tipula, J. C. Fabricius, Mant. II. 1787, 324.
morio Tritoma, J. C. Fabricius, Mant. I. 1787, 44.
morio Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 297.
morio Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 264.
morio Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1193.
morio Volvoxis (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 537.—
morionis-pileus [Patella], T. Martyn, Univ. Conch. III [1789], fig. 101. [Tritoma].
moritanus Sturnus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 804.
mormon Papio (Al.), J. C. P. Exleben, Syst. Anim. 1777, 18.—Simia.
mormon Simia, C. Alströmer, K. Vet. Ac. Handl. XXVII. 1766, 138.
mormon Simia (Papio), R. Kerr, Anim. Kingd. 1792, 60.
Mormyra P. Browne, Hist. Jamaica, ed. 2. 1789, 446.—P.
Mormyrus Linnaeus, Syst. Nat., ed. 10, 1758, 327; ed. 12, 1766, 522.—P.
Mormyrus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [u. n.].—P.
mormyrus Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 281; ed. 12, 1766, 472.
morna Papilio, J. C. Fabricius, Syst. Ent. 1775, 500.
moroc Cuculus, G. A. Suckow, Naturg. II [1] 1800, 511.
morpheus Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 40.
morpheus Papilio (Pleb.), P. S. Pallas, Reise Russ. I. 1771, 471.
morpheus Papilio, J. C. Fabricius, Syst. Ent. 1775, 530.
morpheus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 213.
morpheus Papilio, J. C. Fabricius, Mant. II. 1787, 30.
morpheus Phalaena, S. A. v. Rottemberg, Naturforscher, IX. 1776, 121.
morpheus [Sphinx], P. Cramer, Utitl. Kapellen, II (13) 1777, 84.
morphius Papilio, *err. pro* morpheus, J. C. Fabricius, Spec. Ins. II. 1781, 62.
Morpio J. H. Kniphof, De Medic. 1759, 42.—Ar.
morhua Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 252; ed. 12, 1766, 436.
"Morris" J. Berkenhout, Syn. N. H. Gt. Brit. I. 1789, 65.—P. [II. 1800, 142].
morrisianus Leptocephalus, *id. ac* morrisii, Gm., B. G. E. de Lacépède, Hist. Nat. Poiss.
morrisii Leptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1150.
morsitans Scolopendra, Linnaeus, Syst. Nat., ed. 10, 1758, 638; ed. 12, 1767, 1063.
morsitans Staphylinus, P. Rossi, Fauna Etrus. I. 1790, 249.
morsitans Staphylinus, G. Paykull, Mon. Curc. 1792, 145.
morsus Rosmarus, P. Boddaert, Elench. 1785, 169.
morta Cebus (L.), H. F. Link, Beytr. Nat. I (2) 1795, 63.—Simia.
morta Cercopithecus, F. C. Meuschen, Mus. Gronov. 1778, 5.
morta Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 29; ed. 12, 1766, 43.
morticinii Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 11.
morticinii Trox, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 22.
mortisaga Blaps (L.), J. C. Fabricius, Syst. Ent. 1775, 254.—Tenebrio.
mortisagus Pimelia (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2001.—Tenebrio.
mortisagus Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 418; ed. 12, 1767, 676.
mortuorum Aranea, P. Rossi, Fauna Etrus. II. 1790, 136.
mortuorum Formica, P. Rossi, Mant. Ins. II. 1794, 125.
mortuorum Ichneumon, P. Rossi, Mant. Ins. I. 1792, 126.
mortuorum Musca, Linnaeus, Faun. Suec. ed. 2, 1761, 452.
mortuorum Necrophorus, J. C. Fabricius, Ent. Syst. I (1) 1792, 248.
mortuorum Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 178.—Musca.
Morus J. F. Bolten, Mus. Bolten. (2) 1798, 53.—G.
morus Cerithium, J. G. Bruguière, Ency. Meth. (Vers) (2) 1792, 500.
morum Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 55.
morum Volvox, O. F. Müller, An. Infus. 1786, 20.
moruus Papilio, J. C. Fabricius, Syst. Ent. 1775, 484.
morvus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 73.

- moschatae* Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 612; ed. 12, 1767, 1018.
moschatellina Nucella, J. F. Bolten, Mus. Bolten. (2) 1798, 131.
moschatellina Volema, J. F. Bolten, Mus. Bolten. (2) 1798, 57.
moschatellus Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 46.
moschator Ichneumon, J. C. Fabricius, Mant. I. 1787, 266.
moschata Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 124; ed. 12, 1766, 199.
moschatus Bos, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 86.
moschata Branta (Linn.), J. A. Scopoli, Annus I. 1769, 68.—Anas.
moschatus Castor, Linnaeus, Syst. Nat., ed. 10, 1758, 59; ed. 12, 1766, 79.
moschatus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 391; ed. 12, 1767, 627.
moschatus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 603.
moschatus Desman, B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.
moschata Felis, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 30.
moschatus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 316.
moschatus Mus, R. Kerr, Anim. Kingd. 1792, 233.
moschata Mustela, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 393.
moschatus Mygalus (L.), A. J. Retzius, Animad. Mamm. 1796, 22.—Castor.
moschatus Octopus, Lamareck, Bull. Sci. Soc. Philom. [Paris], No. 17, 1798, 130.
moschatus Sorex (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 127.—Castor.
moschatus Sorex (L.), E. A. W. Zimmermann, Spec. Zool. 1777, 500.—Castor.
moschiferus Moschus, Linnaeus, Syst. Nat., ed. 10, 1758, 66; ed. 12, 1766, 91.
moschifera Tipula, G. I. Molina, Sag. stor. nat. Chili, 1782, 214.
Moschites J. G. Schneider, Samml. Verm. Abh. 1784, 118.—Ceph.
moschitus ? *mosquitus*.
Moschus Linnaeus, Syst. Nat., ed. 10, 1758, 66; ed. 12, 1766, 91.—M.
moschus Tragulus, P. Boddaert, Elench. 1785, 131.
moscorica Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1646.
mosellana Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 794.
mosis-charas Vipera, J. N. Laurenti, Syn. Rept. 1768, 100.
moslemica Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 104.
mosquitus Mellisuga (L.), J. C. Schaeffer, Mus. Orn. 1789, 41.—Trochilus.
moschita Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 970.
moschita Sylvia (Gm.), J. Latham, Index Orn. 1790, 509.—Motacilla.
mosquitus Trochilus, Linnaeus, Syst. Nat. ed. 10, 1758, 120; ed. 12, 1766, 192.
moschitus Trochilus, *id. ac* *mosquitus*, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
mosellina Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 794. [1788, 494.
Motacilla Linnaeus, Syst. Nat., ed. 10, 1758, 184; ed. 12, 1766, 328.—A.
motacilla Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3530.
motacillae Pediculus, J. C. Fabricius, Spec. Ins. 1777, 310.
motatorius Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 616; ed. 12, 1767, 1023.
motatorius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 329.
motatrix Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 587; ed. 12, 1767, 974 [motitatrix].
motitalis Phalaena, J. C. Fabricius, Mant. II. 1787, 218.
motitans Podura, O. F. Müller, Z. Dan. Prod. 1776, 184.
motitatrix Tipula, Linnaeus, Faun. Suec., ed. 2, 1761, 435.
motmot Phasianus, Linnaeus, Syst. Nat., ed. 12, 1766, 271.
mouffetella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 540; ed. 12, 1767, 896.
mouffetella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 664.—Phalaena.
mouffeti Aranea, Scopoli, Ent. Carn. 1763, 398.
mozambicus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 696.
mozambica Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 163.
mucidaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796], fig. 148
mucidus Curculio, [D. H. Schneider], Nom. Ent. 1785, 12 [n. n.]. [n. et f.].
mucida Phalaena Noctua (ex Esper tab.), M. B. Borkhausen, Nat. eur. Schmett. IV.
mucida Spongia, O. F. Müller, Z. Dan. Prod. 1776, 256. [1792, 733.
mucoreus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 117.
mucoreus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 382; ed. 12, 1767, 612.
mucosus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 226; ed. 12, 1766, 388.

- mucosa** Natrix (Linn.), J. N. Laurenti, Syn. Rept., 1768, 77.—Coluber.
- mucosa** Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 334.
- mucronata** Ascaris, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 121.
- mucronatus** Asilus, Scopoli, Ent. Carn. 1763, 363.
- mucronata** Biphora (Forsk.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 181.—Salpa.
- mucronatus** Brachionus, O. F. Müller, Verm. I (1) 1773, 134.
- mucronatus** Brachionus, O. F. Müller, An. Infus. 1786, 349.
- mucronatum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3504.
- mucronatum** Callidium, J. C. Fabricius, Syst. Ent. 1775, 193.
- mucronatum** Cardium, J. X. Poli, Test. Sicil. II. 1795, 59. [Prionus.
- mucronatus** Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1817.—
- mucronatum** Cerastoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—Cardium.
- mucronatum** Chimaeroderma, J. X. Poli, Test. Sicil. II. 1795, 259 = Pinna of p. 227.
- mucronatus** Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 300.
- mucronatus** Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 473.—Phalaena mucronella.
- mucronatus** Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 492. [Scop.
- mucronatus** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 415.
- mucronata** Daphne, O. F. Müller, Z. Dan. Prod. 1776, 200.
- mucronata** Donacia, D. H. Hoppe, Ins. Elyt. 1795, 47.
- mucronatus** Elater, G. A. Olivier, J. Nat. Hist. (Choix des Mém.), I. 1792, 262.
- mucronata** Fusaria, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewurm. 1800, 62.
- mucronata** Kolpoda, O. F. Müller, An. Infus. 1786, 96.
- mucronata** Leptura (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 231.—Callidium.
- mucronatus** Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3000.—
- mucronatus** Murex, F. C. Meuschen, Mus. Gever. 1787, 324. [Daphne.
- mucronatus** Odontognathus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 218.
- mucronata** Patella, F. C. Meuschen, Mus. Gever. 1787, 242.
- mucronata** Phalaena, Scopoli, Ent. Carn. 1763, 222.
- mucronatum** Phalangium, O. F. Müller, Z. Dan. Prod. 1776, 192.
- mucronata** Pinna, J. X. Poli, Test. Sicil. II. 1795, 227.
- mucronatus** Prionus, J. C. Fabricius, Syst. Ent. 1775, 160.
- mucronatus** Prionus, J. C. Fabricius, Ent. Syst. I (2) 1792, 244.
- mucronata** Salpa, P. Forskal, Descr. Anim. 1775, 114.
- mucronata** Saperda, A. G. Olivier, Entom. IV. 1795, 30.
- mucronatus** Scorpio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 294.
- mucronata** Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2665.
- mucronata** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3456.
- mucronella** Phalaena, Scopoli, Ent. Carn. 1763, 250.
- müllerella** Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 528.
- mülleri** Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 139.
- mülleri** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2125.
- mülleri** Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1711.
- mülleri** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1777.
- mülleri** Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1955.
- mülleri** Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1914.
- mülleri** Salmo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1378.
- mülleriana** Silpha, F. A. A. Meyer, Zool. Archiv (1) 1796, 210.
- mugiens** Columba, J. A. Scopoli, Annus I. 1769, 124.
- Mugil** Linnaeus, Syst. Nat., ed. 10, 1758, 316; ed. 12, 1766, 520; [Artedi, Ichth. 1738, gen.
- mula** Raja, P. Forskal, Descr. Anim. 1775, ix. [XXVI., p. 32].—P.
- mular** Phiseter, J. P. Bonnaterrre, Ency. Méth. (Cet.), 1789, 17.
- mulatta** Cercopithecus, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 195.
- mulatta** Simia (Zimm.), J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, II. 1800, 660.—
- mulciber** [Papilio], P. Cramer, Uitl. Kapellen, II (11) 1777, 45. [Cercopithecus.
- mulciber** Papilio (Dan.), Herbst, Einl. Ins. II. 1785, 48.
- muliebris** Musca, M. Harris, Exp. Eng. Ins. 1776, 75.
- Mulio** P. A. Latreille, Précis Caract. Ins. 1796, 155.—Dip.
- Mulio** J. C. Fabricius, Suppl. Ent. Syst. 1798, 548.—Dip.

- Mullus** Linnaeus, Syst. Nat., ed. 10, 1758, 299; ed. 12, 1766, 495.—P.
mulsus Musca, M. Harris, Exp. Eng. Ins. 1776, 116.
multangula Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3230.
multicauda Muraena, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 154.
Multiceps J. A. E. Goeze, Eingeweidewürm. 1782, 192.—Ver.
multiceps Brachionus, F. v. P. Schrank, Naturforscher, XXVII. 1793, 30.
multiceps Taenia, N. G. Leske in Karsten, Mus. Lesk. I. 1789, 140.
multicolor Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1891.
multicolor Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1990.
multicolor Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1857.
multicolor Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2136.
multicolor Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2178.
multicolor Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1712.
multicolor Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1805.
multicolor Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 374.
multicolor Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 924.
multicolor Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 404.
multicolor Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2678.
multicolor Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 972.
multicolor Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 945.
multicolor Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 313.
multicolor Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 428.
multicolor Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 328.
multicolor Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627.
multicolor Sterna, J. A. Scopoli, Del. Insub. II. 1786, 92.
multicolor Sylvia (Gm.), J. Latham, Index Orn. 1790, 541.—Motacilla.
multicolor Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 370.
multicolor Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2828.
multicolor Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 490.
multicolor Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 691.
multicornis Fistularia, O. F. Müller, Z. Dan. Prod. 1776, 254.
multicornis Hydra, P. Forskal, Descr. Anim. 1775, 131. [Fistularia.
multicornis Tubularia (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3834.—
multidentatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1760.
multidentatus Turbo, G. Olivi, Zool. Adriat. 1792, 171.
multifaria Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [u. n.].
multifasciata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 368.
multiformis Vorticella, O. F. Müller, An. Infus. 1786, 262.
multiguttatus Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 335.
multiguttatus Cryptocephalus, D. H. Schneider, Verz. Parthei Ins. 1800, 9.
multiguttatus Curculio, A. G. Olivier, Ency. Méth. V (Ins.), 1790, 508.
multiguttatus Dermestes, F. v. P. Schrank, F. Boica, I. 1798, 427.
multipunctata Buprestis, A. G. Olivier, Entom. II. 1790, 86.
multipunctatus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 416; ed. 12, 1767, 672.
multipunctata Cassida, A. G. Olivier, Ency. Méth. V (Ins.), 1790, 384.
multipunctatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 30.
multipunctatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 471.
multipunctatus Dermestes (Fab.), C. P. Thunberg, Ins. Suecica (6) 1794, 79.—Myceto-
multipunctatus Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 498. [phagus.
multipunctata Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2579.—
multipunctata Phalaena (Noct.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2584.
multipunctatus Staphylinus, L. H. v. Bloch in Becker, Plau. Grund. 1799, 117.
multiradiata Asteria, Linnaeus, Syst. Nat., ed. 10, 1758, 663; ed. 12, 1767, 1101.
multispinosus Cimex, C. de Geer, Mém. Ins. III. 1773, 348.
multistriata Arca, P. Forskal, Descr. Anim. 1775, 123.
multistriatum Argoderma, J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Ostrea, 1795.
multistriata Ostrea, J. X. Poli, Test. Sicil. II. 1795, 164.
multistriata Silpha, P. Forskal, Descr. Anim. 1775, 77.

- Mulus** E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 456.—M.
mumetes [Phalaena], P. Cramer, Utitl. Kapellen, I (7) 1775, 128.
mumia Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 348.
mumia Chaena (Spengler), A. J. Retzius, Diss. Nova Test. Gen. 1788, 19.—Gastrochaena.
mumia Gastrochaena, L. Spengler, Nye Saml. K. Danske Skrifter, II. 1783, 179.
mumia [Phalaena], P. Cramer, Utitl. Kapellen, III (19) 1779, 61.
mundana Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 812.—[v. P. (Tortrix).]
mundana Phalaena Bombyx (L.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 269.—
mundana Phalaena (Tort.), Linnaeus, Faun. Suec., ed. 2, 1761, 349. [P. Attacus.
mundana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 645.—Phalaena.
mundataria [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 243.
mundata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
munda Bombyx, E. J. C. Esper, Die Schmett. III (23) 1785, 264.
munda Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 482.—[mundana, L., *est.*]
munda Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 76.
munda Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 603.—
munerator Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 182. [Noctua.
mungo Viverra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 84.
Mungos E. Geoffroy & Cuvier, Mag. encyclop. II (6) 1795, 187.—M.
munitialis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 12.
muntjak Cervus, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 131.
Muraena Linnaeus, Syst. Nat., ed. 10, 1758, 244; ed. 12, 1766, 425; [Artedi. Ichth. 1738, gen. xviii. p. 23].—P.
muraena Gymnothorax, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 120 (index).
muraena Salmo, M. E. Bloch, Beschäf. Ges. Nat. Freunde, IV. 1779, 62.
maraenae (*sic*) Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3037.
maraenae (*sic*) Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3049.
Muraenoides B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 324.—P.
muraenoides Blennius, W. Svief, Acta Ac. Sci. Petrop. 1779 (2) 1783, 195.
Murenophis (*sic*) G. Cuvier, Tab. Élém. 1798, 329.—P.
muraenula Cyprinus, J. C. Wulff, Ichthy., 1765, 48.
maraenula (*sic*) Salmo, M. E. Bloch, Beschäf. Ges. Nat. Freunde, IV. 1779, 62.
murialis Helix, O. F. Müller, Verm. II. 1774, 14.
murialis Helix, Studer in Coxé, Trav. Switz. III. 1789, 387 [*n. n.*].
murialis Lacerta, P. A. Latreille, Salamand. France, 1800, xvi.
murialis Necydalis, J. R. Forster, N. Sp. Ins. 1771, 48.
murialis Phalaena, J. R. Forster, N. Sp. Ins. 1771, 74.
murialis Seps, J. N. Laurenti, Syn. Rept. 1768, 61 & 162.
muraria Apis, A. F. de Fourcroy, Ent. Paris. 1785, 447.
muraria Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 184.
murarius Ichneumon, I. C. H. Boerner, Oek. Nachr. Ges. Schlesien, II. 1764, 165.
muraria Musca, Scopoli, Ent. Carn. 1763, 338.
murarius Oniscus, G. Cuvier, J. Nat. Hist. (Choix des Mém.), II. 1792, 22.
muraria Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 573; ed. 12, 1767, 950.
murcia Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 33.
murdjan Sciaena, P. Forskal, Descr. Anim. 1775, 48.
Murenophis *v.* Muraenophis.
muretus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 332.
Murex Linnaeus, Syst. Nat., ed. 10, 1758, 746; ed. 12, 1767, 1213.—G.
murex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
murex Nautilus (O.), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 3.
muricatum Cardium, E. Jacob in G. Adam, Ess. Micr., ed. 2, 1798, 644.
muricata Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3346.
muricatus Apate (L.), J. C. Fabricius, Syst. Ent. 1775, 54.—Dermestes.
muricatus Astacus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 346.
muricatus Bostrichus (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 110.—Dermestes.
muricatus Brachycerus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 186.
muricatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 302.

- muricatus** Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 330.
muricatum Busycon, J. F. Bolten, Mus. Bolten. (2) 1798, 149.
muricatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (7) 1788, 211.
muricatum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 680 [no. 69]; ed. 12, 1767, 1123.
muricatum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 679 [no. 62].—[aculeatum, ed. 12.]
muricatum Cardium, J. F. Bolten, Mus. Bolten. (2) 1798, 191.
muricatum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 490.
muricata Chama, J. X. Poli, Test. Sicil. II. 1795, 121.
muricata Chama, J. F. Bolten, Mus. Bolten. (2) 1798, 195.
muricatum Chimaeroderma (L.), J. X. Poli, Test. Sicil. II. 1795, 259.—Pinna.
muricatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 38.
muricatus Curculio, D. Drury, Ill. Nat. Hist. II. 1773, index & 63.
muricatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1773.
muricatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 489.
muricatum Cymatium, J. F. Bolten, Mus. Bolten. (2) 1798, 130.
muricatus Dermestes, Linnaeus, Syst. Nat., ed. 12, 1767, 562.
muricata Donax, Linnaeus, Syst. Nat., ed. 10, 1758, 683; ed. 12, 1767, 1128.
muricata Doris, O. F. Müller, Z. Dan. Prod. 1776, 229.
muricatus Erodium (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791, 117.—
muricatus Gekko, J. N. Laurenti, Syn. Rept. 1768, 44. [Pimelia.
muricata Gorgonia, P. S. Pallas, Elench. 1766, 199.
muricatus Gryllus (Locusta), P. S. Pallas, Reise Russ. I. 1771, 466.
muricata Hirudo, Linnaeus, Syst. Nat., ed. 10, 1758, 650; ed. 12, 1767, 1080.
muricatus Inachus (Herbst), F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
muricata Lacerata, G. Shaw in White, Journ. N. S. W. 1790, 244.
muricata Lepas, J. X. Poli, Test. Sicil. I. 1791, 34.
muricatus Ligniperda (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 39.—Der-
muricata Madrepora, P. S. Pallas, Elench. 1766, 327. [mestes.
muricata Millepora, Linnaeus, Syst. Nat., ed. 10, 1758, 792.
muricata Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 20 [n. n.].
muricatus Oniscus, P. S. Pallas, Reise Russ. III. 1776, 709.
muricata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3320.
muricata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 606.
muricatus Pholas, E. M. da Costa, Brit. Conch. 1778, 244.
muricata Pimelia (L.), J. C. Fabricius, Syst. Ent. 1775, 251.—Tenebrio.
muricata Pinna, Linnaeus, Syst. Nat., ed. 10, 1758, 707; ed. 12, 1767, 1160.
muricata Raja, G. S. Volta, Itt. Veron. (1) 1796, xxxvii.
muricatus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 188.
muricata Serpula, I. v. Born, Test. Mus. Caes. Vindob. 1780, 440.
muricata Serpula, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 159.
muricata Sertularia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 59.
muricatus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 159.
muricata Spongia, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348.
muricatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 97.
muricatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99.
muricatum Synodendron (L.), J. O. Fabricius, Ent. Syst. I. (2) 1792, 359.—Dermestes.
muricata Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 120.
muricatus Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 418; ed. 12, 1767, 676.
muricatus Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 758; ed. 12, 1767, 1229.
muricatus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 761; ed. 12, 1767, 1232.
muricata Voluta, I. v. Born, Index Mus. Caes. Vind. 1778, 222.
muricata Voluta, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 151.
Muriciformis F. C. Meuschen, Mus. Gever. 1787, 316.—G.
muricinum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3503.
muricina Distortio, J. F. Bolten, Mus. Bolten. (2) 1798, 133.
muricina Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 56.
muricina Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116 [n. n.].
Muricites J. Gesner, Tract. Petref. 1758, 56.—Moll.

- murifex** Apis, Herbst, Einl. Ins. III. 1786, 74.
- murinaria** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 105. [et f.]
- murinaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 115 [n.]
- murinaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 134 [n.]
- murinata** Phalaena, Scopoli, Ent. Carn. 1763, 229. [et f.]
- murinata** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 198.
- murinella** Phalaena, Scopoli, Ent. Carn. 1763, 256.
- murina** Anaspis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 58.—Chrysomela.
- murina** Boa, Linnaeus, Syst. Nat., ed. 10, 1758, 215; ed. 12, 1766, 374.
- murinum** Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 742; ed. 12, 1767, 1206.
- murinus** Byrrhus, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 593.
- murinus** Byrrhus, J. C. Fabricius, Ent. Syst. IV. 1794, 437.
- murina** Cenchrus, F. C. Meuschen, Mus. Gronov. 1778, 16.
- murina** Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 377; ed. 12, 1767, 602.
- murina** Cistela (L.), J. C. Fabricius, Syst. Ent. 1775, 117.—Chrysomela.
- murinus** Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1714.—
- murinus** Cuculus, H. Lichtenstein, Cat. rerum Nat. I. 1793, 13. [Chrysomela.]
- murinus** Curculio, O. F. Müller, F. Ins. Frid. 1764, 12.
- murinus** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 463.
- murinus** Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 356; ed. 12, 1769, 563.
- murina** Didelphis, Linnaeus, Syst. Nat., ed. 10, 1758, 55; ed. 12, 1766, 72.
- murina** Didelphys, G. Cuvier, Tab. Elém. 1798, 127.
- murinus** Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 406; ed. 12, 1767, 655.
- murinus** Helops (L.), F. v. P. Schrank, F. Boica, I. 1798, 635.—Chrysomela.
- murinus** Lanius, H. Lichtenstein, Cat. rerum Nat. I. 1793, 4.
- murinus** Lemur, J. F. Miller, Icon. Anim., pl. 13 (1777).
- murinus** Macrocephalus, A. G. Olivier, Entom. IV. 1795, 12.
- murina** Mordella, J. F. W. Herbst in Fuessly. Arch. Ins. V. 1784, 148.
- murina** Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 978.
- murina** Musca, F. v. P. Schrank, Beitr. Nat. 1776, 95.
- murinus** Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3361.
- murinus** Pediculus, S. I. Ljungh, N. Acta Soc. Sci. Upsal. VI. 1799, 9.
- murina** Phalaena, Hufnagel, Berlin. Mag. II. 1766, 424.
- murina** Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 45.
- murina** Phalaena Bomb., J. Hübner, Beitr. Schmett. II. 1790, 66.
- murina** Phalaena Bomb., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2433.
- murina** Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2583.
- murina** Philander, F. C. Meuschen, Mus. Gronov. 1778, 6.
- murina** Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 60.
- murinus** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 327.
- murinus** Seps, J. N. Laurenti, Syn. Rept., 1768, 63.
- murinus** Sorex, Linnaeus, Syst. Nat., ed. 12, 1766, 74.
- murinus** Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 421; ed. 12, 1767, 683.
- murina** Sylvia (Gm.), J. Latham, Index Orn. 1790, 528.—Motacilla.
- murina** Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3060.
- murina** Tipula, J. D. Preyßler, in Mayer's Samml. Phys. Aufsätze, I. 1791, 60.
- murinus** Vespertilio, Linnaeus, Syst. Nat., ed. 10, 1758, 32; ed. 12, 1766, 47.
- muris** Acarus, S. I. Ljungh, N. Acta Soc. Sci. Upsal. VI. 1799, 10.
- muris** Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3032.
- muris** Cucullanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3051.
- muris** Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 21.
- muris** Haeruca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3050.
- muris** Trichocephalus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 4.
- murorum** Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 288.
- murraea** Cassida, Linnaeus, Syst. Nat., ed. 12, 1767, 575.
- mursa** Cyprinus, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XVII. 1773, 513.
- Mus** Linnaeus, Syst. Nat., ed. 10, 1758, 59; ed. 12, 1766, 79.—M.
- mus** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 630.

- mus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 53.
mus Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 721; ed. 12, 1767, 1176.
mus Porcellana (L.), F. C. Meuschen, Mus. Gev. 1787, 408.—Cypraea.
mus Uranoscopus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 346.
musa Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 195.
musae Sciurus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 3 [*n. n.*].
musaeorum Anthrenus (L.), J. C. Fabricius, Syst. Ent. 1775, 61.—Byrrhus.
museorum Byrrhus, Linnaeus, Syst. Nat., ed. 12, 1767, 568.
musaeorum Dermestes, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 52.
Musaraneus M. J. Brisson, Reg. Anim. 1762, 126.—M.
musaraneus Sorex, B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.
musarion Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 92.
Musca Linnaeus, Syst. Nat., ed. 10, 1758, 589; ed. 12, 1767, 979.—Dip.
musca Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 759.
musca Sphinx, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 33.
muscae-domesticae Acarus, J. A. Scopoli, Annus V. 1772, 125.
muscaeformis Cicada, F. v. P. Schrank, Ins. Aust. 1781, 253.
muscaeformis Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1783, 217.
muscardinus Myoxus, J. C. D. Schreber, Säugth. IV. 835 (1788), pl. cccxvii (1782).
muscaria Apis, J. C. Fabricius, Syst. Ent. 1775, 386.
muscarius Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 390.
muscaria Geometra, C. C. Jung, Alph. Verz. Schmett. II. 1792, 40.
muscaria Rhingia, J. C. Fabricius, Ent. Syst. IV. 1794, 375.
muscaria Stomoxys, J. C. Fabricius, Gen. Ins. 1777, 308.
muscaria Stratiomys, J. C. Fabricius, Ent. Syst. IV. 1794, 268.
muscarum Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 617; ed. 12, 1767, 1025 [musco-].
muscarum Cynips (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 782.—Ichneumon.
muscarum Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 389.—Ichneumon.
muscarum Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 567; ed. 12, 1767, 938.
muscatensis Simia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 661.
muscella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 133. [Phalaena.
muscerda Bombyx (Hufn.), J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 349.—
muscerda Noctua (Hufn.), C. F. Vieweg, Tabl. Verz. Brand. Schmett. II. 1790, 10.—
muscerda Phalaena, Hufnagel, Berl. Mag. III. 1767, 400. [Phalaena.
muscerda Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 250.
musci Acarus, F. v. P. Schrank, Ins. Aust. 1781, 521.
musci Cimex, F. v. P. Schrank, Ins. Aust. 1781, 265.
Muscicapa M. J. Brisson, Ornith. II. 1760, 357.—A.
Muscicapa Linnaeus, Syst. Nat., ed. 12, I. 1766, 324.—A.
Muscicapa B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 5.—A.
muscifformis Apis, J. A. Scopoli, Annus IV. 1770, 12.
muscifformis Apis, J. C. Fabricius, Ent. Syst. II. 1793, 338.
muscifformis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1711.
muscifformis Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 356.
muscipeta Muscicapa, J. M. Bechstein, Gem. Nat. Deutschl. IV. 1795, 502.
muscipeta Sylvia, J. A. Scopoli, Annus I. 1769, 159.
Muscivora B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 5.—A.
Muscivora G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [*n. n.*].—A.
muscoides Fistularia, O. F. Müller, Z. Dan. Prod. 1776, 254.
muscoides Melolontha, A. F. de Fourcroy, Ent. Paris. 1785, 72.
muscoides Tubularia, Linnaeus, Faun. Suec., ed. 2, 1761, 539.
muscorum Acarus, Scopoli, Ent. Carn. 1763, 391.
muscorum Anthrenus, *err. pro* museorum (L.), J. C. Fabricius, Mant. I. 1787, 39.
muscorum Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 579; ed. 12, 1767, 960.
muscorum Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 334.—Turbo.
muscorum Dermestes, Linnaeus, Faun. Suec., ed. 2, 1761, 145.
muscorum Oniscus, Scopoli, Ent. Carn. 1763, 415.
muscorum Oniscus, G. Cuvier, J. Nat. Hist. (Choix des Mém.), II. 1792, 21.

- muscorum** Phalangium, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris]. no. 15, 1798, 114.
muscorum Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 767; ed. 12, 1767, 1240.
muscosella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 521.
[muscosus] Araneus, C. Clerck, Aran. Svec. 1757, 116.]
muscosus Araneus, T. Martyn, Aranei, 1793, 54.
muscosus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 628; ed. 12, 1767, 1045.
muscosa Helix, Studer in Coxe, Trav. Switz. III. 1789, 387 [*n. n.*].
musculana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 98 [*n. et f.*].
musculi Pediculus, F. v. P. Schrank, Ins. Aust. 1781, 501.
Musculites J. Gesner, Tract. Petref. 1758, 38.—Moll.
“musculites Helmintholithus,” Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 398.
Musculus J. F. Bolten, Mus. Bolten. (2) 1798, 156.—L.
musculus Balaena, Linnaeus, Syst. Nat., ed. 10, 1758, 76; ed. 12, 1766, 106.
musculus Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191.
musculus Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 62; ed. 12, 1766, 83.
musculus Mus, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere. II. 1800: *varr.* albus, ater, maculatus, 502; flavus, niger, 715.
musculus Trichoda, O. F. Müller, Verm. I (1) 1773, 74.
musculus Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 402.—Hydrachna.
museorum *see musaeorum.*
Musica [G. Humphreys], Mus. Calonn. 1797, 18.—G.
musicalis Madrepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1278.
musicalis Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 41.
musicalis Voluta, P. L. S. Müller, Del. Nat. I. 1766, 129.
musicum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 222.—Gryllus.
musicus Bufo (L.), J. P. Bonnatere, Ency. Méth. (Erp.) 1789, 17.—Rana.
musicus Colymbus, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 17.
musicus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 629.
musicus Falco, F. M. Daudin, Traité élém. Orn. 1800, 116.
musicus Formicarius, P. Boddaert, Tab. Planch. Enl. 1783, 44.
musicus Gryllus, J. C. Fabricius, Syst. Ent. 1775, 290.
musicus Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 326.—Voluta.
musica Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 19.
musica Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1004.
musica Plejona (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 59.—Voluta.
musica Rana, Linnaeus, Syst. Nat., ed. 12, 1766, 354.
musica Tubipora, Linnaeus, Syst. Nat., ed. 10, 1758, 789; ed. 12, 1767, 1270.
musicus Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 169; ed. 12, 1766, 292.
musica Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 733; ed. 12, 1767, 1194.
Musidora J. G. Meigen, N. Class. Mouches, 1800, 30.—Dip.
musitans Syrphus, G. W. F. Panzer, Ins. Germ. heft 1, 1792, no. 15.
musivus Unio, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, [67].
Musmon F. v. P. Schrank, F. Boica, I. 1798, 78.—M.
Musophaga P. E. Isert, Schrift. Berl. Ges. Nat. Freunde, IX. 1789, 17.—A.
Musophaga B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 2.—A.
Musophagus Bonnatere, Ency. Méth. (Orn.) I. 1790, xciv.—A.
mussitans Apis, J. C. Fabricius, Mant. I. 1787, 301.
mussitans Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2867.—Syrphus.
mussitans Syrphus, J. C. Fabricius, Gen. Ins. 1777, 306.
Mustela Linnaeus, Syst. Nat., ed. 10, 1758, 45; ed. 12, 1766, 66.—M.
mustelae Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3068.
mustelaris Blennius, Linnaeus, Syst. Nat., ed. 10, 1758, 257; ed. 12, 1766, 443.
mustelinus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 654.
mustelina Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 867.
mustelinus Gadus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 140.
mustelinus Mergus, J. M. Bechstein, Latham's Vogel, VI. 1798, 375.
mustelinum Myrmeleon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 207.
mustelina Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.

- mustelina* Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3330.
mustelina Tellina, F. C. Meuschen, Mus. Gever. 1787, 460.
mustelinus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 817.
Mustella, *v.* *Mustela* G. I. Molina, Ess. hist. Nat. Chili, 1789, 272.
Mustelus H. F. Linck, Mag. Neuste Phys. u. Nat. VI (3) 1790, 31.—P.
mustela Blennius, *id. ac* mustelaris?, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800,
mustela Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 35. [459.
mustela Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 255; ed. 12, 1766, 440.
mustelus Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 235; ed. 12, 1766, 400.
mutabilis Alauda, S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 479.
mutabile Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 738; ed. 12, 1767, 1201.
mutabilis Buprestis, A. G. Olivier, Entom. II. 1790, 7.
mutabilis Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 213.
mutabilis Cassida, C. de Villers, Linn. Ent. I. 1789, 93.
mutabilis Cercaria, G. Shaw, Nat. Misc. III. 1792, pl. 107.
mutabilis Chamaeleon, F. A. A. Meyer, Syn. Rept. 1795, 27.
mutabilis Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 449; ed. 12, 1767, 731.
mutabilis Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1661.
mutabilis Coccinella, L. G. Scriba, J. Lieb. Ent. II. 1790, 183.
mutabilis Curculio, N. Host in Jacquin, Coll. Bot. III. 1789, 293.
mutabilis Helix, D. Solander in G. Brander, Foss. Hant. 1766, 28.
mutabilis Melolontha, J. C. Fabricius, Syst. Ent. 1775, 39.
mutabile Monostoma, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 154.
mutabilis Mulio (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 558.—Musca.
mutabilis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 592; ed. 12, 1767, 985.
mutabile Nassa (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 71.—Buccinum.
mutabilis Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 12.
mutabilis Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1566.—
mutabilis Scolia, D. Cyrillo, Ent. Neap. (typogr. ed.), 1787, 3. [Melolontha.
mutabilis Stratiomys, J. C. Fabricius, Mant. II. 1787, 331.
mutabilis Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 767.—Musca.
mutator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 335.
mutata Muscipapa, Linnaeus, Syst. Nat., ed. 12, 1766, 324.
Mutela J. A. Scopoli, Intr. Hist. Nat. 1777, 397.—L.
Mutella, *v.* *Mutilla* Linnaeus, Syst. Nat., ed. 10, 1758, 343.
mutica Cantharis (Fab.), C. de Villers, Linn. Ent. I. 1789, 301.—Cucujus.
mutica Cantharis (Fab.), C. de Villers, Linn. Ent. IV. 1789, 325.—Cucujus.
mutica Capra, R. Kerr, Anim. Kingd. 1792, 323.
mutica Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2093.—Mem-
muticus Cucujus, J. C. Fabricius, Spec. Ins. I. 1781, 257. [bracis.
muticus Cucullanus, O. F. Müller, Zool. Dan. I. 1777, 4.
mutica Ephemera, Linnaeus, Syst. Nat., ed. 10, 1758, 547.—[striata, ed. 12.]
muticus Gryllus, C. de Geer, Mém. Ins. III. 1773, 520.
muticus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2072.
muticus Hispa, Linnaeus, Syst. Nat., ed. 12, 1767, 604.
mutica Hispa, G. W. F. Panzer, Ins. Germ. heft 1, 1792, no. 8.
mutica Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 83.
mutica Membracis, J. C. Fabricius, Gen. Ins. 1777, 297.
muticus Pavo, Linnaeus, Syst. Nat., ed. 12, 1766, 268.
mutica Phoca, R. Kerr, Anim. Kingd. 1792, 127.
muticus Ptilinus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 445.—Hispa.
muticum Rhagium, J. C. Fabricius, Ent. Syst. I (2) 1792, 306.
muticum Sarrotrium (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 344.—Ptilinus.
mutica Stratiomys, J. C. Fabricius, Gen. Ins. 1777, 305.
mutica Zonitis, Hüb., J. C. Fabricius, Ent. Syst. I (2) 1792, 49.—[Z. mahia, Hüb.]
Mutilla Linnaeus, Syst. Nat., ed. 10, 1758, 582; ed. 12, 1767, 966.—Hym.
mutillarius Attelabus (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 233.—Clerus.
mutillarius Bostrichus (Fabr.), F. v. P. Schrank, F. Boica, I. 1798, 431.—Clerus.

- mutillarius** Clerus, J. C. Fabricius, Syst. Ent. 1775, 157.
mutillarius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 342.
mutillarius Ichneumon, J. C. Fabricius, Mant. I. 1787, 271.
mutilatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 184.
mutilatus Curculio, J. N. Laicharting, Tyrol. Ins. I. 1781, 216.
mutillatus Ichneumon, J. L. Christ, Nat. Ins. 1791, 358.
mutilliformis Sphex, D. Drury, Ill. Nat. Hist. II. 1773, index & 70. [Gammarus.
mutilus Cancer (Gammarellus) (Ab.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 120.—
mutilus Gammarus, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 60.
mutius Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 3.
muta Boa, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 128.
mutus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 625; ed. 12, 1767, 1039.
muta Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2098.—Tettigonia.
mutus Crotalophorus, F. C. Meuschen, Mus. Gronov. 1778, 17.
mutus Crotalus, Linnaeus, Syst. Nat., ed. 12, 1766, 373.
muta Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 60.
muta Rana, J. N. Laurenti, Syn. Rept. 1768, 30 & 134.
mutus Tetrao, L. Montin, Physiogr. Salsk. Handl. I (3) 1776, 155.
muta Tettigonia, J. C. Fabricius, Syst. Ent. 1775, 681.
Mya Linnaeus, Syst. Nat., ed. 10, 1758, 670; ed. 12, 1767, 1112.—L.
Mya [G. Humphreys], Mus. Calonn. 1797, 59.—L.
mycalia [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, III. 1790, 103.
Mycedium P. Browne, Hist. Jamaica, ed. 2, 1789, 392.—Cor.
mycena [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 7.
mycerina Noctua (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 210.—Phalaena.
mycerina [Phalaena], P. Cramer, Utitl. Kapellen, II (15) 1777, 115.
Mycetophagus J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 394.—Col.
Mycetophagus J. C. Fabricius, Ent. Syst. I (2) 1792, 497.—Col.
Mycteria Linnaeus, Syst. Nat., ed. 10, 1758, 140; ed. 12, 1766, 232.—A.
Mycteria B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 18.—A.
mycterizans Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 226; ed. 12, 1766, 389.
mycterizans Natrix (Linn.), J. N. Laurenti, Syn. Rept. 1768, 79.—Coluber.
Mycterus J. R. Schellenberg, Helvet. Entom. I. 1798, 124.—Col.
Mydas J. C. Fabricius, Ent. Syst. IV. 1794, 252.—Dip.
mydas Testudo, Linnaeus, Syst. Nat., ed. 10, 1758, 197; ed. 12, 1766, 350.
myella Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 10 [*n. et f.*].
myella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 25.
Myes, v. Mya Linnaeus, Syst. Nat., ed. 10, 1758, 645.
Mygale G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
Mygalus A. Retzius, Animad. class. Mamm. Linn. 1796, 22.—M.
mygdon [Papilio], P. Cramer, Utitl. Kapellen, II (13) 1777, 94.
mygdonia [Phalaena], P. Cramer, Utitl. Kapellen, II (15) 1777, 119.
mygdonia Phalaena (Noct.), Herbst, Einl. Ins. II. 1785, 109.
mygindana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 238.—Tortrix.
mygindiana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
myiocopros Cetonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 15.
myiocopros Saperda, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 48.
Mylabris E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 266.—Col.
Mylabris J. C. Fabricius, Syst. Ent. 1775, 261.—Col.
Mylaris P. S. Pallas, Icon. Ins. Ross. (1) 1781, 37.—Col.
mylianus Cerambix, F. A. A. Meyer, Zool. Archiv (1) 1796, 227.
mylitta Bombyx (Drury), J. C. Fabricius, Syst. Ent. 1775, 558.—Phalaena.
mylitta [Papilio], P. Cramer, Utitl. Kapellen, III (22) 1779, 107.
mylitta Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 8.
myllerana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 277.
myllerella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 325.
mylii Encrinus, J. F. Blumenbach, Handb. Naturg. 1779, 436.
myncea [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 10.

- Myocastor** R. Kerr, Anim. Kingd. 1792, 225.—M.
myoideum Cardium, J. F. Bolten, Mus. Bolten. (2) 1798, 190 [*n. n.*].
Myopa J. C. Fabricius, Syst. Ent. 1775, 798.—Dip.
Myopa J. G. Meigen, N. Class. Mouches, 1800, 26.—Dip.
myopa Aranea, J. C. Fabricius, Gen. Ins. 1777, 250.
myopa Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 33.
myopa Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 116.
myopaeformis Sphinx, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 169.
myopata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 193.
myops Aranea, *id. ac* myopa, Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2958.
myops Elater, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 36.
myops Papilio, J. E. Smith in Abbot, Ins. Georgia, 1797, 51.
myops Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
myops Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 261.
Myospalax E. Laxmann, Sibir. Briefe, 1769, 75. [In my opinion L. uses this generically, his description is "*Myospalax capite brevi (non rostrato), plantis non calcaneatis.*"—"Denn nach dem Kopfe, den Zähnen und Hinterfüssen ist es eine Ratte; nach den Vorderfüssen aber, den kleinen Augen, den ziemlich kurzen Ohren, und den Sitten, ist es ein Maulwurf"—but see K. Vet. Ak. Handl. 1773, 134, where he uses the word specifically. Beckmann to whom the letter was written adds a footnote, "Sollte nicht *Myospalax* Laxmanni, *Mus amphibius* Linnei seyn?"]
myospalax Mus, E. Laxmann, K. Vet. Ac. Handl. XXXIV. 1773, 134.
myospalax Talpa (Laxm.), E. A. W. Zimmermann, Spec. Zool. 1777, 498.—Mus.
myosura Myrmecophaga, P. S. Pallas, Misc. Zool. 1766, 64.
myosurus Sorex, P. S. Pallas, Acta Ac. Sci. Petrop. 1781 (2), 1785, 337.
Myotalpa R. Kerr, Anim. Kingd. 1792, 246.—M.
Myoxus E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 351.—M.
Myoxus J. C. D. Schreber, Säugth. IV. 824 (1787), pl. 225 (1782).—M.
Myoxus B. G. E. de Lacépède, Tabl. Mamm. 1799, 10.—M.
Myoxus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
myricae Coccus, Linnaeus, Syst. Nat., ed. 12, 1767, 741.
myricae quercifolia Coccus, A. Modeer, Götheborg. Samhalle Handl. (Wet. Afd.), I. 1778, [31].
myrifex Sphecx, J. H. Sulzer, Gesch. Ins. 1776, 191.
myrina [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 141.
myrina Papilio, T. Martyn, Psyche, 1797, fig. 5.
myriophylla Antipathes, P. S. Pallas, Elench. 1766, 110.
myriophyllum Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 810; ed. 12, 1767, 1309.
myristicivora Columba, J. A. Scopoli, Del. Insub. II. 1786, 94.
myristica Volema, J. F. Bolten, Mus. Bolten. (2) 1798, 57.
Myrmecophaga Linnaeus, Syst. Nat., ed. 10, 1758, 35; ed. 12, 1766, 51.—M.
Myrmecophaga B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 6.—A.
myrmecophaga Brentus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 53.
Myrmeleon Linnaeus, Syst. Nat., ed. 12, 1767, 913.—Neur.
myrmex Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 56.
myrmicocephalus Notoxus, P. Rossi, Mant. Ins. I. 1792, 46.
myrmidone Papilio D. C., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. TagSchmett.
Myrmornis J. Hermann, Tab. aff. Anim., ed. 2, 1783, 200 & 235.—A. [1781, 88].
Myrmosa P. A. Latreille, Préc. Car. Ins. 1796, 118.—Hym.
myron [Sphinx], P. Cramer, Uitl. Kapellen, III (21) 1779, 91.
myrrha [Phalaena], P. Cramer, Uitl. Kapellen, I (3) 1775, 47.
myrtaea Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 4.
myrtea Zygaena, J. C. Fabricius, Spec. Ins. II. 1781, 161.
myrti Papilio, J. C. Fabricius, Syst. Ent. 1775, 462.
myrtifolius Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 429; ed. 12, 1767, 696.
myrtifolia Locusta (L.), C. de Geer, Mém. Ins. III. 1773, 447.—Gryllus. [696].
myrtillata Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 75.
myrtilli Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 619.—Phalaena.
myrtilli Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 311.

- myrtillus** [Papilio], C. Stoll in Cramer, *Uitl. Kapellen*, IV (32) 1782, 178.
- myrtilla** Phalaena, A. A. H. Lichtenstein, *Cat. rerum Nat.* III. 1796, 183.
- myrus** Muraena, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 245; ed. 12, 1766, 426.
- myrus** Ophichthus (L.), C. P. Thunberg, *De Muraena*, 1789, 11.—Muraena.
- myscelus** Apis, M. Harris, *Exp. Eng. Ins.* 1776, 136.
- mysis** Papilio, J. C. Fabricius, *Syst. Ent.* 1775, 475.
- mystacatus** Ichneumon, F. v. P. Schrank, *Ins. Aust.* 1781, 369.
- mystacea** Apis, J. C. Fabricius, *Syst. Ent.* 1775, 385. [Crabro.]
- mystacea** Apis (Fabr.), C. P. Thunberg, *D. D. Mus. Ac. Upsal.*, App. II., 1791, 126.—
- mystacea** Crabro (L.), J. C. Fabricius, *Syst. Ent.* 1775, 375.—Sphex.
- mystacea** Lacerta, P. S. Pallas, *Reise Russ.* III. 1776, 702.
- mystacea** Loxia, F. M. Daudin, *Traité élém. Orn.* 1800, 446.
- mystaceus** Mellinus, J. C. Fabricius, *Skr. nat. Selsk. [Copen.]*, I (1) 1790, 226.—Crabro,
- mystaceus** Mellinus (L.), J. C. Fabricius, *Ent. Syst.* II. 1793, 285.—Sphex. [1787.]
- mystacea** Musca, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 591; ed. 12, 1767, 983.
- mystacea** Sphex, Linnaeus, *Faun. Suec.*, ed. 2, 1761, 412.
- mystacea** Syrphus (L.), J. C. Fabricius, *Syst. Ent.* 1775, 762.—Musca. [♂] [♂]
- mystacea** Vespa (L.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2764.—Sphex.
- mystacea** Volucella (Linn.), O. F. Müller, *Z. Dan. Prod.* 1776, 178.—Musca.
- mystacina** Hispa, J. C. Fabricius, *Syst. Ent.* 1775, 70.
- mystacina** Melasis, J. C. Fabricius, *Ent. Syst.* IV. 1794, 445.
- mystacina** Ptilinus, J. C. Fabricius, *Ent. Syst.* I (1) 1792, 242.—Hispa, 1775.
- mystax** Fusaria, J. G. H. Zeder in Goetze, 1 Nachtr. *Eingeweidewürm.* 1800, 45.
- Mystaxus** J. G. Kugelann in Schneider, *N. Mag. Entom.* I. 1792, 493.—Col.
- mysticetus** Balaena, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 75; ed. 12, 1766, 105.
- mysticetus** Balaena, R. Kerr, *Anim. Kingd.* 1792; *varr.* groenlandica, 356; islandicus major, 357.
- mysticum** Callidium (L.), J. C. Fabricius, *Syst. Ent.* 1775, 194.—Leptura. [Leptura.]
- mysticus** Cerambyx (L.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1855.—
- mysticus** Clytus (L.), J. N. Laicharting, *Tyrol. Ins.* II. 1784, 107.—Leptura.
- mystica** Leptura, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 398; ed. 12, 1767, 639.
- mystica** Tipula, J. Cederhielm, *F. Ingric.* 1798, 296.
- Mystus** L. T. Gronovius, *Zooph.* I. 1763, 125.—P.
- Mystus** (ex Klein), J. J. Walbaum, *Artedi, Ichth.* (3), ed. 2, 1792, 586.—P.
- mystus** Aspredo, F. C. Meuschen, *Mus. Gronov.* 1778, 34.
- mystus** Clupea, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 319; ed. 12, 1766, 524.
- mystus** Silurus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 305; ed. 12, 1766, 502.
- mytiliformis** Patella, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3721.
- mytilina** Patella, G. S. Helbling, *Abh. Privatges. Böhm.* IV. 1779, 104.
- “**Mytilites**, Gmelin, 1793,” Scudd.; not used in a generic sense.
- mytuloides** (sic) Lithophaga, J. F. Bolten, *Mus. Bolten.* (2) 1798, 156.
- mytuloides** Ostrea, J. Hermann, *Schrift. Berlin. Ges.* II. 1781, 276.
- mytuloides** Tuceta, J. F. Bolten, *Mus. Bolten.* (2) 1798, 173.
- mytilorum** Cancer, Bast., J. F. W. Herbst, *Vers. Nat. Krab.* I (2—5) 1783, 101; *varr.* albus, fuscus.
- Mytilus** Linnaeus, *Syst. Nat.*, ed. 10, 1758, 704; ed. 12, 1767, 1155.—L.
- mytilus** Kerona, O. F. Müller, *An. Infus.* 1786, 242.—Trichoda, 1773.
- mytilus** Trichoda, O. F. Müller, *Verm.* I (1) 1773, 87.
- Mytulites** J. Gesner, *Tract. Petref.* 1758, 38.—L.
- mytuloides** *v.* mytuloides.
- Mytulus**, *v.* **Mytilus** G. I. Molina, *Sag. stor. nat. Chili*, 1782, 202.
- myurus** Vespertilio, M. J. Brunnich, *Dyr. Hist.* 1782, 49.
- Myxine** Linnaeus, *Syst. Nat.*, ed. 10, 1758, 650; ed. 12, 1767, 1080.—P.
- Myxine** J. G. Bruguière, *Ency. Méth. (Vers)* (1) 1789, xi.—P.

nabota Mantis, B. E. Manuel, *Ency. Méth.* VII (Ins.) 1792, 640.

nabouroup Sturnus, F. M. Daudin, *Traité élém. Orn.* 1800, 308.

- nacarata** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 300.
- nacellaris** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 305.
- naevata** Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 108.
- naevia** Aquila, J. C. Schaeffer, Mus. Orn. 1789, 9.
- naevia** Ardea, J. F. Miller, Icon. Anim. pl. 35 [1782].
- naevia** Buprestis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1939.
- naevius** Buteo (Gm.), E. M. Daudin, Traité élém. Orn. 1800, 155.—Falco.
- naevius** Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 692.
- naevius** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2184.
- naevius** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2200.
- naevius** Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1095.
- naevia** Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 777.
- naevius** Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 170.
- naevius** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1756.
- naevius** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1806.
- naevius** Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1957.
- naevius** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 258.
- naevius** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 266.
- naevia** Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 486.
- naevia** Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 911.
- naevia** Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 701.
- naevia** Gallinula (Gm.), J. Latham, Index Orn. 1790, 772.—Fulica.
- naevia** Glareola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 696.
- naevia** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3623.
- naevia** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3656.
- naevius** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2699.
- naevius** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2708.
- naevius** Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 304.
- naevius** Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 308.
- naevius** Larus, Linnaeus, Syst. Nat., ed. 12, 1766, 225.
- naevia** Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1877.
- naevia** Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 845.
- naevius** Mergus, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 73.
- naevia** Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 957.
- naevia** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2879.
- naevia** Muscicapa, P. Boddaert, Tab. Planch. Enl. 1783, 34.
- naevia** Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 944.
- naevius** Oriolus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
- naevius** Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 575.
- naevia** Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2579.
- naevia** Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1003.
- naevius** Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1585.
- naevia** Sitta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 442.
- naevia** Sterna, Linnaeus, Syst. Nat., ed. 12, 1766, 228.
- naevia** Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 289.
- naevia** Sylvia (Gm.), J. Latham, Index Orn. 1790, 517.—Motacilla.
- naevius** Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 760.
- naevia** Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 681.
- naevius** Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 817.
- naevosa** Globosa, F. C. Meuschen, Mus. Gev. 1787, 380.
- naevosa** Haliotis, T. Martyn, Univ. Conch. II [1788], fig. 63.
- naevosus** Musca, M. Harris, Exp. Eng. Ins. 1776, 75.
- naezeniana** Tortrix, C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 169.
- nageb** Sciaena, P. Forskal, Descr. Anim. 1775, 51.
- naidion** Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 91.
- Nais** O. F. Müller, Würm. 1771, 6.—Ver.
- nais** Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 292.—Papilio.
- nais** Papilio, J. R. Forster, N. Sp. Ins. 1771, 73.

Naja Noctua S.A. Rolletenburg *Naturforscher IX* p.152 (1776).

- nais** [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 74.
nais Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 15.
Naja J. N. Laurenti, Syn. Rept. 1768, 90.—R.
naja Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 221; ed. 12, 1766, 382.
naja-brasiliensis Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 24.
naja-peruvianus Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 24.
najas Cimex, C. de Geer, Mém. Ins. III. 1773, 311.
namacush Salmo, J. G. Walbaum, Artdi, Ichth. (3) ed. 2, 1792, 68.
namaquensis Sciurus, H. Lichtenstein, Cat. rerum Nat. I. 1793, 2.
namaquus Picus, H. Lichtenstein, Cat. rerum Nat. I. 1793, 17.
namaqua Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 754.
nanella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 141.
nanodes Simia, A. A. H. Lichtenstein, Comm. Simiarum, 1791, 74.
"nantis Amphibolithus." Linnaeus, Syst. Nat., ed. 12, III. 1768, 188.
nanus Atteblabus, G. Paykull, Faun. Suec. III. 1800, 176.—Curculio, 1792.
nanus Bos, P. Boddaert, Elench. 1785, 152.
nanum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3497.
nanus Bucco, B. Boddaert, Tab. Planch. Enl. 1783, 47.
nana Buprestis, G. Paykull, Faun. Suec. II. 1799, 233.
nana Capra, R. Kerr, Anim. Kingd. 1792, 323.
nanus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2181.
nanus Curculio, G. Paykull, Mon. Curc. 1792, 136.
nanus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1956.
nana Helix, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 116.
nanus Hister, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 34.
nanus Hister, L. G. Scriba, J. Lieb. Ent. I. 1790, 73.
nanus Lepus, J. C. D. Schreber, Säugth. IV. 881 (1790), pl. ccxxxiv B (1789).
nana Phalaena, Hufnagel, Berl. Mag. III. 1767, 398.
nana Phalaena, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785, 334.
nanus Pholas, R. Pulteney, Cat. Birds &c. Dorset, 1799, 27.
nanus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 318.
nanus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 42.
nanus Sirex, O. F. Müller, Z. Dan. Prod. 1776, 151.
nanus Staphylinus, G. Paykull, Faun. Suec. III. 1800, 408.
nanus Stenocorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 300.
nanus Syrphus, P. Rossi, Fauna Etrus. II. 1790, 291.
nana Tettigonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 102.
nanus Trochus, C. U. v. Salis, Reise Neapel, 1793, 375.
napelli Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 275.
napi Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 29.
napi Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 468; ed. 12, 1767, 760.
napo-brassicae Curculio, C. Bjerkander, K. Vet. Ac. Nya Handl. I. 1780, p. 195.
napo-brassicae Musca, C. Bjerkander, K. Vet. Ac. Nya Handl. I. 1780, 196.
napurita v. *mapurita*.
narbal [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 168.
narbonensis Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1014.
narbonea Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 595.—Phalaena.
narbonea Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 837.
Narcacion (ex Klein), J. J. Walbaum, Artdi, Ichth. (3) ed. 2, 1792, 580.—P.
narcissus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 290.
narcissus Noctua (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 213.—Phalaena.
narcissus Papilio, J. C. Fabricius, Syst. Ent. 1775, 524.
narcissus Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 428.
narcissus [Phalaena], P. Cramer, Uitl. Kapellen, I (7) 1775, 116.
narcosius [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 171.
narica Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 187.
narica Ursus (L.), G. Cuvier, Tab. Elém. 1798, p. 113.—Viverra.
narica Viverra, Linnaeus, Syst. Nat., ed. 12, 1766, 64.

- narinari** Raja, B. A. Euphrasen, K. Vet. Ac. Nya Handl. XI. 1790, 217.
- narva** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 249.
- narval** Astacus, J. C. Fabricius, Mant. I. 1787, 331.
- narval** Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 253.
- narval** Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2988.—Astacus.
- Narwhal** (*ex* Klein), J. J. Walbaum, Artdi, Ichth. (3) ed. 2, 1792, 579.—M.
- narwhal** Monodon, J. F. Blumenbach, Abb. nat. Gegen., no. 44, 1800.
- nasalis** Oestrus, Linnaeus, Syst. Nat., ed. 10, 1758, 584; ed. 12, 1767, 969.
- nasalis** Simia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 200.
- nasatus** (*et* **nosatus**) Musca, M. Harris, Exp. Eng. Ins. 1776, 105.
- nasata** Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116 [*n. n.*].
- nasica** Cercopithecus, B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.
- nasica** Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 36.
- nasicornis** Coluber, G. Shaw, Nat. Misc. III. 1792, pl. 94.
- nasicornis** Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 16.—Scarabaeus.
- nasicornis** Oryctes (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 14.—Scarabaeus.
- nasicornis** Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 346; ed. 12, 1767, 544.
- nasicornis** Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788. Syn. méth. "Naso, Lacép. 1800," Ag.; is 1802.
- naso** Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 431.
- naso** Polynemus, J. A. Donndorff, Zool. Beyt. III. 1798, 681.
- naso** Truxalis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 93.
- nasoscopus** Astacus, F. C. Meuschen, Mus. Gronov. 1778, 86.
- Nassa** J. F. Bolten, Mus. Bolten. (2) 1798, 132.—G.
- Nassa** Lamarck, Mém. Soc. H. N. Paris, 1799, 71.—G.
- nassa** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3551.
- nassa** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3464.
- nassatus** Cimex, J. C. Fabricius, Mant. II. 1787, 304.
- nassata** Geometra (Fab.), C. de Villers, Linn. Ent. IV. 1789, 512.—Phalaena.
- nassata** Hister, G. W. F. Panzer, Ins. Germ. heft 67 [1799], tab. 8.
- nassatus** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 174.—Cimex, 1787.
- nassata** Phalaena, J. C. Fabricius, Mant. II. 1787, 212.
- nassata** Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 926.
- nassovicus** Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 108.
- nasulla** Buccinum, C. U. v. Salis, Reise Neapel, 1793, 367.
- nasturtii** Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 31.
- Nasua** G. C. C. Storr, Prod. 1780, 35 & tab. A.—M.
- Nasua** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
- nasua** Coati, B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.
- nasuus** Simia (Cercop.), R. Kerr, Anim. Kingd. 1792, 72.
- nasua** Ursus (L.), G. Cuvier, Tab. Elém. 1798, 113.—Viverra.
- nasua** Viverra, Linnaeus, Syst. Nat., ed. 12, 1766, 64.
- nasus** Clupea, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 116.
- nasus** Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 325; ed. 12, 1766, 530.
- nasus** Notocanthus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 113.
- nasus** Ostracion, M. E. Bloch, Nat. ausl. Fische, I. 1785, 118.
- nasus** Salmo (Coreg.), P. S. Pallas, Reise Russ. III. 1776, 705.
- nasus** Squalus, J. J. Walbaum, Artdi, Ichth. (3) ed. 2, 1792, 517.
- nasutus** Anguis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1120.
- nasuta** Apis (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2796.—Nomada.
- nasuta** Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 298.
- nasutus** Brentus, Fabr., J. C. Fabricius, Mant. I. 1787, 96.—Curculio, 1781.
- nasutus** Buceros, Linnaeus, Syst. Nat., ed. 12, 1766, 154.
- nasutus** Buceros, R. Kerr, Anim. Kingd. 1792, 624; *var.* erythrorhynchus.
- nasutus** Bufo, J. G. Schneider, Hist. Amph. I. 1799, 217.
- nasutus** Cancer, J. C. Fabricius, Reise Norwegen, 1799, 383.
- nasutus** Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 100.
- nasutus** Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 182.

- nasutus** Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 516.
- nasutus** Gryllus (Acrida), Linnaeus, Syst. Nat., ed. 10, 1758, 427; ed. 12, 1767, 692.
- nasutus** Inachus (Fab.), F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
- nasutus** Lanius, J. A. Scopoli, Del. Insub. II. 1786, 85.
- nasuta** Mantis, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 62.
- nasuta** Mantis, J. C. Fabricius, Mant. I. 1787, 229.
- nasuta** Mordella, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 66.
- nasuta** Mordella, J. C. Fabricius, Mant. I. 1787, 217.
- nasuta** Musca, F. v. P. Schrank, Ins. Aust. 1781, 475.
- nasuta** Nomada, J. A. Scopoli, Annus IV. 1770, 47.
- nasuta** Perla, C. de Geer, Mém. Ins. III. 1773, 568.
- nasutus** Psittacus, J. Latham, Index Orn. 1790, 118.
- nasuta** Ripiphorus (Th.), J. C. Fabricius, Ent. Syst. I (2) 1792, 110.—Mordella.
- nasutus** Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 98 [*n. n.*].
- nasutus** Todus, J. Latham, Index Orn. 1790, 268.
- nasutus** Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81.
- nasutus** Truxalis (L.), J. C. Fabricius, Syst. Ent. 1775, 279.—Gryllus.
- nasuta** Vespa, J. L. Christ, Nat. Ins. 1791, 222.
- nasuta** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3455.
- nasuta** Vorticella, O. F. Müller, Verm. I (1) 1773, 102.
- natalis** Phalaena, [D. H. Schneider], Nom. Ent. 1785, 52 [*n. n.*].
- natans** Cataphractus, F. C. Meuschen, Mus. Gronov. 1778, 56.
- natans** Caulina (Ab.), S. d. Chiaje in Poli, Test. Sicil. III (1) 1826, 39.—Cavolina.
- natans** Cavolina, P. C. Abildgaard, Skr. nat. Selsk. [Copen.], I (2) 1791, 175.
- natans** Crocodylus, F. A. A. Meyer, Syn. Rept. 1795, 20.
- natans** Madrepora, E. J. C. Esper, Pflanzenth. I (3) 1789, 140.
- natans** Pegasus, Linnaeus, Syst. Nat., ed. 12, 1766, 418.
- natans** Scolopax, B. C. Otto in Buffon, Naturg. Vögel, XXVI. 1797, 234.
- natans** Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 283.
- natator** Acarus, F. v. P. Schrank, Ins. Aust. 1781, 509.
- natator** Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 156.
- natator** Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 412.
- natator** Gyrimus, Linnaeus, Syst. Nat., ed. 12, 1767, 567.
- natator** Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 12.
- natator** Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 127.
- natatorius** Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 219.
- Natica** J. A. Scopoli, Intr. Hist. Nat. 1777, 392.—G.
- Natica** Lamarck, Mém. Soc. H. N. Paris, 1799, 77.—G.
- natka** Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 309.
- natotiae** Ichneumon, Linnaeus, in Hasselquist, Palast., 1762, 468.
- Natrix** J. N. Laurenti, Syn. Rept. 1768, 73.—R.
- natrix** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 220; ed. 12, 1766, 380.
- Naucorinus** F. C. Meuschen, Mus. Gronov. 1778, 69.—Hem.
- Naucoris** E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 473.—Hem.
- Naucoris** J. C. Fabricius, Syst. Ent. 1775, 693.—Hem.
- naucoris** Nepa, C. de Geer, Mém. Ins. III. 1773, 375.
- naucum** Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 726; ed. 12, 1767, 1183.
- nauui** Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 206.
- Nauplius** O. F. Müller, Z. Dan. Prod. 1776, xxvii & 198.—Ech. [ed. 12.]
- nauplius** Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 488.—[P. (Nymphalis),
- nausica** Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 38.—Phalaena.
- nausica** [Phalaena], P. Cramer, Uitl. Kapellen, III (21) 1779, 96.
- nausithoe** [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 71.
- nausithous** [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 70.
- nautes** [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 70.
- nautilator** Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (6) 1796, 175.
- nautilus** Turbo, Linnaeus, Syst. Nat., ed. 12, 1767, 1241.—[Nautilus crista, ed. 10.]
- Nautilites** J. Gesner, Tract. Petref. 1758, 50.—Ceph.

- Nautilites** Lamarck, Mém. Soc. H. N. Paris, 1799, 79.—Ceph. (See p. 647.)
- nautiloides** Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3739.
- Nautilus** Linnaeus, Syst. Nat., ed. 10, 1758, 709; ed. 12, 1767, 1161.—Ceph. [1792, 98.
- navacula** Coryphaena, *err. pro* navacula, Linn., J. J. Walbaum, Artedi, Ichth. (3), ed. 2,
- navalis** Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 403; ed. 12, 1767, 650.
- navalis** Dermestes, J. C. Fabricius, Syst. Ent. 1775, 56.
- navalis** Lyctus, J. C. Fabricius, Ent. Syst. I (2) 1792, 504.—Dermestes, 1775.
- navalis** Lygdus, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 34.—Dermestes, 1775.
- navale** Lymexylon, J. C. Fabricius, Syst. Ent. 1775, 204.
- navalis** Malacopteryx (L.), J. R. Forster, Cat. Brit. Ins. 1770, 7.—Cantharis.
- navalis** Pholas (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 96.—Teredo.
- navalis** Teredo, Linnaeus, Syst. Nat., ed. 10, 1758, 651; ed. 12, 1767, 1267.
- navalis** Xylophagus, F. C. Meuschen, Mus. Gronov. 1778, 47.
- navaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 79 [*n. et f.*].
- navicula** Bulla, E. M. da Costa, Brit. Conch. 1778, 28.
- navicula** Cimex, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 186.
- navicula** Medusa, G. Shaw, Nat. Misc. VII. 1796, pl. 247.
- navicula** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3727.
- navicula** Trichoda, O. F. Müller, An. Infus. 1786, 191.
- navicula** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3467.
- navicularis** Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 99.
- navicularis** Nautilus, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 241.
- navicularis** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 297.
- naviculata** Sphecx, C. de Villers, Linn. Ent. III. 1789, 253.
- navigator** Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 155.
- navigera** Pterotrachea, X. Macri in S. d. Chiaje in Poli, Test. Sicil. III (1) 1826, 29.
- navus** Musca, M. Harris, Exp. Eng. Ins. 1776, 109.
- nayas** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 276.
- nazarenus** Didus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 729.
- neaerea** Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 479; ed. 12, 1767, 782.
- neapolitanum** Callistoderma, J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—= Mactra of
- neapolitana** Mactra, J. X. Poli, Test. Sicil. II. 1795, 67. [p. 67.
- neapolitanus** Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 87 [*n. n.*].
- nebulalis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 27.
- nebulana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 104 [*n. et f.*].
- nebulatus** Cerastes (Linn.), J. N. Laurenti, Syn. Rept. 1768, 83.—Coluber.
- nebulatus** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 222; ed. 12, 1766, 383.
- nebulata** Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 12.
- nebulata** Phalaena, Scopoli, Ent. Carn. 1763, 215.
- nebulata** Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 381.
- nebulata** Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
- nebulella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
- nebulella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 33.
- nebulella** Tinea, C. C. Jung, Alph. Verz. Schmett. II. 1792, 46.
- nebulifera** Vorticella, O. F. Müller, Verm. I (1) 1773, 119.
- nebulo** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 321.
- nebulosella** Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 517.
- nebulosella** Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 325.
- nebulosus** Anthribus, J. R. Forster, Cat. Brit. Ins. 1770, 5 [*n. n.*].
- nebulosus** Anthribus, J. R. Forster, N. Sp. Ins. 1771, 10.
- nebulosa** Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2789.
- nebulosus** Bruchus, A. G. Olivier, Entom. IV. 1795, 20.
- nebulosa** Buprestis (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1940.—
- nebulosum** Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 257. [Mordella.
- nebulosa** Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 363; ed. 12, 1767, 575.
- nebulosa** Cassida, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 40.
- nebulosus** Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 391; ed. 12, 1767, 627.
- nebulosa** Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 50.

- nebulosa** Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 164 [*n. n.*].
nebulosa Cicada, J. C. Fabricius, Spec. Ins. II. 1781, 326.
nebulosa Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2104.
nebulosa Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 752.
nebulosus Cimex, N. Poda, Ins. Mus. Graec. 1761, 56.
nebulosus Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 59.
nebulosa Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 140.
nebulosus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 96.
nebulosus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3387. [Erotylus.
nebulosus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1728.—
nebulosus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 385; ed. 12, 1767, 617.
nebulosus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 374.
nebulosa Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3413.
nebulosa Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 179 [*n. n.*].
nebulosum Dermalium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3738.
nebulosus Dermestes, C. de Geer, Mém. Ins. IV. 1774, 197.
nebulosus Dytiscus, J. R. Forster, N. Sp. Ins. 1771, 56.
nebulosus Elaphrus, P. Rossi, Mant. Ins. I. 1792, 64.
nebulosus Elater, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 161.
nebulosa Enchelis, O. F. Müller, Verm. I (1) 1773, 34.
nebulosus Erotylus, J. C. Fabricius, Spec. Ins. I. 1781, 158.
nebulosus Gobius, P. Forskal, Descr. Anim. 1775, 24.
nebulosus Hemerobius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 202.
nebulosa Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 218.
nebulosa Lamia (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 25.—Cerambyx.
nebulosa Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 78.
nebulosa Libellula, J. C. Fabricius, Ent. Syst. II. 1793, 379.
nebulosus Macrocephalus, A. G. Olivier, Entom. IV. 1795, 5.
nebulosa Mordella, J. A. Scopoli, Annus V. 1772, 104.
nebulosa Muraena, C. P. Thunberg, De Muraena. 1789, 7.
nebulosa Musca, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 20.
nebulosa Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17 [*n. n.*].
nebulosa Nitidula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1628.
nebulosa Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 55.
nebulosa Ostrea, J. X. Poli, Test. Sicil. II. 1795, 159.
nebulosa Paphia, J. F. Bolten, Mus. Bolten. (2) 1798, 176 [*n. n.*].
nebulosa Perla, A. F. de Fourcroy, Ent. Paris. 1785, 349.
nebulosa Phalaena, Hufnagel, Berl. Mag. III. 1767, 418.
nebulosa Phalaena, J. E. I. Walch, Naturforscher, XIII. 1779, 29.
nebulosa Phalaena Bomb., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2433.
nebulosa Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 549.
nebulosa Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 51.
nebulosus Rhagio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 556.
nebulosa Saperda (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 57.—Lamia.
nebulosus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1546.
nebulosa Sciaena, P. Forskal, Descr. Anim. 1775, 52.
nebulosa Semblis (L.), J. C. Fabricius, Syst. Ent. 1775, 305.—Phryganea.
nebulosa Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627.
nebulosus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 165.
nebulosus Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 520.
nebulosa Strix, J. R. Forster, Phil. Trans. LXII. 1772, 386 & 424.
nebulosus Tabanus, C. de Geer, Mém. Ins. VI. 1776, 227.
nebulosa Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 186.
nebulosum Terebellum, J. F. Bolten, Mus. Bolten. (2) 1798, 135.
nebulosa Thais, J. F. Bolten, Mus. Bolten. (2) 1798, 54.
nebulosus Turbo, P. Forskal, Descr. Anim. 1775, 126.
nebulosa Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3279.
nebulosa Venus, R. Pulteney, Cat. Birds &c. Dorset, 1799, 34.

- necator Ichneumon, J. C. Fabricius, Gen. Ins. 1777, 246.
necatorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 144.
nechus [Sphinx], P. Cramer, Uitl. Kapellen, II (15) 1777, 125.
Necrobia P. A. Latreille, Préc. Car. Ins. 1796, 35.—Col.
[Necrophorus] *v.* **Nicrophorus**.
nectarea Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 983.
nectareus Syrphus, J. C. Fabricius, Mant. II. 1787, 341.
nectarina Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2876.
nectarinus Notoxus, G. W. F. Panzer, Ins. Germ. heft 23, 1794, tab. 7.
“Nectris, Forster, 1788,” Ag.; does not occur.—A.
necydalea Cantharis (Pall.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 281.—Meloe.
necydalea Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 399.—[Necydalis glaucescens,
necydalea Leptura, C. Allioni, Misc. Taurin. III. 1766, 188. [ed. 12.]
necydalea Meloe, P. S. Pallas, Reise Russ. II. 1773, 720.
necydalea Saperda, J. C. Fabricius, Suppl. Ent. Syst. 1798, 148.
Necydalis Linnaeus, Syst. Nat., ed. 10, 1758, 421; ed. 12, 1767, 641.—Col.
necydaloides Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 397.
necydaloides Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 691.—[*v.* Gryllus.]
necydaloides Phasma (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 188.—Mantis.
necydaloides Reduvius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 111.
nedymond [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 19.
nefte Papilio, P. Cramer, Uitl. Kapellen, III (22) 1779, 111.
negatorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 141.
neglectus Cimex, P. Rossi, Fauna Etrus. II. 1790, 230.
neglectus Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 542.
neglecta Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 115.
neglecta Scolia, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 2.
neitsil Ascaris, O. F. Müller, Z. Dan. Prod. 1776, 214.
neleus Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 318.—Papilio.
neleus Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 488.—[P. (Plebejus), ed. 12.]
nelicourvi Parvus, J. A. Scopoli, Del. Insub. II. 1786, 96.
nelma Salmo, P. S. Pallas, Reise Russ. II. 1773, 716.
nelo Papilio, Bergstraesser, Nom. Ins. II. 1779, 47.
nemaesus Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 42.—Simia.
nemaesus Simia, Linnaeus, Mant. II. 1771, 521.
nemaesus Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 69.
nemausense Myrmeleon, M. B. Borkhausen in Scriba, Beitr. Ins. II. 1791, 162.
nemesianus Tetrao, J. A. Scopoli, Annus I. 1769, 118.
nemestrinus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 155.—Scarabaeus.
nemestrina Papio (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 20.—Simia.
nemestrinus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 22.
nemestrina Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 35.
nemestrina Simia (Papio) Linn., R. Kerr, Anim. Kingd. 1792, 59.
Nemophora Hoffmannsegg in Illiger, Käfer Preuss. 1798, 499.—Lep.
nemoralis Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 76.
nemoralis Acarus, O. F. Müller, Z. Dan. Prod. 1776, 187.
nemoralis Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1898.
nemoralis Carabus, O. F. Müller, F. Ins. Frid. 1764, 21.
nemoralis Cerambix, F. A. A. Meyer, Zool. Archiv (1) 1796, 226.
nemoralis Cicindela, A. G. Olivier, Entom. II. 1790, 13.
nemoralis Cimex, J. C. Fabricius, Mant. II. 1787, 303. [Rhinomacer.
nemoralis Curculio (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1757.—
nemoralis Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 773; ed. 12, 1767, 1247.
nemoralis Helix, O. F. Müller, Verm. II. 1774, 62.—*v.* **nemorensis**.
nemoralis Hemerobius, O. F. Müller, F. Ins. Frid. 1764, 66.
nemoralis Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 416.
nemoralis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 171.—Cimex, 1787.
nemoralis Phalaena, Scopoli, Ent. Carn. 1763, 242.

- nemoralis** Phalaena, J. C. Fabricius, Syst. Ent. 1775, 642.
- nemoralis** Phalaena (Pyr.) (Fab.). C. de Villers, Linn. Ent. II. 1789, 440.—Phalaena,
- nemoralis** Podura, O. F. Müller, Z. Dan. Prod. 1776, 184. [1775.]
- nemoralis** Pyralis (Fab.), C. P. Thunberg, Ins. Suecica (1) 1784, 15.—Phalaena.
- nemoralis** Rhinomacer, O. F. Müller, Z. Dan. Prod. 1776, 90.
- nemoralis** Scarabaeus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 67 [1799], tab. 1.
- nemoralis** Staphylinus, F. A. A. Meyer, Zool. Archiv (1) 1796, 243.
- nemoralis** Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 558; ed. 12, 1767, 926.
- nemorana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 3 [*n. et f.*].
- nemoraria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 89 [*n. et f.*].
- nemorata** Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 518. [*f.*].
- nemorella** Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 331.
- nemorella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 536; ed. 12, 1767, 887.
- nemorella** Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
- nemorensis** Helix, O. F. Müller, Verm. II. 1774, 62 & errata.
- nemoreus** Curculio, Scopoli, Ent. Carn. 1763, 32.
- nemorosa** Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 797.
- nemorosus** Cervus, R. Kerr, Anim. Kingd. 1792, 304.
- nemorosa** Noctua, E. J. C. Esper, Die Schmett. IV (30) 1786, 30.
- nemorosa** Phalaena Bombyx (Esp.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790,
- nemorosa** Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74. [159.—Noctua.]
- nemorum** Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 115.—Chrysomela.
- nemorum** Altica, A. F. de Fourcroy, Ent. Paris. 1785, 99.
- nemorum** Apis, Scopoli, Ent. Carn. 1763, 307.
- nemorum** Apis, J. C. Fabricius, Syst. Ent. 1775, 380.
- nemorum** Apis, J. C. Fabricius, Syst. Ent. 1775, 382.
- nemorum** Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 373; ed. 12, 1767, 595.
- nemorum** Cimex, Linnaeus, Faun. Suec., ed. 2, 1761, 254. [nemoralis.]
- nemorum** Crambus (Scop.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 406.—Phalaena
- nemorum** Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 34.—Chrysomela.
- nemorum** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 591; ed. 12, 1767, 984.
- nemorum** Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 764.—Musca.
- nemorum** Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2671.
- nemorum** Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 111.
- nemorum** Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 508.—Alucita nemorella,
- Nemotelus** E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 542.—Dip. [1794.]
- Nemoura** P. A. Latreille, Préc. Car. Ins. 1796, 101.—Neur.
- nems** Mustela, H. F. Link, Beytr. Nat. I (2) 1795, 82.
- nems** Viverra, R. Kerr, Anim. Kingd. 1792, 160.
- nengeta** Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 135.
- nenuphar** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 29.
- neogama** Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 175.
- neonympha** Phalaena Noctua, E. J. C. Esper, Die Schmett. IV., Abschn. 2 [post 1796], 75.
- neophytis** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 218.
- neoptolemus** [Sphinx], P. Cramer, Utitl. Kapellen, IV (26) 1780, 23.
- Nepa** Linnaeus, Syst. Nat., ed. 10, 1758, 440; ed. 12, 1767, 713.—Hem.
- nepa** Coluber, J. N. Laurenti, Syn. Rept. 1768, 97.
- nepesiformis** Acarus, Scopoli, Ent. Carn. 1763, 390.
- nepesiformis** Naucoris, J. C. Fabricius, Syst. Ent. 1775, 693.
- nepetae** Phalaena, J. G. Gladbach in Kuehn, Kurze Anleit. Ins., ed. 2, 1783, 124 [*n. n.*].
- nephele** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 54.
- nephele** Papilio, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 206.
- nephritica** Beguina, J. F. Bolten, Mus. Bolten. (2) 1798, 160.
- nephte** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 190.
- nepos** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 340.
- neptis** [Phalaena], P. Cramer, Utitl. Kapellen, III (22) 1779, 128.
- Neptunea** J. F. Bolten, Mus. Bolten. (2) 1798, 115.—G.
- neptuni** Cancer, Linnaeus, Syst. Nat., ed. 12, III. 1768, App., 226.

- neptuni** Cancer (Astacus) L., J. F. W. Herbst, Vers. Nat. Krab. II (3) 1792, 91.
neptuni Cordiformis, F. C. Meuschen, Mus. Gever. 1787, 486.
neptuni Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 125 [n. n.].
neptuni Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3467.
Nereis Linnaeus, Syst. Nat., ed. 10, 1758, 654; ed. 12, 1767, 1085.—Moll.
nereis Curculio, G. Paykull, Faun. Suec. III. 1800, 240.
nereis [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 48.
nereitea Serpula, F. C. Meuschen, Mus. Gronov. 1778, 48.
nerii Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 490; ed. 12, 1767, 798.
nerina Papilio, J. C. Fabricius, Syst. Ent. 1775, 509.
nerina Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 6.
nerissa Papilio, J. C. Fabricius, Syst. Ent. 1775, 471.
Nerita Linnaeus, Syst. Nat., ed. 10, 1758, 776; ed. 12, 1767, 1251.—G.
Nerita E. L. Geoffroy, Traité Coq. 1767, 13.—G.
Neritaeformis F. C. Meuschen, Mus. Gever. 1787, 274.—G.
Neritella [G. Humphreys], Mus. Calonn. 1797, 57.—G.
neriteum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 738; ed. 12, 1767, 1201.
neritaeus Murex, F. C. Meuschen, Mus. Gever. 1787, 322.
neritea Patella, P. Forskal, Descr. Anim. 1775, xxxiv.
neritina Cellaria (L.), J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 22.—Sertularia.
neritina Cellularia, P. S. Pallas, Elench. 1766, 67.
neritina Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3638.
neritina Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 815; ed. 12, 1767, 1315.
Neritites J. Gesner, Tract. Petref. 1758, 56.—G.
Neritoidea [G. Humphreys], Mus. Calonn. 1797, 20.—G.
Neritoides Meuschen, Naturforscher, XIII. 1779, 85.—G.
neritoides Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 104.
neritoides Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 761; ed. 12, 1767, 1232.
neritoideum Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 245.
neritoidea Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 775; ed. 12, 1767, 1250.
neritoideus Murex, Linnaeus, Syst. Nat., ed. 12, 1767, 1219.
neritoideus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3559.
neritoidea Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 781; ed. 12, 1767, 1257.
neritoideus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3577.
nerka Salmo, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 71.
nero Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 433.
nero Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 153.
nerva Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 340.
nervoptera Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 192.
nervosella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 518.
nervosa Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 210.
nervosa Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 437; ed. 12, 1767, 709.
nervosus Cimex, Scopoli, Ent. Carn. 1763, 129.
nervosus Cimex, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 5.
nervosa Ephemera, C. de Villers, Linn. Ent. III. 1789, 22.
nervosa Fulgora (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 575.—Cicada.
nervosus Gryllus, J. C. Fabricius, Ent. Syst. II. 1793, 55.
nervosus Hemerobius, J. C. Fabricius, Ent. Syst. II. 1793, 85.
nervosa Noctua, [Denis & Schiffermuller], Schmett. Wien, 1775, 85.
nervosa Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 46.
nervosa Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 357.
nervosa Phryganea, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 546.
nervosa Phryganea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 201.
nervosa Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 327.
nesaea Papilio (Nymphalis), Linnaeus, Mus. Lud. Ulr. 1764, 302.
nesea [Phalaena], P. Cramer, Uitl. Kapellen, IV (26) 1780, 31.
nesea [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, III. 1790, 108. [et f.].
nespertata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 226 [n.].

- nessus** Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 46.
- nessus** [Sphinx], P. Cramer, Utitl. Kapellen, II (9) 1777, 16.
- neste** [Papilio], P. Cramer, Utitl. Kapellen, III (22) 1779, 111.
- nestor** Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 463; ed. 12, 1767, 752.
- nestor** Psittacus, J. Latham, Index Orn. 1790, 110.
- nestor** Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 262.
- netrata** Phalaena, *id. ac* netrix, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 254.
- netrix** Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 85.—Phalaena.
- netrix** [Phalaena], P. Cramer, Utitl. Kapellen, II (13) 1777, 87.
- netrix** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 35.
- neucrates** Echeneis, Linnaeus, Syst. Nat., ed. 10, 1758, 261; ed. 12, 1766, 446.
- neucrates** Remora (Linn.), J. R. Forster, Cat. Anim. N. Amer. 1771, 20 [*n. n.*].—Echeneis.
- neucratoides** Echeneis, B. Zuiew, Nova Acta Ac. Sci. Petrop. IV. 1789, 279.
- neuhoffii** Dytiscus, J. Cederhielm, F. Ingric. 1798, 32.
- neuroptera** Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2117.
- neustria** Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 567.—Phalaena.
- neustria** Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 500; ed. 12, 1767, 818.
- neustriaria** Phalaena, Hufnagel, Berl. Mag. IV. 1767, 520.
- neuwaldegiana** Mordella, Creutzer in G. W. F. Panzer, Ins. Germ. heft 36, 1796, tab. 8.
- nexa** Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1090.—[*err. pro* nepa,
- nexilis** Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 130. [Laur.]
- nexilis** Mitra, T. Martyn, Univ. Conch. I [1784 *non* 1769], fig. 22.
- nexilis** Murex, D. Solander in G. Brander. Foss. Hant. 1766, 27.
- niavices** Papilio, *err. pro* niavius, L., J. C. Fabricius, Mant. II. 1787, 25.
- niavius** Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 470; ed. 12, 1767, 766.
- nicaeus** Papilio, J. C. Fabricius, Syst. Ent. 1775, 482.
- nicaea** Sphinx, L. Prunner, Lep. Pedemont. 1798, 86.
- nicanor** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 165.—Scarabaeus.
- nicanor** Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 27.
- niceta** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 151.
- nicias** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 332.
- nicias** Papilio, J. C. Fabricius, Mant. II. 1787, 86.
- nicias** [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, II. 1790, 60.
- nicippe** [Papilio], P. Cramer, Utitl. Kapellen, III (18) 1779, 31.
- nicobarensis** Sphinx, C. Schwarz in Kleemann's Beytr. Nat. Insect.-Gesch. II (1) 1793, 1.
- nicobarica** Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 108.
- nicobarica** Astraea, J. F. Bolten, Mus. Bolten. (2) 1798, 79.
- nicobarica** Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 164; ed. 12, 1766, 283.
- nicobaricus** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 612.
- nicobarica** Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3261.
- nicobarica** Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3221.
- nicobaricus** Mytilus, J. F. Bolten, Mus. Bolten. (2) 1798, 158.
- nicobaricus** Solen, J. F. Bolten, Mus. Bolten. (2) 1798, 155.
- nicobaricus** Spondylus, K. Schreibers, Vers. Conch. II. 1793, 156.
- nicobarica** Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122.
- nicobaricum** Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 126.
- nicobaricus** Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3596.
- nicombar** Columba, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- Nicrophorus** J. C. Fabricius, Syst. Ent. 1775, 71.—Col.
- nictitans** Bombyx, J. C. Fabricius, Syst. Ent. 1775, 558.
- nictitans** Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 35.—Simia.
- nictitans** Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 442.
- nictitans** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 847.
- nictitans** Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 40.
- nictitans** Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 69 & *var.* barbatus.
- “**nidi** Ornitholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 157.
- nidipendulus** Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 333.—Oriolus.
- nidipendulus** Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 390.

- niduaria* Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 165 [*n. et f.*].
nidulans Apis, J. C. Fabricius, Ent. Syst. II. 1793, 330.
nidulans Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 274.
nidulans Aranea, J. C. Fabricius, Mant. I. 1787, 343.
nidulans Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 271.
nidulatus Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 386.
nifat Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 282.
nigellae Cimex, J. C. Fabricius, Mant. II. 1787, 280.
nigellastrum Sertularia, P. S. Pallas, Elench. 1766, 129.
nigellus Asilus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 213.
nigellus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 57.
nigellus Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 58.
nigellus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 21.
nigellus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 376.
nigellus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2721.
nigella Lagena, J. F. Bolten, Mus. Bolten. (2) 1798, 131.
nigella Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1868.
nigella Nerita, F. C. Meuschen, Mus. Gever. 1787, 268.
nigella Neritaeformis, F. C. Meuschen, Mus. Gever. 1787, 276.
nigella Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 200.
nigra Alauda, J. P. Falk, Reise Russ. (5) 1786, 393.
nigra Alcedo, P. Boddaert, Tab. Planch. Enl. 1783, 22.
nigra Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 123; ed. 12, 1766, 196.
nigra Anaspis, A. F. de Fourcroy, Ent. Paris. 1785, 141.
nigrum Anobium (L.), J. C. Fabricius, Syst. Ent. 1775, 62.—Dermestes.
niger Anthrenus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 338.
niger Aphodius, Illiger in Kugelann, Käfer Preuss. 1798, 24.
nigrum Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 132.
niger Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 151.
nigra Aranea, V. Petagna, Spec. Ins. ult. Calab. 1786, 34.
nigra Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 142; ed. 12, 1766, 235.
niger Ascalaphus, M. B. Borkhausen in Scriba, Beitr. Ins. II. 1791, 156.
niger Asilus, C. de Geer, Mém. Ins. VI. 1776, 249.
nigra Asterias, P. Pennant, Brit. Zool., ed. 4, IV. 1777, 55.
nigra Asterias, T. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 20.
nigra Balistes, J. R. Forster in Osbeck, Voy. China, II. 1771, 93 [said to be O's sp.].
niger Balistes, J. P. Bonnaterre, Ency. Méth. (Ich.), 1788, 19.
niger Balistes, M. Park, Tr. Linn. Soc. [Lond.] III. 1797, 37.
niger Bucco, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 89.
niger Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 407.
nigra Buprestis, O. F. Müller, F. Ins. Frid. 1764, 18.
nigra Buprestis, J. A. Scopoli, Annus V. 1772, 106.
nigra Buprestis, P. Forskal, Descr. Anim. 1775, xxii [*n. n.*].
niger Byrrhus, P. Rossi, Fauna Etrus. I. 1790, 39. [485.—Cistela.
niger Byrrhus (Forst.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792,
niger Cacicus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 329.—Oriolus.
niger Cancer, P. Forskal, Descr. Anim. 1775, 89.
nigra Cantharis (L.), J. C. Fabricius, Mant. I. 1787, 168.—Dermestes.
nigra Cantharis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 55.
nigra Cantharis (De G.), C. de Villers, Linn. Ent. I. 1789, 296.—Telephorus.
niger Carabus, Linnaeus, Reise Schwed. (ed. Schreber), I. 1764, 109.
niger Carabus, O. F. Müller, Z. Dan. Prod. 1776, 76.
niger Carabus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 315.
nigra Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 258.
niger Cerambyx (Pet.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1845.—Rhagium.
nigra Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 106.
nigra Chrysomela (Fourc.), C. de Villers, Linn. Ent. I. 1789, 158.—Cryptoccephalus.
nigra Chrysomela, C. de Villers, Linn. Ent. I. 1789, 168.

- nigra** Cicada, C. de Geer, Mém. Ins. VII. 1778, 615.
nigra Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 188.
nigra Cicada, P. Rossi, Fauna Etrus. II. 1790, 215.
nigra Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 750.
nigra Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 60.
nigra Ciconia (L.), J. M. Bechstein, Gem. Nat. Deutschl. III. 1793, 56.—Ardea.
niger Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 51.
niger Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2126.
nigra Cistela, J. R. Forster, Cat. Brit. Ins. 1770, 4 [*n. n.*].
nigra Cistela, J. R. Forster, N. Sp. Ins. 1771, 14.
nigra Clava, T. Martyn, Univ. Conch. III [1789], fig. 98.
niger Clerus, C. de Geer, Mém. Ins. V. 1775, 164.
nigra Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1662.
niger Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 110.
nigra Conops, C. de Geer, Mém. Ins. VI. 1776, 265.
nigra Coracias, J. Latham, Index Orn. 1790, 172.
niger Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 473.—Tinea nigrella. 1775.
nigra Crax, Linnaeus, Syst. Nat., ed. 10, 1758, 157.
niger Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 93.
niger Cuculus, Linnaeus, Syst. Nat., ed. 10, 1758, 111; ed. 12, 1766, 170.
niger Curculio, D. Drury, Ill. Nat. Hist. II. 1773, index & 63.
niger Curculio, J. C. Fabricius, Syst. Ent. 1775, 150.
nigra Cynips, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2653.
nigra Cynips, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 781.
niger Dasytis (Fab.), G. Paykull, Faun. Suec. II. 1799, 156.—Lagria.
niger Dermestes, Linnaeus, Faun. Suec., ed. 2, 1761, 146.
niger Diplolepis, A. F. de Fourcroy, Ent. Paris. 1785, 392.
nigra Donacia, J. C. Fabricius, Ent. Syst. I (2) 1792, 117.
niger Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1958.
niger Echinus, G. I. Molina, Sag. stor. nat. Chili, 1782, 200.
niger Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 406; ed. 12, 1767, 656.
niger Elater, A. F. de Fourcroy, Ent. Paris. 1785, 37.
nigra Empis, C. de Villers, Linn. Ent. III. 1789, 571.
nigra Ephemera, Linnaeus, Faun. Suec. ed. 2, 1761, 377.
nigra Ephemera, A. F. de Fourcroy, Ent. Paris. 1785, 352.
niger Erax, Scopoli, Ent. Carn. 1763, 362.
niger Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 259.
nigra Fasciola, O. F. Müller, Verm. II. 1774, 54.
nigra Felis, J. C. P. Erxleben, Syst. Anim. 1777, 512.
nigra Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 580; ed. 12, 1767, 963.
nigra Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [*n. n.*]; Essai Fourmis, 1798, 39.
nigra Fringilla, E. Pontoppidan, Kurz. Nachr. N.-H. Dänemark, 1765, 174 [*n. n.*].
niger Gomerus, Linnaeus, Syst. Nat., ed. 10, 1758, 262; ed. 12, 1766, 449.
niger Hemerobius, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 59.
nigra Hirudo, W. Kirby, Tr. Linn. Soc. [Lond.] II. 1794, 317.
nigra Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1025.
niger Hister, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 1609.
niger Hydrophilus, J. C. Fabricius, Syst. Ent. 1775, 228.
niger Hydrophilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1944.
niger Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 68.
niger Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 405.
niger Ichneumon, J. A. Scopoli, Del. Insub. I. 1786, 58.
niger Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 351.—Oriolus.
niger Ichthyolithus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 389.
niger Indri, B. G. E. de Lacépède, Tabl. Mamm. 1799, 5.
nigra Ips, J. C. Fabricius, Mant. I. 1787, 47.
niger Labrus (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1285.—Scarus.

- nigra* Lagria, J. C. Fabricius, Spec. Ins. II. 1781, 498.
niger Lanius, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
niger Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 301.
niger Lemur, E. Geoffroy, Mag. encyclop. I (1) 1796, 47.
nigra Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 398; ed. 12, 1767, 639.
niger Lepus. R. Kerr, Anim. Kingd. 1792, 279.
nigra Leucospis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 207.
nigra-spicatus Limax, T. Martyn, Univ. Conch. IV [1792], fig. 121.
nigra Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 175; ed. 12, 1766, 306.
niger Luperus, J. A. Frolich, Naturforscher, XXVIII. 1799, 23.
nigra Meloe, J. Woodhouse, Medical Repository, III (2) 1799, 213.
niger Melyris, J. C. Fabricius, Spec. Ins. I. 1781, 67.
nigra Melyris (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 309.—Lagria.
nigra Membracis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 668.
niger Merganser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 104.
niger Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 465.
nigra Mordella, P. Rossi, Mant. Ins. I. 1792, 95.
nigra Musca, P. Forskal, Descr. Anim. 1775, xxiv.
nigra Musca (De G.), C. de Villers, Linn. Ent. III. 1789, 420.—Nemotelus.
nigra Musca, C. de Villers, Linn. Ent. III. 1789, 432.
nigra Muscicapa, A. Sparman, Mus. Carls. I. 1786, no. xxiii.
nigra Mustela, H. F. Link, Beytr. Nat. I (2) 1795, 82.
nigra Mutilla, P. Forskal, Descr. Anim. 1775, xxiv.
nigra Mutilla, P. Rossi, Mant. Ins. I. 1792, 148.
niger Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3362.
nigra Necedalis, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's] II (4) 1785, 321.
niger Nemotelus, C. de Geer, Mém. Ins. VI. 1776, 188.
niger Oriolus, P. Boddaert, Tab. Planch. Enl. 1783, 31.
nigra Paradisea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 401.
nigra Parra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 708.
nigra Perca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1321.
nigrum Phalaena (Bombyx), O. F. Müller, Z. Dan. Prod. 1776, 119.
nigra Phoca, R. Kerr, Anim. Kingd. 1792, 128.
nigra Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 548; ed. 12, 1767, 909.
nigra fasciata Phryganea, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 56.
nigra Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.—Fasciola, 1774.
[*nigra* Planaria] (Kirby), G. Shaw, Tr. Linn. Soc. [Lond.] II. 1794, 320.—Hirudo.
niger Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 247.—Sphex, 1775.
niger Pselaphus, G. Paykull, Faun. Suec. III. 1800, 365.
niger Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 99; ed. 12, 1766, 145.
nigra Pyrochroa, C. de Geer, Mém. Ins. V. 1775, 25.
niger Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 717.
nigrum Rhagium, V. Petagna, Spec. Ins. ult. Calab. 1786, 17.
niger Rhinomacer, A. F. de Fourcroy, Ent. Paris. 1785, 114.
nigra Rhyncops, Linnaeus, Syst. Nat., ed. 10, 1758, 138; ed. 12, 1766, 228.
nigra Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3749.
niger Scarabaeus, Giorna, Cal. Ent. 1791, 127.
niger Scarus, P. Forskal, Descr. Anim. 1775, 28.
nigra Scatopse, A. F. de Fourcroy, Ent. Paris. 1785, 503.
nigra Sciaena, P. Forskal, Descr. Anim. 1775, 47.
niger Sciurus, Linnaeus, Syst. Nat., ed. 10, 1758, 64; ed. 12, 1766, 86.
niger Sciurus, R. Kerr, Anim. Kingd. 1792, 257; *var.* albirosto.
nigra Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 659.
nigra Scolytus, A. F. de Fourcroy, Ent. Paris. 1785, 139.
niger Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 57.
nigra Sertularia, P. S. Pallas, Elench. 1766, 135.
nigra Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 232.—Ips.
nigra Simia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 217.

- niger** Sirex, M. Harris, Exp. Eng. Ins. 1776, 96.
nigra Sphex, J. C. Fabricius, Syst. Ent. 1775, 350.
nigra Sphex, J. A. Scopoli, Del. Insub. I. 1786, 58.
nigra Spongia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3819.
niger Staphylinus, O. F. Müller, F. Ins. Frid. 1764, 23.
niger Stenocorus, A. G. Olivier, Entom. IV. 1795, 19.
nigra Sterna, Linnaeus, Syst. Nat., ed. 10, 1758, 137; ed. 12, 1766, 227.
nigra Strix, B. Hacquet, N. phys.-pol. Reisen Karpath. II. 1791, 203, pl. v.
niger Stromateus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 93.
nigra Tanagra, Linnaeus, Syst. Nat., ed. 12, III. 1768, errata.
nigra Tanagra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 159.
niger Tantalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 650.
niger Telephorus, C. de Geer, Mém. Ins. IV. 1774, 72.
nigra Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 158.
nigra Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 925.
nigra Tiphia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2740.
nigra Tiphia, J. C. Fabricius, Ent. Syst. II. 1793, 225.
nigra Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 586; ed. 12, 1767, 972.
nigra Trichoda, O. F. Müller, An. Infus. 1786, 173.
niger Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 121; ed. 12, 1766, 192.
niger Trox, P. Rossi, Mant. Ins. I. 1792, 9.
niger Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
niger Ursus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 324 & 681.
niger albus Ursus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere. II. 1800, 681.
nigra Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 438.
nigra Volucella, A. F. de Fourcroy, Ent. Paris. 1785, 501.
nigra Volucella, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere. II. 1800, 351.
nigra Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3452.
nigra Vorticella, O. F. Müller, Verm. I (1) 1773, 96.
niger Vultur, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 248.
nigerrimus Asilus, F. v. P. Schrank, Ins. Aust. 1781, 488.
nigerrimus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2161.
nigerrima Formica, J. L. Christ, Nat. Ins. 1791, 513.
nigerrimus Ichneumon (Scop.), J. L. Christ, Nat. Ins. 1791, 365.—Sphex.
nigerrima Sphex, Scopoli, Ent. Carn. 1763, 295.
nigerrima Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 899.
nigerrimus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3572.
nigerrimus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3597.
nigerrimus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 821.
nigerrima Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2767.
nigra v. niger.
nigralis Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 508.
nigralis Phalaena (Pyr.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 443.—Phalaena.
nigralis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 10 & 12 [2].
nigrana Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2518.
nigrator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 158.
nigrator Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 43.
nigratorius Ichneumon, E. Pontoppidan, Danske Atlas, I. 1763, 692.
nigrata Evania (Gm.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 453.—Sphex.
nigrata Phalaena, Scopoli, Ent. Carn. 1763, 231.
nigrata Sphex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2723.
nigrata Tenthredo, O. F. Müller, Z. Dan. Prod. 1776, 150.
nigrata Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 73.
nigrata Tipula, O. F. Müller, Z. Dan. Prod. 1776, 170.
nigrella Phalaena [Tinea], Linnaeus, Syst. Nat., ed. 12, vol. III. 1768, App., 225.
nigrella Tinea, J. C. Fabricius, Syst. Ent. 1775, 658.
nigreola Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 20.
nigri Alauda, P. Boddaert, Tab. Planch. Enl. 1783, 46.

- nigricans Acanthus (L.), G. A. Suckow, Naturges. IV. 1799, 375.—Chaetodon.
nigricans Apate, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 95.
nigricans Araneus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2790.
nigricans Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 114.
nigricans Cantharis, J. H. Sulzer, Gesch. Ins. 1776, 51.
nigricans Cantharis (Müll.), Illiger in Kugelann, Käfer Preuss. 1798, 298.—Telephorus.
nigricans Carabus, O. F. Müller, Z. Dan. Prod. 1776, 76.
nigricans Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1857.
nigricans Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 274; ed. 12, 1766, 462.
nigricans Colymbus, J. A. Scopoli, Annus I. 1769, 77.
nigricans Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1725.
nigricans Cyclidium, O. F. Müller, An. Infus. 1786, 82.
nigricans Dytiscus, F. v. P. Schrank, Ins. Aust. 1781, 205.
nigricans Gymnothorax (Bonn.), G. A. Suckow, Naturges. IV. 1799, 181.—Muraena.
nigricans Hamster, B. G. E. de Lacépède, Tabl. Mamm. 1799, 10.
nigricans Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2702.
nigricans Muraena, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 34.
nigricans Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2836.
nigricans Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 616.—Phalaena.
nigricans Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 322.
nigricans Podiceps, J. Latham, Syn. Birds, Suppl. I. 1787, 294.
nigricans Scolopendra, A. F. de Fourcroy, Ent. Paris. 1785, 542.
nigricans Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1626.
nigricans Sterna, Linnaeus in Hasselquist, Palast. 1762, 325.
nigricans Tenthredo, J. L. Christ, Nat. Ins. 1791, 446.
nigricans Testudo, J. A. Donndorff, Zool. Beyt. III. 1798, 34.
nigricans Thelephorus, O. F. Müller, Z. Dan. Prod. 1776, 61.
nigricans Tringa, G. Montagu, Tr. Linn. Soc. [Lond.] IV. 1798, 40.
nigricaria Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 276.
nigricincta Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 181 [n.].
nigricollis Tenthredo, J. L. Christ, Nat. Ins. 1791, 450. [et f.].
nigricollis Alurnus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 60.
nigricollis Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 502.
nigricollis Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 108.
nigricollis Buprestis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 33.
nigricollis Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1986.
nigricollis Crioceris, J. C. Fabricius, Syst. Ent. 1775, 119.
nigricollis Falco, J. Latham, Index Orn. 1790, 35.
nigricollis Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 98.
nigricollis Motacilla, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 10 [n. n.].
nigricollis Perdix (Gm.), J. Latham, Index Orn. 1790, 656.—Tetrao.
nigricollis Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 272.
nigricollis Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1004.
nigricollis Staphylinus, G. Paykull, Faun. Suec. III. 1800, 400.
nigricollis Sylvia, J. Latham, Index Orn. 1790, 553.
nigricollis Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 894.
nigricollis Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 767.
nigricollis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 830.
nigricollis Turnix, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 6.
nigricornis Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 69.
nigricorne Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 221.
nigricornis Andrena, J. C. Fabricius, Ent. Syst. II. 1793, 313.
nigricornis Carabus, J. C. Fabricius, Mant. I. 1787, 202.
nigricornis Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 255.—Saperda.
nigricornis Cerambyx (Fab.), A. G. Olivier, Entom. IV. 1795, 111.—Lamia.
nigricornis Chalcis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 243.
nigricornis Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 98.
nigricornis Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 165.—Crioceris.

- nigricornis** Chrysomela, P. Rossi, Mant. Ins. I. 1792, 29.
nigricornis Cimex, J. C. Fabricius, Syst. Ent. 1775, 701.
nigricornis Crioceris, J. C. Fabricius, Mant. I. 1787, 87.
nigricornis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1722.
nigricornis Dasytes (Fab.), G. Paykull, Faun. Suec. II. 1799, 158.—Lagria.
nigricornis Dermestes (Fab.), C. P. Thunberg, Ins. Suecica (6) 1794, 80.—Mycetophagus.
nigricornis Elater, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 5.
nigricornis Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 24.—Crioceris. 1787.
nigricornis Galleruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 588.—Crioceris.
nigricornis Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 99.
nigricornis Hispa, J. C. Fabricius, Ent. Syst. I (2) 1792, 73.
nigricornis Hydrophilus, C. de Geer, Mém. Ins. IV. 1774, 376.
nigricornis Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 70.
nigricornis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2719.
nigricornis Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 185.
nigricornis Ips, J. C. Fabricius, Mant. I. 1787, 46.
nigricornis Lagria, J. C. Fabricius, Ent. Syst. I (2) 1792, 81.
nigricornis Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 218.
nigricornis Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 91.
nigricornis Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 331.
nigricornis Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 499.—Ips. 1787.
nigricornis Necydalis, A. G. Olivier, Entom. IV. 1795, 10.
nigricornis Phalaena B., C. de Villers, Linn. Ent. II. 1789, 175.
nigricornis Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 251.—Sphex, 1793.
nigricornis Saperda, J. C. Fabricius, Spec. Ins. II. 1781, 499.
nigricornis Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 232.—Ips.
nigricornis Sirex, J. C. Fabricius, Spec. Ins. I. 1781, 418.
nigricornis Sphex, J. C. Fabricius, Syst. Ent. 1775, 351.
nigricornis Vespa, C. de Villers, Linn. Ent. III. 1789, 283.
nigricornis Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 675.
nigricornis Zygaena, J. C. Fabricius, Mant. II. 1787, 104.
nigricornutus Cynipsichneumon, J. L. Christ, Nat. Ins. 1791, 388.
nigricrus Empis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2891.
nigriculus Angarius, F. C. Meuschen, Mus. Gever. 1787, 258.
nigrifrons Curculio, G. C. Reich, Mant. Ins. 1797, 12.
nigrifrons Motacilla, J. M. Bechstein, Gem. Nat. Deutschl. IV. 1795, 675.
nigrifrons Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 939.
nigrina Apis, Lamarck in Pallas, Voy. Russie (8vo. ed.) VIII [1794], 189.
nigrinus Coccinella (Kugel.), G. W. F. Panzer, Ins. Germ. heft 24 [1794], tab. 12.—Scym-
nigrinus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 60. [n. s.]
nigrinus Elater, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 114.
nigrinus Elater, G. Paykull, Faun. Suec. III. 1800, 39.
nigrina Papilio, J. C. Fabricius, Syst. Ent. 1775, 475.
nigrinus Scymnus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 548.
nigripenne Agathidium (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 84.—Sphaeridium.
nigripennis Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 386.
nigripennis Carabus, J. C. Fabricius, Ent. Syst. IV. 1794, 442.
nigripennis Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 29.
nigripennis Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 32.
nigripennis Cistela, J. C. Fabricius, Ent. Syst. I (2) 1792, 44.
nigripennis Dermestes, G. Paykull, Faun. Suec. I. 1798, 292.
nigripennis Empis, J. C. Fabricius, Ent. Syst. IV. 1794, 407.
nigripennis Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 14.
nigripennis Ips, J. C. Fabricius, Ent. Syst. I (2) 1792, 513.
nigripennis Latridius, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 578.
nigripennis Mordella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 127.
nigripennis Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 346.
nigripennis Reduvius, J. C. Fabricius, Ent. Syst. IV. 1794, 196.

- nigripennis Sphaeridium, J. C. Fabricius, Ent. Syst. I (1) 1792, 82.
nigripennis Vespa, C. de Geer, Mém. Ins. III. 1773, 582.
nigripennis Volvoxis (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 539.—Sphaeridium.
nigripennis Zonitis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 103.
nigripes Altica, J. C. Fabricius, Syst. Ent. 1775, 113.
nigripes Aphodius (Fab.), J. Sturm, Verz. Ins. Samml. 1800, 22.—Scarabaeus.
nigripes Asilus, J. C. Fabricius, Mant. II. 1787, 360.
nigripes Cantharis, J. C. Fabricius, Spec. Ins. I. 1781, 260.
nigripes Cassida, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 384.
nigripes Cerambix, A. G. Olivier, Entom. IV. 1795, 52.
nigripes Cetonina (Fab.), A. G. Olivier, Entom. I. 1789, 67.—Trichius.
nigripes Chrysomela, C. de Geer, Mém. Ins. V. 1775, 296.
nigripes Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 133.—Altica, 1775.
nigripes Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 60.
nigripes Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 34.
nigripes Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 449; ed. 12, 1767, 730.
nigripes Cimex, J. C. Fabricius, Syst. Ent. 1775, 710.
nigripes Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 114.—Cryptoccephalus, 1777.
nigripes Crioceris, J. C. Fabricius, Syst. Ent. 1775, 120.
nigripes Cryptoccephalus, J. C. Fabricius, Gen. Ins. 1777, 221.
nigripes Dermestes, A. G. Olivier, Entom. II. 1790, 15.
nigripes Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 233.
nigripes Empis, J. C. Fabricius, Ent. Syst. IV. 1794, 405.
nigripes Galeruca, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 588.
nigripes Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 29.—Altica, 1775.
nigripes Lampyrus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1886.—Py-
nigripes Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 92.—Crioceris, 1775. [rochroa.
nigripes Leptura, C. de Geer, Mém. Ins. V. 1775, 136.
nigripes Lycus (Fab.), A. G. Olivier, Entom. II. 1790, 11.—Pyrochroa.
nigripes Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2859.
nigripes Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 319.
nigripes Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 341.
nigripes Mutilla, J. C. Fabricius, Mant. I. 1787, 313.
nigripes Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 252.—Sphex, 1793.
nigripes Pyrochroa, J. C. Fabricius, Mant. I. 1787, 163.
nigripes Reduvius (L.), J. C. Fabricius, Spec. Ins. II. 1781, 380.—Cimex.
nigripes Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 310.
nigripes Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1585.—Tri-
nigripes Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 35. [chius.
nigripes Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 216.
nigripes Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 197.
nigripes Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 71.
nigripes Trichius, J. C. Fabricius, Spec. Ins. I. 1781, 49.
nigripilis Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2859.
nigrirostris Atteblabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 163.
nigrirostris Curculio, J. C. Fabricius, Syst. Ent. 1775, 132.
nigrirostris Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 986.
nigrirostris Sylvia (Gm.). J. Latham, Index Orn., 1790, 522.—Motacilla.
nigrispinus Cimex, J. C. Fabricius, Mant. II. 1787, 284.
nigritaria Phalaena (Geom.), A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 185.
nigrita Andrena, J. C. Fabricius, Syst. Ent. 1775, 377.
nigrita Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 257.—Bibio, 1775.
nigrita Apis, J. C. Fabricius, Syst. Ent. 1775, 379.
nigrita Aranea, J. C. Fabricius, Syst. Ent. 1775, 432.
nigrita Bibio, J. C. Fabricius, Syst. Ent. 1775, 757.
nigrita Bibio, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 299.
nigrita Bombylius, D. Cyrillo, Ent. Neap. (typogr. ed.), 1787, 7.

- nigrita** Buprestis, A. G. Olivier, Entom. II. 1790, 40.
nigrita Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 134.
nigrita Carabus, G. Paykull, Mon. Carab. 1790, 129.
nigrita Cetonia, J. C. Fabricius, Syst. Ent. 1775, 43.
nigrita Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 309.
nigrita Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 123.
nigrita Cistela, J. C. Fabricius, Ent. Syst. IV. 1794, 447.
nigrita Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 79.
nigrita Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 197.
nigrita Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 201.
nigrita Helops, J. C. Fabricius, Gen. Ins. 1777, 241.
nigrita Helops, J. C. Fabricius, Spec. Ins. I. 1781, 325.
nigritus Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 203.
nigrita Mellinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 267.
nigrita Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 167.
nigritus Murex, F. C. Meuschen, Mus. Gever. 1787, 324.
nigrita Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 316.
nigrita Musca, Scopoli, Ent. Carn. 1763, 328.
nigrita Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 19.
nigrita Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8 [*n. n.*].
nigrita Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2010.—Helops.
nigrita Rhagio, J. C. Fabricius, Ent. Syst. IV. 1794, 276.
nigrita Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1580.—Cec-
nigrita Scolia, J. C. Fabricius, Spec. Ins. I. 1781, 452. [tonia.]
nigrita Silpha, C. Creutzer, Ent. Vers. 1799, 116.
nigrita Sirex, J. C. Fabricius, Mant. I. 1787, 258.
nigrita Sphex, J. C. Fabricius, Spec. Ins. I. 1781, 449.
nigrita Syrphus, J. C. Fabricius, Spec. Ins. II. 1781, 427.
nigrita Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 367.
nigrita Vespertilio, J. C. D. Schreber, Säugth. I. 171 (1774), pl. lviii (1774).
nigriventris Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2789.
nigrivittis Curculio, P. S. Pallas, Icon. Ins. 1781, 31.
nigro-caudatus Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 68.
nigrocephalus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 321.
nigrocincta Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17.
nigro-coerulea Phryganea, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 56.
nigrocrocea Tipula, C. de Geer, Mém. Ins. VI. 1776, 400.
nigroculus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 372.
nigrofasciatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 493.
nigro-fasciata Aranea, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 247.
nigrofasciata Coccinella, P. Rossi, Fauna Etrus. I. 1790, 62.
nigrofasciatus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 98.
nigroflavus Picus, Richard & Bernard, Actes Soc. H. N. Paris, I (1) 1792, 117.
nigrofulva Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 51.
nigrofulva Phalaena Noct., E. J. C. Esper, Die Schmett. IV (48) 1796, 384.
nigrofulvus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 173.
nigrofuscus Chaetodon, P. Forskal, Descr. Anim. 1775, 64; *var.* gahhm.
nigrofuscus Gobius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 536.
nigrofusca Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 51.
nigrofusca Phalaena Noct., E. J. C. Esper, Die Schmett. IV (48) 1796, 383.
nigrogibbosus Curculio, C. de Geer, Mém. Ins. V. 1775, 224.
nigro-linea Cicada, C. de Geer, Mém. Ins. III. 1773, 219.
nigrolineatus Cimex, *id. ac* lineatus, L., J. C. Fabricius, Spec. Ins. II. 1781, 341.
nigromaculata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 290.
nigro-maculata Cassida, C. de Geer, Mém. Ins. V. 1775, 189.
nigromaculata Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 277.
nigromaculatus Elater, C. de Geer, Mém. Ins. IV. 1774, 158.
nigromaculatus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2072.

- nigromarginata** Melolontha, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 155.
nigronervosus Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 30.
nigro-nervosa Phryganea, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 56.
Nigrophorus, *v.* **Nicrophorus** J. C. Fabricius, Mant. I. 1787, 48.
nigrophthalmus Staphylinus, L. H. v. Bloch in Becker, Plau. Grund. 1799, 117.
nigroplanus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 88.
nigroptera Stratiomys, A. F. de Fourcroy, Ent. Paris. 1785, 469.
nigropunctatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3497.
nigropunctata Cicada, F. v. P. Schrank, Ins. Aust. 1781, 259.
nigropunctatus Cimex, C. de Geer, Mém. Ins. III. 1773, 335.
nigropunctata Mantis, B. E. Manuel, Ency. Méth. VII. (Ins.) 1792, 642.
nigropunctata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 526.
nigropunctata Phryganea, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 55.
nigro-quadrata Chrysomela, C. de Geer, Mém. Ins. V. 1775, 336.
nigro-rubra Lampyris, C. de Geer, Mém. Ins. IV. 1774, 46.
nigrorufus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 84.
nigro-rufa Nomada, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 62.
nigro-rugosus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 64.
nigrostriatus Carabus, C. de Geer, Mém. Ins. IV. 1774, 96.
nigrostriatus Curculio, V. Petagna, Inst. Ent. 1792, 221.
nigro-terminatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 481.
nigroterminatus Gryllus Loc., C. de Villers, Linn. Ent. I. 1789, 452.
nigrovenosa Fusaria, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 48.
nigrovenulata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [*n. n.*].
nigrum *v.* **niger**.
nigua Acarus, C. de Geer, Mém. Ins. VII. 1778, 153.
nileus Papilio, C. Clerck, Icones, II. 1759, tab. 45, f. 2.
nilotica Anas, Linnaeus in Hasselquist, Palast. 1762, 319.
niloticus Bodianus (L.), G. A. Suckow, Naturges. IV. 1799, 521.—Perca.
niloticus Crocodylus, J. N. Laurenti, Syn. Rept., 1768, 53.
niloticus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 322; ed. 12, 1766, 527.
niloticus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 286; ed. 12, 1766, 477.
nilotica Lacerta, Linnaeus in Hasselquist, Palast. 1762, 361.
nilotica Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 290; ed. 12, 1766, 483.
niloticus Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 312; ed. 12, 1766, 514.
niloticus Sparus, Linnaeus in Hasselquist, Palast. 1762, 387.
nilotica Sterna, Linnaeus in Hasselquist, Palast. 1762, 325.
niloticus Trochus, Linnaeus, Syst. Nat., ed. 12, 1767, 1227.
"Nilvus, Briss. 1760," Ag.; not used in a generic sense.
nimbata Cistela, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 15.
nimbata Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 136.
nimbosus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 732.
nimbosa Fissurella (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 78.—Patella.
nimbosa Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 785; ed. 12, 1767, 1262.
nimpha *v.* **nympha**.
nimrod Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 142.
nina Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 194.
nina Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) IX. 1798, 30.
nina [Phalaena], P. Cramer, Utitl. Kapellen, IV (26) 1780, 32.
niobe Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 481; ed. 12, 1767, 786.
niphe Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 12, 1767, 785.
niponella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 77.
nireus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 464; ed. 12, 1767, 750.
nise [Papilio], P. Cramer, Utitl. Kapellen, I (2) 1775, 31.
nise [Papilio], P. Cramer, Utitl. Kapellen, III (20) 1779, 66.
nise Papilio Helic., Herbst in Jablonsky, Nat. Ins. (Schmett.) IV. 1790, 192.
nisella [Phalaena], C. Clerck, Icones, I. 1759, pl. xii, 6.
nisella Phalaena (Tinea), Linnaeus, Faun. Succ., ed. 2, 1761, 357.

- niso** *Hesperia* (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 354.—Papilio.
- niso** Papilio (Plebejus), Linnaeus, Mus. Lud. Ulr. 1764, 339.
- nisoria** Motacilla, J. M. Bechstein, Gem. Nat. Deutschl. IV. 1795, 580.
- nisot** Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 283.
- nissus** *Falconis var.*, *id. ac Falco nissus*, Linn., S. G. Gmelin, Reise Russ. I (1770), 49.
- nisuella** Strix, F. M. Daudin, Traité élém. Orn. 1800, 187.
- Nisus** Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 7 & 69.—A.
- Nisus** B. G. E. de Lacépède. Tabl. Oiseaux, 1799, 4.—A.
- nisus** Accipiter (L.), J. C. Schaeffer, Mus. Orn. 1789, 6.—Falco.
- nisus** Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 166.
- nisus** Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 92; ed. 12, 1766, 130.
- nisus** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 281; *varr.* maculatus.
- nisus** [Papilio], P. Cramer, Utitl. Kapellen, II (13) 1777, 85. [lacteus.
- nisus** Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 139.
- nitata** Phalaena, J. C. Fabricius, Gen. Ins. 1777, 288.
- nitata** Phalaena, J. C. Fabricius, Mant. II. 1787, 212.
- nitidulus** *v.* nitidulus.
- nitela** Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 62. [Myoxus.
- nitela** Marmota (Schr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. III. 1794, 131.—
- nitela** Myoxus, *id. ac nitidula* Mus, Pall., J. C. D. Schreber, Säugth. IV. 833 (1787), pl.
- nitens** Ancilla, F. C. Meuschen, Mus. Gever. 1787, 248. [ccxxvi. (1782).
- nitens** Bombyx (*ex Esper tab.*), C. C. Jung, Alph. Verz. Schmett. II. 1792, 53.
- nitens** Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 40.
- nitens** Byrrhus, C. de Villers, Linn. Ent. I. 1789, 72.
- nitens** Byrrhus, G. W. F. Panzer, Ins. Germ. heft 25 [1795] tab. 4.
- nitens** Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 414; ed. 12, 1767, 669.
- nitens** Cassida, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1644.
- nitens** Cerambyx, J. C. Fabricius, Spec. Ins. I. 1781, 211.
- nitens** Chrysis [Hausmann], Bemerk. Entom. 1799, 35.
- nitens** Chrysomela, = *nitida*, Linnaeus, Faun. Suec., ed. 2, 1761, 169.
- nitens** Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1672.
- nitens** Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2116.
- nitens** Cimbex (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 771.—Tenthredo.
- nitens** Cistela, O. F. Müller, Z. Dan. Prod. 1776, 58.
- nitens** Cistela, A. F. de Fourcroy, Ent. Paris. 1785, 28.
- nitens** Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 173.
- nitens** Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 110.—Chrysomela.
- nitens** Cuculus, J. R. Forster in Levaillant, Erste Reise Afrika (Berlin, 1792), 183.
- nitens** Curculio, Scopoli, Ent. Carn. 1763, 25.
- nitens** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 403.
- nitens** Elater, Scopoli, Ent. Carn. 1763, 91.
- nitens** Elater, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (2) 1782, 163.
- nitens** Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 909.
- nitens** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3633.
- nitens** Ichneumon, J. L. Christ, Nat. Ins. 1791, 350.
- nitens** Lampyris, C. de Geer, Mém. Ins. IV. 1774, 50.
- nitens** Leptura, J. R. Forster, N. Sp. Ins. 1771, 45.
- nitens** Musca, C. de Villers, Linn. Ent. III. 1789, 549.
- nitens** Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 942.
- nitens** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 305.
- nitens** Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 284.
- nitens** Scarabaeus (Copris), A. G. Olivier, Entom. I. 1789, 159.
- nitens** Staphylinus, F. v. P. Schrank, Ins. Aust. 1781, 231.
- nitens** Sturnus (L.), F. M. Daudin, Traité élém. Orn. 1800, 313.—Turdus.
- nitens** Tenebrio, A. G. Olivier, Entom. III. 1795, 7.
- nitens** Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 556; ed. 12, 1767, 922.
- nitens** Trochus, F. C. Meuschen, Mus. Gever. 1787, 284.
- nitens** Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 294.

- nitens Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3456.
 nitidalis [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, III. 1790, 110.
 nitidalis [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 160.
 nitidalis Pyralis, "D. & S." C. de Villers, Linn. Ent. IV. 1789, 516.
 nitidana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 276.
 nitidaria Geometra, C. de Villers, Linn. Ent. IV. 1789, 500.
 nitidaria [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 137.
 nitidaria Phalaena, J. C. Fabricius, Mant. II. 1787, 194.
 nitidella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 137.
 nitidella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 15.
 nitidissima Columba, J. A. Scopoli, Del. Insub. II. 1786, 93.
 nitidissima Helix, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 4.
 Nitidula J. C. Fabricius, Syst. Ent. 1775, 77.—Col.
 nitidularia Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 324.
 nitidulata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 618.
 nitidula Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 113.—Chrysomela.
 nitidula Altica, A. F. de Fourcroy, Ent. Paris. 1785, 100.
 nitidula Blatta, J. C. Fabricius, Spec. Ins. I. 1781, 345.
 nitidulus Bombylius, J. C. Fabricius, Ent. Syst. IV. 1794, 409.
 nitidula Bombyx, J. C. Fabricius, Mant. II. 1787, 126.
 nitidulum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 741; ed. 12, 1767, 1205.
 nitidula Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 410; ed. 12, 1767, 662.
 nitidulus Byrrhus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 24.
 nitidula Cantharis (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 278.—Lytta.
 nitidula Cantharis, J. C. Fabricius, Ent. Syst. I (1) 1792, 220.
 nitidulus Carabus, F. v. P. Schrank, Ins. Aust. 1781, 213.
 nitidulus Carabus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 20.
 nitidulus Carabus, J. C. Fabricius, Mant. I. 1787, 202.
 nitidula Cetonina, A. G. Olivier, Entom. I. 1789, 55.
 nitidula Cetonina, J. C. Fabricius, Ent. Syst. I (2) 1792, 146.
 nitidula Chrysis, J. C. Fabricius, Syst. Ent. 1775, 359.
 nitidula Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 373; ed. 12, 1767, 594.
 nitidula Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 262.—Cryptocephalus.
 nitidula Cicada, J. C. Fabricius, Mant. II. 1787, 273.
 nitidulus Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2197.—Reduvius.
 nitidula Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 286.
 nitidulus Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 294.
 nitidulus Cryptocephalus, J. C. Fabricius, Mant. Ins. I. 1787, 84.
 nitidulus Curculio, J. C. Fabricius, Syst. Ent. 1775, 146.
 nitidulus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 88.
 nitidulus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 108.
 nitidulus Elater, J. C. Fabricius, Mant. I. 1787, 174.
 nitidula Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 30.—Chrysomela.
 nitidula Glis, G. C. C. Storr, Prod. 1780, 39.
 nitidulus Gryllus, J. A. Scopoli, Del. Insub. I. 1786, 62.
 nitidulus Gyrinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 66.
 nitidulus Hemerobius, J. C. Fabricius, Gen. Ins. 1777, 244.
 nitidulus Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 184.
 nitidula Lampyrus, J. C. Fabricius, Spec. Ins. I. 1781, 253.
 nitidulus Lyctus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 177.
 nitidula Lytta, J. C. Fabricius, Syst. Ent. 1775, 826.
 nitidulus Malachius, J. C. Fabricius, Ent. Syst. I (1) 1792, 225.
 nitidulus Meloe (Fab.), C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 107.—Lytta.
 nitidula Melolontha, A. G. Olivier, Entom. I. 1789, 46.
 nitidula Melolontha, P. Rossi, Fauna Etrus. I. 1790, 23.
 nitedula Mus, P. S. Pallas, N. Sp. Quad. II. 1779, 88.
 nitidula [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 240.
 nitidula Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 278.

- nitidulus** Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 378.
nitidulus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 30.
nitidulus Staphylinus, J. C. Fabricius, Spec. Ins. I. 1781, 337.
nitidula Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 262.
nitida Andrena, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 2.
nitidum Anobium, J. C. Fabricius, Ent. Syst. I (1) 1792, 238.
nitidus Antribus, A. F. de Fourcroy, Ent. Paris. 1785, 138.
nitida Apis, O. F. Müller, Z. Dan. Prod. 1776, 164.
nitida Apis, A. F. de Fourcroy, Ent. Paris. 1785, 443.
nitida Aranea, F. A. A. Meyer, Spinner Gött. 1790, 12.
nitidus Asilus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 213.
nitida Buprestis, P. Rossi, Mant. Ins. I. 1792, 63.
nitidus Byrrhus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 252.
nitidus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1986.
nitida Cellepora, O. Fabricius, F. Groen. 1780, 435.
nitidus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1818.—Prionus.
nitida Cetonia (L.), J. C. Fabricius, Syst. Ent. 1775, 44.—Scarabaeus.
nitida Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 374.
nitida Chrysomela, J. C. Fabricius, Mant. I. 1787, 71.
nitida Chrysomela, C. de Villers, Linn. Ent. I. 1789, 168.
nitida Cicada, C. de Geer, Mém. Ins. III. 1773, 221.
nitida Cicindela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 32.
nitidus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1722.
nitidus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1915.
nitidus Falco, J. Latham, Index Orn. 1790, 41.
nitida Helix, O. F. Müller, Verm. II. 1774, 32.
nitida Helix, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 275.
nitida Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3624.—Planorbis.
nitida Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1867.
nitidus Lyctus, J. C. Fabricius, Ent. Syst. I (2) 1792, 505.
nitidus Lygdus, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 34.
nitida Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3258.
nitida Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776). 170.
nitida Muscicapa, J. Latham, Index Orn. 1790, 489.
nitida Mya, O. F. Müller, Z. Dan. Prod. 1776, 245.
nitida Mydas, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 215.
nitida Necydalis, C. de Geer, Mém. Ins. V. 1775, 153.
nitida Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 86.
nitidum Peronaeoderma, J. X. Poli, Test. Sicil. II. 1795, 252 & 257.—= Tellina of p. 36.
nitida [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 147.
nitida Phalaena Noctua, (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 744.—
nitida Phryganea, O. F. Müller, F. Ins. Frid. 1764, 65. [Noctua.
nitidus Planorbis, O. F. Müller, Verm. II. 1774, 163.
nitidus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 250.—Sphex, 1775.
nitidus Prionus, J. C. Fabricius, Mant. I. 1787, 128.
nitida Pyrochroa, C. de Geer, Mém. Ins. V. 1775, 27.
nitidus Reduvius, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 147.
nitidus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 350; ed. 12, 1767, 552.
nitida Sphex, J. C. Fabricius, Syst. Ent. 1775, 351.
nitidus Staphylinus, J. C. Fabricius, Mant. I. 1787, 220.
nitida Synchita, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 405.
nitida Tellina, J. X. Poli, Test. Sicil. I. 1791, xxxiv.
nitida Tellina, J. X. Poli, Test. Sicil. II. 1795, 36.
nitida Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 93.
nitida Tipula, O. F. Müller, Z. Dan. Prod. 1776, 170.
nitidus Trochilus, J. Latham, Index Orn. 1790, 305.
nitidus Turbo, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 65.
nitocris [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 148.

- nitocris** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 215.
nivalis Anas, J. R. Forster, Phil. Trans. LXII. 1772, 433.
[nivalis] Araneus, C. Clerck, Aran. Svec. 1757, 100.]
nivalis Araneus, T. Martyn, Aranei, 1793, 46.
nivalis Carabus, G. Paykull, Mon. Carab. 1790, 52.
nivalis Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 176; ed. 12, 1766, 308.
nivalis Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 321.
nivalis Musca, C. Bierkander, K. Vet. Ac. Handl. XXXVIII. 1777, 34.
nivalis Mustela, Linnaeus, Faun. Suec., ed. 2, 1761, 7.
nivalis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 12 [n. n.].
nivalis Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 25.
nivalis Podura, Linnaeus, Syst. Nat., ed. 10, 1758, 609; ed. 12, 1767, 1013.
nivalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 316.
nivealis Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 274.
nivealis Phalaena (Pyr.) Fab., C. de Villers, Linn. Ent. II. 1789, 441.—Phalaena.
nivealis Pyralis (Fab.), C. P. Thunberg, Ins. Suecica (1) 1784, 17.—Phalaena.
niveana Pyralis, J. C. Fabricius, Mant. II. 1787, 233.
niveana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 528.
nivearia Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 116.—**niveata**, Scop.
nivearia Phalaena, J. C. Fabricius, Syst. Ent. 1775, 620.
niveatus Coluber, F. C. Meuschen, Mus. Gronov. 1778, 15.
niveata Phalaena, Scopoli, Ent. Carn. 1763, 217.
niveata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 638.
niveella Alucita, J. C. Fabricius, Gen. Ins. 1777, 297.
niveella Phalaena (Tinea) (Fab.), C. de Villers, Linn. Ent. II. 1789, 505.—Alucita.
niveirostris Anthribus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 160.
niveirostris Macrocephalus (Fab.), A. G. Olivier, Entom. IV. 1795, 8.—Anthribus.
nivella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 296.
nivea Acheta, G. A. Harrer, Besch. Schaeffer Icones, 1784, 258.
niveus Anser, J. R. Forster, Cat. Anim. N. Amer. 1771, 16 [n. n.].
nivea Arca, J. F. Bolten, Mus. Bolten. (2) 1798, 174.
nivea Ardea, J. A. Scopoli, Annus I. 1769, 91.
nivea Ardea, S. G. Gmelin, Reise Russ. I (1770), 164.
nivea Ardea, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 18.
nivea Bibio, P. Rossi, Fauna Etrus. II. 1790, 277.
nivea Blatta, Linnaeus, Syst. Nat., ed. 10, 1758, 424; ed. 12, 1767, 688.
nivea Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 85.—Phalaena.
niveum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3471.
niveum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3495.
niveum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3504.
nivea Cantharis, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 5.
niveus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 223; ed. 12, 1766, 384.
nivea Columba, J. A. Scopoli, Del. Insub. II. 1786, 94.
niveus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3392.
niveus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 469.—Phalaena nivealis, 1781.
niveus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 472.—Tinea nivella, 1794.
niveus Curculio, G. Bonsdorff, Curc. Suec. 1785, 21.
niveus Curculio, J. C. Fabricius, Mant. I. 1787, 111.
nivea Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 22 [n. n.].
nivea Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 178.
niveus Gryllus, C. de Geer, Mém. Ins. III. 1773, 522.
nivea Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3639.
niveus Larus, P. Boddaert, Tab. Planch. Enl. 1783, 58.
niveus Larus, S. Odmann, K. Vet. Ac. Nya Handl. IV. 1783, 100.
nivea Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 137 [n. n.].
niveus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3545.
niveus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3358.
nivea Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.

- nivea** Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 599.—Phalaena.
nivea Notonecta, J. C. Fabricius, Syst. Ent. 1775, 690.
niveus [Papilio], P. Cramer, Utitl. Kapellen, I (2) 1775, 33.
nivea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3727.
nivea [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (27) 1780, 66.
nivea Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 13, 1767, 838.
nivea Phryganea, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 549.
nivea Pomatia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 73.—Helix.
nivea Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 562.
nivea Scolopendra, Scopoli, Ent. Carn. 1763, 418.
nivea Strix, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIX. 1798, 184.
niveus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3598.
nivea Uria, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 37.
nivea Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3292.
nivea Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3442.
nivosa Bombyx, [Denis & Schiffermüller], Schmett. Wien. 1775, 52.
nivosus Curculio, A. Sparrmann, K. Vet. Ac. Nya Handl. VI. 1785, 45.
noachina Patella, Linnaeus, Mant. II. 1771, 551.
noae Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 693; ed. 12, 1767, 1140.
noae Daphnoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 255 & 260.—Arca.
noae Tridachna, J. F. Bolten, Mus. Bolten. (2) 1798, 171.
nobilis Aranea, G. Shaw, Nat. Misc. IX. 1798, juxta tab. 334.
nobilis Aranea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 291.
nobilis Architectonica, J. F. Bolten, Mus. Bolten. (2) 1798, 78.
nobilis Asterias, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3160.
nobilis Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 410; ed. 12, 1767, 662.
nobilis Buprestis, J. C. Fabricius, Mant. I. 1787, 180.
nobilis Cantharis, Scopoli, Ent. Carn. 1763, 45.
nobilis Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1986.
nobilis Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 363; ed. 12, 1767, 575.
nobilis Cellepora, E. J. C. Esper, Pflanzenth., Forts. I (5) 1796, 145.
nobilis Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1830.—Lamia.
nobilis Cetonia (L.), J. C. Fabricius, Syst. Ent. 1775, 43.—Scarabaeus.
nobile Chimaeroderma (L.), J. X. Poli, Test. Sicil. II. 1795, 259.—Pinna.
nobilis Chrysis, J. C. Fuessly, Schweiz. Ins. 1775, 50.
nobilis Chrysis (Scop.), J. L. Christ, Nat. Ins. 1791, 400.—SpheX.
nobilis Chrysis, J. L. Christ, Nat. Ins. 1791, 405.
nobilis Cimex, Linnaeus, Amoen. Acad. VI. 1763, 400.
nobilis Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 199.
nobilis Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 714; ed. 12, 1767, 1168.
nobilis Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 49.—Conus.
nobilis Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 525.
nobilis Elater, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 116.
nobilis Fringilla, F. v. P. Schrank, F. Boica, I. 1798, 176.
nobilis Gorgonia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3805.
nobilis Gracula, B. Merrem, Avium rar. Icones, I. 1784, 7.
nobilis Harpa, P. S. Pallas, Spic. Zool. X. 1774, 33.
nobilis Harpa, J. F. Bolten, Mus. Bolten. (2) 1798, 150.
nobilis Isis, P. S. Pallas, Elench. 1766, 223.
nobilis Isis, Linnaeus, Syst. Nat., ed. 12, 1767, 1288.—[Madrepora rubra, ed. 10.]
nobilis Lamia, J. C. Fabricius, Mant. I. 1787, 138.
nobilis Melolontha (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 165.—Scarabaeus.
nobilis Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 138 [n. n.].
nobilis Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2829.
nobilis [Papilio], P. Cramer, Utitl. Kapellen, II (9) 1777, 17.
nobilis Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 291; ed. 12, 1766, 484.
nobilis Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
nobilis Pinna, Linnaeus, Syst. Nat., ed. 10, 1758, 707; ed. 12, 1767, 1160.

- nobilis** Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 97; ed. 12, 1766, 140.
nobilis Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 353; ed. 12, 1767, 558.
nobilis Sparus, P. Osbeck, Reise Ost-Ind. China, 1765, 336.
nobilis Sphex, Scopoli, Ent. Carn. 1763, 297.
nobilis Sphex, O. F. Müller, Z. Dan. Prod. 1776, 161.
nobilis Sphex, J. C. Fabricius, Mant. I. 1787, 277.
nobilis Trichius (Fab.), L. G. Scriba, J. Lieb. Ent. I. 1790, 66.—Cetonia.
nobilis Trichius (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 119.—Scarabaeus.
nobilis Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 123.
nobilitata Agrion, J. C. Fabricius, Gen. Ins. 1777, 248.
nobilitata Altica (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 105.—Chrysomela.
nobilitata Bibio, J. C. Fabricius, Syst. Ent. 1775, 757.
nobilitata Chrysomela, J. C. Fabricius, Mant. I. 1787, 76.
nobilitata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 26.—Chrysomela, 1787.
nobilitata Libellula (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2626.—Agrion.
nobilitata Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 995.
nobilitella [Phalaena], P. Cramer, Uitl. Kapellen, III (22) 1779, 128.
Noctilio Linnaeus, Syst. Nat., ed. 12, 1766, 88.—M.
Noctilio P. Boddaert, Elench. 1785, 69.—M.
Noctilio B. G. E. de Lacépède, Tabl. Mamm. 1799, 16.—M.
noctilio Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 12.
noctilio Sirex, J. C. Fabricius, Ent. Syst. II. 1793, 130.
noctiluca Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 400.—[Lampyrus, ed. 12.]
noctiluca Cassida (Linn.), Scopoli, Ent. Carn. 1763, 37.—Cantharis.
noctilucus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 404; ed. 12, 1767, 651.
noctiluca Lampyrus, Linnaeus, Syst. Nat., ed. 12, 1767, 643.—[Cantharis, ed. 10.]
noctiluca Medusa, P. Forskal, Descr. Anim. 1775, 109.
noctiluca Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 593; ed. 12, 1767, 986.
noctiluca Nereis, Linnaeus, Syst. Nat., ed. 10, 1758, 654; ed. 12, 1767, 1085.
noctilucus Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 770.—Musca.
noctis Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 630.
noctis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 269.
noctis Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 320.
noctis Leptura (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 139.—Cerambyx.
noctis Rhagium (L.), J. C. Fabricius, Spec. Ins. I. 1781, 230.—Cerambyx.
noctis Stenocorus (L.), A. G. Olivier, Entom. IV. 1795, 17.—Cerambyx.
noctivida Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 434.—[Fulgora, ed. 12.]
noctivida Fulgora, Linnaeus, Syst. Nat., ed. 12, 1767, 704.—[Cicada, ed. 10.]
Noctua v. **Phalaena** (Noctua), Linnaeus.
Noctua J. C. Fabricius, Syst. Ent. 1775, 590.—Lep.
Noctua Linnaeus, Amoen. Acad. VII (1766), 450.—A.
noctua Strix, J. A. Scopoli, Annus I. 1769, 22.
noctualis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 10 & 15 [2].
noctua Phalaena Tort., J. Hübner, Samml. Vögel u. Schmett. 1793, 16 [n. et f.].
noctuaella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 136.
noctuaella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 32.
noctula Vespertilio, J. C. D. Schreber, Säugth. I. 166 (1774), pl. lii (1774).
nocturna Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 621; ed. 12, 1767, 1033.
nocturnus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 209.
nocturnus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 611.
nocturnus Homo, P. L. S. Müller in Linn. Syst. Nat. I. 1773, 109.
nocturna Paphia, J. F. Bolten, Mus. Bolten. (2) 1798, 176.
nocturna Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 311.
nocturna Phalaena (Noctua), O. F. Müller, Z. Dan. Prod. 1776, 124.
nocturna Phalaena Noctua, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2582.
nodatum Buccinum, T. Martin, Univ. Conch. II [1788], fig. 51.
nodata Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191.
nodatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3536.

- nodatum** Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 401.—Hydrachna.
- nodosa** Actinia, J. C. Fabricius, F. Groen. 1780, 350.
- nodosa** Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 43.
- nodosa** Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 661; ed. 12, 1767, 1100.
- nodosa** Balaena, J. P. Bonnaterre, Ency. Méth. (Cet.) 1789, 5.
- nodosum** Buccinum, D. Solander in G. Brander, Foss. Hant. 1766, 43.
- nodosum** Chlamys (Gm.), J. F. Bolten, Mus. Bolten. I [1784 non 1769], fig. 5.
- nodosum** Buccinum, F. C. Meuschen, Mus. Gever. 1787, 296.
- nodosus** Cantharus, J. F. Bolten, Mus. Bolten. (2) 1798, 132 [*n. n.*].
- nodosus** Cerambyx, J. C. Fabricius, Syst. Ent. 1775, 164.
- nodosa** Chlamys (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 163.—Ostrea.
- nodosus** Curculio, O. F. Müller, F. Ins. Frid. 1764, 12.
- nodosa** Lernaea, O. F. Müller, Z. Dan. Prod. 1776, 227.
- nodosa** Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 322.
- nodosa** Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 777.
- nodosa** Ostrea, J. E. I. Walch in Müller, Del. Nat., ed. 2, I. 1778, 106.
- nodosa** Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 697; ed. 12, 1767, 1145.
- nodosa** Patella, I. v. Born, Index Mus. Caes. Vind. 1778, 448.
- nodosa** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 10 [*n. n.*].
- nodosus** Pecten (L.), F. C. Meuschen, Mus. Gever. 1787, 414.—Ostrea.
- nodosus** Silurus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 35.
- nodosa** Spongia, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348.
- nodosus** Strombus, F. C. Meuschen, Mus. Gever. 1787, 292.
- nodosus** Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 100 [*n. n.*].
- nodosa** Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 148.
- nodosus** Trochus, F. C. Meuschen, Mus. Gever. 1787, 284.
- nodosus** Trochus, P. Forskal, Descr. Anim. 1775, 126.
- nodosus** Turbinis, F. C. Meuschen, Mus. Gever. 1787, 280.
- nodosa** Venus, J. Hermann, Naturforscher, XV. 1781, 123.
- nodularia** Corallina, P. S. Pallas, Elench. 1766, 421.
- nodularis** Corallina, v. **nodularia**, P. S. Pallas, Char. Thierpfl. II. 1787, 258.
- nodularis** Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 37.
- nodulata** Leucophaea, O. F. Müller, Zool. Dan. II. 1784, 124.
- nodulosa** Arca, O. F. Müller, Z. Dan. Prod. 1776, 247.
- nodulosum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3479.
- nodulosum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3496.
- nodulosus** Cancer, J. C. Fabricius, Spec. Ins. I. 1781, 505.
- nodulosus** Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 168.
- nodulosus** Carabus, C. Creutzer, Ent. Vers. 1799, 108.
- nodulosum** Cardium, L. Spengler, Skr. nat. Selsk. [Copen.], V (1) 1799, 57.
- nodulosum** Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 478.
- nodulosus** Curculio, J. C. Fabricius, Syst. Ent. 1775, 154.
- nodulosus** Curculio, M. Pillar & L. Mitterpacher, Iter Poeseg. 1783, 84.
- nodulosus** Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 46.
- nodulosum** Distoma, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 190.
- nodulosus** Echinorhynchus, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 124.
- nodulosa** Fasciola, J. A. Frolich, Naturforscher, XXV. 1791, 76.
- nodulosa** Lagena, J. F. Bolten, Mus. Bolten. (2) 1798, 131 [*n. n.*].
- nodulosa** Machla, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 157.
- nodulosa** Madrepora, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 165.
- nodulosus** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3562.
- nodulosa** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3320.
- nodulosa** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3703.
- nodulosa** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3730.
- nodulosa** Purpura, F. C. Meuschen, Mus. Gever. 1787, 314.
- nodulosa** Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 90.
- nodulosa** Tricuspidaria, C. A. Rudolphi, Obs. Ver. Intest. 1793, 44.
- nodulosus** Trochus, D. Solander in G. Brander, Foss. Hant. 1766, 10.

- nodulosus** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3582.
nodulosus Turbo, I. v. Born, Index Mus. Caes. Vind. 1778, 357.
nodulosus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3600.
nodulosa Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3453.
nodulus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3574.
nodus Echinometra, F. C. Meuschen, Mus. Gronov. 1778, 90.
nodus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 750; ed. 12, 1767, 1219.
noema [Phalaena], P. Cramer, Utit. Kapellen, I (2) 1775, 27.
Noeza J. G. Meigen, N. Class. Mouches, 1800, 27.—Dip.
Nomada J. A. Scopoli, Annus IV. 1770, 44.—Hym.
Nomada J. C. Fabricius, Syst. Ent. 1775, 388.—Hym.
nomada Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 89.
nomas Curculio, P. S. Pallas, Reise Russ. I. 1771, 462.
nomas Tenebrio, P. S. Pallas, Icon. Ins. 1781, 43.
nominator Ichneumon, J. C. Fabricius, Mant. I. 1787, 265.
nominator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 155.
nominata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [n. n.].
nomius Papilio Eq., E. J. C. Esper, Ausland. Schmett. 210 (1798).
nonette Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 151.
non-naja Naja, J. N. Laurenti, Syn. Rept. 1768, 92.
non-plus-ultra [Carabus], P. Rossi, Fauna Etrus. I. 1790, 227.
nootka Lanius, *id. ac* natka, Gm., J. Latham, Index Orn. 1790, 80.
norfolcensis Sciurus (Petaurus), R. Kerr, Anim. Kingd. 1792, 270.
norma Isogonum, J. F. Bolten, Mus. Bolten. (2) 1798, 168.
normalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 9 & 13 [2].
normatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 68.
norna Papilio, C. P. Thunberg, Ins. Suecica (2) 1791, 36.
norna Papilio (Nymph.), C. Quensel, K. Vet. Ac. Nya Handl. XII. 1791, 274.
nortoniensis Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 922.
norvegicus Astacus (L.), C. de Geer, Mém. Ins. VII. 1778, 398.—Cancer.
norvegica Bulla, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 377.
norvegicus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 632; ed. 12, 1767, 1053.
norvegicus Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 52.
norvegicum Cardium, L. Spengler, Skr. nat. Selsk. [Copen.], V (1) 1799, 42.
norvegica Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 161.
norvegicus Falco, O. F. Müller, Z. Dan. Prod. 1776, 10.
norvegicus Falco, J. Latham, Syn. Birds, Suppl. I. 1787, 282.
norvagicus Homarus (L.), F. Weber, Nomen. Fabricii, 1795, 94.—Cancer.
norvegica Hydroides, J. E. Gunnerus, K. Norske Vid. Selsk. Skrift. IV. 1768, 53.
norvegicus Lutjanus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 11.
norvegica Millepora, J. E. Gunnerus, K. Norske Vid. Selsk. Skrift. IV. 1768, 64.
norvegicus Mus, J. C. P. Erxleben, Syst. Anim. 1777, 381.
norvegica Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2865.
norvegica Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3222.
norvegica Nereis, Linnaeus, Syst. Nat., ed. 12, 1767, 1086.
norvegica Nereis, [J. E. Gunnerus], K. Norske Vid. Selsk. Skrift. IV. 1768, pl. ii.
norvegica Perca, P. Ascanius, Icon. II. 1772, 7.
norvegicus Picus, J. Latham, Index Orn. 1790, 236.
norvegica Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3751.
norvegica Serpula, O. F. Müller, Z. Dan. Prod. 1776, 236.
norvegicus Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3520.
norvegicus Teredo, L. Spengler, Skr. nat. Selsk. [Copen.], II (1) 1792, 102.
norvegica Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 460.
norvegicus Falco, F. M. Daudin, Traité élém. Orn. 1800, 100.
nostras Formicaleo, A. F. de Fourcroy, Ent. Paris. 1785, 360.
nostras Grus, P. L. S. Müller, Del. Nat. II. 1767, 142.
nostrodamus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 328.
notabilis Arca, J. F. Bolten, Mus. Bolten. (2) 1798, 173.

- notacula** Noctua, J. C. Fabricius, Mant. II. 1787, 138.
notataria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 104.—Phal. (G.)
notataria Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [n. n.]. [notata, L.]
notataria Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
notatorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 159. [126.—Geometra.]
notatorius Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 171.
notata Anas, P. Boddaert, Tab. Planch. Enl. 1783, 58.
notata Apis, J. L. Christ, Nat. Ins. 1791, 188.
notata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 621; ed. 12, 1767, 1033.
notatus Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 385.
notata Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 52.
notatum Callidium, A. G. Olivier, Entom. IV. 1795, 61.
notatus Carabus, D. H. Schneider, Nom. Ent. 1785, 22 [n. n.].
notatus Cerambyx, D. Drury, Ill. Nat. Hist. II. 1773, index & 65.
notatus Certhia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 99.
notatus Charax, F. C. Meuschen, Mus. Gronov. 1778, 38.
notata Chrysis, Giorna, Cal. Ent. 1791, 73.
notata Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 122.
notata Cicada, Scopoli, Ent. Carn. 1763, 117.
notatus Cimex, N. Poda, Ins. Mus. Graec. 1761, 56.
notatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 37.
notatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2166.
notata Coccinella, J. N. Laicharting, Tyrol. Ins. I. 1781, 119.
notatus Cryptocephalus, J. C. Fabricius, Mant. I. 1787, 83.
notatus Cryptocephalus, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. 1792,
notatus Curculio, G. Bonsdorff, Curc. Suec. 1785, 39. [213.]
notatus Curculio, J. C. Fabricius, Mant. I. 1787, 103.
notata Dagysa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3131.
notatus Dermestes, J. Cederhielm, F. Ingrid. 1798, 41.
notatus Dytiscus, J. C. Fabricius, Spec. Ins. I. 1781, 296.
notatus Elater, J. C. Fabricius, Spec. Ins. I. 1781, 273.
notata Emberiza, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 157.
notata Ephemera, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2630.
notata Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 435.
notatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2709.
notata Lamia, J. C. Fabricius, Mant. I. 1787, 139.
notata Leptura, A. G. Olivier, Entom. IV. 1795, 11.
notata Leucophaea, O. F. Müller, An. Infus. 1786, 152.
notata Libellula, J. C. Fabricius, Mant. I. 1787, 337.
notata Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 152.
notatus Lutjanus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 125.
notata Melolontha, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 37 [n. n.].
notata Musca, J. C. Fabricius, Spec. Ins. II. 1781, 448.
notata Musca, O. Estlund, K. Vet. Ac. Nya Handl. XVII. 1796, 130.
notata Necydalis, J. C. Fabricius, Ent. Syst. I (2) 1792, 353.
notata Nerita, F. C. Meuschen, Mus. Gev. 1787, 270.
notata Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 39.
notata Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 784; ed. 12, 1767, 1261.
notata Phalaena [non Cram.], C. C. Jung, Alph. Verz. Schmett. II. 1792, 56.
notata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 523; ed. 12, 1767, 866.
notata Phryganea, J. C. Fabricius, Spec. Ins. I. 1781, 390.
notatus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 75.
notatus Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 27.
notata Raphidia, J. C. Fabricius, Spec. Ins. I. 1781, 402.
notatus Salmo, Linnaeus, Syst. Nat., ed. 12, 1766, 513.
notatus Sciurus, P. Boddaert, Elench. 1785, 119.
notata Scolia, J. C. Fabricius, Ent. Syst. IV. 1794, 458.
notatum Sepidium, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 48.

- notatum** Sepidium, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 128.
- notata** Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1617.
- notatus** Sparus, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782, 320.
- notata** Sphex, P. Rossi, Mant. Ins. I. 1792, 127.
- notata** Tenthredo, O. F. Müller, Z. Dan. Prod. 1776, 149.
- notata** Tenthredo, G. W. F. Panzer, Ins. Germ. heft 64 [1798], tab. 10.
- notata** Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 588; ed. 12, 1767, 977.
- notatus** Trochus, F. C. Meuschen, Mus. Gever. 1787, 280.
- notatus** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3581.
- nothus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 341.
- nothus** Papilio, J. C. Fabricius, Mant. II. 1787, 88.
- Notocanthus** M. E. Bloch, Nat. ausl. Fische, IX. 1795, 113.—P.
- notoceros** Tenebrio, P. S. Pallas, Icon. Ins. 1782, 59.
- Notogastropus** A. Vosmaer, Mém. présentés Ac. Roy. Sci. [Paris], IV. 1763, 635.—Cr.
- Notonecta** Linnaeus, Syst. Nat., ed. 10, 1758, 439; ed. 12, 1767, 712.—Hem.
- notonecta** Nepa, C. de Geer, Mém. Ins. III. 1773, 382.
- notonectoides** Cercopis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 102.
- Notopterus** B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 189.—P.
- notopterus** Gymnotus, P. S. Pallas, Spic. Zool. VII. 1769, 40.
- Notoxus** E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 356.—Col.
- Notoxus** J. C. Fabricius, Syst. Ent. 1775, 158.—Col.
- Notoxus** J. C. Schaeffer, Elem. Entom. 1777, pl. 140.—Col.
- nova** *v.* **novus**.
- Novacula** G. Edwards in M. Catesby, Carol. II. 1771, 18.—P.
- novacula** Coryphaena, Linnaeus, Syst. Nat., ed. 10, 1758, 262; ed. 12, 1766, 447.
- novae angliae** Balaena (*ex* Briss.), G. H. Borowski, Gem. Nat. Thiere, II. 1781, 21.
- novae angliae** Physeter (*ex* Briss.), G. H. Borowski, Gem. Nat. Thiere, II. 1781, 32.
- novae-guianae** Corvus, R. Kerr, Anim. Kingd. 1792, 639; *var.* caeruleus.
- novae guineae** Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 457.
- novae guineae** Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 644.
- novae guineae** Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 371.
- novae guineae** Coturnix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 222.
- novae-guineae** Perdix (Gm.), J. Latham, Index Orn. 1790, 655.—Tetrao.
- novae-guineae** Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*u.*].
- novae-guineae** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 319.
- novae guineae** Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 764.
- novae hispaniae** Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 525.
- novae hispaniae** Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1088.
- novae hispaniae** Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 385.
- novae-hispaniae** Perdix (Gm.), J. Latham, Index Orn. 1790, 653.—Tetrao.
- novae hispaniae** Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 763.
- nova-hollandiae** Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 108.
- novae-hollandiae** Ardea, J. Latham, Index Orn. 1790, 701.
- novae hollandiae** Buceros, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 306.
- novae-hollandiae** Caprimulgus, J. Latham, Index Orn. 1790, 588.
- novae-hollandiae** Casuarius, J. Latham, Index Orn. 1790, 665.
- novae-hollandiae** Certhia, J. Latham, Index Orn. 1790, 296.
- novae hollandiae** Certhia, F. A. A. Meyer, Zool. Entdeck. 1793, 49. [Scarabaeus.
- novae-hollandiae** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 179.—
- novae hollandiae** Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1722.
- novae hollandiae** Didelphis, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800,
- novae hollandiae** Echidna, B. G. E. de Lacépède, Tabl. Mamm. 1799, 11. [348.
- novae hollandiae** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 264.
- novae-hollandiae** Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 494.
- novae-hollandiae** Muscicapa, J. Latham, Index Orn. 1790, 478.
- novae hollandiae** Mustela, F. A. A. Meyer, Zool. Entdeck. 1793, 27.
- novae hollandiae** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 328.
- novae-hollandiae** Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 29.

- novae hollandiae** Sciurus, F. A. A. Meyer, Zool. Entdeck. 1793, 11.
novae-hollandiae Scythrops, J. Latham, Index Orn. 1790, 141.
novae hollandiae Struthio (Lath.), F. A. A. Meyer, Zool. Entdeck. 1793, 59.—Casuarius.
novae hollandiae Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 814.
novae hollandiae Ursus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 337.
novae seelandiae *v. novae zealandiae*.
novae terrae Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 274.
novae terrae Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 674.
novae seelandicae Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 799.
novae seelandiae Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 541.
novae seelandiae Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 684.
novae zealandiae Charadrius, *id. ac novae s-, Gm., J. Latham, Index Orn. 1790, 745*.
novae zeelandiae Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 85.
novae seelandiae Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 773.
novae zeelandiae Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 94 [*v. n.*].
novae seelandiae Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 268.
novae seelandiae Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 464.
novae zeelandiae Musculus, J. F. Bolten, Mus. Bolten. (2) 1798, 157.
novae seelandiae Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1013.
nova zeelandiae Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 7 [*v. n.*].
novae-zelandiae Penicillus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 129.
novae zelandiae Psittacus, A. Sparrman, Mus. Carls. II. 1787, no. xxviii.
novae seelandiae Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 328.
novae seelandiae Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 296.
novae-seelandiae Strix, R. Kerr, Anim. Kingd. 1792; *var. maculata*, 538.
novae zeelandiae Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 84.
nova-hispanica Felis, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 309.
noveboracana Ephemera, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 193.
noveboracensis Apis, J. R. Forster, N. Sp. Ins. 1771, 93.
noveboracensis Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1689.
noveboracensis Curculio, J. R. Forster, N. Sp. Ins. 1771, 35.
noveboracensis Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 701.
noveboracensis Gallinula (Gm.), J. Latham, Index Orn. 1790, 771.—Fulica.
noveboracensis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 958.
noveboracensis Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 947.
noveboracensis Noctilio, B. G. E. de Lacépède, Tabl. Mamm. 1799, 16.
noveboracensis Notonecta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2119.
noveboracensis Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 658.
noveboracensis Silpha, J. R. Forster, N. Sp. Ins. 1771, 17.
noveboracensis Sylvia (Gm.), J. Latham, Index Orn. 1790, 518.—Motacilla.
noveboracensis Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 673.
noveboracensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 818.
noveboracensis Vespertilio, J. C. P. Erxleben, Syst. Anim. 1777, 155.
noveboracensis Vespertilio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 50.
novemcinctus Dasypus, Linnaeus, Syst. Nat., ed. 10, 1758, 51; ed. 12, 1766, 54.
novemcinctus Tatu, J. F. Blumenbach, Handb. Naturg. 1779, 74.
novemdecimcinctus Dasypus, R. Kerr, Anim. Kingd. 1792, 112.
novemdecimpunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 366; ed. 12, 1767,
novemdecimpunctatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 145. [582.
novem decos Cancer, J. H. Sulzer, Gesch. Ins. 1776, 265.
novemmaculata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778,
novemmaculata Buprestis, Linnaeus, Syst. Nat., ed. 12, 1767, 662. [293.
novem maculata Buprestis, F. v. P. Schrank, Naturforscher, XXIV. 1789, 81.
novem maculata Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 97.
novemmaculata Ips, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 64.
novemmaculata Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2862.
novemmaculatus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1544.
novem notata Coccinella, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 269.

- novempunctata** Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 365; ed. 12, 1767, 581.
novempunctata Coccinella, J. C. Fabricius, Syst. Ent. 1775, 81.
novem punctata Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2862.
novempustulata Coccinella, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 54.
novempustulatus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 108.
novem signata Coccinella, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 268.
novem striatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48.
novemstriatus Terebratula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 99 [*n. n.*].
novem vittata Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 120.
nova Musca, F. v. P. Schrank, Beitr. Nat. 1776, 93.
novus Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 446.
novus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3577.
nubecula Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3396.
nubecula Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 46.—Conus.
nubecula Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 18 [*n. n.*].
nubecula Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 785; ed. 12, 1767, 1262.
nubecularia Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 326.
nubeculosa Bombyx, E. J. C. Esper, Die Schmett. III (23) 1785, 248.
nubeculosa Phalaena Bomb., H. G. Lang, Verz. Schmett., ed. 2, 1789, 84.
nubicus Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 464.
nubicus Picus, P. Boddaert, Tab. Planch. Enl. 1783, 41.
nubicus Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 439.
nubiensis Felis (Lynx), R. Kerr, Anim. Kingd. 1792, 156.
nubilalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 25.
nubilans Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*]. [*f.*].
nubilaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 215 [*n. et*].
nubilata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
nubilis Cimex, J. C. Fabricius, Syst. Ent. 1775, 712.
nubilis Elophorus, J. C. Fabricius, Gen. Ins. 1777, 213.
nubilosa Cimex, M. Harris, Exp. Eng. Ins. 1776, 90.
nubilosa Sterna, A. Sparrman, Mus. Carls. III. 1788, no. lxiii.
nubilosus Tabanus, M. Harris, Exp. Eng. Ins. 1776, 28.
nubilosus Tipula, M. Harris, Exp. Eng. Ins. 1776, 55.
nubilus Bombylius, J. C. Mikan, Mon. Bomb. 1796, 40.
nubilus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1832.
nubilus Cimex, *id. ac* nubilis, Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2153.
nubilus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
nubilus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46.
nubilus Curculio, J. C. Fabricius, Gen. Ins. 1777, 228.
nubilus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.
nubilus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1957.
nubilus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2088.
nubila Nitidula (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1628.—Elo-
nubila Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 57. [phorus.
nubila Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 10 [*n. n.*].
nubila Phalaena Noctua, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2580.
nubila Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797–1800], 451.
nubilus Scarabaeus, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 3.
nubila Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 87.—Elophorus.
nubila Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3450.
nucea Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3449.
Nucella J. F. Bolten, Mus. Bolten. (2) 1798, 130.—G.
nucella Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 53.
“Nuces, v. Phiels. 1774.” Ag.; does not occur; a latinization by Leske in Klein, 1778, but not used in a generic sense.
nuchicornis Copris (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 55.—Scarabaeus.
nuchicornis Pilularius (L.), F. v. P. Schrank, F. Boica, I. 1798, 396.—Scarabaeus.
nuchicornis Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 347; ed. 12, 1767, 547.

- nuchidens** Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 31.
- Nucifraga** M. J. Brisson, Ornith. II. 1760, 59.—A.
- nucivora** Pholas (Sp.), O. Fabricius, Skr. nat. Selsk. [Copen.], IV (2) 1798, 41.—Teredo.
- nucivorus** Teredo, L. Spengler, Skr. nat. Selsk. [Copen.], II (1) 1792, 105.
- nucleorum** Bruchus, J. C. Fabricius, Ent. Syst. I (2) 1792, 369.
- nucleus** Angarius, F. C. Meuschen, Mus. Gever. 1787, 256.
- nucleus** Anomia (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3349.—Tere-
- nucleus** Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 695; ed. 12, 1767, 1143. [bratula.
- nucleus** Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 254.
- nucleus** Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 627; ed. 12, 1767, 1042.
- nucleus** Cyclidium, O. F. Müller, Verm. I (1) 1773, 53.
- nucleus** Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 724; ed. 12, 1767, 1181.
- nucleus-cerasi** Echinocyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 213.
- nucleus** Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3193.—
- nucleus** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3651. [Echinocyamus.
- nucleus** Kolpoda, O. F. Müller, An. Infus. 1786, 98.
- nucleus** Leucosia (L.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
- nucleus** Limax, T. Martyn, Univ. Conch. II [1788], fig. 67.
- nucleus** Nucula (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 87.—Arca.
- nucleus** Olivaeformis, F. C. Meuschen, Mus. Gever. 1787, 486.
- nucleus** Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 92.
- nucleus** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 5.
- nucleus** Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 404.—Cypraea.
- nucleus-acaciae** Tellina, F. C. Meuschen, Mus. Gever. 1787, 462.
- nucleus** Terebratula, O. F. Müller, Z. Dan. Prod. 1776, 249.
- nucleus** Turbo, E. M. da Costa, Brit. Conch. 1778, 91.
- Nucula** Lamarck, Mém. Soc. H. N. Paris, 1799, 87.—L.
- nucum** Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 383; ed. 12, 1767, 613.
- nudalis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 11 [2].
- nudatus** Bucco, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
- nudicollis** Falco, F. M. Daudin, Traité élém. Orn. 1800, 79 & 177.
- nudicollis** Perdix, J. Latham, Index Orn. 1790, 646.—Tetrao.
- nudicollis** Tetrao, P. Boddaert, Tab. Planch. Enl. 1783, 11.
- nudicollis** Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 759.
- nudifrons** Crax, H. Lichtenstein, Cat. rerum Nat. I. 1793, 37.
- nudipes** Strix, F. M. Daudin, Traité élém. Orn. 1800, 199.
- nudula** Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 175.
- nudus** Bombylius, C. de Villers, Linn. Ent. III. 1789, 609.
- nuda** Bombyx, J. C. Fabricius, Mant. II. 1787, 119.
- nudus** Bos, T. Pennant in Forster, Ind. Zool. 1781, 39 [*n. n.*].
- nudus** Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 371.
- nudus** Cyclopterus, Linnaeus, Syst. Nat., ed. 10, 1758, 260; ed. 12, 1766, 414.
- nudus** Cyprinus, M. E. Bloch, Nat. Fische Deutschl. III. 1784, 178.
- nuda** Gracula (Gm.), J. Latham, Index Orn. 1790, 190.—Corvus.
- nuda** Holothuria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3143.
- nuda** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 33.
- nudus** Sipunculus, Linnaeus, Syst. Nat., ed. 12, 1767, 1078.
- nugater** Musca, M. Harris, Exp. Eng. Ins. 1776, 120.
- nugatorius** Ichneumon, J. C. Fabricius, Ent. Syst. IV. 1794, 455.
- nugax** Cancer, C. J. Phipps, Voy. N. Pole, 1774, 192.
- nugax** Cancer (Gammarellus), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 117.
- nugax** Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 366.
- nussax** (*sic*) Cimex, Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2173.
- nugax** Gammarus (Phipps), J. C. Fabricius, Spec. Ins. I. 1781, 516.—Cancer.
- nugax** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 162.—Cimex, 1781.
- nullaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 18 [*n. et f.*].
- nullaria** Phalaena Geom., J. Hübner, Samml. Vögel u. Schmett. 1793, 11 [*n. et f.*].
- numana** Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 32.—Phalaena.

- numana** [Phalaena], P. Cramer, Uitl. Kapellen, III (19) 1779, 59.
numata [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 17.
Numenius Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 6 & 64.—A.
Numenius M. J. Brisson, Ornith. V. 1760, 311.—A.
numeralis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 19.
numerata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 455.
numerus [Papilio], C. Stoll, Aanh. Cramer's Uitl. Kapellen, V. 1790, 169.
numeria Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 48.
numeria Phalaena Noct., Panzer in Drury, Exot. Ins. 1785, 89.
Numida Linnaeus, Syst. Nat., ed. 12, 1766, 273.—A.
numida Lampyris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 24.
numidica Ardea, T. Pennant in Forster, Ind. Zool. 1781, 42 [*n. n.*].
numidicus Gryllus, Poiret, Obs. sur la Physique, XXX. 1787, 242.
numilia [Papilio], P. Cramer, Uitl. Kapellen, I (7) 1775, 128.
numisma Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 24.
numismalis Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 384.
numitor Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 324.
numitor [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 25.
nummaria Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 695; ed. 12, 1767, 1143.
nummularis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 3.
Nummularius J. Gesner, Tract. Petref. 1758, 50.—Rh.
nummularia Camerina, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 400.
 "Nummulites, Brug. 1791," Ag.; does not occur; the word is Lamarck's, 1801.
nun-atrum Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 78.
nun-atrum Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 495.
nunciator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 166.
nunciola Muscipa, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 15.
nundina Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 36.
nundina Phalaena Noct., Panzer in Drury, Exot. Ins. 1785, 74.
nuptae Filaria, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 3.
nuptatorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 148.
nuptus Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 90.
nupta Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 602.—Phalaena.
nupta Phalaena, O. F. Müller, Z. Dan. Prod. 1776, 280.
nupta Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 841.
nupta Phalaena, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 205.
nussatella Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 716; ed. 12, 1767, 1170.
nussatella Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 50.—Conus.
nussatella Globosa, F. C. Meuschen, Mus. Gev. 1787, 380.
nussax *v.* **nugax**.
nutans Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 169.—Scarabaeus.
nutans Pilularius (L.), F. v. P. Schrank, F. Boica, I. 1798, 398.—Scarabaeus.
nutans Scarabaeus, J. C. Fabricius, Mant. I. 1787, 15.
nutans Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 659.
nutans Vorticella, O. F. Müller, Verm. I (1) 1773, 120.
nutator Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1836.—Lamia.
nutator Lamia, J. C. Fabricius, Mant. I. 1787, 142.
nutatorius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 328.
nutrix Cancer, Scopoli, Ent. Carn. 1763, 410.
nutrix [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 40.
Nux [G. Humphreys], Mus. Calonn. 1797, 59.—L.
nux Cardium, E. M. da Costa, Brit. Conch. 1778, 173.
nux Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3289.
nux avellana Cylindrus, F. C. Meuschen, Mus. Gev. 1787, 378.
nux-castanea Nerita, T. Martyn, Univ. Conch. III [1789], fig. 106.
nux-moschata Volema, J. F. Bolten, Mus. Bolten. (2) 1798, 57.
nux-odorata Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 86.
nux sativa Conus, F. C. Meuschen, Mus. Gev. 1787, 366.

- nux seleri** Murex, F. C. Meuschen, Mus. Gever. 1787, 328.
nyctetus [Papilio], C. Stoll in Cramer, Utit. Kapellen, IV (32) 1782, 178.
nyctea Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 22.
nyctemerella Alucita (D. & S.), J. C. Fabricius, Mant. II. 1787, 254.—Tinea.
nyctemerella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 136.
nycterus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 509.—Alucita nycte-
Nycteribia P. A. Latreille, Préc. Car. Ins. 1796, 176.—Ar. [merella, 1794.
Nycteris E. Geoffroy & Cuvier, Mag. encyclop. II (6) 1795, 186.—M.
nycteris Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 318.
nyctea Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 442.
nycteus [Sphinx], C. Stoll in Cramer, Utit. Kapellen, IV (28) 1780, 74.
nyctea Strix, Linnaeus, Syst. Nat., ed. 10, 1758, 93; ed. 12, 1766, 132.
nyctea Strix, G. Shaw, Nat. Misc. II. 1790, pl. 47; var. striata.
nycthemerus Curculio, A. Sparman, K. Vet. Ac. Nya Handl. VI. 1785, 46.
nycthemerus Phasianus, Linnaeus, Syst. Nat., ed. 10, 1758, 159; ed. 12, 1766, 272.
nycthemerus Reduvius, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 147.
Nycticorax Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 8 & 75.—A.
nycticorax Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 142; ed. 12, 1766, 235.
"Nympha, Martini, 1774," Scudd.; not binominal.
nimpha Vespa, J. L. Christ, Nat. Ins. 1791, 232.
nymphaea Noctua, E. J. C. Esper, Die Schmett. IV (38) 1788, 158.
nymphaea Taenia, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 125.
[nymphaeae]—
nymphaeae Adimonia (Fab.), F. v. P. Schrank, F. Boica, I. 1798, 557.—Cricocaris.
nymphaeae Aphis, Linnaeus, Faun. Suec., ed. 2, 1761, 260.
nymphaeae Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 376; ed. 12, 1767, 600.
nymphaeae Cricocaris (L.), J. C. Fabricius, Syst. Ent. 1775, 118.—Chrysomela.
nymphaeae Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1718.
nymphaeae Donacia, [D. H. Schneider], Nom. Ent. 1785, 16 [*n. n.*].
nymphaeae Donacia, J. C. Fabricius, Ent. Syst. I (2) 1792, 116.
nymphaeae Galeruca (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 83.—v. Chrysomela.
nymphaealis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 121.
nymphaeata Phalaena, S. A. v. Rottemberg, Naturforscher, XI. 1777, 80.
nymphaeata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 529; ed. 12, 1767,
nymphagoga Noctua, E. J. C. Esper, Die Schmett. IV (38) 1788, 159. [873-
[nymphagoga Phalaena (N.) MS.], T. Martyn, Psyche, 1797, fig. 15.
Nymphalis v. **Papilio** (**Nymphalis**), Linnaeus.
Nymphon J. C. Fabricius, Ent. Syst. IV. 1794, 417.—Ar.
nymphula Libellula, J. H. Sulzer, Gesch. Ins. 1776, 169.
"Nymphum, Fab.," Ag.; does not exist, see **Nymphon**.
nyraca Anas, = **nyroca**, Gueld., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 542.
nyroca Anas, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIV (1) 1770, 403.
nysa Papilio, J. C. Fabricius, Syst. Ent. 1775, 473.
nyseus [Phalaena], P. Cramer, Utit. Kapellen, I (7) 1775, 119.
Nysson P. A. Latreille, Préc. Car. Ins. 1796, 125.—Hym.

- obducta** Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 59.
obducta Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797–1800], 452.
obeliseata (*sic*) Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 296
obeliscata Phalaena Geometra, J. Hübner, Beitr. Schmett. I (2) [1787], 6. [*n. et f.*].
Obeliscus [G. Humphreys], Mus. Calonn. 1797, 24.—G.
obeliscus Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 472.
obelisca Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 80.
obelisca Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 60.
obeliscus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3579.
obesula Delphinus, G. Shaw, Nat. Misc. VIII. 1797, pl. 298.
obesus Brachycerus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 184.—Curculio.

- obesus** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 623.
- obesus** Curculio, J. C. Fabricius, Syst. Ent. 1775, 822.
- obesa** Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2868.—Syrphus.
- obesus** Syrphus, J. C. Fabricius, Syst. Ent. 1775, 763.
- obesa** Thereva, J. C. Fabricius, Suppl. Ent. Syst. 1798, 561.
- obex** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 154.
- obfuscaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 142 [*n.*].
- obfuscator** Ichneumon, C. de Villers, Linn. Ent. III. 1789, 197. [*et. f.*].
- obfuscatus** Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1990.
- obfuscatus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2185.
- obfuscata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 108.
- obfuscatus** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2719.
- obfuscata** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2880.
- obfuscata** Phalaena, Scopoli, Ent. Carn. 1763, 232.
- obfuscata** Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2582.
- obfuscata** Phryganea, Scopoli, Ent. Carn. 1763, 267.
- Obisium** Illiger in Kugelann, Käfer Preuss. 1798, 501.—Ar.
- obiurgator** Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 426.
- oblatorius** Ichneumon, P. Rossi, Mant. Ins. I. 1792, 114.
- obligactis** Hydra, *v.* oligactis, P. S. Pallas, Char. Thierpfl. I. 1787, 53.
- oblinita** Phalaena, J. E. Smith in Abbot, Ent. Georgia, 1797, 187.
- obliquialis** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 224.
- obliquialis** Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2528.
- obliquana** Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 407.—Pyralis.
- obliquana** Pyralis, J. C. Fabricius, Spec. Ins. II. 1781, 281.
- obliquaria** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 102.
- obliquaria** Phalaena, J. C. Fabricius, Mant. II. 1787, 194.
- obliquaria** Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2517.
- obliquata** Blatta, Daldorf, Skr. nat. Selsk. [Copen.], II (2) 1793, 164.
- obliquata** Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 12.
- obliquata** (*sic*) Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 225 [*n.*].
- obliquatus** Helops, J. C. Fabricius, Suppl. Ent. Syst. 1798, 53. [*et. f.*].
- obliquatus** Nautilus (O.), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 5.
- obliquata** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 185.
- obliquata** Purpura, F. C. Meuschen, Mus. Gever. 1787, 314.
- obliquatus** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3575.
- obliquella** Phalaena (Tinea), O. F. Müller, F. Ins. Frid. 1764, 58.
- obliquella** Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2606.
- obliquella** Tinea, C. C. Jung, Alph. Verz. Schmett. II. 1792, 60.
- obliquum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3504.
- obliquum** Cardium, L. Spengler, Skr. nat. Selsk. [Copen.], V (1) 1799, 23.
- obliquus** Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 175.
- obliquus** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 460.
- obliquus** Dytiscus, J. C. Fabricius, Mant. I. 1787, 193.
- obliqua** Fulgora, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 13.
- obliqua** Hyblaea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 448.
- obliquus** Hepialus, J. C. Fabricius, Ent. Syst. III (2) 1794, 6.
- obliqua** Lepas, L. Spengler, Skr. nat. Selsk. [Copen.], I (1) 1790, 167.
- obliquus** Monoceros, F. C. Meuschen, Mus. Gever. 1787, 290.
- obliquus** Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 710; ed. 12, 1767, 1163.
- obliqua** Notonecta, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 61.
- obliqua** Orthocera (L.), A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 84.—Nautilus.
- obliqua** Patella, F. C. Meuschen, Mus. Gever. 1787, 244.
- obliqua** Phalaena B., C. de Villers, Linn. Ent. II. 1789, 189.
- obliquus** Scarabaeus (Copris), A. G. Olivier, Entom. I. 1789, 165.
- obliquus** Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 92.
- obliterata** Bombyx, E. J. C. Esper, Die Schmett. III (23) 1785, 245.
- obliterata** Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 260.

- obliterata** Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 367; ed. 12, 1767, 584.
obliteratus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 273.
obliterata Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 607; ed. 12, 1767, 1146.
obliteratus Pecten (L.), F. C. Meuschen, Mus. Gever. 1787, 416.—Ostrea.
obliterata Phalaena, Hufnagel, Berlin. Mag. IV. 1767, 608.
obliterata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
oblitus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 22.
oblongata Blatta, Linnaeus, Syst. Nat., ed. 10, 1758, 425; ed. 12, 1767, 689.
oblongatum Cardium, D. Solander in G. Brander, Foss. Hant. 1766, 38.
oblongata Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 114.
oblongata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 14.
oblongata Ostrea, D. Solander in G. Brander, Foss. Hant. 1766, 35.
oblongifolia Locusta, C. de Geer, Mém. Ins. III. 1773, 445.
oblongoguttata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 367; ed. 12, 1767, 584.
oblongoguttatus Cryptocephalus, G. A. Harrer, Besch. Schaeffer Icones, 1784, 55.
oblongo-punctatus Carabus, J. C. Fabricius, Mant. I. 1787, 202.
oblongo-punctata Coccinella, J. C. Fabricius, Mant. I. 1787, 54.
oblongus Aphodius (Scop.), Illiger in Kugellann, Käfer Preuss. 1798, 19.—Scarabaeus.
oblongus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 318.—Helix.
oblongus Caligus, P. C. Abildgaard, Skr. nat. Selsk. [Copen.], III (2) 1794, 52.
oblongus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 140 (no. 71).
oblongus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 140 (no. 72).
oblongum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3254.
oblonga Chama, Linnaeus, Syst. Nat., ed. 10, 1758, 692; ed. 12, 1767, 1139.
oblongus Cimex, J. A. E. Goeze in de Geer, Gesch. Insekt. III. 1780, 183.
oblonga Cistela, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 6.
oblonga Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 43.
oblonga Coccinella, J. G. Linck, De Coccinellae, 1787, 8.
oblongus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 385; ed. 12, 1767, 615.
oblonga Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3416.
oblongus Dermestes, Fourcroy, Ent. Paris. I. 1785, 19.
oblongus Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 129.
oblongus Gyrynus, L. H. v. Bloch in Becker, Plau. Grund. 1799, 100.
oblonga Helix, O. F. Müller, Verm. II. 1774, 86.
oblongus Hister, J. C. Fabricius, Ent. Syst. I (1) 1792, 75.
oblongus Hister, J. A. Frolich, Naturforscher, XXVI. 1792, 117.
oblonga Hydatigena, A. J. G. C. Batsch, Naturg. Bandwurm. 1786, 98.
oblongus Hydrophilus, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 125.
oblongus Hydrophilus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 300.
oblonga Ips (Fourc.), A. G. Olivier, Entom. II. 1790, 7.—Dermestes.
oblonga Mammaria, F. M. Daudin, Rec. Mém. Moll. 1800, 26.
oblonga Melolontha (Scop.), J. C. Fabricius, Gen. Ins. 1777, 209.—Scarabaeus.
oblonga Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3221.
oblonga Nitidula, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 245.
oblonga Patella, J. Lightfoot, Phil. Trans. LXXXVI (1) 1786, 168.
oblongus Rhinomacer, A. F. de Fourcroy, Ent. Paris. 1785, 114.
oblongus Scarabaeus, Scopoli, Ent. Carn. 1763, 8.
oblongum Sepsidium, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 48.
oblonga Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 362; ed. 12, 1767, 572.
oblongus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 161.
oblonga Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3234.
oblongus Tetradon, M. E. Bloch, Nat. ausl. Fische, II. 1786, 6.
oblonga Zygia, J. C. Fabricius, Syst. Ent. 1775, 126.
obrinus Papilio [non Linn.], J. H. Sulzer, Gesch. Ins. 1776, 143.
obrinus Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VI. 1793, 92.
obrinus Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 470; ed. 12, 1767, 766.
obscurana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 476. [f.].
obscuraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 146 [n. et

- obscuraria** Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 450.
obscuraria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 325.
obscurator Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2687.
obscurata Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 439.
obscurata Chrysomela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 85.
obscurata Fulgora, J. C. Fabricius, Syst. Ent. 1775, 674.
obscurata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 108.
obscuratus Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 237.
obscuratus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 185.
obscurata Phalaena, J. C. Fabricius, Gen. Ins. 1777, 287.
obscurata Phalaena, J. C. Fabricius, Mant. II. 1787, 199.
obscurata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2497.
obscorella Phalaena, Scopoli, Ent. Carn. 1763, 252.
obscorella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
obscorella Tinea, J. C. Fabricius, Mant. II. 1787, 248.
obscorepurpleus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 646.
obscurior Cicindela, J. C. D. Schreber, Nov. Spec. Ins. 1759, 10.
obscurum Acrydium (L.), C. de Geer, Mém. Ins. III. 1773, 492.—Gryllus.
obscura Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 801.
obscura Alauda, J. Latham, Index Orn. 1790, 494.
obscura Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 541.
obscura Apis, Linnaeus, Mus. Lud. Ulr. 1764, 417.
obscura Apis, O. F. Müller, Z. Dan. Prod. 1776, 164.
obscura Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 218.
obscura Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 419.
obscura Ardea, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 24.
obscura Bombyx, J. C. Fabricius, Spec. Ins. II. 1781, 206.
obscurus Bostrichus (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. VI. 1798, 114.—
obscurus Buceros, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 362. [Dermestes.
obscura Buprestis, J. C. Fabricius, Spec. Ins. I. 1781, 274.
obscurum Callidium, J. C. Fabricius, Mant. I. 1787, 151.
obscura Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 402; ed. 12, 1767, 648.
obscurus Carabus, O. F. Müller, Z. Dan. Prod. 1776, 77.
obscurus Carabus, G. Paykull, Mon. Carab. 1790, 75.
obscurus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 151.
obscura Cassida, J. C. Fabricius, Ent. Syst. I (1) 1792, 295.
obscurus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1851.—
obscurus Cerambyx, J. C. Fabricius, Ent. Syst. I (2) 1792, 261. [Callidium.
obscurus Cerambix, A. G. Olivier, Entom. IV. 1795, 80.—Lamia, 1792.
obscura Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 49.
obscura Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 470.
obscura Cetonia, J. D. Andersch in D. H. Hoppe, Ent. Taschenbuch, 1797, 161.
obscurus Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 686.
obscura Chrysis, Giorna, Cal. Ent. 1791, 74.
obscura Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 375; ed. 12, 1767, 599.
obscura Cicindela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 61.
obscura Cicindela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 62.
obscura Cimbex (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 772.—Tenthredo.
obscurus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2198.
obscurus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 107.
obscurus Clytus, J. A. Frolich, Naturforscher, XXVI. 1792, 159.
obscurus Colymbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 592.
obscurus Cryptocephalus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 58.—Chrysomela.
obscurus Cryptocephalus (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 612.—Chryso-
obscurus Curculio, J. R. Forster, Cat. Brit. Ins. 1770, 4 [n. n.]. [mela.
obscurus Curculio, J. C. Fabricius, Syst. Ent. 1775, 150.
obscura Cytherea, J. C. Fabricius, Ent. Syst. IV. 1794, 413.
obscurus Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 233.

- obscurus** Dytiscus, G. W. F. Panzer, Ins. Germ. heft 26 [1795], tab. 3.
obscurus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 406; ed. 12, 1767, 655.
obscurus Elater, O. F. Müller, Z. Dan. Prod. 1776, 60.
obscurus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1918.
obscurus Eumolphus (Müll.), Illiger in Kugelann, Käfer Preuss. 1798, 498.—*Cryptocephalus*.
obscurus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 281.
obscura Fasciola, O. F. Müller, Verm. I (2) 1774, 65.
obscura Fringilla, J. Latham, Index Orn. 1790, 460.
obscurus Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 433; ed. 12, 1767, 701.
obscurus Gryllus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 194.
obscura Helix, O. F. Müller, Verm. II. 1774, 102.
obscurus Hemerobius, O. F. Müller, F. Ins. Frid. 1764, 66.
obscurus Hister, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], III. 1792, 298.
obscura Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
obscurus Hydrophilus, O. F. Müller, Z. Dan. Prod. 1776, 69.
obscurus Hydrophilus, J. C. Fabricius, Ent. Syst. I (1) 1792, 185.
obscurus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 401.
obscurus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2704.
obscurus Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 54.
obscura Lagria, J. C. Fabricius, Ent. Syst. I (2) 1792, 79.
obscura Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 462.
obscura Lamia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 144.
obscura Lampyrus, J. C. Fabricius, Syst. Ent. 1775, 200.
obscurus Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 308.
obscura Leptura, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 56.
obscura Leptura, G. W. F. Panzer, Deutsch. Ins. [1795], 271.
obscura Libellula, J. C. Fabricius, Syst. Ent. 1775, 422.
obscura Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 862.
obscura Lunatica, J. F. Boltzen, Mus. Boltzen. (2) 1798, 103.
obscurus Malacopteryx (L.), J. R. Forster, Cat. Brit. Ins. 1770, 7 [n. n.].—*Cantharis*.
obscura Mantis, J. C. Fabricius, Spec. Ins. I. 1781, 349.
obscura Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 40.
obscura Motacilla, K. Hablitzl in P. S. Pallas, N. nord. Beytr. IV. 1783, 56.
obscura Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 315.
obscura Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 945.
obscura Muscicapa, H. Lichtenstein, Cat. rerum Nat. I. 1793, 48.
obscura Nitidula, J. C. Fabricius, Gen. Ins. 1775, 215.
obscura Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 444.
obscurum Opatrum, J. C. Fabricius, Suppl. Ent. Syst. 1798, 41.
obscura Ostrea, P. Forskal, Descr. Anim. 1775, 140.
obscurus Parnus, J. C. Fabricius, Ent. Syst. IV. 1794, 445.
obscura Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3726.
obscura Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 63.—*Silpha*.
obscura Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 269.
obscura [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 146.
obscura Phalaena (Noctua), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 79.
obscura Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 287.
obscura Phryganea, P. Rossi, Mant. Ins. I. 1792, 105.
obscurus Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 429.
obscura Pimelia, A. G. Olivier, Entom. III. 1795, 21.
obscura Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—*Fasciola*. 1774.
obscurus Podiceps (Gm.), J. Latham, Index Orn. 1790, 782.—*Colymbus*.
obscurus Prionus, A. G. Olivier, Entom. IV. 1795, 26.
obscura Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 559.
obscurus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 97; ed. 12, 1766, 140.
obscurus Psittacus, Linnaeus in Hasselquist, Palast. 1762, 293.
obscurus Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 718.

- obscurus** Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1562.—
obscurus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 25. [Melolontha.
obscura Scolopax, S. G. Gmelin, Reise Russ. III. 1774, 90.
obscura Sertularia, P. Forskal, Descr. Anim. 1775, 130.
obscura Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 361; ed. 12, 1767, 572.
obscura Sphinx, J. C. Fabricius, Syst. Ent. 1775, 538.
obscurus Staphylinus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 149.
obscurus Staphylinus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 54.
obscurus Staphylinus, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 173.
obscurus Staphylinus, G. Paykull, Faun. Suec. III. 1800, 388.
obscura Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 608.
obscurus Sturnus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 804.
obscurus Telephorus (L.), A. G. Olivier, Entom. II. 1790, 8.—Cantharis.
obscurus Tenebrio, J. C. Fabricius, Ent. Syst. I (1) 1792, 111.
obscura Tenthredo, J. C. Fabricius, Syst. Ent. 1775, 319.
obscura Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2666.
obscurus Thelephorus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 61.—Cantharis.
obscura Thrips, O. F. Müller, Z. Dan. Prod. 1776, 96.
obscurus Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 445.
obscura Trigla, Linnaeus, Mus. Adolph. Frid. II. 1764, 94.
obscurus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 495.
obscurus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 816.
obscura Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3289.
obsidianus Musca, M. Harris, Exp. Eng. Ins. 1776, 37.
obdionalis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 12 [*n. n.*].
obsita Clytra (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 34.—Cryptocephalus.
obsitus Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 106.
obsolescens Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2582.
obsoletalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 229.
obsoletella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
obsoletorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 140.
obsoleta Apis, P. Rossi, Mant. Ins. I. 1792, 143.
obsoleta Bombyx, J. C. Fabricius, Syst. Ent. 1775, 579.
obsoleta Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 456.
obsoletus Carabus, P. Rossi, Fauna Etrus. I. 1790, 209.
obsoletus Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 337.
obsoletum Cardium, L. Spengler, Skr. nat. Selsk. [Copen.], V (1) 1799, 28.
obsoleta Cassida, Illiger in Kugelann, Käfer Preuss. 1798, 484.
obsoletus Cerambyx, A. G. Olivier, Entom. IV. 1795, 130.
obsoleta Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 450.
obsoletus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 468.—Phalaena obsoletalis,
obsoletus Cryptocephalus, F. v. P. Schrank, Naturforscher, XXIV. 1789, 69. [1794.
obsoletus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.
obsoleta Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 178.
obsoletus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 268.
obsoleta Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 580; ed. 12, 1767, 963.
obsoleta Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191.
obsoletus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2687.
obsoletus Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 230.
obsoleta Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 43.
obsoleta Nitidula, J. C. Fabricius, Ent. Syst. I (1) 1792, 256.
obsoletus Pecten, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 87.
obsoleta [Phalaena], P. Cramer, Uitl. Kapellen, IV (26) 1780, 28.
obsoleta Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2493.
obsoleta Sciaena, P. Forskal, Descr. Anim. 1775, 52.
obsoleta Sertularia, I. Lepechin, Acta Ac. Sci. Petrop. 1778 (2) 1781, 137.
obsoletus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3612.
obstetricans Bufo, J. N. Laurenti, Syn. Rept. 1768, 28 & 128.

- obstipata** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 199.
- obtentus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 38.
- obtextrix** Aranea, J. M. Bechstein, Voigts Mag. Neu. a. d. Physik, VI. 1789, 515.
- obtusangulum** Gonium, O. F. Müller, An. Infus. 1786, 114.
- obtusangula** Palmipes, C. F. Schultze, Verst. Seest. 1760, 51.
- obtusata** Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 113.
- obtusata** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3655.
- obtusatus** Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 761; ed. 12, 1767, 1232.
- obtusella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 35.
- obtusissimum** Buccinum, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 65.
- obtusocaudata** Fusaria, J. G. H. Zeder in Goetze, 1. Nachtr. Eingeweidewürm. 1800, 55.
- obtusulum** Buccinum, E. Jacob in G. Adams, Ess. Micr. ed. 2, 1798, 639.
- obtusa** Ascaris, J. A. Frolich, Naturforscher. XXV. 1791, 88.
- obtusa** Blaps, J. C. Fabricius, Suppl. Ent. Syst. 1798, 46.
- obtusum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3489.
- obtusum** Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 114 [n. n.].
- obtusus** Carabus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 74.
- obtusa** Chrysomela, O. F. Müller, Z. Dan. Prod. 1776, 82.
- obtusa** Cicada, J. C. Fabricius, Mant. II. 1787, 269.
- obtusus** Cicindela, [D. H. Schneider], Nom. Ent. 1785, 20 [n. n.].
- obtusus** Curculio, G. Bonsdorff, Curc. Suec. 1785, 37.
- obtusus** Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 69.
- obtusus** Elater, C. de Geer, Mém. Ins. IV. 1774, 147.
- obtusus** Oxyporus (L.), F. v. P. Schrank, F. Boica, I. 1798, 651.—Staphylinus.
- obtusus** Staphylinus, Linnaeus, Syst. Nat., ed. 12, 1767, 684.
- obtusus** Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 100.
- obtusus** Turbo, J. A. Scopoli, Del. Insub. I. 1786, 68.
- obumbrata** Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2493.
- obvelata** Doris, O. F. Müller, Z. Dan. Prod. 1776, 229.
- obversa** Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 376.
- obversepunctata** Coccinella, F. v. P. Schrank, Ins. Aust. 1781, 53.
- obviella** Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 143.
- obvoluta** Helix, O. F. Müller, Verm. II. 1774, 27.
- occator** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 219.
- occidens** Solen, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3228.
- occidentalis** Blatta, J. C. Fabricius, Mant. I. 1787, 225.
- occidentalis** Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 339.
- occidentalis** Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1847.
- occidentalis** Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 369; ed. 12, 1767, 588.
- occidentalis** Gasterosteus, Linnaeus, Syst. Nat., ed. 10, 1758, 295; ed. 12, 1766, 490.
- occidentalis** Lampyrus, A. G. Olivier, Entom. II. 1790, 24.
- occidentalis** Melolontha (L.), J. C. Fabricius, Syst. Ent. 1775, 32.—Scarabaeus.
- occidentalis** Mutilla, Linnaeus, Syst. Nat., ed. 10, 1758, 582; ed. 12, 1767, 966.
- occidentalis** Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 555.
- occidentalis** Scolopendra, Linnaeus, Syst. Nat., ed. 10, 1758, 639; ed. 12, 1767, 1064.
- occidentalis** Tabanus, Linnaeus, Syst. Nat., ed. 10, 1758, 602; ed. 12, 1767, 1001.
- occidentalis** Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 675.
- occidua** Anas, J. P. Bonnatte, Ency. Méth. (Orn.) 1790, 130.
- occidua** Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 561.—Phalaena.
- occidua** Bulla, G. Shaw, Nat. Misc. VIII. 1797, pl. 294.
- occidua** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 315.
- occidua** Ph[alae]na, C. Clerck, Icones, II. 1764, pl. liv.
- occidua** Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 812.
- occidua** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 509.—[P. (Attacus), ed. 12.]
- occipitalis** Falco, F. M. Daudin, Traité élém. Orn. 1800, 40.
- occirhoe** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 96.
- occisor** Ichneumon, F. v. P. Schrank, Beitr. Nat. 1776, 90.
- occisorius** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 142.

- occitanicus** Carabus, C. de Villers, Linn. Ent. I. 1789, 384.
occitanicus Elater, C. de Villers, Linn. Ent. I. 1789, 319.
occitanicum Myrmeleon, C. de Villers, Linn. Ent. III. 1789, 63.
occitanica Sphinx, C. de Villers, Linn. Ent. II. 1789, 114.
occitanus Scorpio, Amoureux fils, Obs. sur la Physique, XXXV. 1789, 10.
occlator Ichneumon, P. Rossi, Mant. Ins. I. 1792, 117.
occultella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 899.
occultus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2-5) 1783, 137.
occultus Cynpsichneumon, J. L. Christ, Nat. Ins. 1791, 387.
occulata Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 514; ed. 12, 1767, 849.
occulata Phryganea, O. F. Müller, F. Ins. Frid. 1764, 65.
oceanica Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 509.—Oniscus.
oceanicus Gobius, P. S. Pallas, Spic. Zool. VIII. 1770, 4.
oceanica Ligia (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 301.—Oniscus.
oceanicus Oniscus, Linnaeus, Syst. Nat., ed. 12, 1767, 1061.
oceanica Phoca, I. Lepechin, Acta Ac. Sci. Petrop. 1777 (1) 1778, 259.
oceanus [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 7.
ocellana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 411.—Pyralis.
ocellana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 652.
ocellana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 130.
ocellana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 18 [*u. et f.*].
ocellaris Blennius, Linnaeus, Syst. Nat., ed. 10, 1758, 256; ed. 12, 1766, 442.
ocellaris Gobius, P. M. A. Broussonet, Ichth. 1782.
ocellaris Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 285; ed. 12, 1766, 477.
ocellaris Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 647.
ocellaris Pyralis, C. P. Thunberg, Ins. Suecica (1) 1784, 15.
ocellaris Tipula, Linnaeus, Faun. Suec., ed. 2, 1761, 433.
ocellaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 64 [*u. et f.*].
ocellaria Mantis, D. Drury, Ill. Nat. Hist. III. 1782, index & 58.
ocellatum Alcyonium, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 180.
[ocellatus Araneus, C. Clerck, Aran. Svec. 1757, 36.]
ocellata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 622; ed. 12, 1767, 1035.
ocellata Blatta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2047.
ocellatus Brachycerus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 183.—Curculio.
ocellatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3488.
ocellata Buprestis, J. C. Fabricius, Syst. Ent. 1775, 218.
ocellatus Callionymus, P. S. Pallas, Spic. Zool. VIII. 1770, 25.
ocellatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 61.
ocellata Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 244.
ocellatus Cerambyx, C. de Geer, Mém. Ins. VII. 1778, 654.
ocellatum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 499.
ocellata Cerocoma, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 397.
ocellatus Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 105.
ocellata Cicada, Scopoli, Ent. Carn. 1763, 116.
ocellata Cicada, C. de Geer, Mém. Ins. III. 1773, 220.
ocellata Cicada, J. C. Fabricius, Syst. Ent. 1775, 682.
ocellatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 60.
ocellata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 366; ed. 12, 1767, 582.
ocellata Coccinella, P. S. Pallas, Reise Russ. II. 1773, 726.
ocellatus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1113.
ocellata Coronella, J. N. Laurenti, Syn. Rept. 1768, 84.
ocellatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 154.
ocellatus Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 84.
ocellatus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 510.
ocellata Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 724; ed. 12, 1767, 1180.
ocellatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 437.
ocellata Flata, J. C. Fabricius, Suppl. Ent. Syst. 1798, 517.—Cicada, 1775. [*et f.*].
ocellata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 252 [*u.*].

- ocellatus** Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 429; ed. 12, 1767, 696.
- ocellatus** Labrus, P. Forskal, Descr. Anim. 1775, 37.
- ocellata** Lacerta, P. Forskal, Descr. Anim. 1775, 13.
- ocellata** Locusta (L.), J. C. Fabricius, Syst. Ent. 1775, 284.—Gryllus.
- ocellata** Lytta (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2016.—Meloe.
- ocellata** Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 639.
- ocellata** Medusa, A. Modeer, Nova Acta Acad. Caes. VIII., App., 1791, 27.
- ocellata** Meloe, P. S. Pallas, Reise Russ. II. 1773, 721.
- ocellatum** Myrmeleon, M. B. Borkhausen in Scriba, Beitr. Ins. II. 1791, 161.
- ocellatus** Oriolus, J. A. Scopoli, Del. Insub. II. 1786, 88.
- ocellatus** Papilio (ex Scop.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 63.
- ocellatus** Pediculus, Scopoli, Ent. Carn. 1763, 382.
- ocellata** Perca, Linnaeus, Syst. Nat., ed. 12, 1766, 483.
- ocellata** [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 151.
- ocellata** Phalaena, J. C. Fabricius, Mant. II. 1787, 206.
- ocellata** [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 156.
- ocellata** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 527; ed. 12, 1767,
- ocellata** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 872. [870.]
- ocellatus** Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 269; ed. 12, 1766, 456.
- ocellata** Porcellana, F. C. Meuschen, Mus. Gever. 1787, 408.
- ocellata** Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 404.—Cypraea.
- ocellata** Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 211; ed. 12, 1766, 356.
- ocellatus** Scomber, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 223.
- ocellata** Sesia, Boddaert, Algern. Genees-Nat. en Huish. Jaarb. IV (1) 1786, 52.
- ocellata** Sphex, J. C. Fabricius, Spec. Ins. I. 1781, 450.
- ocellatus-jamaicensis** Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 43.
- ocellata** Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 489; ed. 12, 1767, 796.
- ocellatus** Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1494.
- ocellatus** Stincus (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 30.—Lacerta.
- ocellatus** Tetraodon, Linnaeus, Syst. Nat., ed. 10, 1758, 333; ed. 12, 1766, 411 [Tetro-].
- ocellata** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3455.
- ocellina** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 313.
- ocellus** Monas, O. F. Müller, An. Infus. 1786, 3.
- ocelot** Felis, H. F. Link, Beytr. Nat. I (2) 1795, 90.
- Ochotona** H. F. Link, Beytr. Nat. I (2) 1795, 52 [*n. n.*].—M.
- ochraceus** Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 105.
- ochraceus** Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1725.
- ochracea** Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 928.
- ochracea** Fringilla, Jacquin, *v. albo-ochracea*.
- ochraceus** Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 92.
- ocracea** Isis, Linnaeus, Syst. Nat., ed. 10, 1758, 799; ed. 12, 1767, 1287 [ochracea].
- ocracea** Millepora, F. C. Meuschen, Mus. Gever. 1787, 512.
- ochracea** Muscicapa, A. Sparrman, Mus. Carls. I. 1786, no. xxii.
- ochracea** Phalaena, J. A. Scopoli, Annus V. 1772, 114.
- ochracea** Phalaena Noctua, J. Hübner, Beitr. Schmett. I (1) 1786, 19.
- ochragaster** Turdus, A. Sparrman, Mus. Carls. IV. 1789, no. lxxxv.
- ochrago** Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 445.
- ochrago** *v. et. ochreago*.
- ochraspis** Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 103.
- ochrator** Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 42.
- ochrata** Phalaena, Scopoli, Ent. Carn. 1763, 227.
- ochrata** Phalaena (Geometra), O. F. Müller, Z. Dan. Prod. 1776, 129.
- ochratus** *v. et. ochreatus*.
- ochrea** Kolpoda, O. F. Müller, An. Infus. 1786, 95.
- ochreaceus** Dermestes, L. G. Scriba, J. Lieb. Ent. II. 1790, 153.
- ochreago** Phalaena Noctua, J. Hübner, Beitr. Schmett. II. 1790, 10.
- ochrealis** Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
- ochrealis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me justice 1796], 11.

- ochrearia** Phalaena, P. Rossi, Mant. Ins. II. 1794, 33.
ochreata Buprestis, A. G. Olivier, Entom. II. 1790, 59.
ochreata Crioceris, J. C. Fabricius, Ent. Syst. I (2) 1792, 4.
ochreata Geometra (Scop.), C. de Villers, Linn. Ent. IV. 1789, 511.—Phalaena ochrata.
ochreata Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 202.
ochreatus *v. ocreatus*.
ochrella Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 10 [*n. et f.*].
ochrella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 24.
ochrocephalus Psittacus, R. Kerr, Anim. Kingd. 1792, 597; *varr. cayenensis*, major.
ochrocantharus Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 103.
ochrocephala Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2790.
ochrocephalus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1713.
ochrocephalus Falco, H. Lichtenstein, Cat. rerum Nat. I. 1793, 3.
ochrocephalus Falco, J. R. Förster in Latham & Davies, Faun. Ind., ed. 2, 1795, 5
ochrocephalos Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 419. [*n. n.*].
ochrocephala Loxia, F. M. Daudin, Traité élém. Orn. 1800, 427.
ochrocephala Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 944.
ochrocephalus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 339.
ochrocephalus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2034.
ochrocephala Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 326.
ochrocephalus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 821.
ochrocercus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2705.
ochrochlora Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 472.
ochrodactyla Alucita, [Denis & Schiffermüller], Schmett. Wien, 1775, 145.
ochrodactylus Pterophorus (D. & S.), J. C. Fabricius, Mant. II. 1787, 258.—Alucita.
ochrogustus Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2668.
ochroleucum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3477.
ochroleucus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3391.
ochroleuca Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3413.
ochroleuca Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2876.
ochroleuca Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 946.
ochroleuca Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 87.
ochroleuca Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3330.
ochroleuca Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3703.
ochroleuca Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 660.—Noctua.
ochroleucus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3571.
ochromelas Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2107.
ochromelas Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2105.
ochromelas Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2180.
ochromelas Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2683.
ochropis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2679.
ochropterus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
ochroptera Meloe, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2020.
ochroptera Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.
ochropterus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 341.
ochroptera Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 365.
ochropus Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1899.
ochropus Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1699.
ochropus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1726.
ochropus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1757.
ochropus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1805.
ochropus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1915.
ochropus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2687.
ochropus Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2657. [676.
ochropus Tringa, *id. ac* ochrophus, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788,
ochropus Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2766.
ochropygos Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 202.

- ochrorrhous** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2187.
ochrostrictos Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 91.
ochrostricta Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 201.
ochrostricta Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 203.
ochruros Motacilla, S. G. Gmelin, Reise Russ. III. 1774, 101.
ochrura Sylvia (S. G. Gm.), J. Latham, Index Orn. 1790, 552.—Motacilla.
[ochrhodes]—
ochtodes Alpheus (Herbst), F. Weber, Nomen. Fabricii, 1795, 91.—Cancer.
ochtodes Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2-5) 1783, 158.
ochtodes *v.* **ochrhodes**.
ocirrhoe Papilio, J. C. Fabricius, Gen. Ins. 1777, 260.
ococolin Perdix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 215.
[ocrea (a greave)]—
ocrea Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3744.
ocreata Apis, J. L. Christ, Nat. Ins. 1791, 183.
ocreatus Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 105.
ocreatus Cucullanus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 14.
ocreatus Cucullanus (Goeze), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3051.—
ocreata Fasciola, J. A. E. Goeze, Eingeweidewürm. 1782, 182. [Fasciola.
ocreata Felis, J. F. Gmelin, Anhang zu Bruce, Reisen Africa, 1791, 79.
ocreatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2688.
ocreatum Monostoma, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 152.
ocreata Tipula, F. v. P. Schrank, Ins. Aust. 1781, 427.
ocreata Vorticella, O. F. Müller, An. Infus. 1786, 265.
ocreatus *v.* **ochratus** & **ochreatus**.
ocrophus Tringa, Linnaeus, Syst. Nat., ed. 10, 1758, 149; ed. 12, 1766, 250.
Octactis C. F. Schultze, Verst. Seest. 1760, 51.—Ast.
octangularis Prionus, A. G. Olivier, Entom. IV. 1795, 33.
octavius Cryptocephalus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 46.
octavius Papilio, J. C. Fabricius, Mant. II. 1787, 9.
octavius Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 73.
octavia [Papilio], P. Cramer, Uitl. Kapellen, II (12) 1777, 60.
octies digitatus Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 211.
octoceros Kerona, P. C. Abildgaard, Skr. nat. Selsk. [Copen.], III (1) 1793, pl. iii [*n. et*
octocinctus Dasytus, J. C. D. Schreber, Säugth. II. 222 (1775), pl. lxxiii (1775). [*f.*]
octoculata Hirudo, Linnaeus, Syst. Nat., ed. 10, 1758, 649; ed. 12, 1767, 1079.
octoculatus Papilio, C. C. Jung, Alph. Verz. Schmett. II. 1792, 64.
octodactylus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3192.
octodecimcinctus Dasytus, J. C. P. Erxleben, Syst. Anim. 1777, 113.
octodecimguttata Buprestis, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 68.
octodecimguttata Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 100.
octodecimguttata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 367; ed. 12, 1767, 584.
octodecimmaculata Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 109.
octodecimnotata Coccinella, P. Rossi, Mant. Ins. II. 1794, 86.
octodecimpunctata Coccinella, Scopoli, Ent. Carn. 1763, 77.
octodecimpunctata Coccinella, Linnaeus, Syst. Nat., ed. 12, 1767, 582.
octodentata Ascidia, J. E. Gunnerus, Skrift. Kiob. Selsk. Laerdoms, X. 1770, 168.
octodentatus Bostrichus, G. Paykull, Faun. Suec. III. 1800, 146.
octodentata Vertigo, Studer in Cox, Trav. Switz. III. 1789, 388 [*n. n.*].
octofasciatus Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 113.
octogena Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 65.
octogenaria Noctua, C. C. Jung, Alph. Verz. Schmett. II. 1792, 65.
octogesima Phalaena Noctua, H. G. Lang, Verz. Schmett., ed. 2, 1789, 147.
octogesimea Phalaena Noctua, J. Hübner, Beitr. Schmett. I (1) 1786, 13.
octoguttata Altica, J. C. Fabricius, Syst. Ent. 1775, 821.
octoguttata Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 408; ed. 12, 1767, 659.
octoguttata Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 597.
octoguttata Chrysomela, C. de Geer, Mém. Ins. V. 1775, 352.

- octoguttata** Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 261.—*Cryptocephalus*.
octoguttata Cicindela, J. C. Fabricius, Mant. I. 1787, 187.
octoguttata Coccinella, J. H. Sulzer, Gesch. Ins. 1776, 32.
octoguttata Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 24.
octoguttata Coccinella, J. C. Fabricius, Mant. I. 1787, 59.
octoguttatus *Cryptocephalus*, J. C. Fabricius, Mant. I. 1787, 82.
octoguttatus Cucujus, A. F. de Fourcroy, Ent. Paris. 1785, 33.
octoguttata Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 235.
octoguttata Tettigonia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 515.
octolineatus Carculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 416. [246.
octolobatus Alysseimithus, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800,
octomaculata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 299.
octomaculatus Attelabus, C. de Villers, Linn. Ent. I. 1789, 222.
octomaculata Buprestis, C. Allioni, Misc. Taurin. III. 1766, 189.
octomaculata Buprestis, P. S. Pallas, Icon. Ins. 1782, 72.
octomaculatus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 47. [Buprestis.
octomaculatus Carabus (Fourc.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1986.—
octomaculatus Cerambyx (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. IV.,
 1796, 148.—*Lamia*.
octomaculata Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 311.
octomaculatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2199.
octomaculata Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 13.
octomaculata Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 97.
octomaculata Crabro, J. D. Preyssler in Mayer, Samm. Phys. Aufsätze, III. 1793, 372.
octomaculatus *Cryptocephalus*, P. Rossi, Fauna Etrus. I. 1790, 96.
octomaculatus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1959.
octomaculatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 436.
octomaculata *Lamia*, J. C. Fabricius, Ent. Syst. I (2) 1792, 290.
octomaculata Leptura, C. de Geer, Mém. Ins. V. 1775, 132.
octo-maculata Leptura, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 299.
octomaculatus Meloe, C. de Villers, Linn. Ent. I. 1789, 404.
octo-maculata Phalaena (G.), Linnaeus, Mant. II. 1771, 540.
octomaculata Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2583.
octomaculata Sesia, J. C. Fabricius, Syst. Ent. 1775, 830.
octomaculata Sphex, P. Rossi, Fauna Etrus. II. 1790, 65.
octomaculata Sphinx (Fab.), J. E. Smith in Abbot, Ins. Georgia, 1797, 87.—*Sesia*.
octomaculata Zygæna, J. C. Fabricius, Mant. II. 1787, 106.
octonotatus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1846.
octonotata Coccinella, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 276.
octonotatus *Cryptocephalus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1710
octonotatus *Cryptocephalus*, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II.
octonus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 325. [1792, 210.
octona Helix, Linnaeus, Syst. Nat., ed. 12, 1767, 1248.
octooculatus Cerambyx, *id. ac* oculator *Lamia*, Fab., C. P. Thunberg, D. D. Mus. Ac.
 Upsal. 1787, 57.
octo papillaris Planaria, J. Hermann, Naturforscher, XVII. 1782, 182.
octopennatus Corvus, F. M. Daudin, Traité élém. Orn. 1800, 243.
octopodia Medusa, M. T. Brünnich, Ich. Massil. 1768, 105.
octopodia Sepia, Linnaeus, Syst. Nat., ed. 10, 1758, 658; ed. 12, 1767, 1095.
octopunctata Aranea, Linnaeus, Syst. Nat., ed. 12, 1767, 1030.
octopunctatus Attelabus (Fab.), C. de Villers, Linn. Ent. IV. 1789, 296.—*Clerus*.
octopunctata Buprestis, Scopoli, Ent. Carn. 1763, 67.
octopunctatus Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 55.
octopunctata Cassida, J. C. Fabricius, Mant. I. 1787, 63.
octopunctatus Cerambyx, F. v. P. Schrank, Beitr. Nat. 1776, 65.
octopunctata Cetonia, J. C. Fabricius, Syst. Ent. 1775, 44.
octopunctata Chrysomela, Linnaeus, Amoen. Acad. VI. 1763, 394.
octopunctata Cicada, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 211.

- octopunctatus** Clerus, J. C. Fabricius, Mant. I. 1787, 126.
- octopunctatus** Clytra (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 34.—*Crypto-*
- octopunctata** Coccinella, O. F. Müller, F. Ins. Frid. 1764, 6. [cephalus.]
- octopunctata** Coccinella, J. C. Fabricius, Syst. Ent. 1775, 81.
- octopunctata** Crioceris, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 21.
- octopunctatus** *Cryptocephalus*, J. C. Fabricius, Mant. I. 1787, 79. [132.—*Buprestis*.]
- octopunctatus** *Cryptocephalus* (Scop.), G. A. Harrer, Beschr. Schaeffer's Abbild. 1791,
- octopunctatus** Hemerobius, J. C. Fabricius, Ent. Syst. II. 1793, 85.
- octopunctata** Leptura, J. A. Scopoli, Annus V. 1772, 101.
- octopunctata** Melolontha (Fab.), J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 17.—
- octopunctata** Mordella, J. C. Fabricius, Syst. Ent. 1775, 263. [Cetonia.]
- octopunctata** Mordella, F. v. P. Schrank, Baier. Reise, 1786, 82.
- octopunctata** Musca, A. Coquebert, Bull. Sci. Soc. Philom. [Paris], no. 19, 1798, 145.
- octopunctata** Notonecta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2119.
- octopunctata** Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [n. n.].
- octopunctata** Scarabaeus (Fab.), J. C. Fuessly, N. Mag. Lieb. Ent. [Fuessly's], I (4)
- octopunctatus** Scolia, P. Rossi, Mant. Ins. I 1792, 131. [1782, 399.—*Cetonia*.]
- octopunctata** Sphinx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2386.
- octopunctata** Tipula, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 26.
- octopunctatus** Trichius (Fab.), L. G. Scriba, J. Lieb. Ent. I. 1790, 65.—*Cetonia*.
- octopunctatus** Trichius, J. C. Fabricius, Ent. Syst. I (2) 1792, 119.
- octopunctatus** Trichodes (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 158.—
- octopunctella** Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 311. [Clerus.]
- Octopus** G. Cuvier, Tab. Elém. 1798, 380.—*Ceph*.
- Octopus** Lamarck, Bull. Sci. Soc. Philom. [Paris], no. 17, 1798, 130.—*Ceph*.
- octopus** Medusa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3157. [3149.]
- octopus** Sepia, *id. ac* octopodia, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
- octopustulata** Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 44.
- octopustulata** Coccinella, J. C. Fuessly, Schweiz. Ins. 1775, 7.
- octopustulata** Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 112.
- octopustulatus** *Cryptocephalus*, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 46.
- octopustulatus** Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 197.
- octoradiata** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3699.
- octo-setosa** Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642.
- octostagma** Coccinella, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 303.
- octostriatus** Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1986.
- octostriata** Pimelia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2002.
- octostyla** Medusa, P. Forskal, Descr. Anim. 1775, 106.
- Octothilus** J. Hermann, Naturforscher, XVII. 1782, 182.—*Ver*.
- octotuberculatus** Curculio, J. C. Fabricius, Mant. I. 1787, 112.
- octovittata** Chrysomela, F. v. P. Schrank, Naturforscher, XXIV. 1789, 66.
- ocularis** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 400.
- ocularis** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 311.
- ocularis** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 837.
- ocularia** Bombyx, J. C. Fabricius, Syst. Ent. 1775, 564.
- ocularia** Phalaena, J. C. Fabricius, Syst. Ent. 1775, 625.
- oculata** *v.* **oculatus**.
- oculatissima** Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 137.
- oculator** Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1830.—*Lamia*.
- oculator** Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 338.
- oculator** Ichneumon, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 87.
- oculator** *Lamia*, J. C. Fabricius, Syst. Ent. 1775, 823.
- oculatorius** Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 221.
- oculatus** Anthicus, G. Paykull, Faun. Suec. I. 1798, 256.
- oculata** Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 52.
- oculata** *Buprestis*, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 52.
- oculata** *Buprestis*, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 91.
- oculata** *Buprestis*, C. de Villers, Linn. Ent. I. 1789, 340.

- oculatus** Cancer, O. Fabricius, F. Groen. 1780, 245.
oculatus Cancer (Gammarellus) Fabr., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 110.
oculata Cantharis, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 83.
oculatus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 394; ed. 12, 1767, 633.
oculata Chrysis, J. C. Fabricius, Syst. Ent. 1775, 357.
oculatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 703.
oculatus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 105.
oculatus Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 535.
oculata Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 14.
oculata Coluber, F. C. Meuschen, Mus. Gronov. 1778, 18.
oculatus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3387.
oculatata Crioceris, J. C. Fabricius, Syst. Ent. 1775, 121. [Crioceris.
oculatus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1722.—
oculata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3403.
oculatus Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 125.
oculatus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 404; ed. 12, 1767, 651.
oculata Leptura (Linn.), Scopoli, Ent. Carn. 1763, 47.—Cerambyx.
oculata Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 78.
oculata Libellula, J. C. Fabricius, Syst. Ent. 1775, 421.
oculata Lytta, J. C. Fabricius, Ent. Syst. I (2) 1792, 86.
oculata Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 798; ed. 12, 1767, 1281.
oculata Mantis, J. C. Fabricius, Spec. Ins. I. 1781, 348.
oculatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 114.
oculata Mylabris (Thun.), A. G. Olivier, Entom. III. 1795, 4.—Meloe.
oculata Naucoris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 525.
oculata Nerita, F. C. Meuschen, Mus. Gever. 1787, 274.
oculatus Pagurus, J. C. Fabricius, Syst. Ent. 1775, 411.
oculatus Papilio (Pleb.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2359.
oculata Patella, F. C. Meuschen, Mus. Gever. 1787, 244.
oculata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3703.
oculata [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (27) 1780, 71.
oculata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1766 [errata end of vol. I].—
oculata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 35 [*n. n.*]. [v. ocellata.]
oculata Raia, C. F. Stephan, De Raiis, 1779, 22.
oculata Saperda (L.), J. C. Fabricius, Syst. Ent. 1775, 184.—Cerambyx.
oculatus Scarabaeus, J. A. Scopoli, Annus V. 1772, 81.
oculata Spongia, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348.
oculatus Staphylinus, J. C. Fabricius, Syst. Ent. 1775, 265.
oculatus Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 99.
oculata Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 463.
oculella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 92.
oculea Noctua, J. C. Fabricius, Syst. Ent. 1775, 616.
oculea Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 321.
oculis Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17.
oculus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2996.—Poly-
oculus Patella, I. v. Born, Index Mus. Caes. Vind. 1778, 434. [phemus.
oculus Polyphemus, O. F. Müller, Z. Dan. Prod. 1776, 201.
oculus-cancris Cimex, C. de Geer, Mém. Ins. III. 1773, 343.
oculus-capri Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 768; ed. 12, 1767, 1242.
oculus-cati Coluber, G. A. Suckow, Naturges. III. 1798, 247.
oculus-cati Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8 [*n. n.*].
oculus-communis Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3621.
ocymi Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 309.
ocymifolia Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 82.
ocypete Papilio, J. C. Fabricius, Gen. Ins. 1777, 260.
ocypete Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 489; ed. 12, 1767, 798.
Ocupode F. Weber, Nomen. Fabricii, 1795, 92.—Cr.
Ocupode J. C. Fabricius, Suppl. Ent. Syst. 1798, 312.—Cr.

- Ocy-pode** J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 12.—Cr.
Odacantha G. Paykull, Faun. Suec. I. 1798, 169.—Col.
odeata Geometra, C. C. Jung, Alph. Verz. Schmett. II. 1792, 66 [*err. pro osseata*, D. & S.].
odilia [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 79.
odin Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 56.
odites [Papilio], P. Cramer, Uitl. Kapellen, I (1) 1775, 16.
odius Papilio, J. C. Fabricius, Syst. Ent. 1775, 457.
Odobenus M. J. Brisson, Reg. Anim. 1762, 30.—M.
odoe Salmo, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 122.
Odontognathus B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 218.—P.
odoratus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 63.
odorata Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 505.—[**odora**, P. (Attacus),
odora Noctua (L.), J. C. Fabricius, Spec. Ins. II. 1781, 210.—Phalaena. [ed. 12.]
odora Phalaena (Bombyx), Linnaeus, Mus. Lud. Ulr. 1764, 374.—[**odorata**, Syst. Nat., ed.
oeconomicus Glis, J. C. P. Erxleben, Syst. Anim. 1777, 376. [10.]
oeconomus Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 39.—Mus.
oeconomus Mus, P. S. Pallas, Reise Russ. III. 1776, 693.
Oecophora P. A. Latreille, Préc. Car. Ins. 1796, 146.—Lep.
oedematosus Curculio, J. H. Sulzer, Gesch. Ins. 1776, 40.
Oedemera A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 31.—Col.
oedicnemus Charadrius, Linnaeus, Syst. Nat., ed. 10, 1758, 151; ed. 12, 1766, 255.
oedicnemus Otis (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 290.—Charadrius.
oedicnemus Pluvialis (L.), J. C. Schaeffer, Mus. Orn. 1789, 49.—Charadrius.
oedipus Callithrix (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 59.—Simia.
oedipus Cebus (L.), H. F. Link, Beytr. Nat. I (2) 1795, 63.—Simia.
oedipus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 157.—Scarabaeus.
oedippus Papilio, J. C. Fabricius, Mant. II. 1787, 31.
oedipus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 21.
oedipus Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 28; ed. 12, 1766, 41.
oedipus Simia (Sagoinus) L., R. Kerr, Anim. Kingd. 1792, 81.
oehlmanniella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 51.
oelandicus Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 606; ed. 12, 1767, 1005.
oenanthe Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 38.—Motacilla.
oenanthe Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 186; ed. 12, 1766, 332.
oenanthe Sylvia, J. A. Scopoli, Annus I. 1769, 156.—Motacilla.
oenas Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 162; ed. 12, 1766, 279.—*var. domes-*
oeneocollis Buprestis, C. de Geer, Mém. Ins. VII. 1778, 632. [tica.
oenobarbus *v.* **aenobarbus**.
oenone Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 473; ed. 12, 1767, 770.
oenophorium Globosa, F. C. Meuschen, Mus. Gever. 1787, 380.
oenopota Musca, Scopoli, Ent. Carn. 1763, 337.
oenotherae Cicada, Scopoli, Ent. Carn. 1763, 114.
oenotherae Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 43.
oenotrus [Sphinx], P. Cramer, Uitl. Kapellen, IV (26) 1780, 22.
oertus Empis, M. Harris, Exp. Eng. Ins. 1776, 150.
oestracea Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 592; ed. 12, 1767, 985.
oestraceus Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 766.—Musca.
oestriformis Sphinx, S. H. v. Rottemberg, Naturforscher, VII. 1775, 109.
oestrum Asellus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 253.—Oniscus.
oestrum Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 505.—Oniscus.
oestrum Oniscus, Linnaeus, Syst. Nat., ed. 10, 1758, 636; ed. 12, 1767, 1059.
Oestrus Linnaeus, Syst. Nat., ed. 10, 1758, 584; ed. 12, 1767, 969.—Dip.
oethon Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 59.
officialis Corallina, Linnaeus, Syst. Nat., ed. 10, 1758, 805; ed. 12, 1767, 1304.
officialis Scincus, J. N. Laurenti, Syn. Rept. 1768, 55.
officialis Sepia, Linnaeus, Syst. Nat., ed. 10, 1758, 658; ed. 12, 1767, 1095.
officialis Spongia, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348; ed. 12, 1767, 1298.
officialis Stincus, F. A. A. Meyer, Syn. Rept. 1795, 30.—[*v.* Scincus.]

- Ogcodes** P. A. Latreille, Préc. Car. Ins. 1796, 154.—Dip.
ogotona Lepus, P. S. Pallas, Nov. Spec. Quad. I. 1778, 59.
ohioticum Mammut, J. F. Blumenbach, Handb. Naturg., ed. 6, 1799, 698.
ohula Ardea, *err. pro* thula, Mol., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 633.
oiclus [Sphinx], P. Cramer, Uitl. Kapellen, III (18) 1779, 39.
oileus Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, 1767, 795.
oisis Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 124.
oldenlandiae Sphinx, J. C. Fabricius, Syst. Ent. 1775, 542.
Oleacina J. F. Bolten, Mus. Bolten. (2) 1798, 110.—G.
oleae Bostrichus, J. C. Fabricius, Ent. Syst. I (2) 1792, 366.
oleae Coccus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 95.
oleae Musca, P. Rossi, Fauna Etrus. II. 1790, 317.
oleae Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1790, 2844.
oleae Musca, V. Petagna, Inst. Ent. 1792, 685.
oleae Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 13.—Bostrichus.
oleae Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 507.—Tinea *oleella*, 1794.
oleagina Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 59.
olearii Aranea, Scopoli, Ent. Carn. 1763, 402.
olearium Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 734; ed. 12, 1767, 1196.
olearium Globosa (L.), F. C. Meuschen, Mus. Gever. 1787, 386.—Buccinum.
olearium Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 748; ed. 12, 1767, 1216.
olearium Tritonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 126.—Murex.
olearius Turbinis (L.), F. C. Meuschen, Mus. Gever. 1787, 276.—Turbo.
olearius Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 763; ed. 12, 1767, 1235.
oleella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 308.
oleifolia Locusta, J. C. Fabricius, Ent. Syst. II. 1793, 35.
oleiperda Bostrichus, J. C. Fabricius, Ent. Syst. I (2) 1792, 366.
oleiperda Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 13.—Bostrichus.
olens Carabus, P. Rossi, Fauna Etrus. I. 1790, 217.
olens Carabus, N. J. Brahm, Ins. Kal. I (2) 1791, 239.
olens Carabus, A. G. Olivier, Entom. III. 1795, 94.
olens Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 169.
olens Musca, J. C. Fuessly, Schweiz. Ins. 1775, 54.
olens Stratiomys, J. J. Roemer, Gen. Ins. 1789, 83.
olens Staphylinus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 54.
oleracea Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 112.—Chrysomela.
oleracea Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 372; ed. 12, 1767, 593.
oleraceus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 446; ed. 12, 1767, 722.
oleraceus Curculio, Scopoli, Ent. Carn. 1763, 29.
oleracea Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 28.—Chrysomela.
oleracea Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 613.—Phalaena.
oleracea Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 517; ed. 12, 1767, 853.
oleracea Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 585; ed. 12, 1767, 971.
oleus Staphylinus, O. F. Müller, F. Ins. Frid. 1764, 23.
olfactoriolum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 126.
oligactes Asterias, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 239.
oligactis Hydra, P. S. Pallas, Elench. 1766, 29.
Oligopodus B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 511.—P.
olitorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 137.
Oliva J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xv.—G.
Oliva Lamarck, Mém. Soc. H. N. Paris, 1799, 70.—G.
oliva Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3433.
oliva Chama, F. C. Meuschen, Mus. Gever. 1787, 456.
oliva Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 27 [*n. n.*].
oliva Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3201.
oliva Oliva (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 70.—Voluta.
oliva Porcellana, F. C. Meuschen, Mus. Gever. 1787, 406.
oliva Porphyria (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 34.—Voluta.

- oliva* Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 729; ed. 12, 1767, 1188.
olivaceofasciata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 41.
olivacea Apis, J. C. Fabricius, Mant. I. 1787, 300.
olivacea Bembex, J. C. Fabricius, Mant. I. 1787, 285.
olivaceum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 272.
olivaceus Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 157.
olivacea Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 185.
olivacea Cetonia, J. C. Fabricius, Syst. Ent. 1775, 47.
olivaceus Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 73.
olivacea Chrysomela, J. R. Forster, Cat. Brit. Ins. 1770, 6 [*n. n.*].
olivacea Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 23.
olivacea Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 272.
olivaceus Cimex, J. C. Fabricius, Gen. Ins. 1777, 300.
olivaceus Conus, C. U. v. Salis, Reise Neapel. 1793, 363.
olivaceus Cyllindrus, F. C. Meuschen, Mus. Gever. 1787, 372.
olivacea Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3408.
olivacea Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 309.
olivacea Fringilla, Borkhausen in Bechstein, Latham's Vögel. VI. 1798, 545.
olivaceus Hydrophilus, J. C. Fabricius, Spec. Ins. I. 1781, 289.
olivaceus Hydrous, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 38.
olivaceus Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 352.—Oriolus.
olivaceus Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1295.
olivaceus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 179.—Cimex. 1777.
olivaceus Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 540.
olivacea Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 964.
olivacea Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 327.
olivaceus Myoxus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere. II. 1800, 710.
olivacea Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17 [*n. n.*].
olivacea Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 85.
olivaceus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 394.
olivacea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3702.
olivacea Phalaena (Noctua), C. de Villers, Linn. Ent. II. 1789, 270.
olivaceus Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 431.
olivaceus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 326.
olivaceus Reduvius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 113.
olivaceus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1576.—
 Cetonia.
olivaceus Sturnus, J. Latham, Index Orn. 1790, 325.
olivacea Sylvia (Gm.), J. Latham, Index Orn. 1790, 532.—Motacilla.
olivaceus Tabanus, C. de Geer, Mém. Ins. VI. 1776, 230.
olivacea Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 889.
olivacea Tettigonia, J. C. Fabricius, Ent. Syst. IV. 1794, 25.
olivaceus Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 292.
olivaceus Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
olivaceus Turdus, P. Boddaert, Tab. Planch. Enl. 1783, 33.
olivacea Vespa, C. de Geer, Mém. Ins. III. 1773, 582.
Olivaeformis F. C. Meuschen, Mus. Gever. 1787, 486.—Ech.
olivalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
olivana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 126.
olivator Buccinum, F. C. Meuschen, Mus. Gever. 1787, 306.
olivata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 112.
olivata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 307 [*n. et f.*].
olivata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 361.
olivatorum Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3639.
olivea Coluber, F. C. Meuschen, Mus. Gronov. 1778, 14.
[*olivea* Phalaena (N.) MS.], T. Martyn, Psyche, 1797, fig. 92.
oliviata Phalaena Geometra, H. G. Lang, Verz. Schmett., ed. 2, 1789, 192.
oliviella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 316.

- olla** Globosa (L.), F. C. Meuschen, Mus. Gever. 1787, 382.—Voluta.
olla Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 733; ed. 12, 1767, 1196.
olor Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 501.
olor Vibrio, O. F. Müller, An. Infus. 1786, 75.
olympia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 166.
olyra Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 7.
omaicus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 714.
Omalisus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 179.—Col.
Ombellula G. Cuvier, Tab. Elém. 1798, 675.—Coel.
ombutus Madrepora, J. F. Maratti, Plant. Zooph. Med. 1776, 52.
omega Callidium, P. Rossi, Fauna Etrus. I. 1790, 154.
omega Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 43.
omega Papilio Helic., Hufnagel, Berl. Mag. II. 1766, 58.
omega Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 565.
om-es-scherit Raja, P. Forskal, Descr. Anim. 1775, ix.
ommescherit (*sic*) Raja (*ex* Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1512.
o-miata Phalaena (Geometra), O. F. Müller, Z. Dan. Prod. 1776, 129.
omicata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 199.
omicraria Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 452.
omicron Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 295.
omicronaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 107.
omicronaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 65
 [*n. et f.*].
omicronaria Phalaena Geometra, J. Hübner, Beitr. Schmett. I (4) 1789, 25.
ommescherit *v.* **om-es-scherit**.
omnicolor Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 483.
omnicolor Psittacus, H. Lichtenstein, Cat. rerum Nat. I. 1793, 5.
omnivora Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 581; ed. 12, 1767, 964.
omogeron Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 57.
omogeron Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 11.
omphale [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, IV. 1790, 124.
omphalodes Taenia (*ex* Hermann), A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 270.
Omphrale J. G. Meigen, N. Class. Mouches, 1800, 29.—Dip.
onager Equus, E. A. W. Zimmermann, Geogr. Ges. Mensch. II. 1780, 80.
onagrina Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 139.
onca Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 147.
onca Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 24.
onca Felis, Linnaeus, Syst. Nat., ed. 10, 1758, 42; ed. 12, 1766, 61.
Onchidium F. Buchannan, Tr. Linn. Soc. [Lond.] V. 1800, 132.—G.
Oncotium (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 583.—P.
Ondatra H. F. Link, Beytr. Nat. I (2) 1795, 52 [*n. n.*].—M.
Ondatra B. G. E. de Lacépède, Tabl. Mamm. 1799, 9.—M.
ongus Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 69.
onisco-maycus Salmo, J. A. Donndorff, Zool. Beyt. III. 1798, 646.
Oniscus Linnaeus, Syst. Nat., ed. 10, 1758, 636; ed. 12, 1767, 1059.—Cr.
Oniscus J. C. Fabricius, Syst. Ent. 1775, 296.—Cr.
oniscus Cassidea (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 432.—Strombus.
oniscus Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 24.
oniscus Strombus, Linnaeus, Syst. Nat., ed. 12, 1767, 1210.
oniscus Volvox, J. Ellis, Phil. Trans. LIX. 1770, 150.
Onitis J. C. Fabricius, Suppl. Ent. Syst. 1798, 2.—Col.
onitis Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 286; ed. 12, 1766, 478.
onobrychis Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 45.
onobrychis Zygæna (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 390.—Sphinx.
Onocrotalus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 51.—A.
Onocrotalus M. J. Brisson, Ornith. VI. 1760, 519.—A.
Onocrotalus S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 471.—A.

- onocrotalus** *Onocrotalus* (L.), S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 471.—
Pelecanus.
- onocrotalus** *Pelecanus*, Linnaeus, Syst. Nat., ed. 10, 1758, 132; ed. 12, 1766, 215; *cum*
varr. orientalis, occidentalis.
- ononaria** *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 93 [*n. et f.*].
- ononaria** *Phalaena* (Geom.), J. C. Fuessly in Fuessly, Arch. Ins. III. 1783.
- ononis** *Noctua*, [Denis & Schiffermüller], Schmett. Wien, 1775, 89.
- ononis** *Phalaena Noctua*, J. Hübner, Beitr. Schmett. I (2) [1787], 25.
- onopordi** *Buprestis*, J. C. Fabricius, Mant. I. 1787, 181.
- onopordi** *Curculio*, J. C. Fabricius, Mant. I. 1787, 98.
- onopordinis** *Musca*, J. C. Fabricius, Syst. Ent. 1775, 787.
- onos** *Gryllus*, P. S. Pallas, Spic. Zool. IX. 1772, 17.
- onos** *Locusta* (Pall.), J. C. Fabricius, Spec. Ins. I. 1781, 361.—*Gryllus*.
- onoscabella** *Phalaena Tinea*, N. J. Brahm in Scriba, Beitr. Ins. II. 1791, 133.
- [**onothberina** *Sphinx*, MS.], T. Martyn, Psyche, 1797, figs. 58 & 59.
- Onustus** [G. Humphreys], Mus. Calonn. 1797, 28.—G.
- onytes** [*Phalaena*], P. Cramer, Utitl. Kapellen, II (14) 1777, 107.
- onyx** *Chiton*, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 95.
- onyx** *Cypraea*, Linnaeus, Syst. Nat., ed. 10, 1758, 722; ed. 12, 1767, 1177.
- oo** *Bombyx* (L.), J. C. Fabricius, Syst. Ent. 1775, 575.—*Phalaena*.
- oo** *Leptura*, F. v. P. Schrank, Ins. Aust. 1781, 162.
- oo** *Noctua* (Fab.), C. F. Vieweg, Tabl. Verz. Brand. Schmett. II. 1790, 89.—*Bombyx*.
- oo** [*Phalaena*], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 45.
- oo** *Phalaena* (*Bombyx*), Linnaeus, Syst. Nat., ed. 10, 1758, 507; ed. 12, 1767, 832.
- opacum** *Acrydium*, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 190.
- opaca** *Bombyx*, E. J. C. Esper, Die Schmett. III (28) 1786, 380.
- opaca** *Cetonia*, J. C. Fabricius, Mant. I. 1787, 27.
- opaca** *Cistela*, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 610.
- opacus** *Curculio*, C. F. Müller, Z. Dan. Prod. 1776, 86.
- opaca** *Gryllus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2058.
- opaca** *Helix*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3667.
- opaca** *Nerita*, J. F. Bolten, Mus. Bolten. (2) 1798, 18.
- opaca** *Peltis* (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 63.—*Silpha*. [Cetonia.]
- opacus** *Scarabaeus* (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1581.—
- opaca** *Silpha*, Linnaeus, Syst. Nat., ed. 10, 1758, 361; ed. 12, 1767, 571.
- opacus** *Staphylinus*, L. H. v. Bloch in Becker, Plau. Grund. 1799, 117.
- opacus** *Theleporus*, O. F. Müller, Z. Dan. Prod. 1776, 61.
- opaca** *Tenthredo*, J. C. Fabricius, Syst. Ent. 1775, 323.
- opalaea** *Phalaena*, A. F. de Fourcroy, Ent. Paris. 1785, 314.
- opalina** *Necydalis*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 52.
- opalina** *Phalaena Noctua*, E. J. C. Esper, Die Schmett. IV., Abschn. 2 [antea 1796], 11.
- opalina** *Tellina*, C. U. v. Salis, Reise Neapel, 1793, 384.
- opalina** *Tellina*, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 106.
- opalus** [*Limax*], T. Martyn, Univ. Conch. I [1784 non 1769], fig. 24.
- opalus** *Papilio*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 158.
- Opatrum** J. C. Fabricius, Syst. Ent. 1775, 76.—Col.
- opercularis** *Cicada*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 749.
- opercularis** *Labrus*, Linnaeus, Syst. Nat., ed. 10, 1758, 283; ed. 12, 1766, 474.
- opercularis** *Ostrea*, Linnaeus, Syst. Nat., ed. 10, 1758, 698; ed. 12, 1767, 1147.
- opercularis** *Pecten* (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 248.—*Ostrea*.
- opercularis** *Phalaena*, J. E. Smith in Abbot, Ins. Georgia, 1797, 105.
- opercularis** *Trochus*, D. Solander in G. Brander, Foss. Hant. 1766, 9.
- opercularia** *Hydra*, Linnaeus, Syst. Nat., ed. 10, 1758, 818.
- opercularia** *Vorticella*, Linnaeus, Syst. Nat., ed. 12, 1767, 1318.
- operculatus** *Brachionus* (Linn.), P. S. Pallas, Elench. 1766, 104.—[*v. opercularia Hydra*.]
- operculata** *Planaria*, O. Fabricius, F. Groen. 1780, 325.
- operculata** *Sertularia*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 3844.
- operculata** *Siren*, De Beauvois, Trans. Amer. Phil. Soc. IV. 1799, 281.

- operculata* Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 808; ed. 12, 1767, 1307.
operculata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3235.
operculata Vorticella, *err. pro* opercularia, Linn., J. F. Gmelin in Linn. Syst. Nat.,
Operculites J. Gesner, Tract. Petref. 1758, 57.—? [ed. 13, I. 1790, 3875.
operosa Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 125.
opheltes [Sphinx], P. Cramer, Utitl. Kapellen, III (24) 1780, 164.
Ophicephalus M. E. Bloch, Nat. ausl. Fische, VII. 1793, 137.—P.
Ophichthus C. P. Thunberg, De Muraena, 1789, 5.—P.
Ophidion Linnaeus, Syst. Nat., ed. 10, 1758, 259; ed. 12, 1766, 431 [Ophidium]; [Artedi,
 Ichth. 1738, gen. ix, p. 25].—P.
ophidion Syngnathus, Linnaeus, Syst. Nat., ed. 10, 1758, 337; ed. 12, 1766, 417.
Ophidium Linnaeus, Syst. Nat., ed. 12, 1766, 431.—P.
ophiogramma Phalaena Noctua, E. J. C. Esper, Die Schmett. IV., Abschn. 2 [antea
Ophion J. C. Fabricius, Suppl. Ent. Syst. 1798, 210.—Hym. [1796], 10.
ophion [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 21.
ophion [Papilio], C. Stoll, Anhang. Cramer's Utitl. Kapellen, IV. 1790, 127.
ophione [Papilio], P. Cramer, Utitl. Kapellen, II (10) 1777, 27.
ophiopsis Raphidia, Linnaeus, Syst. Nat., ed. 10, 1758, 552; ed. 12, 1767, 916.
ophis Muraena, Linnaeus, Syst. Nat., ed. 10, 1758, 244; ed. 12, 1766, 425.
ophis Ophichthus (L.), C. P. Thunberg, De Muraena, 1789, 9.—Muraena.
ophis Ophisurus (L.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 195.—Muraena.
ophisa [Phalaena], P. Cramer, Utitl. Kapellen, I (2) 1775, 20.
Ophisurus B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 195.—P.
ophiura Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 662; ed. 12, 1767, 1100.
ophrias Boa, Linnaeus, Syst. Nat., ed. 12, 1766, 374.—[v. *orophias*.]
ophthalmicana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 51 [n.
ophthalmicus Curculio, P. Rossi, Fauna Etrus. I. 1790, 128. [et f.].
ophthalmicus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 534.
ophthalmica Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 637.
ophthalmicus Pagurus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 413.
ophthalmicus Staphylinus, Scopoli, Ent. Carn. 1763, 99.
ophthalmicus Staphylinus, G. Paykull, Faun. Suec. III. 1800, 409.
opicata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 457.
opifex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
opigena Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 39.
Opilio J. F. W. Herbst, Nat. ungefl. Ins. (2) 1798, 2.—Ar.
opilio Cancer, O. Fabricius, Nye Saml. K. Danske Skrifter, III. 1788, 182.
opilio Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 458.
opilio Inachus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 356.—Cancer, 1793.
opilio Phalangium, Linnaeus, Syst. Nat., ed. 10, 1758, 618; ed. 12, 1767, 1027.
opilionis Pediculus, O. F. Müller, Z. Dan. Prod. 1776, 185.
opilionoides Aranea, F. v. P. Schrank, Ins. Aust. 1781, 530.
opima Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3279.
opimella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 141.
opiparus Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 56.
opis Apis, M. Harris, Exp. Eng. Ins. 1776, 137.
opis [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 33.
opis Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 125.
oporana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 530; ed. 12, 1767, 876.
oporana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 651.—Phalaena.
opossum Didelphis, Linnaeus, Syst. Nat., ed. 10, 1758, 55; ed. 12, 1766, 72.
opossum Didelphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 106; *var.* molucca.
oppidana Musca, Scopoli, Ent. Carn. 1763, 349.
oppositella Alucita, J. C. Fabricius, Syst. Ent. 1775, 670.
oppositella Phalaena (Tin.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 506.—Alucita.
oppositella Tinea (Fab.), C. P. Thunberg, Ins. Suecica (7) 1794, 85.—Alucita.
optatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 40.
optilete Hesperia (Knoch), J. C. Fabricius, Ent. Syst. III (1) 1793, 297.—Papilio.

- optilete** *Papilio* (P. R.), A. W. Knoch, Beitr. Insektenges. I. 1781, 76.
- opuli** *Aphis*, J. H. Sulzer, Gesch. Ins. 1776, 105.
- opuntia** *Corallina*, Linnaeus, Syst. Nat., ed. 10, 1758, 805; ed. 12, 1767, 1304.
- opuntioides** *Cellularia*, P. S. Pallas, Elench. 1766, 61.
- opuntioides** *Sertularia* (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3863.—
- or** *Noctua*, [Denis & Schiffermüller], Schmiett. Wien, 1775, 87. [Cellularia.]
- ora** [Phalaena], P. Cramer, Utitl. Kapellen, I (8) 1776, 139.
- oracea** *Isis=ocracea* Linn., Pallas, Syst. Plant-Dier. 1768, 288.
- orasia** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 219.
- oratorius** *Gerris*, J. C. Fabricius, Ent. Syst. IV. 1794, 191.
- oratorius** *Gryllus* (Mantis), Linnaeus, Syst. Nat., ed. 10, 1758, 426.—[Mantis, ed. 12.]
- oratorius** *Ichneumon*, J. C. Fabricius, Ent. Syst. II. 1793, 138.
- oratoria** *Mantis*, Linnaeus, Syst. Nat., ed. 12, 1767, 690.—[*Gryllus*, ed. 10.]
- orbana** *Pyralis*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 475.
- Orbicula** Cuvier, Tabl. Elém. 1798, 435.—Br.
- orbicularis** *Altica*, G. W. F. Panzer, Ins. Germ. heft 8, 1793, tab. 6.—[orbiculata on tab.]
- orbiculare** *Anisotoma* (Herbst), Illiger in Kugellann, Käfer Preuss. 1798, 79.—*Tetratoma*.
- orbicularis** *Ascidia*, O. F. Müller, Zool. Dan. II. 1784, 117.
- orbicularis** *Cancer*, G. Olivieri, Zool. Adriat. 1792, 47.
- orbicularis** *Chaetodon*, P. Forskal, Descr. Anim. 1775, 59.
- orbicularis** *Cordylus* (Linn.), J. N. Laurenti, Syn. Rept. 1768, 51.—*Lacerta*.
- orbicularis** *Curculio*, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 340.
- orbicularis** *Diodon*, M. E. Bloch, Nat. ausl. Fische, I. 1785, 73.
- orbicularis** *Dytiscus*, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 128.
- orbicularis** *Echinodiscus*, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 208.
- orbicularis** *Echinus* (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3191.—
- orbicularis** *Glycymeris*, E. M. da Costa, Brit. Conch. 1778, 168. [Echinodiscus.]
- orbicularis** *Hydatigena*, J. A. E. Goeze, Eingeweidewürmer. 1782, 194.
- orbicularis** *Hydrachna*, O. F. Müller, Z. Dan. Prod. 1776, 190.
- orbicularis** *Hydrophilus*, J. C. Fabricius, Syst. Ent. 1775, 229.
- orbicularis** *Lacerta*, Linnaeus, Syst. Nat., ed. 10, 1758, 206; ed. 12, 1766, 365.
- orbiculare** *Lampadion*, J. F. Bolten, Mus. Bolten. (2) 1798, 77.
- orbicularis** *Ostrea*, Linnaeus, Syst. Nat., ed. 10, 1758, 699; ed. 12, 1767, 1148.
- orbicularis** *Paederus* (Payk.), A. G. Olivier, Entom. III. 1795, 7.—*Staphylinus*.—[*v. orbiculatus*.]
- orbicularis** *Placenta* (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 15.—*Ostrea*.
- orbicularis** *Staphylinus*, Paykull, Mon. Staph. 1789, 35.
- orbicularis** *Taenia*, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 49.
- orbicularis** *Testudo*, Linnaeus, Syst. Nat., ed. 10, 1758, 198; ed. 12, 1766, 351.
- orbicularis** *Tetratoma*, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 91.
- orbicularis** *Venus*, Linnaeus, Syst. Nat., ed. 10, 1758, 688.—[= *tigerina*, ed. 12, p. 1134.]
- orbicularis** *Vesicaria* (Goeze), F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 29.—*Hydatigena*.
- orbicularis** *Volvoxis* (Herbst), J. G. Kugellann, N. Mag. Lieb. Ent. [Schneider's]. V. 1794, 540.—*Tetratoma*.
- orbicularia** *Geometra*, J. Hübner, Europ. Schmiett. (Geom.) [me *judice* 1796], fig. 60 [n.
- orbiculatus** *Disci-transfixus*, F. C. Meuschen, Mus. Gev. 1787, 490. [et f.]
- orbiculatus** *Echinanthites*, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 194.
- orbiculatus** *Echinodiscus*, F. C. Meuschen, Mus. Gronov. 1778, 91.
- orbiculatus** *Echinus* (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3188.—
- orbiculata** *Hydrachna*, O. F. Müller, Z. Dan. Prod. 1776, 190. [Echinanthites.]
- orbiculata** *Lacerta, v. orbicularis*, Linn., P. Forskal, Descr. Anim. 1775, 21.
- orbiculata** *Medusa*, J. B. M. Dana, Obs. sur la Phys. I (pt. 2) 1771, 214; & ed. 2, I.
- orbiculata** *Musca*, A. F. de Fourcroy, Ent. Paris. 1785, 484. [1777, 143.]
- orbiculata** *Mya*, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, 38.
- orbiculatus** *Paederus* (Payk.), J. C. Fabricius, Ent. Syst. I (2) 1792, 538.—*Staphylinus*.
- orbiculata** *Pimelia*, J. C. Fabricius, Syst. Ent. 1775, 253.
- orbiculatus** *Staphylinus*, G. Paykull, Mon. Staph. 1789, 35.

- orbiculatum** Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 405.—Hydrachna.
- orbiculosa** Phalaena Bom., E. J. C. Esper, Die Schmett., Suppl., 3 Abschn. [1799], 93.
- orbiculus** Cancer, J. C. Fabricius, Syst. Ent. 1775, 402.
- orbiculus** Cancer, F. C. Meuschen, Mus. Gronov. 1778, 84.
- orbiculus** Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 666; ed. 12, 1767, 1105.
- orbiculus** Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2875.—Syrphus.
- orbiculus** Nautilus, P. Forskal, Descr. Anim. 1775, 125.
- orbiculus** Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 112.
- orbiculus** Orthocera (Forsk.), A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 161.—
- orbiculus** Syrphus, J. C. Fabricius, Mant. II. 1787, 340. [Nautilus.]
- Orbis** G. Edwards in M. Catesby, Carol. II. 1771, 28.—P.
- “Orbis, Lacép. 1800,” Ag.; occurs only in vernacular.
- orbis** Cercaria, O. F. Müller, Z. Dan. Prod. 1776, 280.
- orbis** Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 81.
- orbis** Disci-transfixus, F. C. Meuschen, Mus. Gever. 1787, 490.
- orbis** Trichoda, O. F. Müller, Verm. I (1) 1773, 85.
- orbita** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3490.
- orbitulus** Papilio, L. Prunner, Lep. Pedemont. 1798, 75.
- “orbium Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 166.
- orbona** Cercopis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 101.
- orbona** Cicada, J. C. Fabricius, Suppl. Ent. Syst. 1798, 520.
- orbona** Noctua, J. C. Fabricius, Mant. II. 1787, 150.
- orbona** Phalaena, Hufnagel, Berl. Mag. III. 1767, 304.
- orca** Delphinus, Linnaeus, Syst. Nat., ed. 10, 1758, 77; ed. 12, 1766, 108.
- orca** Delphinus, R. Kerr, Anim. Kingd. 1792, 364; var. ensidorsatus.
- orcas** Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 46.
- orchamus** [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 92.
- orches** Olivaeformis, F. C. Meuschen, Mus. Gever. 1787, 486.
- Orchestes** Illiger in Kugelann, Käfer Preuss. 1798, 498.—Col.
- orcus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 341.
- orcus** Papilio, C. Stoll in P. Cramer, Uitl. Kapellen, IV (28) 1780, 87.
- orcynus** Scomber, G. S. Volta, Itt. Veron. (2) [circa 1800], ccxxvii.
- ordinatus** Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 379.
- ordinata** Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 435.
- oreas** Antilope, P. S. Pallas, Spic. Zool. XII (1777), 17.
- [**orentes** Phalaena, MS.], T. Martyn, Psyche, 1797, fig. 11.
- oreotragus** Antilope, E. A. W. Zimmermann, Geogr. Gesch. III. 1783, 269.
- orestes** Papilio, N. Meerburgh, Zeldzam. Gewassen, 1775, pl. xxvi.
- orestes** [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 159.
- orestes** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 34.
- orfita** Papilio, P. Cramer, Uitl. Kapellen, II (10) 1777, 24.
- orfus** v. **orphus**.
- organum** Asteroites, J. E. I. Walch, Naturforscher, V. 1775, 42.
- organum** Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 796; ed. 12, 1767, 1278.
- oriana** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 159.
- oricalcicus** Carabus, O. F. Müller, Z. Dan. Prod. 1776, 79.
- oricalcia** Chrysomela, O. F. Müller, Z. Dan. Prod. 1776, 82.
- orichalcea** Antipathes, P. S. Pallas, Elench. 1766, 215.
- orichalcea** Buprestis, P. S. Pallas, Icon. Ins. 1782, 75.
- orichalcea** Noctua, J. C. Fabricius, Syst. Ent. 1775, 607.
- orychalca** Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 60.
- orichalcus** Scarabaeus, Linnaeus, Syst. Nat., ed. 12, III. 1768, App., 224.
- orientalis** Acheta, J. C. Fabricius, Syst. Ent. 1775, 281.
- orientalis** Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 447.
- orientalis** Anas, T. Pennant in Forster, Ind. Zool. 1781, 42 [n. n.].
- orientalis** Anthias, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 10.
- orientalis** Antilope, J. C. P. Erxleben, Syst. Anim. 1777, 288.
- orientalis** Blatta, Linnaeus, Syst. Nat., ed. 10, 1758, 424; ed. 12, 1767, 688.

- orientalis** Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 422.
- orientalis** Buceros, J. Latham, Index Orn. 1790, 147.
- orientalis** Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 263.
- orientalis** Caudisona, J. N. Laurenti, Syn. Rept. 1768, 94.
- orientalis** Cerambyx, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 168.
- orientalis** Chrysomela, E. F. Hornstedt, Schrift. Berlin. Ges. Nat. Freunde, VIII. 1788, 5.
- orientalis** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2191.
- orientalis** Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.), 1791, 70.
- orientalis** Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1112.
- orientalis** Columba, J. Latham, Index Orn. 1790, 606.
- orientalis** Coracias, Linnaeus, Syst. Nat., ed. 12, 1766, 159.
- orientalis** Cryptocephalus (Horn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1712.—
- orientalis** Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 168. [Chrysomela.]
- orientalis** Cyprinus, Linnaeus in Hasselquist, Palast. 1762, 434.
- orientalis** Didelphis, P. S. Pallas, Misc. Zool. 1766, 59.
- orientalis** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 264.
- orientalis** Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2061.—Acheta.
- orientalis** Gyrinus, A. Modeer, Physiogr. Sölsk. Handl. I (3) [1784 or 5], 160.
- orientalis** Jaculus, J. C. P. Erxleben, Syst. Anim. 1777, 404.
- orientalis** Labrus, Linnaeus in Hasselquist, Palast. 1762, 394.
- orientalis** Loxia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 9 [*n. n.*].
- orientalis** Mycteria, M. Vahl, Skr. nat. Selsk. [Copen.], IV (2) 1798, 130.
- orientalis** Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3673.
- orientale** Opatrum, J. C. Fabricius, Syst. Ent. 1775, 76.
- orientalis** Ovis, S. G. Gmelin, Reise Russ. III. 1774, 432 & 486.
- orientalis** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 234.
- orientalis** Phalanger, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 685.
- orientalis** Pholas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3216.
- orientalis** Prionus, A. G. Olivier, Entom. IV. 1795, 28.
- orientalis** Psittacus, J. Latham, Index Orn. 1790, 125.
- orientalis** Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 52.
- orientalis** Scyllarus, N. T. Lund, Skr. nat. Selsk. [Copen.], II (2) 1793, 22.
- orientalis** Silpha (Nicrophorus), Herbst, Einl. Ins. I. 1784, 77.
- orientalis** Sparus, Linnaeus in Hasselquist, Palast. 1762, 386.
- orientalis** Stenosis, Herbst in Jablonsky, Nat. Ins. (Kafer) VIII. 1799, 165.
- orientalis** Strix, Linnaeus in Hasselquist, Palast. 1762, 290.
- orientalis** Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 161.
- orientalis** Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 821.
- orientalis** Vespa, Linnaeus, Mant. II. 1771, 540.
- origenes** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 328.
- origerella** Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 528.
- origenes** Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia origenes.
- orioli** Pediculus, J. C. Fabricius, Gen. Ins. 1777, 309.
- Oriolus** Linnaeus, Syst. Nat., ed. 12, I. 1766, 160.—A.
- oriolus** Coracias, Linnaeus, Syst. Nat., ed. 10, 1758, 107.—[Oriolus galbula, ed. 12.]
- orion** Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 13.—Scarabaeus, 1792.
- orion** Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 330.—Papilio.
- orion** Noctua, E. J. C. Esper, Die Schmett. IV (42—44) 1791, 283.
- orion** Papilio, J. C. Fabricius, Syst. Ent. 1775, 485.
- orion** [Papilio], P. Cramer, Uitl. Kapellen. II (13) 1777, 92.
- orion** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 55.
- orion** Papilio (Pleb.), P. S. Pallas, Reise Russ. I. 1771, 471.
- orion** Scarabaeus, A. G. Olivier, Entom. I. 1789, 46.
- orior** Musca, M. Harris, Exp. Eng. Ins. 1776, 143.
- Orites** Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 2 & 29.—A.
- Orithya** J. G. Meigen, N. Class. Mouches, 1800, 15.—Dip.
- orithya** [Phalaena], P. Cramer, Uitl. Kapellen, III (22) 1779, 121.
- orithya** Papilio, P. Cramer, Uitl. Kapellen, III (24) 1780, 159.

- orithya** Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 473; ed. 12, 1767, 770.
- Orithyia** J. C. Fabricius, Suppl. Ent. Syst. 1798, 324.—Cr.
- Orithyja** J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 24.—Cr.
- orix** *v.* **oryx**.
- orleanus** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 44.
- ornathia** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 32 [*n. et f.*].
- ornataria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 70 [*n. et f.*].
- ornatella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319. [*f.*].
- ornatipennella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 69.
- ornator** Ichneumon, J. C. Fabricius, Mant. I. 1787, 264.
- ornatricella** Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 77.
- ornatrix** Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 586.—Phalaena.
- ornatrix** Chrysis, J. L. Christ, Nat. Ins. 1791, 403.
- ornatrix** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 511; ed. 12, 1767, 839.
- ornata** Aranea, J. H. Sulzer, Gesch. Ins. 1776, 254.
- ornata** Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 52.—Phalaena.
- ornatum** Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 92.
- ornata** Buprestis, J. C. Fabricius, Syst. Ent. 1775, 220.
- ornatus** Byrrhus (Sulz.), G. A. Harrer, Beschr. Schaeffer's Abbild. 1791, 59.—Cistela.
- ornatus** Byrrhus, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 1.
- ornatum** Callidium, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 98.
- ornata** Cassida, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 50.
- ornata** Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 81.
- ornata** Cassida, C. Creutzer, Ent. Vers. 1799, 118.
- ornatum** Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1844.—
[Rhagium.]
- ornatus** Cerambyx, A. G. Olivier, Entom. IV. 1795, 88. [Rhagium.]
- ornata** Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 136.
- ornata** Cicada, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 99.
- ornatus** Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 446; ed. 12, 1767, 723.
- ornata** Cistela, J. C. Fuessly, Schweiz. Ins. 1775, 5.
- ornata** Cistela, J. H. Sulzer, Gesch. Ins. 1776, 27.
- ornata** Cistela, J. J. Roemer, Gen. Ins. 1789, 3.
- ornata** Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 47.
- ornatus** Cryptocephalus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 63.
- ornatus** Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 106.
- ornatus** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 44.
- ornatus** Curculio, D. Drury, Ill. Nat. Hist. II. 1773, index & 63.
- ornatus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 215.
- ornata** Cypris, O. F. Müller, Z. Dan. Prod. 1776, 199.
- ornatus** Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 125.
- ornatus** Falco, F. M. Daudin, Traité élém. Orn. 1800, 77.
- ornata** Geometra (Scop.), C. de Villers, Linn. Ent. IV. 1789, 510.—Phalaena.
- ornatus** Hemorobius (*sic*), D. Drury, Ill. Nat. Hist. I. 1770, index & 110.
- ornata** Lamia, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. IV., 1796, 148.
- ornatus** Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3002.—
[Cypris.]
- ornate** Musca, M. Harris, Exp. Eng. Ins. 1776, 146. [Cypris.]
- ornatus** Pallinurus, F. Weber, Nomen. Fabricii, 1795, 94.
- ornatus** Palinurus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 400.
- ornata** Phalaena, Scopoli, Ent. Carn. 1763, 219.
- ornata** [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (26) 1780, 34.
- ornata** Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 280.
- ornatus** Philanthus, J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 225.
- ornata** Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 33.
- ornatus** Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 98; ed. 12, 1766, 143.
- ornatum** Rhagium, J. C. Fabricius, Syst. Ent. 1775, 183.
- ornatus** Sturnus, F. M. Daudin, Traité élém. Orn. 1800, 309.
- ornata** Tanagra, A. Sparrman, Mus. Carls. IV. 1789, no. xciv.
- ornatus** Trochilus, P. Boddaert, Tab. Planch. Enl. 1783, 39.

- Orneodes** P. A. Latreille, *Préc. Car. Ins.* 1796, 148.—Lep.
orni Cicada, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 436; ed. 12, 1767, 707.
orni Tettigonia (L.), J. C. Fabricius, *Syst. Ent.* 1775, 680.—Cicada.
"Ornitholithus" Linnaeus, *Syst. Nat.*, ed. 12, III. 1768, 157.—A.
ornitopus Phalaena, Hufnagel, *Berl. Mag.* III. 1767, 304.
Ornithorhynchus J. F. Blumenbach, *Abb. nat. Gegen.*, no. 41, 1800.—M.
Ornithorhynchus J. F. Blumenbach, *Voigt's Mag. Naturk.* II (1) 1800, 205.—M.
ornithovora Musca, Scopoli, *Ent. Carn.* 1763, 342.
orodes [Phalaena], P. Cramer, *Uitl. Kapellen.* II (11) 1777, 49.
oromedon Geotrupes (Ol.), J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 8.—Scarabaeus.
oromedon Scarabaeus, D. Drury, *Ill. Nat. Hist.* I. 1770, index & 81.
oromedon Scarabaeus, A. G. Olivier, *Entom.* I. 1789, 17.
oronocensis Manatus, J. M. Bechstein in Pennant, *Uebers. Thiere*, II. 1800, 732.
orontes Papilio, Linnaeus, *Amoen. Acad.* VI. 1763, 402.
[orontes Phalaena, MS.], T. Martyn, *Psyche*, 1797, fig. 14.
orophias Boa, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 215; ed. 12, 1766, 374 [ophria-].
orophias Constrictor, J. N. Laurenti, *Syn. Rept.* 1768, 109.
orosia [Phalaena], P. Cramer, *Uitl. Kapellen*, III (23) 1780, 149.
orphanos Anas, J. M. G. Beseke, *Beytr. Vög. Kurlands*, 1792, 51.
orphanulus Cetonia, Herbst in Jablonsky, *Nat. Ins. (Käfer)* III. 1790, 244.
orpheus Scarabaeus, G. W. F. Panzer, *Fauna Ins. Amer.* 1794, 5.
orpheus Turdus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 169; ed. 12, 1766, 293.
orphise [Papilio], P. Cramer, *Uitl. Kapellen*, I (4) 1775, 67.
orful (*sic*) Cyprinus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 324; ed. 12, 1766, 530.
orphanus Sparus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 279; ed. 12, 1766, 469.
orsa [Phalaena], P. Cramer, *Uitl. Kapellen*, II (12) 1777, 75.
orsiera Papilio, L. Prunner, *Lep. Pedemont.* 1798, 73.
orsilochus Papilio, J. C. Fabricius, *Gen. Ins.* 1777, 252.
orsilochus [Phalaena], P. Cramer, *Uitl. Kapellen*, I (4) 1775, 72.
orsis [Papilio], D. Drury, *Ill. Nat. Hist.* III. 1782, index & 20.
orsita [Papilio], P. Cramer, *Uitl. Kapellen*, II (10) 1777, 24.
"Ortalida, Merr. 1786," Ag.; plural of *Ortalis*, *q. v.*
Ortalis B. Merrem, *Avium Icones et descr.* (2) 1786, 40.—A.
Orthezia P. Bosc d'Antic, *Obs. sur la Physique*, XXIV. 1784, 173.—Hem.
Orthocera Lamarck, *Mém. Soc. H. N. Paris*, 1799, 80.—Rh.
orthocera Nautilus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 711; ed. 12, 1767, 1164.
Orthoceras J. G. Bruguière, *Ency. Méth. (Vers)* (1) 1789, xvii.—Ceph.
Orthoceras F. v. P. Schrank, *Samml. Nat. Phys. Aufsätz.* 1796, 131.—Dip.
"Orthoceratia, Sold. 1780," Ag.; not used in a Linnaean sense.
Orthoceratites J. Gesner, *Tract. Petref.* 1758, 42.—? Ceph.
Orthoceratites Lamarck, *Mém. Soc. H. N. Paris*, 1799, 81.—Ceph. [Orthoceras.
"Orthocerite, Brug. 1789," Scudd.; is a misspelling of Orthocerate, the vernacular for
"orthocerotes Helmintholithus," Linnaeus, *Syst. Nat.*, ed. 12, III. 1768, 162.
Orthocerus P. A. Latreille, *Préc. Car. Ins.* 1796, 16.—Col.
Orthorhynchus B. G. E. de Lacépède, *Tabl. Oiseaux*, 1799, 9.—A.
Orthorhynchus G. Cuvier, *Leçons Comp. Anat.* I. 1800, tab. 2 [*z. n.*].—A.
ortilia [Phalaena], C. Stoll in Cramer, *Uitl. Kapellen*, IV (29) 1781, 105.
ortygus [Papilio], P. Cramer, *Uitl. Kapellen*, III (21) 1779, 84.
Ortygometra Moehring, *Gesl. Vogel. (Nozem. & Vosm. ed.)* 1758, 6 & 63.—A.
ortygometrae Pediculus, F. v. P. Schrank, *Ins. Aust.* 1781, 503.
orus [Papilio], C. Stoll in Cramer, *Uitl. Kapellen*, IV (28) 1780, 84.
Orussus P. A. Latreille, *Préc. Car. Ins.* 1796, 111.—Hym.
orvet Anguis, B. G. E. de Lacépède, *Quad. Ovip.* II. 1789, 136.
"Orycteropus, Geoffroy, *Décad. phil. et litt.* XXVIII. 1795," I cannot find this entry.
Orycteropus B. G. E. de Lacépède, *Tabl. Mamm.* 1799, 11.
Oryctes J. K. W. Illiger, *Käfer Preuss.* 1798, 11.—Col.
oryctes Scarabaeus, Herbst in Jablonsky, *Nat. Ins. (Käfer)* II. 1789, 215.
Oryssus J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 209.—Hym. [See *Orussus*.]

- "Oryssus, Latreille, 1796," Ag.; is Orussus.—Hym.
 oryx Antilope, P. S. Pallas, Misc. Zool. 1766, 9.
 orix Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 177; ed. 12, 1766, 309.
 orix Loxia, Linnaeus, Mant. II. 1771, 527.—Emberiza, 1758.
 oryx Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 56.
 oryza Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 333.
 oryza Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 94.
 oryza Curculio, Linnaeus, Amoen. Acad. VI. 1763, 395.
 oryzae Rynchophorus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 18.—Cur-
 oryzae Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 18. [culio.
 oryzata Argonauta, F. C. Meuschen, Mus. Gever. 1787, 252.
 oryzivorus Coluber, G. A. Suckow, Naturges. III. 1798, 245.
 oryzivora Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 311.
 oryzivora Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 179.
 oryzivora Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 173; ed. 12, 1766, 302.
 oryzivorous Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 386.
 os-album Cicada, C. de Villers, Linn. Ent. I. 1789, 473.
 osbekii Aranea, Scopoli, Ent. Carn. 1763, 399.
 osbeckii Raja, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 532.
 osbeckii Psittacus, J. Latham, Index Orn. 1790, 87.
 osbeck Trachinus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 353.
 osbeckiana Tortrix, C. P. Thunberg, Ins. Suecica (1) 1784, 19.
 Oscabrium K. Schreibers, Vers. Conch. II. 1793, 334.—Moll.
 Oscana Bosc, Bull. Sci. Soc. Philom. [Paris], no. 2, 1797, 9.—Moll.
 oscilla Coluber, F. C. Meuschen, Mus. Gronov. 1778, 13.
 oscitans Ardea, P. Boddaert, Tab. Planch. Enl. 1783, 55.
 osculatorius Ichneumon, J. C. Fabricius, Mant. I. 1787, 261.
 osculata Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 415.
 osinia [Papilio], P. Cramer, Utitl. Kapellen, II (10) 1777, 29.
 osiris [Phalaena], P. Cramer, Utitl. Kapellen, II (10) 1777, 28.
 Osmerus [Artedi, Ichth. 1738, gen. viii, 10].—P.
 "Osmerus" *v.* Salmo.
 os nigrum Cercopis, P. Rossi, Mant. Ins. II. 1794, 52.
 "Osphronemus, Lacép. 1800," Ag.; is 1802.
 osseana Phalaena, Scopoli, Ent. Carn. 1763, 238.
 ossearia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 102 [*n. et f.*].
 osseata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 110.
 osseus Esox, Linnaeus, Syst. Nat., ed. 10, 1758, 313; ed. 12, 1766, 516.
 osseus Labrus, G. Edwards in M. Catesby, Carol. II. 1771, Cat., 1.
 osseus Labrus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 261.
 ossianus Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) X. 1800, 98.
 ossiformis Spongia, O. F. Müller, Z. Dan. Prod. 1776, 256.
 ossifragus Falco, Linnaeus, Syst. Nat., ed. 12, 1766, 124.
 ossifraga Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 483.
 ossifragus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 286; ed. 12, 1766, 478.
 "ossium Ornitholithus," J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 388.
 ostentataria Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
 "osteolithus Zoolithus," J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 387.
 Ostoma J. N. Laicharting, Tyrol. Ins. I. 1781, 102.—Col.
 Ostracion Linnaeus, Syst. Nat., ed. 10, 1758, 330; ed. 12, 1766, 407; [Artedi, Ichth. 1738,
 Ostracites J. Gesner, Tract. Petref. 1758, 39.—L. [gen. xxxix, 55].—P.
 Ostracites Lamarck, Mém. Soc. H. N. Paris, 1799, 81.—L.
 Ostralega M. J. Brisson, Ornith. V. 1760, 38.—A.
 ostralegeus Haematopus, Linnaeus, Syst. Nat., ed. 10, 1758, 152; ed. 12, 1766, 257.
 Ostrea Linnaeus, Syst. Nat., ed. 10, 1758, 696; ed. 12, 1767, 1144.—L.
 "Ostreochamites, Walch, 1768," Herm.; not used in a Linnaean sense.
 "Ostreopectinites, Walch, 1768," Herm.; not used in a Linnaean sense.
 "Ostreopinnites, Walch, 1768," Herm.; not used in a Linnaean sense.

- Ostreum**, *id. ac* **Ostrea**, L. E. M. da Costa, Brit. Conch. 1778, 154.
ostrilegus Haematopus, *v. ostralegus*, Linnaeus, Faun. Suec., ed. 2, 1761, 69.
ostrinalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 14 [2].
otahaitanus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 347.
otahitica Spongia, E. J. C. Esper, Pflanzenz., Forts. I (8) 1797, 209.
othaeitense Buccinum (*ex* Chem.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 257.
otho Papilio, J. E. Smith in Abbot, Ins. Georgia, 1797, 31.
otidis Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 23.
Otis Linnaeus, Syst. Nat., ed. 10, 1758, 154; ed. 12, 1766, 264.—A.
Otis [G. Humphreys], Mus. Calonn. 1797, 62.—G.
otis Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 296.
otis Papilio, J. C. Fabricius, Mant. II. 1787, 73.
otrea [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (27), 1780, 50.
otreus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28), 1780, 78.
Otus Cuvier, Leçons Comp. Anat. I. 1800, tab. 2.—A.
otus Asio (L.), J. C. Schaeffer, Mus. Orn. 1789, 10.—Strix.
otus Sphinx, D. Drury, Ill. Nat. Hist. I. 1770, index & 31.
otus Strix, Linnaeus, Syst. Nat., ed. 10, 1758, 92; ed. 12, 1766, 132.
otus Strix, R. Kerr, Anim. Kingd. 1792, 529; *varr.* italicus, arcticus.
g graecum Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 47.
oularsawa Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 26.
öur Mugil, P. Forskal, Descr. Anim. 1775, 74.
ouranus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 317.—Papilio.
ouranus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28), 1780, 88.
ourebi Antilope, E. A. W. Zimmermann, Geogr. Gesch. III. 1783, 268.
ourissia Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 120; ed. 12, 1766, 191.
ourovang *v. urovang*. [not used in a generic sense.
 "Ova, *v. Phels*. 1774," Ag.; does not occur: a Latinization by Leske in Klein, 1778, but
ovalis Acarus, J. C. Fabricius, Reise Norwegen, 1779, 340.
ovalis Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 110.
ovalis Brachionus, O. F. Müller, An. Infus. 1786, 345.
ovalis Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [*n. n.*].
ovalis Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1863.
ovalis Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1698.
ovalis Curculio=ovatus [S. N. ed. 10, no. 39], Linnaeus, Faun. Suec., ed. 2, 1761, 180.
ovalis Curculio, O. F. Müller, F. Ins. Frid. 1764, 11.
ovalis Dytiscus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 328.
ovalis Dytiscus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 19.
ovalis Dytiscus, Illiger in Kugelann, Käfer Preuss. 1798, 271.
ovalis Echinocyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 216.
ovalis Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3201.—Spatan-
ovalis Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3637. [gites.
ovalis Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
ovalis Julus, Linnaeus, Syst. Nat., ed. 10, 1758, 639; ed. 12, 1767, 1064.
ovalis Mya, R. Pulteney, Cat. Birds &c. Dorset, 1799, 27.
ovalis Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3337.
ovalis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3723.
ovalis Pediculus, Scopoli, Ent. Carn. 1763, 384.
ovalis Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 277.
ovalis Rana, J. G. Schneider, Hist. Amph. I. 1799, 131.
ovalis Serpula, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 4.
ovalis Spatangites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 253.
ovalis Spatangus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xx [re-paged issue].
ovalis Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 401.—Hydrachna.
ovalis Turbo, E. M. da Costa, Brit. Conch. 1778, 101.
ovalis Unio, A. J. Retzius, Diss. Nova Test. Gen. 1788, 17.
ovalis Volvox, J. Ellis, Phil. Trans. LIX. 1770, 149.
ovarius Cidarites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xvii [re-paged issue].

- ovarius** Echinites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 105.
- ovarius** Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3173.
- ovator** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2692.
- ovator** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 163.
- ovatulus** Curculio, J. R. Schellenberg, Helvet. Entom. I. 1798, 82.
- ovata** Altica, A. F. de Fourcroy, Ent. Paris. 1785, 98.
- [**ovatus** Araneus, C. Clerck, Aran. Svec. 1757, 58.]
- ovatus** Araneus, T. Martyn, Aranei, 1793, 27.
- ovata** Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3307.
- ovatus** Beroe, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 175.
- ovatus** Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 318.—Helix.
- ovata** Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3432.
- ovatus** Carabus, G. Paykull, Mon. Carab. 1790, 132.
- ovatus** Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 154.
- ovatus** Cerambyx, J. H. Sulzer, Gesch. Ins. 1776, 45.
- ovatus** Cerambyx, A. F. de Fourcroy, Ent. Paris. 1785, 76.
- ovatus** Cimex, J. A. E. Goeze in de Geer, Gesch. Insekt. III. 1780, 175, no. 11.
- ovatus** Cimex, J. A. E. Goeze in de Geer, Gesch. Insekt. III. 1780, 176, no. 14.
- ovata** Cistela, A. G. Olivier, Entom. III. 1795, 10.
- ovatus** Copris, L. G. Scriba, J. Lieb. Ent. I. 1790, 56.
- ovatus** Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 179.—Scarabaeus.
- ovatus** Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 382 [altered to ovalis, ed. 12].
- ovatus** Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 384; ed. 12, 1767, 615.
- ovata** Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3405.
- ovatus** Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 68.
- ovatus** Dytiscus, Linnaeus, Syst. Nat., ed. 12, 1767, 667.
- ovatus** Echinanthus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 191.
- ovatus** Echinocorytes, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 178.
- ovatus** Echinocyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 215.
- ovatus** Echinorhynchus, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 137.
- ovatus** Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3185.—Echinocorytes.
- ovatus** Gasterosteus, Linnaeus, Syst. Nat., ed. 10, 1758, 296; ed. 12, 1766, 490.
- ovata** Helix, O. F. Müller, Verm. II. 1774, 85.
- ovatus** Helops, P. Rossi, Fauna Etrus. I. 1790, 237.
- ovata** Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
- ovata** Lepas, J. F. Bolten, Mus. Bolten. (2) 1798, 197 [n. n.].
- ovata** Medusa, J. Barbut, Gen. Verm. I. 1783, 81.
- ovata** Mya, P. Forskal, Descr. Anim. 1775, 123.
- ovata** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 318.
- ovatus** Pilularius (L.), F. v. P. Schrank, F. Boica, I. 1798, 400.—Scarabaeus.
- ovata** Pimelia, A. G. Olivier, Entom. III. 1795, 18.
- ovatus** Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 551.
- ovatus** Scaurus, A. G. Olivier, Entom. III. 1795, 6.
- ovatus** Spatangus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 252.
- ovata** Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 187.
- ovatus** Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1999
- ovatus** Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer), VIII. 1799, 16.
- ovata** Tenthredo, Linnaeus, Faun. Suec. ed. 2, 1761, 392.
- ovata** Venus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 83.
- ovidius** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 320.
- ovifer** Encrinus, J. F. Blumenbach, Handb. Naturg. ed. 3, 1788, 503.
- oviferum** Paramaecium, O. F. Müller, An. Infus. 1786, 91.
- oviferum** Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1319.
- oviformis** Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3187.
- oviger** Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 295.
- ovilla** Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3061.
- ovina** Haliotis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3691.

- ovina** Hippobosca, Linnaeus, Syst. Nat., ed. 10, 1758, 607; ed. 12, 1767, 1011.
- ovinus** Strongylus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3044.
- ovina** Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 369.
- Ovis** Linnaeus, Syst. Nat., ed. 10, 1758, 70; ed. 12, 1766, 97.—M.
- ovis** Cancer, J. C. Fabricius, Mant. I. 1787, 324.
- ovis** Inachus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer, 1787.
- ovis** Oestrus, Linnaeus, Syst. Nat., ed. 10, 1758, 585; ed. 12, 1767, 970.
- ovis** Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 611; ed. 12, 1767, 1017.
- ovivorus** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 223; ed. 12, 1766, 385.
- “**Ovoides**, Lacép. 1800,” Ag.; occurs only in vernacular.
- Ovoides** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [*n. n.*].—P.
- ovoideus** Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 335.
- ovoviviparus** Blennius, *id. ac* viviparus? B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, [459].
- Ovula** J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xv.—G.
- ovulorum** Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 387.
- ovulorum** Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 381.—Ichneumon.
- ovulorum** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 568; ed. 12, 1767, 940.
- ovulus** Bulimus, J. G. Bruguière, Ency. Meth. (Vers) (1) 1789, 339.
- ovulum** Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3194.
- ovulum** Enchelis, O. F. Müller, Verm. I (1) 1773, 36.
- “**Ovum**, Martini, 1774,” Scudd.; not binominal.
- ovum** Beroe, O. Fabricius, F. Groen. 1780, 362.
- ovum** Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 725; ed. 12, 1767, 1181.
- ovum** Cochlea, T. Martyn, Univ. Conch. II [1788], fig. 79.
- ovum** Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3412.
- ovum** Medusa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3152.—Beroe.
- ovum** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3448.
- ovum** Volva (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 21.—Bulla.
- ovum marinum** Cordiformis, F. C. Meuschen, Mus. Gever. 1787, 486.
- ovum passeris** Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 28 [*n. n.*].
- ovum vanelli** Bulla, J. F. Bolten, Mus. Bolten. (2) 1798, 15.
- oxalis** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 247.
- oxyacanthae** Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 456; ed. 12, 1767, 742.
- oxyacanthae** Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 474.—Tinea oxyacanthae.
- oxyacanthae** Mordella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2024. [thella.]
- oxyacanthae** Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 611.—Phalaena.
- oxyacanthae** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 516; ed. 12, 1767, 852.
- oxyacanthella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 886.
- oxyacanthella** Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 657.—Phalaena.
- Oxybelus** P. A. Latreille, Préc. Car. Ins. 1796, 129.—Hym.
- oxycephalus** Gryllus (Acrida), P. S. Pallas, Reis Russ. I. 1771, 468.
- oxygalus** Conus, F. C. Meuschen, Mus. Gever. 1787, 348.
- Oxyporus** J. C. Fabricius, Syst. Ent. 1775, 267.—Col.
- oxyptera** Buprestis, P. S. Pallas, Icon. Ins. 1782, 70.
- oxyptera** Noctua (Esper), C. C. Jung, Alph. Verz. Schmett. II. 1792, 75.—Phalaena.
- oxyptera** Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (48), 1796, 397.
- oxypterus** Scarabaeus, P. S. Pallas, Reise Russ. I. 1771, 461.
- “**Oxyrhynchus** Schroet. 1784,” Herm.; not used in a generic sense.
- oxyrinchus** Raja, Linnaeus, Syst. Nat., ed. 10, 1758, 231; ed. 12, 1766, 395.
- oxyrinchus** Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 311; ed. 12, 1766, 512.
- oxyurus** Lumbricus, P. S. Pallas, Spic. Zool. X. 1774, 16.
- öyena** Labrus, P. Forskal, Descr. Anim. 1775, 35.

- pabulatricula** Phalaena Noctua, N. J. Brahm, Ins. Kal. II (1) 1791, 395.
- pabulinus** Cimex, Linnaeus, Faun. Suec., ed. 2, 1761, 253.
- pabulinus** Curculio, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 19.
- pabulinus** Miris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 184.—Cimex.

- paca** Agouti, B. G. E. de Lacépède, Tabl. Mamm. 1799, 9.
- paca** Cavia (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 356.—Mus.
- paca** Cavia (L.), E. A. W. Zimmermann, Spec. Zool. 1777, 508.—Mus.
- paca** Mus, Linnaeus, Syst. Nat., ed. 12, 1766, 81.
- pacca** Sirex, J. C. Fabricius, Mant. I. 1787, 258.
- pacicephala** Vespa, J. A. Scopoli, Annus V. 1772, 122.
- pacifica** Apis, G. W. F. Panzer, Ins. Germ. heft 55 [1798], tab. 16.
- pacifica** Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 470.
- pacificus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2199.
- pacifica** Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 777.
- pacificus** Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 372.
- pacificus** Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1729.
- pacificus** Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 306.
- pacificus** Murex, A. A. H. Lichtenstein, Cat. rerum Nat. II. 1794, 83.
- pacifica** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2872.
- pacifica** Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 560.
- pacificus** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 329.
- pacificus** Psittacus, R. Kerr, Anim. Kingd. 1792; *varr.* seelandicus, erythropygius, caledonicus, 582; carlsonianus, philippinus, 583.
- pacificus** Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 717.
- pacificus** Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 813.
- pacifica** Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 183.
- pacos** Camelus, Linnaeus, Syst. Nat., ed. 10, 1758, 66; ed. 12, 1766, 91.
- pacta** Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 602.—Phalaena.
- pacta** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 292.
- pacta** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 512; ed. 12, 1767, 841.
- pactolus** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 159.—Scarabaeus.
- pactolus** Scarabaeus, J. C. Fabricius, Mant. I. 1787, 12.
- padella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 535; ed. 12, 1767, 885.
- padella** Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 656.—Phalaena.
- padera** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 221; ed. 12, 1766, 382.
- padi** Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 451; ed. 12, 1767, 734.
- padi** Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 369; ed. 12, 1767, 588.
- padi** Curculio, G. Bonsdorff, Curc. Suec. 1785, 26.
- padi** Tenthredo, Linnaeus, Faun. Suec., ed. 2, 1761, 390.
- padina** Peltis, O. F. Müller, Z. Dan. Prod. 1776, 65.
- paedemontanus** *v.* pedem-.
- Paederus** J. C. Fabricius, Syst. Ent. 1775, 268.—Col.
- paederus** Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 51.
- paedotrophos** [Papilio], J. A. B. Bergstraesser, Nom. Ins. IV. 1780, 14.
- paganellus** Gobius, Linnaeus, Syst. Nat., ed. 10, 1758, 263; ed. 12, 1766, 449.
- pagana** Buprestis, A. G. Olivier, Entom. II. 1790, 22.
- paganus** Cimex, J. C. Fabricius, Syst. Ent. 1775, 698.
- paganus** Curculio, J. C. Fabricius, Syst. Ent. 1775, 128.
- paganus** Hemerobius, Linnaeus, Syst. Nat., ed. 12, 1767, 912.
- pagana** Mantis, J. C. Fabricius, Syst. Ent. 1775, 278.
- pagana** Mantispa (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 499.—Mantis.
- pagana** Melolontha, A. G. Olivier, Entom. I. 1789, 82.
- paganus** Musca, M. Harris, Exp. Eng. Ins. 1776, 153.
- pagana** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 326.
- pagana** Noctua, J. C. Fabricius, Syst. Ent. 1775, 606.
- pagana** Sphinx, J. C. Fabricius, Spec. Ins. II. 1781, 146.
- paganus** Tabanus, J. C. Fabricius, Syst. Ent. 1775, 789.
- pagana** Tenthredo, G. W. F. Panzer, Ins. Germ. heft 49 [1798], tab. 16.
- pagaria** Phalaena, J. C. Fabricius, Mant. II. 1787, 192.
- pagodarum** Gracula, F. M. Daudin, Traité élém. Orn. 1800, 287.
- pagodarum** Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 816.
- pagodus** Cidaris (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 84.—Turbo.

- pagodus** Trochus (L.), F. C. Meuschen, Mus. Gev. 1787, 284.—Turbo.
- pagodus** Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 762; ed. 12, 1767, 1234.
- pagrus** Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 279; ed. 12, 1766, 469.
- Pagurus** G. Edwards in M. Catesby, Carol. II. 1771, 36.—Cr.
- Pagurus** J. C. Fabricius, Syst. Ent. 1775, 410.—Cr.
- pagurus** Alpheus (L.), F. Weber, Nomen. Fabricii, 1795, 91.—Cancer.
- pagurus** Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 627; ed. 12, 1767, 1044.
- pala** Paphia, F. C. Meuschen, Mus. Gev. 1787, 472.
- pala** Brachionus, O. F. Müller, An. Infus. 1786, 335.
- Palaemon** F. Weber, Nomen. Fabricii, 1795, 94.—Cr.
- Palaemon** J. C. Fabricius, Suppl. Ent. Syst. 1798, 378.—Cr.
- palemon** Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 335.—Papilio.
- palemon** [Papilio], P. Cramer, Utit. Kapellen, II (11) 1777, 54.
- palemon** [Papilio], C. Stoll in Cramer, Utit. Kapellen, IV (33) 1782, 209.
- palaemon** Papilio (Pleb.), P. S. Pallas, Reise Russ. I. 1771, 471.
- palaeno** Papilio (Helic.), Linnaeus, Faun. Suec., ed. 2, 1761, 272.
- palaeno** Papilio, P. Cramer, Utit. Kapellen, I (2) 1775, 22.
- Palamedea** Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 8 & 76.—A.
- Palamedea** Linnaeus, Syst. Nat., ed. 12, 1766, 232.—A.
- Palamedea** B. G. E. de Lacépède, Tabl. Oiseaux. 1799, 16.—A.
- palamedes** Papilio, J. C. Fabricius, Syst. Ent. 1775, 454.
- palamedes** [Papilio], D. Drury, Ill. Nat. Hist. I. 1770, index & 37.
- palamedes** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 68.
- palatam** Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 138.
- palatinus** [Papilio], P. Cramer, Utit. Kapellen, II (14) 1777, 98.
- palatina** Stratiomys, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 175.
- paleacea** Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (45) 1791, 323.
- paleacea** Phryganea, J. C. Fuessly, Schweiz. Ins. 1775, 45.
- paleacea** Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 75.
- paleacea** Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 36 [*n. n.*].
- palealis** Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 452.
- palealis** Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
- paleana** Phalaena Tort., J. Hübner, Samml. Vögel u. Schmett. 1793, 8 [*n. et f.*].
- paleatis** Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 335.
- paleata** Chrysomela (Fourc.), C. de Villers, Linn. Ent. I. 1789, 165.—Crioceris.
- paleata** Crioceris, A. F. de Fourcroy, Ent. Paris. 1785, 97.
- paleella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 24.
- palegon** [Papilio], P. Cramer, Utit. Kapellen, III (24) 1780, 159.
- palemo** Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 175.
- palemo** Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 187.
- palemon** *v.* **palaemon**.
- pales** J. G. Meigen, N. Class. Mouches, 1800, 14.—Dip.
- pales** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 31.
- pales** Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 177.
- pales** [Phalaena], D. Drury, Ill. Nat. Hist. I. 1770, index & 47.
- palicarius** Malachius, *err. pro pulic-*, Fabr. 1777, J. C. Fabricius, Mant. I. 1787, 169.
- palidum** *v.* **pallidum**.
- Palinurus** J. C. Fabricius, Suppl. Ent. Syst. 1798, 376.—Cr.—[*See Pallinurus.*]
- palinurus** Papilio, J. C. Fabricius, Mant. II. 1787, 2.
- palladella** Phalaena (Tinea), C. de Villers, Linn. Ent. II. 1789, 527.
- pallasiana** Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 637.
- pallasii** Meloe, F. v. P. Schrank, F. Boica, I. 1798, 637.
- pallasii** Tarsius, E. Geoffroy, Mag. encyclop. I (1) 1796, 49.
- pallens** Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 276.
- pallens** Araneus, F. A. A. Meyer, Spinner Gött. 1790, 13.
- pallens** Aranea, J. C. Fabricius, Ent. Syst. IV. 1794, 461.
- pallens** Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 694; ed. 12, 1767, 1142.
- pallens** Carabus, J. C. Fabricius, Syst. Ent. 1775, 244.

- pallens** Carabus, A. G. Olivier, Entom. III. 1795, 81.
- pallens** Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2112.
- pallens** Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 363.
- pallens** Cimex, J. C. Fabricius, Mant. II. 1787, 306.
- pallens** Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 114.—*Cryptocephalus*, 1787.
- pallens** Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 177.
- pallens** Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 154.
- pallens** *Cryptocephalus*, J. C. Fabricius, Mant. I. 1787, 81.
- pallens** Cucujus, J. C. Fabricius, Ent. Syst. I (2) 1792, 96.
- pallens** Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 232.
- pallens** Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 25.
- pallens** Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2065.
- pallens** Hydra, Linnaeus, Syst. Nat., ed. 12, 1767, 1320.
- pallens** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2719.
- pallens** Locusta, J. C. Fabricius, Mant. I. 1787, 234.
- pallens** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 152.—*Cimex*, 1787.
- pallens** Melolontha, J. C. Fabricius, Suppl. Ent. Syst. 1798, 132.
- pallens** Miris, J. C. Fabricius, Ent. Syst. IV. 1794, 185.—*Cimex*, 1787.
- pallens** Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 594.—*Phalaena*.
- pallens** *Phalaena* (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 510; ed. 12, 1767, 838.
- pallens** Prionus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 141.
- pallens** Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1569.
- pallens** Scarabaeus [*Copris*], A. G. Olivier, Entom. I. 1789, 170.
- pallens** Stenocorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 297.
- pallens** Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 418; ed. 12, 1767, 675.
- pallescens** Cicada, O. F. Müller, Z. Dan. Prod. 1776, 102.
- pallescens** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2161.
- pallescens** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2165.
- pallescens** Cimex, E. Donovan, Brit. Ins. III. 1794, 101.
- pallescens** *Cryptocephalus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1724.
- pallescens** Formica, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 211.
- pallescens** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2718.
- pallescens** Motacilla, T. Pennant in Forster, Ind. Zool. 1781, 41 [*u. n.*].
- pallescens** Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2668.
- pallescens** Tipula, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 172.
- pallescens** Vespa, Giorna, Cal. Ent. 1791, 120.
- palliatella** *Phalaena*, Scopoli, Ent. Carn. 1763, 248.
- palliatata** Blatta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 186.
- palliatatus** Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 58.
- palliatata** Cassida, J. C. Fabricius, Mant. II. 1787, 380.
- palliatata** Cerambyx, J. R. Forster, N. Sp. Ins. 1771, 40.
- palliatata** Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 279.
- palliatata** Chrysomela, F. v. P. Schrank, F. Boica, I. 1798, 535.
- palliatatus** Cimex, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 111.
- palliatata** Crioceris (Schall.), J. C. Fabricius, Mant. I. 1787, 87.—*Chrysomela*.
- palliatatus** *Cryptocephalus* (Schall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1718.—
- palliatatus** Curculio, J. C. Fabricius, Mant. I. 1787, 113. [*Chrysomela*]
- palliatata** Galleruca (Schall.), J. C. Fabricius, Ent. Syst. I (2) 1792, 22.—*Chrysomela*.
- palliatata** Lampyris (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1887.—*Pyro-*
- palliatata** Lycus, Fabr., J. C. Fabricius, Mant. I. 1787, 163.—*Pyrochroa*. [*chroa*]
- palliatatus** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 181.
- palliatata** Medusa, J. B. Bohadsch, Anim. Marin. 1761, 135.
- palliatata** Medusa, O. F. Müller, Z. Dan. Prod. 1776, 233.
- palliatata** Noctua, J. C. Fabricius, Mant. II. 1787, 144.
- palliatata** Ostreia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3331.
- palliatum** Phalangium, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris], No. 15, 1798, 114.
- palliatata** *Pyrochroa*, J. C. Fabricius, Syst. Ent. 1775, 203.
- pallicornis** Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 69.

- pallicornis** Tenthredo, J. C. Fabricius, Suppl. Ent. Syst. 1798, 215.
- pallidalis** Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2527.
- pallidalis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 23.
- pallidana** Pyralis, J. C. Fabricius, Gen. Ins. 1777, 292.
- pallidane** Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 405.—Pyralis.
- pallidaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 96 [*n. et f.*].
- pallidaria** Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2466.
- pallidata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 110.
- pallidata** Phalaena, Hufnagel, Berl. Mag. IV. 1767, 618. [Geometra.
- pallidata** Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 325.—
- pallide-flavescens** Phalangium, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen,
- pallidella** Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 524. [1778, 220.
- pallidicornis** Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1991.
- pallidipennis** Staphylinus, G. W. F. Panzer, Deutsch. Ins. [1795], 358.
- [**pallidulus** Araneus, C. Clerck, Aran. Svec. 1757, 81.]
- pallidulus** Araneus, T. Martyn, Aranei, 1793, 37.
- pallidulus** Nerita, E. M. da Costa, Brit. Conch. 1778, 51.
- pallidula** Tellina, F. C. Meuschen, Mus. Gever. 1787, 460.
- pallidula** Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 340.
- pallidum** Acarus, N. Mohr, Island. Nat. 1786, 104.
- pallida** Adimonia, F. v. P. Schrank, F. Boica, I. 1798, 558.
- pallida** Alucita, J. Hill, Decade Curious Insects, 1773, 22.
- pallida** Altica, A. F. de Fourcroy, Ent. Paris. 1785, 101.
- pallidus** Antribus, A. F. de Fourcroy, Ent. Paris. 1785, 139.
- pallida** Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 200.
- pallida** Blatta, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 319.
- pallidus** Bruchus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 199.
- pallidus** Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 727.—[Voluta, ed. 12.]
- pallidum** Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 256.
- pallida** Cantharis, J. C. Fabricius, Mant. I. 1787, 167.
- pallida** Cantharis, C. de Villers, Linn. Ent. I. 1789, 297.
- pallida** Cassida, J. R. Forster, Cat. Brit. Ins. 1770, 4 [*n. n.*].
- pallida** Cassida, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791, 117.
- pallida** Cassida, C. P. Thunberg, Ins. Suecica (8) 1794, 103.
- pallida** Cassida, G. Paykull, Faun. Suec. II. 1799, 50.
- pallida** Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 262. [baeus.
- pallida** Cetonina (Dru.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1799, 247.—Scara-
- pallida** Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 370; ed. 12, 1767, 589.
- pallida** Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 186.
- pallida** Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 60.
- pallidus** Cimex, M. Harris, Exp. Eng. Ins. 1776, 90.
- pallidus** Cimex, P. Rossi, Mant. Ins. II. 1794, 55.
- pallida** Cistela, J. C. Fabricius, Syst. Ent. 1775, 117.
- pallidus** Clerus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 17.
- pallida** Coccinella, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 9.
- pallida** Coccinella, P. Rossi, Fauna Etrus. I. 1790, 66.
- pallidus** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 221; ed. 12, 1766, 381.
- pallida** Crioceris, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 66.
- pallida** Crioceris, A. F. de Fourcroy, Ent. Paris. 1785, 96.
- pallida** Crioceris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 88.
- pallidus** Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1715.—
- pallidus** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 488. [Cistela.
- pallidus** Cyphon (Fab.), G. Paykull, Faun. Suec. II. 1799, 118.—Cistela.
- pallidus** Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 18.
- pallidus** Diplolepis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 281.
- pallidus** Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 436.
- pallida** Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [*n. n.*]; Essai
- pallida** Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 575. [Fourmis, 1798, 41.

- pallida** Fulgora, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 97.
pallidus Hydrophilus, P. Rossi, Mant. Ins. I. 1792, 66.
pallidus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2720.
"pallidus" Ichthyolithus," J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 389.
pallida Ips, J. J. Roemer, Gen. Ins. 1789, 41.
pallida Ips, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 551.
pallida Lampyrus, A. G. Olivier, Entom. II. 1790, 16.
pallidus Luperus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 84.—Chrysomela.
pallidus Luperus (Fab.), J. A. Frolich, Naturforscher, XXVIII. 1799, 25.—Cistela.
pallida Melolontha, J. C. Fabricius, Syst. Ent. 1775, 35.
pallida Melolontha, A. F. de Fourcroy, Ent. Paris. 1785, 72.
pallidus Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 328.—Voluta.
pallida Musca, J. C. Fabricius, Mant. II. 1787, 344.
pallida Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
pallida Nitidula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 73.
pallida Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 262.
pallida Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 719.
pallidus Psittacus, G. Shaw, Nat. Misc. VIII. 1796, pl. 258.
pallidus Scarabaeus, D. Drury, Ill. Nat. Hist. I. 1770, index & 71.
pallidus Staphylinus, P. Rossi, Mant. Ins. I. 1792, 99.
pallidus Telephorus, G. A. Harrer, Besch. Schaeffer Icones, 1784, 80.
pallidus Telephorus (Fab.), A. G. Olivier, Entom. II. 1790, 14.—Cantharis.
pallida Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 407.
pallidus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 815.
pallida Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 675.
pallida Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1189.
pallida Zonitis, J. C. Fabricius, Ent. Syst. IV. 1794, 447.
Pallinurus F. Weber, Nomen. Fabricii, 1795, 94.—Cr. [N. palliola, D. & S.]
palliolaris Pyralis, J. Hübnér, Europ. Schmett. 6 Horde [me judice 1796], 6 & 8 [2].—
palliola Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 69.
palliola Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 184.
pallipes Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 71.
pallipes Acarus, J. C. Fabricius, Spec. Ins. II. 1781, 485.
pallipes Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 258.
pallipes Cantharis, J. C. Fabricius, Spec. Ins. I. 1781, 259.
pallipes Carabus, J. C. Fabricius, Mant. I. 1787, 202.
pallipes Chrysomela, J. C. Fabricius, Mant. I. 1787, 73.
pallipes Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 343, no. 26.
pallipes Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 376, no. 230.
pallipes Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 89.
pallipes Cistela, J. C. Fabricius, Ent. Syst. I (2) 1792, 46.
pallipes Dermestes, J. C. Fabricius, Mant. II. 1787, 378.
pallipes Elater, J. C. Fabricius, Mant. I. 1787, 174.
pallipes Empis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 389.
pallipes Formica, J. C. Fabricius, Syst. Ent. 1775, 270.
pallipes Formica, J. C. Fabricius, Mant. I. 1787, 309.
pallipes Fulgora, J. C. Fabricius, Mant. II. 1787, 261.
pallipes Galeruca, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 590.
pallipes Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 189.—Cimex, 1781.
pallipes Hemerobius, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 63.
pallipes Iulus, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 416.
pallipes Malachius, A. G. Olivier, Entom. II. 1790, 11.
pallipes Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2834.—Stratiomys.
pallipes Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 340.
pallipes Phryganea, J. C. Fabricius, Spec. Ins. I. 1781, 388.
pallipes Saperda, A. G. Olivier, Entom. IV. 1795, 31.
pallipes Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 33.
pallipes Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627.

- pallipes** SpheX, G. W. F. Panzer, Ins. Germ. heft 52 [1798], tab. 22.
- pallipes** Stratiomys, J. C. Fabricius, Spec. Ins. II. 1781, 417.
- pallipes** Telephorus (Fab.), A. G. Olivier, Entom. II. 1790, 14.—Cantharis.
- pallipes** Tipula, J. C. Fabricius, Mant. II. 1787, 326.
- pallipes** Tritoma, C. P. Thunberg, Ins. Suecica (8) 1794, 99.
- pallipes** Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 675.
- pallium** Chlamys (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 163.—Ostrea.
- pallium** Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 697; ed. 12, 1767, 1145.
- pallium** Pecten (L.), F. C. Meuschen, Mus. Gever. 1787, 420.—Ostrea. [est.]
- pallium** Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 280.—[Noct. palliata, Fab.,
- palluma** Lacerta, G. I. Molina, Sag. stor. nat. Chili, 1782, 217.—[*palluma*, Fr. ed. 1789, 195.]
- palmarium** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 411.
- palmaria** SpheX, [Scheven], Naturforscher, XX. 1784, 100.
- palmaria** Vespa [Scheven], J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2763.—SpheX.
- palmarum** Cordyle, C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 47.
- palmarum** Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 377; ed. 12, 1767, 606.
- palmarum** Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 951.
- palmarum** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 329.
- palmarum** Rynchophorus (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 5.—
- palmarum** Sciurus, Linnaeus, Syst. Nat., ed. 12, 1766, 86. [Curculio.]
- palmarum** Sylvia (Gm.), J. Latham, Index Orn. 1790, 544.—Motacilla.
- palmarum** Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 295.
- palmatum** Alcyonium, P. S. Pallas, Elench. 1766, 349.
- palmata** Apis, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 68.
- palmatum** Callidium, A. G. Olivier, Entom. IV. 1795, 29.
- palmata** Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 118.
- palmatus** Crabro, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 3.
- palmata** Donacia, A. G. Olivier, Entom. IV. 1795, 8.
- palmata** Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 38.
- palmata** Pennatula, A. Modeer, K. Vet. Ac. Nya Handl. VII. 1786, 278.
- palmatum** Phalangium, J. F. W. Herbst, Nat. ungefl. Ins. (1). 1797, 82.
- palmatus** Prionus, J. C. Fabricius, Ent. Syst. I (2), 1792, 249.
- palmata** Rana, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
- palmata** Salamandra, J. G. Schneider, Hist. Amph. I. 1799, 72.
- palmata** Spongia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 189.
- palmata** Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 375.
- palmestoni** Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 573.
- palmer** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 169.
- Palmpipes** C. F. Schultze, Verst. Seest. 1760, 51.—Ast.
- palmpipes** Apis, P. Rossi, Mant. Ins. I. 1792, 141.
- palmpipes** Asterias, G. Olivi, Zool. Adriat. 1792, 66.
- palmpipes** Lepas, Linnaeus, Mant. II. 1771, 544.
- palmpipes** Musca, P. Rossi, Mant. Ins. II. 1794, 74.
- palmpipes** Salamandra, P. A. Latreille, Salamand. France, 1800, 31 & 55.
- palmpipes** SpheX, Linnaeus, Syst. Nat., ed. 12, 1767, 944.
- palmpipes** SpheX, F. v. P. Schrank, Ins. Aust. 1781, 384.
- palmista** Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 143.
- palma** Gorgonia, P. S. Pallas, Elench. 1766, 189.
- palma** Isis, Mercat., P. L. S. Müller, Del. Nat. I. 1766, 127.
- palmus** [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 100.
- palmyra** [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 159.
- palpalis** Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 466.—Phalaena, 1775.
- palpalis** Phalaena, J. C. Fabricius, Syst. Ent. 1775, 642.
- palpalis** Phalaena (Pyr.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 441.—Phalaena.
- palpalis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 5 & 6 [2].
- palpator** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 158.
- palpator** Musca, M. Harris, Exp. Eng. Ins. 1776, 119.
- palpatus** Carabus, [D. H. Schneider], Nom. Ent. 1785, 21 [n. n.].

- palpatus** Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2069.
palpatus Gryllus Tettigonia, J. H. Sulzer, Gesch. Ins. 1776, 83.
palpebrata Diomedea, J. R. Forster, Mém. présentés Ac. Roy. Sci. [Paris], X. 1785, 571.
palpebratus Sparus, P. Boddaert in P. S. Pallas, N. nord. Beytr. II. 1781, 55.
palpebroso Perca, Linnaeus, Syst. Nat., ed. 12, 1766, 484.
palpella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 134.
palpinalis Opilio, J. F. W. Herbst, Nat. ungef. Ins. (3) 1799, 6.
palpinalis Phalaena, Giorna, Cal. Ent. 1791, 52.
palpina Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 575.—Phalaena.
palpina [Phalaena], C. Clerck, Icones, I. 1759, pl. ix, 8.
palpina Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 182.
palpina Phalaena (Bombyx), Linnaeus, Faun. Suec., ed. 2, 1761, 305.
paludata Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 76.
paludata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 213.
paludata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 873.
[paludicola Araneus, C. Clerck, Aran. Svec. 1757, 94.]
paludicola Araneus, T. Martyn, Aranei, 1793, 43.
paludis Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
paludosa Alauda, J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 313.
paludosa Apis, O. F. Müller, Z. Dan. Prod. 1776, 165.
paludosa Apis, C. Allioni, Misc. Taurin. III. 1766, 197.
paludosa Aranea, C. de Geer, Mém. Ins. VII. 1778, 278.
paludosus Cancer, O. F. Müller, Zool. Dan. II. 1784, 23.
paludosus Cancer (Gammarellus), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 118.
paludosus Cervus, R. Kerr, Anim. Kingd. 1792, 303.
paludosus Elaphrus, A. G. Olivier, Entom. II. 1790, 5.
paludosus Elaphrus, G. W. F. Panzer, Ins. Germ. heft 20, 1794, tab. 4.
paludosa Helix, E. M. da Costa, Brit. Conch. 1778, 59.
paludosus Mus, Linnaeus, Mant. II. 1771, 522.
paludosa Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 661.
paludosa Sphex, P. Rossi, Fauna Etrus. II. 1790, 61.
paludosa Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 239.
paludum Aquarius (Fab.), J. R. Schellenberg, Cimic. Helvet. 1800, 20.—Gerris.
paludum Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 188.
palumbarius Accipiter (L.), J. C. Schaeffer, Mus. Orn. 1789, 6.—Falco.
palumbarius Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 91; ed. 12, 1766, 130.
palumbaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 102.
palumbata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 221
palumbella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 138. [n. et f.].
palumbella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 35.
Palumbus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 4 & 40.—A.
palumbus Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 163; ed. 12, 1766, 279.
palustralis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 21.
palustrata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 214.
palustris Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 623; ed. 12, 1767, 1036.
palustris Binoculus, O. F. Müller, Z. Dan. Prod. 1776, 200.
palustre Buccinum, O. F. Müller, Verm. II. 1774, 131.
palustris Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 302.—Buccinum.
palustre Cerithium (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 486.—Strombus.
palustris Curculio, Scopoli, Ent. Carn. 1763, 33.
palustris Donacia, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 100.
palustris Donacia, G. W. F. Panzer, Deutsch. Ins. [1795], 217.
palustris Donacia, G. W. F. Panzer, Ins. Germ. heft 29 [1796], tab. 10.
palustris Dytiscus, Linnaeus, Faun. Suec., ed. 2, 1761, 216.
palustris Dyticus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 72.—Dytiscus.
palustris Empis, Scopoli, Ent. Carn. 1763, 369.
palustris Gekko (L.), F. A. A. Meyer, Syn. Rept. 1795, 22.—Lacerta.
palustris Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3658.—Buccinum.

- palustris** Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 109.
- palustris** Hydrus, J. G. Schneider, Hist. Amph. I. 1799, 249.
- palustris** Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 201; ed. 12, 1766, 370.
- palustris** Lacerta (Laur.), G. Shaw, Nat. Misc. VIII. 1797, pl. 279.—Triton.
- palustris** Leptura (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1866.—
- palustris** Limulus, O. F. Müller, Entom. 1785, 127.—Binoculus, 1776. [Donacia.]
- palustris** Motacilla, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 18.
- palustris** Musca, Scopoli, Ent. Carn. 1763, 345.
- palustris** Parus, Linnaeus, Syst. Nat., ed. 10, 1758, 190; ed. 12, 1766, 341.
- palustris** Passer, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 15.
- palustris** Podura, O. F. Müller, Z. Dan. Prod. 1776, 184.
- palustris** Salamandra, F. C. Meuschen, Mus. Gronov. 1778, 7.
- palustris** Salamandra, J. G. Schneider, Hist. Amph. I. 1799, 60.
- palustris** Strix, J. M. Bechstein, Gem. Nat. Deutschschl. II. 1791, 344.
- palustris** Strombus, Linnaeus, Syst. Nat., ed. 12, 1767, 1213.
- palustris** Testudo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1041.
- palustris** Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 588; ed. 12, 1767, 978.
- palustris** Triton, J. N. Laurenti, Syn. Rept., 1768, 39.
- pamela** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (27) 1780, 61.
- pammon** [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 147.
- pammon** Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 460; ed. 12, 1767, 746.
- pamphilia** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 153.
- pamphilus** [Sphinx], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 217.
- pamphilus** Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 472; ed. 12, 1767, 791.
- pampholyge** [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 77.
- pamphylus** Papilio, *v.* **pamphilus**, Linn.. O. F. Müller, F. Ins. Frid. 1764, 33.
- pampinatrix** Sphinx, J. E. Smith in Abbot. Ins. Georgia, 1797, 55.
- pan** Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 11.—Scarabaeus, 1792.
- pan** [Papilio], D. Drury, Ill. Nat. Hist., II. 1773, index & 40.
- pan** Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 5.
- pan** [Sphinx], P. Cramer, Utitl. Kapellen, III (18) 1779, 39.
- panacea** Spongia, F. C. Meuschen, Mus. Gever. 1787, 528.
- panama** Thais, J. F. Bolten, Mus. Bolten. (2) 1798, 54.
- panamensis** Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1095.
- panayanus** Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 413.
- panayana** Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1018.
- panayensis** Buceros, J. A. Scopoli, Del. Insub. II. 1786, 87.
- panayensis** Buceros, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 360.
- panayensis** Colius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 843.
- panayensis** Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 885.
- panayensis** Emberiza, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 9 [*n. n.*].
- panayensis** Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 307.
- panayensis** Muscicapa, J. A. Scopoli, Del. Insub. II. 1786, 96.
- panayensis** Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 607.
- panaya** Sterna, *id. ac* panayensis, Gm., J. Latham, Index Orn. 1790, 808.
- pancratii** Noctua, D. Cyrillo, Ent. Neap. (typogr. ed.), 1787, 8.
- pandarus** Cimex, Scopoli, Ent. Carn. 1763, 126.
- pandarus** Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 461; ed. 12, 1767, 748.
- pandion** Papilio (Danaus), N. Poda, Ins. Mus. Graec. 1761, 66.
- pandion** [Sphinx], C. Stoll in Cramer, Utitl. Kapellen, IV (27) 1780, 65.
- pandiona** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 228.
- Pandora** J. G. Bruguière, Ency. Méth. (Tabl. Vers.) pl. 230 (1797).—L.
- Pandora** Lamarck, Mém. Soc. H. N. Paris, 1799, 88.—L.
- pandora** Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 176.
- pandora** Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 37.
- pandora** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 257.
- pandora** Sesia, J. C. Fabricius, Ent. Syst. III (1) 1793, 380.
- pandrosa** Noctua (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 211.—Phalaena.

- pandrose** Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 95.
- pandrosa** [Phalaena], P. Cramer, Uitl. Kapellen, I (7) 1775, 122.
- pandularia** Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 451.
- pandurus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2182.
- "Pangonius, Latreille, 1794,"** Scudd.; I cannot find this before "Hist. Nat. Ins. (Sonnini's Buffon, 1802."—Dip.
- paniceum** Anobium (L.), A. G. Olivier, Entom. II. 1790, 11.—Dermestes.
- paniceus** Byrrhus, A. F. de Fourcroy, Ent. Paris. 1785, 26.
- paniceus** Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 357; ed. 12, 1767, 564.
- panicea** Spongia, P. S. Pallas, Elench. 1766, 388.
- panicivora** Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 173; ed. 12, 1766, 302.
- paniculata** Antipathes, E. J. C. Esper, Pflanzenth., Forts. I (7) 1797, 184.
- panini** Buceros, P. Boddaert, Tab. Planch. Enl. 1783, 48.
- paniscus** Bibio, P. Rossi, Fauna Etrus. II. 1790, 276.
- paniscus** Cebus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 46.—Simia.
- paniscus** Cercopithecus, J. F. Blumenbach, Handb. Naturg. 1779, 68.
- paniscus** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 157.—Scarabaeus.
- paniscus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 328.
- paniscus** Papilio, J. C. Fabricius, Syst. Ent. 1775, 531.
- paniscus** Papilio (Fab.), E. Donovan, Brit. Ins. VIII. 1799, 7.—Hesperia.
- paniscus** Sapajou, B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.
- paniscus** Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 24.
- paniscus** Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 26; ed. 12, 1766, 37.
- paniscus** Simia (Sapajus) L., R. Kerr, Anim. Kingd. 1792, 76.
- pann** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 276.
- pann** Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
- pannonica** Buprestis, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 37.
- pannonicus** Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1856.
- pannonicus** Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 208.
- pannonicus** Mergus, J. M. Bechstein, Latham's Vogel, VI. 1798, 375.
- pannonicus** Mergus, J. A. Scopoli, Annus I. 1769, 72.
- pannonica** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 3.
- pannonicus** Ptinus, J. A. Scopoli, Annus V. 1772, 89.
- panope** Papilio, J. C. Fabricius, Syst. Ent. 1775, 512.
- panope** Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 479; ed. 12, 1767, 782.
- panopus** [Sphinx], P. Cramer, Uitl. Kapellen, III (19) 1779, 50.
- Panorpa** Linnaeus, Syst. Nat., ed. 10, 1758, 551; ed. 12, 1767, 915.—Neur.
- pantaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 84 [*n. et f.*].
- pantaria** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 863.
- panthalon** Zygaena, J. C. Fabricius, Ent. Syst. III (1) 1793, 405.
- Panthera** G. Edwards in M. Catesby, Carol. I. 1771, xxv.—M.
- panthera** Felis, J. C. P. Erxleben, Syst. Anim. 1777, 508.
- panthera** Felis, J. C. D. Schreber, Säugth. III. 384 (1777) & 586 (1777), pl. xcix (1776).
- panthera** Papilio, J. C. Fabricius, Mant. II. 1787, 39.
- panthera** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 281.
- [**pantheratus** Papilio, MS.], T. Martyn, Psyche, 1797, figs. 27 & 35.
- pantherata** Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 47.
- pantherinus** Anarrichas, B. Zouiew, Acta Ac. Sci. Petrop. 1781 (1), 1784, 271.
- pantherina** Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 368; ed. 12, 1767, 585.
- pantherinus** Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 506.
- pantherina** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 590; ed. 12, 1767, 980.
- pantherinum** Myrmeleon, J. C. Fabricius, Mant. I. 1787, 249.
- pantherinus** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3584.
- panthera** Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 447.
- pantheus** Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 7.
- panthonus** [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 154.
- panthona** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 68.
- panthorina** Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 443.

- panthous** *Papilio* (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 461; ed. 12, 1767, 748.
- panus** Bulla, F. C. Meuschen, Mus. Gever. 1787, 396.
- panzerella** Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 339.
- panzerella** Phalaena, E. Donovan, Brit. Ins. III. 1794, 106.
- paomedia** *Papilio*, *err. pro laomedia*, L., J. C. Fabricius, Mant. II. 1787, 37.
- papa** Locusta, *err. pro pupa Gryllus*, L., J. C. Fabricius, Mant. I. 1787, 234.
- papa** *Loxia*, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 152.
- papa** Vultur, Linnaeus, Syst. Nat., ed. 10, 1758, 86; ed. 12, 1766, 122.
- papalis** Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 260.
- papalis** Aranea, A. F. de Fourcroy, Ent. Paris. 1785, 534.
- papalis** Mitra (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 135.—Voluta.
- papalis** Murex, F. C. Meuschen, Mus. Gever. 1787, 330.
- papalis** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3459; *see* V. mitra *var.*
- papatasi** Bibio, J. A. Scopoli, Del. Insub. I. 1786, 55. [papalis.]
- papatasi** Musca (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2866.—Bibio.
- papaveris** Aphis, J. C. Fabricius, Gen. Ins. 1777, 303.
- papaveris** Apis, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris], no. 29, 1799, 33.
- Paphia** J. F. Bolten, Mus. Bolten. (2) 1798, 175.—L.
- Paphia** Lamarck, Mém. Soc. H. N. Paris. 1799, 85.—L.
- paphia** Chama (L.), F. C. Meuschen, Mus. Gever. 1787, 452.—Venus.
- paphia** Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 60.
- paphia** *Papilio* (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 481; ed. 12, 1767, 785.
- paphia** [Phalaena], P. Cramer, Utitl. Kapellen, II (13) 1777, 81.
- paphia** Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 809.
- paphia** Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 496.—[P. (Attacus), ed. 12.]
- paphia** Phalaena [*non* Linn.], J. H. Sulzer, Gesch. Ins. 1776, 159.
- paphia** Venus, Linnaeus, Syst. Nat., ed. 12, 1767, 1129.
- paphioides** *Papilio*, C. C. Jung, Alph. Verz. Schmett. II. 1792, 84.
- paphus** Noctua, J. C. Fabricius, Mant. II. 1787, 137.
- paphus** [Sphinx], P. Cramer, Utitl. Kapellen, III (18) 1779, 39.
- Papilio** Linnaeus, Syst. Nat., ed. 10, 1758, 458; ed. 12, 1767, 744; divided by him into Barbari, Equites, Heliconii, Danai, Nymphales, Plebeji, words apparently used in a subgeneric sense.—Lep.
- papilio** Chaetodon, G. S. Volta, Itt. Veron. (2) [circa 1800], cxiv.
- papilio** Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 86.
- papilio** Conus, F. C. Meuschen, Mus. Gever. 1787, 348.
- papilio** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 42.
- papilio** Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 19.
- papilionacea** Clione, P. S. Pallas, Naturg. merk. (X.) 1778, 37.
- papilionaceus** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792 665.
- papilionaria** Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 4. [*et f.*]
- papilionaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 6 [*u.*]
- papilionaria** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 522; ed. 12, 1767, 864.
- papiliopennis** Sphex, J. L. Christ, Nat. Ins. 1791, 297. [864.]
- papilla** Helix, O. F. Müller, Verm. II. 1774, 100.
- papilla** Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3675.
- papillaris** Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 353.—Helix.
- papillaris** Helix, O. F. Müller, Verm. II. 1774, 120.
- papillaris** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 7.
- papillaris** Spongia, P. S. Pallas, Elench. 1766, 391.
- papillaris** Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 83.
- papillaris** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3467.
- papillaris** Vorticella, O. F. Müller, An. Infus. 1786, 266.
- papillaria** Sphex, J. L. Christ, Nat. Ins. 1791, 325.
- papillator** Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
- papillator** Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 404.—Hydrachna.
- papillata** Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 125.—*varr.* major, 126; minor, 127; spinis, 134.

- papillosa** Acanthia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 111.
- papillosum** Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 217.—Gryllus.
- papillosum** Alcyonium, P. S. Pallas, Elench. 1776, 350.
- papillosus** Ascaris, M. E. Bloch, Eingeweidewürmer, 1782, 32.
- papillosum** Ascidia, Linnaeus, Syst. Nat., ed. 12, 1767, 1087.
- papillosus** Balistes, Linnaeus, Syst. Nat., ed. 10, 1758, 328; ed. 12, 1766, 405.
- papillosus** Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 20.
- papillosum** Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 737; ed. 12, 1767, 1200.
- papillosum** Cardium, J. X. Poli, Test. Sicil. II. 1795, 56.
- papillosus** Cimex, D. Drury, Ill. Nat. Hist. I. 1770, index & 96.
- papillosa** Doris, O. F. Müller, Z. Dan. Prod. 1776, 229.
- papillosa** Doris (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3104.—Limax.
- papillosa** Gorgonia, E. J. C. Esper, Pflanzenth. II (9) 1792, 105.
- papillosa** Gorgonia, E. J. C. Esper, Pflanzenth., Forts. I (7) 1797, 173.
- papillosus** Gryllus, J. C. Fabricius, Ent. Syst. 1775, 827.
- papillosa** Holothuria, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 47.
- papillosa** Limacia, O. F. Müller, Zool. Dan. (Danish ed.) 1781, 66.—Doris, 1776.
- papillosus** Limax, Linnaeus, Faun. Suec., ed. 2, 1761, 508.
- papillosus** Lumbricus, O. F. Müller, Z. Dan. Prod. 1776, 216.
- papillosa** Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 169.
- papillosus** Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 82.
- papillosus** Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 271; ed. 12, 1766, 459.
- papillosa** Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 72.
- papillosum** Tethyum, J. E. Gunnerus, Trondhiemske Selsk. Skrift. III. 1765, 100.
- papillosum** Trochus, E. M. da Costa, Brit. Conch. 1778, 38.
- Papio** J. C. P. Erxleben, Syst. Anim. 1777, 15.—M.
- Papio** G. Cuvier, Leçons Comp. Anat. I. 1800, 1 [*n. n.*].—M.
- Papipio**, *v.* **Papilio** Linnaeus, Mus. Lud. Ulr. 1764, 246.—Lep.
- papou** Psittacus, J. A. Scopoli, Del. Insub. II. 1786, 86.
- papposa** Asterias, Linnaeus, Syst. Nat., ed. 12, 1767, 1098.
- papua** Aptenodytes, J. R. Forster, Comm. Soc. R. Sci. Gött. III. 1781, 134.
- papuae** Apterodita, J. A. Scopoli, Del. Insub. II. 1786, 91.
- papuanus** Musculus, J. F. Bolten, Mus. Bolten. (2) 1798, 157.
- papuensis** Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 371.
- papuensis** Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1004.
- papuensis** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 317.
- papuensis** Psittacus, R. Kerr, Anim. Kingd. 1792, 566; *varr.* porphyrostethos, melano-
- papuensis** Upupa, J. Latham, Index Orn. 1790, 279. [notos, chlorogaster.]
- papulosum** Buccinum, T. Martyn, Univ. Conch. II. [1788], fig. 54.
- papulosus** Cerambix, A. G. Olivier, Entom. IV. 1795, 72.
- papula** Enchelis, *err. pro* pupula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3904.
- papus** Gryllus, *v.* pupus.
- papyracea** Argonauta, J. F. Bolten, Mus. Bolten. (2) 1798, 71.
- papyraceum** Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 260.
- papyracia** Bulla, C. U. v. Salis, Reise Neapel, 1793, 365.
- papyraceum** Cardium, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 231.
- papyraceum** Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3254.
- papyracea** Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 164.
- papyracea** Eschara, *emend.* papyrea, P. S. Pallas, Syst. Plant-Dieren. 1768, 68.
- papyracea** Flustra, Linnaeus, Syst. Nat., ed. 12, 1767, 1301.
- papyracea** Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3257.
- papyracea** Mya, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, 37.
- papyracea** Mya, A. A. H. Lichtenstein, Cat. rerum Nat. II. 1794, 1.
- papyraceus** Nautilus, P. L. S. Müller, Del. Nat. I. 1766, 129.
- papyracea** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3337.
- papyracea** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3722.
- papyraceus** Pholas, L. Spengler, Skr. nat. Selsk. [Copen.], II (1) 1792, 92.
- papyracea** Pinna, F. C. Meuschen, Mus. Gever. 1787, 412.

- papyracea** Pinna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3367.
papyracea Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 36 [*n. n.*].
papyracea Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3231.
papyracea Tubularia, P. S. Pallas, Elench. 1766, 88.
papyraceus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3596.
papyratia Phalaena (Bombyx), T. Marsham, Tr. Linn. Soc. [Lond.] I. 1791, 72.
papyrea Eschara, P. S. Pallas, Elench. 1766, 56.
paracenthesis Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 1066.
paracenthesis Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 115.—*Cryptocephalus*, 1775.
paracenthesis *Cryptocephalus* (L.), J. C. Fabricius, Syst. Ent. 1775, 111.—*Chrysomela*.
Paradisaea Linnaeus, Syst. Nat., ed. 10, 1758, 110.—A.
Paradisea Linnaeus, Syst. Nat., ed. 12, 1766, 166.—A.
paradisea Alcedo, Linnaeus, Syst. Nat., ed. 12, 1766, 181.
paradisea Ardea, H. Lichtenstein, Cat. rerum Nat. I. 1793, 28.
paradiseus Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 171.
paradisaea Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 178; ed. 12, 1766, 312.
paradisea Gracula, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 6 [*n. n.*].
paradiseus Polynemus, Linnaeus, Syst. Nat., ed. 10, 1758, 317; ed. 12, 1766, 522.
paradiseus Sterna, E. Pontoppidan, Danske Atlas, I. 1763, 622. [paradisi.
paradisaeus Todus (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 445.—*Corvus*
paradiseus Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 119; ed. 12, 1766, 189.
paradisea Upupa, Linnaeus, Syst. Nat., ed. 10, 1758, 118; ed. 12, 1766, 181.
paradisi *Corvus*, Linnaeus, Syst. Nat., ed. 10, 1758, 107.
paradisi *Muscicapa*, Linnaeus, Syst. Nat., ed. 12, 1766, 324.
paradisi *Psittacus*, Linnaeus, Syst. Nat., ed. 10, 1758, 101; ed. 12, 1766, 147.
paradisiacus *Sciurus*, J. M. Bechstein in Pennant, Uebers. 4flüss. Thiere. II. 1800, 707.
paradisiaca *Volema*, J. F. Bolten, Mus. Bolten. (2) 1798, 58.
paradox[x]a *Acanthia* (Spar.), J. C. Fabricius, Spec. Ins. II. 1781, 510.—*Cimex*.
paradoxus *Asellus* (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 252.—*Oniscus*.
paradoxa *Bombyx*, J. C. Fabricius, Mant. II. 1787, 130.
paradoxus *Cimex*, A. Sparrman, K. Vet. Ac. Handl. XXXVIII. 1777, 234.
paradoxus *Corvus*, F. M. Daudin, Traité élém. Orn. 1800, 246.
paradoxa *Cymothoa*, J. C. Fabricius, Ent. Syst. II. 1793, 503.—*Oniscus*, 1775.
"paradoxus *Entomolithus*," Linnaeus, Syst. Nat., ed. 12, III. 1768, 160.
paradoxa *Fistularia*, P. S. Pallas, Spic. Zool. VIII. 1770, 32.
paradoxus *Gammarus*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 221.
paradoxa *Gorgonia*, E. J. C. Esper, Pflanzenth., Forts. I (6) 1796, 167.
paradoxa *Helix*, I. v. Born, Test. Mus. Caes. Vindob. 1780, 394.
paradoxa *Lacerta* (L.), G. de Razoumowsky, Hist. Nat. Jorat, 1789, 111.—*Rana*.
paradoxum *Lymexylon*, G. Paykull, Faun. Suec. II. 1799, 162.
paradoxa *Mantis*, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [*n. n.*].
paradoxa *Mordella*, Linnaeus, Faun. Suec., ed. 2, 1761, 228.
paradoxa *Mordella*, C. Allioni, Misc. Taurin. III. 1766, 189.
paradoxus *Oniscus*, J. C. Fabricius, Syst. Ent. 1775, 296. [Entomolithus.
paradoxus *Oniscus* (L.), G. B. Genzmer, Mag. Nat. Meklenburgs, II. 1795, 93.—
paradoxus *Ornithorhynchus*, J. F. Blumenbach, Abb. nat. Gegen., no. 41, 1800.
paradoxus *Ornithorhynchus*, J. F. Blumenbach, Voigt's Mag. Naturk. II (1) 1800, 205.
paradoxa *Phalaena*, J. H. Sulzer, Gesch. Ins. 1776, 163.
paradoxa *Phalaena*, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 36.
paradoxa *Rana*, Linnaeus, Syst. Nat., ed. 10, 1758, 212; ed. 12, 1766, 356.
paradoxus *Ripiphorus* (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 111.
paradoxa *Sylpha*, M. Piller & L. Mitterpacher, Iter Poeseg. 1783, 113.
paradoxa *Tenthredo*, J. L. Christ, Nat. Ins. 1791, 461.
paradoxa *Tetrao*, P. S. Pallas, Reise Russ. II. 1773, 712.
paradoxa *Thrips*, Linnaeus, Amoen. Acad. VI. 1763, 401.
paradoxa *Tipula*, N. Host in Jacquin, Coll. Bot. III. 1789, 300.
paradoxa *Venus*, I. v. Born, Index Mus. Caes. Vind. 1778, 53.
paraguanus *Psittacus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 336.

- paraguensis** Mustela (Lutra), R. Kerr, Anim. Kingd. 1792, 172.
paralelalis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 452.
paralellaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 104.
paralellaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 43 [n.
paralellaria Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 322. [et f.].
paralleli Musca, M. Harris, Exp. Eng. Ins. 1776, 43.
paralelepipedus Carabus, M. Piller & L. Mitterpacher, Iter. Poseg. 1783, 105.
paralelipipedus Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 335.
paralelepipedus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 275.
paralelepipedus Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 37.
paralelipipidus Lucanus, Linnaeus, Syst. Nat., ed. 12, 1767, 561.—Scarabaeus, 1758.
paralelipipedus Platycerus, A. F. de Fourcroy, Ent. Paris. 1785, 2.
paralelipipedus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 354.—[Lucanus, ed. 12.]
parallogramma Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 226.
parallelo-lineata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 43.
parallela Aranea, J. C. Fabricius, Ent. Syst. IV. 1794, 461.
parallelus Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [n. n.].
parallelus Curculio, G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 5.
parallela Forficula, J. C. Fabricius, Syst. Ent. 1775, 270.
parallela Leptura, Scopoli, Ent. Carn. 1763, 47.
parallelus Musca, M. Harris, Exp. Eng. Ins. 1776, 57.
parallela Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 16.
parallela Noctua, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 5.
parallela Tinea, Block in G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 22.
Paramaecium O. F. Müller, Verm. I (1) 1773, 54.—Inf.
paramaribons (*sic*) Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 299.
paranympha Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 603.—Phalaena.
paranympha Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 842.
paraplecticus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 380; ed. 12, 1767, 610.
parastella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 20.
parasites Brachionus, J. F. Blumenbach, Mag. Neuste Phys. u. Nat. VI (1) 1790, 55.
parasiticus Acarus, C. de Geer, Mém. Ins. VII. 1778, 118.
parasitica Asterias, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 291.
parasiticus Atomus (De Geer), P. A. Latreille, Préc. Car. Ins. 1796, 177.—Acarus.
parasiticus Cancer, Linnaeus, Amoen. Acad. VI. 1763, 415.
parasitica Catharacta (Linn.), M. T. Brünnich, Orn. Boreal. 1764, 37.—Larus.
parasitica Clava, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3131.
parasiticum Glochidium, J. Rathke, Skr. nat. Selsk. [Copen.], IV (1) 1797, 166.
parasiticus Larus, Linnaeus, Syst. Nat., ed. 10, 1758, 136; ed. 12, 1766, 226.
parasitica Madrepora, O. Fabricius, F. Groen. 1780, 431.
parasitica Ostrea, P. G. Lindroth, Mus. Grill. 1788, 17 [n. n.].
parasitica Ostrea, J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1790, 3336.
parasitica Sertularia, Linnaeus, Syst. Nat., ed. 12, 1767, 1315.
parasiticus Stercorarius (L.), J. C. Schaeffer, Mus. Orn. 1789, 62.—Larus.
Parasitus P. A. Latreille, Mag. encyclop. III (13) 1795, 19.—Ar.
parasita Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 441.
parasitus Falco, F. M. Daudin, Traité élém. Orn. 1800, 150.
parasita Phalaena Bombyx, J. Hübner, Beitr. Schmett. II. 1790, 42.
parasita Stomoxys, J. C. Fabricius, Spec. Ins. II. 1781, 467.
parce Sphinx, J. C. Fabricius, Syst. Ent. 1775, 543.
parcus Musca, M. Harris, Exp. Eng. Ins. 1776, 144.
pardalina Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 106.
pardalis Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 29.
pardalis Cypraea, G. Shaw, Nat. Misc. VI. 1794, pl. 193.
pardalis Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 24.
pardalis Felis, Linnaeus, Syst. Nat., ed. 10, 1758, 42; ed. 12, 1766, 62.
pardalis Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3557.
pardalis Myrmeleon, J. C. Fabricius, Spec. Ins. I. 1781, 398.

- pardella** Felis, P. S. Pallas, Acta Ac. Sci. Petrop. 1781 (1), 1784, 281.
- pardus** Coluber, G. A. Suckow, Naturges. III. 1798, 241.
- pardus** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 41.
- pardus** Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 24.
- pardus** Felis, Linnaeus, Syst. Nat., ed. 10, 1758, 41; ed. 12, 1766, 61.
- parenthesella** Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 367.
- parenthesella** Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 661.—Phalaena. [153.]
- parenthesis** Chrysomela, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (2) 1782,
- parenthesis** Cryptocephalus, F. v. P. Schrank, F. Boica. I. 1798, 553.—Chrysomela, 1782.
- pareola** Pipra, Linnaeus, Syst. Nat., ed. 12, 1766, 339.
- parhassus** Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 4.
- pari** Acarus (L.), F. v. P. Schrank, Ins. Aust. 1781, 511.—Pediculus.
- pari** Alysseminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 284.
- pari** Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 614; ed. 12, 1767, 1020.
- pariana** Ph[alae]na, C. Clerck, Icones, I. 1759, pl. x, 9.
- pariana** Phalaena (Tort.), Linnaeus, Faun. Suec., ed. 2, 1761, 349.
- pariana** Pyralis (L.), J. C. Fabricius, Mant. II. 1787, 236.—Phalaena.
- pariana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me justice 1796], fig. 1 [u. et f.].
- parietina** Apis, A. F. de Fourcroy, Ent. Paris. 1785, 443.
- parietina** Apis, J. C. Fabricius, Ent. Syst. II. 1793, 323.
- parietina** Aranea, A. F. de Fourcroy, Ent. Paris. 1785, 533.
- parietina** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 599; ed. 12, 1767, 996.
- parietinus** Opilio (De G.), J. F. W. Herbst, Nat. ungef. Ins. (2) 1798, 12.—Phalangium.
- parietinum** Phalangium, C. de Geer, Mém. Ins. VII. 1778, 166.
- parietina** Vespa, Linnaeus, Faun. Suec., ed. 2, 1761, 418.
- parietina** Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 268.
- parietum** Certhia, J. Latham, Index Orn. 1790, 298.
- parietum** Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 572; ed. 12, 1767, 949.
- parimariboa** Silpha, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 205.
- pari-palustris** Pediculus, J. A. Scopoli, Annus V. 1772, 125.
- paripunctella** Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 96.
- paris** Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 459; ed. 12, 1767, 745.
- parisiensis** Tipula, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 26.
- parisiensium** Chamaeleo, J. N. Laurenti, Syn. Rept. 1768, 45.
- parisina** Crioceris, C. P. Thunberg, N. Acta Soc. Sci. Upsal. V. 1792, 93.
- parisinus** Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1711.
- parisinus** Curculio, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 16.
- parisina** Leptura, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 16.
- parisinus** Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 85.
- parisinus** Triton, J. N. Laurenti, Syn. Rept. 1768, 40. [house, Gen. Avium.—A.]
- "Parkinsonius**, Bechst. Gem. Naturg. 180—" Ag.; I cannot find it before 1811, see Water-
- parmenides** [Papilio], C. Stoll in Cramer, Utit. Kapellen, IV (31) 1781, 144.
- parnassiae** Cimex, Mayer, Abh. Privatges. Böhmen, IV. 1779, 183.
- parnassiae** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2160.
- Parnopes** P. A. Latreille, Préc. Car. Ins. 1796, 127.—Hym.
- Parnus** J. C. Fabricius, Ent. Syst. I (1) 1792, 245.—Col.
- parochus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 55.
- paroticus** Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 284; ed. 12, 1766, 476.
- parotis** Colymbus, A. Sparrman, Mus. Carls. I. 1786, no. ix.
- Parra** Linnaeus, Syst. Nat., ed. 12, 1766, 259.—A.
- Parra** B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 19.—A.
- parra** Gralla, J. P. Eberling in Sonnerat, Reise Neuginea, 1777, 31.
- parrhasius** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 289.
- parrhasia** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 175.
- parraka** Phasianus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 740.
- parraqu** Phasianus, J. Latham, Index Orn. 1790, 632.
- parsimon** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 303.
- parsimon** Papilio, J. C. Fabricius, Syst. Ent. 1775, 526.

- parthenias** Noctua (L.), E. J. C. Esper, Die Schmett. IV (32) 1787, 53.—Phalaena.
parthenias Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 308.
parthenie [Papilio], J. A. B. Bergstraesser, Nom. Ins. IV. 1780, 34.
parthenii Phalaena (ex Bergstr.), F. v. P. Schrank, Schrift. Berlin. Ges. Nat. Freunde,
parthenii Zygaena, J. C. Fabricius, Ent. Syst. III (1) 1793, 402. [II. 1781, 310.]
Parthenope F. Weber, Nomen. Fabricii, 1795, 92.—Cr.
Parthenope J. C. Fabricius, Suppl. Ent. Syst. 1798, 315.—Cr.
Parthenope J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 16.—Cr.
parthenopeus Murex, C. U. v. Salis, Reise Neapel, 1793, 370.
"partialis Anthropolithus," J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 386.
"partialis Ornitholithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 157.
partitus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2720.
partita Noctua, J. C. Fabricius, Syst. Ent. 1775, 604.
paru Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 57.
paru Stromateus, Linnaeus, Syst. Nat., ed. 10, 1758, 248; ed. 12, 1766, 432.
parumpunctatus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 157.
Parus Linnaeus, Syst. Nat., ed. 10, 1758, 189; ed. 12, 1766, 340.—A.
parvella Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 343.
parvella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 500.—Alucita, 1794.
parvulus Alpheus (Fab.), F. Weber, Nomen. Fabricii, 1795, 91.—Cancer.
parvula Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 277.
parvula Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 137.
parvulus Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 451.
parvula Cicada, J. C. Fabricius, Suppl. Ent. Syst. 1798, 521.
parvula Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 286.
parvulus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 36.
parvulus Cryptocephalus, O. F. Müller, Z. Dan. Prod. 1776, 58.
parvulus Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 109.
parvulus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 469.
parvulus Dytiscus, O. F. Müller, Z. Dan. Prod. 1776, 73.
parvulus Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 127.
parvulus Elater, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 7.
parvula Ephemera, Scopoli, Ent. Carn. 1763, 264.
parvula Galeruca, G. Paykull, Faun. Suec. II. 1799, 102.
parvula Helix, Studer in Coxe, Trav. Switz. III. 1789, 387 [n. n.].
parvulus Hemerobius, O. F. Müller, F. Ins. Frid. 1764, 66.
parvulus Hister, P. Rossi, Mant. Ins. I. 1792, 14.
parvulus Hydrophilus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 314.
parvula Libellula, O. F. Müller, Z. Dan. Prod. 1776, 141.
parvulus Lyctus, G. Paykull, Faun. Suec. III. 1800, 329.
parvula Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [n. n.].
parvulus Musca, M. Harris, Exp. Eng. Ins. 1776, 48.
parvula Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 42.
parvulus Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122.
parvulus Thelephorus, O. F. Müller, Z. Dan. Prod. 1776, 62.
Parvus J. A. Scopoli, Del. Flor. et Faun. Insub. II. 1786, 96.—A.
parva Anas, T. Pennant in Forster, Ind. Zool. 1781, 42 [n. n.].
parva Ardea, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 19.
parva Auriformis (L.), F. C. Meuschen, Mus. Gever. 1787, 250.—Haliotis.
parvus Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 407.
parva Cantharis, Scopoli, Ent. Carn. 1763, 44.
parvum Cardium, E. M. da Costa, Brit. Conch. 1778, 177.
parva Chama, E. M. da Costa, Brit. Conch. 1778, 234.
parva Crioceris, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 66.
parvus Cryptocephalus (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1724.—
parvus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46. [Crioceris.]
parva Fulica, T. Pennant in Forster, Ind. Zool. 1781, 42 [n. n.].
parva Haliotis, Linnaeus, Syst. Nat., ed. 10, 1758, 780; ed. 12, 1767, 1256.

- parva** Helix, E. M. da Costa, Brit. Conch. 1778, 85.
parva Hirundo, T. Pennant in Forster, Ind. Zool. 1781, 42 [*n. n.*].
parvus Lemur, J. M. Bechstein in Pennant, Uebers. 4fuss. Thiere, I. 1799, 240.
parva Mantis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2055.
"parva" Motacilla, J. A. Naumann, Naturg. Vögel, I (6) 1797, Register [p. 253].
parva Muscivaca, J. M. Bechstein, Getreue Abbild. heft 2, 1793, 26.
parva Patella, E. M. da Costa, Brit. Conch. 1778, 7.
parvus Pecten, E. M. da Costa, Brit. Conch. 1778, 153.
parvus Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 579.
parvus Pholas, T. Pennant, Brit. Zool., ed. 4. IV. 1777, 65.
parvus Pullata, M. Harris, Exp. Eng. Ins. 1776, 77.
parvus Rallus, J. A. Scopoli, Annus I. 1769, 108.
parvus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2037.
parvus Trochus, E. M. da Costa, Brit. Conch. 1778, 41.
parvus Trochus, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 65.
parvus Turbo, E. M. da Costa, Brit. Conch. 1778, 104.
pasan Lucanus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 21.
paschalis Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 22. [159.—Geometra.
pascuaria Phalaena Geometra (Brahm), M. B. Borkhausen, Nat. eur. Schmett. V. 1794.
pascuata Phalaena (Geometra), O. F. Müller, Z. Dan. Prod. 1776, 129.
pascuella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 535; ed. 12, 1767, 886.
pascuella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 658.—Phalaena.
pascuorum Apis, Scopoli, Ent. Carn. 1763, 306.
pascuum Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 471.—Tinea pascuella.
pasinuntia [Papilio], C. Stoll in Cramer, Utl. Kapellen, IV (27) 1780, 55.
pasinuntia [Phalaena], C. Stoll in Cramer, Utl. Kapellen, IV (31) 1781, 149.
pasiphae [Papilio], P. Cramer, Utl. Kapellen, I (7) 1775, 127.
pasiphaë Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 33. [99.
pasiphae Papilio N. G., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. 1781,
pasithea Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 46.
pasithee Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 12, 1767, 755.
pasithoe Papilio, P. Cramer, Utl. Kapellen, I (2) 1775, 25.
pasiana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 99 [*n. et f.*].
pasquagana Pylalis (D. & S.), J. C. Fabricius, Mant. II. 1787, 226.—Tortrix.
pasquayana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 318.
passalis Zygaena, J. C. Fabricius, Spec. Ins. II. 1781, 159.
Passalus J. C. Fabricius, Ent. Syst. I (2) 1792, 240.—Col.
passalus Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 52.
passan Apterionotus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 200.
passaragia Otis, J. R. Forster in Latham and Davies, Faun. Ind., ed. 2, 1795, 11 [*n. n.*].
Passer M. J. Brisson, Ornith. III. 1760, 72.—A.
Passer (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 582.—P.
passer Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 271; ed. 12, 1766, 459.
Passerculus G. Edwards in M. Catesby, Carol. I. 1771, 35.—A.
passerculus bononiensis Passer, J. C. Schaeffer, Mus. Orn. 1789, 25.
passerinus Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 616; ed. 12, 1767, 1023.
passerina Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 165; ed. 12, 1766, 285.
passerinus Cuculus, M. Vahl, Skr. nat. Selsk. [Copen.], IV (1) 1797, 57.
passerina Emberiza, P. S. Pallas, Reise Russ. I. 1771, 456.
passerinus Lanius, H. Lichtenstein, Cat. rerum Nat. I. 1793, 5.
passerina Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 954.
passerinus Picus, Linnaeus, Syst. Nat., ed. 12, 1766, 174.
passerinus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 103; ed. 12, 1766, 150.
passerina Strix, Linnaeus, Syst. Nat., ed. 10, 1758, 93; ed. 12, 1766, 133.
passerina Strix, R. Kerr, Anim. Kingd. 1792, 540; *varr. americana*, rossica.
passerina Sylvia (Gm.), J. Latham, Index Orn. 1790, 508.—Motacilla.
passeris Pediculus, A. F. de Fourcroy, Ent. Paris. 1785, 518.
passeris Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3071.

- passiflorae** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 60.
- passilus** Cryptocephalus, *err. pro* pusillus, Fabr. 1781, J. C. Fabricius, Mant. I. 1787, 84.
- passus** Brachionus, O. F. Müller, An. Infus. 1786, 353.
- pastilla** Stribilita, F. C. Meuschen, Mus. Gever. 1787, 488.
- pastinaca** Raja, Linnaeus, Syst. Nat., ed. 10, 1758, 232; ed. 12, 1766, 396.
- pastinaca** Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 451; ed. 12, 1767, 734.
- pastinacae** Curculio, P. Rossi, Fauna Etrus. I. 1790, 116.
- pastinacae** Ichneumon, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 351.
- pastinacae** Leptura, G. W. F. Panzer, Deutsch. Ins. [1795], 275.
- pastulella** Tinea, J. C. Fabricius, Mant. II. 1787, 241.
- [patagiatus** Araneus, C. Clerck, Aran. Svec. 1757, 38.]
- patagiatus** Araneus, T. Martyn, Aranei, 1793, 161. [Sci. Gött. III. 1781, 134.]
- patachonica** Aptenodytes, *id. ac* patagonica, J. F. Miller, J. R. Forster, Comm. Soc. R.
- patagonica** Aptenodytes, J. F. Miller, Icon. Anim., pl. 23 (1778).
- patagonica** Cavia, P. Boddaert, Elench. 1785, 102.
- patagonica** Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 957.
- patachonica** Pinguinaria (Mill.), G. Shaw, Mus. Lever. I. 1792, 144.—Aptenodytes.
- patagonica** Sylvia (Gm.), J. Latham, Index Orn. 1790, 517.—Motacilla.
- patagonum** Cavia, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 328.
- patas** Cercopithecus (Schr.), J. C. P. Erxleben, Syst. Anim. 1777, 34.—Simia.
- patas** Simia, J. C. D. Schreber, Säugth. I. 98 (1774), pl. xvi (1774).
- patavinus** Phasianus, J. Latham, Index Orn. 1790, 628.
- Patella** Linnaeus, Syst. Nat., ed. 10, 1758, 780; ed. 12, 1767, 1257.—G.
- patella** Brachionus, O. F. Müller, Verm. I (1) 1773, 130.
- patella** Gobius, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 31.
- patella** Kerona, Müll., O. F. Müller, An. Infus. 1786, 239.—Trichoda.
- patella** Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 148.
- patella** Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 16.
- patella** Trichoda, O. F. Müller, Verm. I (1) 1773, 95.
- patellaris** Echinites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 256.
- patillaris** Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3201.—
- patellaris** Lepas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3213. [Echinites.]
- patellaria** Sphex, [Scheven], Naturforscher, XX. 1784, 95.
- patellaria** Vespa (Scheven), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2763.—Sphex.
- patellatus** Crabro, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 4.
- patelliformis** Anomia, Linnaeus, Faun. Suec., ed. 2, 1761, 521.
- patelliformis** Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 226.
- patelliformis** Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 169.
- patellina** Vorticella, O. F. Müller, Z. Dan. Prod. 1776, 281.
- patelloides** Astroites, J. E. I. Walch, Naturforscher, V. 1775, 51.
- patelloides** Madrepora (Walch), P. S. Pallas, Char. Thierpfl. II. 1787, 132.—Astroites.
- patens** Trichoda, O. F. Müller, An. Infus. 1786, 181.
- patera** Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 153.
- patera** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8
- paternoster** Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [*n. n.*].
- patholatus** *v.* petolatus.
- pathyrnchos** Anas, S. G. Gmelin, Reise Russ. II. 1774, 182.
- patibulum** Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 89.
- patina** Brachionus, O. F. Müller, An. Infus. 1786, 337.
- patina** Medusa, A. Modeer, Nova Acta Acad. Caes. VIII., App., 1791, 32.
- patinaeformis** Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (3) 1795, 94.
- patira** Sus, H. F. Link, Beytr. Nat. I (2) 1795, 105.
- patriarchialis** Arca, J. F. Bolten, Mus. Bolten. (2) 1798, 174.
- patriarchialis** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3460.
- patricius** Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 527.
- patroclus** Noctua (L.), J. C. Fabricius, Ent. Syst. III (2) 1794, 8.—Papilio.
- patroclus** Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 462; ed. 12, 1767, 749.
- pattersonii** Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 42.

- patula** Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 225.
patulus Brachionus, O. F. Müller, An. Infus. 1786, 361.
patulum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 739; ed. 12, 1767, 1202.
patulus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 305.
patula Bulla, T. Pennant, Brit. Zool., ed. 4, IV, 1777, 101.
patula Gorgonia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 88.
patulus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 322.
patula Thais, J. F. Bolten, Mus. Bolten. (2) 1798, 54.
patula Trichoda, O. F. Müller, An. Infus. 1786, 181.
patulus Turbo, E. M. da Costa, Brit. Conch. 1778, 95.
Patus, *z.* **Parus** P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 178.—A.
Paulina Libellula, D. Drury, Ill. Nat. Hist. II, 1773, index & 85.
paulina [Papilio], P. Cramer, Utitl. Kapellen, II (10) 1777, 21.
paulinus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 211.
paullus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 63.
pauperata Empusa (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 499.—Mantis.
pauperata Mantis, J. C. Fabricius, Spec. Ins. I, 1781, 346.
pauperata Noctua, J. C. Fabricius, Syst. Ent. 1775, 608.
pauperculus Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 330.—Voluta.
paupercula Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 731; ed. 12, 1767, 1190.
Paussus Linnaeus, Bigis Insect. 1775, 6.—Col.
Pausus C. P. Thunberg, K. Vet. Ak. Handl. 1781, 168.—Col.
paxui Crax, Linnaeus, Syst. Nat., ed. 12, 1766, 270.
pavida Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 214.
pavida Tenthredo, J. C. Fabricius, Syst. Ent. 1775, 321.
pavimentum Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 147.
pavimentum Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 41.
Pavo Linnaeus, Syst. Nat., ed. 10, 1758, 156; ed. 12, 1766, 267.—A.
pavo Chaetodon, M. E. Bloch, Nat. ausl. Fische, III, 1787, 60.
pavo Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 283; ed. 12, 1766, 474.
pavonana Phalaena, E. Donovan, Brit. Ins. II, 1793, 59.
pavonana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 275.
pavoniae Ichneumon, Scopoli, Ent. Carn. 1763, 288.
pavoniella Phalaena, Scopoli, Ent. Carn. 1763, 192.
pavonina Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 141; ed. 12, 1766, 233.
pavonina Cassida, A. A. H. Lichtenstein, Cat. rerum Nat. III, 1796, 65.
pavonina Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII, 1799, 322.
pavoninus Cyclopterus, G. Shaw, Nat. Misc. IX, 1797, pl. 310.
pavonina Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III, 1796, 82.
pavoninus Ramphastos, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 353.
pavoninus Tantalus, Skr. nat. Selsk. [Copen.], IV (2) 1798, 123.
pavonis Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 613; ed. 12, 1767, 1019.
Pavonites J. E. Guettard, Mém. diff. Sci. II, 1770, 367.—Cor.
pavonia Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 559.—Phalaena.
pavonia Corallina (Linn.), P. S. Pallas, Elench. 1766, 419.—Fucus.
pavonius Fucus, Linnaeus, Syst. Nat., ed. 10, II, 1759, 1345, 24.—[*z.* Corallina.]
pavonia Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 810.
pavonia Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 496.—[P. (Attacus),
pavonia Phalaena Noctua, J. Hübner, Beitr. Schmett. I (2) [1787], 5. [ed. 12.]
pavonia major Phalaena, C. de Villers, Linn. Ent. II, 1789, 115.
pavonia-media Phalaena, C. de Villers, Linn. Ent. II, 1789, 116.
pavonia minor Phalaena, C. de Villers, Linn. Ent. II, 1789, 117.
pavunculus Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 35.
paxillifer Vibrio, O. F. Müller, An. Infus. 1786, 54.
paxillus Trichoda, O. F. Müller, An. Infus. 1786, 198.
payanensis Colius, F. M. Daudin, Traité élém. Orn. 1800, 363.—[*err. pro panayensis.*]
paykullella Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 340.
paykullella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 89.

- paykullella** Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 500.—Alucita, 1794.
paykulliana Pyralis, J. C. Fabricius, Mant. II. 1787, 235.
paykulliana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 530.
paykullii Carabus, P. Rossi, Mant. Ins. I. 1792, 72.
peas Papilio, L. Prunner, Lep. Pedemont. 1798, 70.
pecari Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 29.—Scarabaeus.
pecari Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 38.
pecari Sus, H. F. Link, Beytr. Nat. I (2) 1795, 104.
pecoris Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 910.
pecorum Oestrus, J. C. Fabricius, Ent. Syst. IV. 1794, 230.
Pecten O. F. Müller, Z. Dan. Prod. 1776, 248.—L.
Pecten J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xiv.—L.
Pecten J. F. Bolten, Mus. Bolten. (2) 1798, 165.—L.
Pecten Lamarck, Mém. Soc. H. N. Paris, 1799, 88.—L.
pecten Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 702; ed. 12, 1767, 1152.
pecten Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 20 [n. n.].
pecten Ostrea, P. Forskal, Descr. Anim. 1775, 140 [n. n.].
pecten Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3702.
pecten Terebratula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 99 [n. n.].
pecticornis Bruchus, Linnaeus, Syst. Nat., ed. 12, 1767, 605.
pectinana Geometra, [Denis & Schiffermüller]; Schmett. Wien, 1775, 103.
pectinaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 30 [n.].
pectinataria Phalaena (G.), A. W. Knoch, Beitr. Insektenges. I. 1781, 55. [et f.].
pectinatus Alyseminthus, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 246.
pectinatum Anobium (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 336.—Ptilinus.
pectinata Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 701; ed. 12, 1767, 1150.
pectinata Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3313.
pectinata Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 663; ed. 12, 1767, 1101.
pectinatus Astroites, J. E. I. Walch, Naturforscher, V. 1775, 46.
pectinatus Bostrichus, J. N. Laicharting, Tyrol. Ins. I. 1781, 62.
pectinata Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 403; ed. 12, 1767, 649.
pectinatum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 681; ed. 12, 1767, 1124.
pectinata Chamaeformis (L.), F. C. Meuschen, Mus. Gever. 1787, 450.—Venus.
pectinatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 467.
pectinatum Gafarium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 177.—Venus.
pectinata Gorgonia, P. S. Pallas, Elench. 1766, 179.
pectinata Lampyris, J. C. Fabricius, Syst. Ent. 1775, 824.
pectinata Lepas, L. Spengler, Skr. nat. Selsk. [Copen.], II (2) 1793, 106.
pectinata Lytta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2016.
pectinata Madrepora (Walch), P. S. Pallas, Char. Thierpfl. II. 1787, 129.—Astroites.
pectinata Mantis, D. Drury, Ill. Nat. Hist. I. 1770, index & 128.
pectinata Mordella, J. C. Fabricius, Syst. Ent. 1775, 263.
pectinata Mordella, C. de Villers, Linn. Ent. I. 1789, 408.
pectinata Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 783; ed. 12, 1767, 1259.
pectinata Pinna, Linnaeus, Syst. Nat., ed. 12, 1767, 1160.
pectinata Pinna, J. F. Bolten, Mus. Bolten. (2) 1798, 160.
pectinatus Ptilinus, J. C. Fabricius, Ent. Syst. I (1) 1792, 244.
pectinatus Pristis, J. Latham, Tr. Linn. Soc. [Lond.], II. 1794, 278.
pectinatus Ripiphorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 111.
pectinatus Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 10.
pectinata Sphinx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2396.
pectinata Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 363.
pectinata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3236.
pectinata Terebratula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 99 [n. n.].
pectinata Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2819.
pectinata Tubularia, J. F. Blumenbach, Gött. Mag. Wiss. I (4) 1780, 125.
pectinata Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 689; ed. 12, 1767, 1135.
pectinella Bombyx, J. C. Fabricius, Mant. II. 1787, 132.

- pectinella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 133.
- pectinella** Tinea, J. C. Fabricius, Mant. II. 1787, 248.
- pectinicornae** Anobium (L.), L. G. Scriba, J. Lieb. Ent. II. 1790, 155.—Ptinus.
- pectinicornis** Bruchus, Linnaeus, Syst. Nat., ed. 12, I. 1767, 605.
- pectinicornis** Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 403; ed. 12, 1767, 620.
- pectinicornis** Clytra, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 31.
- pectinicornis** Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 391.—Ichneumon.
- pectinicornis** Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 355.—[Ptinus. ed. 12.]
- pectinicornis** Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 406; ed. 12, 1767, 625.
- pectinicornis** Hemerobius, Linnaeus, Amoen. Acad. VI. 1763, 412.
- pectinicornis** Hispa (L.), J. C. Fabricius, Syst. Ent. 1775, 70.—Ptinus.
- pectinicornis** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 568; ed. 12, 1767, 941.
- pectinicornis** Lampyris (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1886.—
Cantharis.
- pectinicornis** Ligniperda (L.), Herbst in Jablonsky. Nat. Ins. (Käfer) V. 1793, 41.—Ptilinus.
- pectinicornis** Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 691.
- pectinicornis** Phryganea, Scopoli, Ent. Carn. 1763, 268.
- pectinicornis** Ptilinus (L.), A. G. Olivier, Entom. II. 1790, 4.—Ptinus.
- pectinicornis** Ptinus, Linnaeus, Syst. Nat., ed. 12, 1767, 565.—[Dermestes, ed. 10.]
- pectinicornis** Pyrochroa (L.), J. C. Fabricius, Mant. I. 1787, 162.—Cantharis.
- pectinicornis** Semblis (L.), J. C. Fabricius, Spec. Ins. I. 1781, 386.—Hemerobius.
- pectinicornis** Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 495; ed. 12, 1767, 807.
- pectinicornis** Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 374.
- pectinicornis** Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 585; ed. 12, 1767, 970.
- pectinicornis** Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 554.—Sphinx.
- pectiniformis** Anomia, J. X. Poli, Test. Sicil. II. 1795, 187.
- pectiniforme** Echionoderma, J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—= Anomia of
- pectinipes** Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 570; ed. 12, 1767, 944 [p. 187.
- pectinipes** Sphex, J. Hill, Decade Curious Insects, 1773, 10.
- pectinirostris** Gobius, Linnaeus, Syst. Nat., ed. 10, 1758, 264; ed. 12, 1766, 450.
- Pectinites** J. Gesner, Tract. Petref. 1758, 38.—L.
- “**Pectinoides**, Da Costa, 1776,” Scudd.; not used in a Linnean sense.
- pectinalis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 4 [2].
- “**pectoralis**” [*sine* gen.], Herbst in Fuessly, Arch. Insect. IV. 1783, 41.—[? Nitidula.]
- pectoralis** Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 237.
- pectoralis** Buprestis, A. G. Olivier, Entom. II. 1790, 75.
- pectoralis** Cerambyx, A. G. Olivier, Entom. IV. 1795, 122.
- pectoralis** Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 328.
- pectoralis** Coccinella (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 420.—Chrysomela.
- pectoralis** Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 312.
- pectorale** Gonium, O. F. Müller, Verm. I (1) 1773, 60.
- pectoralis** Lernaea, O. F. Müller, Z. Dan. Prod. 1776, 227.
- pectoralis** Loxia, J. Latham, Index Orn. 1790, 390.
- pectoralis** Nitidula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 1631.
- pectoralis** Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 78.
- pectoralis** Trochilus, J. Latham, Index Orn. 1790, 306.
- pectoralis** Turdus, J. Latham, Index Orn. 1790, 357.
- Pectunculites** J. Gesner, Tract. Petref. 1758, 38.—L.
- Pectunculus** E. M. Da Costa, Brit. Conch. 1778, 183.—L.
- Pectunculus** [G. Humphreys], Mus. Calonn. 1797, 47.—L.
- Pectunculus** Lamarck, Mém. Soc. H. N. Paris, 1799, 87.—L.
- pectunculus** Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 695; ed. 12, 1767, 1142.
- pectunculus** Cardita, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 412.
- pectunculus** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3713.
- pectunculus** Pectunculus (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 87.—Arca.
- pectunculus** Tuceta (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 173.—Arca.
- pectunculus** Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3287.
- pedana** Phalaena, Scopoli, Ent. Carn. 1763, 237.

37
A
1846

- pedaria Geometra, C. de Villers, Linn. Ent. IV. 1789, 498.
- pedaria Phalaena, J. C. Fabricius, Mant. II. 1787, 191.
- pedator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 828.
- pedatorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 133.
- pedata Anatifera, F. C. Meuschen, Mus. Gever. 1787, 476.
- pedatus Cancer, O. Fabricius, F. Groen. 1780, 243.
- pedatus Cancer (Gammarellus) Fabr., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 107.
- pedata Festucaria, F. v. P. Schrank, Samml. Nat. Phys. Aufsatz. 1796, 335.
- pedatus Gammarus, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 33.
- pedella Leptura, C. de Geer, Mém. Ins. V. 1775, 129.
- pedella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 367.
- pedellus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 266.
- pedella Tipula, C. de Geer, Mém. Ins. VI. 1776, 378.
- paedemontanus Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 378.
- pedemontanus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 342.
- pedemontana Libellula, C. Allioni, Misc. Taurin. III. 1766, 194.
- paedemontana Mutilla, J. C. Fabricius, Ent. Syst. IV. 1794, 461.
- pedemontana Peltis (F.), G. A. Harter, Besch. Schaeffer Icones, 1784, 88.—Silpha.
- paedemontana Silpha, J. C. Fabricius, Syst. Ent. 1775, 75.
- pedes Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2191.
- pedestris Acanthia, J. C. Fabricius, Spec. Ins. II. 1781, 336.
- pedestre Acridium (L.), O. F. Müller, Z. Dan. Prod. 1776, 100.—Gryllus.
- pedestris Carabus, P. Rossi, Fauna Etrus. I. 1790, 224.
- pedestris Cerambyx, N. Poda, Ins. Mus. Graec. 1761, 34.
- pedestris Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 54.
- pedestris Cimex, N. Poda, Ins. Mus. Graec. 1761, 56.
- pedestris Cimex, J. C. Fabricius, Syst. Ent. 1775, 727.
- pedestris Curculio, N. Poda, Ins. Mus. Graec. 1761, 30.
- pedestris Curculio, G. Paykull, Mon. Curc. 1792, 46.
- pedestris Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 298.
- pedestris Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 190.—Cimex, 1775.
- pedestris Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 433; ed. 12, 1767, 703.
- pedestris Gryllus Tett. (Fab.), C. de Villers, Linn. Ent. IV. 1789, 376.—Locusta.
- pedestris Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 344.
- pedestris Ichneumon Mutilla, Fab., J. L. Christ, Nat. Ins. 1791, 377.
- pedestris Lamia (Poda), J. C. Fabricius, Syst. Ent. 1775, 176.—Cerambyx.
- pedestris Locusta, J. C. Fabricius, Mant. I. 1787, 235.
- pedestris Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 539.—Gerris, 1794.
- pedestris Notoxus, P. Rossi, Mant. Ins. I. 1792, 45.—Carabus, 1790.
- pedestris Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 111.
- pedestris Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 267.—Tiphia.
- pedestris Tiphia, J. C. Fabricius, Syst. Ent. 1775, 354.
- pedibus-nigris Cebus, H. F. Link, Beytr. Nat. I (2) 1795, 63 [n. n.].
- Pedicellaria O. F. Müller, Z. Dan. Prod. 1776, xxviii & 229.—Pol. [Lamia.
- pedicornis Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1827.—
- pedicornis Larva, J. C. Fabricius, Syst. Ent. 1775, 170. [561.—Dermestes pedicularis
- pedicularis Boreo-nycterus (L.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
- pedicularis Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 241.
- pedicularis Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 128.
- pedicularis Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 551; ed. 12, 1767, 913.
- pedicularis Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 362; ed. 12, 1767, 574 (-aria).
- pedicularis Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 418.
- pedicularia Anthribus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 160.—Silpha.
- pedicularia Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 402; ed. 12, 1767, 648.
- pedicularia Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 61.
- pedicularius Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 383; ed. 12, 1767, 615.
- pedicularius Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 236.
- pedicularius Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 357; ed. 12, 1767, 564.

- pedicularius** Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 128.
- pedicularius** Hermerobius, Linnaeus, Faun. Suec., ed. 2, 1761, 384.
- pedicularius** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 192.
- pedicularius** Kateretes (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 12.—Dermetes.
- pedicularius** Malachius (L.), J. C. Fabricius, Syst. Ent. 1775, 208.—Cantharis.
- pedicularius** Meloe, F. v. P. Schrank, Ins. Aust. 1781, 224.
- pedicularia** Nitidula (L.), J. C. Fabricius, Syst. Ent. 1775, 78.—Silpha.
- pedicularia** Silpha, =pedicularis. Linnaeus, Faun. Suec., ed. 2, 1761, 152.
- pediculata** Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 671.
- Pediculus** Linnaeus, Syst. Nat., ed. 10, 1758, 610; ed. 12, 1767, 1016.—Ar.
- pediculus** Cyclidium, O. F. Müller, Verm. I (1) 1773, 54.
- pediculus** Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 724; ed. 12, 1767, 1180.
- pediculus** Formica, J. L. Christ, Nat. Ins. 1791, 518.
- pediculus** Monoculus, Linnaeus, Syst. Nat., ed. 10, 1758, 635; ed. 12, 1767, 1058.
- pedifera** Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 334.
- Pedinus** P. A. Latreille, Préc. Car. Ins. 1796, 20.—Col.
- pedipes** Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 340.
- pedipus** Scarabaeus, *err. pro* oedipus, Fabr., J. C. Fabricius, Mant. I. 1787, 11.
- pedisequella** Tinea, [Denis & Schiffermüller]. Schmett. Wien. 1775, 140.
- pedisequella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 61.
- pedissequus** Musca, M. Harris, Exp. Eng. Ins. 1776, 61.
- pedo** Gryllus (Tettigonia), P. S. Pallas, Reise Russ. I. 1771, 467.
- pedo** Musca, M. Harris, Exp. Eng. Ins. 1776, 115.
- Pedum** [G. Humphreys], Mus. Calonn. 1797, 5.—Ceph.
- Pedum** J. G. Bruguière, Ency. Méth. (Tabl. Vers) pl. 178 (1791) [*u. et f.*].—L.
- Pedum** Lamarck, Mém. Soc. H. N. Paris. 1799, 88.—L.
- pedum** Ostrea, J. F. Bolten, Mus. Bolten. (2) 1798, 170.
- pedunculata** Actinia, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 41.
- pedunculata** Aphrodita, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 37.
- pedunculata** Ascidia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 149.
- pedunculata** Ascidia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3127.
- pedunculatus** Gammarellus, J. F. W. Herbst, Vers. Nat. Krab. II (6) 1796, 176.
- pedunculata** Vespa, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 8.
- pegala** Papilio, J. C. Fabricius, Syst. Ent. 1775, 494.
- pegaso** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 103.
- Pegasus** Linnaeus, Syst. Nat., ed. 10, 1758, 338; ed. 12, 1766, 418.—P.
- Pegasus** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [*u. u.*].—P.
- pegasus** Trochilus, Linnaeus, Syst. Nat., ed. 12, 1766, 192.
- pelagica** Ascaris, J. E. Gunnerus, Skrift. Kiob. Selsk. Laerdoms, X. 1770, 174.
- pelagicus** Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 626; ed. 12, 1767, 1042.
- pelagicus** Cancer, P. Forskal, Descr. Anim. 1775, 89.
- pelagicus** Cyprinus, P. Osbeck, Reise Ost.-Ind. China. 1765, 401.
- pelagicus** Cyprinus, N. Mohr, Island. Nat. 1786, 84.
- pelagica** Hirundo, Linnaeus, Syst. Nat., ed. 10, 1758, 192; ed. 12, 1766, 345 [pelasgia].
- pelagica** Hydra, Bosc, Bull. Sci. Soc. Philom. [Paris], no. 2, 1797, 10.
- pelagica** Medusa, Linnaeus, Syst. Nat. ed. 10, 1758, 660; ed. 12, 1767, 1098.
- pelagica** Nereis, Linnaeus, Syst. Nat., ed. 10, 1758, 654; ed. 12, 1767, 1086.
- pelagicus** Portunus, [L.], F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
- pelagica** Procellaria, Linnaeus, Syst. Nat., ed. 10, 1758, 131; ed. 12, 1766, 212.
- pelagicus** Scomber, Linnaeus, Syst. Nat., ed. 10, 1758, 299; ed. 12, 1766, 495.
- pelagica** Scyllaea, Linnaeus, Syst. Nat., ed. 10, 1758, 656; ed. 12, 1767, 1094.
- pelagicus** Syngnathus, Linnaeus, Syst. Nat., ed. 10, 1758, 337; ed. 12, 1766, 416.
- pelamides** Scomber, *id. ac* pelamis, L., B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800,
- pelamis** Scomber, Linnaeus, Syst. Nat., ed. 10, 1758, 297; ed. 12, 1766, 492. [599.]
- Pelamys** (ex Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 584.—P.
- pelarga** Papilio, J. C. Fabricius, Syst. Ent. 1775, 513.
- pelasgia** Hirundo, Linnaeus, Syst. Nat., ed. 12, 1766, 345.—[misprint for pelagica, *q. v.*]
- pelagus** [Papilio], P. Cramer, Utit. Kapellen, III (17) 1779, 16.

- pelasgus** [Sphinx], P. Cramer, Uitl. Kapellen, III (21) 1779, 93.
pelaus Papilio, J. C. Fabricius, Syst. Ent. 1775, 444.
Pelecanoides B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 13.—A.
Pelecanus Linnaeus, Syst. Nat., ed. 10, 1758, 132; ed. 12, 1766, 215.—A.
Pelecanus J. D. Petersen, Balth. Vögel, 1766, 7 [n. n.].—A.
Pelecinus P. A. Latreille, Bull. Sci. Soc. Philom. [Paris], no. 43, 1800, 155.—Hym.
peled Salmo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1379.
peleg Araneus, T. Martyn, Aranei, 1793, 11.
peleides Papilio E. T., E. J. C. Esper, Ausl. Schmett. (10) 1793, 150.
peleus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 167.
peleus Papilio, Linnaeus, Amoen. Acad. VI. 1763, 409.
peleus Papilio Eques, J. H. Sulzer, Gesch. Ins. 1776, 142.
pelea Papilio, J. C. Fabricius, Mant. II. 1787, 53.
peleus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 186.
pelias Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 224; ed. 12, 1766, 386.
pelias [Papilio], P. Cramer, Uitl. Kapellen, I (1) 1775, 5.
pelidnus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 139.
peliolatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 396.
pelion Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 263.—Papilio.
pelion [Papilio], P. Cramer, Uitl. Kapellen, I (1) 1775, 10.
pella Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 693; ed. 12, 1767, 1141.
pella Helix, Linnaeus, Syst. Nat., ed. 12, 1767, 1248.
pella Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 119; ed. 12, 1766, 189.
pellex Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 510; ed. 12, 1767, 838.
pellicea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 315.
pellio Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 355; ed. 12, 1767, 562.
pellionella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 536; ed. 12, 1767, 888.
pellionella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 659.—Phalaena.
pellionella Trichoda, O. F. Müller, Verm. I (1) 1773, 80.
pellionellae Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 69.
pellionis Nitidula, F. v. P. Schrank, F. Boica, I. 1798, 445.
pellis-anguinea Planorbis, J. F. Bolten, Mus. Bolten. (2) 1798, 73.
pellis-armeniana Nerita, T. Martyn, Univ. Conch. III [1789], fig. 109.
pellis-serpentis Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3620.
pellitus Cancer, P. Forskal, Descr. Anim. 1775, 92.
pellita Musca, J. R. Forster, Cat. Brit. Ins. 1770, 15 [n. n.].
pellocephala Melolontha, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 16.
pellopus Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 63.
pellostictos Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 57.
pellucens Acanthia, J. C. Fabricius, Reise Norwegen, 1779, 234.
pellucens Curculio, J. A. Scopoli, Annus V. 1772, 90.
pellucens Gryllus, Scopoli, Ent. Carn. 1763, 109.
pellucens Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 595; ed. 12, 1767, 989.
pellucens Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 698; ed. 12, 1767, 1146.
pellucens Syrphus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 279.—Musca.
pellucens Tabanus, J. C. Fabricius, Gen. Ins. 1777, 307.
pellucens Volucella, A. F. de Fourcroy, Ent. Paris. 1785, 501.
pellucidulus Scarabaeus, J. J. Roemer, Gen. Ins. 1789, 2 & 39.
pellucida Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3308.
pellucida Cantharis, [D. H. Schneider], Nom. Ent. 1785, 18 [n. n.].
pellucida Cantharis, J. C. Fabricius, Ent. Syst. I (1) 1792, 214.
pellucida Cicada, J. C. Fabricius, Syst. Ent. 1775, 686.
pellucidus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 196.
pellucidus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46 [n. n.].
pellucidum Dentalium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3738.
pellucidus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 22.
pellucida Fulgora, J. C. Fabricius, Ent. Syst. IV. 1794, 7.
pellucida Haliotis, C. U. v. Salis, Reise Neapel, 1793, 380.

- pellucida** Helix, O. F. Müller, Verm. II. 1774, 15.
pellucida Helix, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 120.
pellucida Helix, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 276.
pellucida Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 75.
pellucida Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3260.
pellucida Mactra, J. F. Bolten, Mus. Bolten. (2) 1798, 171.
pellucida Melolontha (Sulz.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 89.—Scara-
pellucidus Mytilus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 95. [baeus.
pellucida Nereis, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 273.
pellucida Nerita, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 67.
pellucida Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 783; ed. 12, 1767, 1260.
pellucida Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 115.
pellucida Phryganea, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 55.
pellucida Planaria, F. M. Daudin, Rec. Mém. Coll. 1800, 24.
pellucidus Planorbis, J. F. Bolten, Mus. Bolten. (2) 1798, 72 [n. n.].
pellucida Rapa, J. F. Bolten, Mus. Bolten. (2) 1798, 148.
pellucidus Scarabaeus, J. H. Sulzer, Gesch. Ins. 1776, 18.
pellucidus Solen, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 71.
pellucidus Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 97.
pellucidum Sphaeridium, P. Rossi, Mant. Ins. II. 1794, 83.
pellucidus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99.
pellucida Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 101.
pellucidus Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 19.
pellucida Tenthredo, O. F. Müller, Z. Dan. 1776, 149.
pellucidus Turbo, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 66.
pellucida Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3290.
pelluma Cordylus (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 17.—Lacerta.
pelluma Lacerta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1060.—[palluma, Molina.]
pellurus Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 47.
Pelmatia P. Browne, Hist. Jamaica, ed. 2, 1789, 450.—P.
Pelopia J. G. Meigen, N. Class. Mouches. 1800, 18.—Dip.
pelopia Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 36.
pelopidas Hesperia, J. C. Fabricius, Ent. Syst. III. (1) 1793, 350.
pelops Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 305.—Papilio.
pelops [Papilio], D. Drury, Ill. Nat. Hist. I. 1770, index & 38.
pelops [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (2) 1781, 98.
pelops [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1779, 114.
Peloriderma J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—L. [of certain Ostreae.
Peloris J. X. Poli, Test. Sicil. I. 1791, Introd. 33. A generic term applied to the fleshy parts
peloronta Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 778; ed. 12, 1767, 1254.
peltaria SpheX, [Scheven], Naturforscher, XX. 1784, 98.
peltaria Vespa (Scheven), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2763.—SpheX.
peltatus Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 297.
peltata Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (1) 1794, 27.
peltigera Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 89.
Peltis E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 117.—Col.
Peltis J. G. Kugelann, Illiger in Kugelann, Käfer Preuss. 1798, 369.—Col.
pelusius Silurus, Solander in Russell, N. H. Aleppo, ed. 2, II. 1794, 210.
Pemphredon P. A. Latreille, Préc. Car. Ins. 1796, 128.—Hym.
Peneus F. Weber, Nomen. Fabricii, 1795, 94.—Cr.
Penaesus J. C. Fabricius, Suppl. Ent. Syst. 1798, 385.—Cr.
peneus [Sphinx], P. Cramer, Uitl. Kapellen, I (8) 1776, 139.
penaeus Sphinx, J. C. Fabricius, Mant. II. 1787, 93.
pendens Tipula, M. Harris, Exp. Eng. Ins. 1776, 56.
pendularia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 66 [n.
pendularia [Phalaena], C. Clerck, Icones, I. 1759, pl. vii, 5. [et f.].
pendularia Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 327.
pendulator Ichneumon, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris], no. 42, 1800, 137.

- pendulinus Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 189.
 pendulinus Parus, Linnaeus, Syst. Nat., ed. 12, 1766, 342.
 pendulus Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 160.
 pendula Ichneumon, J. L. Christ, Nat. Ins. 1791, 371.
 pendula Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 591; ed. 12, 1767, 984.
 pendula Musca, E. Donovan, Brit. Ins. I. 1792, 69.
 pendulus Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 763.—Musca.
 "Penecillus, Da Costa, 1776," Scudd.; not used in a Linnaean sense.
 penelea [Papilio], P. Cramer, Utitl. Kapellen, II (9) 1777, 8.
 Penelope B. Merrem, Avium rar. Icones, 1786, 39.—A.
 Penelope J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 733.—A.
 Penelope Bonnatere, Ency. Méth. (Orn.) I. 1790, lxxxvi.—A.
 Penelope B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 12.—A.
 penelope Agrion, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 191.
 penelope Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 126; ed. 12, 1766, 202.
 penelope Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 527; var. kagolca.
 penelope Bombyx (Cram.), J. C. Fabricius, Gen. Ins. 1777, 278.—Phalaena.
 penelope Papilio, J. C. Fabricius, Syst. Ent. 1775, 493.
 penelope [Phalaena], P. Cramer, Utitl. Kapellen, I (4) 1775, 70.
 penetrans Ichneumon, W. Kirby, Tr. Linn. Soc. [Lond.] V. 1800, 109.
 penetrans Pulex, Linnaeus, Syst. Nat., ed. 10, 1758, 614; ed. 12, 1767, 1021.
 penetrans Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 97.
 peneus ? penaeus.
 penguin Pinctada, J. F. Bolten, Mus. Bolten. (2) 1798, 167.
 Pinguinus M. T. Brünnich, Zool. Fund. 1772, 78.—A.
 penicella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 88.
 penicillatus Astacus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 343.
 penicillatus Julus, C. de Geer, Mém. Ins. VII. 1778, 572.
 penicillata Paradisaea, J. A. Scopoli, Del. Insub. II. 1786, 88.
 penicillata Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 250.
 penicillata Tipula, P. Rossi, Mant. Ins. II. 1794, 59.
 penicillata Tubipora, O. Fabricius, F. Groen. 1780, 429.
 Penicillus J. E. Guettard, Mém. diff. Sci. III. 1770, 59.—Verm.
 Penicillus J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xv & 126.—L.
 Penicillus Lamarck, Mém. Soc. H. N. Paris, 1799, 79.—L.
 penicillus Amphitrite (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 58.—Serpula.
 penicillus Amphitrite, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3110.
 penicillus Corallina, Linnaeus, Syst. Nat., ed. 10, 1758, 807; ed. 12, 1767, 1305.
 penicillus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 29.
 penicillus Holothuria, O. F. Müller, Z. Dan. Prod. 1776, 232.
 penicillus Sabella, Linnaeus, Syst. Nat., ed. 12, 1767, 1269.
 penicillus Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 788.—[Sabella, ed. 12.]
 penicillus Tubularia, P. S. Pallas, Elench. 1766, 87.
 peniculum Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 127.
 penis Penicillus (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 79.—Serpula.
 penis Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 788; ed. 12, 1767, 1267.
 penis Tubipora, A. Modeer, K. Vet. Ac. Nya Handl. IX. 1788, 231.
 penis Vermiculus (L.), F. C. Meuschen, Mus. Gever. 1787, 238.—Serpula.
 penis Verpa (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 69.—Serpula.
 penita Cassis, F. C. Meuschen, Mus. Gever. 1787, 388.
 penkleriana Pyralis, J. C. Fabricius, Mant. II. 1787, 236.
 penkleriana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 126.
 Penna J. B. Bohadsch, Anim. Marin. 1761, 98.—=Pennatula, L.
 penna Sertularia, J. F. Maratti, Plant. Zooph. Med. 1776, 29.
 pennacea Amphitrite, O. F. Müller, Z. Dan. Prod. 1776, 216.
 pennacea Antipathes, P. S. Pallas, Elench. 1766, 209.
 pennaceus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 632; ed. 12, 1767, 1051.
 pennaceus Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 62.

- pennaceus** Conus, I. v. Born, Index Mus. Caes. Vind. 1778, 151.
- pennacea** Pinna, Linnaeus, Syst. Nat., ed. 10, 1758, 708.
- pennalis** Phalaena, [D. H. Schneider], Nom. Ent. 1785, 52 [*n. n.*].
- pennanti** Argentina, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 47.
- pennanti** Holocentrus, G. A. Suckow, Naturges. IV. 1799, 535.
- pennanti** Mustela, J. C. P. Erxleben, Syst. Anim. 1777, 470.
- pennantii** Psittacus, J. Latham, Index Orn. 1790, 90.
- pennantii** Psittacus, R. Kerr, Anim. Kingd. 1792, 568.—*var.* philippi.
- pennanti** Salmo, G. A. Suckow, Naturges. IV. 1799, 711.
- pennanti** Squalus, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 517.
- Pennaria** P. Browne, Hist. Jamaica, ed. 2, 1789, 412.—L.—= Pinna.
- pennaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 14 [*n. et f.*].
- pennaria** Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 324.
- pennaria** Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 813; ed. 12, 1767, 1313.
- pennator** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 155.
- pennator** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 171.
- Pennatula** Linnaeus, Syst. Nat., ed. 10, 1758, 818; ed. 12, 1767, 1321.—Coel.
- pennatula** Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 465.
- pennatula** Nautilus (Orth.), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 13.
- pennatula** Sertularia, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 56.
- pennata** Aphrodita, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 23.
- pennatum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3476.
- pennatus** Buteo, F. M. Daudin, Traité élém. Orn. 1800, 156.
- pennata** Cassidee, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 427.
- pennata** Cassis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 29.—Buccinum.
- pennatus** Conops, Scopoli, Ent. Carn. 1763, 353.
- pennata** Daphnia, O. F. Müller, Entom. 1785, 82.
- pennata** Doris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3105.
- pennatus** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 272.
- pennata** Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
- pennata** Nerita, I. v. Born, Index Mus. Caes. Vind. 1778, 420.
- pennata** Nerita, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 158.
- pennata** Phalaena, Scopoli, Ent. Carn. 1763, 228.
- pennella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
- pennicornis** Mantis, P. S. Pallas, Reise Russ. II. 1773, 728.
- pennicornis** Tipula = **pinnicornis**, S. N. ed. 10, Linnaeus, Faun. Suec., ed. 2, 1761, 439.
- penniferana** Phalaena (Tortrix), O. F. Müller, Z. Dan. Prod. 1776, 132.
- pennigerus** Limulus, O. F. Müller, Entom. 1785, 127.
- pennigerus** Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3006.—
- pennipes** Apis, J. R. Forster, Cat. Brit. Ins. 1770, 13 [*n. n.*]. [Limulus.]
- pennipes** Asilus (Linn.), Scopoli, Ent. Carn. 1763, 365.
- pennipes** Empis, Linnaeus, Syst. Nat., ed. 10, 1758, 604; ed. 12, 1767, 1003.
- pennipes** Libella, P. S. Pallas, Reise Russ. I. 1771, 469.
- pennipes** Musca, J. R. Forster, Cat. Brit. Ins. 1770, 15 [*n. n.*].
- pennipes** Musca, J. C. Fabricius, Spec. Ins. II. 1781, 450.
- pensilvanica** Alauda, J. Latham, Syn. Birds, Suppl. I. 1787, 287.
- pensylvanica** Apis, C. de Geer, Mém. Ins. III. 1773, 575.
- pensylvanicus** Atteblabus, Linnaeus, Syst. Nat., ed. 10, 1758, 387; ed. 12, 1767, 620.
- pensylvanica** Blatta, C. de Geer, Mém. Ins. III. 1773, 537.
- pensylvanica** Cantharis, C. de Geer, Mém. Ins. V. 1775, 16.
- pensylvanicus** Carabus, C. de Geer, Mém. Ins. IV. 1774, 108.
- pensylvanicus** Cerambyx, C. de Geer, Mém. Ins. V. 1775, 99.
- pensylvanicus** Cerambyx (Prionus) (*ex De G.*) Panzer in Drury, Exot. Ins. 1785, 140.
- pensylvanicus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2148.
- pensylvanica** Felis, H. F. Link, Beytr. Nat. I (2) 1795, 90.
- pensylvanica** Formica, C. de Geer, Mém. Ins. III. 1773, 603.
- pensylvanica** Fringilla, J. Latham, Index Orn. 1790, 445.
- pensylvanica** Lampyrus, C. de Geer, Mém. Ins. IV. 1774, 52.

- pennsylvanica** Lytta (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2016.—
Cantharis.
- pennsylvanica** Meloe (De G.), J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1789, 2020.—
- pennsylvanica** Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 333. [Cantharis.]
- pennsylvanicus** Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 309.
- pennsylvanicus** Sirex, C. de Geer, Mém. Ins. III. 1773, 593.
- pennsylvanica** Sphex, Linnaeus, Amoen. Acad. VI. 1763, 412.
- pennsylvanica** Sylvia (L.), J. Latham, Index Orn. 1790, 540.—Motacilla.
- pennsylvanicus** Telephorus, C. de Geer, Mém. Ins. IV. 1774, 78.
- pennsylvanica** Tellina (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 188.—Venus.
- pennsylvanicus** Tenebrio, C. de Geer, Mém. Ins. V. 1775, 53.
- pennsylvanica** Testudo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1042.
- pennsylvanica** Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 688; ed. 12, 1767, 1134.
- pensilis** Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 860.
- pensilis** Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 960.
- pensilis** Sylvia (Gm.), J. Latham, Index Orn. 1790, 520.—Motacilla.
- pensilvanicus**)
pennsylvanicus)
v. **pennsylvanicus**.
- pentacanthus** Bodianus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 40.
- Pentaceros** C. F. Schultze, Verst. Seest. 1760, 50.—Ast.
- pentactes** Holothuria, Linnaeus, Syst. Nat., ed. 12, 1767, 1091.
- Pentadactylus** C. F. Schultze, Verst. Seest. 1760, 51.—Ast.
- pentadactylus** Bradypus, R. Kerr, Anim. Kingd. 1792, 102.
- pentadactyla** Coryphaena, Linnaeus, Syst. Nat., ed. 10, 1758, 261; ed. 12, 1766, 447.
- pentadactyla** Manis, Linnaeus, Syst. Nat., ed. 10, 1758, 36; ed. 12, 1766, 52.
- pentadactyla** Myrmecophaga, R. Kerr, Anim. Kingd. 1792, 106.
- pentadactyla** Phalaena (Alucita), Linnaeus, Syst. Nat., ed. 10, 1758, 542; ed. 12, 1767, 900.
- pentadactylus** Phasianus, J. Latham, Index Orn. 1790, 626. [900.]
- pentadactyla** Pholidotus, F. C. Meuschen, Mus. Gronov. 1778, 3.
- pentadactylus** Pterophorus (L.), J. C. Fabricius, Syst. Ent. 1775, 672.—Phalaena.
- pentadactyla** Rana, J. N. Laurenti, Syn. Rept. 1768, 32.
- Pentagonaster** C. F. Schultze, Verst. Seest. 1760, 50.—Ast.
- pentagona** Angaria, J. F. Bolten, Mus. Bolten. (2) 1798, 71 [*n. n.*].
- pentagonus** Echinus, P. Forskal, Descr. Anim. 1775, 140.
- pentagona** Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (1) 1794, 23.
- pentagona** Patella, I. v. Born, Index Mus. Caes. Vind. 1778, 438.
- pentalineata** Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 383.
- pentapetala** Actinia, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 42.
- pentapetala** Anadema, F. C. Meuschen, Mus. Gever. 1787, 482.
- pentapetala** Palmipes, C. F. Schultze, Verst. Seest. 1760, 51.
- pentaphylla** Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 54.
- pentaporus** Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3189.
- Pentatoma** A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 25.—Hem.
- Penthesilea** J. G. Meigen, N. Class. Mouches, 1800, 35.—Dip.
- pentheus** Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 314.—Papilio.
- penthea** [Papilio], P. Cramer, Utl. Kapellen, II (12) 1777, 75.
- Pentilasmus** P. Browne, Hist. Jamaica, ed. 2, 1789, 416.—Cirr.
- penziana** Tortrix, C. P. Thunberg, Ins. Suecica (2) 1791, 43.
- penziana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 85 [*n. et f.*].
- pephis** Coluber, F. C. Meuschen, Mus. Gronov. 1778, 15.
- peponis** Noctua, J. C. Fabricius, Syst. Ent. 1775, 608.
- peragro** Musca, M. Harris, Exp. Eng. Ins. 1776, 119.
- peranthus** Papilio, J. C. Fabricius, Mant. II. 1787, 4. [gen. xxx, 39.]—P.
- Perca** Linnaeus, Syst. Nat., ed. 10, 1758, 289; ed. 12, 1766, 481; [Artedi, Ichth. 1738, circa (*sic*) Labrus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 265.
- percae** Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3036.
- percae** Cucullanus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 15.
- percae** Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3048.

- percae** Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3057.
- percae** Taenia, O. F. Müller, Naturforscher, XIV. 1780, 179.
- percae-cernuae** Fasciola, O. F. Müller, Z. Dan. Prod. 1776, 224.
- percellens** Raja, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 525.
- percina** Fasciola, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 123.
- Percis** J. A. Scopoli, Intr. Hist. Nat. 1777, 454.—P.
- Percis** (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 585.—P.
- perenopterus** (*sic*) Vultur, Linnaeus, Syst. Nat., ed. 10, 1758, 87; ed. 12, 1766, 123 [perc-].
- percnopterus** Vultur, R. Kerr, Anim. Kingd. 1792, 475; *var.* aegyptius.
- percontatorius** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 154.
- percussor** Columba, M. T. Brünnich, Orn. Boreal. 1764, 63.
- percussor** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 250.
- percussus** Musca, M. Harris, Exp. Eng. Ins. 1776, 120.
- perdica** Labrus, P. Forskal, Descr. Anim. 1775, 34.
- perdica** [Phalaena], P. Cramer, Utitl. Kapellen, II (15) 1777, 126.
- perdica** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 110.
- perditor** Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 102.
- perditus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 323.
- Perdix** M. J. Brisson, Ornith. I. 1760, 219.—A.
- Perdix** B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 11.—A.
- perdix** Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 734; ed. 12, 1767, 1197.
- perdix** Cadus (L.), J. F. Bolten, Mus. Bolten. (2) 1798, 150.—Buccinum.
- perdix** Globosa (L.), F. C. Meuschen, Mus. Gever. 1787, 384.—Buccinum.
- perdix** Perdix (L.), J. C. Schaeffer, Mus. Orn. 1789, 4.—Tetrao.
- perdix** Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 160; ed. 12, 1766, 276.
- Perdrix** M. T. Brünnich, Zool. Fund. 1772, 86.—A.
- Perdrix** G. Cuvier, Leçons Comp. Anat. I. 1800, 2 [*n. n.*].—A.
- perdrix** Tetrao, *err. pro* perdix, Linn., S. G. Gmelin, Reise Russ. I (1770), 51.
- perebromii** Stomachida, P. C. F. Werner, Verm. Intest. 1782, 87.
- peregrinator** Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 444; ed. 12, 1767, 721.
- peregrinator** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 563; ed. 12, 1767, 933.
- peregrina** Anas, S. G. Gmelin, Reise Russ. II. 1774, 183.
- peregrinus** Anthribus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 168.
- peregrinus** Brentus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 190.
- peregrina** Certhia, J. Latham, Index Orn. 1790, 297.
- peregrina** Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 236.
- peregrinus** Chrysomela (Fab.), Herbst in Borowski, Gem. Nat. Thiere, VI. 1784, 94.—
- peregrina** Cicada, Linnaeus, Mus. Lud. Ulr. 1764, 161. [Cryptocephalus.
- peregrinus** Cryptocephalus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 63.
- peregrinus** Didelphis, P. Boddaert, Elench. 1785, 78.
- peregrina** Doris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3105.
- peregrinus** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 272; *var.* tartaricus.
- peregrina** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3668.
- peregrinus** Hydrophilus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 314.
- peregrinus** Parus, Linnaeus, Syst. Nat., ed. 12, 1766, 342.
- peregrina** [Phalaena], P. Cramer, Utitl. Kapellen, IV (26) 1780, 30.
- peregrinus** Psittacus, J. Latham, Index Orn. 1790, 105.
- peregrina** Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 52.
- peregrina** Sitta, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 15.
- peregum** Buccinum, O. F. Müller, Verm. II. 1774, 130.
- peregrus** Bulimus (Müll.), J. G. Brugière, Ency. Méth. (Vers) (1) 1789, 301.—Buccinum.
- peregra** Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3659.—Buccinum.
- peregusna** Mustela, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIV (1) 1770, 441.
- perelegand** Musca, M. Harris, Exp. Eng. Ins. 1776, 74.
- perenopterus** Vultur, *v.* percnopterus, Linnaeus, Syst. Nat., ed. 10, 1758, 87.
- perexilis** Musca, M. Harris, Exp. Eng. Ins. 1776, 81.
- perflua** Noctua, J. C. Fabricius, Mant. II. 1787, 179. [Noctua.
- perflua** Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 577.—

- perfoliatus** Stello, J. G. Schneider, Amph. Phys. sp. alt. 1792, 26.
perfoliata Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 37.
perforans Bostrichus, F. v. P. Schrank, Naturforscher, XXIV. 1789, 64.
perforator Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 143.
perforata Asterias, O. F. Müller, Z. Dan. Prod. 1776, 234.
perforatus Astroites, J. E. I. Walch, Naturforscher, V. 1775, 54.
perforatus Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 167.
perforata Cassida, P. S. Pallas, Spic. Zool. IX. 1772, 1.
perforata Cerambyx, P. S. Pallas, Reise Russ. II. 1773, 723.
perforata Locusta, P. Rossi, Fauna Etrus. I. 1790, 267.
perforata Locusta, J. C. Fabricius, Ent. Syst. II. 1793, 38.
perforata Madrepora (Walch), P. S. Pallas, Char. Thierpfl. II. 1787, 133.—Astroites
perforata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3730.
perforata Serpula, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 633.
perfusorius Ichneumon, P. Rossi, Mant. Ins. I. 1792, 116.
perianda [Papilio], P. Cramer, Utit. Kapellen, II (16) 1777, 139.
perianther Papilio, J. C. Fabricius, Mant. II. 1787, 9.
periboea Papilio, J. C. Fabricius, Gen. Ins. 1777, 261.
pericarpus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 380; ed. 12, 1767, 609.
pericles Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 273.
 "Peridiolithus" J. W. K. Hupsch, Neue Entdeck. 1768, 144. (Not binominal author;
 figure quite unrecognisable.)—Br.
perimele [Papilio], P. Cramer, Utit. Kapellen, I (6) 1775, 101.
perioidis Labrus, F. C. Meuschen, Mus. Gronov. 1778, 42.
perioides Labrus, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 260.
perion Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 275.—Papilio.
perion [Papilio], C. Stoll in Cramer, Utit. Kapellen, IV (32) 1782, 176.
peripheta Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 45.—Phalaena.
peripheta [Phalaena], P. Cramer, Utit. Kapellen, II (11) 1777, 54.
periscelis Pila, J. F. Bolten, Mus. Bolten. (2) 1798, 146.
periscelis Syngnathus, J. J. Walbaum, Artdi, Ichth. (3) ed. 2, 1792, 8.
perita Aranea, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris], no. 22, Jan. 1799, 170.
perita Voluta, D. Solander in G. Brander, Foss. Hant. 1766, 16.
peritheia [Phalaena], P. Cramer, Utit. Kapellen, II (15) 1777, 116.
perius Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 471; ed. 12, 1767, 766.
Perla E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 229.
perla Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 549; ed. 12, 1767, 911.
perla Lithosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 462.—Tinea perlella, 1787.
perla Mantis, P. S. Pallas, Spic. Zool. IX. 1772, 14.
perla Medusa, A. Modeer, K. Vet. Ac. Nya Handl. XII. 1791, 261.
perla Noctua, [Denis & Schiffermuller], Schmett. Wien, 1775, 70.
perla Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 12.
perla Volva, J. F. Bolten, Mus. Bolten. (2) 1798, 22.
perlae Cynips, O. F. Müller, F. Ins. Frid. 1764, 68.
perlaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 525.
perlatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 265.
perlata Cassis, F. C. Meuschen, Mus. Gev. 1787, 390.
perlatus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 125.
perlatus Curculio, J. C. Fabricius, Mant. I. 1787, 114.
perlatus Gekko, M. Houttuyn, Verh. Zeeuwisch genoot. Wet. Vlissingen, IX. 1782, 322.
perlatus Ichneumon, J. L. Christ, Nat. Ins. 1791, 356.
perlata Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 858.
perlata Mordella, J. H. Sulzer, Gesch. Ins. 1776, 67.
perlata Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 136.
perlata Mordella, J. C. Fuessly, Schweiz. Ins. 1775, 21.
perlata Mordella, J. J. Roemer, Gen. Ins. 1789, 8.
perlata Mya, J. F. Bolten, Mus. Bolten. (2) 1798, 156 [n. n.].
perlata Perdix, J. P. Bonnaterra, Ency. Méth. (Orn.) 1791, 213.

- perlatus** Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99.
perlata Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 403.
perlata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 375.
perlatus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 758.
perlatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3577.
perlatus Trox, L. G. Scriba, J. Lieb. Ent. I. 1790, 58.
perlatus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 88.
perlella Phalaena, Scopoli, Ent. Carn. 1763, 243.
perlella Tinea, J. C. Fabricius, Mant. II. 1787, 241.
perlo Squalus, J. P. Bonnaterre, Ency. Méth. (Ich.), 1788, 10.
perlucida Ancilla, F. C. Meuschen, Mus. Gever. 1787, 248.
permixtana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
permixtana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 75 [*n. et f.*].
permutataria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 92 [*n.*].
permutataria Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 87. [*et f.*].
Perna A. J. Retzius, Diss. Nova Test. Gen. 1788, 20.—L.
Perna J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xiii.—L.
Perna Lamarck, Mém. Soc. H. N. Paris, 1799, 82.—L.
perna Mya, Linnaeus, Syst. Nat., ed. 10, 1758, 671; ed. 12, 1767, 1113.
perna Ostrea, Linnaeus, Syst. Nat., ed. 12, 1767, 1149.
perna Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 79.
pernaeformis Melina (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 23.—Ostrea perna.
pernambucinus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 39.
perniciosa Formica, J. L. Christ, Nat. Ins. 1791, 517.
perniger Apis, M. Harris, Exp. Eng. Ins. 1776, 131.
pernix Musca, M. Harris, Exp. Eng. Ins. 1776, 84.
pernula Pinna, J. F. Bolten, Mus. Bolten. (2) 1798, 160. [parts of certain Tellinae.
peronaea J. X. Poli, Test. Sicil. I. 1791, Introd. 29; a generic term applied to the fleshy
Peronaeoderma J. X. Poli, Test. Sicil. II. 1795, 252 & 257.—L.
perpendicularis Curculio, G. C. Reich, Mant. Ins. 1797, 10.
perpensus Curculio, P. Rossi, Mant. Ins. I. 1792, 38.
perplexa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 313.
perpolitus Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
perpulcher Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 159.
perron Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3559.
persa Cuculus, Linnaeus, Syst. Nat., ed. 10, 1758, 111; ed. 12, 1766, 171.
perscitus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 28.
perseis [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 37.
persea Medusa, P. Forskal, Descr. Anim. 1775, 107.
perseus Papilio, J. C. Fabricius, Syst. Ent. 1775, 488.
perseus [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 111.
persea Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 137.
perseus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 219.
perseus Scarabaeus, A. G. Olivier, Entom. I. 1789, 8.
persicae Aphis, J. H. Sulzer, Gesch. Ins. 1776, 105.
persicae Chermes, J. C. Fabricius, Gen. Ins. 1777, 304.
persicae Chermes, A. F. de Fourcroy, Ent. Paris. 1785, 228.
persicae Coccus, A. Modeer, Götheborg. Samhalle Handl. (Wet. Afd.) I. 1778, 28.
persicae Coccus, F. v. P. Schrank, Ins. Aust. 1781, 295.
persicae Coccus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 546.
persicariae Clytra, F. v. P. Schrank in Fuessly, N. Mag. Ent. II (4) 1785, 319.
persicariae Cryptocephalus (Schrank), G. A. Harrer, Beschr. Schaeffer's Abbild. 1791, 129.
persicariae Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 615.—Phalaena. —[Clytra.
persicariae Phalaena (Noctua), Linnaeus, Faun. Suec. ed. 2, 1761, 319.
persicariae Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 977.
persicella Alucita (D. & S.), J. C. Fabricius, Mant. II. 1787, 255.—Tinea.
persicella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
persicites Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 450.

- persicorum** Coccus, J. H. Sulzer, *Gesch. Ins.* 1776, 112.
persiculus Murex, F. C. Meuschen, *Mus. Gever.* 1787, 328.
persicula Pterygia (Gm.), J. F. Bolten, *Mus. Bolten.* (2) 1798, 52.—*Voluta*.
persicula *Voluta*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 730; ed. 12, 1767, 1189.
persicum Buccinum, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 738; ed. 12, 1767, 1202.
persicus Cacicus (L.), F. M. Daudin, *Traité élém. Orn.* 1800, 327.—*Oriolus*.
persica Chama, F. C. Meuschen, *Mus. Gever.* 1787, 452.
persicus Charadrius, J. P. Bonnaterre, *Ency. Méth. (Orn.)* 1790, 21.
persicum Cymbium, J. F. Bolten, *Mus. Bolten.* (2) 1798, 151.
persica Merops, P. S. Pallas, *Reise Russ. II.* 1773, 708.
persicus Muriciformis, F. C. Meuschen, *Mus. Gever.* 1787, 322.
persicus Mytilus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3360.
persicus Oriolus, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 161.
persicus Picus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 435.
persica Plejona, J. F. Bolten, *Mus. Bolten.* (2) 1798, 60.
persicum Purpura (L.), Lamarck, *Mém. Soc. H. N. Paris*, 1799, 71.—*Buccinum*.
persica Rana, J. G. Schneider, *Hist. Amph. I.* 1799, 149.
persicus Scirus, E. A. W. Zimmermann, *Geogr. Gesch. II.* 1780, 341.
persicus Scirus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 148.
persica Solpuga, J. F. W. Herbst, *Nat. ungef. Ins.* (1), 1797, 35.
persica Thais, J. F. Bolten, *Mus. Bolten.* (2) 1798, 54.
persicus Turdus, J. Latham, *Index Orn.* 1790, 343.
persiphone Papilio, J. C. Fabricius, *Ent. Syst. III* (1) 1793, 174.
persona Phalaena Bombyx, J. Hübner, *Beitr. Schmett. II.* 1790, 97.
personatus Cancer, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 628; ed. 12, 1767, 1046.
personatus Cimex, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 446; ed. 12, 1767, 724.
personata Cochlea, T. Martyn, *Univ. Conch. IV* [1792], fig. 150.
personatus Conus, F. C. Meuschen, *Mus. Gever.* 1787, 346.
personata Helix, Lamarck, *J. Nat. Hist. (Choix des Mém.)*, II. 1792, 348.
personatus Musca, M. Harris, *Exp. Eng. Ins.* 1776, 79.
personata Musca, A. F. de Fourcroy, *Ent. Paris.* 1785, 476.
personata Patella, T. Martyn, *Univ. Conch. II* [1788], fig. 64.
personatus Reduvius (L.), J. C. Fabricius, *Syst. Ent.* 1775, 730.—*Cimex*.
personata Strix, F. M. Daudin, *Traité élém. Orn.* 1800, 192.
personatus Turbo, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 762; ed. 12, 1767, 1233.
perspectalis Pyralis, J. Hübner, *Europ. Schmett. 6 Horde [me judice 1796]*, 18.
perspectata Phalaena, J. C. Fabricius, *Syst. Ent.* 1775, 640.
perspectiva Architectonica (Gm.), J. F. Bolten, *Mus. Bolten.* (2) 1798, 78.—*Trochus*.
perspectivus Solarium (L.), Lamarck, *Mém. Soc. H. N. Paris*, 1799, 74.—*Trochus*.
perspectivus Trochus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 757; ed. 12, 1767, 1227.
perspicaria Phalaena, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 449.
perspicata Phalaena, J. C. Fabricius, *Mant. II.* 1787, 213.
[perspicellina Phalaena (B.) MS.), T. Martyn, *Psyche*, 1797, fig. 88.
perspicilla [Phalaena], C. Stoll, *Aanhang. Cramer's Uitl. Kapellen. II.* 1790, 74.
perspicillaris Blatta, J. F. W. Herbst in *Fuessly, Arch. Ins. VII.* 1786, 186.
perspicillaris Phalaena (Noctua), Linnaeus, *Faun. Suec.*, ed. 2, 1761, 317.
perspicillatus Acrydium (L.), A. G. Olivier, *Ency. Méth. VI (Ins.)* 1791, 232.—*Gryllus*.
perspicillata Anas, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 125; ed. 12, 1766, 201.
perspicillata Cicada, J. C. Fabricius, *Spec. Ins. II.* 1781, 322.
perspicillata Flata, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 517.—*Cicada*, 1781.
perspicillatus Gryllus, Linnaeus, *Amoen. Acad. VI.* 1763, 398.
perspicillata Locusta, J. C. Fabricius, *Syst. Ent.* 1775, 283.
perspicillata Motacilla, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 969.
perspicillatus Pteropus (Linn.), J. C. P. Erxleben, *Syst. Anim.* 1777, 137.—*Vespertilio*.
perspicillata Strix, J. Latham, *Index Orn.* 1790, 58.
perspicillata Sylvia (Gm.), J. Latham, *Index Orn.* 1790, 524.—*Motacilla*.
perspicillata Tringa, E. Pontoppidan, *Danske Atlas, I.* 1763, 624.
perspicillatus Turdus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 830.

- perspicillatus** Vespertilio, Linnaeus, Syst. Nat., ed. 10, 1758, 31; ed. 12, 1766, 47.
- perspicua** Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 559.—Phalaena.
- perspicua** Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 439.
- perspicuus** Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 533.
- perspicua** Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 775; ed. 12, 1767, 1250.
- perspicua** Mantis, J. C. Fabricius, Mant. I. 1787, 230.
- perspicua** Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 811. [ed. 12.]
- perspicua** Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 505.—[P. (Attacus),
- persvasorius** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 562; ed. 12, 1767, 932.
- pertinax** Anobium (L.), J. C. Fabricius, Syst. Ent. 1775, 62.—Ptinus.
- pertinax** Anobium, Illiger in Kugelann, Käfer Preuss. 1798, 327.
- pertinax** Byrrhus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 57.—Ptinus.
- pertinax** Conops, Scopoli, Ent. Carn. 1763, 352.
- pertinax** Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 355.—[Ptinus, ed. 12.]
- pertinax** Empis, M. Harris, Exp. Eng. Ins. 1776, 150.
- pertinax** [Papilio], C. Stoll in Cramer, Utl. Kapellen, IV (30) 1781, 123.
- pertinax** [Papilio], C. Stoll, Aanh. Cramer's Utl. Kapellen, V. 1790, 157.
- pertinax** Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 98; ed. 12, 1766, 142.
- pertinax** Ptinus, Linnaeus, Syst. Nat., ed. 12, 1767, 565.—Dermestes, 1758.
- pertinax** Syrphus (Scop.), P. Rossi, Fauna Etrus. II. 1790, 282.—Conops.
- pertristis** Apis, M. Harris, Exp. Eng. Ins. 1776, 137.
- perturbatur** Sphex, M. Harris, Exp. Eng. Ins. 1776, 95.
- pertusa** Asterias, O. F. Müller, Z. Dan. Prod. 1776, 235.
- pertusus** Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 36.
- pertusum** Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 263.
- pertusa** Cellepora, E. J. C. Esper, Pflanzenth., Forts. I (6) 1796, 149.
- pertusus** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 686.
- pertusa** Leucopha, O. F. Müller, An. Infus. 1786, 145.
- pertusa** Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 797.
- pertusa** Mitra (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 136.—Voluta.
- pertusa** Nautilus, P. Forskal, Descr. Anim. 1775, 125.
- pertusa** Perca, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIV. 1793, 198.
- pertusa** Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 246.
- pertusa** Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 732; ed. 12, 1767, 1193.
- peruana** Coccinella, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 67.
- peruvianus** Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 320.
- peruviana** Caudiverbera, J. N. Laurenti, Syn. Rept. 1768, 43.
- peruvianus** Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 373.
- peruviana** Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 491.
- peruviana** Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1025.
- peruviana** Pipra, J. Latham, Index Orn. 1790, 555.
- peruvianus** Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 80.
- peruviana** Rupicola, J. P. Bonnaterra, Ency. Méth. (Orn.), 1791, 266.
- peruvii** Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 90.
- pervenio** Musca, M. Harris, Exp. Eng. Ins. 1776, 139.
- perversum** Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 302.—Murex.
- perversus** Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 351.—Turbo.
- perversum** Busycon, J. F. Bolten, Mus. Bolten. (2) 1798, 149.
- perversus** Cancer (ex Rumph), P. L. S. Müller, Del. Nat. II. 1767, 139.
- perversum** Cerithium (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 496.—Trochus.
- perserva** Haliotis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3690.
- perserva** Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 772; ed. 12, 1767, 1246.
- perserva** Helix, O. F. Müller, Verm. II. 1774, 118.—Turbo.
- perversus** Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 753; ed. 12, 1767, 1222.
- perserva** Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3686.
- perserva** Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 115 [n. n.].
- perserva** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3714.
- perserva** Rhinoceros, F. C. Meuschen, Mus. Gever. 1787, 266.

- perversus** Strombiformis (L.), E. M. da Costa, Brit. Conch. 1778, 107.—Turbo.
perversus Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 760; ed. 12, 1767, 1231.
perversus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 767; ed. 12, 1767, 1240.
perversus Xancus, J. F. Bolten, Mus. Bolten. (2) 1798, 134.
pervirgil Apis, M. Harris, Exp. Eng. Ins. 1776, 162.
pervia Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3640.
pes-asininus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 153.
pes-asininus Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 194.
pes-felis Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 697; ed. 12, 1767, 1146.
pes-lutrae Ostrea, Linnaeus, Mant. II. 1771, 547.
pes-pelecani Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 334.—Strombus.
pes-pelecani Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 68.—Strombus.
pes-pellicani Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 742; ed. 12, 1767, 1207.
pes-pellicani Tritonium (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 244.—Strombus.
petalarius Coluber, *v.* **petolarius**.
petalodes Membracis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 97.
petaloides Tetractis, C. F. Schultze, Verst. Seest. 1760, 50.
petalus [Papilio], P. Cramer, Uitl. Kapellen, III (21) 1779, 84.
petanrista Simia, **petaurista** Linn., J. M. Bechstein, Nat. Stubenthiere, 1797, 31; **penta-**
petasus Patella, F. C. Meuschen, Mus. Gever. 1787, 242. [rista in Register.
Petaurista H. F. Link, Beytr. Nat. I (2) 1795, 52 [*n. n.*].—M.
Petaurista J. G. Meigen, N. Class. Mouches, 1800, 15.—Dip.
petaurista Cercopithecus (Schr.), J. C. P. Erxleben, Syst. Anim. 1777, 36.—Simia.
petaurista Sciurus, P. S. Pallas, Misc. Zool. 1766, 54.
petaurista Sciurus, J. C. P. Erxleben, Syst. Anim. 1777, 438.
petaurista Sciurus (Petaurus), R. Kerr, Anim. Kingd. 1792, 269; *varr.* castaneus, niger.
petaurista Simia, J. C. D. Schreber, Säugth. I. 103 (1774), pl. xix B (1774).
petauristus Simia (Cercop.) Schr., R. Kerr, Anim. Kingd. 1792, 72.
Petaurus G. Shaw, Nat. Miscell. II. 1791, pl. 60.—M.
Petaurus R. Kerr, Anim. Kingd. 1792, 266.—M.
petavius [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 145.
petavia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 111.
petechia Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 334.
petechia Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 328.
petechia Sylvia (L.), J. Latham, Index Orn. 1790, 535.—Motacilla.
petechialis Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 27.
petechialis Nerita, F. C. Meuschen, Mus. Gever. 1787, 268.
petechizans Gorgonia, P. S. Pallas, Elench. 1766, 196.
petechisans Porcellana, F. C. Meuschen, Mus. Gever. 1787, 406.
pethola *v.* **petola**.
petholatus *v.* **petolatus**.
Petimbuaba G. Edwards in M. Catesby, Carol. II. 1771, 17.—P.
petiolata Conops, Linnaeus, Syst. Nat., ed. 12, 1767, 1005.
petiolatus Crabro, G. W. F. Panzer, Ins. Germ. heft 46 [1797] tab. 12.
petiolata Empis, N. Poda, Ins. Mus. Graec. 1761, 118.
petiolata Evania, J. C. Fabricius, Suppl. Ent. Syst. 1798, 242.
petiolatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 428.
petiolata Leucospis, J. C. Fabricius, Mant. I. 1787, 285.
petiolatus Sphex, D. Drury, Ill. Nat. Hist. II. 1773, index & 75.
petiolata Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122.
petiolata Vespa, C. de Geer, Mém. Ins. VII. 1778, 610.
petiolata Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 467.
petiverella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 540; ed. 12, 1767, 895.
petiverella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 664.—Phalaena.
petiveriana Blatta (L.), J. C. Fabricius, Syst. Ent. 1775, 272.—Cassida.
petiveriana Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 364; ed. 12, 1767, 578.
petiverii Aranea, Scopoli, Ent. Carn. 1763, 398.
petola Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 225; ed. 12, 1766, 387 [peth-].

- petola** Coronella (Linn.), J. N. Laurenti, Syn. Rept. 1768, 87.—Coluber.
- petolarius** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 225; ed. 12, 1766, 387 [peta-].
- petholata** Helix, G. Olivi, Zool. Adriat. 1792, 178.
- petholatus** Lunatica (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 103.—Turbo.
- patholatus** (*sic*) Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3574.
- petholatus** Turbinis (L.), F. C. Meuschen, Mus. Gever. 1787, 278.—Turbo.
- petholatus** Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 762; ed. 12, 1767, 1233.
- petosius** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 226.
- petraria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 113 [*u. et f.*].
- petrarum** Acarus, A. F. de Fourcroy, Ent. Paris. 1785, 529.
- petreus** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 39.
- petreus** [Papilio], P. Cramer, Utitl. Kapellen, I (8) 1776, 138. [*et f.*].
- petrificata** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 267 [*u.*].
- petrificata** Noctua, [Denis & Schiffermüller], Schmett. Wien. 1775, 75. [Noctua.
- petrificata** Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 326.—
- petrificella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 28.
- petro** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 366.
- Petromyzon** Linnaeus, Syst. Nat., ed. 10, 1758, 230; ed. 12, 1766, 394; [Artedi, Ichth. 1738, gen. xlii, 64].—P.
- petromyzontis** Ligula, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 119.
- petronella** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 598; ed. 12, 1767, 994.
- petronella** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 164.
- petronia** Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 322.
- petronius** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 324.
- petroriza** Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 343.
- petrosa** Alauda, G. Montagu, Tr. Linn. Soc. [Lond.] IV. 1798, 41.
- petrosus** Papilio, L. Prunner, Lep. Pedemont. 1798, 71.
- petrosa** Perdix (Gm.), J. Latham, Index Orn. 1790, 648.—Tetrao.
- petrosus** Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 758.
- petrosus** Trochus, T. Martyn, Univ. Conch. IV [1792], fig. 124.
- petulans** Vespa, M. Harris, Exp. Eng. Ins. 1776, 129.
- petulca** Phalaena, A. Sparrman in Linn., Amoen. Acad. VII. 1769, 500.
- petulca** Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 685; ed. 12, 1767, 1131.
- “**Petunculus**, Humph. 1797,” Scudd.; does not occur.
- petus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 264.
- peucedani** Sphinx, E. J. C. Esper, Die Schmett. II (14) [1781], 191.
- peucedani** Sphinx, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's] II (2) 1784, 207.
- pezoartica** Antilope, *err. pro bezoartica*, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776),
- pfugiana** Pyralis, J. C. Fabricius, Mant. II. 1787, 227. [55.
- pfugiana** Tortrix, C. de Villers, Linn. Ent. IV. 1789, 523.
- Phacites** J. Gesner, Tract. Petref. 1758, 50.—Rh.
- phadima** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 220.
- phaedrus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 307.
- phaedrus** Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 125.
- phaedra** Papilio (Nymphalis), Linnaeus, Mus. Lud. Ulr. 1764, 280.
- phaedusa** Bombyx (Dru.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 27.—Phalaena.
- phaedusa** Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 32.
- phaen-** *v.* **phoen-**.
- phaenareta** [Papilio], J. G. Schaller, Naturforscher, XXI. 1785, 177.
- phaenistoma** Buccinum, F. C. Meuschen, Mus. Gever. 1787, 298.
- phaeopus** Numenius (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 291.—Scolopax.
- phaeopus** Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 146; ed. 12, 1766, 243.
- phaerusa** Papilio (Nymphalis), Linnaeus, Mus. Lud. Ulr. 1764, 293.—[=phaetusa, Syst.
- Phaëton** Linnaeus, Syst. Nat., ed. 10, 1758, 134; ed. 12, 1766, 219.—A. [Nat., ed. 10.]
- phaeton** [Papilio], D. Drury, Ill. Nat. Hist. I. 1770, index & 42.
- phaetonis** Acarus, J. C. Fabricius, Syst. Ent. 1775, 815.
- phaetusa** Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 478.—[phaerusa, ed. 12.]
- phaeus** Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 39.—Mus.

- phaeus** Mus, P. S. Pallas, N. Sp. Quad. II. 1779, 261.
phaeus Mus (Cricetus), R. Kerr, Anim. Kingd. 1792, 245.
Phalacrocorax Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 8 & 75.—A.
Phalacrocorax M. J. Brisson, Ornith. VI. 1760, 511.—A.
phalacrocorax Pelecanus, M. T. Brünnich, Orn. Boreal. 1764, 31.
Phalacrus G. Paykull, Faun. Suec. III. 1800, 438.—Col.
Phalaena Linnaeus, Syst. Nat., ed. 10, 1758, 495; ed. 12, 1767, 808; divided by him into Bombyces, Noctuae, Geometrae, Tortrices, Pylalides, Tineae, Alucitae, Attaci, words apparently used in a subgeneric sense.—Lep.
phalaenoides Bibio, O. F. Müller, Z. Dan. Prod. 1776, 171.
phalaenoides Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 438; ed. 12, 1767, 710.
phalaenoides Flata (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 518.—Cicada.
phalaenoides Fulgora (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 575.—Cicada.
phalaenoides Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 550; ed. 12, 1767, 912.
phalaenoides Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 547; ed. 12, 1767, 908.
phalaenoides Semblis (L.), J. C. Fabricius, Syst. Ent. 1775, 305.—Phryganea.
phalaenoides Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 50.
phalaenoides Strix, F. M. Daudin, Traité élém. Orn. 1800, 206.
phalaenoides Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 588; ed. 12, 1767, 977.
Phalaenula J. G. Meigen, N. Class. Mouches, 1800, 18.—Dip.
Phalanger Storr, Prod. meth. Anim. 1780, 33.—M.
Phalanger B. G. E. de Lacépède, Tabl. Mamm. 1799, 5.—M.
phalanger Didelphis, E. A. W. Zimmermann, Spec. Zool. 1777, 493.
phalangii Acarus, C. de Geer, Mém. Ins. VII. 1778, 117.
phalangii Atomus (De G.), P. A. Latreille, Mag. encyclop. III (13) 1795, 18.—Acarus.
phalangii Leptus (De G.), P. A. Latreille, Préc. Car. Ins. 1796, 177.—Acarus.
Phalangista E. Geoffroy & Cuvier, Mag. encyclop. II (6) 1795, 187.—M.
Phalangista G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
Phalangium Linnaeus, Syst. Nat., ed. 10, 1758, 618; ed. 12, 1767, 1027.—Ar.
phalangium Cancer, J. C. Fabricius, Syst. Ent. 1775, 408.
phalangium Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 516.
phalangium Inachus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
phalangium Reduvius, J. C. Fabricius, Ent. Syst. IV. 1794, 196.
phalangium Squilla, F. Weber, Nomen. Fabricii, 1795, 96 [*n. n.*].
phalangoides Acarus, C. de Geer, Mém. Ins. VII. 1778, 134.
phalangoides Aranea, J. C. Fuessly, Schweiz. Ins. 1775, 61.
phalantha [Papilio], D. Drury, Ill. Nat. Hist. I. 1770, index & 41.
phalanthus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 85.
phalaridis Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 456; ed. 12, 1767, 742.
phalaris Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 45.
phalaris [Sphinx], P. Cramer, Uitl. Kapellen, II (13) 1777, 83.
Phalaropus M. J. Brisson, Ornith. VI. 1760, 12.—A.
Phalaropus J. Latham, Syn. Birds, Suppl. I. 1787, 294.—A.
Phalaropus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 19.—A.
phalarynchos Vespertilio, M. T. Brunnich, Dyr. Hist. 1782, 52.
phalerata Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 276 (S. 2).
phalerata Meloe, P. S. Pallas, Icon. Ins. 1782, 78.
phalerata Vespa, G. W. F. Panzer, Ins. Germ. heft 47 [1797], tab. 21.
phaleros Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, 1767, 796.
phalli Ichneumon, J. A. Scopoli, Annus V. 1772, 121.
phaloides Lumbricus, P. S. Pallas, Spic. Zool. X. 1774, 12.
phaloides Pennatula, P. S. Pallas, Elench. 1766, 373.
phallus Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3503.
phalonía Phalaena, Linnaeus, Amoen. Acad. VI. 1763, 411.
phantapus Holothuria, Linnaeus, Syst. Nat., ed. 12, 1767, 1089.
phantasmatella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 23.
fantoma (*sic*) Sirex, J. C. Fabricius, Spec. Ins. I. 1781, 419.
pharaon Ichneumon, B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.

- pharaonicus Turbo (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 89.—Trochus pharaonius.
- pharaonis Cimex, Herbst. Einl. Ins. I. 1784, 258.
- pharaonis Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 580; ed. 12, 1767, 963.
- pharaonius Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 757; ed. 12, 1767, 1228.
- Pharetra J. F. Bolten, Mus. Bolten. (2) 1798, 159.—L.
- phareus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 308.—Papilio.
- phareus [Papilio], P. Cramer, Utitl. Kapellen, II (15) 1777, 113.
- phaseolata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
- phaseolus Mytilus, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 642.
- phasianellus Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 160.
- phasiani Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3034.
- phasiani Filaria, J. A. Frolich, Naturforscher, XXV. 1791, 110.
- phasiani Pediculus, J. C. Fabricius, Gen. Ins. 1777, 310.
- Phasianus Linnaeus, Syst. Nat., ed. 10, 1758, 158; ed. 12, 1766, 270.—A.
- phasianus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 361.
- phasianus Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 108.
- phasianus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 144.—Cimex, 1781.
- phasianus Pavo, F. v. P. Schrank, F. Boica, I. 1798, 138.
- phasianus Phasianus, J. C. Schaeffer, Mus. Orn. 1789, 5.
- phasis [Phalaena], P. Cramer, Utitl. Kapellen, II (14) 1777, 106.
- Phasma A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 49.—Or.
- Phasma Illiger in Kugelann, Käfer Preuss. 1798, 499.—Or.
- phasma Porcellana, F. C. Meuschen, Mus. Gev. 1787, 402.
- phedima [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 8.
- phedonia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 110.
- phegea Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 101.
- phegea Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 132.
- phegea Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 494; ed. 12, 1767, 805.
- phegea Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 550.—Sphinx. [n. n.].—A.
- Phelacrocorax, *err. pro Phalacrocorax* G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2
- phellandrii Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 376; ed. 12, 1767, 601.
- phellandrii Crioceris (L.), J. C. Fabricius, Syst. Ent. 1775, 122.—Chrysomela.
- phellandrii Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1723.—
- phellandrii Curculio, C. de Geer, Mém. Ins. V. 1775, 224. [Chrysomela.]
- phellandrii Donacia, D. H. Schneider, Nom. Ent. 1785, 16 [n. n.].
- phellandrii Helodes (L.), G. Paykull, Faun. Suec. II. 1799, 84.—Chrysomela.
- phenice [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 185.
- phereclus Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 321.—Papilio.
- phereclus Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 484; ed. 12, 1767, 792.
- pherecydes (Papilio), C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 80.
- pheres [Sphinx], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 183.
- pheridamas [Papilio], P. Cramer, Utitl. Kapellen, II (14) 1777, 96.
- phiale [Papilio], P. Cramer, Utitl. Kapellen, I (3) 1775, 43.
- phicomone Papilio D. C., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1780],
- phidias Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 155. [32.]
- phidias Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 286.
- phidias Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 347.—Papilio.
- phidias Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 485; ed. 12, 1767, 795.
- phidias Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 106.
- phidippe [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 237.
- phidippus Papilio, Linnaeus, Amoen. Acad. VI. 1763, 402.
- phidon [Papilio], P. Cramer, Utitl. Kapellen, III (21) 1779, 88.
- phidonia Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 46.—Phalaena.
- phidonia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 229.
- philadelphicus Bodianus (L.), G. A. Suckow, Naturges. IV. 1799, 518.—Perca.
- philadelphica Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 372; ed. 12, 1767, 592.
- philadelphica Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 291; ed. 12, 1766, 484.
- philaedilis Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 93.

- Philander** M. J. Brisson, Reg. Anim. 1762, 207.—M.
- philander** Didelphis, Linnaeus, Syst. Nat., ed. 10, 1758, 54; ed. 12, 1766, 72.
- philantropus** (*sic*) Ostrea, F. C. Meuschen, Mus. Gever. 1787, 422.
- Philanthus** J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 224.—Hym.
- philanthus** Melolontha, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 17.
- philanthus** [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, I. 1787, 23.
- philanthus** Scarabaeus, J. C. Fuessly, Schweitz. Ins. 1775, 3.
- philanthus** Staphylinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 181.
- philargus** Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 626; ed. 12, 1767, 1042.
- philasus** Papilio, *err. pro* philiasus, L., J. C. Fabricius, Mant. II. 1787, 83.
- philea** Papilio, Linnaeus, Amoen. Acad. VI. 1763, 404.
- philemon** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 346.
- philemon** Papilio, J. C. Fabricius, Syst. Ent. 1775, 534.
- philemon** [Papilio], P. Cramer, Utitl. Kapellen, I (2) 1775, 35.
- philene** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 168.
- philenor** Papilio (E.), Linnaeus, Mant. II. 1771, 535.
- phileta** Papilio, J. C. Fabricius, Syst. Ent. 1775, 471.
- phileta** [Phalaena], D. Drury, Ill. Nat. Hist. III. 1782, index & 30.
- philetes** Papilio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2364.
- Philia** J. G. Meigen, N. Class. Mouches, 1800, 20.—Dip.
- philiasus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 324.
- philiasus** Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, 1767, 790.
- “Philina, Ascan. 1772,” Scudd.; does not occur.—*See* Philine.
- Philine** P. Ascanius, K. Vet. Ac. Handl. XXXIII. 1772, 331.—Pt.
- philintha** Libellula, A. F. de Fourcroy, Ent. Paris. 1785, 346.
- philippensis** Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 644.
- philippensis** Bucco, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
- philippensis** Cetonia, J. C. Fabricius, Syst. Ent. 1775, 49.
- philippensis** Columba, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- philippensis** Merops, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
- philippensis** Motacilla, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- philippensis** Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 968.
- philippensis** Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 943.
- philippensis** Pelecanus, T. Pennant in Forster, Ind. Zool. 1781, 42 [*n. n.*].
- philippensis** Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 571.
- philippensis** Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 80.
- philippensis** Rallus, Linnaeus, Syst. Nat., ed. 12, 1766, 263.
- philippensis** Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1573.—
- philippensis** Sterna, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 100. [*Cetonia*].
- philippensis** Sylvia (Gm.), J. Latham, Index Orn. 1790, 525.—Motacilla.
- philippensis** Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 145.
- philippensis** Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- philippensis** Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 814.
- philippinarum** Bucco, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 7 [*n. n.*].
- philippinarum** Picus, J. Latham, Index Orn. 1790, 236.
- philippinarum** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 331.
- philippinensis** Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 407.
- philippinensis** Colymbus, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 58.
- philippina** Cercopithecus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 3
- philippina** Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 187. [*n. n.*].
- philippinus** Charadrius, J. Latham, Index Orn. 1790, 745.
- philippinum** Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 152.
- philippinus** Lanius, J. A. Scopoli, Del. Insub. II. 1786, 85.
- philippina** Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 305.
- philippinus** Merops, Linnaeus, Syst. Nat., ed. 12, 1766, 183 [see errata, end of vol. I.].
- philippina** Motacilla, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 10
- philippina** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 139. [*n. n.*].
- philippinus** Rallus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 11 [*n. n.*].

- phacides** Fabr. Ent Syst. **III**, 1793, 232.
- philippina** Sterna, J. Latham, Index Orn. 1790, 805.
- philippinus** Turdus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [n. n.].
- philippa** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 211.
- philippus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 283.
- philis** [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 201.
- "Phillis, Act.-Holm.", Müller, Z. Dan. Prod. 226: misprint for **Philine**.
- philocles** Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 483; ed. 12, 1767, 791.
- philoctetes** Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 462; ed. 12, 1767, 750.
- philoctetes** Scarabaeus, A. G. Olivier, Entom. I. 1789, 16.
- philomachus** Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 7 & 66.—A.
- philomela** Papilio, Linnaeus, Amoen. Acad. VI. 1763, 404.
- philomela** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 57.
- philomena** Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 185.
- philonome** [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 72.
- philonomus** [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 73.
- philoxenus** Papilio Pl. Rur., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
- philyrae** Silpha, F. v. P. Schrank, Ins. Aust. 1781, 47. [1780], 25.
- phineus** Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 329.—Papilio.
- phineus** [Papilio], P. Cramer, Uitl. Kapellen. II (15) 1777, 123.
- Phinx, err. pro Sphinx** J. C. Fuessly, Arch. Ins. I. 1781.
- Phisophora, id. ac Physsofophora** J. A. Scopoli, Intr. Hist. Nat. 1777, 504.
- phleas** Cercopis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 102.
- phleas** Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 311.—Papilio phlaeas.
- phleas** [Papilio], J. A. B. Bergstraesser, Ic. Pap. II. 1780, 7.
- phlaeas** Papilio (Pleb.), Linnaeus, Faun. Suec., ed. 2, 1761, 285.
- phlegia** [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 9.
- phlegmaticus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 6.
- phlegmon** [Sphinx], P. Cramer, Uitl. Kapellen, I (3) 1775, 57.
- phliasus** [Papilio], C. Clerck, Icones, II. 1764, pl. xli.
- phliasus** [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 145.
- Phlototribus** P. A. Latreille, Préc. Car. Ins. 1796, 50.—Col.
- phlyctaena** Cassida, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 65.
- phobos** [Papilio], J. A. B. Bergstraesser, Nom. Ins. III. 1779, 11.
- phobus** [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 7.
- Phoca** Linnaeus, Syst. Nat., ed. 10, 1758, 37; ed. 12, 1766, 55.—M.
- phoca** Saperda, J. A. Frolich, Naturforscher, XXVII. 1793, 139.
- phocae** Ascaris, O. Fabricius, F. Groen. 1780, 272.
- phocae** Echinorhynchus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3044.—
- phocae** Taenia, O. F. Müller, Naturforscher, XIV. 1780, 179. [Ascaris.]
- phocoena** Delphinus, Linnaeus, Syst. Nat., ed. 10, 1758, 77; ed. 12, 1766, 108.
- phocaena** Delphinus, R. Kerr, Anim. Kingd. 1792, 363; *varr.* albus, fuscus.
- phocarum** Ascaris, J. A. E. Goeze, Eingeweidewürm. 1782, 73.
- phocarum** Taenia, O. Fabricius, F. Groen. 1780, 316.
- phocas** Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 334.—Papilio phocus.
- phocas** Papilio, S. A. v. Rottemburg, Naturforscher, VI. 1775, 29.
- phocilles** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 282.
- phocion** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 335.
- phocion** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 354.—Papilio, 1781.
- phocion** Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 431.
- phocion** Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 138.
- phocion** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 218.
- phocus** [Papilio], P. Cramer, Uitl. Kapellen, II (14) 1777, 102.
- phoebe** Muscicapa, J. Latham, Index Orn. 1790, 489.
- phoebe** Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 179.
- phoebe** Phalaena Bombyx, S——t in Scriba, Beitr. Ins. I. 1790, 18.
- phoebe** Papilio N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1784-6],
- Phoebia** A. Modeer, K. Vet. Ac. Nya Handl. XIII. 1792, 113.—Inf. [172.]
- phoebia** Astraea, J. F. Bolten, Mus. Bolten. (2) 1798, 79.

- phoebus** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 181.
phoebus Papilio, L. Prunner, Lep. Pedemont. 1798, 69.
phoedon Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 423.
phoenicea Ampelis, J. Latham, Index Orn. 1790, 367.
phoeniceus Cimex, P. Rossi, Mant. Ins. II. 1794, 54.
phoeniceus Icterus (L.), F. M. Daudin, Traité élém. Orn. 1800, 344.—Oriolus.
phoeniceus Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 161.
Phoenicopter Linnaeus, Syst. Nat., ed. 10, 1758, 139; ed. 12, 1766, 230.—A.
phoenicopter Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2165.
phoenicoptera Columba, J. Latham, Index Orn. 1790, 597.
phoenicurus Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 35.—Motacilla.
phoenicurus Fringilla, H. Lichtenstein, Cat. rerum Nat. I. 1793, 47.
phoenicurus Gallinula, T. Pennant, Ind. Zool. [1769], 10.
phoenicurus Lanius, P. S. Pallas, Reise Russ. III. 1776, 693.
phoenicurus Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 187; ed. 12, 1766, 335.
phoenicuros Phaëton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 583.
phoenicurus Rallus (Penn.), J. R. Forster, Ind. Zool. 1781, 19.—Gallinula.
phoenicurus Sylvia (L.), J. A. Scopoli, Annus I. 1769, 157.—Motacilla.
phoenicurus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 816.
phoenix Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 126.
phoenix Phalaena, [D. H. Schneider], Nom. Ent. 1785, 47 [*ν. n.*].
phoeopus Scolopax, *id. ac* phaeopus Linn.. J. A. Scopoli, Annus I. 1769, 94.
phoetusa Papilio, *err. pro* phaerusa, P. Cramer, Uitl. Kapellen, II (11) 1777, 50.
“**pholadis** Helmintholithus,” J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 398.
pholadis Mytilus, Linnaeus, Mant. II. 1771, 548.
Pholas Linnaeus, Syst. Nat. ed. 10, 1758, 669; ed. 12, 1767, 1110.—L.
pholeus [Papilio], P. Cramer, Uitl. Kapellen, II (14) 1777, 104.
pholeus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 267.—Papilio.
Pholidotus M. J. Brisson, Reg. Anim. 1762, 18.—M.
Pholis [P. Artedi, Ichth. 1738, syn. p. 116].—P.
Pholis L. T. Gronov, Acta Helvet. IV. 1760, 259.—P.
pholis Blennius, Linnaeus, Syst. Nat., ed. 10, 1758, 257; ed. 12, 1766, 443.
pholus Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 49.
pholus [Sphinx], P. Cramer, Uitl. Kapellen, I (8) 1776, 137.
pholus Zygaena (Drury), J. C. Fabricius, Syst. Ent. 1775, 555.—Sphinx.
Phora P. A. Latreille, Préc. Car. Ins. 1796, 169.—Dip.
phorbanta Papilio (E.), Linnaeus, Mant. II. 1771, 535.
phorbanta Scarabaeus, A. G. Olivier, Entom. I. 1789, 17.
phorbas Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 277.
phorbas [Sphinx], P. Cramer, Uitl. Kapellen, I (5) 1775, 86.
phorcas [Papilio], P. Cramer, Uitl. Kapellen, I (1) 1775, 4.
phorcus [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 93.
phorcys Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 80.
phoronea [Phalaena], P. Cramer, Uitl. Kapellen, III (20) 1779, 77.
phosphorea Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 400.—[Lampyrus, ed. 12.]
phosphorea Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 434.—[Fulgora, ed. 12.]
phosphoreus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 404; ed. 12, 1767, 652.
phosphorea Fulgora, Linnaeus, Syst. Nat., ed. 12, 1767, 704.—[Cicada, ed. 10.]
phosphorea Lampyrus, Linnaeus, Syst. Nat., ed. 12, 1767, 645.—[Cantharis, ed. 10.]
phosphorea Laternaria, Linnaeus, Mus. Lud. Ulr. 1764, 152.
phosphorea Pennatula, Linnaeus, Syst. Nat., ed. 10, 1758, 818; ed. 12, 1767, 1322.
phosphorea Scolopendra, Linnaeus, Syst. Nat., ed. 10, 1758, 638; ed. 12, 1767, 1064.
phosphorica Scolopendra, A. F. de Fourcroy, Ent. Paris. 1785, 543.
phoxinus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 322; ed. 12, 1766, 528.
phragmitidis Tipula, F. v. P. Schrank, Ins. Aust. 1781, 426.
phragmitis Aranea, P. Rossi, Fauna Etrus. II. 1790, 128.
phragmitis Cynips, F. v. P. Schrank, Ins. Aust. 1781, 321. [ed. 13, I. 1790, 2818.
phragonitidus Tipula, *err. pro* phragmitidis, Schrank, J. F. Gmelin in Linn. Syst. Nat.,

- phrenitica** Chama, I. v. Born, Index Mus. Caes. Vind. 1778, 69.
Phryganea Linnaeus, Syst. Nat., ed. 10, 1758, 547; ed. 12, 1767, 908.—Neur.
Phryganea J. C. Fabricius, Suppl. Ent. Syst. 1798, 197.—Neur.
phryganeae Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3041.
phryganella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 16.
phryganoides Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 53.
phrygialis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 10 & 12 [2].
phrygiana Asterias, J. v. d. L. Parelius, K. Norske Vid. Selsk. Skrift. IV. 1768, 423.
phrygiana Madrepora, E. J. C. Esper, Pflanzenth., Forts. II (9) 1798, 10.
phrygionia Nerita, F. C. Meuschen, Mus. Gever. 1787, 272.
phrygia Lucernaria, O. Fabricius, F. Groen. 1780, 343.
phrygia Madrepora, J. Ellis and D. Solander, Nat. Hist. Zool. 1786, 162.
phrygius Merops, G. Shaw, Zool. N. Holland, 1794, 13.
phrygia Nerita, F. C. Meuschen, Mus. Gever. 1787, 272.
Phryne J. G. Meigen, N. Class. Mouches, 1800, 16.—Dip.
phryne Papilio, P. S. Pallas, Reise Russ. I. 1771, 470.
phryne Papilio, J. C. Fabricius, Syst. Ent. 1775, 473.
phryne Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 196.
phryne Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 687; ed. 12, 1767, 1132.
phryxa [Papilio], J. A. B. Bergstrasser, Nom. Ins. IV. 1780, 27.
Phtisica M. Slabber, Nat. Verlust. 1778, 79.—Cr.
Phtisica M. Slabber, Phys. Belust. 1781, 41.—Cr.
phtisicus Gryllus (Mantis), Linnaeus, Syst. Nat., ed. 10, 1758, 425.—[Mantis, ed. 12.]
phtisicus Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 689.—[Gryllus, ed. 10.]
phtisica Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 281.
pusca *v. fuscus*.
Phycis [P. Arredi, Ichth. 1738, gen. p. 84], J. G. Schneider, Bloch's Syst. Ichth. 1801,
Phycis J. C. Fabricius, Suppl. Ent. Syst. 1798, 420.—Lep. [56.—P.
phycis Blennius, Linnaeus, Syst. Nat., ed. 12, 1766, 442.
phyleus Papilio, D. Drury, Ill. Nat. Hist. I. 1770, index & 25.
phylira [Phalaena], P. Cramer, Utl. Kapellen. II (15) 1777, 113.
phylirata Phalaena, *id. ac* phylira, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 254.
phylleus [Papilio], P. Cramer, Utl. Kapellen. I (6) 1775, 98.
Phyllidia G. Cuvier, Tab. Elém. 1798, 388.—Nud.
Phyllidoce P. Browne, Hist. Jamaica, ed. 2, 1789, 387.—Acal.
Phyllidoce A. Modeer, K. Vet. Ac. Nya Handl. XI. 1790, 191.—Acal.
Phylline P. C. Abildgaard, Skr. nat. Selsk. [Copen.], I (1) 1790, 31.—Ver.
phyllira Bombyx (Dru.), A. G. Olivier, Ency. Meth. V (Ins.) 1790, 94.—Phalaena.
phyllira Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 15.
phyllis Libellula, J. H. Sulzer, Gesch. Ins. 1776, 169.
phyllis Papilio, J. C. Fabricius, Syst. Ent. 1775, 463.
Phyllium Illiger in Kugelann, Käfer Preuss. 1798, 499.—Or.
phylloceros Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 108.
phyllocola Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 161.
phyllopus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 731.
phyllopus Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 139.—Cimex.
"Phyllostoma, Cuv. 1797," Ag.; does not occur.
Phyllostoma G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [n. n.].—M.
Phyllostomus B. G. E. de Lacépède, Tabl. Mamm. 1799, 16.—M.
phylluros Lacerta (Schn.), J. A. Donndorff, Zool. Beyt. III. 1798, 133.—Stellio.
phyllurus Stellio, J. G. Schneider, Amph. Phys. sp. alt. 1792, 31.
phyllus [Papilio], P. Cramer, Utl. Kapellen, II (15) 1777, 122.
phymotis Stomatia, G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 124.
Phyrrocorax *v. Pyrrhocorax*.
phyrropoecilus Tamarindiformis, F. C. Meuschen, Mus. Gever. 1787, 412.
physalis Holothuria, Linnaeus, Syst. Nat., ed. 10, 1758, 657; ed. 12, 1767, 1090.
physalis Physiphora, A. Modeer, K. Vet. Ac. Nya Handl. X. 1789, 285.
physalus Balaena, Linnaeus, Syst. Nat., ed. 10, 1758, 75; ed. 12, 1766, 106.

- physalus** *Thalis* (L.), G. Cuvier, Tab. Élém. 1798, 389.—Holothuria *physalis*.
- Physapus** J. H. Sulzer, Kennz. Insect. 1761, 38.—Thys.
- physapus** *Thrips*, Linnaeus, Syst. Nat., ed. 10, 1758, 457; ed. 12, 1767, 743.
- Physeter** Linnaeus, Syst. Nat., ed. 10, 1758, 76; ed. 12, 1766, 107.—M.
- Physeter** [G. Humphreys], Mus. Calonn. 1797, 25.—G.
- physis** *Bulla*, Linnaeus, Syst. Nat., ed. 10, 1758, 727; ed. 12, 1767, 1184.
- Physodes** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 8 [*n. n.*].—Cr.
- physodes** *Asellus* (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 255.—Oniscus.
- physodes** *Cymothoa* (L.), J. C. Fabricius, Ent. Syst. II. 1793, 507.—Oniscus.
- physodes** *Idotea* (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 303.—Oniscus.
- physodes** *Oniscus*, Linnaeus, Syst. Nat., ed. 10, 1758, 636; ed. 12, 1767, 1060.
- Physsophora** P. Forskal, Descr. Anim. 1775, 119.—Coel.
- Physsophora** J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xi.—Coel.
- phytolaccae** *Phalaena*, J. E. Smith in Abbot, Ins. Georgia, 1797, 193.
- Phytospongius** F. W. Schmidt, Lausizische Monatsschr. Feb. 1795, 96.—Por.
- Phytotoma** G. I. Molina, Sag. stor. nat. Chili, 1782, 254.—A.
- Phytotoma** Bonnatte, Ency. Méth. (Orn.) I. 1790, xci.—A.
- piapiac** *Corvus*, F. M. Daudin, Traité élém. Orn. 1800, 239.
- piazata** *Zonitis*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 104.
- Pica** M. J. Brisson, Ornith. II. 1760, 35.—A.
- picae** *Pediculus*, Linnaeus, Syst. Nat., ed. 10, 1758, 612; ed. 12, 1767, 1018.
- picarella** [*Phalaena*], C. Clerck, Icones, I. 1759, pl. x, 15.
- picatus** *Carabus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1989.
- picatus** *Coluber*, G. Shaw, Nat. Misc. IX. 1798, pl. 340. [1757.]
- picatus** *Curculio*=*C. piceus*, De G., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
- picatus** *Curculio*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1801.
- picatus** *Ichneumon*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2721.
- picatus** *Lanius*, J. Latham, Index Orn. 1790, 73.
- picata** *Musca*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2862.
- picatus** *Ramphastos*, Linnaeus, Syst. Nat., ed. 10, 1758, 103; ed. 12, 1766, 152.
- picatus** *Scarabaeus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1566.
- picatus** *Staphylinus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2035.
- piceana** *Phalaena* (*Tortrix*), Linnaeus, Syst. Nat., ed. 10, 1758, 531; ed. 12, 1767, 877.
- piceana** *Tortrix*, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 72 [*n. et f.*].
- picearia** *Phalaena* (*Tortrix*), *error* piceana, Linn, O. F. Müller, Z. Dan. Prod. 1776, 130.
- piceella** *Phalaena* *Tinea*, N. J. Brahm, Ins. Kal. II (1) 1791, 241.
- piceolus** *Dytiscus*, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 127.
- piceum** *Anisotoma*, Illiger in Kugelann, Käfer Preuss. 1798, 75.
- picea** *Apis*, J. L. Christ, Nat. Ins. 1791, 176.
- picea** *Aranea*, J. H. Sulzer, Gesch. Ins. 1776, 254.
- piceus** *Bostrichus*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 110.
- piceum** *Callidium*, J. N. Laicharting, Tyrol. Ins. II. 1784, 56.
- picea** *Cantharis*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1897.
- piceus** *Carabus*, Linnaeus, Syst. Nat., ed. 10, 1758, 416; ed. 12, 1767, 672.
- piceus** *Carabus*, J. C. Fabricius, Syst. Ent. 1775, 241.
- piceus** *Cerambyx*, A. F. de Fourcroy, Ent. Paris. 1785, 74.
- piceus** *Chiton*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3205.
- picea** *Chrysomela*, J. C. Fabricius, Spec. Ins. I. 1781, 129.
- picea** *Chrysomela*, [D. H. Schneider], Nom. Ent. 1785, 9 [*n. n.*].
- piceus** *Cimex*, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 8.
- piceus** *Cucujus*, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 243.
- piceus** *Curculio*, Scopoli, Ent. Carn. 1763, 24.
- piceus** *Curculio*, P. S. Pallas, Reise Russ. I. 1771, 464.
- piceus** *Curculio*, C. de Geer, Mém. Ins. V. 1775, 221.
- piceus** *Curculio*, F. v. P. Schrank, F. Boica, I. 1798, 501.
- piceus** *Dermestes*, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 8.
- piceus** *Dermestes*, A. G. Olivier, Entom. II. 1790, 10.
- piceus** *Dyticus*, O. F. Müller, Z. Dan. Prod. 1776, 71.

- piceus** Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 411; ed. 12, 1767, 664.
- piceus** Elater, C. de Geer, Mém. Ins. IV. 1774, 162.
- picea** Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 586.—Chrysomela.
- piceus** Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 21.—Scarabaeus, 1775.
- piceus** Helops, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 50.
- piceus** Helops, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 71.
- piceus** Hydrophilus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 68.—Dytiscus.
- piceus** Hydrous, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 38.
- piceus** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2703.
- picea** Ips, J. C. Fabricius, Gen. Ins. 1777, 214.
- piceus** Leistus, J. A. Frolich, Naturforscher, XXVIII. 1799, 9.
- piceus** Lucanus, G. Borsdorff, K. Vet. Ac. Nya Handl. VI. 1785, 222.
- piceus** Lucanus, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791, 113.
- picea** Megatoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 97.
- picea** Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 46.
- picea** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.
- piceus** Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 499.—Ips, 1787.
- piceus** Mycetophagus (L.), G. W. F. Panzer, Ins. Germ. heft 1, 1792, no. 22.—Silpha.
- piceus** Rynchophorus (Pall.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 20.—Curciperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 317. [culio.
- piceus** Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 14.
- piceus** Scarabaeus, J. R. Forster, Cat. Anim. N. Amer. 1771, 24 [n. n.].
- piceus** Scarabaeus, J. R. Forster, N. Sp. Ins. 1771, 5.
- piceus** Scarabaeus, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], I (4) 1782, 374.
- piceus** Scarites, Hellwig in G. W. F. Panzer, Ins. Germ. heft 11, 1793, tab. 2.
- picea** Silpha, C. de Villers, Linn. Ent. I. 1789, 87.
- piceus** Staphylinus, Linnaeus, Syst. Nat., ed. 12, 1767, 686.
- piceus** Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 87.
- piceus** Tenebrio, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 319.
- picea** Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
- pici** Acarus, Scopoli, Ent. Carn. 1763, 388.
- pici** Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3045.
- pici** Pediculus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 571.
- pivicitli** Pipra, J. Latham, Index Orn., 1790, 559.
- pivicornis** Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 134.
- pivicornis** Helops, J. C. Fabricius, Ent. Syst. I (1) 1792, 121.
- pivicornis** Hemerobius, J. C. Fabricius, Ent. Syst. II. 1793, 86.
- pivicornis** Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 498.
- pivicornis** Psocus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 204.—Hemerobius, 1793.
- picipennis** Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 521.
- picipes** Byrrhus, A. G. Olivier, Entom. II. 1790, 9.
- picipes** Callidium, J. C. Fabricius, Mant. I. 1787, 157.
- picipes** Carabus, J. C. Fabricius, Mant. I. 1787, 203.
- picipes** Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1855.—Callid.
- picipes** Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1699. [dium.
- picipes** Cistela, J. C. Fabricius, Ent. Syst. I (2) 1792, 43.
- picipes** Curculio, J. C. Fabricius, Gen. Ins. 1777, 229.
- picipes** Dermestes, J. C. Fabricius, Mant. I. 1787, 35.
- picipes** Dryops, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 298.
- picipes** Dytiscus, J. C. Fabricius, Mant. I. 1787, 192.
- picipes** Dytiscus (Fab.), C. de Villers, Linn. Ent. IV. 1789, 342.—Hydrophilus.
- picipes** Elater, F. v. P. Schrank, Naturforscher, XXIV. 1789, 78.
- picipes** Elater, G. W. F. Panzer, Deutsch. Ins. [1795], 242.
- picipes** Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 501.
- picipes** Helops, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 4.
- picipes** Hispa, J. C. Fabricius, Mant. I. 1787, 47.
- picipes** Hister, A. G. Olivier, Entom. I. 1789, 18.
- picipes** Hister, J. C. Fabricius, Ent. Syst. I (1) 1792, 77.

- picipes** Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 50.
picipes Hydrophilus, J. C. Fabricius, Mant. I. 1787, 188.
picipes Ips, A. G. Olivier, Entom. II. 1790, 7.
picipes Leptura, C. de Villers, Linn. Ent. IV. 1789, 314.
picipes Lyctus (Herbst), G. Paykull, Faun. Suec., III. 1800, 331.—*Monotoma*.
picipes Melolontha, A. G. Olivier, Entom. I. 1789, 80.
picipes Monotoma, Herbst in Jablonsky, Nat. Ins. (Käfer), V. 1793, 24.
picipes Mordella, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 71.
picipes Mycetophagus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 558.
picipes Oxyporus, G. Paykull, Faun. Suec. III. 1800, 426.
picipes Scarites, A. G. Olivier, Entom. III. 1795, 12.
picipes Tenebrio (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791, 119.—
picipes Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer), VII. 1797, 245. [Hispa].
picipes Tritoma, C. P. Thunberg, Ins. Suecica (8) 1794, 99.
picipes Trogosita, J. C. Fabricius, Suppl. Ent. Syst. 1798, 50.
picirostris Curculio, J. C. Fabricius, Mant. I. 1787, 101.
Picoides B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 7.—A.
picridis Aphis, J. C. Fabricius, Syst. Ent. 1775, 737.
pictaria Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 6.
pictaria Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 73.
pictata Nerita, F. C. Meuschen, Mus. Gever. 1787, 268.
pictor Alpheus (Fab.), F. Weber, Nomen. Fabricii, 1795, 91.—*Cancer*.
pictor Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 335.
pictor Ichneumon, C. de Villers, Linn. Ent. III. 1789, 197.
pictor Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 138.
pictoralis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 233.
pictorum Baphia (L.), F. C. Meuschen, Mus. Gever. 1787, 472.—*Mya*.
pictorum Limnaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 253 & 259.—*Mya*.
pictorum Mya, Linnaeus, Syst. Nat., ed. 10, 1758, 671; ed. 12, 1767, 1112.
pictorum Spondylus, K. Schreibers. Vers. Conch. II. 1793, 158.
pictorum Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 195 [*n. n.*].
pictorum Unio (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 17.—*Mya*.
pictum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 220.—*Gryllus*.
picta Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 504.
pictus Anser, J. P. Bonnatere, Ency. Méth. (Orn.) 1790, 117.
picta Antilope, P. S. Pallas, Spic. Zool. XII (1777), 14.
picta Aranea, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 242.
pictus Banchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 234.
picta Blatta, D. Drury, Ill. Nat. Hist. III. 1782, index & 76.
pictus Bombylius, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 24.
pictus Bucco, P. Boddaert, Tab. Planch. Enl. 1783, 20.
pictus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 329.
picta Buprestis, P. S. Pallas, Reise Russ. II. 1773, 719.
pictus Carabus, P. S. Pallas, Reise Russ. I. 1771, 465.
picta Cetonia, J. C. Fabricius, Syst. Ent. 1775, 47.
picta Cetonia, A. G. Olivier, Entom. I. 1789, 85.
pictus Chaetodon, P. Forskal, Descr. Anim. 1775, 65.
picta Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 42.
pictus Cimex, D. Drury, Ill. Nat. Hist. I. 1770, index & 107.
pictus Cimex, J. C. Fabricius, Syst. Ent. 1775, 715.
pictus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2186.
picta Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 115.
pictus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1116.
picta Conops, J. C. Fabricius, Ent. Syst. IV. 1794, 391.
pictus Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 299.
picta Crioceris, J. C. Fabricius, Mant. I. 1787, 87.
pictus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1719.—
pictus Curculio, P. S. Pallas, Reise Russ. I. 1771, 462. [Crioceris].

- pictus** Curculio, P. S. Pallas, Icon. Ins. 1781, 35.
pictus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 117.
pictus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 168.
pictus Dytiscus, J. C. Fabricius, Mant. I. 1787, 194.
pictus Elater, D. Drury, Ill. Nat. Hist. III. 1782, index & 68.
picta Ficus, J. F. Bolten, Mus. Bolten. (2) 1798, 148 [*n. n.*].
picta Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 924.
picta Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 592.—Crioceris.
picta Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 26.
pictus Gryllus, J. C. Fabricius, Syst. Ent. 1775, 289.
picta Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 14.
picta Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 397.
pictus Ichneumon, F. v. P. Schrank, Beitr. Nat. 1776, 88.
pictus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2702.
pictus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2721.
picta Janthina (Born), J. F. Bolten, Mus. Bolten. (2) 1798, 76.—Helix.
picta Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 62.
pictus Leptura, D. Drury, Ill. Nat. Hist. I. 1770, index & 91.
pictus Lophius, G. Shaw, Nat. Misc. V. 1794, pl. 176.
picta Loxia (Gm.), F. M. Daudin, Traite élém. Orn. 1800, 449.—Fringilla.
picta Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 102.
picta Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 104.
picta Mantis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 80.
picta Muraena, C. P. Thunberg, De Muraena 1789, 8.
picta Musca, J. C. Fabricius, Spec. Ins. II. 1781, 452.
picta Mylabris, A. G. Olivier, Entom. III. 1795, 9.
picta Myopa, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 22.
pictum Myrmeleon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 206.
pictus Mytilus, I. v. Born, Index Mus. Caes. Vind. 1778, 111.
pictus Mytilus, J. F. Bolten, Mus. Bolten. (2) 1798, 158.
picta Nassa, J. F. Bolten, Mus. Bolten. (2) 1798, 132.
picta Nerita, F. C. Meuschen, Mus. Gever. 1787, 266.
picta Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 91.
pictus Oriolus, G. Shaw in Miller, Cim. Phys. 1796, 98.
picta Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3339.
picta Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3729.
pictus Pecten, E. M. da Costa, Brit. Conch. 1778, 144.
pictus Pecten, J. F. Bolten, Mus. Bolten. (2) 1798, 165 [*n. n.*].
picta Perca, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 31.
picta Perca, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIII. 1792, 143.
picta Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 275.
picta Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 278.
picta Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2580.
pictus Phasianus; Linnaeus, Syst. Nat., ed. 10, 1758, 188; ed. 12, 1766, 272.
pictus Philanthus, G. W. F. Panzer, Ins. Germ. heft 47 [1797], tab. 23.
picta Pinna, P. Forskal, Descr. Anim. 1775, 125.
pictus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 75.
pictus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1575.—Ce-
pictus Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 107. [tonia.
picta Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 97.
picta Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 186.
picta Testudo, J. G. Schneider, Nat. Schildkr. 1783, 348.
picta Tettigonia, J. C. Fabricius, Ent. Syst. IV. 1794, 24.
picta Tipula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 550.
pictus Todus, P. Boddaert, Tab. Planch. Enl. 1783, 49.
pictus Turbo, E. M. da Costa, Brit. Conch. 1778, 103.
pictus Vespertilio, P. S. Pallas, Spic. Zool. III. 1767, 7.
pictus Vespertilio, T. Pennant in Forster, Ind. Zool. 1781, 39 [*n. n.*].

- pictus** Vespertilio, R. Kerr, Anim. Kingd. 1792, 96; *var.* rubellus.
- picumnus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 30.
- Picus** Linnaeus, Syst. Nat., ed. 10, 1758, 112; ed. 12, 1766, 173.—A.
- pica** Alca, Linnaeus, Syst. Nat., ed. 12, 1766, 210.
- pica** Alca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 551; *var.* baltica.
- pica** Buceros, J. A. Scopoli, Del. Insub. II. 1786, 87.
- picus** Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 115.
- pica** Corvus, Linnaeus, Syst. Nat., ed. 10, 1758, 106; ed. 12, 1766, 157.
- pica** Corvus, R. Kerr, Anim. Kingd. 1792, 642; *varr.* fuliginosa, striata, candida.
- pica** Curculio, [D. H. Schneider], Nom. Ent. 1785, 12 [*n. n.*].
- picus** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 490.
- pica** Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 167.
- pica** Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3684.
- picus** Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 384.
- pica** Ostralega, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 26.
- pica** Pica (L.), J. C. Schaeffer, Mus. Orn. 1789, 13.—Corvus.
- pica** Pinguinus (L.), J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 30.—Alca.
- pica** Scolopax, J. A. Scopoli, Annus I. 1769, 95.
- picus** [Sphinx], P. Cramer, Utitl. Kapellen, II (13) 1777, 83.
- pica** Trochus (L.), F. C. Meuschen, Mus. Gever. 1787, 286.—Turbo.
- pica** Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 763; ed. 12, 1767, 1235.
- pidschian** Salmo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1377.
- piera** Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 10, 1758, 465; ed. 12, 1767, 754.
- pierus** [Papilio], P. Cramer, Utitl. Kapellen, III (21) 1779, 84.
- pierus** [Sphinx], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 148.
- piger** Acarus, Scopoli, Ent. Carn. 1763, 392.
- piger** Acarus, F. v. P. Schrank, Ins. Aust. 1781, 519.
- piger** Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 52.
- piger** Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 377.—Buprestis.
- pigra** Cetonia (Fab.), A. G. Olivier, Entom. I. 1789, 64.—Trichius.
- piger** Curculio, Scopoli, Ent. Carn. 1763, 23.
- piger** Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 169.
- pigra** Musca, A. F. de Fourcroy, Ent. Paris. 1785, 499.
- pigra** Phalaena, Hufnagel, Berl. Mag. II. 1766, 426.
- pigra** Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 279.
- piger** Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1585.—Trichius.
- piger** Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 295.
- piger** Trichius, J. C. Fabricius, Syst. Ent. 1775, 41.
- pigmalion** [Papilio], P. Cramer, Utitl. Kapellen, III (21) 1779, 87.
- pigra -um** *v.* piger.
- Pika** B. G. E. de Lacépède, Tabl. Mamm. 1799, 9.—M.
- Pila** J. F. Bolten, Mus. Bolten. (2) 1798, 145.—G.
- pila** Leucosia, F. Weber, Nomen. Fabricii, 1795, 92 [*n. n.*].
- pila** Leucosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 349.
- pilaris** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 58.
- pilaris** Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 168; ed. 12, 1766, 291.
- pilchardus** Clupea, J. J. Walbaum, Artedi, Ichth. (3) ed. 2, 1792, 38.
- pileare** Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 308.—Murex.
- pilearis** Medusa, Linnaeus, Syst. Nat., ed. 10, 1758, 660; ed. 12, 1767, 1097.
- pileare** Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 749; ed. 12, 1767, 1217.
- pileata** Alcedo, P. Boddaert, Tab. Planch. Enl. 1783, 41.
- pileata** Ardea, P. Boddaert, Tab. Planch. Enl. 1783, 54.
- pileata** Ardea, J. Latham, Index Orn. 1790, 695.
- pileatus** Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 691.
- pileata** Columba, J. A. Scopoli, Del. Insub. II. 1786, 94.
- pileata** Emberiza, P. Boddaert, Tab. Planch. Enl. 1783, 23.
- pileata** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3639.
- pileatus** Lanius, J. Latham, Index Orn. 1790, 76.

- pileata** Medusa, P. Forskal, Descr. Anim. 1775, 110.
- pileata** Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 965.
- pileata** Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 172.
- pileatus** Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 113; ed. 12, 1766, 173.
- pileatus** Psittacus, J. A. Scopoli, Annus I. 1769, 32.
- pileatus** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 347.
- pileata** Sterna, J. A. Scopoli, Del. Insub. II. 1786, 92.
- pileata** Sylvia (Gm.), J. Latham, Index Orn. 1790, 531.—Motacilla.
- pileatus** Tamarindiformis, F. C. Meuschen, Mus. Gever. 1787, 412.
- pileata** Tanager, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 898.
- pileata** Tringa, J. P. Falk, Reise Russ. (5) 1786, 376.
- pileatus** Trochilus, J. Latham, Index Orn. 1790, 318.
- pilella** Alucita (D. & S.), J. C. Fabricius, Mant. II. 1787, 256.—Tinea.
- pilella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 142.
- pileolus** Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 29.
- pileus** Beroe, O. F. Müller, Z. Dan. Prod. 1776, 233.
- pileus** Helix, O. F. Müller, Verm. II. 1774, 80.
- pileus** Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 794; ed. 12, 1767, 1273.
- pileus nephini** Madrepora, F. C. Meuschen, Mus. Gever. 1787, 496.
- pileus** Medusa (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3152.—Beroe.
- pileus** Terebratula, J. G. Bruguière, J. Nat. Hist. (Choix des Mém.) I. 1792, 424.
- pileus** Volvox, F. v. P. Schrank in Moll. Oberdeutsche Beyträge, I. 1787, 144.
- pilicorne** Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 327.
- pilicornis** Curabus, J. C. Fabricius, Syst. Ent. 1775, 243.
- pilicornis** Curabus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. V. 1792, 117. [perda.
- pilicornis** Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1840.—Sa-
- pilicornis** Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2198.—Redu-
- pilicornis** Curculio, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. VI., 1798, 112. [vius.
- pilicornis** Phalaena Noctua, N. J. Brahm, Ins. Kal. II (1) 1791, 193.
- pilicornis** Psocus, A. J. Coquebert, Icon. Ins. (1) 1799, 13.
- pilicornis** Reduvius, J. C. Fabricius, Mant. II. 1787, 311.
- pilicornis** Saperda, J. C. Fabricius, Mant. I. 1787, 148.
- pilicornis** Staphylinus, G. Paykull, Mon. Carab. 1790, 135.
- pilicornis** Tenthredo, J. D. Preyßler in Mayer's Samml. Phys. Aufsätze, III. 1793, 231.
- pilicornis** Tipula, J. C. Fabricius, Mant. II. 1787, 324, no. 39.
- pilicornis** Tipula, J. C. Fabricius, Mant. II. 1787, 325, no. 49.
- pilipes** Andrena, J. C. Fabricius, Spec. Ins. I. 1781, 474.
- pilipes** Apis, J. C. Fabricius, Syst. Ent. 1775, 383.
- pilipes** Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 425.
- pilipes** Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2197.—Reduvius.
- pilipes** Reduvius, J. C. Fabricius, Mant. II. 1787, 309.
- pilipes** Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 260.
- pilipes** Tipula, J. C. Fabricius, Mant. II. 1787, 324.
- pilipoda** Apis, *id.* ac pilipes Andraena Fabr., C. P. Thunberg, D. D. Mus. Ac. Upsal., App.
- pilistrius** Curculio, F. v. P. Schrank, F. Boica, I. 1798, 507. [III., 1794, 141.
- pilleri** Cryptocephalus, F. v. P. Schrank, F. Boica, I. 1798, 555.
- pillariana** Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 227.—Phalaena.
- pillariana** Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 126.
- pillipes** *v.* pilipes.
- Pillularius** F. v. P. Schrank, Faun. Boica, I. 1798, 355.—Col.
- pillularius** *v.* pilularius.
- pillus** Tantalus, G. I. Molina, Sag. stor. nat. Chili, 1782, 243.
- pilmus** Lucanus, G. I. Molina, Sag. stor. nat. Chili, 1782, 209.
- pilorides** Cavia, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 698.
- pilorides** Mus, P. S. Pallas, N. Sp. Quad. II. 1779, 91.
- pilorides** Mus, R. Kerr, Anim. Kingd. 1792, 227; *varr.* albidus, fulvus.
- pilorides** Sorex, G. Shaw, Mus. Lever. II. 1796, 31. [Mus.
- pilorides** Sorex (Gm.), J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 537.—

- piloris** Castor, E. A. W. Zimmermann, Spec. Zool. 1777, 509.
- pilosaria** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 100.
- pilosaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 176 [*n. et*].
- pilosella** Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 77. [*f.*].
- pilosellae** Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 456; ed. 12, 1767, 742.
- pilosellae** Papilio, J. C. Fabricius, Syst. Ent. 1775, 497.
- pilosellae** Papilio, S. A. v. Rottemburg, Naturforscher, VI. 1775, 5.
- pilosellae** Papilio N. Ph., E. J. C. Esper, Die Schmett. I (9) 1779, 379.
- pilosellae** Sphinx, E. J. C. Esper, Die Schmett. II (14) [1781], 186.
- pilosisima** Didelphys, H. F. Link, Beytr. Nat. I (2) 1795, 67.
- “**pilosus**” [*sine gen.*] Herbst in Fuessly, Arch. Insect. IV. 1783, 39.—[? Nitidula.]
- pilosa** Arca, Linnaeus, Syst. Nat., ed. 12, 1767, 1143.
- pilosum** Axinaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Arca.
- pilosus** Bostrichus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1603.
- pilosus** Brachionus, F. v. P. Schrank, Beitr. Nat. 1776, 111.
- pilosa** Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 135.
- pilosus** Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 632.
- pilosa** Cantharis, Scopoli, Ent. Carn. 1763, 41.
- pilosa** Cantharis, G. Paykull, Faun. Suec., I. 1798, 264.
- pilosus** Carabus, N. Host in Jacquin, Coll. Bot. III. 1789, 299.
- pilosa** Cellaria (Pall.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 451.—Cellularia.
- pilosa** Cellularia, P. S. Pallas, Elench. 1766, 72.
- pilosus** Cerambyx, N. Poda, Ins. Mus. Graec. 1761, 32.
- pilosus** Cerambyx, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 58.
- pilosus** Cerambyx, J. C. Fabricius, Mant. I. 1787, 134.
- pilosus** Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 35.
- pilosus** Clerus, J. R. Forster, Cat. Brit. Ins. 1770, 5 [*n. n.*].
- pilosus** Cryptocephalus, P. Rossi, Fauna Etrus. I. 1790, 100.
- pilosus** Kryptophagus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 177.
- pilosus** Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 183.
- pilosus** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 468.
- pilosa** Cypris, O. F. Müller, Z. Dan. Prod. 1776, 199.
- pilosa** Doris, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 7.
- pilosus** Elater, N. G. Leske, Reise Sachsen, 1785, 11.
- pilosa** Eschara, P. S. Pallas, Elench. 1766, 50.
- pilosa** Flustra, Linnaeus, Faun. Suec., ed. 2, 1761, 539.
- pilosa** Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 498.
- pilosa** Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 575.
- pilosa** Lampyris, J. R. Forster, N. Sp. Ins. 1771, 49.
- pilosa** Leptura, J. R. Forster, N. Sp. Ins. 1771, 44.
- pilosa** Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 78.
- pilosa** Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 156.
- pilosus** Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3002.—
- pilosa** Musca, D. Drury, Ill. Nat. Hist. I. 1770, index & 109. [Cypris].
- pilosa** Nitidula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1631.
- pilosus** Pediculus, Scopoli, Ent. Carn. 1763, 384.
- pilosa** Phryganea, J. C. Fabricius, Syst. Ent. 1775, 306.
- pilosa** Phryganea, O. F. Müller, Z. Dan. Prod. 1776, 145.
- pilosa** Pimelia, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 49.
- pilosus** Scarabaeus, J. R. Forster, Cat. Anim. N. Amer. 1771, 24 [*n. n.*].
- pilosus** Scymnus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 343.
- pilosa** Sertularia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3860.—
- pilosum** Sphaeridium, P. Rossi, Mant. Ins. II. 1794, 84. [Cellularia].
- pilosa** Spongia, J. F. Maratti, Plant. Zooph. Med. 1776, 16.
- pilosus** Staphylinus, J. C. Fabricius, Mant. I. 1787, 220.
- pilosus** Trichius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 128.
- pilosa** Tritoma, Hellwig in G. W. F. Panzer, Ins. Germ. heft 7, 1793, tab. 8.
- pilosa** Tuceta (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 172.—Arca.

- pilula** Byrrhus, Linnaeus, Syst. Nat., ed. 12, 1767, 568.
- pilula** Cistela (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 58.—Byrrhus.
- pilula** Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 356.
- pilula** Hydrophilus, O. F. Müller, Z. Dan. Prod. 1776, 69.
- pilula** Volvox, O. F. Müller, Verm. I (1) 1773, 28.
- pillularius** Actinophorus (L.), J. Sturm, Verz. Ins. Samml. 1800, 79.—Scarabaeus.
- pillularius** Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 174.—Scarabaeus.
- pillularius** Curculio, J. C. Fabricius, Mant. I. 1787, 121.
- pillularius** Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 349; ed. 12, 1767, 550.
- pilumnia** [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (26) 1780, 36.
- Pimelia** J. C. Fabricius, Syst. Ent. 1775, 251.—Col.
- pimelia** Helops, J. C. Fabricius, Mant. I. 1787, 214.
- pimpinellae** Anthrenus, J. C. Fabricius, Syst. Ent. 1775, 61.
- pimpinellae** Byrrhus (Fab.), L. G. Scriba, J. Lieb. Ent. II. 1790, 160.—Anthrenus.
- pinana** Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 130.
- pinaru** Blennius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 458.
- pinaster** Sertularia, I. Lepechin, Acta Ac. Sci. Petrop. 1780 (1) 1783, 223.
- pinaster** Sertularia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 55.
- pinastri** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 358
- pinastri** Musca, C. de Geer, Mém. Ins. VI. 1776, 113.
- pinastri** Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 315.
- pinastri** Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 492; ed. 12, 1767, 802.
- [**pinastrina** Sphinx, MS.], T. Martyn, Psyche, 1797, figs. 81 & 85.
- pincernatus** Turbinis, F. C. Meuschen, Mus. Gever. 1787, 278.
- Pinctada** J. F. Bolten, Mus. Bolten. (2) 1798, 166.—L.
- pindarus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 262.
- pindarus** Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
- pinella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 539.
- pinetana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 57 [n. et f.].
- pinetaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 130 [n. et f.].
- pinetata** Phalaena Geometra, M. B. Borkhausen, Ent. eur. Schmett. V. 1794, 373.
- pinetella** Phalaena Tinea, Linnaeus, Faun. Suec., ed. 2, 1761, 355.
- pinetella** Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 657.—Phalaena.
- pineti** Aphis, J. C. Fabricius, Spec. Ins. II. 1781, 389.
- pineti** Bombyx, E. J. C. Esper, Die Schmett., Suppl., 3 Abschn. [1797], 54.
- pineti** Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 470.—Tinea pinetella.
- pineti** Curculio, G. Paykull, Mon. Curc. 1792, 61.
- pineti** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 399.
- pinetorum** Curculio, F. v. P. Schrank, Ins. Aust. 1781, 124.
- pinetorum** Falco, M. B. Borkhausen, Deutsch. Fauna, I. 1797, 140.
- pinetorum** Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 926.
- Pingouin** B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 14.—A.
- pinguedinis** Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 44.
- pinguicola** Hexathyridium, F. A. Treutler, Obs. Helminth. hum. corp. 1793, 22.
- pinguicola** Polystoma (Treut.), J. G. H. Zeder in Goetze, 1 Nachtr. Eingeweidewürm. 1800, 203.—Hexathyridium.
- pinguinalis** Phalaena (Pyralis), Linnaeus, Syst. Nat., ed. 10, 1758, 533; ed. 12, 1767, 882.
- Pinguinaria** G. Shaw, Mus. Lever. 1792, 144.—A.
- Pinguinus** J. P. Bonnatere, Ency. Méth. (Orn.), I. 1790, lxxxiii.—A.
- pinguis** Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 468.—Phalaena pinguinalis.
- pinguis** Curculio, J. C. Fabricius, Mant. I. 1787, 121.
- pinguis** Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 973.
- pinguis** Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2868.—Syrphus.
- pinguis** Sylvia (Gm.), J. Latham, Index Orn. 1790, 543.—Motacilla.
- pinguis** Syrphus, J. C. Fabricius, Syst. Ent. 1775, 763.
- pini** Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 453; ed. 12, 1767, 736.
- pini** Aranea (Phalangium), C. de Geer, Mém. Ins. VII. 1778, 285.
- pini** Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 565.—Phalaena.

- pini** Callidius, A. G. Olivier, Entom. IV. 1795, 71.
- pini** Chermes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2213.
- pini** Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 375; ed. 12, 1767, 598.
- pini** Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 448; ed. 12, 1767, 729.
- pini** Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 112.—Chrysomela.
- pini** Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 379; ed. 12, 1767, 608.
- pini** Hypophloeus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 67 [1799], tab. 19.
- pini** Ichneumon, H. Ström, Nye Saml. K. Danske Skrifter, III. 1788, 278.
- pini** Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 163.—Cimex.
- pini** Melolontha, A. G. Olivier, Entom. I. 1789, 18.
- pini** Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 498; ed. 12, 1767, 814.
- pini** Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 278.
- pini** Psylla, A. F. de Fourcroy, Ent. Paris. 1785, 224.
- pini** Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 556; ed. 12, 1767, 922.
- pini** Tipula, C. de Geer, Mém. Ins. VI. 1776, 417.
- pini** Trigla, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 130.
- piniaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 119 [*n. et f.*].
- piniaria** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 520; ed. 12, 1767, 861.
- piniperda** Bostrichus (L.), J. C. Fabricius, Syst. Ent. 1775, 60.—Dermestes.
- piniperda** Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 84.
- piniperda** Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 355; ed. 12, 1767, 563.
- piniperda** Ips (L.), C. de Geer, Mém. Ins. V. 1775, 194.—Dermestes.
- piniperda** Phalaena (*ex* Esper, tab.), H. G. Lang, Verz. Schmett. II. 1789, 139.
- piniperda** Phalaena Noct. (Lang), E. J. C. Esper, Die Schmett. IV (46) 1791, 343.—
- piniperda** Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 8.—Bostrichus. [Noctua.
- piniphilus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 24.
- Pinna** Linnaeus, Syst. Nat., ed. 10, 1758, 707; ed. 12, 1767, 1159.—L.
- pinnarum** Lernaea, J. C. Fabricius, Reise Norwegen, 1779, 282.
- pinnata** Aranea, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 363.
- pinnata** Biphora (Forsk.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 180.—Salpa.
- pinnatus** Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 272; ed. 12, 1766, 461.
- pinnata** Chalcides, J. N. Laurenti, Syn. Rept. 1768, 64.
- pinnata** Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 117.
- pinnata** Gorgonia, Linnaeus, Syst. Nat., ed. 10, 1758, 802; ed. 12, 1767, 1292.
- pinnata** Millepora, P. S. Pallas, Elench. 1766, 247.
- pinnata** Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
- pinnatus** Orbis, P. L. S. Müller, Del. Nat. II. 1767, 141.
- pinnata** Pteraclis, L. T. Gronov, Acta Helvet. VII. 1772, 44.
- pinnata** Salpa, P. Forskal, Descr. Anim. 1775, 113.
- pinnata** Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 813; ed. 12, 1767, 1312.
- pinnata** Sertularia, P. S. Pallas, Elench. 1766, 136. [Millepora.
- pinnata** Tubipora (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3755.—
- pinnicornis** Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 589; ed. 12, 1767, 979 [**penn-**].
- “Pinnigera, De Luc, 1779,” Scudd.; a latinization of Pinnigène.
- Pinnites** J. Gesner, Tract. Petref. 1758, 39.—L.
- pinnophylax** Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1039.
- pinnotheres** Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1040.
- pinnotheres** Cancer, P. Forskal, Descr. Anim. 1775, 88.
- pintadeanus** Tetrao, J. A. Scopoli, Del. Insub. II. 1786, 93.
- pinthaeus** Papilio Danaus, Linnaeus, Syst. Nat., ed. 12, 1767, 766.
- pinthoris** Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 488 [P. (Danaus) **pinthæus**,
- pinus** Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 187. [ed. 12.
- pinus** Fringilla, B. S. Barton, Frag. N. H. Pennsylv., 1799, 21.
- pinus** Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 316.
- pinus** Sertularia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3846.
- pinus** Sylvia (L.), J. Latham, Index Orn. 1790, 537.—Certhia.
- Pipa** J. N. Laurenti, Syn. Rept. 1768, 24.—Amph.
- pipa** Bufo (L.), J. P. Bonnaterre, Ency. Méth. (Erp.), 1789, 14.—Rana.

- pipa** Buffo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
pipa Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 63.
pipa Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 210; ed. 12, 1766, 354.
piperata Mactra, J. L. M. Poiret, Voy. Barbarie, II. 1789, 15.
piperivorus Ramphastos, Linnaeus, Syst. Nat., ed. 10, 1758, 103; ed. 12, 1766, 150.
pipiens Conops (Linn.), Scopoli, Ent. Carn. 1763, 357.—Musca.
pipiens Culex, Linnaeus, Syst. Nat., ed. 10, 1758, 603; ed. 12, 1767, 1002.
pipiens Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 594; ed. 12, 1767, 988.
pipiens Rana, Schreber, Naturforscher, XVIII. 1782, 185.
pipiens Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 772.—Musca.
pipilans Fringilla, J. Latham, Syn. Birds, Suppl. I. 1787, 286.
pipilans Psittacus, J. Latham, Index Orn. 1790, 105.
pipile Crax, J. F. E. v. Jacquin, Beyt. Gesch. Vögel. 1784, 26.
pipile Penelope (Jacq.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 734.—Crax.
pipines Culex, A. F. de Fourcroy, Ent. Paris. 1785, 516.
pipines Musca, A. F. de Fourcroy, Ent. Paris. 1785, 486.
 "Pipis, Licht. 1793," *see* **Pipus**.
pipistrellus Vespertilio, J. C. D. Schreber, Säugth. I. 167 (1774) pl. liv (1774).
pipeleis Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 476; ed. 12, 1767, 775.
Pipra Linnaeus, Mus. Adolph. Frid. II. 1764, 32.—A.
Pipra Linnaeus, Syst. Nat., ed. 12, 1766, 338.—A.
pipra Parus, Linnaeus, Syst. Nat., ed. 10, 1758, 190.—[leucocilla Pipra, ed. 12.]
Pipus A. A. H. Lichtenstein, Cat. rerum Nat. I. 1793, 33.—A.
piranthus [Papilio], P. Cramer, Utit. Kapellen, III (17) 1779, 18.
 [piraticus Araneus, C. Clerck, Aran. Svec. 1757, 102.]
piraticus Araneus, T. Martyn, Aranei, 1793, 47.
pirata Papilio, L. Prunner, Lep. Pedemont. 1798, 73.
pirca *v.* **perca**.
pireta *v.* **pyretus**.
pir- *v. et.* **pyr-**.
piricola Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 84.
pirina Phalaena, Hufnagel, Berl. Mag. III. 1767, 290.
piritha Noctua, C. C. Jung, Alph. Verz. Schmett. II. 1792, 111.—[peritha, Cr., *est.*]
pirithous Papilio, J. C. Fabricius, Syst. Ent. 1775, 483.
pirithous Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, 1767, 790.
piritoides Phalaena, Hufnagel, Berl. Mag. III. 1767, 400.
pirmal Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 29.
pisana Buprestis, P. Rossi, Mant. Ins. II. 1794, 101.
pisanus Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 416.
pisana Helix, O. F. Müller, Verm. II. 1774, 60.
piscator Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 279.
piscator Hydrus, J. G. Schneider, Hist. Amph. I. 1799, 247.
piscator Pelecanus, Linnaeus, Syst. Nat., ed. 10, 1758, 134; ed. 12, 1766, 217.
 [piscatorius Araneus, C. Clerck, Aran. Svec. 1757, 103.]
piscatorius Araneus, T. Martyn, Aranei, 1793, 48.
piscatorium Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3496.
piscatorius Lophius, Linnaeus, Syst. Nat., ed. 10, 1758, 236; ed. 12, 1766, 402.
piscatoria Mustela (Lutra), R. Kerr, Anim. Kingd. 1792, 172.
piscinalis Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3627.—Nerita.
piscinalis Nerita, O. F. Müller, Verm. II. 1774, 172.
piscinus Binoculus, O. F. Müller, Z. Dan. Prod. 1776, 200.
piscinus Echinorhynchus, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 132.
piscinus Monoculus, Linnaeus, Faun. Suec., ed. 2, 1761, 497.
piscis Trichoda, O. F. Müller, Verm. I (1) 1773, 73.
piscium Caryophyllaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3052.
piscium Gordius, J. G. Bruguière, Ency. Méth. (Vers. Int. 1791), 89.
piscium Hirudo, O. F. Müller, Verm. I (2) 1774, 43.
piscium Ligula, M. E. Bloch, Eingeweidewürmer, 1782, 2.

- piscium** Taenia, P. S. Pallas, Elench. 1766, 413.
piscivorus Crotalus, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 130.
piscivorus Ramphastos, Linnaeus, Syst. Nat., ed. 12, 1766, 151.
piseus Syrphus, P. Rossi, Mant. Ins. II. 1794, 64.
pisi Bruchus, Linnaeus, Syst. Nat., ed. 12, 1767, 604.
pisi Noctua, (L.), J. C. Fabricius, Syst. Ent. 1775, 610.—Phalaena.
pisi Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 517; ed. 12, 1767, 854.
pisi Rhinomacer (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 191.—Bruchus.
pisiferus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 23.
pisiformis Hydatigena, J. A. E. Goeze, Eingeweidewürm. 1782, 210. [Hydatigena.
pisiformis Taenia (Goeze), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3061.—
pisiformis Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 677; ed. 12, 1767, 1120. •
pisiformis Vesicaria (Goez.), F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 30.—
pisistratus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 345. [Hydatigena.
piso Gobiomoroides (Gm.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 592.—
pisonis Gobius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1206. [Gobius pisonis.
pisorius Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 561; ed. 12, 1767, 931.
pisorum Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 356.
pisorum Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 242.
pissopus Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 31.
pissotarsus Prionus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 40.
pistaciae Aphis, Linnaeus, Syst. Nat., ed. 12, 1767, 737.
pistacina Noctua, [Denis & Schiffmüller], Schmett. Wien, 1775, 77.
pistillata Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (3) 1795, 73.
pisum Alpheus (L.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
pisum Aphis, M. Harris, Exp. Eng. Ins. 1776, 66.
pisum Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1039.
pisum Cordiformis, F. C. Meuschen, Mus. Gever. 1787, 486.
pisum Neritaeformis, F. C. Meuschen, Mus. Gever. 1787, 276.
pitangva Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 136.
pitare Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 180.
pithecia Callithrix (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 55.—Simia.
pithecius Cebus (L.), H. F. Link, Beytr. Nat. I (2) 1795, 63.—Simia.
pithecius Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 159.—Scarabaeus.
pithecium Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 147.
pithecium Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 21.
pithecia Simia, Linnaeus, Syst. Nat., ed. 12, I. 1766, 40.
pithecia Simia (Sagoinus) L., R. Kerr, Anim. Kingd. 1792, 80.
Pithecus Cuvier & Geoffroy, Journ. de Phys. III. 1798, 190.—M.
Pithecus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [n. n.].—M.
pitho Papilio (Plebejus), Linnaeus, Mus. Lud. Ulr. 1764, 337.
pithyornus Emberiza, P. S. Pallas, Reise Russ. II. 1773, 710.
pityocampa Bombyx, [Denis & Schiffmüller], Schmett. Wien. 1775, 58.
pityocampa [Phalaena], P. Cramer, Uitl. Kapellen, IV (26) 1780, 29.
pityocampa Phalaena B. (D. & S.), E. J. C. Esper, Die Schmett. III (20) 1785, 159.—
pitius Picus, G. I. Molina, Sag. stor. nat. Chili, 1782, 236. [Bombyx.
Placenta A. J. Retzius, Diss. Nova Test. Gen. 1788, 15.—L.
Placenta C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 99.—L.
Placenta [G. Humphreys], Mus. Calonn. 1797, 64.—Ech.
placenta Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 703; ed. 12, 1767, 1154.
placenta Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 53.
placenta Asterias [Schreber], Naturforscher, XXVII. 1793, 6.
placenta Biritia (L.), F. C. Meuschen, Mus. Gever. 1787, 490.—Echinus.
placenta Echinodiscus, F. C. Meuschen, Mus. Gronov. 1778, 91.
placenta Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 666; ed. 12, 1767, 1105.
placenta Ephippium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 166.—Anomia.
placenta Ostrea, F. C. Meuschen, Mus. Gever. 1787, 422.
placenta Placuna (L.), G. Cuvier, Tab. Elém. 1798, 419.—Anomia.

- placentia** Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 129.
- placidia** [Papilio], C. Stoll, Anhang. Cramer's Utitl. Kapellen, IV. 1790, 133.
- placidus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 16.
- placida** Musca, O. F. Müller, F. Ins. Frid. 1764, 85.
- placida** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 134.
- placida** Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. 1797-1800, 599.
- placomus** Gorgonia, Linnaeus, Syst. Nat., ed. 10, 1758, 802; ed. 12, 1767, 1290.
- Placuna** J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xiii.—L.
- Placuna** [G. Humphreys], Mus. Calonn. 1797, 44.—L.
- Placuna** Lamarck, Mém. Soc. H. N. Paris, 1799, 82.—L.
- plaessaus** Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 211.
- plaessus** Ichneumon, A. F. de Fourcroy. Ent. Paris. 1785, 417.
- plagiatus** Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.), 1790, 150.—Scarabaeus.
- plagiatus** Curculio, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 284.
- plagiatus** Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 170.
- plagiata** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796], fig. 220 [n. et f.].
- plagiata** Meloe, P. S. Pallas, Icon. Ins. 1782, 77.
- plagiata** Phalaena, Hufnagel, Berl. Mag. IV. 1767, 522.
- plagiata** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 526; ed. 12, 1767, 869.
- plagiatus** Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 559.
- plagiatum** Sphaeridium, C. P. Thunberg, Ins. Suecica. (8) 1794, 101.
- plagiatus** Staphylinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 180. [1792.]
- plagiocephala** Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 113.—Cryptocephalus,
- plagiocephalus** Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 60.
- plagiocephalus** Gadius, G. A. Suckow, Naturges. IV. 1799, 231.
- plagiusa** Pleuronectes, Linnaeus, Syst. Nat., ed. 12, 1766, 455.
- Plagusia** P. Browne, Hist. Jamaica, ed. 2, 1789, 445.—P.
- Planaria** O. F. Müller, Z. Dan. Prod. 1776, 221.—Ver.
- Planaria** J. A. E. Goeze, Eingeweidewürmer, 1782, 168.—Ver.
- planatus** Astacus, J. C. Fabricius, Ent. Syst. II. 1793, 482.
- planata** Baphia, F. C. Meuschen, Mus. Gever. 1787, 472.
- planatus** Cancer, J. C. Fabricius, Syst. Ent. 1775, 403.
- planatus** Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [n. n.].
- planatus** Cerambyx, Linnaeus, Faun. Suec., ed. 2, 1761, 186.
- planatus** Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 91.
- planatus** Cucujus (L.), J. F. W. Herbst in Fuessly, Arch. Ins. II. 1782, 7.—Cerambyx.
- planatus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 295.
- planata** Leucosia, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer, 1775.
- planata** Membracis, J. C. Fabricius, Ent. Syst. IV. 1794, 11.
- planatus** Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 320.
- planatus** Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 91.
- planatum** Peronaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 257.—Tellina.
- planata** Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 386.
- planata** Pimelia, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 49.
- planata** Pimelia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 45.
- planata** Semblis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 200.
- planata** Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 675; ed. 12, 1767, 1117.
- planci** Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 823.
- planci** Nautilus, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 246.
- plancus** Falco, J. F. Miller, Icon. Anim., pl. 17 (1777).
- plancus** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 257.
- plancus** Falco (Gypaetus), R. Kerr, Anim. Kingd. 1792, 480.
- plancus** Vultur (Mill.), J. Latham, Index Orn. 1790, 8.—Falco.
- planeri** Petromyzon, M. E. Bloch, Nat. Fische Deutschl. III. 1784, 47.
- planiceps** Testudo, [J. G. Schneider], Schrift. Berlin. Ges. Nat. Freunde, X (3) 1792,
- ✓ **planicornis** Bombylius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 569. (64) [pl. vii.
- planicornis** Cimex, P. S. Pallas, Spic. Zool. IX. 1772, 23.
- planicornis** Peneus, F. Weber, Nomen. Fabricii, 1795, 94.

- planicornis** Penaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 409.
planicornis Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 210.
planifrons Musca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 565.
planipes Matuta, F. Weber, Nomen. Fabricii, 1795, 92.
planipes Matuta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 369. [Curculio, 1787.
planirostris Anthribus, J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 221.—
planirostris Curculio, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 84.
planirostris Curculio, J. C. Fabricius, Mant. I. 1787, 119.
planirostris Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1806.
planirostris Curculio, G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 18.
planirostris Macrocephalus (Fab.), B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 606.—
planitia Testudo, F. C. Meuschen, Mus. Gronov. 1778, 11. [Curculio.
planiventer Coluber, U. J. Sentzen in Meyer, Zool. Archiv (2) 1796, 58.
Planorbis E. L. Geoffroy, Traité Coq. 1767, 12.—G.
Planorbis O. F. Müller, Verm. II. 1774, 152.—G.
Planorbis J. F. Bolten, Mus. Bolten. (2) 1798, 72.—G.
Planorbis Lamarck, Mém. Soc. H. N. Paris, 1799, 76.—G.
planorbis Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 254.—Helix.
planorbis Conus, I. v. Born, Index Mus. Caes. Vind. 1778, 147.
planorbis Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 769; ed. 12, 1767, 1242.
planorbis Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 786; ed. 12, 1767, 1264.
planorbis Spirorbis (L.), F. M. Daudin, Rec. Mém. Moll. 1800, 38.—Serpula.
planorbis Turbo, O. Fabricius, F. Groen. 1780, 394.
Planorbites Lamarck, Mém. Soc. H. N. Paris, 1799, 80.—Rh.
plantaginis Aphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2209.
plantaginis Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 580.—Phalaena.
plantaginis Chrysomela, C. de Geer, Mém. Ins. V. 1775, 322.
plantaginis Curculio, C. de Geer, Mém. Ins. V. 1775, 237.
plantaginis Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 501; ed. 12, 1767,
plantaris Curculio, D. E. Naezén, K. Vet. Ac. Nya Handl. XV. 1794, 270. [820.
[plantarius Araneus, C. Clerck, Aran. Svec. 1757, 105.]
plantarius Araneus, T. Martyn, Aranei, 1793, 49.
plantarum Acarus, J. Mayers, Naturforscher, XV. 1781, 114.
plantigera Aranea, P. Rossi, Fauna Etrus. II. 1790, 134.
plana Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 73.
plana Anadema, F. C. Meuschen, Mus. Gever. 1787, 482.
planum Anobium, J. C. Fabricius, Mant. I. 1787, 39.
plana Aphrodita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3108.
planus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 35.
plana Buprestis, A. G. Olivier, Entom. II. 1799, 93.
plana Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 137.
planus Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 338.
planum Colydium, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 285.
planus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 400.
planus Dytiscus, J. C. Fabricius, Spec. Ins. II. 1781, 501.
planus Echinus, P. L. S. Müller, Del. Nat. I. 1766, 131.
planus Erodium, J. C. Fabricius, Syst. Ent. 1775, 259.
plana Fulgora, J. C. Fabricius, Mant. II. 1787, 261.
planus Helops, J. C. Fabricius, Suppl. Ent. Syst. 1798, 52.
plana Hirudo, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 365.
planus Hister, J. C. Fuessly, Schweiz. Ins. 1775, 5.
planus Hister, J. H. Sulzer, Gesch. Ins. 1776, 23.
planus Hister, J. J. Roemer, Gen. Ins. 1789, 3.
plana Nepa, J. H. Sulzer, Gesch. Ins. 1776, 92.
planum Opatrum, J. C. Fabricius, Ent. Syst. I (1) 1792, 90.
plana Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3320.
planus Passalus, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 104.
planus Pentaceros, C. F. Schultze, Verst. Seest. 1760, 50.

- planus** Ptinus (Fab.), C. de Villers, Linn. Ent. IV. 1789, 224.—Anobium.
- plana** Spongia, O. F. Müller, Z. Dan. Prod. 1776, 246.
- planus** Staphylinus, G. Paykull, Mon. Curc. 1792, 145.
- planus** Tenebrio, C. Quesnel, Diss. ignotus insectorum species, 1790, 19.
- planus** Tenebrio, A. G. Olivier, Entom. III. 1795, 14.
- planus** Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 14.
- plana** Trigonella, E. M. da Costa, Brit. Conch. 1778, 200.
- planus** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3576.
- Plaps**, *err. pro Blaps* J. J. Zschachi, Mus. Lesk. 1778, 42.
- Platalea** Linnaeus, Syst. Nat., ed. 10, 1758, 139; ed. 12, 1766, 231.—A.
- plataleae** Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 613; ed. 12, 1767, 1019.
- platanoidis** Aphis, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 340.
- Platea** M. J. Brisson, Ornith. V. 1760, 352.—A.
- Platea** S. G. Gmelin, Reise Russ. I (1770), 163.—A.
- Plateja** A. Modeer, K. Vet. Ac. Nya Handl. XIII. 1792, 114.—Inf.
- platensis** Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 886.
- platensis** Sylvia, J. Latham, Index Orn. 1790, 548.
- plateosus** Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 53.
- plateosus** Carabus (Fourc.) C. de Villers, Linn. Ent. I. 1789, 377.—Buprestis.
- plattessa** Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 269; ed. 12, 1766, 456.
- plattessae** Fasciola, O. F. Müller, Zool. Dan. II. 1784, 114.
- plattessoidae** Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3048.
- plattessoides** Pleuronectes, O. Fabricius, F. Groen. 1780, 164.
- platrhyngos** *v.* **platyrhynchus**.
- Platiglossus** *v.* **Platyglossus**.
- platina** Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 55.
- plato** Altica, [D. H. Schneider], Nom. Ent. 1785, 10 [*n. n.*].
- plato** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 288.
- platuosus** Anguis, *id. ac* platura, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, [1122].
- platura** Anguis, Linnaeus, Syst. Nat., ed. 12, 1766, 391.
- platura** Lacerta, G. Shaw in White, Journ. N. S. W. 1790, 246.
- platurus** Trochilus, J. Latham, Index Orn. 1790, 317.
- Platycephalus** M. E. Bloch, Nat. ausl. Fische, IX. 1795, 96.—P.
- platicephalus** Coluber, G. A. Suckow, Naturges. III. 1798, 251.
- Platycerus** E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 59.—Col.
- Platycerus** P. A. Latreille, Préc. Car. Ins. 1796, 2.—Col.
- platycerus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2187.
- platyceros** Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 107.
- platycheles** Cancer, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 5.
- Platiglossus** (*ex* Klein), J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 582.—P.
- platyptera** Empis, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 23.
- platyptera** Phalaena Noctua (*ex* Esper, tab.), M. B. Borkhausen, Nat. eur. Schmett. IV.
- platypterus** Xiphias, G. Shaw, Nat. Misc. III. 1791, pl. 88. [1792, 396.]
- Platypus** Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 128.—Col.
- Platypus** G. Shaw, Nat. Miscell. 1799, pl. 385.—M.
- platypus** Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1827.
- platypygos** Simia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 188.
- platypygos** Simia (Papio), R. Kerr, Anim. Kingd. 1792, 62.
- Platyrhinus** J. R. Schellenberg, Helvet. Entom. I. 1798, 112.—Col.
- platyrhynchus** Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 125.—[= clypeata. ed. 12.]
- platrhingos** Apterodita, J. A. Scopoli, Del. Insub. II. 1786, 91.
- platyrhynchus** Squalus, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 521.
- platyrhynchus** Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 446.
- platys** Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 140.
- Platysomatus** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [*n. n.*].—P.
- Platystacus** M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 52.—P.
- platyuros** Lacerta, J. A. Donndorff, Zool. Beyt. III. 1798, 133.
- Plautus** J. E. Gunnerus, Trondhiemske Selsk. Skrift. I. 1761, 263.—A.

- Plautus** M. T. Brünnich, *Fund. Zool.* 1772, 78.—A.
- plautus** *Hesperia*, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 291.
- Plebejus** *v.* **Papilio**.
- plebeja** *Bibio* (L.), J. C. Fabricius, *Syst. Ent.* 1775, 757.—*Musca*.
- plebeja** *Buprestis*, J. C. Fabricius, *Gen. Ins.* 1777, 236.
- plebejum** *Cerambyx*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1853.
- plebeja** *Cicada*, Scopoli, *Ent. Carn.* 1763, 117.
- plebeius** *Curculio*, A. F. de Fourcroy, *Ent. Paris.* 1785, 131.
- plebeia** *Donax*, R. Pulteney, *Cat. Birds &c. Dorset*, 1799, 32.
- plebeia** *Melolontha*, A. G. Olivier, *Entom. I.* 1789, 25.
- plebeja** *Musca*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 589; ed. 12, 1767, 979.
- plebeia** *Phalaena*, A. F. de Fourcroy, *Ent. Paris.* 1785, 285.
- plebeja** *Phalaena* (*Noctua*), Linnaeus, *Faun. Suec.*, ed. 2, 1761, 320.
- plebeius** *Polynemus*, P. M. A. Broussonet, *Ichth.* 1782.
- plebeja** *Sphinx*, J. C. Fabricius, *Gen. Ins.* 1777, 273.
- plebejus** *Stenocorus*, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 147.
- plebeia** *Stratiomys* (Linn.), O. F. Müller, *Z. Dan. Prod.* 1776, 177.—*Musca*.
- plebeja** *Tettigonia* (Scop.), G. A. Harrer, *Besch. Schaeffer Icones*, 1784, 279.—*Cicada*.
- Plecostomus** L. T. Gronovius, *Zooph. I.* 1763, 127.—P.
- plecostomus** *Acipenser*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 238.
- plecostomus** *Loricaria*, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 508.
- plecostomus** *Plecostomus*, F. C. Meuschen, *Mus. Gronov.* 1778, 39.
- plecta** *Noctua* (L.), J. C. Fabricius, *Syst. Ent.* 1775, 605.—*Phalaena*.
- plecta** *Phalaena* (*Noctua*), Linnaeus, *Faun. Suec.*, ed. 2, 1761, 321.
- “**Plectorhinchus**, Lacép. 1800,” Ag.; is 1802.
- pleiades** *Madrepora*, J. Ellis & D. Solander, *Nat. Hist. Zooph.* 1786, 169.
- pleiades** *Tenthredo*, J. L. Christ, *Nat. Ins.* 1791, 435.
- Plejona** J. F. Bolten, *Mus. Bolten.* (2) 1798, 59.—G.
- plendidulus** *Scarabaeus*, *err. pro splendidulus*, Fabr., J. C. Fabricius, *Mant. I.* 1787, 12.
- plestya** *Cyprinus*, N. G. Leske, *Ichth. Lips.* 1774, 69.
- Pleunonectes**, *v.* **Pleuronectes** [Artedi, *Ichth.* 1738, gen. (86)].
- pleuroceras** *Ceratium*, F. v. P. Schrank, *Naturforscher*, XXVII. 1793, 35.
- Pleuronectes** Linnaeus, *Syst. Nat.*, ed. 10, 1758, 268; ed. 12, 1766, 455; [Artedi, *Ichth.* 1738, gen. xiv, p. 16].—P.
- pleuronectes** *Amusium* (Gm.), J. F. Bolten, *Mus. Bolten.* (2) 1798, 165.—*Ostrea*.
- pleuronectis** *Ascaris*, O. F. Müller, *Z. Dan. Prod.* 1776, 214.
- pleuronectes** *Cercaria*, O. F. Müller, *Verm. I* (1) 1773, 70.
- pleuronectis** *Echinorhynchus*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3047.
- pleuronectis** *Monoculus*, J. F. W. Herbst, *Schrift. Berlin. Ges. Nat. Freunde*, III. 1782.
- pleuronectes** *Ostrea*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 696; ed. 12, 1767, 1145. [102.
- pleuronectes** *Pecten* (L.), G. Cuvier, *Tab. Elém.* 1798, 420.—*Ostrea*.
- pleuronectes** *Proboscidea* (Müll.), J. G. Bruguière, *Ency. Méth.* (*Vers Int.* 1791), 97.—
- pleuronectis** *Scolex*, O. F. Müller, *Zool. Dan. II.* 1784, 53. [Ascaris.
- Pleurorinchus** B. Nau, *Schrift. Berlin. Ges. Nat. Freunde*, VII. 1787, 474.—Ver.
- Pleurotoma** Lamarck, *Mém. Soc. H. N. Paris*, 1799, 73.—G.
- plexippus** *Papilio* (*Danaus*), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 471; ed. 12, 1767, 767.
- plica** *Argoderma* (L.), J. X. Poli, *Test. Sicil. II.* 1795, 254 & 260.—*Ostrea*.
- plica** *Lacerta*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 208; ed. 12, 1766, 367.
- plica** *Ostrea*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 697; ed. 12, 1767, 1145.
- plica** *Pecten* (L.), F. C. Meuschen, *Mus. Gever.* 1787, 416.—*Ostrea*.
- plica-auris** *Vespertilio*, M. T. Brünnich, *Dyr. Hist.* 1782, 56.
- plicarius** *Bulimus* (Born), J. G. Bruguière, *Ency. Méth.* (*Vers*) (1) 1789, 328.—*Helix*.
- plicaria** *Helix*, *err. pro plicata*, Born, I. v. Born, *Test. Mus. Caes. Vindob.* 1780, 389.
- plicarius** *Murex* (L.), F. C. Meuschen, *Mus. Gever.* 1787, 330.—*Voluta*.
- plicaria** *Patella*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3708.
- plicaria** *Voluta*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 732; ed. 12, 1767, 1193.
- plicataria** *Mactra*, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 1125.
- plicatella** *Anomia*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 702; ed. 12, 1767, 1152.

- plicatella** Lophia, J. F. Bolten, Mus. Bolten. (2) 1798, 169 [*n. n.*].
plicatella Terebratula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 99 [*n. n.*].
plicatilis Brachionus, O. F. Müller, An. Infus. 1786, 344.
plicatilis Bulla, O. F. Müller, Z. Dan. Prod. 1776, 242.
plicatilis Cerastes (Linn.), J. N. Laurenti, Syn. Rept. 1768, 81.—Coluber.
plicatilis Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 217; ed. 12, 1766, 376.
plicatulum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 276.
plicatulum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3496.
plicatulus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3561.
plicatula Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3336.
plicatulus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 161.
plicatus Alysseminthus, J. G. H. Zeder in Goetze, 1 Nachtr. Eingeweidewürm. 1800, 250.
plicatum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 735; ed. 12, 1767, 1198.
plicatum Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 44.
plicatus Buceros, J. Latham, Index Orn. 1790, 146.
plicatus Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 344.
plicatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1989.
plicatus Carabus, C. de Villers, Linn. Ent. I. 1789, 383.
plicata Cassis, J. A. Scopoli, Del. Insub. II. 1786, 76.
plicata Cassis, F. C. Meuschen, Mus. Gever. 1787, 390.
plicatum Cassis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 29.—Buccinum.
plicatus Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 299.
plicatum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 488.
plicata Chama, D. Solander in G. Brander, Foss. Hant. 1766, 36.
plicata Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 84.
plicata Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 111.
plicata Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 147.
plicatus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 532.
plicatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 169.
plicatus Dermestes, Scopoli, Ent. Carn. 1763, 19.
plicata Distorsio, J. F. Bolten, Mus. Bolten. (2) 1798, 134.
plicata Haliotis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3690.
plicata Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 376.
plicata Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 403.
plicatus Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
plicata Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 65.
plicata Lepas, L. Spengler, Skr. nat. Selsk. [Copen.], I (1) 1790, 167.
plicatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3551.
plicatus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3358.
plicata Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 779; ed. 12, 1767, 1255.
plicata Patella, I. v. Born, Index Mus. Caes. Vind. 1778, 433.
plicata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3694.
plicatus Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
plicatus Spondylus, Linnaeus, Mus. Lud. Ulr. 1764, 511.
plicatus Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 195 [*n. n.*].
plicata Terebratula, A. J. Retzius, Diss. Nova Test. Gen. 1788, 14.
plicata Tipula, O. F. Müller, F. Ins. Frid. 1764, 79.
plicata Tipula, F. v. P. Schrank, Ins. Aust. 1781, 420.
plicatus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 82.
plicata Venus, J. Barbut, Gen. Verm. II. 1788, 40.
plicata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3276.
plicatus Vespertilio, F. Buchannan, Tr. Linn. Soc. [Lond.], V. 1800, 261.
plicatum Vexillum, J. F. Bolten, Mus. Bolten. (2) 1798, 138.
plicata Volema, J. F. Bolten, Mus. Bolten. (2) 1798, 58.
pliniosa Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 284.
plouaria J. A. Scopoli, Del. Insub. I. 1786, 60.—Ins.
plouaria domestica [Cimex], P. Rossi, Fauna Etrus. II. 1790, 254.
plombea Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [*n. n.*].

1848

- plombea** Musca, C. de Villers, Linn. Ent. III. 1789, 463.
ploti Pediculus, Daldorf, Skr. nat. Selsk. [Copen.], II (2) 1793, 163.
Plotia J. F. Bolten, Mus. Bolten. (2) 1798, 95.—G.
Plotus J. A. Scopoli, Introd. Hist. Nat. 1777, 474.—A.
Plotus Linnaeus, Syst. Nat., ed. 12, 1766, 218.—A.
Plotus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 16.—A.
ployeri Phalaena, S. v. Hoehenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785, 335.
pluchii Aranea, Scopoli, Ent. Carn. 1763, 404.
pluma Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 811; ed. 12, 1767, 1309.
plumaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 106. [et f.].
plumaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 124 [n.
plumaria Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
 245.—Geometra.
 “**plumarum** Ornitholithus,” J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 388.
plumata Alauda, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 137.
plumatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3494.
plumata Chrysis, P. Rossi, Fauna Etrus. II. 1790, 79.
plumata Musca, C. de Geer, Mém. Ins. VI. 1776, 134.
plumata Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 74.
plumata Pipra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 177.
plumbana Phalaena, Scopoli, Ent. Carn. 1763, 235.
plumbana Phalaena (Fort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 405.—Pyralis.
plumbana Pyralis, J. C. Fabricius, Mant. II. 1787, 225.
plumbaria Phalaena, J. C. Fabricius, Syst. Ent. 1775, 628.
plumbeatus Coluber, F. C. Meuschen, Mus. Gronov. 1778, 15.
plumbella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
plumbeus Asilus, J. C. Fabricius, Syst. Ent. 1775, 793.
plumbea Cantharis, C. de Villers, Linn. Ent. I. 1789, 297.
plumbea Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 63.
plumbea Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3403.
plumbea Empis, J. C. Fabricius, Ent. Syst. IV. 1794, 406.
plumbeus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 283.
plumbeus Iulus, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 414.
plumbeus Melyris, A. G. Olivier, Entom. II. 1790, 10.
plumbea Motacilla, A. Vroeg, Catal. Vogel. 1764, Adumb., 4.
plumbea Musca, A. F. de Fourcroy, Ent. Paris. 1785, 492.
plumbea Nerita, F. C. Meuschen, Mus. Gever. 1787, 274.
plumbea Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 9.
plumbea Phryganea, O. F. Müller, Z. Dan. Prod. 1776, 145.
plumbea Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 354.
plumbea Podura, Linnaeus, Syst. Nat., ed. 10, 1758, 609; ed. 12, 1767, 1013.
plumbeus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 326.
plumbea Saperda, A. G. Olivier, Entom. IV. 1795, 21.
plumbea Sphex, J. C. Fabricius, Mant. I. 1787, 278.
plumbea Sylvia, J. Latham, Index Orn. 1790, 553.
plumbeus Tabanus, D. Drury, Ill. Nat. Hist. I. 1770, index & 103.
plumbeus Thelephorus, O. F. Müller, Z. Dan. Prod. 1776, 62.
plumbaea Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 322.
plumbaea Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 334.
plumbea Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 403.
plumbea Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 509.
plumbeus Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 444.
plumbeus Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 169; ed. 12, 1766, 294.
plumella Phalaena Bomb., J. Hübner, Samml. Vögel u. Schmett. 1793, 10 [n. et f.].
plumella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 133.
plumella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 77.
plumicornis Leptura, D. Drury, Ill. Nat. Hist. III. 1782, index & 74.
plumicornis Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2828.

1050

- plumicornis** Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 246.
plumieri Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 104.
plümieri (*sic*) Coryphaena, M. E. Bloch, Nat. ausl. Fische, II. 1786, 146.
plümieri (*sic*) Gobius, M. E. Bloch, Nat. ausl. Fische, II. 1786, 154.
plumieri Mugil, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 173.
plumieri Sciaena, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 66.
plumieri Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 79.
plumieri Scorpaena, M. E. Bloch, K. Vet. Ac. Nya Handl. X. 1789, 234.
plumigera Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 61.
plumigera Bombyx, E. J. C. Esper, Die Schmett. III (23) 1785, 254.
plumigerus Ips, Hermina, La Médecine éclairée (Fourcroy's), I. 1791, 206.
plumigerum Opatrum, C. Lermine, Actes Soc. H. N. Paris, I (1) 1792, 46.
plumipes Andrena, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 16.
plumipes Apis, P. S. Pallas, Spic. Zool. IX. 1772, 24.
plumipes Apis, J. C. Fabricius, Spec. Ins. I. 1781, 480.
plumipes Bombylius, D. Drury, Ill. Nat. Hist. II. 1773, index & 74.
plumipes Falco, F. M. Daudin, Traité élém. Orn. 1800, 163.
plumipes Leptura, P. S. Pallas, Spic. Zool. IX. 1772, 2.
plumipes Musca, Scopoli, Ent. Carn. 1763, 334.
plumipes Phasianus, J. Latham, Index Orn. 1790, 627.
plumipes Sphex, D. Drury, Ill. Nat. Hist. I. 1770, index & 104.
plumipes Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 47.
plumipes Tipula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 88. [*n. et f.*].
plumistaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 127
plummistaria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 326.
plumistrella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 14.
plumosa Actinia, O. F. Müller, Z. Dan. Prod. 1776, 230.
plumosa Amphitrite, O. F. Müller, Z. Dan. Prod. 1776, 216.
plumosa Apis, J. L. Christ, Nat. Ins. 1791, 168.
plumosa Cellaria, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 21.
plumosa Cellularia, P. S. Pallas, Elench. 1766, 66.
plumosus Cerambyx, A. G. Olivier, Entom. IV. 1795, 98.
plumosa Ephemera, O. F. Müller, Z. Dan. Prod. 1776, 142.
plumosa Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 463.
plumosa Lampyrus, A. G. Olivier, Entom. II. 1790, 26.
plumosa Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2868.
plumosa Phryganea, J. H. Sulzer, Gesch. Ins. 1776, 173.
plumosus Tenebrio, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 48.
plumosa Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 587; ed. 12, 1767, 974.
plutargus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 329.
plutargus Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
pluto Sphinx, J. C. Fabricius, Gen. Ins. 1777, 274.
pluto [Sphinx], P. Cramer, Utit. Kapellen, III (18) 1779, 40.
pluto Sphinx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2386.
plutonia Anas, G. Shaw, Nat. Misc. III. 1792, pl. 108.
plutus Scarabaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 436.
Pluvialis M. J. Brisson, Ornith. V. 1760, 43.—A.
pluvialis Charadrius, Linnaeus, Syst. Nat., ed. 10, 1758, 151; ed. 12, 1766, 254.
pluvialis Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 411.
pluvialis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 597; ed. 12, 1767, 992.
pluvialis Rana, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
pluvialis Tabanus, Linnaeus, Syst. Nat., ed. 10, 1758, 602; ed. 12, 1767, 1001.
pluviaria Geometra, C. de Villers, Linn. Ent. IV. 1789, 499.
pluviaria Phalaena, J. C. Fabricius, Mant. II. 1787, 192.
pluviata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 456.
Pneumora C. P. Thunberg, K. Vet. Ac. Handl. XXXVI. 1775, 255.—Orth.
pocillum Spongia, O. F. Müller, Z. Dan. Prod. 1776, 256.
pocillum Trichoda, O. F. Müller, Z. Dan. Prod. 1776, 281.

- pocopyges** Conops, N. Poda, Ins. Mus. Graec. 1761, 118.
poculata Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 165.
podae Cryptocephalus, J. N. Laicharting, Tyrol. Ins. I. 1781, 179.
podaela Alucita (L.), J. C. Fabricius, Syst. Ent. 1775, 670.—Phalaena.
podaela Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 896.
podella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 500.—Alucita, 1775.
podagraria Aedemera (L.), A. G. Olivier, Entom. III. 1795, 10.—Necydalis.
podagrariae Necydalis, Linnaeus, Syst. Nat., ed. 12, 1767, 642.
podagrariae Thelephorus (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 84.—Necydalis.
podagricus Asilus, F. v. P. Schrank, Ins. Aust. 1781, 489.
podagricus Chalcis, J. C. Fabricius, Mant. I. 1787, 272.
podagricus Cimex, J. C. Fabricius, Syst. Ent. 1775, 723.
podagricus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 167.—Cimex, 1775.
podagrica Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 44.
podagrica Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2873.—Syrphus.
podagricus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1565.—
podagricus Syrphus, J. C. Fabricius, Syst. Ent. 1775, 768. [Melolontha.
podalirius Papilio, Scopoli, Ent. Carn. 1763, 167.
podana Phalaena, Scopoli, Ent. Carn. 1763, 232.
podella *v.* **podaela**.
Podiceps J. Latham, Syn. Birds, Suppl. I. 1787, 294.—A.
podiceps Colymbus, Linnaeus, Syst. Nat., ed. 10, 1758, 136; ed. 12, 1766, 223.
Podiceps G. Edwards in M. Catesby, Carol. I. 1771, 91.—A.
podje Lemur, R. Kerr, Anim. Kingd. 1792, 88.
podobe Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 145.
Podura Linnaeus, Syst. Nat., ed. 10, 1758, 608; ed. 12, 1767, 1013.—Thys.
podura Cercaria, O. F. Müller, Verm. I (1) 1773, 66. [119.—Gammarus.
podurus Cancer (Gammarellus) (Müll.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793,
podurus Gammarus, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 59.
poecilechroa Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 324.
poecilolaparus Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
poeciloptera Musca, F. v. P. Schrank, Beitr. Nat. 1776, 96.
poecilopus Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 92.
poecilorhyncha Anas, J. R. Forster, Ind. Zool. 1781, 23.
poecilothorax Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 110.
Poekilloptera P. A. Latreille, Préc. Car. Ins. 1796, 90.—Hem.
poephagus Bos, J. R. Forster in Levaillant, Erste Reise Afrika (Berlin 1792), 165.
“Pogonias, Lacép. 1800,” Ag.; is 1802.
polaris Astraea, J. F. Bolten, Mus. Bolten. (2) 1798, 79.
polaris Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 12.
polaris Ursus, G. Shaw, Mus. Lever. I. 1792, 7.
Polas, v. Pholas L. T. Gronovius, Zooph. III. 1781, 259.
poli- *v. et. poly-*.
poli Spirogyphus, F. M. Daudin, Rec. Mém. Moll. 1800, 49.
polibete [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 71.
polibetes [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 98.
policenes [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 61.
policula Phalaena Noct., H. G. Lang, Verz. Schmett., ed. 2, 1789, 159.
olidamon [Sphinx], P. Cramer, Uitl. Kapellen, III (20) 1779, 75.
polinice [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 169.
poliocar Cuculus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 7 [n. n.].
poliocar Loxia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 9 [n. n.].
poliocephalus Cuculus, J. Latham, Index Orn. 1790, 214.
poliocephala Mustela, J. M. Bechstein in Pennant, Uebers. 4fuss. Thiere, II. 1800, 366.
polipori Phalaena Noctua, E. J. C. Esper, Die Schmett. IV., Abschn. 2 [post 1796], 64.
politialis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 121.
politana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
politaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 61 [n. et f.].

- politata** [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, IV. 1790, 143.
politata Phalaena, *id. ac* politia, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 253.
politia [Phalaena], P. Cramer, Utitl. Kapellen, II (12) 1777, 65.
politia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 41.
polita Angaria, J. F. Bolten, Mus. Bolten. (2) 1798, 72.
politum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112.
politus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 146.
politum Cardium, L. Spengler, Skr. nat. Selsk. [Copen.], V (1) 1799, 46.
polita Certhia, A. Sparman, Mus. Carls. III. 1788, no. lix.
politus Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 89.
politus Chrysis, M. Harris, Exp. Eng. Ins. 1776, 70.
polita Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 370; ed. 12, 1767, 590.
polita Coccinella (Linn.), Scopoli, Ent. Carn. 1763, 73.—Chrysomela.
politus Coluber, U. J. Sentzen in Meyer, Zool. Archiv (2) 1796, 54.
politus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 35.
politus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48 [*n. n.*].
politus Curculio (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1757.—Rhino-
politum Dentalium, Linnaeus, Syst. Nat., ed. 12, 1767, 1264. [macr.
polita Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 234.
polita Helix, O. F. Müller, Verm. II. 1774, 33.
polita Helix, R. Pulteney, Cat. Birds &c. Dorset, 1799, 49.
politus Hister, N. J. Brahm, Ins. Kal. I (1) 1790, 102.
politus Hister, Herbst in Jablonsky. Nat. Ins. (Käfer) IV. 1792, 52.
politus Lyctus, J. C. Fabricius, Ent. Syst. I (2) 1792, 502.
politus Lygdus, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 33.
polita Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 598; ed. 12, 1767, 994.
polita Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 778; ed. 12, 1767, 1254.
polita Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 85.
politus Pecten, J. F. Bolten, Mus. Bolten. (2) 1798, 165 [*n. n.*].
politum Peronaeoderma, J. X. Poli, Test. Sicil. II. 1795, 252 & 257.—=Tellina of p. 44.
polita [Phalaena], P. Cramer, Utitl. Kapellen, II (10) 1777, 35.
polita [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 152.
politus Rhinomacer, O. F. Müller, Z. Dan. Prod. 1776, 90.
politus Sargus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 566.—Musca.
polita Serpula, J. F. Bolten, Mus. Bolten. (2) 1798, 69.
polita Silpha, J. C. Fuessly, Schweitz. Ins. 1775, 6.
polita Silpha, J. H. Sulzer, Gesch. Ins. 1776, 28.
politus Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 422; ed. 12, 1767, 683.
polita Synchita, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 404.
polita Tellina, J. X. Poli, Test. Sicil. II. 1795, 44.
polita Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 107.
polita Tellina, R. Pulteney, Cat. Birds &c. Dorset, 1799, 29.
politum Tubulus (L.), F. C. Meuschen, Mus. Gever. 1787, 238.—Dentalium.
politus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 767; ed. 12, 1767, 1240.
polita Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 181.
polixenes Papilio, *v.* **polyxenes**.
pollachius Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 254; ed. 12, 1766, 439.
pollex Buccinum, F. C. Meuschen, Mus. Gever. 1787, 296.
pollex Mytilus, J. Barbut, Gen. Verm. II. 1788, 69.
pollicaris Cassis, F. C. Meuschen, Mus. Gever. 1787, 388.
Pollicipes F. C. Meuschen, Cat. Coll. Coq. Oudaan, 1766, 107 [*n. n.*].—Cirr.
pollicipes Anatifa, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 65.
pollicipes Bernicla (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 198.—Lepas.
pollicipes Lepas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3213.
pollinalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 124.
pollinarius Curculio, J. R. Forster, Cat. Brit. Ins. 1770, 5 [*n. n.*].
pollinarius Curculio, J. R. Forster, N. Sp. Ins. 1771, 33.
pollinata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.

- pollineus** Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 57.
pollinis Curculio, J. N. Laicharting, Tyrol. Ins. I. 1781, 229.
pollinosus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 454.
polluta Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 118.
pollutaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 77 [*n. et*].
pollux [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 61. [*f.*].
pollux Papilio D. F., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. 1781, 99.
polo-candar Larus, A. Sparrman, Mus. Carls. IV. 1789, no. lxxxiii.
polonicus Chermes (L.), A. F. de Fourcroy, Ent. Paris. 1785, 228.—Coccus.
polonicus Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 456; ed. 12, 1767, 741.
polonicum Ehippium, J. F. Bolten, Mus. Bolten. (2) 1798, 166.
polyanthis Aphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2209.
polybe Papilio, Linnaeus, Amoen. Acad. VI. 1763, 404.
polybe Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, 1767, 787.
polybius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 337.
polybia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 154.
Polycacnimos C. F. Schultze, Verst. Seest. 1760, 53.—Crin.
polycaon [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 17.
polycarmes Papilio, J. C. Fabricius, Syst. Ent. 1775, 484.
Polycephalus J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 308.—Verm.
polycerator Ichneumon, J. C. Fabricius, Gen. Ins. 1777, 245.
polycerator Pelecinus, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris], no. 43, 1800, 156.
polyceros Scarabaeus, P. S. Pallas, Reise Russ. I. 1771, 461.
polychloras Papilio, *v.* **polyceloros**, Linn., O. F. Müller, Z. Dan. Prod. 1776, 112.
polychloros [Papilio], C. Stoll in Cramer's Uitl. Kapellen, IV (33) 1782, 205.
polychloros Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 477; ed. 12, 1767, 777.
polychloros Psittacus, J. A. Scopoli, Del. Insub. II. 1786, 87. [*777.*].
polychotoma Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 258.
polychrestus Tenebrio, P. Forskal, Descr. Anim. 1775, 79.
polycletus Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 344.—Papilio.
polycletus Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 485; ed. 12, 1767, 795.
polycommata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 109.
polycommata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 190 [*n.*].
polykomos Cebus, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 202. [*et f.*].
polykomos Simia (Zimm.), J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, I. 1799, 213.—Cebus.
polycratica Biphora (Forsk.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 182.—Salpa.
polycratica Salpa, P. Forskal, Descr. Anim. 1775, 116.
polydactylus Polynemus, M. Vahl, Skr. nat. Selsk. [Copen.], IV (2) 1798, 164.
polydamas Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 460; ed. 12, 1767, 747.
polydamia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 242.
polydecta [Papilio], P. Cramer, Uitl. Kapellen, II (12) 1777, 76.
polydorus Papilio, Linnaeus, Amoen. Acad. VI. 1763, 401.
polyedros Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 118.
polygalae Sphinx, E. J. C. Esper, Die Schmett. II. (Fortsetz. Abendschm.) 1783, 222.
polygama Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 795; ed. 12, 1767, 1275.
polygama Tipula, P. S. Pallas, Reise Russ. II. 1773, 732.
 1052
"Polyginglyma, Lhwyd, 1760," Scudd.; not used in a Linnean sense.
polyglottus Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 169; ed. 12, 1766, 293.
polygonalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 121.
polygonalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 12 & 25.
polygonata Adimonia, J. N. Laicharting, Tyrol. Ins. I. 1781, 193.
polygoni Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 370; ed. 12, 1767, 589.
polygoni Curculio, Linnaeus, Faun. Suec. ed. 2, 1761, 177.
Polygonopus P. S. Pallas, Misc. Zool. 1766, 188.—Cr.
polygona Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 184.
polygonus Fusus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 118.—Murex.
polygonus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3555.

- polygona** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 78. [520.—Noctua.
polygona Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
polygona Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3244.
polygona Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2670.
polygona Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3454.
polygramma Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 120.—
 [polygramina, Esper, post 1796, *est.*]
polygramma Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 191.
polygrammata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 277
 [*u. et f.*].
polygrammata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 560.
poligraphus Bostrichus (L.), J. C. Fabricius, Gen. Ins. 1777, 211.—Dermestes.
poligraphus Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 355; ed. 12, 1767, 562.
poligraphus Ips (L.), C. de Geer, Mém. Ins. V. 1775, 196.—Dermestes.
polygyra Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3624.
polygyrata Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 382.
polykomos *v.* polycomos.
Polymeda J. G. Meigen, N. Class. Mouches, 1800, 14.—Dip.
polymeda Papilio, Scopoli, Ent. Carn. 1763, 157.
polymenus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 54.
polymena Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 494; ed. 12, 1767, 806.
polymena Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 553.—Sphinx.
polymita Monoceros, F. C. Meuschen, Mus. Gever. 1787, 290.
polymita Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 605.—Phalaena.
polymita Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 321.
polymita Sphinx, A. Sparrman in Linn. Amoen. Acad. VII. 1769, 504.
polymna Anthias (Linn.), M. E. Bloch, Nat. ausl. Fische, VI. 1792, 103.—Perca.
polymna Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 291; ed. 12, 1766, 484.
polymnestor [Papilio], P. Cramer, Utitl. Kapellen, I (5), 1775, 83.
polymnia Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 10, 1758, 466; ed. 12, 1767, 755.
polymorpha Actinia, J. E. Gunnerus, K. Norske Vid. Selsk. Skrift. V. 1774, 430.
polymorpha Apora (L.), J. E. Gunnerus, K. Norske Vid. Selsk. Skrift. IV. 1768, 72.—
polymorphus Atteblabus, P. S. Pallas, Reise Russ. I. 1771, 465. [Millepora.
polymorpha Millepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1285.
polymorphus Mytilus, P. S. Pallas, Reise Russ. I. 1771, 478.
polymorphus Phytospongus, F. W. Schmidt, Lausizische Monatsschr. Feb. 1795, 97.
polymorpha Vorticella, O. F. Müller, Verm. I (1) 1773, 98.
Polynemus Linnaeus, Syst. Nat., ed. 10, 1758, 317; ed. 12, 1766, 521.—P.
polynice [Papilio], P. Cramer, Utitl. Kapellen, III (17) 1779, 4.
polynome Papilio, [D. H. Schneider], Besch. europ. Schmett. I. 1785, 212.
polyodon Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 616.—Phalaena.
polyodon [Phalaena], C. Clerck, Icones, I. 1759, pl. ii. 2.
polyodon Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 322.
polyphagus Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (3) 1792, 90.
polyphemi Oculus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 97 & xvii [re-paged
Polyphemus O. F. Müller, Zool. Dan. Prod. 1776, xxvii & 201.—Cr. [issue].
polyphemus Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 168.—Phalaena.
polyphemus Cetonia (Fab.), A. G. Olivier, Entom. I. 1789, 9.—Scarabaeus.
polyphemus Limulus (L.), J. C. Fabricius, Ent. Syst. II. 1793, 487.—Monoculus.
polyphemus Monoculus, Linnaeus, Syst. Nat., ed. 10, 1758, 634; ed. 12, 1767, 1057.
polyphemus Papilio Pl. Rur., E. J. C. Esper, Die Schmett. I (9) 1779, 387.
polyphemus [Phalaena], P. Cramer, Utitl. Kapellen, I (1) 1775, 8.
[polyphemus Phalaena (A.) MS.], T. Martyn, Psyche, 1797, fig. 17.
polyphemus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 14.
polyphemus Xiphosura, F. C. Meuschen, Mus. Gronov. 1778, 83.
polypina Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 816.—[Vorticella, ed. 12.]
polypina Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1317.
polypoda Lepisma, Linnaeus, Syst. Nat., ed. 12, 1767, 1012.

- polypoda Podura, Linnaeus, Syst. Nat., ed. 12, 1767, 1013.
 Polypus J. G. Schneider, Samml. verm. Abh. 1784, 116.—Ceph.
 "Polypus, Cuvier, Tabl. élém. 1798," Herm.; not found by me in Cuvier.
 polypus Hydra, Linnaeus, Syst. Nat., ed. 10, 1758, 816. [2906.
 polypus Lepisma, *id. ac* polypoda, L., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
 polypus Lepisma, *id. ac* polypoda, Müll. = polypoda, L., J. F. Gmelin in Linn. Syst. Nat.,
 ed. 13, I. 1790, 2907.
 polypus Podura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2908.
 polypus Priapus, P. Forskal, Descr. Anim. 1775, 102.
 polysperchon [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 72.
 polysphaerium Gonium, F. v. P. Schrank in Moll, Oberdeutsch Beitrage, I. 1787, 145.
 polystictos Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2085.
 Polystoma J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 199.—Verm.
 polytes Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 460; ed. 12, 1767, 746.
 polythalamius Balanus, Bock in Boddaert's Natuurbeschouwer, II. 1781, 44.
 polythalamia Serpula, Linnaeus, Syst. Nat., ed. 12, 1767, 1266.
 Polytmus M. J. Brisson, Ornith. III. 1760, 667.—A.
 polytmus Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 120; ed. 12, 1766, 189.
 polytropus Murex (Fusus), G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 119.
 polyturator Ichneumon, D. Drury, Ill. Nat. Hist. II. 1773, index & 77.
 Polyxena J. G. Meigen, N. Class. Mouches, 1800, 19.—Dip.
 polyxena [Papilio], P. Cramer, Utitl. Kapellen, I (5) 1775, 85.
 polyxena Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 162.
 polyxena Papilio, N. Meerburgh, Zeldzam. Gewassen, 1775, pl. xli.
 polyxena Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 2.
 polyxenes Papilio, J. C. Fabricius, Syst. Ent. 1775, 444 & 484.
 polixenes Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 152.
 polyzimias Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 202.
 polyzonias Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3392.
 polyzonias Ichneumon, J. R. Forster, Cat. Brit. Ins. 1770, 14 [*n. n.*].
 polyzonias Ichneumon, J. R. Forster, N. Sp. Ins. 1771, 85.
 polyzonias Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2833.
 polyzonias Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 813; ed. 12, 1767, 1312.
 pomaceus Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 381.
 pomacea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 312.
 pomana Pyralis, *id. ac* pomonella Phalaena, L., J. C. Fabricius, Syst. Ent. 1775, 653.
 pomaria Helix, O. F. Müller, Verm. II. 1774, 45.
 Pomatia J. F. Bolten, Mus. Bolten. (2) 1798, 73.—G.
 pomatia Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 256.—Helix.
 pomatia Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 771; ed. 12, 1767, 1244.
 pomatia Janthina (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 76.—Helix.
 Pomatias Studer in Coxe, Trav. Switz. III. 1789, 388.—G.
 pomaticornis Hispa, P. Rossi, Fauna Etrus. I. 1790, 52.
 pomeranella Phalaena, [D. H. Schneider], Nom. Ent. 1785, 55 [*n. n.*].
 pomeranus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1968.
 pomeranus Lanius, A. Sparrman, Mus. Carls. I. 1786, no. 1.
 pomi Aphis, C. de Geer, Mém. Ins. III. 1773, 53.
 pomiformis Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 467.
 pomona Papilio, J. C. Fabricius, Syst. Ent. 1775, 479.
 pomona [Phalaena], P. Cramer, Utitl. Kapellen, I (7) 1775, 122.
 pomona Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 264.
 pomonae Attelabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 164.
 pomonae Bibio (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 299.—Tipula.
 pomonae Hirtea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 552.—Tipula, 1775.
 pomonae Tenebrio, Scopoli, Ent. Carn. 1763, 83.
 pomonae Tipula, J. C. Fabricius, Syst. Ent. 1775, 754.
 pomonana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 126.
 pomonana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 30 [*n. et f.*].

- pomonaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 180 [*n. et*].
- pomonaria** Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 73. [*f.*].
- pomonella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 538; ed. 12, 1767, 892.
- pomorom** Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 381; ed. 12, 1767, 612.
- pomorom** Elater, [D. H. Schneider], Nom. Ent. 1785, 18 [*n. n.*].
- pompadour** Papilio, J. A. Pollich, Bemerk. Kuhrpfalz. phys.-oek. Ges. 1779 (1781), 258.
- pompadora** Ampelis, Linnaeus, Syst. Nat., ed. 12, 1766, 298.
- pompadora** Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 775.
- pompadura** Tanagra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 159.
- pompeius** Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 502.
- pompeus** [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 39.
- pompilioides** Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 31.
- pompilius** Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 709; ed. 12, 1767, 1161.
- pompilius** Papilio, J. C. Fabricius, Mant. II. 1787, 8.
- Pompilus** J. G. Schneider, Samml. verm. Abh. 1784, 128.—Ceph.
- Pompilus** J. C. Fabricius, Suppl. Ent. Syst. 1798, 212.—Hym.
- pompilus** Coryphaena, Linnaeus, Syst. Nat., ed. 10, 1758, 262; ed. 12, 1766, 447.
- pomula** Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 183.
- pomum** Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 735; ed. 12, 1767, 1197.
- pomum** Cadus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 151.—Buccinum.
- pomum** Cassis (L.), F. C. Meuschen, Mus. Gev. 1787, 386.—Buccinum.
- pomum** Echinus, J. A. Gyllenahl, K. Vet. Ac. Handl. XXXIII. 1772, 242 & 260.
- pomum** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3527.
- Pomus** [G. Humphreys], Mus. Calonn. 1797, 58.—G.
- ponderosum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3477.
- ponderosa** Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116 [*n. n.*].
- ponderosa** Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3280.
- pondiceriana** Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 646.
- pondicerianus** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 265.
- pondiceriana** Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 494.
- pondiceriana** Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 939.
- pondiceriana** Perdix (Gm.), J. Latham, Index Orn. 1790, 649.—Tetrao.
- pondicerianus** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 325; *var. bar-*
- pondicerianus** Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 760. [*batus.*]
- pondicerianus** Vultur, J. Latham, Index Orn. 1790, 7.
- pondicherri** Falco, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
- Pongo** B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.—M.
- ponticus** Portunus, F. Weber, Nomen. Fabricii, 1795, 93.
- ponticus** Portunus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 368.
- pontificella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 56.
- popliteus** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 426.
- poppea** [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 21.
- populana** Pyralis, J. C. Fabricius, Mant. II. 1787, 382.
- populana** Tortrix, C. de Villers, Linn. Ent. IV. 1789, 534.
- popularis** Bombyx, J. C. Fabricius, Syst. Ent. 1775, 577.
- popularis** Bombyx, J. C. Fabricius, Mant. II. 1787, 133.
- populata** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 300 [*n. et f.*].
- populata** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 525; ed. 12, 1767, 868.
- populella** [Phalaena], C. Clerck, Icones, I. 1759, pl. xi. 5.
- populella** Phalaena (Tinea), Linnaeus, Faun. Succ., ed. 2, 1761, 368.
- populella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 41.
- populeti** Bombyx, J. C. Fabricius, Spec. Ins. II. 1781, 201.
- populeti** Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 285.
- populi** Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 453; ed. 12, 1767, 736.
- populi** Attelabus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 281.—Curculio.
- populi** Attelabus (Scop.), F. v. P. Schrank, Naturforscher, XXIV. 1789, 70.—Curculio.
- populi** Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 566.—Phalaena.
- populi** Cercopis (L.), J. C. Fabricius, Syst. Ent. 1775, 689.—Cicada.

- populi** Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 370; ed. 12, 1767, 590.
populi Cicada, Linnaeus, Faun. Suec., ed. 2, 1761, 242.
populi Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 449; ed. 12, 1767, 731.
populi Coccinella (Linn.), Scopoli, Ent. Carn. 1763, 73.—Chrysomela.
populi Cryptocephalus, G. Paykull, Faun. Suec. III. 1800, 355.
populi Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 381; ed. 12, 1767, 611.
populi Curculio, Scopoli, Ent. Carn. 1763, 25.
populi Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 448.
populi Involvulus (L.), F. v. P. Schrank, F. Boica, I. 1798, 475.—Curculio.
populi Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 174.—Cimex.
populi Mycetophagus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 175.
populi Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 476; ed. 12, 1767, 776.
populi Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 502; ed. 12, 1767, 818.
populi Phalaena (Noctua), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 76.
populi Rhinomacer (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 90.—Curculio.
populi Rhinomacer (Fab.), J. R. Schellenberg, Helvet. Entom. I. 1798, 110.—Attelabus.
populi Rhynchaenus (Fab.), J. R. Schellenberg, Helvet. Entom. I. 1798, 72.—Curculio.
populi Rynchites (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 138.—Curculio.
populi Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 489; ed. 12, 1767, 797.
populi Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 927.
populifolia Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 310.
populifolia Phalaena Bomb., E. J. C. Esper, Die Schmett. III (17) 1783, 62.
populneus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 394; ed. 12, 1767, 632.
populneus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1801.
populnea Leptura (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 95.—Cerambyx.
populneus Notoxus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 4.
populneus Ripiphorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 112.
populnea Saperda (L.), J. C. Fabricius, Syst. Ent. 1775, 186.—Cerambyx.
poralis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 235.
poraria Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 724; ed. 12, 1767, 1180.
porata Phalaena, J. C. Fabricius, Mant. II. 1787, 200.
porata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 866.
porcaria Boa, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 128.
porcaria Simia, M. T. Brünnich, Dyr. Hist. 1782, 13.
porcaria Simia, P. Boddaert, Naturforscher, XXII. 1787, 17.
porcaria Simia (Papio), Bodd., R. Kerr, Anim. Kingd. 1792, 61.
porcatus Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 22.—Scarabaeus.
porcatus Balanus, E. M. da Costa, Brit. Conch. 1778, 249.
porcatum Buccinum, E. M. da Costa, Brit. Conch. 1778, 133.
porcatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3494.
porcatum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 111.
porcata Buprestis, J. C. Fabricius, Syst. Ent. 1775, 219.
porcatus Carabus, J. C. Fabricius, Syst. Ent. 1775, 239.
porcatus Clerus (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 14.—Notoxus.
porcatus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 152.—Scarabaeus.
porcata Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 184 [*u. n.*].
porcatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 358.
porcatus Curculio, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 16.
porcatus Dermestes (Herbst), G. W. F. Panzer, Ins. Germ. heft 23, 1794, tab 8.—Latri-
porcatus Dytiscus, C. P. Thunberg, Ins. Suecica (6) 1794, 74. [dus].
porcatus Elater, Linnaeus, Syst. Nat., ed. 12, 1767, 652.
porcatus Latridius, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 6.
porcata Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (3) 1795, 88.
porcatus Notoxus, J. C. Fabricius, Mant. I. 1787, 127.
porcatum Opatrum, J. C. Fabricius, Ent. Syst. I (1) 1792, 89.
porcata Pimelia, J. C. Fabricius, Spec. Ins. I. 1781, 317.
porcatus Saperda, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 48.
porcatus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 20.

- porcatus** Scarites, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 43.
porcata Silpha, M. Piller & L. Mitterpacher, *Iter Poseg.* 1783, 35.
porcata Spondylis, A. A. H. Lichtenstein, *Cat. rerum Nat.* III. 1796, 50.
porcatus Staphylinus, G. Paykull, *Mon. Staph.* 1789, 71.
porcatus Tenebrio, J. G. Schaller, *Abh. Hallisch. n. Ges.* I. 1783, 321.
porcata Venus, J. F. Bolten, *Mus. Bolten.* (2) 1798, 182.
Porcellana F. C. Meuschen, *Mus. Gev.* 1787, 398.—G.
Porcellana P. L. S. Müller, *Del. Nat.* I. 1766, 129.—G.
porcellaneus Cancer, J. F. W. Herbst, *Vers. Nat. Krab.* I (2-5) 1783, 92.
porcellanea Phalaena, Hufnagel, *Berlin. Mag.* II. 1766, 420.
porcellanea Tellina, J. F. Bolten, *Mus. Bolten.* (2) 1798, 186.
Porcellanites J. Gesner, *Tract. Petref.* 1758, 57.—?
porcellanus Cancer, J. C. Fabricius, *Mant. Ins.* I. 1787, 316; porcellaneus, *Herbst, est.*
porcellana Donax, J. Barbut, *Gen. Verm.* II. 1788, 34.
porcellana Leucosia, F. Weber, *Nomen. Fabricii*, 1795, 92.—Cancer, 1793.
porcellanus Mus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 59; ed. 12, 1766, 79.
porcellana Patella, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 781; ed. 12, 1767, 1257.
porcellanus Strombus, J. F. Bolten, *Mus. Bolten.* (2) 1798, 100.
porcellana Voluta, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3449.
porcelli Pediculus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 611; ed. 12, 1767, 1017.
porcellus Cavia, J. F. Blumenbach, *Handb. Naturg.* 1779, 91.
porcellus Cuniculus, F. C. Meuschen, *Mus. Gronov.* 1778, 4.
porcellus Mus, Linnaeus, *Reise Schwed.* (ed. Schreber), II. 1765, 283.
porcellus Sphinx, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 492; ed. 12, 1767, 801.
porcia [Phalaena], C. Stoll, *Aanhang. Cramer's Utit. Kapellen*, V. 1790, 162.
porcinus Cervus, E. A. W. Zimmermann, *Spec. Zool.* 1777, 532.
porcinus Cervus, R. Kerr, *Anim. Kingd.* 1792, 301; *var. maculatus.*
porcina Musca, C. de Geer, *Mém. Ins.* VI. 1776, 99.
porcina Phoca, G. I. Molina, *Sag. stor. nat. Chili*, 1782, 279.
porcis Cimex, D. Drury, *Ill. Nat. Hist.* III. 1782, index & 63.
porculus Curculio, A. Sparrman, *K. Vet. Ac. Nya Handl.* VI. 1785, 49.
porculus Curculio, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 166.
Porcus G. Edwards in M. Catesby, *Carol. I.* 1771, xxxi.—M.
Porcus G. Edwards in M. Catesby, *Carol. I.* 1771, xxxii.—P.
porcus Aphodius (Fab.), Illiger in Kugelann, *Käfer Preuss.* 1798, 31.—Scarabaeus.
porcus Scarabaeus, J. C. Fabricius, *Ent. Syst.* I (1) 1792, 26.
porcus Scorpaena, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 266; ed. 12, 1766, 452.
porcus Silpha, C. P. Thunberg, *D. D. Mus. Ac. Upsal.* 1787, 40.
porcus Sphinx, A. J. Retzius, *Gen. Sp. Ins. Geer*, 1783, 34.
porcus Sus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 50; ed. 12, 1766, 103.
porcus Sus, R. Kerr, *Anim. Kingd.* 1792, 351; *var. siamensis.*
poressa Cancer, G. Olivi, *Zool. Adriat.* 1792, 48.
porifer Curculio, A. Sparrman, *K. Vet. Ac. Nya Handl.* VI. 1785, 41.
porites Madrepora, P. S. Pallas, *Elench.* 1766, 324.
porosa Gorgonia, M. Houttuyn, *Nat. Hist.* I. (xvii), 1772, 335.
porosa Lacerta, A. J. Retzius in Linnaeus, *F. Suec.* 1800, 288.
porosa Lepas, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3212.
porosa Pimelia, Herbst in Jablonsky, *Nat. Ins.* (Käfer) VIII. 1799, 109.
porosa Serpula, J. F. Bolten, *Mus. Bolten.* (2) 1798, 69.
porosus Vermetus, F. M. Daudin, *Rec. Mém. Moll.* 1800, 45.
porphyralis Pyralis, [Denis & Schiffermüller], *Schmett. Wien*, 1775, 317.
porphyrana Tortrix, J. Hübner, *Europ. Schmett.* (Tort.) [me judice 1796], fig. 26 [n. et f.].
porphyreum Cymbium, J. F. Bolten, *Mus. Bolten.* (2) 1798, 154.
porphyrea Noctua, [Denis & Schiffermüller], *Schmett. Wien*, 1775, 83.
porphyrea Noctua, C. P. Thunberg, *D. D. Mus. Ac. Upsal.* 1788, 72.
porphyrea Noctua, (ex Esper, tab.), C. C. Jung, *Alph. Verz. Schmett.* II. 1792, 127.
porphyrea Ostrea, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3328.
Porphyria J. F. Bolten, *Mus. Bolten.* (2) 1798, 32.—G.

- porphyria** Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 103.
porphyria [Papilio], P. Cramer, Utitl. Kapellen, III (22) 1779, 110.
porphyria [Phalaena], C. Stoll in Cramer's Utitl. Kapellen, IV (34) 1782, 227.
porphyria Porphyria (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 32.—Voluta.
porphyria Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 729; ed. 12, 1767, 1187.
porphyriacus Coluber, G. Shaw, Zool. N. Holland, 1794, 27.
Porphyrio M. J. Brisson, Ornith. V. 1760, 522.—A.
porphyrio Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 376.
porphyrio Fulica, Linnaeus, Syst. Nat., ed. 10, 1758, 152; ed. 12, 1766, 258.
porphyrio Gallinula (L.), J. Latham, Index Orn. 1790, 768.—Fulica.
porphyrio Oliva, G. Cuvier, Tab. Elém. 1798, 410.
porphyrio Psittacus, G. Shaw, Nat. Misc. I. 1789, pl. 7.
porphyrio Tetrao, G. Shaw, Nat. Misc. III. 1791, pl. 84.
porphyrites [Helix], T. Martyn, Univ. Conch. II [1788], fig. 72.
porphyrites Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3602.
porphyrobroncha Muscicapa, G. Shaw, Nat. Misc. II. 1791, pl. 63.
porphyrocephalus Corvus, R. Kerr, Anim. Kingd. 1792, 637.
porphyrocephalus Psittacus, G. Shaw, Nat. Misc. I. 1789, pl. 1.
porphyrogene Cercopithecus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795,
porphyroides Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 114 [*n. n.*]. [3 [*n. n.*].
porphyronotos Certhia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8
porphyrops Simia, H. F. Link, Beitr. Nat. I (2) 1795, 62. [*n. n.*]
porphyropterus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2147.
porphyropus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1992.
porphyrostoma Helix, A. A. H. Lichtenstein, Cat. rerum Nat. II. 1794, 95.
porphyrozonella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2614.
porphyrozonias Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3730.
porphyrurus Psittacus, G. Shaw, Nat. Misc. I. 1790, pl. 16.
porphyrurus Trochilus, G. Shaw, Nat. Misc. IX. 1798, pl. 333.
porpita Madrepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1272.
porpita Medusa, Linnaeus, Syst. Nat., ed. 10, 1758, 659; ed. 12, 1767, 1096.
porpita Phyllidoce (L.), A. Modeer, K. Vet. Ac. Nya Handl. XI. 1790, 203.—Medusa.
porrectalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 223.
porrectella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 540; ed. 12, 1767, 894.
porrectorius Ichneumon, J. C. Fabricius, Mant. I. 1787, 260.
porrecta Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 192.
porrectus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 206.
porrectus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 466.—Phalaena porrectalis,
porrectus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 127. [1794.
porrectus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2716.
porrectus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2722.
porrectus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 21.
porrecta Serpula, O. F. Müller, Z. Dan. Prod. 1776, 236.
porseenna [Papilio], P. Cramer, Utitl. Kapellen, I (4) 1775, 68.
portentosa Acheta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 85.
"portentosus" Helmintholithus, Linnaeus, Syst. Nat., ed. 12, III. 1768, 169.
portentosa Rana, J. F. Blumenbach, Handb. Naturg., ed. 5, 1797, 235.
portia Libellula, D. Drury, Ill. Nat. Hist. II. 1773, index & 86.
portia Papilio, J. C. Fabricius, Syst. Ent. 1775, 507.
portitor Cerambyx, F. v. P. Schrank, Schrift. Berlin. Nat. Ges. II. 1781, 312.
portitor Prionus, F. v. P. Schrank, F. Boica, I. 1798, 654.—Cerambyx, 1781.
portlandia Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 82.
portoricanus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 714.
portoricensis Loxia, F. M. Daudin, Traité élém. Orn. 1800, 411.
portugallus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1854.
Portunus F. Weber, Nomen. Fabricii, 1795, 93.—Cr.
Portunus J. C. Fabricius, Suppl. Ent. Syst. 1798, 325.—Cr.
portus jacksoni Squalus, F. A. A. Meyer, Zool. Entdeck. 1793, 71.

- porulosum** *Cardium*, D. Solander in G. Brander, Foss. Hant. 1766, 39.
 "Porus, Borlase, 1758." Ag.; not used in a Linnean sense.
- porzana** *Gallinula* (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 293.—*Rallus*.
- porzana** *Rallus*, Linnaeus, Syst. Nat., ed. 12, 1766, 262.
- porzana** *Tringa*, J. A. Scopoli, Annus I. 1769, 101.
- porzaria** *Rallus*, *id. ac porzana* L., J. C. Schaeffer, Mus. Orn. 1789, 50.
- poseganus** *Cerambyx*, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 67.
- posthuma** *Leucophaea*, O. F. Müller, An. Infus. 1786, 144.
- posthumus** *Papilio*, J. C. Fabricius, Ent. Syst. III (1) 1793, 149.
- posticana** *Pyralis*, J. C. Fabricius, Ent. Syst. III (2) 1794, 267.
- posticaria** *Phalaena*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 186.
- posticata** *Phalaena*, J. C. Fabricius, Ent. Syst. III (2) 1794, 196.
- posticus** *Carabus*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 57.
- posticus** *Ichneumon*, A. F. de Fourcroy, Ent. Paris. 1785, 419.
- postulatus** *Cryptocephalus*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 108.
- postverta** [*Papilio*], P. Cramer, Utitl. Kapellen, III (22) 1779, 109.
- Posydon** F. Weber, Nomen. Fabricii, 1795, 94.—Cr.
- Posydon** J. C. Fabricius, Suppl. Ent. Syst. 1798, 395.—Cr.
- Potamida** J. G. Meigen, N. Class. Mouches, 1800, 22.—Dip.
- potamogalis** *Phalaena* Pyr., J. Hübner, Samml. Vögel u. Schmett. 1793, 8 [*n. et f.*].
- potamogalis** *Pyralis* (L.), J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 14 & 19.—*Geometra potamogata*.
- potamogata** *Phalaena* (*Geometra*), Linnaeus, Syst. Nat., ed. 10, 1758, 529; ed. 12, 1767, 873.
- [**potatorina** *Phalaena* (B.) (MS.), T. Martyn, Psyche, 1797, fig. 77.
- potatoria** *Bombyx* (L.), J. C. Fabricius, Syst. Ent. 1775, 564.—*Phalaena*.
- potatoria** *Phalaena* (*Bombyx*), Linnaeus, Syst. Nat., ed. 10, 1758, 498; ed. 12, 1767, 813.
- potens** *Musca*, M. Harris, Exp. Eng. Ins. 1776, 110.
- potentillae** *Chrysomela*, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 55.
- potentillae** *Coccus*, Mayer, Abh. Privatges. Böhmen, IV. 1779, 184.
- potentillae** *Cynips*, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 70.
- potiphareus** *Turbo*, J. F. Bolten, Mus. Bolten. (2) 1798, 88.
- potoru** *Didelphis*, F. A. A. Meyer, Zool. Entdeck. 1793, 13.
- potoru** *Yerbua*, J. M. Bechstein in Pennant, Uebers. Thiere, II. 1800, 356.
- Potos** E. Geoffroy & Cuvier, Mag. encyclop. II (6) 1795, 187.—M.
- Potos** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
- potto** *Lemur*, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 12.
- potto** *Mustela*, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 33.
- praeadamitica** *Ostrea*, J. F. Bolten, Mus. Bolten. (2) 1798, 169.
- praecarius** *v. praecarius*.
- praecatorius** *Gerris*, J. C. Fabricius, Ent. Syst. IV. 1794, 190.
- praiceps** *Musca*, Scopoli, Ent. Carn. 1763, 333.
- praiceps** *Noctua*, [Denis & Schiffermüller], Schmett. Wien, 1775, 82.
- praiceps** *Phalaena Noctua* (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 433.—
- praiceps** *Trichoda*, O. F. Müller, An. Infus. 1786, 175. [Noctua.]
- praecinctus** *Cimex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2198.
- praecinctus** *Conops*, Scopoli, Ent. Carn. 1763, 357.
- praecisa** *Chimaera*, J. A. Donndorff, Zool. Beyt. III. 1798, 836.
- praecox** *Apis*, Scopoli, Ent. Carn. 1763, 301.
- praecox** *Curculio*, Scopoli, Ent. Carn. 1763, 34.
- praecox** *Noctua* (L.), J. C. Fabricius, Syst. Ent. 1775, 612.—*Phalaena*.
- praecox** *Nomada*, J. A. Scopoli, Annus IV. 1770, 46.—*Apis*, 1763.
- praecox** *Phalaena* (*Noctua*), Linnaeus, Syst. Nat., ed. 10, 1758, 517; ed. 12, 1767, 854.
- praecox** *Syrphus*, P. Rossi, Fauna Etrus. II. 1790, 294.
- praedator** *Asilus*, P. Rossi, Fauna Etrus. II. 1790, 325.
- praedator** *Ichneumon*, P. Rossi, Mant. Ins. I. 1792, 116.
- praedatorius** *Sturnus*, Bartram; B. S. Barton, N. H. Pennsylv., 1799, 15.
- praedatricula** *Phalaena Noctua*, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 180.
- praedo** *Cancer*, J. F. W. Herbst, Vers. Nat. Krab. II (6) 1796, 165.

- praedo** Musca, P. Rossi, Mant. Ins. II. 1794, 75.
- praeduncula** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 89. [175.—Noctua.]
- praeduncula** Phalaena Noctua, (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
- praefectus** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 734.
- praegnans** Acarus, F. v. P. Schrank, Ins. Aust. 1781, 520.
- praelatella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 320.
- praelatus** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 746.
- praelata** Phalaena, Scopoli, Ent. Carn. 1763, 198.
- praemorsus** Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 33.
- praemorsum** Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 740; ed. 12, 1767, 1203.
- praemorsa** Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 275.
- praepos** Draco, Linnaeus, Syst. Nat., ed. 12, 1766, 358.
- praeputum** Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 152.
- praeputum** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3468.
- praerogator** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 565; ed. 12, 1767, 936.
- praerosum** Buccinum, Linnaeus, Syst. Nat., ed. 12, I (2) 1767, 1203.
- praerosus** Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 361.—Buccinum.
- praestans** Thiara, J. F. Bolten, Mus. Bolten. (2) 1798, 109 [*n. n.*].
- praestantissima** Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 138.
- praestolatorius** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 154.
- praetenius** Mya, R. Pulteney, Cat. Birds &c. Dorset, 1799, 28.
- praetexta** Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (46) 1791, 338.
- praetextata** Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 63.
- praetiosa** *v.* pretiosa.
- praetrepida** Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 183.
- praestium** Callidium, J. C. Fabricius, Spec. Ins. II. 1781, 500.
- praestus** Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 162.
- praestus** Cerambyx (L.), F. v. P. Schrank, Ins. Aust. 1781, 146.—Leptura.
- praestus** Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 255.—Saperda.
- praestus** Cerambyx (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1842.—Lep-
Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 53. [tura.]
- praesta** Crioceris, J. C. Fabricius, Ent. Syst. I (2) 1792, 8.
- praesta** Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 229.
- praestus** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2718.
- praesta** Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 91.—Crioceris, 1792.
- praesta** Lamia (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791, 120.—
- praesta** Lampyris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 55. [Callidium.]
- praesta** Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 399; ed. 12, 1767, 641.
- praesta** Leptura, J. C. Fabricius, Mant. I. 1787, 159.
- praestus** Lycus, J. C. Fabricius, Ent. Syst. I (2) 1792, 107.
- praestus** Malachus, J. C. Fabricius, Ent. Syst. I (1) 1792, 224.
- praesta** Necydalis, J. C. Fabricius, Ent. Syst. I (2) 1792, 354.
- praesta** Mylabris, J. C. Fabricius, Ent. Syst. I (2) 1792, 88.
- praesta** Saperda (L.), J. C. Fabricius, Syst. Ent. 1775, 187.—Leptura.
- praesta** Zonitis, J. C. Fabricius, Ent. Syst. I (2) 1792, 48.
- praesta** Zonitis, Zöcker in L. H. v. Bloch in Becker, Plau. Grund. 1799, 102.
- pransor** Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (6) 1796, 170.
- prasinana** Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 530; ed. 12, 1767, 875.
- prasinana** Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 645.—Phalaena.
- prasinana** Pyralis, J. C. Fabricius, Mant. II. 1787, 224.
- prasinaria** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 96.
- prasinaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 4 [*n. et f.*].
- prasinaria** Phalaena, Hufnagel, Berl. Mag. IV. 1767, 506.
- prasinaria** Phalaena, J. C. Fabricius, Syst. Ent. 1775, 626.
- prasinoptera** Certhia, A. Sparrman, Mus. Carls. IV. 1789, no. LXXXI.
- prasina** Buprestis, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 90.
- prasinus** Carabus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 74.
- prasina** Cetonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 11.

- prasina** Cicada, P. S. Pallas, Reise Russ. II. 1773, 729.
prasina Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 38.
prasinus Cimex, Linnaeus, Faun. Suec., ed. 2, 1761, 249.
prasinus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 559.
prasina Loxia, A. Sparrman, Mus. Carls. III. 1788, nos. LXXII, LXXXII.
prasina Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2879.
prasina Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
prasina Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 82.
prasina Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 438.—
prasinus Turdus, A. Sparrman, Mus. Carls. IV. 1789, nos. LXXXVI, LXXXVII. [Noctua.
pratana Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 161.
pratella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 535; ed. 12, 1767, 886.
pratella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 678.—Phalaena.
pratensis Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 76.
pratense Acrydium (Gm.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 235.—Gryllus.
pratensis Alauda, Linnaeus, Syst. Nat., ed. 10, 1758, 166; ed. 12, 1766, 287.
pratensis Altica [Hellw.], G. W. F. Panzer, Ins. Germ. heft 21, 1794, tab. 16.
pratensis Apis, O. F. Müller, Z. Dan. Prod. 1776, 164.
pratensis Asilus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 269.
pratensis Calandra, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 19.
pratensis Cervus, R. Kerr, Anim. Kingd. 1792, 304.
pratensis Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 448; ed. 12, 1767, 728.
pratensis Formica, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 75.
pratensis Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2086.
pratensis Leptura, J. N. Laicharting, Tyrol. Ins. II. 1784, 172.
pratensis Libellula, O. F. Müller, F. Ins. Frid. 1764, 62.
pratensis Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 171.—Cimex.
pratensis Phalaena (Noctua), O. F. Müller, F. Ins. Frid. 1764, 46.
pratensis Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 556.
pratensis Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 122.
pratensis Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 586; ed. 12, 1767, 972.
pratensis Vespa, J. Miller, Icones Insect. VIII. 1759 & text.
pratensis Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 437.
praticola Hirundo, *err. pro* pratincola Linn., S. G. Gmelin, Reise Russ. I (1770), 77.
praticola Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 42. [lontha.
praticola Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1559.—Melo-
pratincola Lamarck in Pallas, Voy. Russie (8vo. ed.), I. an. 2 (1794), 387.—A.
pratincola Hirundo, Linnaeus, Syst. Nat., ed. 12, 1766, 345.
pratincola Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 553.
pratincola Trachelia, J. A. Scopoli, Annus I. 1769, 110.
pratorum Apis, Linnaeus, Faun. Suec., ed. 2, 1761, 424.
pratorum Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 471.—Tinea pratella.
pratorum Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2870.—Syrphus.
pratorum Sphinx, C. de Villers, Linn. Ent. II. 1789, 114.
pratorum Syrphus, J. C. Fabricius, Syst. Ent. 1775, 765.
praterrana Necydalis, F. v. P. Schrank, Ins. Aust. 1781, 168.
precarius Gryllus (Mantis), Linnaeus, Syst. Nat., ed. 10, 1758, 426.—[Mantis, ed. 12.]
precaria Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 691.—[Gryllus, ed. 10.]
preparatorius Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 205.
prehensilis Coendou, B. G. E. de Lacépède, Tabl. Mamm. 1799, 11.
prehensilis Hystrix, Linnaeus, Syst. Nat., ed. 10, 1758, 57; ed. 12, 1766, 76.
prehensilis Lemur, R. Kerr, Anim. Kingd. 1792, 88.
prehensilis Viverra, R. Kerr, Anim. Kingd. 1792, 169.
pressa Neritaeformis, F. C. Meuschen, Mus. Gever. 1787, 274.
prester Coluber, Linnaeus, Faun. Suec., ed. 2, 1761, 104.
praetiosa Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 324.
pretiosus Eumolpus, Illiger in Kugelann, Käfer Preuss. 1798, 498.
pretiosa Gorgonia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 90.

- pretiosa Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 313.
- pretorius Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 168.
- pretus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 333.—Papilio.
- pretus [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 131.
- pretus [Sphinx], P. Cramer, Uitl. Kapellen, II (15) 1777, 121.
- priamus Ampulla, J. F. Bolten, Mus. Bolten. (2) 1798, 111.
- priamus Bulimus (ex Gron.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 360.
- priamus Helix, F. C. Meuschen, Mus. Gronov. 1778, 128.
- priamus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 458; ed. 12, 1767, 744.
- priamus Rhinoceros, F. C. Meuschen, Mus. Gever. 1787, 264.
- Priapus Linnaeus, Syst. Nat., ed. 10, 1758, 656.—Coel.
- priapus Actinia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3134.
- priapus Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3654.
- priapus Holothuria, Linnaeus, Syst. Nat., ed. 12, 1767, 1091.
- priassus Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 323.—Papilio.
- priassus Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 487.—[P. (Plebejus), ed. 12.]
- pribeata [Phalaena], C. Clerck, Icones, I. 1759, pl. VI, 5.
- primatorius Ichneumon, J. R. Forster, Cat. Brit. Ins. 1770, 14 [n. n.].
- primatorius Ichneumon, J. R. Forster, N. Sp. Ins. 1771, 81.
- primigenius Elephas, J. F. Blumenbach, Handb. Naturg., ed. 6, 1799, 697.
- primitus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 104.
- primula Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
- primulae Phalaena Noctua (ex Esper, tab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, [428].
- prima Querquedula, S. G. Gmelin, Reise Russ. I. (1770), 70.
- princeps Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 154.
- princeps Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 713; ed. 12, 1767, 1167.
- princeps Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 45.
- princeps Musca, M. Harris, Exp. Eng. Ins. 1776, 151.
- princeps Papilio, C. C. Jung, Alph. Verz. Schmett. II. 1792, 131.
- princeps Spondylus, F. C. Meuschen, Mus. Gever. 1787, 434.
- princeps Spondylus, K. Schreibers, Vers. Conch. II. 1793, 157.
- principalis Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 313.
- principale Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 91.
- principalis Iguana (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 17.—Lacerta.
- principalis Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 201; ed. 12, 1766, 360.
- principalis Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3331.
- principalis Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 113; ed. 12, 1766, 173.
- principalis Turbo, P. S. Pallas, Spic. Zool. X. 1774, 33.
- principissa Papilio, C. C. Jung, Alph. Verz. Schmett. II. 1792, 131.
- prini Sphinx, J. E. Smith in Abbot, Ins. Georgia, 1797, 69.
- Prion B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 14.—A.
- Prionus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 198.—Col.
- Prionus J. C. Fabricius, Syst. Ent. 1775, 159.—Col.
- Prionus J. A. Scopoli, Intr. Hist. Nat. 1777, 442.—Col.
- prionus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 59.
- priscus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 16.
- prisma Scolia, J. C. Fabricius, Mant. I. 1787, 282.
- prisma Trichoda, O. F. Müller, An. Infus. 1786, 187.
- prismaticum Buccinum, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 2.
- prismaticum Monostoma, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 151.
- prismaticus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3559.
- prismatica Nereis, O. F. Müller, Z. Dan. Prod. 1776, 218.
- prismatifer Curculio, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 118.
- Pristis H. F. Linck, Mag. Neuste Phys. u. Nat. VI (3) 1790, 31.—P.
- Pristis J. Latham, Tr. Linn. Soc. [Lond.] II. 1794, 276.—P.
- pristis Pristis (L.), H. F. Linck, Mag. Neuste Phys. u. Nat. VI (3) 1790, 31.—Squalus.
- pristis Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 235; ed. 12, 1766, 401.
- pritanis [Phalaena], P. Cramer, Uitl. Kapellen, II (10) 1777, 28.

- priuerna** *Bombyx* (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 204.—*Phalaena*.
- priverna** [*Phalaena*], P. Cramer, Utitl. Kapellen, II (14) 1777, 108.
- priverra** *Phal.* (Bomb.), Herbst, Einl. Ins. II. 1785, 101.
- proarchithalassus** *Cucullus*, J. F. Bolten, Mus. Bolten. (2) 1798, 38.
- probatocephalus** *Sparus*, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 295.
- probator** [*Papilio*], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 209.
- problematicus** *Carabus*, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 177.
- problematica** *Madrepora*, P. S. Pallas, Char. Thierpfl. II. 1787, 144.
- problematica** *Madrepora*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3781.
- proboscidalis** *Medusa*, P. Forskal, Descr. Anim. 1775, 108.
- proboscidalis** *Phalaena* (*Pyrallis*), Linnaeus, Syst. Nat., ed. 10, 1758, 533; ed. 12, 1767, 881.
- Proboscidea** J. G. Bruguière, Ency. Méth. (Vers. Int. 1791) 96.—*Vers.*
- proboscidella** *Phalaena* *Tinea*, J. H. Sulzer, Gesch. Ins. 1776, 163.
- proboscidella** *Tinea*, J. J. Roemer, Gen. Ins. 1789, 77.
- proboscideus** *Paederus*, A. G. Olivier, Entom. III. 1795, 6.
- proboscidea** *Amphitrite*, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 59.
- proboscideus** *Calolymus* (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II. 1791, 123.—*Lymexylon*.
- proboscidea** *Cantharis* (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1900.—
- proboscideus** *Carabus*, A. G. Olivier, Entom. III. 1795, 45. [*Lymexylon*].
- proboscideus** *Crambus* (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 465.—*Phalaena* *pro-*
- proboscidius** *Curculio*, J. C. Fabricius, Syst. Ent. 1775, 142. [*boscidalis*].
- proboscideus** *Gryllus*, G. W. F. Panzer, Ins. Germ. heft 22 [1794], tab. 18. [*Lycus*].
- proboscidea** *Lampyrus* (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1888.—
- proboscidea** *Lycus*, J. C. Fabricius, Mant. I. 1787, 164.—*Pyrochroa*, 1781.
- proboscideum** *Lymexylon*, J. C. Fabricius, Spec. Ins. I. 1781, 256.
- proboscidea** *Melolontha*, J. C. Fabricius, Syst. Ent. 1775, 818.
- proboscidea** *Nais*, O. F. Müller, Verm. I (2) 1774, 21.
- proboscidea** *Pyrochroa*, J. C. Fabricius, Spec. Ins. I. 1781, 255. [*Melolontha*].
- proboscideus** *Scarabaeus* (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1565.—
- proboscidea** *Serpula*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3745.
- proboscideus** *Spondylus*, K. Schreibers, Vers. Conch. II. 1793, 155.
- proboscideus** *Tabanus*, J. C. Fabricius, Ent. Syst. IV. 1794, 362.
- proboscidea** *Taenia*, A. J. G. C. Batsch, Naturg. Bandwürmer. 1786, 212.
- procas** *Hesperia* (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 308.—*Papilio*.
- procas** [*Papilio*], P. Cramer, Utitl. Kapellen, II (15) 1777, 127.
- Procavia** G. C. C. Storr, Prod. 1780, 39 & tab. B.—M.
- Procebus** G. C. C. Storr, Prod. 1780, 32 & tab. A.—M.
- procedo** *Musca*, M. Harris, Exp. Eng. Ins. 1776, 141.
- Procellaria** Linnaeus, Syst. Nat., ed. 10, 1758, 131; ed. 12, 1766, 212.—A.
- procellariae** *Pediculus*, J. C. Fabricius, Syst. Ent. 1775, 808.
- procellata** *Geometra*, [Denis & Schiffermüller], Schmett. Wien, 1775, 114.
- procellata** *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796], fig. 251 [*n. et f.*].
- procellera** *Phalaena* *Tinea*, J. Hübner, Beitr. Schmett. I (3) [1788], 28.
- procera** *Purpura*, F. C. Meuschen, Mus. Gever. 1787, 314.
- procerella** *Tinea*, [Denis & Schiffermüller], Schmett. Wien, 1775, 138.
- processionea** *Bombyx* (L.), J. C. Fabricius, Syst. Ent. 1775, 567.—*Phalaena*.
- processionea** *Phalaena* (*Bombyx*), Linnaeus, Syst. Nat., ed. 10, 1758, 500; ed. 12, 1767, 819.
- Prochilus** (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 586.—P.
- procida** *Papilio*, Herbst in Jablonsky, Nat. Ins. (Schmett.) VIII. 1796, 22.
- proclamos** *Gorgonia*, *err. pro* *placomus*, L., J. F. Maratti, Plant. Zooph. Med. 1776, 6.
- procopia** [*Phalaena*], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 152.
- procopia** [*Phalaena*], C. Stoll, Aanh. Cramer's Utitl. Kapellen, II. 1790, 57.
- procris** [*Papilio*], P. Cramer, Utitl. Kapellen, II (9) 1777, 15.
- Proctotrupes** P. A. Latreille, Préc. Car. Ins. 1796, 108.—Hym.
- procus** [*Phalaena*], P. Cramer, Utitl. Kapellen, II (13) 1777, 85.
- Procyon** G. C. C. Storr, Prod. 1780, 35 & tab. A.—M.
- Procyon** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.

- prodeo** Musca, M. Harris, Exp. Eng. Ins. 1776, 141.
prodicus [Papilio], C. Stoll, Aahang, Cramer's Utit. Kapellen, V. 1790, 150.
prodigiosa Acheta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 86.
prodigus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 170.
prodromaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 99. [*et f.*].
prodromaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 172 [*u.*].
prodromus Aphodius (Brahm), C. Creutzer, Ent. Vers. 1799, 37.—Scarabaeus.
prodromus Scarabaeus, N. J. Brahm, Ins. Kal. I (1) 1790, 3.
productus Caligus, O. F. Müller, Entom. 1785, 132.
producta Chalcis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 438.
productus Malachius, A. G. Olivier, Entom. II. 1790, 13.
productus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3007.—
producta Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 121. [Caligus].
profanana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 268.
profanus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 64.
professus Conus, F. C. Meuschen, Mus. Gever. 1787, 358.
profiscicator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 335.
proficua Tellina, R. Pulteney, Cat. Birds &c. Dorset, 1799, 29.
profligator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 334.
profuges Musca, M. Harris, Exp. Eng. Ins. 1776, 81.
profuga Phalaena, P. Forskal, Descr. Anim. 1775, 82.
profuga Sphex, Scopoli, Ent. Carn. 1763, 293.
profundana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 229.—Phalaena.
profundana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 132.
profundana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 21 [*u. et f.*].
profusus Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 210.
progemmaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 183
progne Emberiza, P. Boddaert, Tab. Planch. Enl. 1783, 39. [*u. et f.*].
progne [Papilio], P. Cramer, Utit. Kapellen, I (1) 1775, 9.
projer Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 164.
prolabor Musca, M. Harris, Exp. Eng. Ins. 1776, 139.
prolapsa Musca, M. Harris, Exp. Eng. Ins. 1776, 139.
prolescens Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 318.
proletarium Callidium, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 49.
proletella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 537; ed. 12, 1767, 889.
prolificicornis Elater, P. Rossi, Fauna Etrus. I. 1790, 180.
prolificicornis Parnus, J. C. Fabricius, Ent. Syst. I (1) 1792, 245.
proliferum Alcyonium, H. Ström, Nye Saml. K. Norske Vid. Selsk. Skrift. II. 1788, 350.
prolifera Columba, M. T. Brünnich, Orn. Boreal. 1764, 63.
prolifera Madrepora, P. S. Pallas, Elench. 1766, 307.
prolifera Nereis, O. F. Müller, Zool. Dan. II. 1784, 34.
prolifera Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 453.
prolifera Spongia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 189.
prolificata Clava, Bosc, Bull. Sci. Soc. Philom. [Paris], no. 2, 1797, 9.
prolongata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 288.
prolongata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 379.
promano Musca, M. Harris, Exp. Eng. Ins. 1776, 143.
Promerops M. J. Brisson, Ornith. II. 1760, 461.—A.
promerops Upupa, Linnaeus, Syst. Nat., ed. 12, 1766, 184.
promethea Bombyx (Drury), J. C. Fabricius, Syst. Ent. 1775, 558.—Phalaena.
prometheus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 667.
promethea Phalaena, D. Drury, Ill. Nat Hist. II. 1773, index & 19.
promissa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 90.
promontorii Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3686.
promulella Alucita (D. & S.), J. C. Fabricius, Mant. II. 1787, 257.—Tinea.
promula Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 174.—Phalaena.
promula [Phalaena], P. Cramer, Utit. Kapellen, I (6) 1775, 114. [1780], 23.
pronoe Papilio Nym. Gem., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.

- pronuba** Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 603.—Phalaena.
- pronuba** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 512; ed. 12, 1767, 842.
- pronubella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 142.
- properans** Musca, P. Rossi, Mant. Ins. II. 1794, 74.
- propertius** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 325.
- propertius** Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
- propugnata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 112. [*et f.*].
- propugnata** Geometra, J. Hübnér, Europ. Schmett. (Geom.) [me judice 1796], fig. 286 [*u.*].
- prorsa** Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 480; ed. 12, 1767, 783.
- prorsa** Papilio, Linnaeus, Mus. Lud. Ulr. 1764, 303.
- prorsa** Papilio, S. A. v. Rottemburg, Naturforscher, VI. 1775, 6.—[prorsas, Hufn.]
- prorsa** Papilio, J. A. B. Bergstraesser, Ic. Pap. II. 1780, 6.
- prorsas** Papilio, Hufnagel, Berlin. Mag. II. 1766, 68.
- prosapiaria** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 522; ed. 12, 1767, 864.
- proscarabaeus** F. v. P. Schrank, Ins. Aust. 1781, 225.—Col.
- proscarabaeus** Cantharis (L.), C. de Geer, Mém. Ins. V. 1775, 3.—Meloe.
- proscarabaeus** Meloe, Linnaeus, Syst. Nat., ed. 10, 1758, 419; ed. 12, 1767, 679.
- proscarabaeus** Meloe, F. v. P. Schrank, Beitr. Nat. 1776, 72.
- proserpina** Bombyx, J. C. Fabricius, Syst. Ent. 1775, 561.
- proserpina** Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 169.
- proserpina** [Papilio], P. Cramer, Uitl. Kapellen, III (19) 1779, 43.
- proserpina** Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 26.
- proserpina** Papilio (N. G.), D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 3.
- proserpina** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 228.
- proserpina** Phalaena (Fab.), J. E. Smith in Abbot, Ins. Georgia, 1797, 99.—Bombyx.
- proserpina** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 239.
- proserpina** Sphynx, P. S. Pallas, Spic. Zool. IX. 1772, 26.
- proserpine** Papilio, J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 250.
- Prosimia** M. J. Brisson, Reg. Anim. 1762, 156.—M.
- prosope** Papilio, J. C. Fabricius, Syst. Ent. 1775, 504.
- prospicua** Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 122.
- prostratus** Erax, Scopoli, Ent. Carn. 1763, 359.
- prostrata** Musca, Scopoli, Ent. Carn. 1763, 328.
- prostrata** Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 688; ed. 12, 1767, 1133.
- Proteinus** P. A. Latreille, Préc. Car. Ins. 1796, 9.—Col.
- protenor** [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 77.
- protensa** Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3744.
- proterpia** Papilio, J. C. Fabricius, Syst. Ent. 1775, 478.
- proterpia** Papilio, F. C. Meuschen, Mus. Gronov. 1778, 73.
- protesilaus** Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 463; ed. 12, 1767, 752.
- protesilaus** Papilio (*ex* Dru.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 137.
- Proteus** J. N. Laurenti, Syn. Rept. 1768, 35.—R.
- Proteus** O. F. Müller, An. Infus. 1786, 9.—Rhiz.
- prothea** Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.), 1790, 60.—Phalaena protea.
- proteus** Brachionus, P. S. Pallas, Elench. 1766, 94.
- proteus** Carabus, G. Paykull, Mon. Carab. 1790, 115.
- protheus** Chaos, Linnaeus, Syst. Nat., ed. 12, 1767, 1326.
- proteus** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 682.
- proteus** Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 331.—Papilio.
- proteus** Ichneumon, J. L. Christ, Nat. Ins. 1791, 347.
- protea** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 84.
- proteus** Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 484; ed. 12, 1767, 794.
- protea** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 244.
- protea** Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 122.
- proteus** Trichoda, O. F. Müller, An. Infus. 1786, 176. [386.—Noctua.
- proteus** Vibrio, O. F. Müller, Verm. I (1) 1773, 45.
- proteus** Volvox, P. S. Pallas, Elench. 1766, 417.
- protheus** v. proteus.

- prothyrallis** Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 449.
- prothyris** Cimex, C. de Villers, Linn. Ent. I. 1789, 529.
- protogenia** [Papilio], P. Cramer, Utit. Kapellen, II (16) 1777, 141.
- protonotarius** Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 972.
- protonotarius** Sylvia (Gm.), J. Latham, Index Orn. 1790, 542.—Motacilla.
- protoplastes** Noctua, N. J. Brahm, Ins. Kal. II (1) 1791, 12.
- protoplastes** Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
- protractus** Angarius, F. C. Meuschen, Mus. Gever. 1787, 262.
- protracta** Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 181 [*n. n.*].
- protumnus** Papilio (Plebejus), Linnaeus, Mus. Lud. Ulr. 1764, 340.
- provenio** Musca, M. Harris, Exp. Eng. Ins. 1776, 142.
- provincialis** Alauda, F. v. P. Schrank, F. Boica, I. 1798, 161.
- provincialis** Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 881.
- provincialis** Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 958.
- proximaria** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 147.
- proximaria** Buccinum, Linnaeus, Mant. II. 1771, 550.
- pruinata** Phalaena, Hufnagel, Berl. Mag. IV. 1767, 520.
- pruinata** Salamandra, J. G. Schneider, Hist. Amph. I. 1799, 69.
- pruinosa** Arctomys, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 144.
- prunalis** Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 121. [*et f.*].
- prunaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 122 [*n.*].
- prunaria** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 520; ed. 12, 1767, 861.
- prunata** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 304 [*n. et f.*].
- prunata** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 526; ed. 12, 1767, 869.
- pruni** Aphis, Scopoli, Ent. Carn. 1763, 138.
- pruni** Aphis, C. de Geer, Mém. Ins. III. 1773, 49.
- pruni** Bombyx, J. C. Fabricius, Syst. Ent. 1775, 563.
- pruni** Buprestis, G. W. F. Panzer, Ins. Germ. heft 29 [1796], tab. 21.
- pruni** Chermes, Scopoli, Ent. Carn. 1763, 140.
- pruni** Chrysomela, F. v. P. Schrank, Beitr. Nat. 1776, 63.
- pruni** Curculio, Scopoli, Ent. Carn. 1763, 31.
- pruni** Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 607.
- pruni** Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 277.—Papilio.
- pruni** Noctua, C. Quensel, K. Vet. Ac. Nya Handl. XII. 1791, 153.
- pruni** Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 482; ed. 12, 1767, 788.
- pruni** Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 498; ed. 12, 1767, 813.
- pruni** Phalaena Geom., J. G. Gladbach in Kuehn, Kurz. Anleit. Ins., ed. 2, 1783, 155 [*n. n.*].
- pruni** Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 308.
- pruni** Sphinx, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 210.
- pruni** Syrphus, P. Rossi, Fauna Etrus. II. 1790, 293.
- pruni** Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 599; ed. 12, 1767, 928.
- pruni** Zygaena (D. & S.), J. C. Fabricius, Mant. II. 1787, 107.—Sphinx.
- pruniana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 15 [*n. et f.*].
- pruniaria** Phalaena Geom., Linnaeus, Faun. Suec., ed. 2, 1761, 324.
- pruniella** [Phalaena], C. Clerck, Icones, I. 1759, pl. xi, 4.
- pruniella** Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 359.
- prunifoliella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 70.
- prunnerella** Tinea, P. Rossi, Mant. Ins. II. 1794, 46.
- prunum** Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 225.
- prunum** Cardium, F. C. Meuschen, Mus. Gever. 1787, 440.
- prunus** Cardium, F. C. Meuschen, Mus. Gever. 1787, 442.
- prunus** Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 22.
- pruna** Pterygia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 52.—Voluta.
- prunum** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3446.
- Psallisostomus** (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 581.—P.
- psamas** [Phalaena], P. Cramer, Utit. Kapellen, III (20) 1779, 72.
- psamas** Sphinx (Cr.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 140.—Phalaena.
- Psamatolus** J. E. Guettard, Mém. diff. Sci. III. 1770, 68.—Verm.

- Psammochares** P. A. Latreille, Préc. Car. Ins. 1796, 115.—Hym.
- psammodes** Carabus, P. Rossi, Mant. Ins. I. 1792, 85.
- psamos** Sphinx = ? **psamas**, Cr., Herbst, Einl. Ins. II. 1785, 69.
- psarodes** Picus, H. Lichtenstein, Cat. rerum Nat. I. 1793, 18.
- psecas** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 102.
- Pselaphus** Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 106.—Col.
- Psen** P. A. Latreille, Préc. Car. Ins. 1796, 122.—Hym.
- psenes** Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 554; ed. 12, 1767, 919.
- pseudacantharis** Cimeux, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
- pseud-acori** Curculio, P. Rossi, Fauna Etrus. I. 1790, 116.
- pseudacori** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 408.
- pseudamusium** Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 164 [*n. n.*].
 "Pseudamusium, Chem. 1784," Newton; not used in a Linnean sense.
 "Pseudamusium, Brug., Ency. Méth. I. 536," Scudd.; not used in a generic sense.
- pseudobombycella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 17.
- pseudo-chama** Spondylus, K. Schreibers, Vers. Conch. II. 1793, 156.
- Pseudoechinorynchus** J. A. E. Goeze, Eingeweidewürm. 1782, 138.—Ver.
- pseudolus** [Papilio], J. A. B. Bergstrasser, Ic. Pap. I. 1779, 5.
- pseudo pandarus** Papilio E. T., E. J. C. Esper, Ausl. Schmett. (10) 1793, 153.
- pseudoplatani** Aphis, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 340.
- pseudoplatani** Cynips, Mayer, Abh. Privatges. Böhmen, IV. 1779, 184.
- psi** Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 13.
- psi** Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 614.—Phalaena.
- psi** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 514; ed. 12, 1767, 846.
- psidii** Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 109.
- psidii** Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 941.
- psidii** Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 10, 1758, 466; ed. 12, 1767, 756.
- Psilopoderma** J. X. Poli, Test. Sicil. II. 1795, 253 & 258.—L.
- Psilopus** J. X. Poli, Test. Sicil. II. 1795, 112.—A generic term applied to the fleshy parts
- Psittaca** M. J. Brisson, Ornith. IV. 1760, 319.—A. [of certain Chamae.
- psittacata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 112.
- psittacata** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 227 [*n.*
- psittacea** Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3348. [*et f.*]
- psittaceus** Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 55.
- psittacea** Columba, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 10 [*n. n.*].
- psittacea** Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 178; ed. 12, 1766, 312.
- psittacea** Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 903.
- psittacea** Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 844.
- psittaceus** Scythrops, R. Kerr, Anim. Kingd. 1792, 619.
- psittaci** Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3069.
- "Psittacula, Briss. 1760," Ag.; not used in a generic sense.
- Psittacula** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [*n. n.*].—A.
- psittacula** Alca, P. S. Pallas, Spic. Zool. V. 1769, 13.
- Psittacus** Linnaeus, Syst. Nat., ed. 10, 1758, 96; ed. 12, 1766, 139.—A.
- Psittacus** G. Edwards in M. Catesby, Carol. II. 1771, 29.—P.
- Psittacus** M. Catesby, Pisc. & c. Imag. 1777, 29.—P.
- psittacus** Coryphaena, Linnaeus, Syst. Nat., ed. 12, 1766, 448.
- psittacus** Labrus (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1285.—
- psittacus** Lepas, G. I. Molina, Sag. stor. nat. Chili, 1782, 204. [Scarus.
- psittacus** Papilio, G. I. Molina, Sag. stor. nat. Chili, 1782, 211.
- psittacus** Scarus, P. Forskal, Descr. Anim. 1775, 29.
- Psoa** Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 214.—Col.
- Psochus** P. A. Latreille, Préc. Car. Ins. 1796, 99.—Neur.
- Psocus** J. C. Fabricius, Suppl. Ent. Syst. 1798, 198.—Neur.
- Psophia** Linnaeus, Syst. Nat., ed. 10, 1758, 154; ed. 12, 1766, 263.—A.
- Psophia** B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 17.—A.
- psophia** Grus, P. S. Pallas, Spic. Zool. IV. 1767, 1.
- psora** Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 507.—Oniscus.

- psora Idotea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 302.—Oniscus.
- psora Oniscus, Linnaeus, Syst. Nat., ed. 10, 1758, 636; ed. 12, 1767, 1060.
- psotomphaneg Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 110.
- psyche Papilio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 132.
- Psychoda P. A. Latreille, Préc. Car. Ins. 1796, 152.—Dip.
- Psylla E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 482.—Hem.
- psyllus Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 357; ed. 12, 1767, 564.
- psyllia Nitidula (Herbst), F. v. P. Schrank, F. Boica, I. 1798, 446.—Strongylus.
- psyllius Sirex, J. C. Fabricius, Ent. Syst. II. 1793, 124.
- psyllius Strongylus (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 189.—Dermestes.
- psylloides Scotias, P. de Czenpinski, Diss. zool.-med. 1778, 51.
- Pteraclis L. T. Gronov, Acta Helvet. VII. 1772, 43.—P.
- Pteria J. A. Scopoli, Intr. Hist. Nat. 1777, 397.—Moll.
- pteridis Noctua, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 72.
- pteridis Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 90.
- Pteridium J. A. Scopoli, Intr. Hist. Nat. 1777, 454.—P.
- Pterocera Lamarck, Mém. Soc. H. N. Paris, 1799, 72.—G.
- pterodactylella Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 14 [*u. et f.*].
- pterodactylella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 46.
- pterodactyla Phalaena (Alucita), Linnaeus, Faun. Suec., ed. 2, 1761, 371.
- pterodactylus Pterophorus (L.), J. C. Fabricius, Syst. Ent. 1775, 671.—Phalaena.
- Pteromalus N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 201.—Hym.
- pteromelas Ichneumon, C. de Villers, Linn. Ent. III. 1789, 196.
- Pteromys G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*u. n.*].—M.
- Pterophorus E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 90.—Lep.
- Pterophorus J. C. Fabricius, Syst. Ent. 1775, 671.—Lep.
- Pterophorus J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 105.—Col.
- pterophotum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 306.
- pteropoda Vespa, J. A. Scopoli, Annus V. 1772, 123.
- Pteropus M. J. Brisson, Reg. Anim. 1762, 153.—M.
- Pteropus J. C. P. Erxleben, Syst. Anim. 1777, 130.—M.
- Pteropus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*u. n.*].—M.
- Pterotrachea P. Forskal, Descr. Anim. 1775, 117.—Moll.
- Pterotrachea G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 5 [*u. n.*].—Moll.
- Pterourus J. A. Scopoli, Intr. Hist. Nat. 1777, 433.—Lep.
- Pterygia J. F. Bolten, Mus. Bolten. (2) 1798, 51.—G.
- pterygia Caecula, M. Vahl, Skr. nat. Selsk. [Copen.], III (2) 1794, 153.
- pterygiata Lagena, J. F. Bolten, Mus. Bolten. (2) 1798, 131 [*u. n.*].
- pterygotus Tenebrio, P. S. Pallas, Icon. Ins. 1781, 41.
- pthysica Cantharis, Scopoli, Ent. Carn. 1763, 44.
- Ptilinus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 64.—Col.
- Ptinus Linnaeus, Syst. Nat., ed. 12, 1767, 565.—Col.
- ptolomaeus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 319.
- Ptomaphagus Knoch in Illiger, Käfer Preuss. 1798, 84.—Col.
- ptorsas Papilio 'H', Hufnagel, Berl. Mag. II. 1766, 68.
- Ptynx Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 4 & 49.—A.
- puber Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1046.
- puber Portunus (L.), F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
- pubera Cypris, O. F. Müller, Z. Dan. Prod. 1776, 198.
- pubera Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 598; ed. 12, 1767, 994.
- pubes Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1917.
- pubes Trichoda, O. F. Müller, Verm. I (1) 1773, 92.
- pubescens Andrena, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 136.
- pubescens Anobium, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 67.
- pubescens Anomia, Linnaeus, Syst. Nat., ed. 12, 1767, 1153.
- pubescens Aphodius, J. Sturm, Verz. Ins. Samml. 1800, 40.
- pubescens Apis, J. C. Fabricius, Ent. Syst. II. 1793, 336.
- pubescens Anthrenus, J. C. Fabricius, Ent. Syst. I (1) 1792, 265.—Nitidula, 1781.

- pubescens Anthribus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 161.
pubescens Apis, J. C. Fabricius, Spec. Ins. I. 1781, 484.
pubescens Aranea, J. C. Fabricius, Syst. Ent. 1775, 438.
pubescens Asilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2901.
pubescens Attelabus, J. C. Fabricius, Spec. Ins. I. 1781, 200.—Curculio, 1775.
pubescens Bostrichus, J. C. Fabricius, Ent. Syst. I (2) 1792, 368.
pubescens Buprestis, A. G. Olivier, Entom. II. 1790, 55.
pubescens Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 256.
pubescens Carabus, O. F. Müller, Z. Dan. Prod. 1776, 77.
pubescens Carabus, G. Paykull, Mon. Carab. 1790, 61.
pubescens Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 309.
pubescens Cetonia, A. G. Olivier, Entom. I. 1789, 21.
pubescens Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 603.
pubescens Cistela, J. C. Fabricius, Ent. Syst. I (2) 1792, 47.
pubescens Coccinella, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 13.
pubescens Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 77.
pubescens Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 149.
pubescens Cryptocephalus, J. C. Fabricius, Gen. Ins. 1777, 220.
pubescens Curculio, J. C. Fabricius, Syst. Ent. 1775, 131.
pubescens Curculio, G. Paykull, Mon. Curc. 1792, 12.
pubescens Dermestes, [Hausmann], Bemerk. Entom. 1799, 34.
pubescens Donax, Linnaeus, Syst. Nat., ed. 10, 1758, 682; ed. 12, 1767, 1127.
pubescens Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1916.
pubescens Formica, J. C. Fabricius, Syst. Ent. 1775, 393.
pubescens Lagria (L.), J. C. Fabricius, Syst. Ent. 1775, 125.—Chrysomela.
pubescens Leptura, J. C. Fabricius, Mant. I. 1787, 158.
pubescens Lyctus, G. W. F. Panzer, Ins. Germ. heft 4 [1792], tab. 17.
pubescens Lytta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2016.
pubescens Melolontha, A. G. Olivier, Entom. I. 1789, 45.
pubescens Mordella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 127.
pubescens Mya, R. Pulteney, Cat. Birds &c. 1797, 27.
pubescens Melyris, A. G. Olivier, Entom. II. 1790, 5.
pubescens Nitidula, J. C. Fabricius, Spec. Ins. I. 1781, 93.
pubescens Picus, Linnaeus, Syst. Nat., ed. 12, 1766, 175.
pubescens Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2005.—
pubescens Ptinus, A. G. Olivier, Entom. II. 1790, 5. [Tenebrio.
pubescens Rynchites (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 139.—
pubescens Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 91. [Attelabus.
pubescens Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 11.—Bostrichus.
pubescens Scymnus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 342.
pubescens Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 87.—Nitidula.
pubescens Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 205.
pubescens Staphylinus, C. de Geer, Mém. Ins. IV. 1774, 17.
pubescens Staphylinus, G. Paykull, Mon. Carab. 1790, 138.
pubescens Stenocorus (Ol.), J. C. Fabricius, Ent. Syst. I (2) 1792, 301.—Cerambyx.
pubescens Tabanus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 358.
pubescens Tenebrio, P. S. Pallas, Icon. Ins. 1781, 53.
pubescens Terebratula, O. F. Müller, Z. Dan. Prod. 1776, 249.
pubescens Terebratula (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 15.—Anomia.
pubescens Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2767.
pubicornis Cimex, J. C. Fabricius, Syst. Ent. 1775, 724.
pubicornis Cimex, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 340.
pubicornis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 170.—Cimex, 1775.
pubis Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 611; ed. 12, 1767, 1017.
puda Capra, G. I. Molina, Sag. stor. nat. Chili, 1782, 308.
pudefactus Musca, M. Harris, Exp. Eng. Ins. 1776, 121.
[puderina Phalaena (B.) MS.], T. Martyn, Psyche, 1797, fig. 71.
[puderina Phalaena (N.) MS.], T. Martyn, Psyche, 1797, fig. 89.

- pudibunda** Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 570.—Phalaena.
pudibundus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 199.
pudibunda Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 503; ed. 12, 1767,
pudicus Cimex, N. Poda, Ins. Mus. Graec. 1761, 56. [824.
pudicus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 44.
pudicus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 165.
pudica Helix, O. F. Müller, Verm. II. 1774, 97.
pudica Phalaena B., E. J. C. Esper, Die Schmett. III (20) 1785, 177.
pudoralis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 124.
pudorata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 179.
pudorella Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 15 [*n. et f.*].
pudorina Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 85. [720.—Noctua.
pudorina Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
pudu Capra; **puda** Molina, *est*, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II.
 1800, 640.
pudu Ovis (Mol.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 201.—Capra puda.
puella Agrion (L.), J. C. Fabricius, Syst. Ent. 1775, 426.—Libellula.
puella Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 474.
puella Coracias, J. Latham, Index Orn. 1790, 171.
puella Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 546; ed. 12, 1767, 905.
puella Noctua, E. J. C. Esper, Die Schmett. IV (39) 1789, 163.
puella Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 3.
puella Phalaena Noct. (*ex* Esper, tab.), H. G. Lang, Verz. Schmett., ed. 2, 1789, 152.
puella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 40.
puellaris Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 63 [*n. n.*].
puellaris Plotia, J. F. Bolten, Mus. Bolten. (2) 1798, 96.
[puellina Phalaena (N.) MS.], T. Martyn, Psyche, 1797, figs. 43 & 44.
puera [Phalaena], P. Cramer, Utitl. Kapellen, II (9) 1777, 10.
puerita [Phalaena], P. Cramer, Utitl. Kapellen, III (22) 1779, 128.
puerpera Cytherea (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 179.—Venus.
puerpera Phalaena, Giorna, Cal. Ent. 1791, 104.
puerpera Venus, Linnaeus, Mant. II. 1771, 545.
Puffinus M. J. Brisson, Ornith. VI. 1760, 131.—A.
puffinus Procellaria, Linnaeus, Syst. Nat., ed. 12, 1766, 213.
pugil Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 159.—[**pugillator**, Linn., *est.*]
pugilinus Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 120.
pugilinus Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 314.
pugilis Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 342.—Strombus.
pugilis Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 61.—Strombus.
pugilis Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 744; ed. 12, 1767, 1209.
pugillator Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 348.
pugillator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 565; ed. 12, 1767, 936.
pugillator Ophion (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 238.—Ichneumon.
pugio Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3505.
pugione Sphinx, Linnaeus, Syst. Nat., ed. 12, 1767, 807.
pugione Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 554.—Sphinx.
pugnator Cimex, J. C. Fabricius, Mant. II. 1787, 287.
pugnator Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 130.—Cimex, 1787.
pugnax Aranea, P. Rossi, Fauna Etrus. II. 1790, 135.
pugnax Cimex, J. C. Fabricius, Syst. Ent. 1775, 704.
pugnax Glareola, C. Nozeman in Nozeman & Houttuyn, Ned. Vogel. I (177-), 29.
pugnax Tringa, Linnaeus, Syst. Nat., ed. 10, 1758, 148; ed. 12, 1766, 247.
pulchana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 480.—Tinea pulchella, 1794.
pulchellata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 171.
pulchella Apis, J. L. Christ, Nat. Ins. 1791, 194.
pulchella Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3308.
pulchella Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 586.—Phalaena.
pulchellus Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (6) 1796, 175.

- pulchellus** Carabus, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 170.
pulchella Cassida, Creutzer in G. W. F. Panzer, Ins. Germ. heft 39 [1797], tab. 15.
pulchella Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 187.
pulchellus Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 67.
pulchellus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 45.
pulchellus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 356.
pulchellus Elater, Linnaeus, Faun. Suec., ed. 2, 1761, 209.
pulchellum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 95 [n. n.].
pulchella Fringilla, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 9 [n. n.].
pulchella Helix, O. F. Müller, Verm. II. 1774, 30.
pulchellus Hemerobius, L. H. v. Bloch in Becker, Plau. Grund. 1799, 118.
pulchellus Hister, J. C. Fabricius, Suppl. Ent. Syst. 1798, 38.
pulchella Libellula, D. Drury, Ill. Nat. Hist. I. 1770, index & 115.
pulchellus Ichneumon, J. L. Christ, Nat. Ins. 1791, 342.
pulchellus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 159.
pulchella Musca, O. F. Müller, Z. Dan. Prod. 1776, 174.
pulchella Musca, P. Rossi, Fauna Etrus. II. 1790, 314.
pulchella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 534; ed. 12, 1767, 884.
pulchellus Psittacus, G. Shaw, Nat. Misc. III. 1792, pl. 96.
pulchellus Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 211.
pulchellus Scymnus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 345.
pulchella Stryx, P. S. Pallas, Reise Russ. I. 1771, 456.
pulchella Tinea (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 77.—Phalaena.
pulchella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 303.
pulchella Tritoma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 177.
[pulcher, -ra, -rum]—
pulchra Aranea, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 244.
pulchra Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 201.
pulcher Cerambyx, D. Drury, Ill. Nat. Hist. I. 1770, index & 70.
pulchra Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 313.
pulcher Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 192.
pulcher Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 119 [n. n.].
pulchra Lamia (Drury), J. C. Fabricius, Syst. Ent. 1775, 171.—Cerambyx.
pulchra Mantis, J. C. Fabricius, Mant. I. 1787, 229.
pulchra Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 19 [n. n.].
pulchra Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 35.
pulchra Noctua (L.), [Denis & Schiffermüller], Schmett. Wien, 1775, 68.—Tinea pulchella.
pulchra Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790.
pulcher Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 249. [259.—Phal. Noctua.
pulcher Ramphastos, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 84.
pulcher Scarabaeus (Cetonia), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 189.
pulchra Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 52.
pulcher Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 139.
pulchra Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 123.
pulcherrima Columba, J. A. Scopoli, Del. Insub. II. 1786, 94.
pulcherrima Haliotis, T. Martyn, Univ. Conch. II [1788], fig. 62.
pulcerrima Haliotis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3690.
pulcherrima Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 138.
pulcherrimus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 88 [n. n.].
pulchra, -rum *v.* **pulcher**:
pulchralis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 452.
pulchricollis Anas, C. Hablizl, Phys. Besch. Taur. 1789, 310 [n. n.].—Anser, 1785.
pulchricollis Anser, C. Hablizl, Fiz. opis. Tavrisheskoi, 1785, 175 [n. n.].
pulchricornis Tipula, L. H. v. Bloch in Becker, Plau. Grund. 1799, 120.
Pulex Linnaeus, Syst. Nat., ed. 10, 1758, 614; ed. 12, 1767, 1021.—Hem.
pulex Astacus (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 17.—Cancer.
pulex Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 633; ed. 12, 1767, 1055.
pulex Cancer (Gammarellus) L., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 130.

- pulex** Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 85.
- pulex** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1758.
- pulex** Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 24 [*n. n.*].
- pulex** Daphne, O. F. Müller, Z. Dan. Prod. 1776, 199.
- pulex** Gammarus (L.), J. C. Fabricius, Syst. Ent. 1775, 418.—Cancer.
- pulex** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
- pulex** Monoculus, Linnaeus, Syst. Nat., ed. 10, 1758, 635; ed. 12, 1767, 1058.
- pulex** Oniscus (Linn.), P. S. Pallas, Misc. Zool. 1766, 190.—Cancer.
- pulex** Squilla (L.), C. de Geer, Mém. Ins. VII. 1778, 525.—Cancer.
- pulex** Trichoda, O. F. Müller, Verm. I (1) 1773, 80.
- pulicaris** Culex, Linnaeus, Syst. Nat., ed. 10, 1758, 603; ed. 12, 1767, 1003.
- pulicaris** Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 979.
- pulicaria** Altica (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 112.—Chrysomela.
- pulicarius** Antribus, A. F. de Fourcroy, Ent. Paris. 1785, 137.
- pulicarius** Bombylius, J. C. Mikán, Mon. Bomb. 1796, 58.
- pulicaria** Cantharis, J. C. Fabricius, Spec. Ins. I. 1781, 260.
- pulicaria** Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 595.
- pulicarius** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 622.
- pulicarius** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 429.
- pulicarius** Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 54.
- pulicarius** Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 357; ed. 12, 1767, 564.
- pulicarius** Elyphorus, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791, 113.—
- pulicarius** Hister, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 7. [Hister, 1784.
- pulicarius** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 191.
- pulicarius** Malachius, J. C. Fabricius, Gen. Ins. 1777, 234.
- pulicaria** Musca, A. F. de Fourcroy, Ent. Paris. 1785, 498.
- pulicaria** Nitidula (L.), A. G. Olivier, Entom. II. 1790, 20.—Dermestes.
- pulicaria** Silpha, Linnaeus, Syst. Nat., ed. 12, 1767, 574.—[Dermestes, ed. 10.]
- pulicaria** Silpha (Fab.), J. F. W. Herbst in Borowski, Gem. Nat. Thiere, VI. 1784, 79.—Sphaeridium.
- pulicarium** Sphaeridium (L.), J. C. Fabricius, Syst. Ent. 1775, 68.—Silpha.
- pulicarius** Telephorus (Fab.), A. G. Olivier, Entom. II. 1790, 16.—Cantharis.
- pullana** Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2517.
- pullaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 145 [*n. et f.*].
- pullarius** Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 102; ed. 12, 1766, 149.
- pullaster** Kerona, O. F. Müller, An. Infus. 1786, 241.—Trichoda, 1773.
- pullaster** Trichoda, O. F. Müller, Verm. I (1) 1773, 81.
- Pullata** M. Harris, Exp. Eng. Ins. 1776, 76.—Dip.
- pullatella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 63.
- [pullatus** Araneus, C. Clerck, Aran. Svec. 1757, 104.]
- pullatus** Araneus, T. Martyn, Aranei, 1793, 49.
- pullatus** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 225; ed. 12, 1766, 388.
- pullata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 108.
- pullata** Musca, O. F. Müller, F. Ins. Frid. 1764, 86.
- pullata** Nerita, F. C. Meuschen, Mus. Gever. 1787, 268.
- pullata** Volucella, O. F. Müller, Z. Dan. Prod. 1776, 178.
- pullens** Lampyris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 124.
- pulligera** Hirudo, F. M. Daudin, Rec. Mém. Moll. 1800, 19.
- pulligera** Nerita, Linnaeus, Syst. Nat., ed. 12, 1767, 1253.
- pulligo** Cimex, M. Harris, Exp. Eng. Ins. 1776, 89.
- pulligo** Trochus, T. Martyn, Univ. Conch. II [1788], fig. 76.
- pullus** Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 108.
- pullus** Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 737; ed. 12, 1767, 1201.
- pullum** Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 236.
- pulla** Cantharis, O. F. Müller, F. Ins. Frid. 1764, 16.
- pullus** Carabus, O. F. Müller, Z. Dan. Prod. 1776, 78.
- pullus** Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1988.
- pullus** Cassis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 28.—Buccinum.

- pulla** Cetonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 12.
pullus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2160.
Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 56.
pulla Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3412.
pullus Elater, O. F. Müller, Z. Dan. Prod. 1776, 59.
pullus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2084.
pulla Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3650.
pulla Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2859.
pulla Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 76.
pulla Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3725.
pulla Phalaena Bomb., E. J. C. Esper, Die Schmett. III (22) 1785, 232.
pulla Phalaena (Noctua), J. Beckwith, Tr. Linn. Soc. [Lond.], II. 1794, 5.
pullus Thelephorus, O. F. Müller, Z. Dan. Prod. 1776, 62.
pullus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 761; ed. 12, 1767, 1233.
pulmo Medusa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3155.
pulmonalis Ascaris, J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1790, 3035.
Litophyton, P. Forskal, Descr. Anim. 1775, 139.
pulmonaris Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 144.
pulmonaris Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797-1800], 499.
pulmonaria Alcyonium, J. Ellis & D. Solander, Nat. Hist. Zool. 1786, 175.
pulmonata Pterotrachea, P. Forskal, Descr. Anim. 1775, 118.
pulorius Mustela, *err. pro* putorius, L., S. G. Gmelin, Reise Russ. III. 1774, 27.
pulsator Ptinus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 249.
pulsatorium Anobium, L. G. Scriba, J. Lieb. Ent. II. 1790, 156.
pulsatorius Hemerobius (L.), J. C. Fabricius, Syst. Ent. 1775, 311.—Termes.
pulsatorius Pediculus, A. F. de Fourcroy, Ent. Paris. 1785, 519.
pulsatorius Psocus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 204.—Termes.
pulsatorium Termes, Linnaeus, Syst. Nat., ed. 10, 1758, 610; ed. 12, 1767, 1015.
pulsatorius Trogium (L.), Illiger in Kugelann, Käfer Preuss. 1798, 500.—Termes.
pulsus Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VII. 1794, 83.
pultiaris Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 123.
pulveralis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 29. [*et. f.*].
pulveraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 203 [*n.*].
pulveraria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 521; ed. 12, 1767,
pulverata Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 104 [*n. n.*]. [862].
pulverata Phalaena, Giorna, Cal. Ent. 1791, 22.
pulverata Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 72.
pulverea Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1799, 759.
pulvereus Curculio, *id. ac* pulverulentus, Scop., A. G. Olivier, Ency. Méth. V (Ins.) 1799,
pulverulenta Acarus, J. H. Sulzer, Gesch. Ins. 1776, 245. [564].
[pulverulentus Araneus, C. Clerck, Aran. Svec. 1757, 93.]
pulverulentus Araneus, T. Martyn, Aranei, 1793, 43.
pulverulenta Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 386.
pulverulentus Byrrhus, C. P. Thunberg, Ins. Suecica (5) 1794, 68.
pulverulentum Callidium, A. G. Olivier, Entom. IV. 1795, 69.
pulverulentus Carabus, P. Rossi, Fauna Etrus. I. 1790, 213.
pulverulentus Cerambyx, J. A. Scopoli, Annus V. 1772, 95.
pulverulenta Cetonia, A. G. Olivier, Entom. I. 1789, 57.
pulverulentus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 44.
pulverulentus Curculio, Scopoli, Ent. Carn. 1763, 25.
pulverulentus Curculio, C. de Geer, Mém. Ins. V. 1775, 268.
pulverulentus Curculio, C. de Villers, Linn. Ent. I. 1789, 216.
pulverulentus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 452.
pulverulentus Elater, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 172.
pulverulenta Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 573.
pulverulenta Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 109 [*n. n.*].
pulverulenta Melolontha, J. C. Fabricius, Syst. Ent. 1775, 39. [611.—Bombyx].
pulverulenta Phalaena Noctua (Esp.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,

- pulverulentus** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 341.
pulverulentus Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 312; ed. 12, 1766, 514.
pulverulentus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
pulverulenta Tenthredo, J. L. Christ, Nat. Ins. 1791, 451. [1565.—Melolontha.
pulviger Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 480.
pulvillus Asterias, O. F. Müller, Z. Dan. Prod. 1776, 234.
pulvinatus Dermestes, J. A. Scopoli, Annus V. 1772, 87.
pulvinatum Gonium, O. F. Müller, Verm. I (1) 1773, 61.
pulvinata Rana, G. A. Suckow, Naturges. III. 1798, 69.
pulvisculus Enchelis, O. F. Müller, An. Infus. 1786, 32.
pulvisculus Monas, O. F. Müller, An. Infus. 1786, 7.
puma Felis, G. I. Molina, Sag. stor. nat. Chili, 1782, 295.
pumicatus Carabus, G. W. F. Panzer, Deutsch. Ins. [1795], 60.
pumicatus Mytilus, F. C. Meuschen, Mus. Gever. 1787, 466.
pumicosa Cellepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1286.
pumicosa Millepora, P. S. Pallas, Elench. 1766, 254.
pumilella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 141.
pumilio Mus, A. Sparrman, K. Vet. Ac. Nya Handl. V. 1784, 236.
pumilio Phasianus, J. Latham, Index Orn. 1790, 627.
pumilionis Musca, C. Bierkander, K. Vet. Ac. Handl. XXXIX. 1778, 201.
pumilionis Musca, J. Banks, Ann. Agric. XVI. 1791, 2, pl. 1.
pumilis Falco, R. Kerr, Anim. Kingd. 1792, 525.
pumila Ardea, P. Boddaert, Tab. Planch. Enl. 1783, 54.
pumila Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 644.
pumilus Bos, R. Kerr, Anim. Kingd. 1792, 340.
pumila Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 276.
pumilus Chamaeleon (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 27.—Lacerta.
pumila Lacerta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1069.
pumila Leptura, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 299.
pumila Libellula, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 90.
pumila Millepora, P. S. Pallas, Elench. 1766, 253.
pumila Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 446.
pumilus Psittacus, J. A. Scopoli, Del. Insub. II. 1786, 87.
pumila Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 807; ed. 12, 1767, 1306.
pumila Spheg, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 200.
punctalis Phalaena, J. C. Fabricius, Syst. Ent. 1775, 644.
punctalis Phalaena (Pyr.) Fab., C. de Villers, Linn. Ent. II. 1789, 442.—Phalaena.
punctalis Pyralis (Fab.), C. P. Thunberg, Ins. Suecica (1) 1784, 18.—Phalaena.
punctalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
punctana Tortrix, C. P. Thunberg, Ins. Suecica (1) 1784, 23.
punctana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 9 [z. et f.].
punctaria [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 233.
punctaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 522.
punctatissima Buprestis, J. C. Fabricius, Syst. Ent. 1775, 217.
punctatissimus Carabus, C. de Villers, Linn. Ent. I. 1789, 383.
punctatissima Chrysis, C. de Villers, Linn. Ent. III. 1789, 259.
punctatissima Chrysomela, Linnaeus, Amoen. Acad. VI. 1763, 394.
punctatissima Chrysomela, C. de Villers, Linn. Ent. I. 1789, 168.
punctatissima Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 691.
punctatissima Chrysomela, J. A. Frolich, Naturforscher, XXVI. 1792, 128.
punctatissimus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
punctatissimus Erotylus, J. C. Fabricius, Syst. Ent. 1775, 123. [1727.—Erotylus.
punctatissima Locusta, L. Bosc, Actes Soc. H. N. Paris, I (1) 1792, 45.
punctatissima Nitidula, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 598.
punctatissima Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 139.
punctato-guttatus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 365.
punctato-guttata Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1658.—
 [z. guttato-punctata, L.]

- punctato guttatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 158.—Cimex, 1781.
- punctato-lineata Phryganea, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 56.
- punctato-marginatus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 639.
- punctato striatus Staphylinus, G. Paykull, Faun. Suec. III. 1800, 417.
- punctator Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1833.—Lamia.
- punctator Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 166.
- punctator Ichneumon, C. Allioni, Misc. Taurin. III. 1766, 196.
- punctator Ichneumon, Linnaeus, Syst. Nat., ed. 12, 1767, 935.
- punctator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 157.
- punctator [Ichneumon], Giorna, Cal. Ent. 1791, 86.
- punctator Lamia, J. C. Fabricius, Gen. Ins. 1777, 230.
- punctatoria Loxia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 9 [*n. n.*].
- punctatulus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 152.
- punctatulus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 187.
- punctatulus Mytilus, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 642.
- punctatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 593.
- punctatum Acrydium (Dru.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 219.—Gryllus.
- punctata Ancilla, F. C. Meuschen, Mus. Gever. 1787, 248.
- punctatum Anobium, P. Rossi, Mant. Ins. I. 1792, 19.
- punctata Anomia (*ex Chem.*), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 72.
- punctata Apate, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 26.
- punctata Aphrodita, O. F. Müller, Z. Dan. Prod. 1776, 218.
- punctata Apis, J. C. Fabricius, Syst. Ent. 1775, 385.
- punctata Aranea, C. de Geer, Mém. Ins. VII. 1778, 255.
- punctatus Asilus, Scopoli, Ent. Carn. 1763, 364.
- punctatus Asilus, J. C. Fabricius, Spec. Ins. II. 1781, 463.
- punctatus Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 168.
- punctatus Balanus, R. Pulteney, Cat. Birds &c. Dorset, 1799, 25.
- punctatus Balistes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1472.
- punctata Bembyx, J. C. Fabricius, Syst. Ent. 1775, 361.
- punctata Biphora (Forsk.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 181.—Salpa.
- punctata Blaps, J. C. Fabricius, Ent. Syst. I (1) 1792, 109.
- punctatus Blennius, O. Fabricius, F. Groen. 1780, 153.
- punctatus Bombylius, C. de Geer, Mém. Ins. VI. 1776, 269.
- punctatus Bombylius, J. C. Fabricius, Ent. Syst. IV. 1794, 408.
- punctata Bombyx, J. C. Fabricius, Spec. Ins. II. 1781, 207.
- punctatus Bruchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 158.
- punctatum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 281.
- punctata Bulla, J. Adams, Tr. Linn. Soc. [Lond.], V. 1800, 2.
- punctata Buprestis, J. C. Fabricius, Mant. I. 1787, 176.
- punctatus Calamita, J. G. Schneider, Hist. Amph. I. 1799, 170.
- punctatum Callidium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 149.
- punctatus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 630; ed. 12, 1767, 1045.
- punctata Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1891.
- punctatus Carabus, O. F. Müller, Z. Dan. Prod. 1776, 76.
- punctata Cassida, C. de Geer, Mém. Ins. V. 1775, 180.
- punctata Cassida, J. C. Fabricius, Mant. I. 1787, 64.
- punctatus Cataphractus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 90.
- punctatus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 1067.
- punctatus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 73.
- punctatum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 498.
- punctatus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 273; ed. 12, 1766, 461.
- punctata Chalcis, Fab., J. C. Fabricius, Mant. I. 1787, 272.—Sphex, 1781.
- punctata Chama, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 392.
- punctata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 444.
- punctatus Chiton, Linnaeus, Syst. Nat., ed. 10, 1758, 667; ed. 12, 1767, 1107.
- punctata Chrysis, J. L. Christ, Nat. Ins. 1791, 400.
- punctata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1687.

- punctata Cicada, J. C. Fabricius, Syst. Ent. 1775, 687.
punctata Cicada, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 21.
punctata Cicindela, O. F. Müller, F. Ins. Frid. 1764, 18.
punctatus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 444; ed. 12, 1767, 720.
punctatus Cimex, C. Allioni, Misc. Taurin. III. 1766, 191.
punctatus Cimex, C. de Geer, Mém. Ins. III. 1773, 338.
punctatus Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 376.
punctata Conops, C. de Villers, Linn. Ent. III. 1789, 584.
punctatus Conus, F. C. Meuschen, Mus. Gever. 1787, 348.
punctatus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3389.
punctatus Conus (*ex* Chem.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 628.
punctata Crioceris, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 199.
punctatus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1711.
punctatus Cryptophagus (Fab.), G. Paykull, Faun. Suec. III. 1800, 352.—Mycetophagus.
punctatus Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 170.
punctatus Curculio, Scopoli, Ent. Carn. 1763, 34.
punctatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 150.
punctatus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 87.
punctatus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 370.
punctatus Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 381.
punctata Cypraea, Linnaeus, Mant. II. 1771, 548.
punctatus Dermestes, J. A. Scopoli, Annus V. 1772, 87.
punctatus Dermestes (Fab.), C. P. Thunberg, Ins. Suecica (6) 1794, 79.—Mycetophagus.
punctatus Dytiscus, Scopoli, Ent. Carn. 1763, 97.
punctatus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 73.
punctatus Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 70.
punctatus Dytiscus, *id. ac* punctulatus, Fab., A. G. Olivier, Entom. III. 1795, 12.
punctatus Dytiscus, D. H. Hoppe, Ins. Elyt. 1795, 32.
punctatus Elater, J. F. W. Herbst, Beschäf. Ges. Nat. Freunde, IV. 1779, 316.
punctatus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1916.
punctatus Erodium, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 41.
punctata Fasciola, O. F. Müller, Verm. I (2) 1774, 57.
punctata Fasciola, P. S. Pallas, Spic. Zool. X. 1774, 23.
punctata Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 569.
punctatus Geotrupes (Vill.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 21.—Scarabaeus.
punctatus Gryllus, D. Drury, Ill. Nat. Hist. II. 1773, index & 79.
punctata Helix, O. F. Müller, Verm. II. 1774, 21.
punctata Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 381.
punctatus Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 41.
punctatus Hister, C. P. Thunberg, Ins. Suecica (5) 1794, 64.
punctatus Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 88.
punctatus Hydrophilus, A. F. de Fourcroy, Ent. Paris. 1785, 65.
punctatus Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 437.
punctatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 403.
punctata Ips, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 28.
punctatus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 285; ed. 12, 1766, 477.
punctata Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 209; ed. 12, 1766, 369, no. 38.
punctata Lacerta, Linnaeus, Syst. Nat., ed. 12, 1766, 370, no. 45.
punctata Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 80.
punctata Leptura (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 208.—Cerambyx.
punctata Leucosia (L.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
punctata Loricaria (Bloch), G. A. Suckow, Naturges. IV. 1799, 656.—Cataphractus.
punctatus Lycus, A. G. Olivier, Entom. II. 1790, 10.
punctata Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 795; ed. 12, 1767, 1277.
punctata Meloe, J. C. Fabricius, Ent. Syst. I (2) 1792, 518.
punctata Meloe, Hellwig in G. W. F. Panzer, Ins. Germ. heft 10 [1793], tab. 16.
punctata Meloe, P. S. Pallas, Icon. Ins. 1798, 100.
punctata Melolontha (L.), J. C. Fabricius, Syst. Ent. 1775, 33.—Scarabaeus.

- punctata Membracis, J. C. Fabricius, Syst. Ent. 1775, 676.
 punctata Mordella, J. C. Fabricius, Mant. I. 1787, 218.
 punctata Musca, N. Poda, Ins. Mus. Graec. 1761, 116.
 punctata Musca, O. F. Müller, F. Ins. Frid. 1764, 85.
 punctata Musca, F. v. P. Schrank, Ins. Aust. 1781, 474.
 punctata Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 347.
 punctata Mutilla, P. A. Latreille, Actes Soc. H. N. Paris, I (1) 1792, 11.
 punctatus Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 499.
 punctata Myopa, J. C. Fabricius, Ent. Syst. IV. 1794, 398.
 punctatum Myrmeleon, J. C. Fabricius, Mant. I. 1787, 249.
 punctata Natrix, J. N. Laurenti, Syn. Rept. 1768, 80.
 punctata Necydalis, A. F. de Fourcroy, Ent. Paris. 1785, 174.
 punctatus Nematelus, J. C. Fabricius, Ent. Syst. IV. 1794, 271.
 punctata Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
 punctata Nerita, O. F. Müller, Verm. II. 1774, 190.
 punctata Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
 punctata Nerita, C. U. v. Salis, Reise Neapel, 1793, 379.
 punctata Neritaeformis, F. C. Meuschen, Mus. Gever. 1787, 276.
 punctata Neritaeformis, F. C. Meuschen, Mus. Gever. 1787, 276, no. 343.
 punctata Nitidula, P. Rossi, Fauna Etrus. I. 1790, 58.
 punctata Nomada, J. C. Fabricius, Ent. Syst. II. 1793, 346.
 punctatus Ophicephalus, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 139.
 punctata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3320.
 punctatus Pelecanus, A. Sparrman, Mus. Carls. I. 1786, no. x.
 punctata Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 291; ed. 12, 1766, 485, no. 20.
 punctata Perca, Linnaeus, Syst. Nat., ed. 12, 1766, 482, no. 4.
 punctata [Phalaena], C. Clerck, Icones, I. 1759, pl. ii, 15.
 punctata Phalaena, Scopoli, Ent. Carn. 1763, 218.
 punctata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 637.
 punctata [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (26) 1780, 36.
 punctata [Phalaena], C. Stoll, Aanhang. Cramer's Utit. Kapellen, II. 1790, 58.
 punctata Phalaena Bombyx, C. de Villers, Linn. Ent. II. 1789, 175. [Bombyx.
 punctata Phalaena Bombyx (Fab.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 217.—
 punctata Phalaena (Noctua), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 79.
 punctata Phoca, R. Kerr, Anim. Kingd. 1792, 128.
 punctata Phryganea, J. C. Fabricius, Ent. Syst. II. 1793, 80.
 punctata Pimelia, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 49.
 punctata Pimelia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 45.
 punctata Pipra, G. Shaw, Nat. Misc. IV. 1792, pl. 111.
 punctata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.—Fasciola, 1774.
 punctata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 223.
 punctatus Pleuronectes, M. E. Bloch, Nat. ausl. Fische, III. 1787, 31.
 punctata Plotia, J. F. Bolten, Mus. Bolten. (2) 1798, 96.
 punctata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 33.
 punctatus Ptinus, C. de Geer, Mém. Ins. IV. 1774, 230.
 punctatus Rhagio, J. C. Fabricius, Mant. II. 1787, 333.
 punctatus Rynchites, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 131 (sign. I 2).
 punctatus Ripiphorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 111.
 punctata Salamandra, J. P. Bonnatte, Ency. Méth. (Erp.) 1789, 63.
 punctata Salpa, P. Forskal, Descr. Anim. 1775, 114.
 punctata Saperda (L.), J. C. Fabricius, Syst. Ent. 1775, 187.—Cerambyx.
 punctatus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 350; ed. 12, 1767, 557.
 punctatus Scarabaeus, C. de Villers, Linn. Ent. I. 1789, 40.
 punctatus Scaurus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 43.
 punctata Sciaena, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 64.
 punctata Scolopax, J. M. Bechstein, Gem. Nat. Deutschl. III. 1793, 88.
 punctatus Scolytus, O. F. Müller, Z. Dan. Prod. 1776, 57.
 punctatus Scorpio, C. de Geer, Mém. Ins. VII. 1778, 343.

- punctatus** Scutigera (L.), F. C. Meuschen, Mus. Gever. 1787, 240.—Chiton.
punctata Semblis, J. C. Fabricius, Ent. Syst. II. 1793, 73.
punctata Silpha, C. de Geer, Mém. Ins. IV. 1774, 177.
punctata Silpha, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 159.
punctata Spheg, J. C. Fabricius, Spec. Ins. I. 1781, 446.
punctatus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 161.
punctatus Staphylinus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 333.
punctata Stello (Linn.), J. N. Laurenti, Syn. Rept. 1768, 58.—Lacerta.
punctatus Strombus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3522.—
punctatus Tabanus, J. C. Fabricius, Mant. II. 1787, 355. [Nerita]
punctata Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 316.
punctata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 366.
punctata Tenthredo, J. C. Fabricius, Suppl. Ent. Syst. 1798, 218.
punctata Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
punctata Testudo, J. D. Schoepf, Hist. Test. 1792, 25.
punctata Tettigonia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 516.
punctata Tipula, O. F. Müller, F. Ins. Frid. 1764, 79.
punctata Tipula, F. v. P. Schrank, Ins. Aust. 1781, 425.
punctata Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 512.
punctatus Trilobus, M. T. Brännich, Nye Saml. K. Danske Skrifter, I. 1781, 394.
punctata Trigla, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 125.
punctatus Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 760; ed. 12, 1767, 1231.
punctatus Trochus, F. C. Meuschen, Mus. Gever. 1787, 280.
punctatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3597.
punctatus Turbo (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II., 1791, 128.—Tro-
punctatus Turbo, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 638. [chus.
punctatus Turdus, G. Shaw, Zool. N. Holland, 1794, 25.
punctata Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 688; ed. 12, 1767, 1134.
punctata Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2768.—Bembyx.
punctatus Volucella, A. F. de Fourcroy, Ent. Paris. 1785, 502.
punctata Vorticella, P. C. Abildgaard, Skr. nat. Selsk. [Copen.] III (1) 1793, pl. iii [n].
punctatus Xancus, J. F. Bolten, Mus. Bolten. (2) 1798, 134. [et f.]
punctella [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 164.
punctella Phalaena, Scopoli, Ent. Carn. 1763, 253.
punctella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 368.
punctella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 661.—Phalaena.
puncticollis Carabus, G. Paykull, Faun. Suec. I. 1798, 120.
punctifera Enchelis, O. F. Müller, An. Infus. 1786, 24.
punctifera Musca, A. F. de Fourcroy, Ent. Paris. 1785, 473.
punctiforme Sphaeridium, F. v. P. Schrank, F. Boica, I. 1798, 444.
punctiger Atelabus, G. Paykull, Faun. Suec. III. 1800, 179.—Curculio, 1792.
punctiger Cryptocephalus, G. Paykull, Faun. Suec. II. 1799, 146.
punctiger Curculio, G. Paykull, Mon. Curc. 1792, 141.
punctigera [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V 1790, 151.
punctigera Phalaena, Hufnagel, Berl. Mag. III. 1767, 416.
punctigera Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 812. [12.]
punctigera Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 509.—[P. (Attacus), ed.
punctillata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
punctinalis Phalaena, Scopoli, Ent. Carn. 1763, 217.
punctipes Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2163.
punctoria Aranea, C. de Villers, Linn. Ent. IV. 1789, 128.
punctorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 152.
punctorius Ichneumon, J. C. Fabricius, Mant. I. 1787, 263.
punctuaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 67 [n].
punctulana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 234.—Tortrix. [et f.]
punctulana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 130.
punctularia Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 881.
punctularia Phalaena Geometra, J. Hübner, Beitr. Schmett. I (2) [1787], 8.

- punctulatella Phalaena (Tinea), C. de Villers, Linn. Ent. II. 1789, 522.
- punctulatum Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 231.—[punctatum, De
- punctulatus Angarius, F. C. Meuschen, Mus. Gever. 1787, 260. [G.]
- punctulata Blatta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2047.
- punctulatus Blennius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 460.
- punctulatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3503.
- punctulatum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 113 [n. n.].
- punctulatus Callionymus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 328.
- punctulatus Carabus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 318.
- punctulatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1990.
- punctulatus Carabus, P. Rossi, Fauna Etrus. I. 1790, 215.
- punctulatus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 150.
- punctulatus Cerambyx, G. Paykull, Faun. Suec. III. 1800, 57.
- punctulata Cetonia, A. G. Olivier, Entom. I. 1789, 54.
- punctulata Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 163 [n. n.].
- punctulata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2104.
- punctulata Cicindela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 734.
- punctulata Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 85.
- punctulatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2185.
- punctulatus Coluber, cf. *Natrix punctata*, Laur., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1101.
- punctulatus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1731.—
Chrysomela punctatissima.
- punctulatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 40.
- punctulatus Cucullus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 414.
- punctulatus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 132.
- punctulatus Curculio, J. C. Fabricius, Mant. I. 1787, 98.
- punctulata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3404.
- punctulatus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 73.
- punctulatus Dytiscus, J. C. Fabricius, Gen. Ins. 1777, 238.
- punctulatus Erodium, A. G. Olivier, Entom. III. 1795, 7.
- punctulata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 19.
- punctulata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 106.
- punctulatus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2063.
- punctulatus Helops, J. C. Fabricius, Ent. Syst. I (1) 1792, 117.—Tenebrio, 1787.
- punctulatus Hister, A. G. Olivier, Entom. I. 1789, 13.
- punctulatus Hister, N. J. Brahm, Ins. Kal. I (1) 1790, 83.
- punctulatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 407.
- punctulata Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1877.
- punctulata Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 173; ed. 12, 1766, 302.
- punctulata Musca, Scopoli, Ent. Carn. 1763, 338.
- punctulata Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
- punctulata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3705.
- punctulata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3716. [1315.]
- punctulata Perca, *id. ac* punctata, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
- punctulatus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1584.
- punctulatus Scarabaeus, P. Rossi, Fauna Etrus. I. 1790, 9.
- punctulata Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1617.
- punctulata Silpha, A. G. Olivier, Entom. II. 1790, 13.
- punctulata Silpha, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 127.
- punctulata Silpha, L. G. Scriba, Beitr. Ins. III. 1793, 229.
- punctulatus Squalus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 119.
- punctulatus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2035.
- punctulatus Staphylinus, G. Paykull, Mon. Staph. 1789, 30.
- punctulatus Tenebrio, J. C. Fabricius, Mant. I. 1787, 211.
- punctulatum Terebellum, J. F. Bolten, Mus. Bolten. (2) 1798, 135.
- punctulata Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 337.
- punctulatus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 488.

- punctulatus Trochus, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 36.
- punctulatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3581.
- punctulatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3589.
- punctulatus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 87 [*n. n.*].
- punctulata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3281.
- punctulata Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2766.
- punctulum Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 407.
- punctum Cimex, J. C. Fabricius, Mant. II. 1787, 291.
- punctum Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 161.
- punctum Curculio, [D. H. Schneider], Nom. Ent. 1785, 12 [*n. n.*].
- punctum Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 401.
- punctum Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 172.
- punctum Distoma, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 183.
- punctum Evania, J. C. Fabricius, Ent. Syst. II. 1793, 194.—Sphex, 1781.
- punctum Ichneumon, G. Shaw, Tr. Linn. Soc. [Lond.], IV. 1798, 189.
- punctum Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 157.
- punctum Monas, O. F. Müller, An. Infus. 1786, 3.
- punctum Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 351.
- punctum Mylabris, J. C. Fabricius, Ent. Syst. I (2) 1792, 289.
- punctum Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 34.
- punctum Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 381.
- punctum Sphex, J. C. Fabricius, Spec. Ins. I. 1781, 448.
- puncta Testudo, F. C. Meuschen, Mus. Gronov. 1778, 10.
- punctum Volvox, O. F. Müller, An. Infus. 1786, 12.
- punctum-album Cimex, J. A. Pollich, Bemerk. Kuhrpfalz. phys.-oek. Ges. 1779 (1781), [264].
- punctum album Cimex, P. Rossi, Fauna Etrus. II. 1790, 247.
- punctum album Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 74.
- punctum album Phalaena B., C. de Villers, Linn. Ent. II. 1789, 175.
- punctum-album Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 282.
- punctum-album Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 924.
- punctum-album Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2660.
- punctuosa Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 83.
- puncturatus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 635.
- pungens Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 36.
- pungens Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 215.
- pungens Murex, D. Solander in G. Brander, Foss. Hant. 1766, 35.
- pungens Musca, C. de Geer, Mém. Ins. VI. 1776, 78.
- pungens Stomoxys, J. C. Fabricius, Mant. II. 1787, 362.
- pungitius Gasterosteus, Linnaeus, Syst. Nat., ed. 10, 1758, 296; ed. 12, 1766, 491.
- punicalis Pyralis (D. & S.), C. de Villers, Linn. Ent. IV. 1789, 519.—Pyralis punicealis.
- punicealis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 317.
- punicea Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 921.
- puniceus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3362.
- punicea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3733.
- puniceus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 335.
- punicea Tellina, I. v. Born, Index Mus. Caes. Vind. 1778, 22.
- puniceus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 497.
- puniceus Turdus, A. Vroeg, Catal. Vogel. 1764, Adumb., 2.
- punicus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 719.
- punica Phalaena Noctua, M. R. Borkhausen, Nat. eur. Schmett. IV. 1792, 687.
- puntazzo Sparus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1272.
- puncticulatus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 702.
- Pupa [G. Humphreys], Mus. Calonn. 1797, 64.—G.
- Pupa J. F. Bolten, Mus. Bolten. (2) 1798, 110.—G.
- pupa Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 349.—Helix.
- pupa Cerion (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 90.—Helix.
- pupa Enchelis, O. F. Müller, An. Infus. 1786, 42.
- pupus Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 431; ed. 12, 1767, 699.

- pupus europaeus** Gryllus (Tett.), C. de Villers, Linn. Ent. I. 1789, 451.
- pupa** Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 773; ed. 12, 1767, 1249.
- pupa** Locusta (L.), J. C. Fabricius, Syst. Ent. 1775, 287.—Gryllus.
- pupa** Nerita, Linnaeus, Syst. Nat., ed. 12, 1767, 1253.
- pupa** Orthocera, A. Modleer, K. Vet. Ac. Nya Handl. XVII. 1796, 148.
- pupa** Sertularia, *id. ac* pumila, L., J. F. Maratti, Plant. Zooph. Med. 1776, 25.
- pupa** Trichoda, O. F. Müller, Verm. I (1) 1773, 72.
- [**puparum**]—
- pupparum** Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 387.
- puparum** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 567; ed. 12, 1767, 939.
- puparum** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 326.
- puparum** Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 203.
- puphinus** Procellaria, *id. ac* puffinus, L., [M. Tunstall], Orn. Brit. 1771, 4.
- pupilla** Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 69.
- pupilla** Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 447.
- pupillana** Phalaena, C. Clerck, Icones, I. 1759, pl. xi, 9.
- pupillana** Phalaena (Tort.), Linnaeus, Faun. Suec., ed. 2. 1761, 349.
- pupillana** Pyralis (L.), J. C. Fabricius, Ent. Syst. III (2) 1794, 255.—Phalaena.
- pupillana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 20 [*n. et f.*].
- pupillaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 69 [*n. et f.*].
- pupillata** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 428.
- pupillata** Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 422.
- pupillatus** Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 508.
- pupillata** Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 75.
- pupillata** Phalaena B., E. J. C. Esper, Die Schmett. III (22) 1785, 221.
- pupillata** Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2581.
- pupparum** *v.* puparum.
- pupillaria** *v.* pupillaria.
- pupula** Enchelis, O. F. Müller, Verm. I (1) 1773, 37.
- pupus** *v.* pupa.
- purgator** Coreus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 537.
- purgator** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 156.
- purgatorius** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 153.
- purgata** Empis, J. Cederhielm, F. Ingric. 1798, 328.
- purmundus** Musca, M. Harris, Exp. Eng. Ins. 1776, 74.
- Purpura** F. C. Meuschen, Mus. Gever. 1787, 308.—G.
- Purpura** P. Browne, Hist. Jamaica, ed. 2, 1789, 406.—G.
- Purpura** J. F. Bolten, Mus. Bolten. (2) 1798, 139.—G.
- Purpura** Lamarck, Mém. Soc. H. N. Paris, 1799, 71.—G.
- purpura** Cercopis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 101.
- purpura** Medusa, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 48.
- purpuralis** Phalaena (Pyralis), Linnaeus, Syst. Nat., ed. 10, 1758, 534; ed. 12, 1767, 883.
- purpuralis** Sphinx, O. F. Müller, Z. Dan. Prod. 1776, 116.
- purpurans** Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1096.
- purpurana** Tortrix, C. P. Thunberg, Ins. Suecica (1) 1784, 19. [864.]
- purpuraria** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 522; ed. 12, 1767, 883.
- purpuraria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 198 [*n. et f.*].
- purpurascens** Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 234.
- purpurascens** Apis, C. de Villers, Linn. Ent. III. 1789, 319.
- purpurascens** Apis, J. C. Fabricius, Ent. Syst. II. 1793, 325.
- purpurascens** Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 360.
- purpurascens** Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 41.
- purpurascens** Carabus, J. C. Fabricius, Mant. I. 1787, 195.
- purpurascens** Carabus, C. de Villers, Linn. Ent. I. 1789, 364.
- purpurascens** Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 135.
- purpurascens** Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162.
- purpurascens** Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 86 [*n. n.*].
- purpurascens** Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1116.

- purpurascens Corvula, J. F. Bolten, Mus. Bolten. (2) 1798, 184 [n. n.].
 purpurascens Corvus, J. Latham, Index Orn. 1790, 161.
 purpurascens Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 52.
 purpurascens Cynips, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 780.
 purpurascens Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3404.
 purpurascens Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 42.
 purpurascens Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 231.
 purpurascens Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 155.
 purpurascens Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 640.
 purpurascens Noctua, C. C. Jung, Alph. Verz. Schmett. II. 1792, 147.
 purpurascens Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3237.
 purpurascens Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 20.
 purpurascens Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3288.
 purpuratella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 523.
 purpuratella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 339.
 purpurata Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 641.
 purpurata Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162 [n. n.].
 purpurata Chrysis, J. C. Fabricius, Mant. I. 1787, 283.
 purpuratus Coluber, F. C. Meuschen, Mus. Gronov. 1778, 15.
 purpurata Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 784.
 purpuratus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 50.
 purpuratus Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 120 [n. n.].
 purpurata Limax, T. Martyn, Univ. Conch. II [1788], fig. 68. [1791, 28.
 purpurata Medusa, *id. ac* purpura, Penn., A. Modeer, Nova Acta Acad. Caes. VIII. App.,
 purpurata Muscipala, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 169.
 purpurata Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
 purpurata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 259.
 purpurata Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 505.
 purpurata Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 341.
 purpuratus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 350.
 purpurata Pyrochroa, O. F. Müller, Z. Dan. Prod. 1776, 80.
 purpurata Pyrochroa, F. v. P. Schrank, Ins. Aust. 1781, 173.
 purpurata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3243.
 purpuratus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 487.
 purpurata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3289.
 purpurea-radiata Tellina, T. Martyn, Univ. Conch. IV [1792], fig. 159.
 purpureipennis Cimex, C. de Geer, Mém. Ins. III. 1773, 258.
 purpurella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 79.
 purpureo-fasciata Noctua, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 70.
 purpureo-lineatus Cimex, P. Rossi, Fauna Etrus. II. 1790, 228.
 purpurea Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 449.
 purpurea Ampulla, J. F. Bolten, Mus. Bolten. (2) 1798, 110.
 purpureum Apion (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 131.—Curculio.
 purpurea Apis, J. L. Christ, Nat. Ins. 1791, 168.
 purpurea Ardea, Linnaeus, Syst. Nat., ed. 12, 1766, 236.
 purpureus Attelabus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 281.—Curculio.
 purpurea Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 580.—Phalaena.
 purpurea Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3433.
 purpurea Buprestis, A. G. Olivier, Entom. II. 1790, 23.
 purpurea Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 363; ed. 12, 1767, 576.
 purpurea Cassida, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 40.
 purpurea Cassida, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 87.
 purpurea Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 478.
 purpurea Chrysis, Giorna, Cal. Ent. 1791, 74.
 purpurea Cicindela, A. G. Olivier, Entom. II. 1790, 14.
 purpureus Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 57.
 purpurea Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 133.
 purpurea Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 784.

- purpureus** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 47.
purpureus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 378; ed. 12, 1767, 607.
purpureus Cyclopterus, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 29.
purpureus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3197.—
purpureus Elater, N. Poda, Ins. Mus. Græc. 1761, 41. [Spatangus].
purpureus Elater, F. v. P. Schrank, Ins. Aust. 1781, 187.
purpurea Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 923.
purpurea Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 699.
purpurea Gallinula (Gm.), J. Latham, Index Orn. 1790, 769.—Fulica.
purpurea Gorgonia, P. S. Pallas, Elench. 1766, 187.
purpureus Gryllus (Locusta), N. Poda, Ins. Mus. Græc. 1761, 53.
purpureus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2085.
purpureus Hallomenus, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 22.
purpurea Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3656.
purpurea Hirundo, Linnaeus, Syst. Nat., ed. 12, 1766, 344.
purpureus Labrus (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1284.—
purpurea Lepas, L. Spengler, Skr. nat. Selsk. [Copen.], I (1) 1790, 172. [Scarus].
purpureum Morum, J. F. Bolten, Mus. Bolten. (2) 1798, 53.
purpureus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3360.
purpureus Mytilus, J. F. Bolten, Mus. Bolten. (2) 1798, 158 [n. n.].
purpurea Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 12, 1767, 828.
purpurea Pipra, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 263.
purpurea Planorbis, O. F. Müller, Verm. II. 1774, 155.
purpureus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 74.
purpureus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 346.
purpurea Sagra, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 60.
purpurea Sagra, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 265.
purpureus Scarus, P. Forskal, Descr. Anim. 1775, 27.
purpureus Scirus, E. A. W. Zimmermann, Spec. Zool. 1777, 518.
purpurea Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 814; ed. 12, 1767, 1314.
purpureus Spatagus, O. F. Müller, Z. Dan. Prod. 1776, 236.
purpureus Spatangus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 235.
purpureus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 160.
purpureus Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 21.
purpureus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3582.
purpurea Tubipora, P. S. Pallas, Elench. 1776, 339.
purpureus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 143.
purpurina Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 88.
purpurina Phalaena (B.), MS., T. Martyn, Psyche, 1797, fig 12.
purpurina Phalaena Noctua, J. Hübner, Beitr. Schmett. I (2) [1787], 11.
purpurina Phalaena Noctua, H. G. Lang, Verz. Schmett., ed. 2, 1789, 160.
Purpurites J. Gesner, Tract. Petref. 1758, 56.—G.
purpuro-buccinum Buccinum, E. M. da Costa, Brit. Conch. 1778, 125.
purpuroides Murex, J. F. Bolten, Mus. Bolten. (2) 1798, 144.
purulenta Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 2.
purus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2186.
Pusa J. A. Scopoli, Intr. Hist. Nat. 1777, 490.—M.
pusaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 87 [n. et f.].
pusaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 522; ed. 12, 1767, 864.
pusiella Phalaena, Scopoli, Ent. Carn. 1763, 253.
pusiella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 534; ed. 12, 1767, 884.
pusiella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 656.—Phalaena.
pusillana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
pusillaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 99 [n. et f.].
pusillaria Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 454.
pusillata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 110.
pusilla Actinia, O. Swartz, K. Vet. Ac. Nya Handl. IX. 1788, 201.
pusilla Alcedo, G. Shaw, Nat. Misc. V. 1793, pl. 159.

- pusillus Alpheus, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer, 1775.
 pusilla Altica, O. F. Müller, Z. Dan. Prod. 1776, 84. [1800, 282.—Taenia.
 pusillus Alysseminthus (Goeze), J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm.
 pusillus Aphodius (Herbst), J. Sturm, Verz. Ins. Samml. 1800, 49.—Scarabaeus.
 pusilla Apis, J. L. Christ, Nat. Ins. 1791, 161.
 pusillus Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 135.
 pusilla Ardea, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 111.
 pusillus Asilus (Scop.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 272.—Erax.
 pusillus Astacus, V. Petagna, Inst. Ent. 1792, 418.
 pusilla Blaps, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 199.
 pusilla Buprestis, A. G. Olivier, Entom. II. 1790, 91.
 pusilla Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 137.
 pusilla Byrrhus, C. P. Thunberg, Ins. Suecica (5) 1794, 69.
 pusillum Callidium, J. C. Fabricius, Mant. I. 1787, 155.
 pusillus Cancer, J. C. Fabricius, Syst. Ent. 1775, 402.
 pusillus Carabus, P. Rossi, Fauna Etrus. I. 1790, 226.
 pusillus Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 309.—Callidium.
 pusilla Certhia, Linnaeus, Syst. Nat., ed. 10, 1758, 118; ed. 12, 1766, 185.
 pusilla Chalcis, J. C. Fabricius, Mant. I. 1787, 273. [Altica.
 pusilla Chrysomela (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1698.—
 pusilla Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 157.—Cryptocephalus.
 pusilla Cicada, O. F. Müller, Z. Dan. Prod. 1776, 103.
 pusilla Cicada, P. Rossi, Fauna Etrus. II. 1790, 218.
 pusilla Cicindela, J. C. D. Schreber, Nov. Spec. Ins. 1759, 10.
 pusillus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2160.
 pusilla Coccinella, O. F. Müller, Z. Dan. Prod. 1776, 65.
 pusilla Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 16.
 pusillus Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 61.
 pusillus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 36.
 pusilla Coryne, J. Gaertner in P. S. Pallas, Spic. Zool. X. 1774, 40.
 pusillus Cryptocephalus, J. C. Fabricius, Gen. Ins. 1777, 221.
 pusilla Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3421.
 pusillus Dermestes, G. Paykull, Faun. Suec. I. 1798, 295.
 pusillus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 73.
 pusillus Dytiscus, J. C. Fabricius, Spec. Ins. I. 1781, 297.
 pusillus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3198.
 pusillus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1919.
 pusilla Emberiza, P. S. Pallas, Reise Russ. III. 1776, 697.
 pusillum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 93 [n. n.].
 pusillus Erax, Scopoli, Ent. Carn. 1763, 362.
 pusilla Eurychora, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 38.
 pusilla Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3055.
 pusilla Formica, C. de Geer, Mém. Ins. III. 1773, 612.
 pusilla Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3627.—Nerita.
 pusillus Hemerobius, O. F. Müller, Z. Dan. Prod. 1776, 146.
 pusillus Hister, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], III. 1792, 305.
 pusillus Hister, P. Rossi, Mant. Ins. I. 1792, 15.
 pusillus Hydrophilus, O. F. Müller, Z. Dan. Prod. 1776, 69.
 pusilla Ips, P. Rossi, Fauna Etrus. I. 1790, 50.
 pusilla Lampyrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1886.
 pusillus Lemur, E. Geoffroy, Mag. encyclop. I (1) 1796, 48.
 pusillus Lepus, P. S. Pallas, Nov. Comm. Sci. Petrop. XIII. 1769, 531.
 pusilla Mantis, P. S. Pallas, Spic. Zool. IX. 1772, 15.
 pusillus Merops, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 95.
 pusilla Motacilla, G. Shaw in White, Journ. N. S. W. 1790, 257.
 pusilla Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2879.
 pusillus Nematelus, J. C. Fabricius, Ent. Syst. IV. 1794, 271.
 pusilla Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116.

- pusilla Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
 pusilla Nerita, O. F. Müller, Verm. II. 1774, 171.
 pusilla Nitidula, Illiger in Kugelann, Käfer Preuss. 1798, 386.
 pusilla Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 84.
 pusilla Nomada, P. Rossi, Mant. Ins. I. 1792, 146.
 pusillus Ochotona (Pall.), H. F. Link, Beytr. Nat. I (2) 1795, 74.—Lepus.
 pusilla Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3321.
 pusillum Opatrum, J. C. Fabricius, Ent. Syst. I (1) 1792, 91.
 pusilla Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3735.
 pusilla Perca, M. T. Brünnich, Ich. Massil. 1768, 62.
 pusilla [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 220.
 pusillus Phasianus, J. Latham, Index Orn. 1790, 627.—P. gallus, L.
 pusilla Phoca, J. C. D. Schreber, Säugth. III. 314 (1776), pl. lxxxv (1776).
 pusillus Pholas, Linnaeus, Syst. Nat., ed. 10, 1758, 670; ed. 12, 1767, 1111.
 pusilla Phryganea, J. C. Fabricius, Spec. Ins. I. 1781, 392.
 pusilla Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 107.
 pusilla Planaria, D. M. Braun, Schrift. Berlin. Ges. Nat. Freunde, X (1) 1790, 65.
 pusilla Podura, Linnaeus, Syst. Nat., ed. 12, 1767, 1014.
 pusillus Psittacus, J. Latham, Index Orn. 1790, 106.
 pusillus Psittacus, G. Shaw in White, Journ. N. S. W. 1790, 262.
 pusillus Rallus, P. S. Pallas, Reise Russ. III. 1776, 700.
 pusilla Saperda, F. v. P. Schrank, F. Boica, I. 1798, 671.
 pusillus Scarabaeus, J. F. W. Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 155.
 pusilla Scolopax, J. P. Falk, Reise Russ. (s) 1786, 371.
 pusillus Scolytus, A. G. Olivier, Entom. IV. 1795, 14.
 pusillus Scymnus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 346.
 pusilla Sitta, J. Latham, Index Orn. 1790, 263.
 pusillus Sorex, S. G. Gmelin, Reise Russ. III. 1774, 499.
 pusillus Spatagus, O. F. Müller, Z. Dan. Prod. 1776, 236.
 pusillus Spatangus (Müll.), N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 230.
 pusilla Strix, F. M. Daudin, Traité élém. Orn. 1800, 205.
 pusillum Synodendron, J. C. Fabricius, Suppl. Ent. Syst. 1798, 156.
 pusilla Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 335.
 pusilla Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3231.
 pusilla Tenthredo, O. F. Müller, Z. Dan. Prod. 1776, 150.
 pusilla Testudo, Linnaeus, Syst. Nat., ed. 10, 1758, 199; ed. 12, 1766, 353.
 pusilla Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 975.
 pusilla Tringa, Linnaeus, Syst. Nat., ed. 12, 1766, 252.
 pusilla Tritoma, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 549.
 pusillus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3586.
 pusilla Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3288.
 pusilla Vertigo, O. F. Müller, Verm. II. 1774, 124.
 pusilla Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3436.
 pusio Conus, Hwass in J. G. Bruguière, Ency. Meth. (Vers) (2) 1792, 710.
 pusio Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 382; ed. 12, 1767, 612.
 pusio Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 311.
 pusio Diaperis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 67.
 pusio Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 754; ed. 12, 1767, 1223.
 pusio Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 698; ed. 12, 1767, 1146.
 pusio Pecten (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 86.—Ostrea.
 pustulataria Phalaena (G.), A. W. Knoch, Beitr. Insektenges. II. 1782, 4.—*id. ac pustulata*,
 pustulator Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 188. [Hufn.]
 pustulator Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 403.—Hydrachna.
 pustulatus Armadillo, G. Cuvier, J. Nat. Hist. (Choix des Mém.) II. 1792, 29.
 pustulatus Blennius, J. A. Donndorff, Zool. Beyt. III. 1798, 314.
 pustulatus Cerambyx, F. v. P. Schrank, Beitr. Nat. 1776, 66.
 pustulatus Cerambyx, D. Drury, Ill. Nat. Hist. II. 1773, index & 64.
 pustulata Cetonia, A. G. Olivier, Entom. I. 1789, 81.

- pustulata* Chrysomela, C. de Villers, Linn. Ent. I. 1789, 158.
pustulata Chrysomela (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 691.—*Erotylus*.
pustulata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2100.
pustulata Cicada (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 750.—*Tettigonia*.
pustulatus Cimex, C. de Geer, Mém. Ins. III. 1773, 329.
pustulatus Cimex, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 111.
pustulata Cistela, J. R. Forster, Cat. Brit. Ins. 1770, 4 [*n. n.*].
pustulata Cistela, J. R. Forster, N. Sp. Ins. 1771, 13. [Cistela.
pustulatus Cryptocephalus (Forst.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1717.—
pustulatus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1727.—
pustulatus Dytiscus, P. Rossi, Mant. Ins. I. 1792, 68. [Erotylus.
pustulatus Erotylus, J. C. Fabricius, Spec. Ins. II. 1781, 498.
pustulatus Erotylus, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 364.
pustulatus Iulus (Ross.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 414.—*Oniscus*.
pustulata Kerona, O. F. Müller, An. Infus. 1786, 246.
pustulata Leucophra, O. F. Müller, An. Infus. 1786, 150.
pustulata Lithosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 462.—*Tinea pustulella*, 1794.
pustulatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 113.
pustulata Mylabris (Thun.). A. G. Olivier, Entom. III. 1795, 4.—*Meloe*.
pustulatus Oniscus, J. C. Fabricius, Spec. Ins. I. 1781, 379.
pustulata Patella, G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 110.
pustulata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 520.
pustulata Phalaena (Noctua), O. F. Müller, F. Ins. Frid. 1764, 46.
pustulata Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 72.
pustulata Saperda (Dru.), F. v. P. Schrank, F. Boica, I. 1798, 670.—*Cerambyx*.
pustulata Tettigonia, J. C. Fabricius, Mant. II. 1787, 266.
pustulatus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 88 [*n. n.*].
pustulella Tinea, *id. ac* *pastulella*, Mant. II. 241, J. C. Fabricius, Ent. Syst. III (2) 1794,
pustulosus Bufo, J. N. Laurenti, Syn. Rept. 1768, 26. [292.
pustulosa Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 150.
pustulosus Echinocorytes, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 180.
pustulosus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3179.—*Cidaris*.
pustulosus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3185.—*Echino-*
pustulosa Sertularia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 54. [corytes.
pustula Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 784; ed. 12, 1767, 1262.
putamen Neritaeformis, F. C. Meuschen, Mus. Gever. 1787, 274.
putaol Gymnotus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 145.
putataria Phalaena, *v.* *putatoria*.
putataria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 10 [*n. et f.*].
putatoria Phalaena (Geometra), Linnaeus, Faun. Suec., ed. 2, 1761, 323.
putata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 523.
putida Mustela, G. Cuvier, Tab. Elém. 1798, 116.
putorii Acarus, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 239.
putorii Fasciola, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 17.
putorii Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3060.
putorius Mustela, Linnaeus, Syst. Nat., ed. 10, 1758, 46; ed. 12, 1766, 67.
putorius Viverra, Linnaeus, Syst. Nat., ed. 10, 1758, 44; ed. 12, 1766, 64.
putorius Viverra, Linnaeus, Mant. II. 1771, 522.
putrescentiae Acarus, F. v. P. Schrank, Ins. Aust. 1781, 521.
putridella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 138.
putrida Musca, J. C. Fabricius, Syst. Ent. 1775, 775.
putrida Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 316.
putridus Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 12.
putridus Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 160.
putrida Vorticella, *id. ac* *putrina*, (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
putrina Vorticella, O. F. Müller, Z. Dan. Prod. 1776, 281. [3877.
putris Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 774; ed. 12, 1767, 1249.
putris Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 597; ed. 12, 1767, 993.

- putris Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 618.—Phalaena.
 putris Phalaena, Hufnagel, Berlin. Mag. II. 1766, 424.
 putris Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 315.
 putris Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 588; ed. 12, 1767, 976.
 Pycnogonum M. T. Brünnich, Entom. 1764, 84 & [87].—Ar.
 pycnogonum Phalangium, O. F. Müller, Z. Dan. Prod. 1776, 192.
 "Pygargus Briss. 1760," Ag.; not used in a generic sense.
 pygargus Antilope, P. S. Pallas, Spic. Zool. I (1767), 10.
 pygargus Cervus, P. S. Pallas, Reise Russ. I. 1771, 453.
 pygarga Cetonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 13.
 pygargus Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 89; ed. 12, 1766, 126.
 pygargus Lanius, F. v. P. Schrank, F. Boica, I. 1798, 117.
 pygargus Lucanus, J. A. Frolich, Naturforscher, XXVI. 1792, 72.
 pygarga Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 84.
 pygarga Phalaena, Hufnagel, Berl. Mag. III. 1767, 408.
 Pygmaea [G. Humphreys], Mus. Calonn. 1797, 28.—G.
 pygmaeana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 69 [n. et f.].
 pygmaeata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 234 [n. et f.].
 pygmaeata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 334. [f.].
 pygmaecella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 141.
 Pygmaeus Linnaeus, Amoen. Acad. VI. 1760, 68.—M.
 pygmaea Alca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 555.
 pygmaea Antilope, P. S. Pallas, Spic. Zool. XII (1777), 18.
 pygmaea Apis, J. C. Fabricius, Ent. Syst. II. 1793, 324.
 pygmaea Apis, J. C. Fabricius, Ent. Syst. IV. 1794, 461.
 pygmaeus Bombylius, A. Modeer, Physiogr. Sölsk. Handl. I (4) 1786, 301.
 pygmaeus Bostrichus, J. C. Fabricius, Mant. I. 1787, 37.
 pigmaea Buprestis, C. de Geer, Mém. Ins. IV. 1774, 137.
 pygmaea Buprestis, J. C. Fabricius, Mant. I. 1787, 183.
 pygmaeus Byrrhus, A. G. Olivier, Entom. II. 1790, 10.
 pygmaeum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 323.
 pygmaeus Calopus (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1865.—
 Cancer, J. C. Fabricius, Mant. I. 1787, 320. [Cerambyx.
 Capra, Linnaeus, Syst. Nat., ed. 10, 1758, 69.—[Moschus, ed. 12.]
 pygmaeus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 167.
 pygmaeum Cardium, E. Donovan, Brit. Shells (1800), pl. xxxii.
 pygmeus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 80.
 pygmaea Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 760.
 pygmaea Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 30.
 pygmaea Coccinella, A. F. de Fourcroy, Ent. Paris. 1785, 150.
 pygmaeus Crabro, P. Rossi, Mant. Ins. II. 1794, 124.
 pygmaea Crioceris, J. C. Fabricius, Mant. I. 1787, 87.
 pygmaeus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1720.—
 Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 70. [Crioceris.
 Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 497.
 pygmacus (sic) Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 142.
 pygmaeus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 24.
 pygmaeus Dermestes (Fab.), C. de Villers, Linn. Ent. IV. 1789, 221.—Bostrichus.
 pygmaea Didelphis, G. Shaw, Zool. N. Holland, 1794, 5.
 pygmaeus Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 200.
 pygmaeus Dytiscus, A. G. Olivier, Entom. III. 1795, 39. [Bostrichus.
 pygmaeus Ekkoptogaster (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 127.—
 pygmaeus Elaphrus (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 229.—Carabus.
 pygmaeus Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 234.
 pygmaeus Elater, F. v. P. Schrank, F. Boica, I. 1798, 595.
 pygmaeus Elohophorus, J. C. Fabricius, Ent. Syst. I (1) 1792, 205.
 pygmaea Flata, J. C. Fabricius, Suppl. Ent. Syst. 1798, 519.—Cicada, 1794.
 pygmaea Fossicula, J. C. Fabricius, Ent. Syst. II. 1793, 3.

- pygmaea Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 142 [*n. n.*]; Essai
 pygmaeus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 359. [Fourmis, 1798, 45.
 pygmaeus Hister, Linnaeus, Syst. Nat., ed. 10, 1758, 358; ed. 12, 1767, 567.
 pygmaeus Hydrophilus, J. C. Fabricius, Ent. Syst. I (1) 1792, 186.
 pygmaeus Ichneumon, N. Poda, Ins. Mus. Graec. 1761, 104.
 pygmaea Melolontha, J. C. Fabricius, Suppl. Ent. Syst. 1798, 133.
 pygmaeus Moschus, Linnaeus, Syst. Nat., ed. 12, 1766, 92.—[Capra, ed. 10.]
 pygmaeus Moschus, R. Kerr, Anim. Kingd. 1792, 294; *var. leverianus*.
 pygmaea Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 933.
 pygmaeus Numenius, J. Latham, Syn. Birds, Suppl. I. 1787, 291.
 pygmaeus Oxyporus, J. C. Fabricius, Gen. Ins. 1777, 242.
 pygmaeus Papilio, P. Cramer, Utitl. Kapellen, I (1) 1775, 10.
 pygmaeus Papilio, J. C. Fabricius, Syst. Ent. 1775, 536.
 pygmeus Pelecanus, P. S. Pallas, Reise Russ. II. 1773, 712.
 pygmaea Phryganea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 202.
 pygmaea Pimelia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 45.
 pygmaea Platatea, Linnaeus, Syst. Nat., ed. 10, 1758, 140; ed. 12, 1766, 231.
 pygmaeus Platycerus, A. F. de Fourcroy, Ent. Paris. 1785, 3.
 pygmaeus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 330.
 pygmaeus Scarabaeus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 239.
 pygmaea Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 655.
 pygmaeus Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 6.—Bostrichus.
 pygmeus Sirex, Linnaeus, Syst. Nat., ed. 12, 1767, 929.
 pygmaeus Sorex, E. Laxmann, Sibir. Briefe, 1769, 72.
 pygmaea Sphex, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's] II (4) 1785, 328.
 pygmaeus Staphylinus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2037.—
 pygmaeus Staphylinus, G. Paykull, Faun. Suec. III. 1800, 410. [Oxyporus.
 pygmaeus Tragulus (Linn.), P. Boddaert, Elench. 1785, 131.—Moschus.
 pygmaea Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 283.
 pygmaea Volucella, J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, II. 1800, 352.
 pygmaria Geometra, C. de Villers, Linn. Ent. IV. 1789, 501.
 pygmaria Phalaena, J. C. Fabricius, Mant. II. 1787, 196.
 pygolampis Gyrinus, A. Modeer, Physiogr. Sölsk. Handl. I (3) 1776, 158.
 pylades [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 200.
 pylades Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 34.
 pylas [Sphinx], P. Cramer, Utitl. Kapellen, III (18) 1779, 23.
 pylorus Mus, G. C. C. Storr, Prod. 1780, 39.
 pylotis Bombyx (Drury), J. C. Fabricius, Syst. Ent. 1775, 585.—Phalaena.
 pylotis Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 9.
 pylotis Zygaena (Drury), J. C. Fabricius, Syst. Ent. 1775, 554.—Phalaena.
 pylotis Zygaena, J. C. Fabricius, Mant. II. 1787, 106.
 pyracmon [Sphinx], P. Cramer, Utitl. Kapellen, III (24) 1780, 169.
 pyralella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
 pyralella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 32.
 pyraliana Phalaena, Scopoli, Ent. Carn. 1763, 238.
 pyraliata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 117.
 pyraliata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 302 [*n. et f.*].
 pyralidiformis Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 19.
 pyralina Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 88.
 pyralina Phryganea, Scopoli, Ent. Carn. 1763, 267.
 Pyralis J. C. Fabricius, Syst. Ent. 1775, 645.—Lep.
 Pyralis *v.* Phalaena (Pyralis), Linnaeus.
 pyralis Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 400.
 pyralis Cicada, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 98.
 pyralis Lampyris, Linnaeus, Syst. Nat., ed. 12, 1767, 644.—[Cantharis, ed. 10.]
 pyraloides Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 576.
 pyramida Trochus, F. C. Meuschen, Mus. Gever. 1787, 284.
 pyramidale Alcyonium, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 26.

- pyramidale** Buccinum, H. Ström, Nye Saml. K. Danske Skrifter, III. 1788, 297.
pyramidale Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3488.
pyramidalis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3734.
pyramidalis Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3746.
pyramidalis Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 100.
pyramidalis Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3612.
pyramidalis Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
[pyramidatus Araneus, C. Clerck, Aran. Svec. 1757, 34.]
pyramidatus Araneus, T. Martyn, Aranei, 1793, 14.
pyramidata Clio, Linnaeus, Syst. Nat., ed. 12, 1767, 1094.
pyramidea Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 612.—Phalaena. [856.
pyramidea Phalaena Noctua, Linnaeus, Syst. Nat., ed. 10, I. 1758, 518; ed. 12, I. 1767,
Pyramidella Lamarck, Mém. Soc. H. N. Paris, 1799, 76.—G.
pyramidina Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2. [post 1796], 45.
Pyramis J. F. Bolten, Mus. Bolten. (2) 1798, 58.—G.
pyramis Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 120.
pyramis Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 323.
pyramis Phalaena Noctua, M. B. Borkhausen, Nat. Eur. Schmett. IV. 1792, 499.
pyramis Trochus, I. v. Born, Index Mus. Caes. Vind. 1778, 338.
pyramis Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3573.
pyramis Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 83.
pyramus [Papilio], P. Cramer, Utitl. Kapellen, III (21) 1779, 87.
pyramus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 130.
pyramus [Papilio], D. Drury, Ill. Nat. Hist., III. 1782, index & 32.
pyrana Phalaena Tort., C. de Villers, Linn. Ent. II. 1789, 416.
pyranthe Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 469; ed. 12, 1767, 763.
pyraria Hydra, Linnaeus, Syst. Nat., ed. 10, 1758, 817.
pyraria Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1318.
pyraster Buccinum, F. C. Meuschen, Mus. Gev. 1787, 308.
pyraster Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 252.
pyrastris Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 594; ed. 12, 1767, 987.
pyrastris Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 771.—Musca.
pyrausta Phalaena, P. S. Pallas, Reise Russ. I. 1771, 472.
pyrausta Phalaena Bombyx (Pall.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 265.
pyrella Phalaena Tinea, C. de Villers, Linn. Ent. II. 1789, 515.
pyrenaicus Colymbus, Picot de la Peirouse, K. Vet. Ac. Nya Handl. III. 1782, 111.
Pyrene J. F. Bolten, Mus. Bolten. (2) 1798, 134.—G.
pyrene Papilio (Danaus), Linnaeus, Mus. Lud. Ulr. 1764, 241.
pireta [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (27) 1780, 52.
pyretus [Papilio], P. Cramer, Utitl. Kapellen, II (12) 1777, 76.
"Pyrgita, Briss. 1760," Ag.; not used in a generic sense.
pyrgo [Phalaena], P. Cramer, Utitl. Kapellen, II (12) 1777, 65.
pyr- *v. et. pir-*.
pyri Acanthia, J. C. Fabricius, Syst. Ent. 1775, 696.
pyri Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 49.
pyri Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 454; ed. 12, 1767, 737.
pyri Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2127.—Acanthia.
pyri Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 384; ed. 12, 1767, 615.
pyri Hirtea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 552.—Tipula, 1794.
pyri Phalaena, Scopoli, Ent. Carn. 1763, 199.
pyri Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 249.
pyricola *v. piricola*.
pyriformis Brachionus, P. S. Pallas, Elench. 1766, 102.—[*id. ac pyraria* Hydra, Linn.]
pyriformis Echinites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 255.
pyriformis Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3201.—
pyriformis Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 312.—Vespa. [Echinites.
pyriformis Pyrygia, J. F. Bolten, Mus. Bolten. (2) 1798, 53 [*n. n.*].
pyriformis Vespa, J. C. Fabricius, Syst. Ent. 1775, 371.

- piriformis (*sic*) Vorticella, O. F. Müller, Verm. I (1) 1773, 115.
 pyrialis Phalaena, [D. H. Schneider], Nom. Ent. 1785, 52 [*n. n.*].
 pyrinus Cossus, J. C. Fabricius, Ent. Syst. III (2) 1794, 5.—Hepialus, 1775.
 pyrinus Hepialus, J. C. Fabricius, Syst. Ent. 1775, 590.
 pyrina Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 306.
 pyriticosus Cerambyx, N. Poda, Ins. Mus. Graec. 1761, 35.
 pyritoides Phalaena, Hufnagel, Berl. Mag. III. 1767, 560.
 pyritosa Chrysomela, P. Rossi, Mant. Ins. I. 1792, 31.
 pyritosus Elaphrus, P. Rossi, Mant. Ins. I. 1792, 64.
 Pyrochroa E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 338.—Col.
 Pyrochroa J. C. Fabricius, Syst. Ent. 1775, 202.—Col.
 pyropella Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 15 [*n. et f.*].
 pyropella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 137.
 pyrophila Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 71.
 pyrophila Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 pyropterus Elater, A. G. Olivier, Entom. II. 1790, 35. [207.—Noctua.
 pyropus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 143.
 pyropus Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 258.
 pyrorthynchus Fulgora, E. Donovan, Ins. India, 1800.
 pyrotis Buprestis, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 119.
 pyrozonia Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3488.
 pyrrhacra Anas, J. R. Forster in Latham and Davies, Faun. Ind., ed. 2, 1795, 12 [*n. n.*].
 pyrrhocephalus Cuculus, T. Pennant, Ind. Zool. 1769, 6.
 Phyrrocorax Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 1 & 15.—A.
 pyrrhocorax Corvus, Linnaeus, Syst. Nat., ed. 12, 1766, 158.
 pyrrhocorax Gracula, J. A. Scopoli, Annus I. 1769, 42.
 pyrrhocorax Monedula, Linnaeus in Hasselquist, Palast. 1762, 294.
 pyrrhocorax Upupa, Linnaeus, Syst. Nat., ed. 10, 1758, 118.
 pyrrhorthorax Helops, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 71.
 Pyrrhula M. J. Brisson, Ornith. III. 1760, 308.—A.
 Pyrrhula B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 6.—A.
 Pyrrhula G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [*n. n.*].—A.
 pyrrhulae Pediculus, F. v. P. Schrank, Beitr. Nat. 1776, 117.
 Pyrrhulas Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 2 & 23.—A.
 pyrrhula Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 171; ed. 12, 1766, 300.
 pyrrhula Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 167.
 pyrrha Papilio, J. C. Fabricius, Syst. Ent. 1775, 464.
 pyrrha [Papilio], P. Cramer, Utitl. Kapellen, I (6) 1775, 97.
 pyrrha Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 176.
 pyrrhus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 462; ed. 12, 1767, 749.
 pyropus *v.* pyropus.
 Pyrula Lamarck, Mém. Soc. H. N. Paris, 1799, 73.—G.
 pyrilus Murex, F. C. Meuschen, Mus. Gever. 1787, 328.
 Pyrum [G. Humphreys], Mus. Calonn. 1797, 29.—G.
 pyrum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 308.
 pyrum Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 308.—Murex.
 pyrum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3484.
 pyrum Cymatium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 129.—Murex.
 pyrum Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3411.
 pirum (*sic*) Enchelis, O. F. Müller, Verm. I (1) 1773, 38.
 pyrum Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3665.
 pirum (*sic*) Kolpoda, O. F. Müller, An. Infus. 1786, 108.
 pyrum Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 749; ed. 12, 1767, 1218.
 pyrus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 26.
 pyrum Turbinella (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 73.—Voluta.
 pyrus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 318.
 pyrum Volema, J. F. Bolten, Mus. Bolten. (2) 1798, 57.
 pyrum Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1195.

- pyrum** Voluta, I. v. Born, Index Mus. Caes. Vind. 1778, 224.
pyrum Xancus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 134.—Voluta.
psyio Curculio, *err. pro* pusio, L., J. C. Fabricius, Mant. I. 1787, 104.
psodes Oniscus, Linnaeus, Syst. Nat., ed. 10, 1758, 636; ed. 12, 1767, 1060.
pythagoras Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 259.
pythagoras Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
Pythia J. F. Bolten, Mus. Bolten. (2) 1798, 105.—G.
pythia Helix, O. F. Müller, Verm. II. 1774, 88.
pythia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 116.
pythia Zygaena, J. C. Fabricius, Gen. Ins. 1777, 275.
Pytho P. A. Latreille, Préc. Car. Ins. 1796, 23.—Col.
pytyopsittacus Loxia, M. B. Borkhausen, Rhein. Mag. I. 1793, 139.
Pyura G. I. Molina, Sag. stor. nat. Chili, 1782, 196.—Asc.
pyura Ascidia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3128.
pyxidata Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 93.
pyxidifera Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 107.
 “Pyxis, Humph. 1797,” Scudd. *teste* Sow.; I cannot find this word.

quadra *v.* **quadrum.**

- quadrangularis** Actinia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 15.
quadrangularis Fasciola, P. S. Pallas, Spic. Zool. X. 1774, 20.
quadrangularis Lynceus, O. F. Müller, Z. Dan. Prod. 1776, 199.
quadrangularis Monoculus (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 498.—Lynceus.
quadrangularis Pennatula, P. S. Pallas, Elench. 1766, 372.
quadrangularis Planaria (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3089.—
quadrangula Daphnia, O. F. Müller, Entom. 1785, 90. [Fasciola.
quadrangulus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2999.—Daphnia. [Lynceus quadrangularis, Müll. *est.*]
quadrangulus Monoculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3008.—
quadrangula Placenta, A. J. Retzius, Diss. Nova Test. Gen. 1788, 16.
quadratella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 324.
quadratus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 41.
quadratus Pleuronectes, G. S. Volta, Itt. Veron. (2) [circa 1800], cclx.
quadratus Alpheus, F. Weber, Nomen. Fabricii, 1795, 92 [*n. n.*].—Cancer.
[quadratus Araneus, C. Clerck, Aran. Svec. 1757, 27.]
quadratus Araneus, T. Martyn, Aranei, 1793, 11.
quadratus Brachionus, O. F. Müller, An. Infus. 1786, 354.
quadrata Cancer, F. C. Meuschen, Mus. Gronov. 1778, 84.
quadratus Cancer, J. C. Fabricius, Mant. I. 1787, 315.
quadratus Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 341.
quadratus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1989.
quadrata Cassida, C. de Geer, Mém. Ins. V. 1775, 188.
quadratus Cimex, J. C. Fabricius, Syst. Ent. 1775, 707.
quadratus Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 132.—Cimex, 1775.
quadratus Cucujus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1890.
quadratus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 41.
quadratus Latridius, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 8.
quadratus Dermestes (Herbst), G. W. F. Panzer, Deutsch. Ins. 1795, 101.—Latridius.
quadratus Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 69.
quadratus Hister, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 519.
quadratus Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 541.
quadrata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 485.
quadrata Nitidula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 74.
quadrata Ocyptode, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer, 1787.
quadratus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 645.
quadratus Staphylinus, G. Paykull, Mon. Staph. 1789, 29.
quadratus Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 250.

- quadrata Vespa, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 3.
 quadrata Zeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1225.
 quadrella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
 quadrella Tinea, C. C. Jung, Alph. Verz. Schmett. II. 1792, 155.—[quadratella, Fourc.,
 quadrella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 298. [est.]
 quadricaudatus Sorex, R. Kerr, Anim. Kingd. 1792, 208.
 quadricincta Andrena (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 138.—Apis.
 quadricincta Apis, J. C. Fabricius, Gen. Ins. 1777, 247.
 quadricincta Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 276.
 quadricincta Bombyx, J. C. Fabricius, Mant. II. 1787, 111.
 quadricinctus Crabro, J. C. Fabricius, Mant. I. 1787, 295.
 quadricinctus Dasybus, Linnaeus, Syst. Nat., ed. 10, 1758, 51; ed. 12, 1766, 54.
 quadricinctus Hylaeus, J. C. Fabricius, Ent. Syst. II. 1793, 303.—Apis, 1775.
 quadricinctus Ichneumon, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785,
 quadricinctus Philanthus, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 15. [326.
 quadricincta Sphex, J. A. Scopoli, Del. Insub. II. 1786, 62.
 quadricincta Sphex (Fab.), C. de Villers, Linn. Ent. III. 1789, 251.—Crabro.
 quadricincta Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2762.—
 quadricincta Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 266. [Crabro].
 quadricolor Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 344.
 quadricolor Cebus, P. Boddaert, Elench. 1785, 62.
 quadricolor Cerambyx, Scopoli, Ent. Carn. 1763, 56.
 quadricolor Certhia, J. A. Scopoli, Del. Insub. II. 1786, 91.
 quadricolor Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1956.
 quadricolor Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 886.
 quadricolor Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2702.
 quadricolor Larus, J. A. Scopoli, Annus I. 1769, 81.
 quadricolor Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
 quadricolor Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3684.
 quadricolor Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1574.
 quadricornis Asellus (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 255.—Oniscus.
 quadricornis Cerambix, A. G. Olivier, Entom. IV. 1795, 97.—Lamia, 1792.
 quadricornis Cottus, Linnaeus, Syst. Nat., ed. 10, 1758, 264; ed. 12, 1766, 451.
 quadricornis Curculio, G. Paykull, Mon. Curc. 1792, 71.
 quadricornis Cyclops (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 201.—Monoculus.
 quadricornis Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 466.
 quadricornis Lucernaria, O. F. Müller, Z. Dan. Prod. 1776, 227.
 quadricornis Monoculus, Linnaeus, Syst. Nat., ed. 10, 1758, 635; ed. 12, 1767, 1058.
 quadricornis Oniscus, J. C. Fabricius, Syst. Ent. 1775, 299.
 quadricornis Ostracion, Linnaeus, Syst. Nat., ed. 10, 1758, 331; ed. 12, 1766, 409.
 quadricornis Pallinurus, F. Weber, Nomen. Fabricii, 1795, 94.
 quadricornis Palinurus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 401.
 quadricornis Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 142 [n. n.].
 quadricornis Tentacularia (Goeze), Bosc, Bull. Sci. Soc. Philom. [Paris], no. 2, 1797, 9.
 quadricornis Nais, J. C. Fabricius, F. Groen. 1780, 315.
 quadridentis Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 351.
 quadridentis Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 464.
 quadridentis Curculio, J. C. Fabricius, Syst. Ent. 1775, 153.
 quadridentis Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 302.
 quadridentis Dorippe, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer, 1793.
 quadridentis Formica, C. de Geer, Mém. Ins. III. 1773, 609.
 quadridentis Formica, J. C. Fabricius, Ent. Syst. II. 1793, 362.
 quadridentis Helix, O. F. Müller, Verm. II. 1774, 107.
 quadridentis Melolontha, J. C. Fabricius, Suppl. Ent. Syst. 1798, 131.
 quadridentis Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 380.
 quadridentis Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 11.
 quadridentis Turbo (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3610.—
 quadridentis Vespa, Linnaeus, Amoen. Acad. VI. 1763, 413. [Helix].

- quadridentata** Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 577; ed. 12, 1767, 958.
quadridentata Ascidia, Linnaeus, Syst. Nat., ed. 12, 1767, 1087.
quadridentatus Brachionus, J. Hermann, Naturforscher, XIX. 1783, 47.
quadridentata Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 186.
quadridentatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2199.—[Reduvius
quadridentatus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 34. [quadridens, Fab.]
quadridentatus Hister, A. G. Olivier, Entom. I. 1789, 14.
quadridentatus Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (3) 1799, 13.
quadridentatum Phalangium, G. Cuvier, Mag. encyclop. I (2) 1795, 206.
quadridentatus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 638.
quadridentatus Scolytus, A. G. Olivier, Entom. IV. 1795, 5.
quadridentata Sertularia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 57.
quadridenticulatum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112.
quadrifaria Phalaena Geom., J. H. Sulzer, Gesch. Ins. 1776, 162.
quadrifasciaria Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 329.
quadrifasciata Altica (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 105.—Chryso-
quadrifasciata Apis, C. de Villers, Linn. Ent. III. 1789, 319. [mela.
quadrifasciata Buprestis, P. Rossi, Fauna Etrus. I. 1790, 187.
quadrifasciatus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 81.
quadrifasciata Chrysomela, J. C. Fabricius, Mant. I. 1787, 76.
quadrifasciata Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 436; ed. 12, 1767, 706.
quadrifasciata Cimex (De G.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 771.—
quadrifasciata Conops, C. de Geer, Mém. Ins. VI. 1776, 261. [Tenthredo.
quadrifasciatus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1717.
quaterfasciatus Echinites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 170. [Echinites.
quadrifasciatus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3183.—
quadrifasciata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 26.—Chrysomela, 1787.
quadrifasciata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 284
[u. et f.].
quadrifasciata Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 398; ed. 12, 1767, 639.
quadrifasciata Libellula, O. F. Müller, F. Ins. Frid. 1764, 61.
quadrifasciatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 114.
quadrifasciata Musca, J. C. Fabricius, Spec. Ins. II. 1781, 448.
quadrifasciata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 473.
quadrifasciata (*sic*) [Phalaena], C. Clerck, Icones, I. 1759, pl. vi, 4.
quadrifasciata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2490.
quadrifasciata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 294.
quadrifasciata Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 286.
quadrifasciatus Philanthus, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 14.
quadrifasciata Phryganea, J. C. Fabricius, Syst. Ent. 1775, 308.
quadrifasciata Scolia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 255.
quadrifasciata Sphex, C. de Villers, Linn. Ent. III. 1789, 229.
quadrifasciata Tenthredo, C. de Geer, Mém. Ins. III. 1773, 598.
quadrifasciata Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2819.
quadrifasciata Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 266.
quadrififer Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 47.
quadrififer Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 376.—Buprestis.
quadrifidus Aporrhais, E. M. da Costa, Brit. Conch. 1778, 136.
quadriguttata Altica, O. F. Müller, Z. Dan. Prod. 1776, 85.
quadriguttatus Aphodius, Illiger in Kugelann, Käfer Preuss. 1798, 35.
quadriguttata Cantharis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 55.
quadriguttatus Carabus, E. Pontoppidan, Danske Atlas, I. 1763, 678.
quadriguttatus Carabus, J. C. Fabricius, Syst. Ent. 1775, 236.
quadriguttatus Carabus, J. C. Fabricius, Syst. Ent. 1775, 248.
quadriguttatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1992.
quadriguttatus Cerambyx (Stenocorus), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII.
quadriguttata Chrysomela, E. Pontoppidan, Danske Atlas, I. 1763, 670. [1787, 196.
quadriguttata Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 132.

- quadriguttata Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 703.
 quadriguttata Cicada, J. C. Fabricius, Mant. II. 1787, 271.
 quadriguttatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 720.
 quadriguttatus Clerus, A. G. Olivier, Entom. IV. 1795, 18.
 quadriguttata Clytra, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 37.
 quadriguttata Coccinella, N. J. Brahm, Ins. Kal. I (2) 1791, 221.
 quadriguttatus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 178.
 quadriguttatus Cryptocephalus, O. F. Müller, Z. Dan. Prod. 1776, 58.
 quadriguttatus Curculio, J. R. Forster, Cat. Brit. Ins. 1770, 4 [n. n.].
 quadriguttata Dircaea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 122.
 quadriguttatus Elaphrus (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 233.—Carabus.
 quadriguttatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 434.
 quadriguttatus Erotylus, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 124.
 quadriguttata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 25.—Chrysomela, 1781
 quadriguttatus Hister, J. C. Fabricius, Suppl. Ent. Syst. 1798, 39.
 quadriguttatus Hypulus, G. Paykull, Faun. Suec. I. 1798, 251.
 quadriguttata Ips, J. C. Fabricius, Gen. Ins. 1777, 214.
 quadriguttata Leptura, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 171.
 quadriguttata Leptura, J. C. Fabricius, Mant. I. 1787, 159.
 quadriguttatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 157.—Cimex, 1775.
 quadriguttatus Meloe, X. Wulfen, Descr. Cap. Ins. 1786, xviii.
 quadriguttata Nitidula (Fab.), A. G. Olivier, Entom. II. 1790, 10.—Ips.
 quadriguttata Nitidula, C. P. Thunberg, Ins. Suecica (5) 1794, 70.
 quadriguttatus Notoxus, P. Rossi, Mant. Ins. I. 1792, 48.
 quadriguttatus Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 380.
 quadriguttatus Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 10.
 quadriguttata Scolia, J. C. Fabricius, Spec. Ins. I. 1781, 454.
 quadriguttata Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1618.—Ips.
 quadriguttata Silpha, C. de Villers, Linn. Ent. I. 1789, 88.
 quadriguttatus Stenocorus (L.), A. G. Olivier, Entom. IV. 1795, 27.—Cerambyx.
 quadriguttatus Trichius, J. C. Fabricius, Mant. II. 1787, 377.
 quadriguttata Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 87.
 quadrilineata Aranea, Linnaeus, Syst. Nat., ed. 12, 1767, 1032.
 quadrilineatus Calamita, J. G. Schneider, Hist. Amph. I. 1799, 169.
 quadrilineatus Cicindela, J. C. Fabricius, Spec. Ins. I. 1781, 285.
 quadrilineatus Cimex, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's] II (4) 1785, 339.
 quadrilineatus Coluber, G. A. Suckow, Naturges. III. 1798, 242.
 quadrilineatus Coluber, P. A. Latreille, Salamand. France, 1800, xxxi.
 quadrilineata Doris, O. F. Müller, Z. Dan. Prod. 1776, 229.
 quadrilineata Doris, O. F. Müller, Nova Acta Acad. Caes. VI. 1778, 50.
 quadrilineatus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1959.
 quadrilineata Empis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2890.
 quadrilineatus Erodium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 426.
 quadrilineatus Holocentrus, M. E. Bloch, Nat. ausl. Fische. IV. 1790, 82.
 quadrilineata Lacerta, Linnaeus, Syst. Nat., ed. 12, 1766, 371.
 quadrilineata Limacia, O. F. Müller, Zool. Dan. (Danish ed.) 1781, 66.—Doris, 1776.
 quadrilineata Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2835.—
 quadrilineata Musca, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 216. [Stratiomys.
 quadrilineata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2493.
 quadrilineatus Prionus, A. G. Olivier, Entom. IV. 1795, 40.
 quadri-lineata Salamandra (L.), J. P. Bonnatte, Ency. Méth. (Erp.) 1789, 61.—Lacerta.
 quadrilineata Stratiomys, J. C. Fabricius, Mant. II. 1787, 331.
 quadrilineatus Syrphus, J. C. Fabricius, Mant. II. 1787, 336.
 quadrililis Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 122.
 quadrillella Tinea, C. C. Jung, Alph. Verz. Schmett. II. 1792, 156.
 quadrillus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 563.
 quadriloba Lobaria, O. F. Müller, Z. Dan. Prod. 1776, 226.
 quodriloba Taenia, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 51.

- quadrilobatus Gammarus, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 58.—
 quadrilobata Squilla, O. F. Müller, Zool. Dan., ed. 3, II. 1787, 21. [Squilla, 1787
 quadrilunaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (3) 1795, 72.
 quadrilunulata Coccinella, Illiger in Kugelann, Käfer Preuss. 1798, 416.
 quadrimaculata Altica, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 131.
 quadrimaculatus Apalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 50.
 quadrimaculata Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 7.
 quadrimaculatus Aphodius (L.), Illiger in Kugelann, Käfer Preuss. 1798, 35.—Scarabaeus.
 quadrimaculata Aranea, C. de Geer, Mém. Ins. VII. 1778, 223.
 quadrimaculatus Ascalaphus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 192.
 quadrimaculatus Attelabus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 288.
 quadrimaculatus Bruchus, J. C. Fabricius, Ent. Syst. I (2) 1792, 371.
 quadrimaculata Buprestis, J. C. Fabricius, Gen. Ins. 1777, 236.
 quadrimaculatus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 46.
 quadrimaculatum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 328.
 quadrimaculatus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 416; ed. 12, 1767, 673.
 quadrimaculata Cassida, C. de Geer, Mém. Ins. V. 1775, 183.
 quadrimaculata Cassida, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 86.
 quadrimaculatus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 626.
 quadrimaculata Cercopis (Schr.), J. D. Preyßler in Mayer's Samml. Phys. Aufsätze,
 III. 1793, 194.—Cicada.
 quadrimaculata Cetonia, J. C. Fabricius, Spec. Ins. I. 1781, 56.
 quadrimaculata Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 376; ed. 12, 1767,
 quadrimaculata Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 596. [600.
 quadrimaculata Chrysomela, C. de Geer, Mém. Ins. V. 1775, 301.
 quadrimaculata Chrysomela, J. C. Fabricius, Gen. Ins. 1777, 220.
 quadrimaculata Cicada, F. v. P. Schrank, Beitr. Nat. 1776, 77.
 quadrimaculata Cicada, O. F. Müller, Z. Dan. Prod. 1776, 102.
 quadrimaculata Cicindela, Linnaeus, Faun. Suec., ed. 2, 1761, 211.
 quadrimaculatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2164.
 quadrimaculatus Clerus (Schall.), J. C. Fabricius, Mant. I. 1787, 125.
 quadrimaculata Clytra (L.), F. v. P. Schrank, F. Boica, I. 1798, 545.—Chrysomela.
 quadrimaculata Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 113.—Cryptocephalus,
 quadrimaculata Coccinella, Scopoli, Ent. Carn. 1763, 80. [1775.
 quadrimaculata Coccinella, J. C. Fabricius, Mant. I. 1787, 56.
 quadrimaculata Coccinella, P. Rossi, Fauna Etrus. I. 1790, 71.
 quadrimaculatus Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 150.—Scara-
 quadrimaculata Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 294. [baeus.
 quadrimaculata Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 152.
 quadrimaculata Crioceris, J. C. Fabricius, Ent. Syst. I (2) 1792, 12.—Chrysomela, 1777.
 quadrimaculata Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 107.—Chryso-
 quadrimaculatus Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 91. [mela.
 quadrimaculatus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 380; ed. 12, 1767, 609.
 quadrimaculatus Dermestes, F. v. P. Schrank, Ins. Aust. 1781, 25. [phagus.
 quadrimaculatus Dermestes (Fab.), C. P. Thunberg, Ins. Suecica (6) 1794, 79.—Myceto-
 quadrimaculatus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1957.
 quadrimaculata Elaphrus (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 355.—
 quadrimaculatus Elater, A. G. Olivier, Entom. II. 1790, 20. [Cicindela.
 quadrimaculatus Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 233.
 quadrimaculata Galeruca, A. F. de Fourcroy, Ent. Paris. 1785, 104. [Crioceris
 quadrimaculata Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 590.—
 quadrimaculata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 20.—Chrysomela
 1777.
 quadrimaculatus Hister, Linnaeus, Syst. Nat., ed. 10, 1758, 358; ed. 12, 1767, 567.
 quadrimaculatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2702.
 quadrimaculata Ips (Schall.), J. C. Fabricius, Mant. I. 1787, 45.—Silpha.
 quadrimaculata Ips, C. P. Thunberg, Ins. Suecica (6) 1794, 77.
 quadrimaculata Laria, J. A. Scopoli, Annus V. 1772, 85.

- quadrimaculata Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 397; ed. 12, 1767, 638.
 quadrimaculata Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 543; ed. 12, 1767, 901.
 quadrimaculata Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 83.
 quadrimaculata Lytta (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2015.—
 quadrimaculatus Malachius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 70. [Meloe.
 quadrimaculata Meloe, P. S. Pallas, Reise Russ. II. 1773, 720.
 quadrimaculatus Melolontha (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 44.—
 quadrimaculatus Melyris, A. G. Olivier, Entom. II. 1790, 10. [Chrysomela.
 quadrimaculata Musca, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 289.
 quadrimaculata Musca, J. C. Fabricius, Mant. II. 1787, 347.
 quadrimaculatus Mycetophagus (Schall.), J. C. Fabricius, Ent. Syst. I (2) 1792, 497.—
 quadrimaculata Phalaena, J. A. Scopoli, Del. Insub. II. 1786, 53. [Silpha.
 quadrimaculata Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 281.
 quadrimaculatus Picus, G. Shaw in Miller, Cim. Phys. 1796, 99.
 quadrimaculatus Psocus, A. J. Coquebert, Icon. Ins. (1) 1799, 12.
 quadrimaculatum Scaphidium, A. G. Olivier, Entom. II. 1790, 4.
 quadrimaculatus Scarabaeus, Linnaeus, Faun. Suec., ed. 2, 1761, 138.
 quadrimaculata Scolia, J. C. Fabricius, Syst. Ent. 1775, 355.
 quadrimaculatum Scymnus (Herbst), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's],
 V. 1794, 546.—Sphaeridium.
 quadrimaculatus Serropalpus, Illiger in Kugelann, Käfer Preuss. 1798, 130.
 quadrimaculata Silpha, *err. pro* quadripunctata, Linn., J. A. Scopoli, Annus V. 1772,
 quadrimaculata Silpha, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 256. [86.
 quadrimaculata Silpha, C. Quensel, Diss. ignotus insectorum Species, 1790, 12.
 quadrimaculatus Silurus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 37.
 quadrimaculatum Sphaeridium, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 30.
 quadrimaculata Sphex, O. F. Müller, Z. Dan. Prod. 1776, 162.
 quadrimaculata Sphex, C. de Villers, Linn. Ent. IV. 1789, 551.
 quadrimaculatus Stenocorus (L.), J. C. Fabricius, Syst. Ent. 1775, 180.—Cerambyx.
 quadrimaculata Tenebrio, A. G. Olivier, Entom. III. 1795, 8.
 quadrimaculata Tenthredo, C. Allioni, Misc. Taurin. III. 1766, 195.
 quadrimaculata Tenthredo, J. C. Fabricius, Mant. I. 1787, 255.
 quadrimaculata Tipula, Linnaeus, Faun. Suec., ed. 2, 1761, 430.
 quadrimaculata Triplax, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 148.
 quadrimaculella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
 quadrinodia Tipula, Scopoli, Ent. Carn. 1763, 324.
 quadrinotatus Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 55.
 quadrinotata Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 307.
 quadrinotata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1697.
 quadrinotata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2117.
 quadrinotata Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 43.
 quadrinotata Clytra (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 33.—Crypto-
 quadrinotata Coccinella, J. C. Fabricius, Mant. I. 1787, 56. [cephalus.
 quadrinotatus Cryptocephalus, J. C. Fabricius, Mant. I. 1787, 79.
 quadrinotatus Curculio, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 12.
 quadrinotata Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 98.
 quadrinotatus Hister, L. G. Scriba, J. Lieb. Ent. I. 1790, 72.
 quadrinotata Ips, L. G. Scriba, J. Lieb. Ent. II. 1790, 165.
 quadrinotata Ips, J. C. Fabricius, Suppl. Ent. Syst. 1798, 179.
 quadrinotata Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1873.
 quadrinotatus Reduvius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 544.
 quadrioculatus Cerambyx, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 289.
 quadrioculata Saperda, C. P. Thunberg, D. D. Mus. Ac. Ubersal. 1787, 57.
 quadrioculata Tinea, C. C. Jung, Alph. Verz. Schmett. II. 1792, 156.
 quadripartita Philine, P. Ascanius, K. Vet. Ac. Handl. XXXIII. 1772, 329.
 quaterperforatus Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 204.
 quadripes Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 426.
 quadripunctalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 124.

- quadripunctaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (8) 1800, 205.
quadripunctaria Phalaena (Noctua), N. Poda, Ins. Mus. Graec. 1761, 89.
quadripunctata Altica, A. F. de Fourcroy, Ent. Paris. 1785, 100.
quadripunctata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 622; ed. 12, 1767, 1034.
quadripunctata Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 410; ed. 12, 1767, 662.
quadripunctata Buprestis (Linn.), Scopoli, Ent. Carn. 1763, 67.—Chrysomela.
quadripunctatum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 337.
quadripunctatus Carabus, C. de Geer, Mém. Ins. IV. 1774, 102.
quadripunctata Cetonia, J. C. Fabricius, Mant. I. 1787, 27.
quadripunctata Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 374; ed. 12, 1767, 596.
quadripunctata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1690.
quadripunctata Cicada, C. de Villers, Linn. Ent. I. 1789, 473.
quadripunctata Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 30.
quadripunctata Cicindela, P. Rossi, Fauna Etrus. II. 1790, 343.
quadripunctatus Cimex, C. de Villers, Linn. Ent. I. 1789, 535.
quadripunctatus Cimex, E. Donovan, Brit. Ins. III. 1794, 101.
quadripunctata Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 110.—Cryptocephalus,
quadripunctata Coccinella, E. Pontoppidan, Danske Atlas, I. 1763, 669. [1775.
quadripunctata Coccinella, Linnaeus, Syst. Nat., ed. 12, 1767, 580.
quadripunctatus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 168.
quadripunctatus Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 301.
quadripunctata Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 106.—Chrysomela.
quadripunctatus Curculio, F. v. P. Schrank, Naturforscher, XXIV. 1789, 71.
quadripunctatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1755.
quadripunctatus Dermestes, J. C. Fuessly, Schweiz. Ins. 1775, 4.
quadripunctatus Dermestes, J. H. Sulzer, Gesch. Ins. 1776, 21.
quadripunctata Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 21.
quadripunctatus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 71.
quadripunctatus Erytulus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 437.
quadripunctata Flata, J. C. Fabricius, Suppl. Ent. Syst. 1798, 519.—Cicada. 1794.
quadripunctata Formica, Linnaeus, Mant. II. 1771, 541.
quadripunctata Geometra, C. C. Jung, Alph. Verz. Schmett. II. 1792, 156.
quadripunctatus Gryllus (Bulla), N. Poda, Ins. Mus. Graec. 1761, 50.
quadripunctatus Hemerobius, J. C. Fabricius, Mant. I. 1787, 248.
quadripunctatus Hydrophilus, Herbst in Jablonsky, Nat. Ins. (Käfer). VII. 1797, 305.
quadripunctatus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 373.
quadripunctata Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 82.
quadripunctata Libellula, J. C. Fabricius, Spec. Ins. I. 1781, 520.
quadripunctatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 172.
quadripunctata Meloe, Linnaeus, Syst. Nat., ed. 12, 1767, 680.
quadripunctata Melolontha (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 57.—Chryso-
quadripunctata Melolontha, A. F. de Fourcroy, Ent. Paris. 1785, 71. [mela-
quadripunctata Melolontha, A. G. Olivier, Entom. I. 1789, 82.
quadripunctata Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 997.
quadripunctata Mylabris, J. C. Fabricius, Mant. I. 1787, 217.
quadripunctata Nitidula, A. G. Olivier, Entom. II. 1790, 9.
quadripunctata Nitidula (Herbst), Illiger in Kugelann, Käfer Preuss. 1798, 391.—
Strongylus.
quadripunctata Noctua, J. C. Fabricius, Syst. Ent. 1775, 594.
quadripunctata Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 63.—Silpha.
quadripunctata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [n. n.]. [1787.
quadripunctatus Psocus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 204.—Hemerobius,
quadripunctata Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
1572.—Cetonia.
quadripunctatus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 143.
quadripunctata Scolia, J. C. Fabricius, Syst. Ent. 1775, 356.
quadripunctata Silpha, J. C. D. Schreber, Nov. Spec. Ins. 1759, 8.
quadripunctata Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 359; ed. 12, 1767, 571.

- quadripunctata SpheX, J. A. Scopoli, Del. Insub. II. 1786, 65.
quadripunctata SpheX, J. C. Fabricius, Mant. I. 1787, 278.
quadripunctatus Strongylus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 185.
quadripunctatus Thelephorus, O. F. Müller, Z. Dan. Prod. 1776, 63.
quadripunctata Vespa, P. Forskal, Descr. Anim. 1775, 84.
quadripunctata Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 436.
quadripunctata Vespa, J. C. Fabricius, Mant. I. 1787, 291.
quadripunctella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 298.
quadripunctorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 153.
quadripuncta Clytra (L.), J. N. Laicharting, Tyrol. Ins. I. 1781, 167.—Chrysomela
quadripustulata Altica, J. C. Fabricius, Syst. Ent. 1775, 114. [quadripunctatus
quadripustulatus Aphodius (Fab.), J. Sturm, Verz. Ins. Samml. 1800, 52.—Scarabaeus
quadripustulatus Carabus, Linnaeus, Faun. Suec., ed. 2, 1761, 224.
quadripustulatus Carabus, J. C. Fabricius, Spec. Ins. I. 1781, 312.
quadripustulata Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 111.
quadripustulata Chrysomela, Linnaeus, Faun. Suec., ed. 2, 1761, 168.
quadripustulata Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 135.—Altica, 1775.
quadripustulatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 704.
quadripustulata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 367; ed. 12, 1767, 585.
quadripustulata Coccinella (Kugel.), G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 8.—
Scymnus. [baeus
quadripustulatus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 179.—Scara-
quadripustulata Crioceris, J. C. Fabricius, Mant. I. 1787, 88.
quadripustulatus Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 111.—Chryso-
quadripustulatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 144. [mela.
quadripustulatus Dermestes, G. W. F. Panzer, Ins. Germ. heft 6, 1793, tab. 6.
quadripustulatus Dermestes, G. Paykull, Faun. Suec. I. 1798, 297.
quadripustulatus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 73.
quadripustulatus Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 235.
quadripustulatus Elater, J. D. Preyßler in Mayer, Samm. Phys. Aufsätze, II. 1792, 8.
quadripustulatus Endomychus (F.), G. W. F. Panzer, Deutsch. Ins. 1795, 175.—Gal-
leruca.
quadripustulatus Erotylus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 105.
quadripustulata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 32.—Chrysomela,
quadripustulata Hispa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 116. [1781.
quadripustulata Ips, J. C. Fabricius, Gen. Ins. 1777, 213.—Tritoma, 1775.
quadripustulata Larra, J. C. Fabricius, Ent. Syst. II. 1793, 222.
quadripustulata Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 90.—Crioceris, 1787.
quadripustulata Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 345.
quadripustulatus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 109.
quadripustulatus Malachius, Illiger in Kugelann, Käfer Preuss. 1798, 306.
quadripustulata Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 324.
quadripustulata Nitidula (L.), A. G. Olivier, Entom. II. 1790, 8.—Silpha.
quadripustulatus Rynchophorus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795,
27.—Curculio.
quadripustulatum Scaphidium (Fab.), A. G. Olivier, Entom. II. 1790, 4.—Sphaeridium.
quadripustulatus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 27.
quadripustulatus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 36.
quadripustulata Scolia, J. C. Fabricius, Spec. Ins. I. 1781, 453.
quadripustulatus Scymnus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
quadripustulata Silpha, Linnaeus, Faun. Suec., ed. 2, 1761, 148. [547.
quadripustulatum Sphaeridium, J. C. Fabricius, Syst. Ent. 1775, 67.
quadripustulata Tritoma (L.), J. C. Fabricius, Syst. Ent. 1775, 69.—Silpha.
quater radiatus Coluber, C. C. Gmelin, Naturforscher, XXVIII. 1799, 169.
quaterradiatus Echinocorytes, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 182.
quadriradiatus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3186.—
Echinocorytes.
quadrirostris Echinorynchus, J. A. E. Goetze, Eingeweidewürm. 1782, 166.

- quadrisida Asterias, Linnaeus, Mus. Lud. Ulr. 1764, 720.
- quadrispinosus Attelabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 57.
- quadrispinosus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 444; ed. 12, 1767, 720.
- quadrispinosus Curculio, J. C. Fabricius, Gen. Ins. 1777, 228.
- quadrispinosus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 16.—Scarabaeus, 1781.
- quadrispinosus Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 144.—Cimex.
- quadrispinosus Reduvius, J. C. Fabricius, Ent. Syst. IV. 1794, 206.
- quadrispinosus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 11.
- quadristriatus Carabus, F. v. P. Schrank, Ins. Aust. 1781, 218.
- quadristriata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
- quadristriatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2187.
- quadristriatus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 207.
- quadristriatus Hister, C. P. Thunberg, Ins. Suecica (5) 1794, 65.
- quadristriata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2493.
- quadristrigata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.
- quadristrigosa Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2580.
- quadrisulcatus Carabus, G. Paykull, Mon. Carab. 1790, 109.
- quadrisulcus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1917.
- quadrituberculatus Curculio, J. C. Fabricius, Mant. I. 1787, 100.
- quadrituberculatus Scarabaeus, J. N. Laicharting, Tyrol. Ins. I. 1781, 23.
- quadrituberculatus Scarabaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 23.
- quadriverrucata Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 43.
- quadriverrucata Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 288.
- quadrivittata Cetonia, A. G. Olivier, Entom. I. 1789, 73.
- quadrizonata Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 210.
- quadrizonatus Pholas, L. Spengler, Skr. nat. Selsk. [Copen.], II (1) 1792, 93.
- quadrula Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 286.
- quadra Bombyx (Linn.), J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 352.—Noctua.
- quadrum Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 159.
- quadrum Carabus, A. G. Olivier, Entom. III. 1795, 79.
- quadrum Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 156.—Cryptocephalus.
- quadrum Copris, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], III. 1792, 276.
- quadrum Cryptocephalus, J. C. Fabricius, Gen. Ins. 1777, 221.
- quadrum Cryptocephalus, F. v. P. Schrank, F. Boica, I. 1798, 551.
- quadrum Cynips (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 782.—Ichneumon.
- quadrum Ichneumon, J. C. Fabricius, Mant. I. 1787, 270.
- quadra Lithosia (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 459.—Phalaena.
- quadra Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 595.—Phalaena.
- quadra Noctua, J. v. Uslar, Pyralis Hercyn. 1798, 25. [Phalaena Noctua.
- quadra Phalaena Bombyx (L.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 241.—
- quadra Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 511; ed. 12, 1767, 840.
- quadrum Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 694.
- quadrupes Acarus, O. F. Müller, Z. Dan. Prod. 1776, 187.
- quadrupes Anguis, Linnaeus, Syst. Nat., ed. 12, 1766, 390.
- quaesitorius Ichneumon, Linnaeus, Faun. Suec., ed. 2, 1761, 398.
- quaestionis Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 81.
- quagga Ampulla, J. F. Bolten, Mus. Bolten. (2) 1798, 111.
- quagga Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 63.
- quagga Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 57.
- quagga Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 10.
- quagga Equus, P. Boddaert, Elench. 1785, 160.
- quagga Eryotylus, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 368.
- quasje Viverra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 87.
- quater- v. quadri-
- quaternio Scolia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 205.
- quaternilis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 294.
- quatuordecimguttata Buprestis, A. G. Olivier, Entom. II. 1790, 89.
- quatuordecimguttata Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 136.

- quatuordecimguttata Chrysomela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 85.
 quatuordecimguttata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 367; ed. 12, 1767,
 quatuordecimmaculata Cetonina, J. C. Fabricius, Ent. Syst. I (2) 1792, 150. [583.
 quatuordecimmaculata Chrysomela, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV.
 quatuordecimmaculata Coccinella, N. Poda, Ins. Mus. Graec. 1761, 26. [1797, 33.
 quatuordecimmaculata Coccinella, J. C. Fabricius, Mant. I. 1787, 58.
 quatuordecimmaculata Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 65.
 quatuordecimmaculata Cryptocephalus, D. H. Schneider, N. Mag. Lieb. Ent.
 [Schneider's], II. 1792, 195.
 quatuordecimpunctatus Attelabus, Scopoli, Ent. Carn. 1763, 37.
 quatuordecimpunctata Buprestis, C. de Villers, Linn. Ent. I. 1789, 338.
 quatuordecimpunctata Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 599.
 quatuordecimpunctata Chrysomela (Scop.), C. de Villers, Linn. Ent. I. 1789, 165.—
 Attelabus.
 quatuordecimpunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 366; ed. 12,
 1767, 582.
 quatuordecimpunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 368; ed. 12,
 1767, 585.
 quatuordecimpunctatus Crioceris (Scop.), J. C. Fabricius, Gen. Ins. 1777, 222.—
 Attelabus.
 quatuordecimpunctatus Cryptocephalus (Scop.), J. F. Gmelin in Linn. Syst. Nat.,
 ed. 13, I. 1789, 1721.—Attelabus.
 quatuordecimpunctatus Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV.
 1797, 54.
 quatuordecimpunctata Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 91.—Crioceris,
 quatuordecimpunctata Meloe, P. S. Pallas, Icon. Ins. 1782, 80. [1777.
 quatuordecimpunctatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 110.
 quatuordecimpunctata Mylabris (Thun.), A. G. Olivier, Entom. III. 1795, 13.—Meloe.
 quatuorguttata Altica (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 105.—Chryso-
 quatuorguttata Aranea, P. Rossi, Fauna Etrus. II. 1790, 135. [mela quadriguttata.
 quatuorlineata Chrysomela, E. Pontoppidan, Kurz. Nachr. N.-H. Dännemark, 1765,
 quatuorlineatus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 82. [202.
 quatuorlineata Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 quatuormaculata Spheg (Fab.), J. L. Christ, Nat. Ins. 1791, 267.—Scolia quadrimaculata.
 quatuor-punctata Cantharis, M. Piller & L. Mitterpacher, Iter. Poseg. 1783, 114. [201.
 quatuor-punctata Coccinella, E. Pontoppidan, Kurz. Nachr. N.-H. Dännemark, 1765,
 quatuor-punctata Silpha, E. Pontoppidan, Kurz. Nachr. N.-H. Dännemark, 1765, 200.
 quatuor-punctata Spheg (Fab.), J. L. Christ, Nat. Ins. 1791, 259.—Scolia quadripunctata.
 quelea Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 177; ed. 12, 1766, 310.
 quelea Loxia, F. M. Daudin, Traité élém. Orn. 1800, 443.
 quenseli Bombyx, G. Paykull, Skr. nat. Selsk. [Copen.], II (2) 1793, 99.
 quentzeli Staphylinus, G. Paykull, Mon. Staph. 1789, 72.
 quercana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 411.—Pyralis.
 quercana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 652.
 quercana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 125.
 quercella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 134.
 querceti Phalaena Noctua, P. Osbeck, Götheborg. Samhalle Handl. (Wet. Af.) I. 1778,
 querceus Elater, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 113. [51.
 quercicola Curculio, G. Paykull, Mon. Curc. 1792, 70.
 quercifolia Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 561.—Phalaena. [812.
 quercifolia Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 497; ed. 12, 1767,
 quercinaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 24 [n.
 quercinaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 520. [et f.].
 quercinus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 681.
 quercinus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1802.
 quercinus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 376.
 quercinus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1912.
 quercinus Elater, C. Quensel, Diss. ignotus insectorum Species, 1790, 17.

- quercinus Glis (L.), J. F. Blumenbach, Handb. Naturg. 1779, 79.—Mus.
 quercinus Hypulus (Quenz.), G. Paykull, Faun. Suec. I. 1798, 252.—Elater.
 quercinus Mus, Linnaeus, Syst. Nat., ed. 12, 1766, 84.
 quercina Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 34.
 quercus Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 453; ed. 12, 1767, 735.
 quercus Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 562.—Phalaena.
 quercus Buprestis, J. F. W. Herbst, Schrift. Berlin. Ges. Nat. Freunde, I. 1780, 90.
 quercus Cerambyx, G. F. Goetz, Naturforscher, XIX. 1783, 74.
 quercus Cerambyx, P. Rossi, Fauna Etrus. I. 1790, 143.
 quercus Cetonia, F. v. P. Schrank, F. Boica, I. 1798, 417.
 quercus Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 454; ed. 12, 1767, 738.
 quercus Cicada, J. C. Fabricius, Gen. Ins. 1777, 298.
 quercus Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 455; ed. 12, 1767, 740.
 quercus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 379; ed. 12, 1767, 609.
 quercus Curculio, Scopoli, Ent. Carn. 1763, 34.
 quercus Dermestes, F. v. P. Schrank, Ins. Aust. 1781, 34.
 quercus Diplolepis, A. F. de Fourcroy, Ent. Paris. 1785, 391.
 quercus Elater, A. G. Olivier, Entom. II. 1790, 51.
 quercus Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 278.—Papilio.
 quercus Necydalis, J. C. Fabricius, Ent. Syst. I (2) 1792, 355.
 quercus Noctua, J. C. Fabricius, Syst. Ent. 1775, 594.
 quercus Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 482; ed. 12, 1767, 788.
 quercus Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 498; ed. 12, 1767, 814.
 quercus Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 41.
 quercus Zygaena, J. C. Fabricius, Ent. Syst. III (1) 1793, 388.
 quercus-baccarum Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 553; ed. 12, 1767, 917.
 quercus calicis Cynips, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2651.
 quercus-corticis Cynips, Linnaeus, Faun. Suec., ed. 2, 1761, 387.
 quercus-folii Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 553; ed. 12, 1767, 918.
 quercus folii Diplolepis (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 280.—Cynips.
 quercus-gemmae Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 554; ed. 12, 1767, 919.
 quercus-ilicis Cynips, J. C. Fabricius, Suppl. Ent. Syst. 1798, 213.
 quercus-inferus Cynips, Linnaeus, Syst. Nat., ed. 12, 1767, 918.
 quercus-pedunculi Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 554; ed. 12, 1767, 918.
 quercus-petioli Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 554; ed. 12, 1767, 918.
 quercus-ramuli Cynips, Linnaeus, Faun. Suec., ed. 2, 1761, 387.
 quercus-roboris Coccus, A. Modeer, Götheborg. Samhalle Handl. (Wet. Afd.) I. 1778, 24.
 quercus-surculi Cynips, F. v. P. Schrank, Ins. Aust. 1781, 319.
 quercus-terminalis Cynips, J. C. Fabricius, Suppl. Ent. Syst. 1798, 213.
 quercus-tozae Cynips, L. Bosc, J. Nat. Hist. (Choix des Mém.), II. 1792, 156.
 querna Bombyx, [Denis & Schiffermüller], Schmett. Wien. 1775, 49.
 querna Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 435.—Bombyx.
 quernaria Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 205.
 querneus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 128.
 querquedula Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 126; ed. 12, 1766, 203.
 querquedulae Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 612; ed. 12, 1767, 1018.
 querula Cicada, P. S. Pallas, Reise Russ. II. 1773, 729.
 querula Tettigonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 101.
 quetz-paleo Lacerta, J. P. Bonnatere, Ency. Méth. (Erp.) 1789, 58.
 quianensis Psittacus, J. A. Scopoli, Del. Insub. II. 1786, 86.
 quincuncialis Coluber, G. A. Suckow, Naturges. III. 1798, 249.
 quindecimguttata Coccinella, J. C. Fabricius, Gen. Ins. 1777, 217.
 quindecimguttata Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 110.
 quindecimpunctata Coccinella, C. de Geer, Mém. Ins. V. 1775, 376.
 quinnata Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 331.
 quinnatella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 520.
 quinquarius Polynemus, Linnaeus, Syst. Nat., ed. 10, 1758, 317; ed. 12, 1766, 521.

- quinquecinctus Crabro, J. C. Fabricius, Mant. I. 1787, 295.
 quinquecinctus Mellinus, J. C. Fabricius, Ent. Syst. II. 1793, 287.
 quinquecinctus Philanthus, J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 225.—
 quinquecincta Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 234. [Crabro, 1787.
 quinquecincta Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 266.—Tiphia.
 quinquecincta Tiphia, J. C. Fabricius, Syst. Ent. 1775, 353.
 quinquecincta Vespa, J. C. Fabricius, Mant. I. 1787, 288.
 quinquecincta Vespa (Fab.), C. de Villers, Linn. Ent. III. 1789, 283.—Crabro.
 quinquecostatus Vermetus, F. M. Daudin, Rec. Mém. Moll. 1800, 46.
 quinquedentatus Cancer, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2968.
 quinquedentatus Turbo, I. v. Born, Index Mus. Caes. Vind. 1778, 370.
 quinquedentata Vertigo, Studer in Coxe, Trav. Switz. III. 1789, 388 [*n. n.*].
 quinquefasciatus Crabro, P. Rossi, Mant. Ins. I. 1792, 139.
 quinquefasciata Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 27.
 quinquefasciata Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 281.
 quinquefasciatus Mellinus, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 13.
 quinquefasciata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 474.
 quinquefasciata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
 quinquefasciata Scolia, J. C. Fabricius, Spec. Ins. I. 1781, 453. [2490.
 quinquefasciatus Vespa, C. Allioni, Misc. Taurin. III. 1766, 196.
 quinquefasciata Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 267.
 quinquefasciata [Vespa], Giorna, Cal. Ent. 1791, 86.
 quinqueguttatus Bruchus, A. G. Olivier, Entom. IV. 1795, 15.
 quinqueguttata Clypeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 198.
 quinquelabiatus Clypeus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 159.
 3181.—Clypeus. Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
 3181.—Clypeus. Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1988.
 quinque-lineatus Cetonia, J. C. Fabricius, Spec. Ins. I. 1781, 56.
 quinque-lineata Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 107.
 quinque-lineatus Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 84.
 quinque-lineata Lacerta, Linnaeus, Syst. Nat., ed. 12, 1766, 366. [Syrphus.
 quinque-lineata Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2870.—
 quinque-lineatus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
 quinque-lineatus Syrphus, J. C. Fabricius, Spec. Ins. II. 1781, 425. [1575.—Cetonia.
 quinquemaculata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1674.
 quinquemaculatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2200.
 quinquemaculata Coccinella, J. C. Fabricius, Mant. I. 1787, 56.
 quinquemaculatus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 380; ed. 12, 1767, 609.
 quinquemaculatus Labrus, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 10.
 quinquemaculata Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1868.
 quinquemaculata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 636.
 quinquemaculata Mutilla, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 5.
 quinquemaculatus Philanthus, J. C. Fabricius, Ent. Syst. II. 1793, 292.
 quinquemaculatum Sphaeridium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 39.
 quinquemaculatus Stenocorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 296.
 quinquenotatus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1721.
 quinquepunctata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778,
 quinquepunctatus Attelabus, Scopoli, Ent. Carn. 1763, 36. [297.
 quinquepunctata Buprestis, Scopoli, Ent. Carn. 1763, 67.
 quinquepunctata Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 586.
 quinquepunctata Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 79.
 quinquepunctata Chrysomela, J. C. Fabricius, Mant. I. 1787, 72.
 quinquepunctatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2181.
 quinquepunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 365; ed. 12, 1767, 580.
 quinquepunctata Crioceris, J. C. Fabricius, Mant. I. 1787, 88.
 quinquepunctatus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
 1727.—Chrysomela.

- quinquepunctatus *Cryptocephalus* (Scop.), G. A. Harrer, *Beschr. Schaeffer's Abbild.* 1791, 133.—*Buprestis*.
- quinquepunctatus *Curculio*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 383; ed. 12, 1767, 614.
- quinquepunctatus *Erotylus* (L.), J. C. Fabricius, *Syst. Ent.* 1775, 123.—*Chrysomela*.
- quinquepunctata Lema, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 91.—*Crioceris*, 1787.
- quinquepunctata *Musca*, F. v. P. Schrank, *Ins. Aust.* 1781, 473.
- quinquepunctata *Scolia*, J. C. Fabricius, *Spec. Ins.* I. 1781, 453.
- quinquepunctatus *Strongylus*, Herbst in Jablonsky, *Nat. Ins.* (Käfer) IV. 1792, 181.
- quinquespinosus *Cimex* (Fab.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 2196.—
- quinquespinosus *Reduvius*, J. C. Fabricius, *Spec. Ins.* II. 1781, 382. [*Reduvius*].
- quinquestrigatus *Syrphus*, J. C. Fabricius, *Ent. Syst.* IV. 1794, 289.
- quinquestrigata *Phalaena* Geom., J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2495.
- quinquevittata *Cistela*, J. C. Fabricius, *Syst. Ent.* 1775, 118. [*Cistela*].
- quinquevittata *Crioceris* (Fabr.), C. P. Thunberg, *D. D. Mus. Ac. Upsal.* 1787, 47.—
- quinquevittata *Cryptocephalus* (Fab.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1715.—*Cistela*.
- quinquezonata *Phalaena* Geom., J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2496.
- quinquiesperforatus *Echinodiscus*, N. G. Leske, *Add. Klein Nat. Disp. Ech.* 1778, 197.
- quinternana *Hydra*, Bosc, *Bull. Sci. Soc. Philom.* [Paris], no. 2, 1797, 10.
- quiqui *Mustela*, G. I. Molina, *Sag. stor. nat. Chili.* 1782, 292.
- quirina [Papilio], P. Cramer, *Uitl. Kapellen*, I (6) 1775, 101.
- quirina *Papilio*, J. C. Fabricius, *Spec. Ins.* II. 1781, 36.
- quiscala *Sturnus* (L.), F. M. Daudin, *Traité élém. Orn.* 1800, 316.—*Gracula quiscula*.
- quiscula *Gracula*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 109; ed. 12, 1766, 165.
- quisquiliarum *Opatrum*, J. F. W. Herbst in *Fuessly, Arch. Ins.* IV. 1783, 35.
- quisquilius *Carabus*, Linnaeus, *Faun. Suec.*, ed. 2, 1761, 226.
- quisquilius *Cimex*, C. de Geer, *Mém. Ins.* III. 1773, 282.
- quisquilius *Copris* (L.), A. G. Olivier, *Ency. Méth.* V (Ins.) 1790, 151.—*Scarabaeus*.
- quisquilius *Helops* (L.), J. C. Fabricius, *Syst. Ent.* 1775, 258.—*Tenebrio*.
- quisquilia *Pimelia* (L.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 2011.—
- quisquilius *Scarabaeus*, Linnaeus, *Faun. Suec.*, ed. 2, 1761, 138. [*Tenebrio*].
- quisquilius *Tenebrio*, Linnaeus, *Faun. Suec.*, ed. 2, 1761, 226.
- quiteria [Papilio], C. Stoll in Cramer, *Uitl. Kapellen*, IV (27) 1780, 49.
- quoll *Mustela*, E. A. W. Zimmermann, *Spec. Zool.* 1777, 489.
-
- rac *Buccinum*, J. G. Bruguière, *Ency. Méth.* (Vers) (1) 1789, 284.
- racemosus *Cynips*, A. F. de Fourcroy, *Ent. Paris.* 1785, 383.
- racemosa *Sertularia*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3854.
- racemosa *Vorticella*, O. F. Müller, *Verm.* I (1) 1773, 138.
- rachifer *Elater*, A. F. de Fourcroy, *Ent. Paris.* 1785, 39.
- rachiticus *Crabro*, P. Rossi, *Fauna Etrus.* II. 1790, 92.
- radamanthus *v. rhadamanthus*.
- raddaella *Phalaena* Tin., J. Hübner, *Samml. Vögel u. Schmett.* 1793, 7 [*u. et f.*].
- raddella *Tinea*, J. Hübner, *Europ. Schmett.* 8 Horde [me judice 1796], 54.
- radians *Astroites*, J. E. I. Walch, *Naturforscher*, V. 1775, 53.
- radians *Chrysis*, M. Harris, *Exp. Eng. Ins.* 1776, 69.
- radians *Cyclidium*, O. F. Müller, *Verm.* I (1) 1773, 52.
- radians *Madrepora*, P. S. Pallas, *Elench.* 1766, 322.
- radians *Patella*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3720.
- radians *Patella*, J. F. Bolten, *Mus. Bolten.* (2) 1798, 12.
- radians *Porcellana*, F. C. Meuschen, *Mus. Gever.* 1787, 408.
- radiatalis *Pyralis*, J. Hübner, *Europ. Schmett.* 6 Horde [me judice 1796], 28.
- radiatalis [Pyralis], J. Hübner, *Europ. Schmett.* 6 Horde [me judice 1796], pl. 20, f. 134
- radiatella *Phalaena*, E. Donovan, *Brit. Ins.* III. 1794, 77. [*u. et f.*].
- radiatella *Phalaena* (Tin.), C. de Villers, *Linn. Ent.* II. 1789, 516.
- radiatella *Tinea*, A. F. de Fourcroy, *Ent. Paris.* 1785, 338.
- radiatus *Acarus*, Scopoli, *Ent. Carn.* 1763, 387.

- radiata** Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 42.
radiata Architectonica, J. F. Bolten, Mus. Bolten. (2) 1798, 79.
radiatus Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 168.
radiatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3504.
radiatus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 312.
radiata Capisterium, F. C. Meuschen, Mus. Gever. 1787, 464.
radiata Cercopis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 101.
radiata Chama, F. C. Meuschen, Mus. Gever. 1787, 454.
radiata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 444.
radiata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 448.
radiata Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 116.
"radiata" Cochlea, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 40.
radiatus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3386.
radiata Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 184.
radiatus Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 420.
radiata Donax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3266.
radiata Doris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3105.
radiatus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3174.—
 Cidaris.
radiatus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3197.
radiatus Encrinus, J. F. Blumenbach, Handb. Naturg., ed. 3, 1788, 503.
radiata Eschara, W. G. Tilesius, Verz. merkw. Seeprod. 1800, 7.
radiata Fasciola, O. F. Müller, Verm. I (2) 1774, 66.
radiata Helix, O. F. Müller, Verm. II. 1774, 24.
radiata Helix, E. M. da Costa, Brit. Conch. 1778, 57.
radiata Helix, R. Pulteney, Cat. Birds, &c. Dorset, 1799, 47.
radiatus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 288.
radiata Lernaea, O. F. Müller, Z. Dan. Prod. 1776, 226.
radiata Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 169.
radiata Madrepora, E. J. C. Esper, Pflanzenz., Forts. I (3) 1795, 74.
radiata Musca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 565.
radiata Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3220.
radiatus Mytilus, O. F. Müller, Verm. II. 1774, 209.
radiatus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 58.
radiata Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 159.
radiatus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 384.
radiata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3320.
radiata Patella, F. C. Meuschen, Mus. Gever. 1787, 242.
radiata Patella, I. v. Born, Index Mus. Caes. Vind. 1778, 443.
radiata Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 1.—[P. radians, Gm.]
radiata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
radiata Phalaena Noct., E. J. C. Esper, Die Schmett. IV (48) 1796, 374.
radiata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
radiatus Solen, Linnaeus, Syst. Nat., ed. 10, 1758, 673; ed. 12, 1767, 1114.
radiatus Sparus, Linnaeus, Syst. Nat., ed. 12, 1766, 472.
radiata Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 675; ed. 12, 1767, 1117.
radiata Tellina, F. C. Meuschen, Mus. Gever. 1787, 460.
radiata Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 320.
radiata Trigonella, E. M. da Costa, Brit. Conch. 1778, 196.
radiatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3572.
radiata Trupanea, F. v. P. Schrank, Briefe Donaumoor, 1795, 147.
radiatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3594.
radiatus Vespertilio, M. T. Brünnich, Dyr. Hist. 1782, 53.
radiatus Vultur, J. A. Scopoli, Del. Insub. II. 1786, 85.
radica Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 159.
radica Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797–1800], 497.
radicata Gorgonia, P. S. Pallas, Elench. 1766, 190.
radicea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 81.

- radicea** Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 570.—Noctua.
- radicula** Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 711; ed. 12, 1767, 1164.
- radicula** Orthocera (L.), A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 89.—Nautilus.
- radicum** Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 385.
- radicum** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 596; ed. 12, 1767, 992.
- radiella** Tinea, C. C. Jung, Alph. Verz. Schmett. II. 1792, 160.
- radiosa** Phalaena Noctua, E. J. C. Esper, Die Schmett. IV., Abschn. 2 [post 1796], 62.
- radix** Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 67.
- radix** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3527.
- radix** Muriciformis, F. C. Meuschen, Mus. Gev. 1787, 316.
- radula** Apis (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II., 1791, 126.—
- radula** Asterias, J. F. Bolten, Mus. Bolten. (1) [1798], 30. [Scolia.]
- radula** Cerithium (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 491.—Murex.
- radula** Chlamys (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 162.—Ostrea.
- radula** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 40.
- radula** Dentalium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3738.
- radula** Lunella (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 105.—Nerita.
- radula** Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 756; ed. 12, 1767, 1226.
- radula** Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 777; ed. 12, 1767, 1252.
- radula** Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 697; ed. 12, 1767, 1145.
- radula** Pecten (L.), F. C. Meuschen, Mus. Gev. 1787, 416.—Ostrea.
- radula** Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 294; ed. 12, 1766, 488.
- radula** Scolia, J. C. Fabricius, Syst. Ent. 1775, 355.
- radula** Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 288.—Tiphia.
- radula** Tiphia, J. C. Fabricius, Syst. Ent. 1775, 354.
- radula** Vespa, J. C. Fabricius, Mant. I. 1787, 290.
- radulanus** Pecten, F. C. Meuschen, Mus. Gev. 1787, 416.
- Ragio**, z. **Rhagio** J. A. Scopoli, Intr. Hist. Nat. 1777, 408.
- rahel** Papilio, J. C. Fabricius, Mant. II. 1787, 22.
- raiae** Ascaris, O. F. Müller, Z. Dan. Prod. 1776, 214.
- raii** Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 95.
- Raja** Linnaeus, Syst. Nat., ed. 10, 1758, 231; ed. 12, 1766, 395; [Artedi, Ichth. 1738. gen. xlv, p. 70].—P.
- rajae** Proboscidea (Müll.), J. G. Bruguière, Ency. Méth. (Vers Int. 1791), 97.—Ascaris
- rajella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 542; ed. 12, 1767, 898. [raiae.
- rajella** Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 666.—Phalaena.
- raji** Aranea, Scopoli, Ent. Carn. 1763, 394.
- ralli** Pediculus, J. A. Scopoli, Annus V. 1772, 125.
- ralloides** Ardea, J. A. Scopoli, Annus I. 1769, 88.
- ralloides** Trynga, A. Vroeg, Catal. Vogel. 1764, Adumb., 7.
- Rallus** Linnaeus, Syst. Nat., ed. 10, 1758, 153; ed. 12, 1766, 261.—A.
- rallus** Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107.
- ramak** Sciæna, P. Forskal, Descr. Anim. 1775, 52.
- ramalis** Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 469.—Phalaena, 1787.
- ramalis** Phalaena, J. C. Fabricius, Mant. II. 1787, 220.
- ramalis** Pyralis, C. de Villers, Linn. Ent. IV. 1789, 517.
- ramalium** Pediculus, O. F. Müller, Z. Dan. Prod. 1776, 185.
- ramella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 540; ed. 12, 1767, 887.
- ramentosus** Labrus, P. Forskal, Descr. Anim. 1775, 34.
- ramea** Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 797; ed. 12, 1767, 1280.
- ramea** Tubularia, P. S. Pallas, Elench. 1766, 83.
- ramicornis** Eulophus (De G.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 454.—Ichneumon.
- ramicornis** Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 441.
- ramidulus** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 566; ed. 12, 1767, 937.
- ramidulus** Ophion (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 236.—Ichneumon.
- ramosana** Phalaena Tort., J. Hübner, Samml. Vögel u. Schmett. 1793, 13 [n. et f.].
- ramosana** Tortrix, (Göemner, Europ. Schmett. (Tort.) [me judice 1796], fig. 10 [n. et f.].
- ramosaria** Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 329.

- ramosissimus** Brachionus, P. S. Pallas, Elench. 1766, 98.
ramosa Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 297.
ramosa Ascidia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 150.
ramosa Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 391.
ramosa Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 463.
ramosa Fistularia (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 254.—Tubularia.
ramosa Globosa, F. C. Meuschen, Mus. Gever. 1787, 382.
ramosa Hydra, O. Fabricius, F. Groen. 1780, 348.
ramosus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 747; ed. 12, 1767, 1215.
ramosa Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
ramosa Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 142 [*n. n.*].
ramosa Purpura (L.), F. C. Meuschen, Mus. Gever. 1787, 312.—Murex.
ramosa Purpura, F. C. Meuschen, Mus. Gever. 1787, 314.
ramosa Purpura, T. Martyn, Univ. Conch. III [1789], fig. 114.
ramosa Sabella, G. Olivi, Zool. Adriat. 1792, 202.
ramosus Spondylus, F. C. Meuschen, Mus. Gever. 1787, 434.
ramosus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 164.
ramosus Trochus, F. C. Meuschen, Mus. Gever. 1787, 284.
ramosa Tubipora, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3754.
ramosa Tubularia, Linnaeus, Syst. Nat., ed. 10, 1758, 804; ed. 12, 1767, 1302.
Ramphastos Linnaeus, Syst. Nat., ed. 10, 1758, 103; ed. 12, 1766, 150.—A.
Ramphus J. R. Schellenberg, Helvet. Entom. I. 1798, 104.—Col.
ramphygeus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 633.
ramulosa Cellepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1285.
ramulosa Eschara (Cellepora) (Linn.), P. S. Pallas, Char. Thierpfl. I. 1787, 92.—Celle-
ramulosus Spondylus, F. C. Meuschen, Mus. Gever. 1787, 436. [pora.
ramus [Papilio], C. Stoll in Cramer, Utit. Kapellen, IV (29) 1781, 101.
Rana Linnaeus, Syst. Nat., ed. 10, 1758, 210; ed. 12, 1766, 354.—R.
Rana [G. Humphreys], Mus. Calonn. 1797, 33.—G.
rana Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 306.—Murex.
rana Bursa (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 128.—Murex.
rana Curculio, J. C. Fabricius, Mant. I. 1787, 101.
rana Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 63.
rana Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 748; ed. 12, 1767, 1216.
“ranae Amphibolithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 158.
ranae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3035.
ranae Cucullanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3051.
ranae Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 25.
ranae Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3055.
ranae Polystoma, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 204.
ranaeformis Hyla, J. N. Laurenti, Syn. Rept., 1768, 33.
Ranatra J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 227.—Hem.
Ranatra J. C. Fabricius, Ent. Syst. IV. 1794, 64.—Hem.
rancedula Merganser, J. C. Schaeffer, Mus. Orn. 1789, 66.
rancedula Merganser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 101.
Ranetta E. L. Geoffroy, Desc. 719 Plant. &c., 1767, 414.—Amph.
raninus Blennius, Linnaeus, Syst. Nat., ed. 10, 1758, 258; ed. 12, 1766, 444.
raninus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 625; ed. 12, 1767, 1039.
raninus Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.), 1790, 51.
raninus Diodon, Linnaeus, Syst. Nat., ed. 10, 1758, 336.
raninus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3195.
raninus Gadus (L.), M. T. Brännich, Skrifter K. Vid. Selsk. XII. 1779, 291.—Blennius.
raninus Proteus, J. N. Laurenti, Syn. Rept. 1768, 36.
raninus Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3511.
ranivorus Falco, F. M. Daudin, Traité élém. Orn. 1800, 170.
ranunculi Andrena (Scop.), A. G. Olivier, Ency. Méth. IV. (Ins.) 1789, 140.—Nomada.
ranunculi Apis (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2796.—No-
rannunculi Chrysmela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 55. [mada.

- ranunculi** Nomada, J. A. Scopoli, *Annus* IV. 1770, 46.
ranunculus Conus, Hwass in J. G. Bruguière, *Ency. Méth. (Vers)* (2) 1792, 671.
Rapa J. F. Bolten, *Mus. Bolten.* (2) 1798, 148.—G.
rapa Ascidia, J. G. Bruguière, *Ency. Méth. (Vers)* (1) 1789, 149.
rapa Bulla, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 1184.
rapa Globosa (L.), F. C. Meuschen, *Mus. Gever.* 1787, 384.—Bulla.
rapa Helix, O. F. Müller, *Verm.* II. 1774, 67.
rapa Murex, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 752.
rapa Murex, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3545.
rapae Papilio (Danaus), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 468; ed. 12, 1767, 759.
rapae Tenthredo, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 926.
rapax Alphaeus, J. C. Fabricius, *Suppl. Ent. Syst.*, 1798, 405.
rapax Aranea, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 292.
rapax Crangon, F. Weber, *Nomen. Fabricii*, 1795, 94 [*n. n.*].
rapax Cyprinus, N. G. Leske, *Ichth. Lips.* 1774, 56.
rapax Musca, M. Harris, *Exp. Eng. Ins.* 1776, 144.
rapax Musca, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2848.
rapax Muscicapa, Bartram; B. S. Barton, *N. H. Pennsylv.* 1799, 19.
rapax Ptinus, C. de Geer, *Mém. Ins.* IV. 1774, 231.
raphanalis Phalaena Pyralis, N. J. Brahm, *Ins. Kal.* II (1) 1791, 547.
raphani Chrysomela, J. F. W. Herbst in *Fuessly, Arch. Ins.* IV. 1783, 59.
raphani Chrysomela (Fab.), G. Paykull, *Faun. Suec.* II. 1799, 62.—Galleruca.
raphani Curculio, J. C. Fabricius, *Ent. Syst.* I (2) 1792, 438.
raphani Galleruca, J. C. Fabricius, *Ent. Syst.* I (2) 1792, 19.
raphani Papilio D. C., J. C. Fabricius (*ex Esper, tab.*), *Mant.* II. 1787, 18. [163.
raphani Papilio D. C., E. J. C. Esper, *Die Schmett.* I (Bd. 2) *Forts. Tagschmett.* (1783-4),
raphanistrum Nautilus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 710; ed. 12, 1767, 1163.
raphanistrum Orthocera (L.), A. Modeer, *K. Vet. Ac. Nya Handl.* XVII. 1796, 86.—
raphanus Conus, Hwass in J. G. Bruguière, *Ency. Méth. (Vers)* (2) 1792, 722. [Nautilus.
raphanus Nautilus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 711; ed. 12, 1767, 1164.
raphanus Orthocera (L.), A. Modeer, *K. Vet. Ac. Nya Handl.* XVII. 1796, 95.—Nautilus.
raphanus Rapa, J. F. Bolten, *Mus. Bolten.* (2) 1798, 148.
Raphidia Linnaeus, *Syst. Nat.*, ed. 10, 1758, 552; ed. 12, 1767, 916.—Neur.
raphidia Squilla, F. Weber, *Nomen. Fabricii*, 1795, 96 [*n. n.*].
raphidea Squilla, J. C. Fabricius, *Ent. Syst.* 1798, 416.
raphidioides Hemerobius, C. de Villers, *Linn. Ent.* III. 1789, 56.
Raphus Moehring, *Geslach. Vogel. (Nozem. & Vosm. ed.)* 1758, 4 & 44.—A.
Raphus M. J. Brisson, *Ornith.* V. 1760, 15.—A.
rapicauda Gekko, M. Houttuyn, *Verh. Zeeuwsch genoot. Wet. Vlissingen.* IX. 1782, 323.
rapicauda Lacerta (Houtt.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 1068.—Gekko.
rapiformis Murex, I. v. Born, *Index Mus. Caes. Vind.* 1778, 306.
rapiformis Murex, H. Davies in *T. Pennant, Ind. Zool.*, ed. 2, 1791, 155.
rapistrum Orthocera, A. Modeer, *K. Vet. Ac. Nya Handl.* XVII. 1796, 87.
rapt Noctua, J. C. Fabricius, *Mant.* II. 1787, 151.
raptor Asilus, A. A. H. Lichtenstein, *Cat. rerum Nat.* III. 1796, 212.
raptor Ichneumon, O. F. Müller, *Z. Dan. Prod.* 1776, 158.
raptorius Ichneumon, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 561; ed. 12, 1767, 930.
raptricula Noctua, [Denis & Schiffermüller], *Schmett. Wien*, 1775, 89.
raptricula Phalaena Noctua (D. & S.), M. B. Borkhausen, *Nat. eur. Schmett.* IV. 1792,
Rapum [G. Humphreys], *Mus. Calonn.* 1797, 37.—G. [178.—Noctua.
rapuntica Phalaena, [D. H. Schneider], *Nom. Ent.* 1785, 48 [*n. n.*].
rara Musca, Scopoli, *Ent. Carn.*, 1763, 339.
rara Phytotoma, G. I. Molina, *Sag. stor. nat. Chili*, 1782, 254.
rastellum Kerona, O. F. Müller, *An. Infus.* 1786, 233.
“Ratelus Sparrman, 1777,” Ag.; does not exist.
ratisbonensium Schraitser, J. C. Schäffer, *Piscium Bavar.* 1761, 48.
ratisbonensium Streber, J. C. Schäffer, *Piscium Bavar.* 1761, 69.
ratisbonica Sph[inx], T. G. v. Scheven, *N. Mag. Lieb. Ent.* [Fuessly's], I (1) 1781, 54.

- "Rattus, Zimm. 1777," Palmer; not used in a generic sense.
rattus Brachionus, F. v. P. Schrank, Naturforscher, XXVII. 1793, 33.
rattus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 700.
rattus Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 61; ed. 12, 1766, 83.
rattus Mus, R. Kerr, Anim. Kingd. 1792, 229; *var. minor*.
rattus Mus, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 494; *varr. albus*,
ater, cinereus, maculatus, & parvus, 713.
rattus Trichoda, O. F. Müller, Z. Dan. Prod. 1776, 281.
rauca Buprestis, J. C. Fabricius, Mant. I. 1787, 177.
raucum Callidium, J. C. Fabricius, Spec. Ins. I. 1781, 239.
raucus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1847.—
rauca Cetonia, J. C. Fabricius, Spec. Ins. II. 1781, 496. [Callidium]
rauea Cetonia, *err. pro* rauca, J. C. Fabricius, Ent. Syst. I (2) 1792, 133.
raucus Curculio, J. C. Fabricius, Gen. Ins. 1777, 226.
rauca Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 41.
rauca Melolontha, (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 183.—Cetonia.
raucus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1560.—
ravida Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 80. [Melolontha]
ravida Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (? pt.) 1798, 462.
reamurella Alucita (L.), J. C. Fabricius, Syst. Ent. 1775, 670.—Phalaena.
reamurella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 540; ed. 12, 1767, 895.
reamurella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 328.
reamurii Aranea, Scopoli, Ent. Carn. 1763, 393.
rebecca Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 75.
reccumbo Musca, M. Harris, Exp. Eng. Ins. 1776, 35.
recidans Musca, M. Harris, Exp. Eng. Ins. 1776, 144.
reciprocans Fistularia, P. Forskal, Descr. Anim. 1775, 121.
reclusa Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 56.
recondita Ostrea, D. Solander in G. Brander, Foss. Hant. 1766, 42.
reconditus Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 101.
rectangulata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 235
rectangulata [Phalaena], C. Clerk, Icones, I. 1759, pl. viii, 6. [*n. et f.*]
rectangulata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 528; ed. 12, 1767,
rectangulata Phalaena, S. A. v. Rottemburg, Naturforscher, XI. 1777, 82. [872]
rectangulum Alyselinthus, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800,
rectangulum Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 193. [234]
rectangulum Gonium, O. F. Müller, An. Infus. 1786, 113.
rectangula Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 78. [513.—Noctua]
rectangula Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
rectangula Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3749.
rectangulum Taenia, M. E. Bloch, Eingeweidewürmer, 1782, 11.
recticornis Antilopa (Pall.), J. C. P. Erxleben, Syst. Anim. 1777, 272.—Gazella.
recticornis Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 209.
recticornis Gazella, P. S. Pallas, Nov. Comm. Petrop. XIII. 1767, 628.
recticornis Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 51.
recticornis Scarabaeus, N. G. Leske, Reise Sachsen, 1785, 45.
rectilinea Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 162.
rectilinea Phalaena Noct., E. J. C. Esper, Die Schmett. IV (48) 1796, 379.
rectirostris Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 383.—[druparum, ed. 12.]
rectirostris Daphne, O. F. Müller, Z. Dan. Prod. 1776, 199.
recti-rostris Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3000.—
rectum Dentalium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3738. [Daphne]
recta Helix, O. F. Müller, Verm. II. 1774, 93.
recta Millepora, F. C. Meuschen, Mus. Gever. 1787, 512.
recurro Musca, M. Harris, Exp. Eng. Ins. 1776, 85.
recurvalis Phalaena, J. C. Fabricius, Syst. Ent. 1775, 644.
recurvata Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 151.
Recurvirostra Linnaeus, Syst. Nat., ed. 10, 1758, 151; ed. 12, 1766, 256.—A.

- recurvirostrae Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 613; ed. 12, 1767, 1019.
 recurvirostris Vespa, C. de Geer, Mém. Ins. III. 1773, 579.
 recurvirostrum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3477.
 recurva Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 569.
 redambulo Musca, M. Harris, Exp. Eng. Ins. 1776, 141.
 redeo Musca, M. Harris, Exp. Eng. Ins. 1776, 140.
 redians Musca, M. Harris, Exp. Eng. Ins. 1776, 145.
 redii Aranea, Scopoli, Ent. Carn. 1763, 394. [francisci redi.
 redi Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1091.—Vipera
 rhedi Curculio, F. v. P. Schrank, Ins. Aust. 1781, 106.
 rhedi Fusaria, J. G. H. Zeder in Goeze, 1 Nachtr., Eingeweidewürm. 1800, 58.
 rhediella Tinea (Clerck), J. C. Fabricius, Syst. Ent. 1775, 665.—Phalaena.
 rhediella [Phalaena], C. Clerck, Icones, I. 1759, pl. xii, 12.
 [redimitus Araneus, C. Clerck, Aran. Svec. 1757, 59.]
 redimita Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 621; ed. 12, 1767, 1032.
 reditus Musca, M. Harris, Exp. Eng. Ins. 1776, 146.
 redivivum Chaos, Linnaeus, Syst. Nat., ed. 12, 1767, 1326.
 redunca Antilope, P. S. Pallas, Spic. Zool. I. 1767, 8.
 Reduvius J. C. Fabricius, Syst. Ent. 1775, 729.—Hem.
 reduvius Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 615; ed. 12, 1767, 1022.
 reduvius Ixodes (L.) P. A. Latreille, Mag. encyclop. III (13) 1795, 18.—Acarus.
 reflexus Acarus, J. C. Fabricius, Ent. Syst. IV. 1794, 426.
 reflexa Akis (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 128.—Pimelia.
 reflexa Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 449.
 reflexus Carabus, J. C. Fabricius, Spec. Ins. I. 1781, 302.
 reflexus Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 531.
 reflexus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 170.—Scarabaeus.
 reflexa Fusaria, J. G. H. Zeder in Goeze, 1 Nachtr., Eingeweidewürm. 1800, 33.
 reflexa Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 37.
 reflexa Pimelia, J. C. Fabricius, Syst. Ent. 1775, 252.
 reflexus Scarabaeus, J. C. Fabricius, Mant. I. 1787, 16. [Melolontha.
 reflexus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1563.—
 reflexa Serpula, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 4.
 reflexus Sirex, C. de Villers, Linn. Ent. III. 1789, 133.
 reflexus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 765; ed. 12, 1767, 1238.
 refulgens Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 250.
 Regalecus P. Ascanius, Icon. II. 1772, 5; O. F. Müller, Z. Dan. Prod. 1776, xx & 40.—P.
 regalis Apis, A. F. de Fourcroy, Ent. Paris. 1785, 449.
 regalis Aranea, G. W. F. Panzer, Ins. Germ. heft 40 [1797], tab. 21.
 regalis Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 436.
 regalis Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 187.
 regalis Cerambyx, P. Brown, Illust. Zool. 1776, 130.
 regalis Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 187.
 regalis Cimex, J. C. Fabricius, Syst. Ent. 1775, 697.
 regalis Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 616.
 regalis Falco, Bartram; B. S. Barton, N. H. Pennsylv., 1799, 11.
 regalis Lamia (Brown), J. C. Fabricius, Spec. Ins. I. 1781, 217.—Cerambyx.
 regalis Mutilla, J. C. Fabricius, Ent. Syst. II. 1793, 371.
 regalis [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 114.
 regalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 124.
 regalis Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 38.
 regalis Simia (Cercop.), R. Kerr, Anim. Kingd. 1792, 74.
 regelationis Phryganea, Scopoli, Ent. Carn. 1763, 269.
 regelationis Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 587; ed. 12, 1767, 973.
 regenerata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 203.
 regensteinensis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 46.
 regina Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 81.—Phalaena.
 regina Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3406.

- regina** Loxia, P. Boddaert, Tab. Planch. Enl. 1783, 24.
regina Parthenope, F. Weber, Nomen. Fabricii, 1795, 92 [*n. n.*].
regina Parthenope, J. C. Fabricius, Suppl. Ent. Syst. 1798, 353.
regina [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 142.
reginae Cenchrus, F. C. Meuschen, Mus. Gronov. 1778, 17.
reginae Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 219; ed. 12, 1766, 378.
reginae Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 30.
reginalis [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 163.
regia Anadema, F. C. Meuschen, Mus. Gever. 1787, 480.
regia Anas, G. I. Molina, Sag. stor. nat. Chili, 1782, 234.
regia Antilope, J. C. P. Erxleben, Syst. Anim. 1777, 278.
regia Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 408.
regius Blennius, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 186.
regia Chrysis, J. C. Fabricius, Ent. Syst. II. 1793, 243.
regius Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 66.
regius Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 103.
regius Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 617.
regius Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 38.
regius Cuculus, G. Shaw, Mus. Lever. I. 1792, 165.
regius Cyprinus, G. I. Molina, Sag. stor. nat. Chili, 1782, 225.
regia Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 313.
regia Melolontha, J. C. Fabricius, Mant. I. 1787, 22.
regia Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3331.
regia Paradisaea, Linnaeus, Syst. Nat., ed. 10, 1758, 110; ed. 12, 1766, 166.
regia Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 121.
regius Pleuronectes, J. P. Bonnaterre, Ency. Méth. (Ich.), 1788, 79. [Melolontha.
regius Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1560.—
regius Spondylus, Linnaeus, Syst. Nat., ed. 10, 1758, 690; ed. 12, 1767, 1136.
regius Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 445.
regius Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3572.
regia Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
regularis Ammonites, J. G. Bruguière, Ency. Méth. (Vers.) (1) 1789, 42.
regularis Astropecten, C. F. Schultze, Verst. Seest. 1760, 50.
regularis Cardium, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 227.
regularis Leptura, N. Poda, Ins. Mus. Graec. 1761, 38.
regularis Loxia, G. Shaw, Mus. Lever. II. 1796, 45.
regularis Pentagonaster, C. F. Schultze, Verst. Seest. 1760, 50.
regulator Ichneumon, A. G. Olivier, Ency. Méth. VII. (Ins.) 1792, 195.
regulata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 629.
regulbiensis Bulla, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 640.
Regulus Bartram in Barton, N. H. Pennsylv. 1799, 18; G. Cuvier, Leçons Comp. Anat. I.
regulus Falco, P. S. Pallas, Reise Russ. II. 1773, 707. [1800, tab. 2 [*n. n.*].—A.
regulus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 318.
regulus Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 188; ed. 12, 1766, 338.
regula Ostrea, P. Forskal, Descr. Anim. 1775, 124.
regulus [Papilio], C. Stoll, Aanh. Cramer's Uitl. Kapellen, V. 1790, 175.
regulus Parus (L.), J. C. Schaeffer, Mus. Orn. 1789, 40.—Motacilla.
regula Pinctada, J. F. Bolten, Mus. Bolten. (2) 1798, 168.
regulus Sylvia (L.), J. A. Scopoli, Annus I. 1769, 161.—Motacilla.
regulus Trochilodytes, M. Houttuyn in Nozeman & Houttuyn, Ned. Vogel. II (178-), 111.
rehusak Tetrao, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 204.
rejectella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 144.
rejecta Noctua, J. C. Fabricius, Syst. Ent. 1775, 601.
rejecta Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 264.
relictus Musca, M. Harris, Exp. Eng. Ins. 1776, 120.
relictus Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 236.
religiosus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 118.
religiosus Gryllus (Mantis), Linnaeus, Syst. Nat., ed. 10, 1758, 426.—[Mantis, ed. 12.]

- religiosa** Gracula, Linnaeus, Syst. Nat., ed. 10, 1758, 108; ed. 12, 1766, 164.
religiosa Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 690.—[Gryllus, ed. 10.]
reluctator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 563; ed. 12, 1767, 933.
remies Chama (L.), F. C. Meuschen, Mus. Gever. 1787, 452.—Tellina.
remies Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 676; ed. 12, 1767, 1119.
remigata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 46.
remigro Musca, M. Harris, Exp. Eng. Ins. 1776, 140.
remipes Regalecus, M. T. Brünnich, Nye Saml. K. Danske Skrifter, III. 1788, 414.
Remora J. R. Forster, Cat. Anim. N. Amer. 1771, 20; G. Edwards in Catesby, Carol. II.
remora Echineis, Linnaeus, Syst. Nat., ed. 10, 1758, 260; ed. 12, 1766, 446. [1771, 26.—P.
remora Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 88.
remulia [Papilio], P. Cramer, Utitl. Kapellen, III (20) 1779, 76.
remus Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 434.
remus Papilio, J. C. Fabricius, Gen. Ins. 1777, 250.
remus Papilio, C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 197.
remutaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 98 [*n. et f.*].
remutata Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 74.
remutata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 528; ed. 12, 1767, 872.
ren Kolpoda, O. F. Müller, Verm. I (1) 1773, 57.
renaldus [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, II. 1790, 59.
renales Ascaris, J. A. E. Goeze, Eingeweidewürm. 1782, 73.
renalis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3032.
renata Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 85.
renata [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 75.
renaudalis [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, I. 1787, 42.
reniformis Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 34.
reniformis Amphitrite, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 57.
reniformis Chama, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3301.
reniformis Chermes, A. F. de Fourcroy, Ent. Paris. 1785, 230.
reniformis Hister, A. G. Olivier, Entom. I. 1789, 10.
reniformis Medusa, A. Modeer, Nova Acta Acad. Caes. VIII., App., 1791, 33.
reniformis Pennatula, P. S. Pallas, Elench. 1766, 374.
reniforme Phalangium, Linnaeus, Syst. Nat., ed. 10, 1758, 619; ed. 12, 1767, 1029.
reniformis Tarantula (L.), J. C. Fabricius, Ent. Syst. II. 1793, 432.—Phalangium.
reniformis Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2760.
renipustulata Coccinella, L. G. Scriba, Beitr. Ins. II. 1791, 105.
renitens Mytilus, F. C. Meuschen; Mus. Gever. 1787, 466.
renke Salmo, F. v. P. Schrank, Schrift. Berlin. Ges. Nat. Freunde, IV. 1783, 427.
renselariana [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 114.
repandalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 236.
repandalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 120.
repandana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 478.
repantaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 161 [*n. et f.*].
repandaria Phalaena, Huftnagel, Berl. Mag. IV. 1767, 508.
repandator Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 277. [1787, 214.
repandata Phalaena, *err. pro* repandalis, Den. & Schiff., J. C. Fabricius, Mant. II.
repandata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 524; ed. 12, 1767, 866.
repanda Bembex, J. C. Fabricius, Mant. I. 1787, 286.
repanda Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 462.
repanda Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 436; ed. 12, 1767, 707.
repanda Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 18.
repandus Crabro, J. C. Fabricius, Mant. I. 1787, 294.
repandus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 456.
repandus Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 59.
repandus Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 89.
repanda Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3666.
repanda Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 162.
repandus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 35.

- repanda** Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 49.
repanda Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3707.
repanda Tettigonia (L.), J. C. Fabricius, Spec. Ins. II. 1781, 321.—Cicada.
repanda Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2761.—Crabro.
repantaria *v.* **repandaria**.
repens Musca, M. Harris, Exp. Eng. Ins. 1776, 37.
repens Sertularia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 52.
repens Tubipora, Linnaeus, Syst. Nat., ed. 10, 1758, 790.
repens Tubularia (Linn.), O. F. Müller, Verm. I (2) 1774, 16.—Tubipora.
replicatum Cardium, L. Spengler, Skr. nat. Selsk. [Copen.], V (1) 1799, 52.
replicata Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 587; ed. 12, 1767, 973.
replicatus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 766; ed. 12, 1767, 1239.
reppensis Cistela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 65.
reppensis Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 48.
reppensis Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 111. [1716.—Coccinella.
reppensis Cryptocephalus (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
reptans Cellaria (L.), J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 23.—Sertularia.
reptans Cellularia (Linn.), P. S. Pallas, Elench. 1766, 73.—Sertularia.
reptans Culex, Linnaeus, Syst. Nat., ed. 10, 1758, 603; ed. 12, 1767, 1003.
reptans Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 815; ed. 12, 1767, 1315.
reptans Tubularia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3835.
reptilivorus Secretarius, F. M. Daudin, Traité élém. Orn. 1800, 30.
reseda Gorgonia, P. S. Pallas, Elench. 1766, 204.
resedae Lygaeus, G. W. F. Panzer, Ins. Germ. heft 40 [1797], tab. 20.
resedaeformis Gorgonia, J. E. Gunnerus, Trondhiemske Selsk. Skrift. II. 1763, 329.
resedaeformis Gorgonia (*ex* Gunnerus), H. Ström, Skrifter K. Vid. Selskab, XII. 1779,
residuus Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 53. [301.
resinana Phalaena Tortrix, N. J. Brahm, Ins. Kal. II (1) 1791, 69.
resinana Pyralis *id. ac* resinella Phalaena, L., J. C. Fabricius, Syst. Ent. 1775, 654.
resinana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 29 [*u et f.*].
resinella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 539; ed. 12, 1767, 892.
resinellae Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 565; ed. 12, 1767, 936.
resinellae Musca, F. v. P. Schrank, Ins. Aust. 1781, 478.
resinosus Curculio, Scopoli, Ent. Carn. 1763, 24.
resinosus Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 67.
resistrix [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (31) 1781, 161.
respectabilis Phalaena Noct. (*ex* Goetze), Panzer in Drury, Exot. Ins. 1785, 90. [*et f.*].
respersaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 125 [*u.*].
respersaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 221.
respersa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 314.
restaurator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 165.
restaurator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 333.
restituto Musca, M. Harris, Exp. Eng. Ins. 1776, 36.
resupinata Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 213.
retepora Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 166.
retepora Millepora, P. S. Pallas, Elench. 1766, 243.
retialis Phalaena, Scopoli, Ent. Carn. 1763, 217.
reticulana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 479.
reticularis Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 702; ed. 12, 1767, 1152.
reticularis Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 363; ed. 12, 1767, 576.
reticularis Gymnothorax, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 85.
reticularis Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 749; ed. 12, 1767, 1218.
reticularis Phalaena (Pyr.), Linnaeus, Faun. Suec., ed. 2, 1761, 352.
reticularis Rana, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
reticularis Tritonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 128.—Murex.
reticulator Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1831.—
reticulator Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 219. [Lamia.
reticulatus Acarus, J. C. Fabricius, Ent. Syst. IV. 1794, 428.

- reticulata Acheta, J. C. Fabricius, Spec. Ins. I. 1781, 354.
- reticulatum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 216.—Gryllus.
- reticulata Amphisbaena, J. A. Donndorff, Zool. Beyt. III. 1798, 221.
- reticulata Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 228; ed. 12, 1766, 391.
- reticulatum Anobium, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 70.
- reticulatum Anobium, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 7.
- reticulata Antipathes, E. J. C. Esper, Pflanzentb., Forts. I (7) 1797, 183.
- reticulata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 619; ed. 12, 1767, 1030.
- reticulata Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3311.
- reticulatus Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 465.
- reticulata Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 661; ed. 12, 1767, 1099.
- reticulata Blatta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 186.
- reticulatus Bolitophagus (L.). Illiger in Kugelann, Käfer Preuss. 1798, 105.—Silpha.
- reticulatum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 740; ed. 12, 1767, 1204.
- reticulata Buprestis, J. C. Fabricius, Ent. Syst. IV. 1794, 451.
- reticulata Cancarella (L.). Lamarck, Mém. Soc. H. N. Paris, 1799, 71.—Voluta.
- reticulatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 65.
- reticulatus Carabus, J. C. Fabricius, Mant. I. 1787, 197.
- reticulatum Cardium (L.), F. C. Meuschen, Mus. Gever. 1787, 444.—Venus.
- reticulata Cassida, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 87.
- reticulatus Cerambyx, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 152.
- reticulata Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 57.
- reticulata Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 436; ed. 12, 1767, 707.
- reticulata Cicada, C. P. Thunberg, Nova Acta Acad. Upsal. IV. 1784, 21.
- reticulata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
- reticulata Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 44.
- reticulatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 42.
- reticulata Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 56.
- reticulata Coluber, B. G. E. de Lacepède, Quad. Ovip. II. 1789, 82.
- reticulatus Conus, I. v. Born, Index Mus. Caes. Vind. 1778, 139.
- reticulatus Conus, F. C. Meuschen, Mus. Gever. 1787, 366.
- reticulata Corallina, P. L. S. Müller, Del. Nat. I. 1766, 128.
- reticulatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1772.
- reticulatus Cryptocephalus, J. C. Fabricius, Mant. I. 1787, 84.
- reticulatus Cuneus, E. M. da Costa, Brit. Conch. 1778, 202.
- reticulatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 138.
- reticulatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1772.
- reticulata Cypraea, T. Martyn, Univ. Conch. I [1784 *non* 1769], fig. 15.
- reticulata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3420.
- reticulatus Diodon, Linnaeus, Syst. Nat., ed. 10, 1758, 334; ed. 12, 1766, 413; *var.* of [atinga.
- reticulata Distorsio, J. F. Bolten, Mus. Bolten. (2) 1798, 133.
- reticulatus Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 200.
- reticulatus Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 207.
- reticulatus Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 666; ed. 12, 1767, 1104.
- reticulata Ephemera, A. F. de Fourcroy, Ent. Paris. 1785, 351.
- reticulata Ephemera, Giorna, Cal. Ent. 1791, 44.
- reticulatus Erotylus, J. C. Fabricius, Mant. I. 1787, 91.
- reticularis Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 574.
- reticulatum Gafrarium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 177.—Venus.
- reticulata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 114.
- reticulata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 12. [*et f.*]
- reticulata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 308 [*n.*]
- reticulatus Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2060.—
- reticulatus Gryllus, J. C. Fabricius, Spec. Ins. I. 1781, 362. [Acheta.
- reticulatus Gryllus (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 635.—Acheta.
- reticulata Helix, E. Jacob in G. Adams, Ess. Micr. ed. 2, 1798, 636.
- reticulatum Hexodon, A. G. Olivier, Entom. I. 1789, 4.
- reticulatus Labrus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 266.

- reticulata* Lampyris, X. Wulfen, Descr. Cap. Ins. 1786, xx.
reticulata Lampyris (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1885.—
reticulata Leptura, J. C. Fabricius, Ent. Syst. IV. 1794, 453. [Pyrochroa.
reticulatus Limax, O. F. Müller, Verm. II. 1774, 10.
reticulata Locusta, J. C. Fabricius, Ent. Syst. II. 1793, 40.
reticulatus Lycus (Fab.), A. G. Olivier, Entom. II. 1790, 7.—Pyrochroa. [1776, 54.
reticulata Millepora (no. 11), *id. ac reticulum*, L., J. F. Maratti, Plant. Zooph. Med.
reticulata Millepora, Linnaeus, Syst. Nat., ed. 10, 1758, 791; ed. 12, 1767, 1284.
reticulatus Murex, R. Pulteney, Cat. Birds &c. Dorset, 1799, 43.
reticulata Musca, J. C. Fabricius, Spec. Ins. II. 1781, 450.
reticulata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 472.
reticulata Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116 [*n. n.*].
reticulata Nerita, F. C. Meuschen, Mus. Gever. 1787, 272.
reticulata Nerita, F. C. Meuschen, Mus. Gever. 1787, 274.
reticulata Nerita, D. L. G. Karsten, Mus. Lesk. I. 1789, 296.
reticulata Noctua (*ex De G.*), C. C. Jung, Alph. Verz. Schmett. II. 1792, 165.
reticulata Nucella, J. F. Bolten, Mus. Bolten. (2) 1798, 130.
reticulatum Opatrum (L.), A. G. Olivier, Entom. III. 1795, 9.—Silpha.
reticulatum Opatrum, J. C. Fabricius, Suppl. Ent. Syst. 1798, 40.
reticulata Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 784; ed. 12, 1767, 1261.
reticulata Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 5.
reticulata Patella, E. Donovan, Brit. Shells (1800), pl. xxi.
reticulata Perca, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 354.
reticulata Phalaena Noct., C. de Villers, Linn. Ent. II. 1789, 254.
reticulata Phalaena (Tortrix), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 86.
reticulatum Phalangium, F. H. W. Martini & J. A. E. Goetze in Lister, Spinnen, 1778, 220.
reticulata Phryganea, Linnaeus, Faun. Suec., ed. 2, 1761, 378.
reticulata Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2009.—
reticulata Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 59. [Sepidium.
reticulata Porphyria (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 33.—Voluta.
reticulata Pyrochroa, J. C. Fabricius, Syst. Ent. 1775, 203.
reticulatum Sepidium, J. C. Fabricius, Spec. Ins. I. 1781, 315.
reticulata Silpha, Linnaeus, Syst. Nat., ed. 12, 1767, 572.
reticulata Silpha, J. C. Fabricius, Mant. I. 1787, 49.
reticulatus Siphunculus, M. Martin, Obs. mar. Verm. 1786, 6.
reticulata Spongia, G. Vio in G. Olivi, Zool. Adriat. 1792, xxvi.
reticulatus Strombiformis, E. M. da Costa, Brit. Conch. 1778, 117.
reticulatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99.
reticulata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3240.
reticulatus Tenebrio, C. de Geer, Mém. Ins. VII. 1778, 651.
reticulata Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 558; ed. 12, 1767, 927.
reticularis Terebratula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 99 [*n. n.*].
reticulata Tettigonia (L.), J. C. Fabricius, Syst. Ent. 1775, 681.—Cicada.
reticulata Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 512.
reticulatus Turbo, D. Solander in G. Brander, Foss. Hant. 1766, 17.
reticulatus Turbo, G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 115.
reticulatus Turbo, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 66.
reticulata Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 687; ed. 12, 1767, 1133.
reticulata Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1190.
reticulata Voluta, T. Martyn, Univ. Conch. IV [1792], fig. 126.
reticulella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 62.
reticulum Cylinderus, F. C. Meuschen, Mus. Gever. 1787, 374.
reticulum Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3407.
reticulum Gorgonia, P. S. Pallas, Elench. 1766, 167.
reticulum Millepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1284.
retiformis Cassida, J. C. Fabricius, Mant. II. 1787, 380.
retinaculum Brentus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 53.
retinum Spongia, J. F. Maratti, Plant. Zooph. Med. 1776, 15.

- retis *Cylindrus*, F. C. Meuschen, *Mus. Gever.* 1787, 374.
- Retorta G. Walker & W. Boys, *Test. Min. Rar.* [1784], 3.—Rh.
- retorta Ph[alæna], C. Clerck, *Icones*, II. 1764, pl. liv.
- retorta [Phalæna] [*? non* Clerck], P. Cramer, *Util. Kapellen*, II (10) 1777, 29.
- retorta *Serpula*, E. Jacob in G. Adams, *Ess. Micr.*, ed. 2, 1798, 634.
- retortæformis *Strongylus*, J. G. H. Zeder in Goetze, 1 *Nachtr.*, *Eingeweidewürm.* 1800, 75.
- retrograda *Enchelis*, O. F. Müller, *Z. Dan. Prod.* 1776, 280.
- retusana *Tortrix*, C. P. Thunberg, *Ins. Suecica* (1) 1784, 23.
- retusa *Anomia*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 701; ed. 12, 1767, 1151.
- retusa *Apis*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 575; ed. 12, 1767, 954.
- retusus *Bostrichus*, A. G. Olivier, *Ency. Méth. V* (Ins.) 1790, 110.
- retusus *Brachycerus* (Fab.), A. G. Olivier, *Ency. Méth. V* (Ins.) 1790, 186.—*Curculio*.
- retusus *Carabus*, J. C. Fabricius, *Syst. Ent.* 1775, 237.
- retusum *Cardium*, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 1121.
- retusa *Cassida*, A. A. H. Lichtenstein, *Cat. rerum Nat. III.* 1796, 64.
- retusa *Cassida*, Herbst in Jablonsky, *Nat. Ins. (Käfer) VIII.* 1799, 292.
- retusa *Cicada*, J. C. Fabricius, *Mant. II.* 1787, 268.
- retusa *Clio*, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 1094.
- retusa *Crioceris*, J. C. Fabricius, *Ent. Syst. I* (2) 1792, 6.
- retusus *Curculio*, J. C. Fabricius, *Spec. Ins. I.* 1781, 195.
- retusa *Flata*, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 518.—*Cicada*, 1787.
- retusus *Geotrupes*, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 21.—*Scarabæus*, 1781.
- retusa *Lema*, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 90.—*Crioceris*, 1792.
- retusa *Musca*, J. C. Fabricius, *Syst. Ent.* 1775, 775.
- retusa *Ostrea*, O. F. Müller, *Z. Dan. Prod.* 1776, 247.
- retusa *Phalæna* (*Noctua*), Linnaeus, *Faun. Suec.*, ed. 2, 1761, 321.
- retusus *Scarabæus*, J. C. Fabricius, *Spec. Ins. I.* 1781, 14.
- retusus *Scolytus*, A. G. Olivier, *Entom. IV.* 1795, 10.
- retusa *Terebratula* (L.), A. J. Retzius, *Diss. Nova Test. Gen.* 1788, 14.—*Anomia*.
- revayana *Phalæna*, J. A. Scopoli, *Annus V.* 1772, 116.
- revayana *Tortrix*, [Denis & Schiffermüller], *Schmett. Wien.* 1775, 130.
- reversio *Musca*, M. Harris, *Exp. Eng. Ins.* 1776, 146.
- reversa *Antilope*, P. S. Pallas, *Misc. Zool.* 1766, 5.
- reversa *Capra*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 69; ed. 12, 1766, 95.
- reversus *Hircus* (Linn.), P. Boddaert, *Elench.* 1785, 147.—*Capra*.
- revertio *Musca*, M. Harris, *Exp. Eng. Ins.* 1776, 140.
- revestita *Leptura*, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 638.
- revidata *Phalæna*, J. C. Fabricius, *Mant. II.* 1787, 215.
- reviso *Musca*, M. Harris, *Exp. Eng. Ins.* 1776, 141.
- revo *Sphex*, M. Harris, *Exp. Eng. Ins.* 1776, 95.
- revolo *Musca*, M. Harris, *Exp. Eng. Ins.* 1776, 124.
- revoluta *Patella*, J. F. Gmelin in Linn. *Syst. Nat.*, ed. 13, I. 1790, 3725.
- rex *Musca*, N. Poda, *Ins. Mus. Graec.* 1761, 114.
- rex *Muscicapa*, B. S. Barton, *N. H. Pennsyl.* 1799, 18.
- rex [Papilio], C. C. Jung, *Alph. Verz. Schmett. II.* 1792, 166 [*errone*].
- rex *Paradisæa*, J. A. Scopoli, *Del. Insub. II.* 1786, 88.
- rex *Phalæna*, A. A. H. Lichtenstein, *Cat. rerum Nat. III.* 1796, 173.
- rex *Turdus*, J. F. Gmelin in Linn. *Syst. Nat.*, ed. 13, I. 1788, 828.
- rex-cyprinorum [Cyprinus], M. E. Bloch, *Nat. Fische Deutschl. III.* 1784, 131.
- rex-serpentum *Constrictor*, J. N. Laurenti, *Syn. Rept.* 1768, 107.
- rhaad *Otis*, J. F. Gmelin in Linn. *Syst. Nat.*, ed. 13, I. 1788, 725.
- radamanthus *Papilio*, J. C. Fabricius, *Ent. Syst. III* (1) 1793, 42.
- radamanthus *Sphinx*, J. Hübner, *Beitr. Schmett. II.* 1790, 89.
- radamanthus *Sphinx*, J. Hübner, *Europ. Schmett. 2 Horde* [me judice 1796], 13.
- radamistus *Copris* (Fab.), A. G. Olivier, *Ency. Méth. V* (Ins.) 1790, 160.—*Scarabæus*.
- radamistus *Scarabæus*, J. C. Fabricius, *Syst. Ent.* 1775, 22.
- radamistus *Sphinx*, J. C. Fabricius, *Mant. II.* 1787, 93. [Dip.]
- Rhagio J. C. Fabricius, *Syst. Ent.* 1775, 761; J. G. Meigen, *N. Class. Mouches*, 1800, 28.—
- ~~Rhadamanthus~~ *Esper Pic Schmett. no. 1-2 (1789)*

- Rhagium** J. C. Fabricius, Syst. Ent. 1775, 182.—Col.
rhamnata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 109.
rhamnata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 271 [n.
rhamni Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 78. [et f.]
rhamni Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 470; ed. 12, 1767, 765.
rhamnus Spondylus, F. C. Meuschen, Mus. Gever. 1787, 436.
rhanis [Phalaena], P. Cramer, Uitl. Kapellen, II (10) 1777, 34.
rhanisaria [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 152.
Rhea Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 4 & 43.—A.
Rhea M. J. Brisson, Ornith. V. 1760, 8.—A.
Rhea J. Latham, Index Orn. 1790, 665.—A.
Rhea B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 20.—A.
rhea Papilio (Danaus), N. Poda, Ins. Mus. Graec. 1761, 66.
rhea [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 85.
rhea Papilio, J. C. Fabricius, Syst. Ent. 1775, 467.
rhea Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 425.
rhea Struthio, Linnaeus, Syst. Nat., ed. 12, 1766, 266.
rhebus [Sphinx], P. Cramer, Uitl. Kapellen, III (20) 1779, 72.
Rheda [G. Humphreys], Mus. Calonn. 1797, 41.—G.
rhedii v. *redii* [i].
rhediiella v. *rediiella*.
rhei Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 78.
rhenana Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3622.
rhenana Tortrix, C. P. Thunberg, Ins. Suecica (2) 1791, 43.
rhesus Simia, J. B. Audebert, Hist. Nat. Singes, 1799, sig. I.
rhetenor [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 22.
rhetus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 33+.
rhetus [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 98.
rhetus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 133.
rhexia Papilio, J. C. Fabricius, Syst. Ent. 1775, 476.
rhexiae Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 199.
Rhina (ex Klein), J. J. Walbaum, Artedi, Ichth. (3) ed. 2, 1792, 580.—P.
rhinantoides Ostrea, J. F. Bolten, Mus. Bolten. (2) 1798, 169.
rhinaris Taenia, F. A. A. Meyer, Nat. Haushier. 1792, 261.
Rhynchops id. ac Rhynchops, Cuvier, Tabl. élém. 1798, 270.—A.
rhingaeformis Sphinx, J. Hübner, Beitr. Schmett. II. 1790, 89.
Rhingia Scopoli, Ent. Carn. 1763, 358.—Dip.
rhingiaeformis Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 22.
Rhinobatos H. F. Linck, Mag. Neuste Phys. u. Nat. VI (3) 1790, 32.—P.
Rhinobatus (ex Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 581.—P.
rhinobatos Raja, Linnaeus, Syst. Nat., ed. 10, 1758, 232; ed. 12, 1766, 397.
Rhinoceros Linnaeus, Syst. Nat., ed. 10, 1758, 56; ed. 12, 1766, 104.—M.
Rhinoceros F. C. Meuschen, Mus. Gever. 1787, 262.—G.
rhinoceros Buceros, Linnaeus, Syst. Nat., ed. 10, 1758, 104; ed. 12, 1766, 153.
rhinoceros Cymatium, J. F. Bolten, Mus. Bolten. (2) 1798, 129.
rhinoceros Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 17.—Scarabaeus.
rhinoceros Lucanus, A. G. Olivier, Entom. I. 1789, 21.
rhinoceros Notoxus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 66.
rhinoceros Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 346; ed. 12, 1767, 544.
rhinoceros Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3458.
rhinocerotis Acarus, C. de Geer, Mém. Ins. VII. 1778, 160.
Rhinocyllus. [Said to occur in Gerbi, Stor. Nat. Insetti, ed. 2, 1795, by Carus and Engelmann,
 Bibl. Zool. 1861, p. 782, but this is an error: the word is used by Germar, 1817.]—Col.
 “*Rhinolophus*, Cuv. 1797,” Ag.; does not occur.
Rhinolophus B. G. E. de Lacépède, Tabl. Mamm. 1799, 15.—M.
Rhinolophus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [n. n.].—M.
Rhinomacer E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 269.—Col.
Rhinomacer J. C. Fabricius, Spec. Ins. I. 1781, 199.—Col.

- rhinomacer** Anthribus, G. Paykull, Faun. Suec. III. 1800, 166.—Curculio, 1792.
- rhinomacer** Curculio, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I, 1791, 115.
- rhinomacer** Curculio, G. Paykull, Mon. Curc. 1792, 126.
- rhipeus** Papilio, D. Drury, Ill. Nat. Hist. II. 1773, index & 40.
- rhipeus** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 193.
- [**Rhipiphorus** *v.* **Ripiphorus**.]
[rhizo-]—
- rizolitha** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 75.
- rhizolitha** Phalaena Noctua (D. & S.), E. J. C. Esper, Die Schmett. IV (44) 1791, 317.—
- Ryzophagus** Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 18.—Col. [Noctua.]
- ryssostomus** (*sic*) Staphylinus, F. v. P. Schrank, Samml. Nat. Phys. Aufsatz. 1796, 119.
- rhodia** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3644.
- rhodia** Pomatia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 74.—Helix.
- rhododactyla** Alucita, [Denis & Schiffermüller], Schmett. Wien, 1775, 146.
- rhododactylus** Pterophorus (D. & S.), J. C. Fabricius, Mant. II. 1787, 258.—Alucita.
- Rhodogyne** J. G. Meigen, N. Class. Mouches, 1800, 39.—Dip.
- rhodope** Papilio, J. C. Fabricius, Syst. Ent. 1775, 473.
- rhodope** [Phalaena], P. Cramer, Utitl. Kapellen, I (3) 1775, 49.
- rhodope** Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 30.
- rhoi** Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 21.
- rhois** Chrysomela, *id. ac rhoi*, Forst., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1689.
- rhombana** Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 128.
- Rhombea** S. Felton, Phil. Trans. LIV. 1764, 55.—Orth.
- rhombeatus** Acarus, G. Shaw, Nat. Misc. IX. 1798, pl. 335.
- rhombeatus** Cerastes (Linn.), J. N. Laurenti, Syn. Rept. 1768, 82.—Coluber.
- rhombeatus** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 220; ed. 12, 1766, 380.
- rhombella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
- rhombella** Phalaena (Tinea), C. de Villers, Linn. Ent. II. 1789, 523.
- rhombeo-maculata** Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 53.
- rhombea** Acanthia (L.), J. C. Fabricius, Syst. Ent. 1775, 696.—Cimex.
- rhombea** Arca, I. v. Born, Index Mus. Caes. Vind. 1778, 76.
- rhombea** Arca, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 146.
- rhombea** Arca, J. F. Bolten, Mus. Bolten. (2) 1798, 174.—**rhomboidea**, Gm.
- rhombeus** Centrogaster (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1338.—
- rhombea** Cicada, Linnaeus, Syst. Nat., ed. 12, 1767, 704. [Scomber.]
- rhombeus** Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 718.
- rhombeus** Coreus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 132.—Cimex.
- rhombeus** Elater, A. G. Olivier, Entom. II. 1790, 22.
- rhombeus** Falco, J. Latham, Index Orn. 1790, 35.
- rhombea** Membracis (L.), J. C. Fabricius, Syst. Ent. 1775, 675.—Cicada.
- rhombea** Ocyopode, F. Weber, Nomen. Fabricii, 1795, 92 [*n. n.*].
- rhombea** Ocyopode, J. C. Fabricius, Suppl. Ent. Syst. 1798, 348.
- rhombeus** Salmo, Linnaeus, Syst. Nat., ed. 12, 1766, 514.
- rhombeus** Scomber, P. Forskal, Descr. Anim. 1775, 58.
- rhombeus** Scomber, G. S. Volta, Itt. Veron. (2) [circa 1800], lxxxiv.
- rhombi** Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3036.
- rhombica** Cicada, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 98.
- rhombica** Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 548; ed. 12, 1767, 909.
- rhombica** Spheg, J. L. Christ, Nat. Ins. 1791, 269.
- rhombifer** Callidium, A. G. Olivier, Entom. IV. 1795, 46.
- rhombiferum** Pyrene, J. F. Bolten, Mus. Bolten. (2) 1798, 134.
- Rhomboida** P. Browne, Hist. Jamaica, ed. 2, 1789, 455.—P.
- rhomboidalis** Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 231.
- rhomboidalis** Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 293.
- rhomboidaria** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 101. [*et f.*]
- rhomboidaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 154 [*n.*]
- rhomboidella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 538; ed. 12, 1767, 891.
- rhomboidella** Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 663.—Phalaena.

- rhomboides Alpheus (L.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
 rhomboides Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 626; ed. 12, 1767, 1042.
 rhomboides Chaetodon, M. E. Bloch, Nat. austr. Fische, III. 1787, 100.
 rhomboides Hypogacoderma, J. X. Poli, Test. Sicil. II. 1795, 251 & 257.—= Donax of
 rhomboides Sparus, Linnaeus, Syst. Nat., ed. 12, 1766, 470. [p. 82.
 rhomboides Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3237.
 rhomboidea Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3313.
 rhomboideus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2084.
 rhomboidea Noctua (ex Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 168.
 rhomboidea Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. [1797-1799], 485.
 Rhombotides (ex Klein), J. J. Walbaum, Artdi, Ichth. (3) ed. 2, 1792, 582.—P.
 Rhombus [G. Humphreys], Mus. Calonn. 1797, 33.—G.
 Rhombus (ex Klein), J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 582.—P.
 Rhombus B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 321.—P.
 rhombus Cancer, F. C. Meuschen, Mus. Gronov. 1778, 84.
 rhombus Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 271; ed. 12, 1766, 458.
 rhombus Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 102.
 Rhynchaenus J. R. Schellenberg, Helvet. Entom. I. 1798, 70.—Col.
 Rynchites Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 133.—Col.
 rhynchoceros Curculio, P. S. Pallas, Icon. Ins. 1781, 23.
 Rynchophorus Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 3.—Col.
 Rynchops Linnaeus, Syst. Nat., ed. 10, 1758, 138; ed. 12, 1766, 228.—A.
 Rynchops Linnaeus, Syst. Nat. (ed. Langius), I. 1760, 138.—A.
 Rynchops *id. ac* Rhynchops, J. A. Scopoli, Introd. Hist. Nat. 1777, 473.—A.
 rynchops Hydrus, J. G. Schneider, Hist. Amph. I. 1799, 246.
 [Rynchopsalia (1846) *v.* Rygchopsalia.]
 Rhynchopterus F. v. P. Schrank, F. Boica, I. 1798, 511.—Col.
 Rhyndace Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 1 & 20.—A.
 rhyssostomus *v.* rhizostomus.
 Rhytelminthus J. G. H. Zeder in Goeze, 1 Nachtr., Eingeweidewürm. 1800, 211.—Ver.
 ribearia Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 326.
 ribesii Curculio, N. J. Brahm, Ins. Kal. I (1) 1790, 98.
 ribesii Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 593; ed. 12, 1767, 987.
 ribesii Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 770.—Musca.
 ribesii Tenthredo, Scopoli, Ent. Carn. 1763, 280.
 ribis Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 451; ed. 12, 1767, 733.
 ribis Coccinella, L. G. Scriba, Beitr. Ins. II. 1791, 104.
 ribis Curculio, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 58.
 ribis Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 332.
 ricini Bombyx, J. C. Fabricius, Syst. Ent. 1775, 583.
 ricini Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 10, 1758, 466; ed. 12, 1767, 756.
 ricini Phalaena, J. G. Schaller, Naturforscher, XXIII. 1788, 51.
 ricinoides Acarus, *id. ac* ricinus, L., C. de Geer, Mém. Ins. VII. 1778, 98.
 ricinoides Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 611; ed. 12, 1767, 1017.
 Ricinus C. de Geer, Mém. Ins. VII. 1778, 69.—Ar.
 ricinus Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 615; ed. 12, 1767, 1023.
 ricinus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 750; ed. 12, 1767, 1219.
 ricinus Muriciformis (L.), F. C. Meuschen, Mus. Gever. 1787, 320.—Murex.
 "Rictularia, Froelich, 1795," Ag.; is 1802.
 ridens Noctua, J. C. Fabricius, Mant. II. 1787, 180.
 ridens Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
 ridibunda Bufo (Pall.), J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 15.—Rana.
 ridibundus Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 414.
 ridibundus Larus, Linnaeus, Syst. Nat., ed. 12, 1766, 225.
 ridibunda Rana, P. S. Pallas, Reise Russ. I. 1771, 458.
 riga Larus, *err. pro* rissa, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 594.
 rigata Chama, F. C. Meuschen, Mus. Gever. 1787, 454.
 rigidum Buccinum, D. Solander in G. Brander, Foss. Hant. 1766, 23.

- rigida** *Sertularia*, P. Forskal, *Descr. Anim.* 1775, 130.
rigida *Spongia*, E. J. C. Esper, *Pflanzenth.* II (12) 1799, 247.
rigida *Tellina*, Pulteney, *Cat. Birds &c. Dorset*, 1799, 30.
rim *Scomber*, P. Forskal, *Descr. Anim.* 1775, 54.
rimicola *Bombyx*, [Denis & Schiffermüller], *Schmett. Wien*, 1775, 57.
rimosus *Murex*, D. Solander in G. Brander, *Foss. Hant.* 1766, 18.
rimula *Cardium*, F. C. Meuschen, *Mus. Gever.* 1787, 440.
riwaldus *Papilio*, Herbst in Jablonsky, *Nat. Ins.* (Schmett.) X. 1800, 108.
ringens *Angarius* (L.), F. C. Meuschen, *Mus. Gever.* 1787, 258.—*Helix*.
ringens *Balistes*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 329; ed. 12, 1766, 407.
ringens *Cardium*, J. G. Bruguière, *Ency. Méth. (Vers)* (1) 1789, 225.
ringens *Cardium*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3254.
ringens *Corallina*, P. S. Pallas, *Elench.* 1766, 429.
ringens *Helix*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 769; ed. 12, 1767, 1243.
ringens *Lampadion* (Gm.), J. F. Bolten, *Mus. Bolten.* (2) 1798, 78.—*Helix*.
ringens *Sabella*, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 1268.
ringens *Serpula*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 788.—[*Sabella*, ed. 12.]
ringens *Vorticella*, O. F. Müller, *Verm.* I (1) 1773, 116.
ringvia *Uria*, M. T. Brünnich, *Orn. Boreal.* 1764, 28.
Rinotectus A. Modeer, *K. Vet. Ac. Nya Handl.* XIV. 1793, 23.—*Ver.*
Riparia F. C. Meuschen, *Mus. Gever.* 1787, 468.—L.
riparia *Andrena* (Scop.), A. G. Olivier, *Ency. Méth.* IV (Ins.) 1789, 139.—*Apis*.
riparia *Apis*, Scopoli, *Ent. Carn.* 1763, 301.
riparia *Aranea*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 620; ed. 12, 1767, 1031.
riparius *Buprestis*, A. F. de Fourcroy, *Ent. Paris.* 1785, 50.
riparius *Carabus*, [D. H. Schneider], *Nom. Ent.* 1785, 22 [*n. n.*].
riparius *Carabus*, G. Paykull, *Mon. Carab.* 1790, 91.
riparia *Chrysomela* (Scop.), J. C. Fuessly, *Schweitz. Ins.* 1775, 8.—*Coccinella*.
riparia *Cicindela*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 407; ed. 12, 1767, 658.
riparius *Cimex*, Scopoli, *Ent. Carn.* 1763, 135.
riparia *Coccinella*, Scopoli, *Ent. Carn.* 1763, 72.
riparius *Elaphrus* (L.), J. C. Fabricius, *Syst. Ent.* 1775, 227.—*Cicindela*.
riparius *Elater*, J. C. Fabricius, *Ent. Syst.* I (2) 1792, 232.
riparia *Forficula*, P. S. Pallas, *Reise Russ.* II. 1773, 727.
riparia *Hirundo*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 192; ed. 12, 1766, 344.
riparia *Hydraena*, J. G. Kugelann, *N. Mag. Lieb. Ent.* [Schneider's], V. 1794, 579.
riparia *Nomada*, J. A. Scopoli, *Annus IV.* 1770, 45.—*Apis*, 1763.
riparius *Paederus* (L.), J. C. Fabricius, *Syst. Ent.* 1775, 268.—*Staphylinus*.
riparius *Staphylinus*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 422; ed. 12, 1767, 684.
riparia *Tipula*, O. F. Müller, *F. Ins. Frid.* 1764, 79.
riphea [*Phalaena*], C. Stoll in Cramer, *Utitl. Kapellen*, IV (33) 1782, 220.
Ripiphorus Bosc, *La Médecine éclairée* (Fourcroy's), I. 1791, 327.—*Col.*
Ripiphorus L. Bosc, *J. Nat. Hist. (Choix des Mém.)* II. 1792, 293.—*Col.*
risoria *Columba*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 165; ed. 12, 1766, 285.
rissa *Larus*, E. Pontoppidan, *Danske Atlas*, I. 1763, 622.
rissa *Larus*, M. T. Brünnich, *Orn. Boreal.* 1764, 42.
ritteri *Aranea*, Scopoli, *Ent. Carn.* 1763, 402.
rivagana *Pyralis* (D. & S.), J. C. Fabricius, *Mant.* II. 1787, 233.—*Phalaena*.
rivagana *Tortrix* (D. & S.), C. de Villers, *Linn. Ent.* IV. 1789, 527.—*Phalaena*.
rivalis *Lumbricus*, O. Fabricius, *F. Groen.* 1780, 278.
rivalis *Salmo*, O. Fabricius, *F. Groen.* 1780, 176.
rivalis *Tellina*, O. F. Müller, *Verm.* II. 1774, 202.
rivalis *Tellina*, W. G. Maton, *Tr. Linn. Soc. [Lond.]* III. 1797, 44.
rivellana *Phalaena* (Tort.) (Fab.), C. de Villers, *Linn. Ent.* II. 1789, 413.—*Pyralis*.
rivellana *Pyralis*, J. C. Fabricius, *Syst. Ent.* 1775, 654.
rivosa *Coccinella*, C. P. Thunberg, *Nov. Ins. Spec.* (1) 1781, 22.
rivosa *Phalaena* (Noctua), H. Ström, *Nye Saml. K. Danske Skrifter*, II. 1783, 77.
rivosa *Tipula*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 585; ed. 12, 1767, 971.

- rivulana* Phalaena, Scopoli, Ent. Carn. 1763, 237.
rivularis Coccinella, J. C. Fabricius, Mant. I. 1787, 54.
rivularis Cyprinus (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1420.—Salmo.
rivularis Noctua, J. C. Fabricius, Syst. Ent. 1775, 613.
rivularis Papilio, Scopoli, Ent. Carn. 1763, 165.
rivularis Salmo, P. S. Pallas, Reise Russ. II. 1773, 717.
rivularis Staphylinus, G. Paykull, Mon. Staph. 1789, 65.
rivularis Venus, I. v. Born, Index Mus. Caes. Vind. 1778, 59.
rivulata Aranea, P. Forskal, Descr. Anim. 1775, 86.
rivulata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 109.
rivulata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 259 [*u. et*
rivulata Phalaena, J. A. Scopoli, Ent. Carn. 1763, 229. [f.].
rivulata Phalaena, J. C. Fabricius, Gen. Ins. 1777, 289.
rivulata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*u. n.*].
rivulata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 458.
rivulatus Scarus, P. Forskal, Descr. Anim. 1775, 25.
rivulorum Cimex, J. C. Fabricius, Syst. Ent. 1775, 728.
rivulosa Bombyx (Dru.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 38.—Phalaena.
rivulosa Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
rivulosus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 545.
rivulosa Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 26.
rizolitha v. rhiz-.
robertella Alucita (L.), J. C. Fabricius, Syst. Ent. 1775, 669.—Phalaena.
robertella [Phalaena], C. Clerck, Icones, I. 1759, pl. xi, 10.
robertella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 360.
roberti Aranea, Scopoli, Ent. Carn. 1763, 400.
robet Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 107.
robiniae Bruchus, J. C. Fabricius, Spec. Ins. I. 1781, 75.
robiniae Curculio, Herbst in Jablonsky, Nat. Ins. (Kafer) VI. 1795, 288.
robiniae Leptura, J. R. Forster, N. Sp. Ins. 1771, 43.
roborana Pyralis, J. C. Fabricius, Mant. II. 1787, 231.
roborana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
roboraria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 101.
roboraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 169 [*u. et f.*].
roborator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 170.
roborella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 138.
roboris Anthribus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 161.
roboris Anthribus (Fab.), G. Paykull, Faun. Suec. III. 1800, 165.—Curculio.
roboris Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 735.
roboris Chermes, A. F. de Fourcroy, Ent. Paris. 1785, 229.
roboris Curculio, J. C. Fabricius, Mant. I. 1787, 100.
roboris Noctua, J. C. Fabricius, Gen. Ins. 1777, 283.
roboris Phalaena Noctua, P. Osbeck, Götheborg. Samhalle Hand. (Wet. Afd.) I. 1778, 51.
robustus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 344.
rodocephalus Psittacus, G. Shaw, Mus. Lever. I. 1792, 183.
rodophthalmus Ichneumon, P. Rossi, Mant. Ins. I. 1792, 125.
rodrigi Ichneumon, Bory de St V., Journ. Santé Bordeaux, III. 1798, 75.
roeseli Aranea, Scopoli, Ent. Carn. 1763, 395.
roeseli Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1777.
roeseli Dytiscus, J. C. Fuessly, Schweiz. Ins. 1775, 18.
roeseli Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 188.
roesella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 541; ed. 12, 1767, 898.
roesella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 665.—Phalaena.
röselin Curculio, C. F. C. Kleemann in Rösel, Nat. Hist. Insect. IV. (2) Naamregister, XXIV
rogaa Perca, P. Forskal, Descr. Anim. 1775, 38. [1768].—[Sp. of doubtful value.]
rogad Cottus, P. Forskal, Descr. Anim. 1775, 25.
rohrana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 477.
rohria Papilio, J. C. Fabricius, Mant. II. 1787, 45.

- rohri Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2199.
- rohri Curculio, J. C. Fabricius, Syst. Ent. 1775, 151.
- rolandri Aranea, Scopoli, Ent. Carn. 1763, 397.
- rolandri Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 448; ed. 12, 1767, 729.
- rolandri Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 164.—Cimex.
- rolandriana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 532; ed. 12, 1767, 878.
- rolandriana Pyralis (L.), J. C. Fabricius, Mant. II. 1787, 232.—Phalaena.
- Rollulus Bonnatere, Ency. Méth. (Orn.) I. 1790, xciii.—A.
- roloway Cercopithecus (Schr.), J. C. P. Erxleben, Syst. Anim. 1777, 42.—Simia.
- roloway Simia, J. C. D. Schreber, Säugth. I. 109 (1774), pl. xxv (1774).
- roloway Simia (Cercop.) Schr., R. Kerr, Anim. Kingd. 1792, 72.
- romanana Pyralis, J. C. Fabricius, Mant. II. 1787, 234.
- romanana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 529.
- romanus Coluber, G. A. Suckow, Naturges. III. 1798, 198.
- romulus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 316.
- romulus [Papilio], P. Cramer, Utl. Kapellen, I (4) 1775, 67.
- rondelaria Phalaena, J. C. Fabricius, Syst. Ent. 1775, 623.
- rone Labrus, P. Ascanius, Icon. II. 1772, 6.
- roquet Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
- roralis Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 173.
- roralis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 597; ed. 12, 1767, 993.
- roraria Phalaena, J. C. Fabricius, Gen. Ins. 1777, 285.
- roratus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 77.
- rorella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 886.
- rorella Tinea (L.), D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 2.—Phalaena.
- roreus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 427.
- roridus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1838.
- roridus Curculio, P. S. Pallas, Icon. Ins. 1781, 28.
- roridus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 72.
- roridus Scarabaeus, Giorna, Cal. Ent. 1791, 108.
- rosa Bombyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 78.
- rosa Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 53.
- rosa Sertularia *err. pro* rosacea, L., J. F. Maratti, Plant. Zooph. Med. 1776, 25.
- rosaceus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 56.
- rosacea Buprestis (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1940.—Mor-
- rosaceus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 378.—Buprestis. [della.
- rosacea Corallina (L.), J. F. Maratti, Plant. Zooph. Med. 1776, 23.—Sertularia.
- rosaceus Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 209.
- rosaceus Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 665; ed. 12, 1767, 1104.
- rosaceus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2085.
- rosacea Helix, O. F. Müller, Verm. II. 1774, 76.
- rosacea Madrepora, E. J. C. Esper, Pflanzenth., I (3) 1789, 115.
- rosacea Mordella, Scopoli, Ent. Carn. 1763, 61.
- rosacea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 319.
- rosacea Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 275.
- rosacea Physsochora, P. Forskal, Descr. Anim. 1775, 120.
- rosaceus Psittacus, J. Latham, Index Orn. 1790, 108.
- rosacea Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 807; ed. 12, 1767, 1306.
- rosacea Tellina, F. C. Meuschen, Mus. Gev. 1787, 462.
- rosae Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 734.
- rosae Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 439; ed. 12, 1767, 712.
- rosae Curculio, C. de Geer, Mém. Ins. V. 1775, 219.
- rosae Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 428.
- rosae Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 553; ed. 12, 1767, 917.
- rosae Dermestes, Scopoli, Ent. Carn. 1763, 15.
- rosae Diplolepis (L.), A. F. de Fourcroy, Ent. Paris. 1785, 391.—Cynips.
- rosae Leptura, N. J. Brahm, Ins. Kal. I (2) 1791, 139.
- rosae Musca, C. de Geer, Mém. Ins. VI. 1776, 108.

- rosae Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 356.
 rosae Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 557; ed. 12, 1767, 925.
 rosaica Physophora, *err. pro rosacea*, Forsk., A. Modeer, K. Vet. Ac. Nya Handl. X. 1789,
 rosalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 241. [283.]
 rosalia Callithrix (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 60.—Simia.
 rosalia Cebus (L.), H. F. Link, Beytr. Nat. I (2) 1795, 63.—Simia.
 rosalia [Papilio], P. Cramer, Uitl. Kapellen, III (2) 1779, 89.
 rosalia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 152.
 rosalius Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 21.
 rosalia Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 41.
 rosalius Simia (Sagoinus) L., R. Kerr, Anim. Kingd. 1792, 82.
 rosana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 530; ed. 12, 1767, 876.
 rosana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 647.
 rosarium Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 111.
 rosaria Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
 rosarium Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 140.
 rosarum Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 167.
 rosarum Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2877.—Syrphus.
 rosarum Syrphus, J. C. Fabricius, Mant. II. 1787, 341.
 rosatus Cimex, F. v. P. Schrank, Samml. Nat. Phys. Aufsatz. 1796, 213.
 rosata Lepas, J. F. Bolten, Mus. Bolten. (2) 1798, 197.
 rosata Phalaena, *id. ac rosalia*, Cr., J. C. Fabricius, Ent. Syst. III (2) 1794, 175.
 roscida Bombyx (D. & S.), J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 349.—Noctua.
 roscida Helix, Studer in Coxé, Trav. Switz. III. 1789, 387 [*n. n.*].
 roscida Lithosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 462.—Tinea roscidella, 1794.
 roscida Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 68.
 roscida Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. Eur. Schmett. III. 1790, 257.
 roscida Tinea (D. & S.), J. C. Fabricius, Mant. II. 1787, 241. [Noctua.]
 roscidella Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 16 [*n. et f.*].
 roscidella Tinea, *id. ac roscida*, Fabr.; J. C. Fabricius, Ent. Syst. III (2) 1794, 291.
 roscipennella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 68.
 roseidana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 103 [*n. et f.*].
 roseidaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 128 [*n. et f.*].
 rosella Phalaena, Scopoli, Ent. Carn. 1763, 245.
 rosella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 327.
 rosenmulleri Lamia, J. Cederhielm, F. Ingrid. 1798, 89.
 roseomaculatus Cimex, C. de Geer, Mém. Ins. III. 1773, 293.
 roseum Acrydium, C. de Geer, Mém. Ins. III. 1773, 488.
 rosea Amphisbaena, G. Shaw, Nat. Misc. III. 1791, pl. 86.
 rosea Angaria, J. F. Bolten, Mus. Bolten. (2) 1798, 71.
 [roseus Araneus, C. Clerck, Aran. Svec. 1757, 137.]
 roseus Araneus, T. Martyn, Aranei, 1793, 65.
 rosea Asterias, O. F. Müller, Z. Dan. Prod. 1776, 234.
 rosea Bombyx, J. C. Fabricius, Syst. Ent. 1775, 587.
 roseum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3245.
 rosea Chrysis, P. Rossi, Mant. Ins. I. 1792, 132.
 roseus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 105.
 roseus Cimex, J. C. Fabricius, Gen. Ins. 1777, 300.
 rosea Coccinella, C. de Geer, Mém. Ins. V. 1775, 378.
 rosea Columba, G. Shaw in Miller, Cim. Phys. 1796, 105.
 rosea Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 184.
 rosea Emberiza, H. Lichtenstein, Cat. rerum Nat. I. 1793, 44.
 rosea Fasciola, O. F. Müller, Verm. I (2) 1774, 58.
 rosea Fringilla, P. S. Pallas, Reise Russ. III. 1776, 699.
 roseus Gryllus (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2086.—Acrydium.
 roseus Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 91.
 rosea Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 63 [*n. n.*].
 roseus Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 542.—Cimex, 1777.

- rosea Madrepora, P. S. Pallas, Elench. 1766, 312.
 rosea Madrepora, *id. ac rosacea*, E. J. C. Esper, Pflanzenth., I (3) 1789, pl. xv.
 rosea Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 16.
 roseus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3362.
 roseus Mytilus, J. F. Bolten, Mus. Bolten. (2) 1798, 158 [*n. n.*].
 rosea Nereis, O. Fabricius, F. Groen. 1780, 301.
 rosea Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3319.
 rosea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3730.
 rosea Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 9.
 roseus Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 570.
 rosea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 265.
 rosea Phalaena, E. Donovan, Brit. Ins. II. 1793, 9.
 rosea Phalaena Noctua, J. Hübner, Beitr. Schmett. II. 1790, 50.
 rosea Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 656.
 rosea Phasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 190.—Mantis, 1793.
 rosea Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.—Fasciola, 1774.
 rosea Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 59.
 roseus Pleuronectes, C. Shaw, Nat. Misc. VII. 1796, pl. 238.
 roseus Solen, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3227.
 rosea Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99 [*n. n.*].
 roseus Sturnus, J. A. Scopoli, Annus I. 1769, 130.
 rosea Tellina, F. C. Meuschen, Mus. Gever. 1787, 460.
 rosea Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3238.
 rosea Tellina, T. Martyn, Univ. Conch. IV [1792], fig. 157.
 rosea Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 185.
 roseus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3574.
 roseus Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 170; ed. 12, 1766, 294.
 rosida Noctua, *id. ac rosida*, (D. & S.), E. J. C. Esper, Die Schmett. IV (35) 1787, 106.
 rosimon Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 288.
 rosimon Papilio, J. C. Fabricius, Syst. Ent. 1775, 523.
 rosina [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 75.
 "rosmary Zoolithus," J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 387.
 rosmarini Cynips, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2652.
 Rosmarus M. T. Brünnich, Fund. Zool. 1772, 38.—M.
 Rosmarus G. C. C. Storr, Prod. 1780, 41 & tab. c.—M.
 Rosmarus P. Boddaert, Elench. 1785, 169.—M.
 Rosmarus E. Geoffroy and Cuvier, Mag. encyclop. II (6) 1795, 189.—M.
 rosmarus Phoca, Linnaeus, Syst. Nat., ed. 10, 1758, 38.—[Trichechus, ed. 12.]
 rosmarus Trichechus, Linnaeus, Syst. Nat., ed. 12, 1766, 49.—[Phoca, ed. 10.]
 rossiana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 259.
 rossia Mantis, P. Rossi, Fauna Etrus. I. 1790, 259.
 rossia Phasma (Rossi), J. C. Fabricius, Suppl. Ent. Syst. 1798, 187.—Mantis.
 rossii Scarabaeus, Giorna, Cal. Ent. 1791, 107.
 Rostellaria Lamarck, Mém. Soc. H. N. Paris, 1799, 72.—G.
 rostellata Bursaria, P. C. Abildgaard, Skr. nat. Selsk. [Copen.], III (1) 1793, 90.
 rostellata Taenia, P. C. Abildgaard, Skr. nat. Selsk. [Copen.], I (1) 1790, 62.
 rostellium Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 108.
 rostralis Anguis, C. E. Weigel, Schrift. Berlin. Ges. Nat. Freunde, III. 1782, 190.
 rostralis Phalaena (Pyralis), Linnaeus, Syst. Nat., ed. 10, 1758, 533; ed. 12, 1767, 881.
 rostratus Anguis, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 68.
 rostrata Aphrodita, P. S. Pallas, Misc. Zool. 1766, 106.
 rostrata Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 577; ed. 12, 1767, 957.
 rostrata Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2791.
 rostrata Arca, C. P. Thunberg, D. D. Mus. Ac. Upsal., 1789, 98 [*n. n.*].
 rostrata Arca (*ex Mart.*), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 110.
 rostrata Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3308.
 rostratus Attelabus (De G.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 283.—Curculio.
 rostrata Balaena, O. F. Müller, Z. Dan. Prod. 1776, 7.

- rostrata Bembex (L.), J. C. Fabricius, Spec. Ins. I. 1781, 458.—Apis.
 rostrata Bembex, G. W. F. Panzer, Ins. Germ. heft 1, 1792, no. 10.
 rostrata Bembyx (L.), J. C. Fabricius, Syst. Ent. 1775, 362.—Apis.
 rostratus Bombylius (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 330.—Tabanus.
 rostratus Brachycerus, J. C. Fabricius, Ent. Syst. I (2) 1792, 381.—Curculio, 1781.
 rostratus Buceros, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
 rostratus Cancer, J. C. Fabricius, Mant. I. 1787, 325.
 rostrata Cantharis, Linnaeus, Mus. Lud. 1764, 79.
 rostratus Carabus, Linnaeus, Faun. Suec., ed. 2, 1761, 226.
 rostratus Carabus (L.), J. C. Fabricius, Syst. Ent. 1775, 240.—Tenebrio.
 rostratus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1814.—
 rostrata Chaena, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, 23. [Prionus.
 rostratus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 273; ed. 12, 1766, 462.
 rostratus Cimex, C. de Geer, Mém. Ins. III. 1773, 271.
 rostratus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 363.
 rostratus Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 59.
 rostratus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 201.
 rostrata Conops, Linnaeus, Syst. Nat., ed. 10, 1758, 604; ed. 12, 1767, 1004. [Rhingia.
 rostrata Conops (Scop.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II., 1791, 127.—
 rostratus Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 466.—Phalaena rostralis.
 rostratus Curculio, C. de Geer, Mém. Ins. V. 1775, 252.
 rostratus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 194.
 rostratus Cychrus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 440.—Tenebrio.
 rostratus Cychrys, J. C. Fabricius, Skr. nat. Selsk. [Copen.], III (2) 1794, 70.
 rostratum Cyclidium, O. F. Müller, Verm. I (1) 1773, 53.
 rostrata Fasciola, O. F. Müller, Verm. I (2) 1774, 65.
 rostrata Formica, J. C. Fabricius, Mant. I. 1787, 310.
 rostratus Gymnotus, Linnaeus, Syst. Nat., ed. 12, 1766, 428.
 rostrata Hyblaea, J. C. Fabricius, Ent. Syst. III (2) 1794, 127.
 rostrata Lampyris, Linnaeus, Syst. Nat., ed. 12, 1767, 646.—[Cantharis, ed. 10.]
 rostrata Leptura, J. C. Fabricius, Mant. I. 1787, 159.
 rostratus Lutjanus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 7.
 rostrata Lycus, J. C. Fabricius, Mant. I. 1787, 163.—Pyrochroa, 1775.
 rostratus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 150.—Cimex, 1781.
 rostratus Monoculus, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 310.
 rostratus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 21.
 rostratus Murex, G. Olivi, Zool. Adriat. 1792, 153.
 rostrata Musca, J. C. Fabricius, Syst. Ent. 1775, 783.
 rostrata Musca (L.), C. de Geer, Mém. Ins. VI. 1776, 130.—Conops.
 rostrata Musca, J. D. Preyßler in Mayer, Samm. Phys. Aufsätze, I. 1791, 113.
 rostrata Mya, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, 42.
 rostrata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3336.
 rostratus Pediculus, Scopoli, Ent. Carn. 1763, 385.
 rostratum Phalangium, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris], no. 15, 1798, 114.
 rostrata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
 rostratus Prionus, J. C. Fabricius, Mant. I. 1787, 128.
 rostrata Pyrochroa (L.), J. C. Fabricius, Syst. Ent. 1775, 203.—Lampyris.
 rostrata Raja, G. Shaw, Nat. Misc. V. 1794, pl. 173.
 rostrata Rhingia, Scopoli, Ent. Carn. 1763, 358.
 rostrata Simia, J. F. Blumenbach, Abb. nat. Gegen. no. 13, 1797.
 rostratus Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 99.
 rostratus Sorex, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 540.
 rostratus Sphagebranchus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 88.
 rostrata Stomoxys (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2892.—Conops.
 rostratus Tabanus, Linnaeus, Mus. Lud. 1764, 44.
 rostrata Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 675; ed. 12, 1767, 1118.
 rostrata Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 186.
 rostratus Tenebrio, Linnaeus, Faun. Suec., 1761, 226.

- rostrata** Terebella (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3113.—
rostrata Testudo, C. P. Thunberg, K. Vet. Ac. Nya Handl. VIII. 1787, 179. [Aphrodita.
rostratus Tetradon, M. E. Bloch, Nat. ausl. Fische, II. 1786, 8.
rostratus Todus, J. Latham, Index Orn. 1790, 268.
rostrata Trichoda, O. F. Müller, An. Infus. 1786, 227.
rostratus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3580.
rostrata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3280.
rostrata Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 183.
rostrata Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2768.—Bembex.
rostrata Zonitis, J. C. Fabricius, Ent. Syst. I (2) 1792, 50.
rostellata Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 7 [*n. et f.*].
rostellata Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 47.
“rostri Ornitholithus,” J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 388.
rostrum Ardea, C. P. Thunberg, Resa Europa, etc., III. 1793, 161; *var.* alboflavescens.
rostrum Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 32.
rostrum Kolpoda, O. F. Müller, Verm. I (1) 1773, 57.
rostrum Mytilus, G. Shaw, Nat. Misc. IX. 1797, pl. 315.
rostrum Uranoscopus, G. S. Volta, Itt. Veron. (1) 1796, xxii.
rota Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3720.
rota Patella, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 635.
Rotaria J. A. Scopoli, Intr. Hist. Nat. 1777, 375.—Rot.
rotaria Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 453.
rotator Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1833.—Lamia.
rotator Lamia, J. C. Fabricius, Syst. Ent. 1775, 175.
rotatorius Brachionus, P. S. Pallas, Elench. 1766, 94.
rotatoria Vorticella, O. F. Müller, Verm. I (1) 1773, 106.
Rotifer G. Cuvier, Tabl. Élément. 1798, 658.—Rot.
rottleri Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 88.
Rotula F. C. Meuschen, Mus. Gev. 1787, 490.—Ech.
rotularis Astroites, J. E. I. Walch, Naturforscher, V. 1775, 47.
rotularis Madrepora (Walch), P. S. Pallas, Char. Thierpfl. II. 1787, 129.—Astroites.
rotulosa Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 166.
rotundata Apis, J. C. Fabricius, Mant. I. 1787, 303.
rotundatus Cancer, G. Olivi, Zool. Adriat. 1792, 47.
rotundata Cantharis, C. de Villers, Linn. Ent. I. 1789, 297.
rotundatus Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [*n. n.*].
rotundatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1991.
rotundatus Carabus, G. Paykull, Mon. Carab. 1790, 41.
rotundata Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 64.
rotundatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1805.
rotundatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 473.
rotundata Helix, O. F. Müller, Verm. II. 1774, 29.
rotundatus Hister, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], III. 1792, 304.
rotundata Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3257.
rotundata Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 596; ed. 12, 1767, 991.
rotundata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3701.
rotundata Pinna, Linnaeus, Syst. Nat., ed. 10, 1758, 707; ed. 12, 1767, 1160.
rotundatus Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 86.
rotundata Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 160.
rotundata Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 690; ed. 12, 1767, 1135.
rotundo-stellata Madrepora, F. C. Meuschen, Mus. Gev. 1787, 508.
rotundus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 278; ed. 12, 1766, 466.
rotunda Mola, G. Cuvier, Tabl. Élém. 1798, 324.
rotundum Phalangium, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris], no. 15, 1798, 115.
rouloul Phasianus, J. A. Scopoli, Del. Insub. II. 1786, 93.
rousserolle Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 146.
roxana [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 71.
roxelana [Papilio], P. Cramer, Uitl. Kapellen, II (14) 1777, 101.

- R. P. Podae (*sic*) Aranea, Scopoli, Ent. Carn. 1763, 403.
rubea *v.* *rubeus*.
Rubecula *v.* *Rubicola*.
rubecula Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 306.—Murex.
rubecula Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2181.
rubecula Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 36.—Motacilla.
rubecula Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 188; ed. 12, 1766, 337.
rubecula Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 749; ed. 12, 1767, 1218.
rubecula Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1799], 526.
rubecula Sylvia (L.), J. A. Scopoli, Annus I. 1769, 156.—Motacilla.
rubecula Tritonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 127.—Murex.
rubeculae Pediculus, F. v. P. Schrank, Beitr. Nat. 1776, 115.
rubellata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 385.
rubellio Cyprinus, N. G. Leske, Ichth. Lips. 1774, 53.
rubellio Labrus, J. J. Walbaum, Artedi, Ichth. (3) ed. 2, 1792, 264.
rubellus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 108.
rubellus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2186.
rubellus Falco, G. A. Suckow, Naturges. II [1] 1800, 190.
rubellus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2704.
rubella Nerita, O. F. Müller, Verm. II. 1774, 195.
rubella Patella, O. Fabricius, F. Groen. 1780, 386.
rubella Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3723.
rubellus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 161.
rubellus Staphylinus, C. de Villers, Linn. Ent. I. 1789, 425.
rubella Tetratoma, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 554.
rubens Acarus, F. v. P. Schrank, Ins. Aust. 1781, 520.
rubens Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 519.
rubens Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 661; ed. 12, 1767, 1099.
rubens Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 140.
rubens Cepola, Linnaeus, Mus. Adolph. Frid. II. 1764, 63.
rubens Cimex, M. Harris, Exp. Eng. Ins. 1776, 90.
rubens Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 107.
rubens Corallina, Linnaeus, Syst. Nat., ed. 10, 1758, 806; ed. 12, 1767, 1304.
rubens Cyclops, O. F. Müller, Entom. 1785, 104.
rubens Denticollis, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 86.
rubens Elater (P. & M.), G. W. F. Panzer, Ins. Germ. heft 8, 1793, tab. 10.—Denticollis.
rubens Falco, F. M. Daudin, Traité élém. Orn. 1800, 95.
rubens Lampyrus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 301.
rubens Lepura (Scop.), M. Piller & L. Mitterpacher, Iter Poseg. 1783, 36.—Drionus ruber.
rubens Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2997.—Cyclops.
rubens Pyrochroa (Schall.), J. C. Fabricius, Ent. Syst. I (2) 1792, 105.—Lampyrus.
rubens Spongia, P. S. Pallas, Elench. 1766, 389.
rubeola Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 2.
rubrum Actydium (Vill.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 235.—Gryllus.
rubra Actinia, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 13.
rubra Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 794.
rubra Alcedo, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 93.
rubra Alcedo, P. Boddaert, Tabl. Planch. Enl. 1783, 48.
rubrum Alcyonium, Linnaeus, Faun. Suec., ed. 2, 1761, 538.
rubra Anguis, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 132.
rubra Anomia, P. S. Pallas, Misc. Zool. 1766, 182.
ruber Anthribus, C. de Geer, Mém. Ins. V. 1775, 283.
rubra Ascaris, O. F. Müller, Verm. I (2) 1774, 36.
ruber Bostrichus, A. F. de Fourcroy, Ent. Paris. 1785, 133.
rubra Bulla, J. F. Bolten, Mus. Bolten. (2) 1798, 15.
rubra Buprestis, J. A. Scopoli, Annus V. 1772, 105.
ruber Cerambyx, A. F. de Fourcroy, Ent. Paris. 1785, 75.
ruber Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1862.

- rubra* Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 274.
rubra Cercopithecus, E. Geoffroy & Cuvier, Mag. encyclop. III (12) 1795, 462.
rubra Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 479.
rubra Chermes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2214.
rubra Chiton, Linnaeus, Syst. Nat., ed. 12, 1767, 1107.
rubra Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 438; ed. 12, 1767, 711.
rubra Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 446; ed. 12, 1767, 723.
rubra Clytra (Fourc.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 35.—Melolontha.
rubra Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1114.
rubra Corvus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 85.
rubra Cotinga, B. Merrem, Avium rar. Icones, I. 1784, 1.
rubra Crax, Linnaeus, Syst. Nat., ed. 10, 1758, 157; ed. 12, 1766, 270.
rubra Dermestes, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 3.
rubra Drionus, J. A. Scopoli in Piller & Mitterpacher, Iter Poseg. 1783, 36.
rubra Elater, A. F. de Fourcroy, Ent. Paris. 1785, 35.
rubra Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 877.
rubra Epinephelus, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 22.
rubra Falco, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
rubra Fasciola, O. F. Müller, Verm. I (2) 1774, 59.
rubra Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 580; ed. 12, 1767, 963.
rubra Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 181.
rubra Gryllus Loc., C. de Villers, Linn. Ent. I. 1789, 453.
rubra Hyla, J. N. Laurenti, Syn. Rept. 1768, 35.
rubra Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 346.—Oriolus.
rubra Lanius, J. A. Scopoli, Del. Insub. II. 1786, 85.
rubra Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 308.
rubra Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 397; ed. 12, 1767, 638.
rubra Libellula, O. F. Müller, F. Ins. Frid. 1764, 62.
rubra Libellula, J. C. Fuessly, Schweitz. Ins. 1775, 44.
rubra Loxia, J. A. Scopoli, Annus I. 1769, 139.
rubra Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 797.
rubra Melolontha, A. F. de Fourcroy, Ent. Paris. 1785, 72.
rubra Millepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 137.
rubra Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 326.
rubra Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 706; ed. 12, 1767, 1158.
rubra Nepa, Linnaeus, Syst. Nat., ed. 10, 1758, 440; ed. 12, 1767, 713.
rubra Nereis, P. Forskal, Descr. Anim. 1775, 100.
rubra Nerita, F. C. Meuschen, Mus. Gever. 1787, 272.
rubra Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 388.
rubra Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3700.
rubra Pausus, C. P. Thunberg, K. Vet. Ac. Nya Handl. II. 1781, 170.
rubra Pecten, F. C. Meuschen, Mus. Gever. 1787, 418.
rubra Pennatula, P. S. Pallas, Elench. 1766, 368.
rubra Perdix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 206.
rubra Petromyzon, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 99.
rubra Phoenicopterus, Linnaeus, Syst. Nat., ed. 10, 1758, 139; ed. 12, 1766, 230.
rubra Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 429.
rubra Pipra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 177.
rubra Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.—Fasciola, 1774.
rubra Priapus, P. Forskal, Descr. Anim. 1775, 101.
rubra Psittacus, J. A. Scopoli, Annus I. 1769, 32.
rubra Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 335.
rubra Psittacus, R. Kerr, Anim. Kingd. 1792, 592; *var. moluccensis*.
rubra Psylla, A. F. de Fourcroy, Ent. Paris. 1785, 224.
rubra Pyrochroa, C. de Geer, Mém. Ins. V. 1775, 20.
rubra Rhinocacer, A. F. de Fourcroy, Ent. Paris. 1785, 113.
rubra Rhynchopterus, F. v. P. Schrank, F. Boica, I. 1798, 511.
rubra Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 643.

- rubra* Sciaena, P. Forskal, Descr. Anim. 1775, 48.
rubra Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 145.
ruber Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 75.
ruber Seps, J. N. Laurenti, Syn. Rept. 1768, 62 & 169.
rubra Simia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 34.
ruber Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 71; *varr.* nigro-fasciatus,
rubrum Sphaeridium, C. P. Thunberg, Ins. Suecica (8) 1794, 100. [albo-fasciatus.
rubra Sphex, D. Drury, Ill. Nat. Hist. II. 1773, index & 75.
rubra Spongia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3819.
ruber Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 89.
rubra Talpa, E. A. W. Zimmermann, Spec. Zool. 1777, 497.
rubra Talpa, J. C. P. Erxleben, Syst. Anim. 1777, 119.
rubra Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 314.
ruber Tantalus, Linnaeus, Syst. Nat., ed. 12, 1766, 241.
rubra Tellina, E. M. da Costa, Brit. Conch. 1778, 211.
rubra Terebella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3114.
ruber Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 121; ed. 12, 1766, 193.
ruber Turbo, C. U. v. Salis, Reise Neapel, 1793, 377.
ruber Turbo, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 66.
rubra Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3288.
rubra Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 438.
ruberrima Pyrochroa, A. F. de Fourcroy, Ent. Paris. 1785, 153.
rubescens Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 56.
rubescens Cepola, Linnaeus, Syst. Nat., ed. 12, 1766, 445.
rubescens Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 89.
rubescens Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3732.
rubescens Tellina, T. Martyn, Univ. Conch. IV [1792], fig. 160.
rubeta *v.* *rubetus*.
 “*Rubetra*, Briss. 1760,” Waterh.; not used in a generic sense.
rubeta Bufo (L.), F. v. P. Schrank, F. Boica, I. 1798, 273.—*Rana*.
rubetra Curculio, J. C. Fabricius, Mant. I. 1787, 97.
rubetra Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 37.—*Motacilla*.
rubetra Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 186; ed. 12, 1766, 332.
rubetra Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1799], 523.
rubetra Pipra, Linnaeus, Syst. Nat., ed. 12, 1766, 339.
rubetra Rana, Linnaeus, Reise Schwed. (ed. Schreber) II. 1765, 301.
rubetra Sylvia (L.), J. A. Scopoli, Annus I. 1769, 159.—*Motacilla*.
rubetrae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3035.
 [*rubetus*]—
rubeta Bufo, J. G. Schneider, Hist. Amph. I. 1799, 227.
rubeta Rana, Linnaeus, Syst. Nat. ed. 10, 1758, 211; ed. 12, 1766, 355.
rubeta Tritonum, J. F. Bolten, Mus. Bolten. (2) 1798, 128.
rubea Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 51.
rubea Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1700,
rubesus Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 86. [268.—*Bombyx*.
rubí Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 564.—*Phalaena*.
rubí Buprestis, Linnaeus, Syst. Nat., ed. 12, 1767, 661.
rubí Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. VII, 1786, 162.
rubí Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 167.
rubí Cynips, F. v. P. Schrank, Ins. Aust. 1781, 320.
rubí Galeruca, G. Paykull, Faun. Suec. II. 1799, 112.
rubí Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 287.—*Papilio*.
rubí Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 57.
rubí Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 483; ed. 12, 1767, 791.
rubí Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 498; ed. 12, 1767, 813.
rubí Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 377.
rubiana Phalaena, Scopoli, Ent. Carn. 1763, 233.
rubicapraría Phalaena Geom., J. Hübner, Samml. Vögel u. Schmett. 1793, 12 [*n. et f.*].

- Rubicilla** G. Edwards in M. Catesby, Carol. I. 1771, 68.—A.
rubicilla *Loxia*, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIX. 1775, 464.
rubicilla Pyrrhula, J. C. Schaeffer, Mus. Orn. 1789, 30.
rubicola *Ficedula* (L.), J. C. Schaeffer, Mus. Orn. 1789, 37.—*Motacilla*.
rubicola *Motacilla*, Linnaeus, Syst. Nat., ed. 12, 1766, 332.
rubicola *Sylvia* (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 288.—*Motacilla*.
rubicolla *Tinea* (—), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 77.—*Bombyx rubicollis* [?] *rubricollis*, Fab., Mant. II. p. 133].
rubicornutus *Cynipsichneumon*, J. L. Christ, Nat. Ins. 1791, 388.
Rubicula, *vel* **Rubecula** G. Edwards in M. Catesby, Carol. I. 1771, 47.—A.
rubicunda *Apis*, J. L. Christ, Nat. Ins. 1791, 190.
rubicunda *Bombyx*, J. C. Fabricius, Ent. Syst. III (1) 1793, 429.
rubicundus *Carabus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1968.
rubicunda *Chrysomela*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1689.
rubicunda *Clytra*, J. N. Laicharting, Tyrol. Ins. I. 1781, 169.
rubicundus *Curculio*, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 267.
rubicundus *Gryllus Locusta*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2070.
rubicundus *Gryllus Locusta*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2084.
rubicunda *Haliotis*, J. F. Bolten, Mus. Bolten. (2) 1798, 14.
rubicundus *Ichneumon*, A. F. de Fourcroy, Ent. Paris. 1785, 417.
rubicunda *Libellula*, Linnaeus, Syst. Nat., ed. 10, 1758, 543; ed. 12, 1767, 902.
rubicunda *Libellula*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2624.
rubicunda *Melolontha* (Laich.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 44.—*Clytra*.
rubicunda *Nitidula* (Laich.), L. G. Scriba, J. Leib. Ent. II. 1790, 173.—*Ostoma*.
rubicunda *Noctua*, [Denis & Schiffermüller], Schmett. Wien, 1775, 68.
rubicunda *Ostoma*, J. N. Laicharting, Tyrol. Ins. I. 1781, 102.
rubicunda *Patella*, J. F. Bolten, Mus. Bolten. (2) 1798, 9.
rubicunda *Porphyria*, J. F. Bolten, Mus. Bolten. (2) 1798, 35.
rubicunda *Purpura*, J. F. Bolten, Mus. Bolten. (2) 1798, 140.
rubicunda *Sphex*, J. L. Christ, Nat. Ins. 1791, 316.
rubicunda *Spongia*, E. J. C. Esper, Pflanzenth. II (12) 1799, 267.
rubicunda *Tellina*, J. F. Bolten, Mus. Bolten. (2) 1798, 186.
rubicunda *Testudo*, G. A. Suckow, Naturges. III. 1798, 49.
rubicunda *Trigla*, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 31.
rubidalis *Phalaena* Pyr., J. Hübner, Samml. Vögel u. Schmett. 1793, 7 [*n. et f.*].
rubidalis *Pyralis*, [Denis & Schiffermüller], Schmett. Wien, 1775, 124.
rubidata *Geometra*, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.
rubidata *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 290 [*n.*].
rubidella *Tinea*, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 41. [*et f.*].
rubida *Andrena*, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 139.
rubidus *Byrrhus*, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 484.
rubidus *Charadrius*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 688.
rubidus *Copris*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 145.
rubidus *Ichneumon*, P. Rossi, Mant. Ins. II. 1794, 110.
rubidus *Pecten*, T. Martyn, Univ. Conch. IV [1792] 153.
rubidus *Scarabaeus* [Copris], A. G. Olivier, Entom. I. 1789, 77.
rubifer *Curculio*, J. C. Fabricius, Syst. Ent. 1775, 822.
rubiginalis *Pyralis*, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 14 & 22.
rubiginaria *Phalaena*, Giorna, Cal. Ent. 1791, 91.
rubiginator *Ichneumon*, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 86.
rubiginata *Geometra*, [Denis & Schiffermüller], Schmett. Wien, 1775, 114.
rubiginata *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 250 [*n.*].
rubiginata *Phalaena*, Hufnagel, Berl. Mag. IV. 1767, 610. [*et f.*].
rubiginata *Phalaena*, [D. H. Schneider], Nom. Ent. 1785, 49 [*n. n.*].
rubiginus *Curculio*, A. F. de Fourcroy, Ent. Paris. 1785, 131.
rubiginus *Elater*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1917.
rubiginea *Noctua*, [Denis & Schiffermüller], Schmett. Wien, 1775, 86. [Noctua.
rubiginea *Phalaena* *Noctua*, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 750.—

- rubiginosa Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 632.
 rubiginosus Byrrhus, O. F. Müller, Z. Dan. Prod. 1776, 57.
 rubiginosum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3256.
 rubiginosa Cassida, O. F. Müller, Z. Dan. Prod. 1776, 65.
 rubiginosa Cassida, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1643.
 rubiginosa Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 163.
 rubiginosus Cimex, J. C. Fabricius, Mant. II. 1787, 301.
 rubiginosus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 744.
 rubiginosa Conus (Linn.) [misprint for Cypraea], K. Schreibers, Vers. Conch. I. 1793, 55.
 rubiginosa Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3420.
 rubiginosus Elater, J. C. Fabricius, Mant. I. 1787, 172.
 rubiginosum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 94 [n. n.].
 rubiginosus Falco, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 29.
 rubiginosus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2700.
 rubiginosus Ichneumon, J. L. Christ, Nat. Ins. 1791, 353.
 rubiginosa Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 63 [n. n.].
 rubiginosus Lanius, G. A. Suckow, Naturges. II (1) 1800, 249.
 rubiginosus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 159.—Cimex, 1787.
 rubiginosa Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2878.
 rubiginosa Phalaena, Scopoli, Ent. Carn. 1763, 213.
 rubiginosa Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2580.
 rubiginosa Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 230.
 rubiginosa Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627.
 rubiginosa Tellina, J. X. Poli, Test. Sicil. II. 1795, 48.
 rubiginosa Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2665.
 rubi-idaei Tenthredo, P. Rossi, Fauna Etrus. II. 1790, 31.
 rubineus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 493.
 rubinus Cucujus, A. F. de Fourcroy, Ent. Paris. 1785, 33.
 rubra -um *v.* ruber.
 rubralis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 452.
 rubratorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 154. [1792, 468.
 rubricans Phalaena Noctua (*ex* Esper, tab.), M. B. Borkhausen, Nat. eur. Schmett. IV.
 rubricapillus Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 408.
 rubricapilla Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 784.
 rubricapilla Mergus, E. Pontoppidan, Danske Atlas, I. 1763, 620.
 rubricapilla Mergus, M. T. Brünnich, Orn. Boreal. 1764, 22.
 rubricapilla Motacilla, E. Pontoppidan, Kurz. Nachr. N.-H. Dänemark, 1765, 174 [n. n.].
 rubricaria Geometra, J. Hübnér, Europ. Schmett. (Geom.) [me judice 1796], fig. 111 [n.
 rubricatus Erotylus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 61. [et f.].
 rubricatus Erotylus, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 363.
 rubricata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 110.
 rubricata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [n. n.].
 rubricauda Phaeton, P. Boddaert, Tab. Planch. Enl. 1783, 57.
 rubricella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 142.
 rubricella Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 77.
 rubricollis Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 587.—Phalaena.
 rubricollis Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 687.
 rubricollis Cistela, G. W. F. Panzer, Ins. Germ. heft 34 [1796], tab. 9.
 rubricollis Colymbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 592.
 rubricollis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1714.
 rubricollis Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 166.
 rubricollis Galleruca, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 37.
 rubricollis Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2085.
 rubricollis Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 151.
 rubricollis Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 933.
 rubricollis Noctua (L.), E. J. C. Esper, Die Schmett. IV (34) 1787, 90.—Phalaena.
 rubricollis Perdix (Gm.), J. Latham, Index Orn. 1790, 648.—Tetrao.
 rubricollis Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 511; ed. 12, 1767, 840.

- rubricollis** Picus, P. Boddaert, Tab. Planch. Enl. 1783, 37.
rubricollis Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 426.
rubricollis Podiceps (Gm.), J. Latham, Index Orn. 1790, 783.—Colymbus.
rubricollis Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2035.
rubricollis Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 758.
rubricornis Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2794.
rubricornis Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1990.
rubricornis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2149.
rubricornutus Ichneumon, J. L. Christ, Nat. Ins. 1791, 347.
rubricosa Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 381.
rubricosa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 77. [532.—Noctua.
rubricosa Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
rubrifrons Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 261.—*Cryptocephalus*.
rubrifrons *Cryptocephalus*, J. C. Fabricius, Mant. I. 1787, 81.
rubripenne Acrydium, C. de Geer, Mém. Ins. III. 1773, 472.
rubripes Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1956.
rubripes Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2862.
rubrirostris Certhia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [*n. n.*].
rubrirostris Upupa, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 7 [*n. n.*].
rubris-oculis Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2—5) 1783, 138.
rubriventer Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 260.
rubroaurea Buprestis, C. de Geer, Mém. Ins. VII. 1778, 635.
rubroballeatus Cimex, C. de Geer, Mém. Ins. III. 1773, 337.
rubro-capillata Columba, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 234.
rubrociliata Geometra, C. C. Jung, Alph. Verz. Schmett. II. 1792, 176.
rubrocinctus Cimex, C. de Geer, Mém. Ins. III. 1773, 339.
rubrocollaris [Bombyx], C. C. Jung, Alph. Verz. Schmett. II. 1792, 177.
rubrocuprea Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 108.
rubro-fasciata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 260.
rubrofasciatus Cimex, C. de Geer, Mém. Ins. III. 1773, 349.
rubrofasciatus Cimex, J. C. Fabricius, Mant. II. 1787, 293.
rubrofasciata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 612.
rubromaculata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [*n. n.*].
rubromarginata Chrysomela, C. de Geer, Mém. Ins. V. 1775, 298.
rubropunctata Chrysomela, C. de Geer, Mém. Ins. V. 1775, 351.
rubrostriata Geometra (*ex* Linn.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 177.
rubroviolaceus Cerambyx, C. de Villers, Linn. Ent. I. 1789, 239.
rubroviolaceus Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 86.
rubus Cardium, F. C. Meuschen, Mus. Gever. 1787, 442.
rubus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 390; ed. 12, 1767, 625.
rubus Cerambyx, J. S. Schroeter, Abh. Naturges. I. 1776, 333.
rubus Clava, T. Martyn, Univ. Conch. II [1788], fig. 58.
rubus caesius Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 55.
rubus idaeus Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 55.
rubus Lamia (L.), J. C. Fabricius, Syst. Ent. 1775, 177.—*Cerambyx*.
rubus Lampas, F. C. Meuschen, Mus. Gever. 1787, 438.
rubus Raja, M. E. Bloch, Nat. Fische Deutschl. III. 1784, 67.
“ruderalis Graptolithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 173.
ruderalis Oniscus, P. S. Pallas, Reise Russ. I. 1771, 477.
ruderaria Apis, O. F. Müller, Z. Dan. Prod. 1776, 165.
ruderata Apis, J. C. Fabricius, Syst. Ent. 1775, 380.
rudicula Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 11.
rudis Alcedo, Linnaeus, Syst. Nat., ed. 10, 1758, 116; ed. 12, 1766, 181.
rude Buccinum, F. C. Meuschen, Mus. Gever. 1787, 304.
rude Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 115.
rude Chimaeroderma (L.), J. X. Poli, Test. Sicil. II. 1795, 259.—*Pinna*.
rudis Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 13 [*n. n.*].
rudis Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 461.

- ✓rudis Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 314.
 rudis Nassa, J. F. Bolten, Mus. Bolten. (2) 1798, 132.
 rudis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 2.
 rudis Pinna, Linnaeus, Syst. Nat., ed. 10, 1758, 707; ed. 12, 1767, 1159.
 rudis Tanagra, A. Sparrman, Mus. Carls. IV. 1789, no. xciv.
 rudis Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 92.
 rudis Turbo, W. G. Maton, Nat. Hist. West. Count. I. 1797, 277.
 rudis Turbo, E. Donovan, Brit. Shells (1800), pl. xxxiii.
 rudis Venus, J. X. Poli, Test. Sicil. II. 1795, 94.
 rudolphella Tinea, E. J. C. Esper, Naturforscher, XXV. 1791, 43.
 rudolphii Cetonia, J. A. Frolich, Naturforscher, XXXI. 1792, 115.
 rudolphi Saperda, J. Cederhielm, F. Ingric. 1798, 92.
 rudolphina Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) V. 1792, 7.
 rudolphus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 322.
 rufa *v.* rufus.
 rufana Phalaena, Scopoli, Ent. Carn., 1763, 235.
 rufana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 231.—Tortrix.
 rufana Tortrix, [Denis & Schiffermuller], Schmett. Wien. 1775, 129.
 rufaria Geometra, J. Hübnér, Europ. Schmett. (Geom.) [me judice 1796], 112 [*n. et f.*].
 rufatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2684.
 rufata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 633.
 rufata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2490.
 rufaxilla Columba, Richard & Bernard, Actes Soc. II. N. Paris, I (1) 1792, 118.
 rufella Phalaena, Scopoli, Ent. Carn. 1763, 255.
 rufescens Andrena (Scop.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 140.—Nomada.
 rufescens Apis, A. F. de Fourcroy, Ent. Paris. 1785, 447.
 rufescens Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2790.
 rufescens Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 628.
 rufescens Beroe, Forsk., A. Modeer, Nova Acta Acad. Caes. VIII., App. 1791, 23.—Medusa
 rufescens Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 113. [*beroe var.*]
 rufescens Carabus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 331.
 rufescens Carabus, J. A. Scopoli, Annus V. 1772, 108.
 rufescens Carabus, J. C. Fabricius, Syst. Ent. 1775, 247.
 rufescens Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 283.
 rufescens Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 29.
 rufescens Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2160.
 rufescens Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 148.
 rufescens Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1094.
 rufescens Curculio, D. Drury, Ill. Nat. Hist. II. 1773, index & 61.
 rufescens Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3404.
 rufescens Cyprinus, Linnaeus in Hasselquist, Palast. 1762, 435.
 rufescens Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 142 [*n. n.*]; Essai
 rufescens Helix, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 116. [Fourmis, 1798, 44.
 rufescens Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3640.
 rufescens Helix, R. Pulteney, Cat. Birds &c. Dorset, 1799, 47.
 rufescens Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer. 1783, 69.
 rufescens Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2701.
 rufescens Motacilla, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
 rufescens Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 932.
 rufescens Nomada, J. A. Scopoli, Annus IV. 1770, 45.
 rufescens Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3734.
 rufescens Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 571.
 rufescens Phalaena (Geometra), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 85.
 rufescens Phalangium, F. H. W. Martini & J. A. E. Goetze in Lister, Spinnen, 1788, 219.
 rufescens Podura, F. X. de Wulfen, Schrift. Ges. Nat. Fr. Berlin, VIII. 1788, 85.
 rufescens Ptomaphagus (Scop.), Illiger in Kugelann, Käfer Preuss. 1798, 87.—Carabus.
 rufescens Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1561.
 rufescens Staphylinus, [D. H. Schneider], Nom. Ent. 1785, 24 [*n. n.*].

- rufescens Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2036.
 rufescens Tenebrio, C. de Villers, Linn. Ent. I. 1789, 396.
 rufescens Thelephorus, G. A. Harrer, Besch. Schaeffer Icones, 1784, 83.
 rufescens Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3238.
 rufescens Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3291.
 rufescens Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 441.
 ruffinus Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 332.—Voluta.
 ruffina Porphyria (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 32.—Voluta.
 ruffina Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1192.
 ruffa Anguis, J. N. Laurenti, Syn. Rept., 1768, 71.
 ruffus Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 82.
 ruffa Felis, A. I. Gueldenstaedt, N. Comm. Ac. Sci. Petrop. XX. 1776, 499.
 ruffus Lanius, F. W. Schmidt (ex Briss.) Samml. phys-oeik. Aufsätze, I. 1795, 37.
 ruffa Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 1068.
 rufibarbis Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 159.
 rufibarbis Formica, J. C. Fabricius, Ent. Syst. II. 1793, 355.
 rufibarbis Tenebrio, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 324. [1788, 887.
 ruficapilla Emberiza, *id. ac* ruficap-, Sparr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 971.
 ruficapilla Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 971.
 ruficapilla Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.
 ruficapilla Sylvia (Gm.), J. Latham, Index Orn. 1790, 540.—Motacilla.
 ruficapilla Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2668.
 ruficaudis Buprestis, C. de Geer, Mém. Ins. VII. 1778, 632.
 ruficaudis Chrysomela, C. de Geer, Mém. Ins. V. 1775, 305.
 ruficaudis Musca, C. de Geer, Mém. Ins. VI. 1776, 127.
 ruficauda Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1662.
 ruficauda Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 84.
 ruficauda Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 18.
 ruficauda Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 959.
 ruficauda Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 353.
 ruficauda Sylvia (Gm.), J. Latham, Index Orn. 1790, 519.—Motacilla.
 ruficaudus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 816.
 ruficeps Lanius, A. Vroeg, Catal. Vogel. 1764, Adumb., 1.
 ruficeps Lytta, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 140.
 ruficeps Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 207.
 ruficollis Anas, J. A. Scopoli, Annus I. 1769, 66.
 ruficollis Anas, J. Latham, Syn. Birds, Suppl. I. 1787, 297.
 ruficollis Anobium, C. P. Thunberg, Nov. Ins. Spec. I (1) 1781, 8.
 ruficolle Anobium, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 65.
 ruficollis Anser, P. S. Pallas, Spic. Zool. VI. 1769, 21.
 ruficollis Anthribus, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 19.
 ruficollis Anthribus (L.), J. R. Schellenberg, Helvet. Entom. I. 1798, 122.—Curculio.
 ruficollis Attelabus, J. C. Fabricius, Spec. Ins. I. 1781, 200.
 ruficollis Bibio (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.), 1789, 299.—Tipula.
 ruficollis Blatta, J. C. Fabricius, Mant. I. 1787, 226.
 ruficollis Brentus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 53.
 ruficollis Brentus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 193.
 ruficollis Buprestis, J. C. Fabricius, Mant. I. 1787, 184.
 ruficollis Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 52.
 ruficolle Callidium, J. C. Fabricius, Spec. Ins. I. 1781, 236.
 ruficollis Cantharis, J. C. Fabricius, Syst. Ent. 1775, 206.
 ruficollis Cantharis, A. G. Olivier, Entom. III. 1795, 11.
 ruficollis Carabus, J. C. Fabricius, Mant. I. 1787, 203.
 ruficollis Cebrio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 102.
 ruficollis Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 254.—Callidium.
 ruficollis Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 308.—Saperda.
 ruficollis Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 55.
 ruficollis Cerocoma, J. C. Fabricius, Ent. Syst. I (2) 1792, 83.

- ruficollis Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 820.
 ruficollis Chrysomela, J. C. Fabricius, Mant. I. 1787, 71.
 ruficollis Cicada, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 60.
 ruficollis Cimex, Linnaeus, Mus. Lud. Ulr. 1764, 180.
 ruficollis Cimex, J. C. Fabricius, Syst. Ent. 1775, 719.
 ruficollis Cistela, J. C. Fabricius, Spec. Ins. I. 1781, 147.
 ruficollis Clerus (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 18.—Dermestes.
 ruficollis Clytra, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 31.
 ruficollis Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 114.—*Cryptocephalus*, 1775.
 ruficollis Clytus (Herbst), F. v. P. Schrank, F. Boica, I. 1798, 682.—*Stenocorus*.
 ruficollis Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 81.
 ruficollis Colymbus, L. Merrem, Schrift. Berlin. Ges. Nat. Freunde, IX. 1789, 191 [*n. n.*].
 ruficollis Crioceris, J. C. Fabricius, Mant. I. 1787, 88.
 ruficollis *Cryptocephalus*, J. C. Fabricius, Syst. Ent. 1775, 109.
 ruficollis Curculio, Linnaeus, Faun. Suec., ed. 2, 1761, 177.
 ruficollis Curculio, J. C. Fabricius, Mant. I. 1787, 116.
 ruficollis Dermestes, J. C. Fabricius, Syst. Ent. 1775, 57.
 ruficollis Dircaea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 122.
 ruficollis Dytiscus, C. de Geer, Mém. Ins. IV. 1774, 404.
 ruficollis Dytiscus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 313.
 ruficollis Dytiscus, J. C. Fabricius, Mant. I. 1787, 189.
 ruficollis Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 405; ed. 12, 1767, 653.
 ruficollis Evania, J. C. Fabricius, Suppl. Ent. Syst. 1798, 241.
 ruficollis Forficula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 185.
 ruficollis Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 700.
 ruficollis Galeruca, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 586.
 ruficollis Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 13.—*Chrysomela*, 1787.
 ruficollis Gallinula (Gm.), J. Latham, Index Orn. 1790, 767.—*Fulica*.
 ruficollis Helops, J. C. Fabricius, Mant. I. 1787, 214.
 ruficollis Hirtea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 552.—*Tipula*, 1781.
 ruficollis Korynetes (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 152.—*Der-*
 ruficollis Lagria, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 68. [mestes].
 ruficollis Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 91.—*Crioceris*, 1787.
 ruficollis Leptura, C. de Geer, Mém. Ins. V. 1775, 143.
 ruficollis Lithophilus, J. A. Frolich, Naturforscher, XXVIII. 1799, 13.
 ruficollis Lycus, J. C. Fabricius, Ent. Syst. I (2) 1792, 109.
 ruficollis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 153.—*Cimex*, 1775.
 ruficollis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 179.
 ruficollis Lytta, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 179.
 ruficollis Lytta, J. C. Fabricius, Ent. Syst. I (2) 1792, 83.
 ruficollis Lytta (Ol.), J. C. Fabricius, Ent. Syst. I (2) 1792, 85.—*Cantharis*.
 ruficollis Malachus, A. G. Olivier, Entom. II. 1790, 9.
 ruficollis Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 39.
 ruficollis Mordella, J. C. Fabricius, Ent. Syst. I (2) 1792, 115.
 ruficollis Mutilla, J. C. Fabricius, Ent. Syst. II. 1793, 371.
 ruficollis Mylabris, A. G. Olivier, Entom. III. 1795, 14.
 ruficollis Necydalis, J. C. Fabricius, Spec. Ins. I. 1781, 263.
 ruficollis Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 87.
 ruficollis Noctoxus, P. Rossi, Mant. Ins. II. 1794, 96.
 ruficollis Oedemera (Fab.), A. G. Olivier, Entom. III. 1795, 11.—*Necydalis*.
 ruficollis Paederus, J. C. Fabricius, Gen. Ins. 1777, 243. [Noctua].
 ruficollis Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmet. IV. 1792, 626.—
 ruficollis Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2011.—*Helops*.
 ruficollis Podiceps, J. Latham, Syn. Birds, Suppl. I. 1787, 294.
 ruficollis Saperda, J. C. Fabricius, Mant. I. 1787, 150.
 ruficollis Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 311.
 ruficollis Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 642.
 ruficollis Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 230.—*Sphaeridium*.

- ruficolle Sphaeridium, J. C. Fabricius, Mant. I. 1787, 43.
 ruficolle Sphaeridium, J. A. Frolich, Naturforscher, XXVI. 1792, 121.
 ruficollis Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 199.
 ruficollis Sphinx, E. Donovan, Ins. China, 1799.
 ruficollis Staphylinus, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 323.
 ruficollis Staphylinus (Fab.), G. Paykull, Mon. Staph. 1789, 26.—Paederus.
 ruficollis Stenocorus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 92.
 ruficollis Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 894.
 ruficollis Tenebrio (Fab.), C. de Villers, Linn. Ent. IV. 1789, 362.—Helops.
 ruficollis Tetratoma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 176.
 ruficollis Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 410.
 ruficollis Tipula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 88 [*n. n.*].
 ruficollis Trynga, P. S. Pallas, Reise Russ. III. 1776, 700.
 ruficollis Turdus, P. S. Pallas, Reise Russ. III. 1776, 694.
 ruficornis Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 221.—Gryllus.
 ruficornis Andrena (Scop.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 140.—Nomada.
 ruficornis Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 110.
 ruficornis Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 578; ed. 12, 1767, 958.
 ruficornis Asilus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 271.—Eras rufipes, Scop.
 ruficornis Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 380.
 ruficornis Bembex, J. C. Fabricius, Mant. I. 1787, 286.
 ruficornis Blaps, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 191.
 ruficornis Bostrichus, F. v. P. Schrank, F. Boica, I. 1798, 437.
 ruficornis Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 267.
 ruficornis Carabus, C. de Geer, Mém. Ins. IV. 1774, 95.
 ruficornis Carabus, J. C. Fabricius, Syst. Ent. 1775, 241.
 ruficornis Carabus, O. F. Müller, Z. Dan. Prod. 1776, 77.
 ruficornis Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 703.
 ruficornis Cimex, J. C. Fabricius, Syst. Ent. 1775, 713.
 ruficornis Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 209.
 ruficornis Colymbus, A. Voeg, Catal. Vogel. 1764, Adumb., 6.
 ruficornis Crioceris, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 200.
 ruficornis Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 385; ed. 12, 1767, 616.
 ruficornis Cynips, J. C. Fabricius, Ent. Syst. II. 1793, 103.
 ruficornis Cynips, P. Rossi, Mant. Ins. II. 1794, 106.
 ruficornis Dermestes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1600.
 ruficornis Formica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2805.
 ruficornis Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 32.
 ruficornis Gryllus, J. C. Fabricius, Mant. I. 1787, 237.
 ruficornis Hydrophilus, C. de Geer, Mém. Ins. IV. 1774, 371.
 ruficornis Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 70.
 ruficornis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2719.
 ruficornis Ips, A. G. Olivier, Entom. II. 1790, 13.
 ruficornis Latridius, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 574.
 ruficornis Leptura, J. C. Fabricius, Spec. Ins. I. 1781, 247.
 ruficornis Mellinus, J. C. Fabricius, Ent. Syst. II. 1793, 286.
 ruficornis Melolontha, J. C. Fabricius, Syst. Ent. 1775, 33.
 ruficornis Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2874.—Syrphus.
 ruficornis Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 314.
 ruficornis Mutilla, J. C. Fabricius, Syst. Ent. 1775, 397.
 ruficornis Mylabris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 121.
 ruficornis Nomada, J. A. Scopoli, Annus IV. 1770, 46.
 ruficornis Nomada (L.), J. C. Fabricius, Syst. Ent. 1775, 389.—Apis.
 ruficornis Phalaena, Hufnagel, Berlin. Mag. II. 1766, 424.
 ruficornis Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2554.
 ruficornis Philanthus, J. C. Fabricius, Ent. Syst. II. 1793, 292.
 ruficornis Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1568.—
 ruficornis Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 230. [Melolontha.]

- ruficornis** Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1626.
ruficornis Sphex, J. C. Fabricius, Syst. Ent. 1775, 352.
ruficornis Syrphus, J. C. Fabricius, Syst. Ent. 1775, 769.
ruficornis Tabanus, J. C. Fabricius, Syst. Ent. 1775, 789.
ruficornis Tiphia, J. C. Fabricius, Mant. I. 1787, 279.
ruficornis Vespa, J. R. Forster, N. Sp. Ins. 1771, 90.
ruficrus Callidium, F. v. P. Schrank, Naturforscher, XXIV. 1789, 77.
ruficrus Leptura, Scopoli, Ent. Carn. 1763, 48.
ruficrus Phryganea, Scopoli, Ent. Carn. 1763, 266. [—Lagria.
ruffrons Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1729.
ruffrons Dryops, J. C. Fabricius, Ent. Syst. I (2) 1792, 76.—Lagria, 1777.
ruffrons Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 73.
ruffrons Dyticus, J. C. Fabricius, Ent. Syst. I (1) 1792, 198.
ruffrons Ips, J. C. Fabricius, Gen. Ins. 1777, 214.—Tritoma, 1775.
ruffrons Lagria, J. C. Fabricius, Gen. Ins. 1777, 223.
ruffrons Larra, J. C. Fabricius, Ent. Syst. II. 1793, 222.
ruffrons Musca, J. C. Fabricius, Spec. Ins. II. 1781, 449.
ruffrons Silpha (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1618.—Tritoma.
ruffrons Silpha, C. de Villers, Linn. Ent. I. 1789, 88.
ruffrons Tritoma, J. C. Fabricius, Syst. Ent. 1775, 69.
ruffrons Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 825.
rufigaster Anas, J. Latham, Syn. Birds, Suppl. I. 1787, 297.
rufigastra Sylvia, J. Latham, Index Orn. 1790, 534.
rufigula Turdus, P. Boddaert, Tab. Planch. Enl. 1783, 39.
rufigularis Falco, F. M. Daudin, Traité élém. Orn. 1800, 131.
rufilatrix Cetonia, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 110.
rufilumbis Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 199.
rufimana Saperda, F. v. P. Schrank, Naturforscher, XXIV. 1789, 77.
rufimitralis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 30.
rufimitrella Phalaena, Scopoli, Ent. Carn. 1763, 251.
rufina Anas, P. S. Pallas, Reise Russ. II. 1773, 713.
rufina Formica, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 211.
rufina Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 822; ed. 12, 1767, 830.
rufipalpis Elater, F. v. P. Schrank, Naturforscher, XXIV. 1789, 79.
rufipectus Tenthredo, C. de Geer, Mém. Ins. III. 1773, 599.
rufipennella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 67.
rufipennis Apis, J. C. Fabricius, Ent. Syst. II. 1793, 335.
rufipennis Erotylus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 39.
rufipenne Sphaeridium, G. Paykull, Faun. Suec. I. 1798, 73.
rufipennis Sphex, C. de Geer, Mém. Ins. VII. 1778, 611.
rufipennis Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 200.
rufipennis Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 116.
rufipes Acarus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2931.
rufipes Adimonia, F. v. P. Schrank, F. Boica, I. 1798, 559.
rufipes Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 114.—Chrysomela.
rufipes Andrena, J. C. Fabricius, Ent. Syst. II. 1793, 308.
rufipes Anobium, C. P. Thunberg, Nov. Ins. Spec. (I) 1781, 10.
rufipes Anobium, J. C. Fabricius, Ent. Syst. I (1) 1792, 236.
rufipes Anthicus, G. Paykull, Faun. Suec. III. 1800, 444.
rufipes Aphodius (L.), Illiger in Kugelann, Käfer Preuss. 1798, 28.—Scarabaeus.
rufipes Apis, J. C. Fabricius, Spec. Ins. I. 1781, 481.
rufipes Apis, J. C. Fabricius, Mant. I. 1787, 303.
rufipes Apis, J. L. Christ, Nat. Ins. 1791, 160.
rufipes Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 621; ed. 12, 1767, 1033.
rufipes Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 426.
rufipes Asilus, J. C. Fabricius, Syst. Ent. 1775, 794.
rufipes Asilus, C. de Geer, Mém. Ins. VI. 1776, 243.
rufipes Bembex, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 292.

- rufipes Bibio (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 299.—Tipula.
 rufipes Bostrichus, A. G. Olivier, Entom. IV. 1795, 17.
 rufipes Bruchus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 29.
 rufipes Bruchus, C. Quensel, Diss. ignotus insectorum Species, 1790, 11.
 rufipes Bruchus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 202.
 rufipes Buprestis, J. A. Scopoli, Annus V. 1772, 105.
 rufipes Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 43.
 rufipes Buprestis, A. G. Olivier, Entom. II. 1790, 16.
 rufipes Byrrhus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 485.
 rufipes Callidium, J. C. Fabricius, Gen. Ins. 1777, 232.
 rufipes Cantharis, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 107.
 rufipes Carabus, C. de Geer, Mém. Ins. IV. 1774, 96.
 rufipes Carabus, O. F. Müller, Z. Dan. Prod. 1776, 76.
 rufipes Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 375.—Buprestis.
 rufipes Carabus, G. Paykull, Mon. Carab. 1790, 101.
 rufipes Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 138.
 rufipes Cerambyx, J. C. Fabricius, Mant. I. 1787, 133.
 rufipes Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 254.—Callidium.
 rufipes Cetonia, J. C. Fabricius, Mant. I. 1787, 27.
 rufipes Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 129.
 rufipes Chalcis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 440.
 rufipes Chalcis, P. Rossi, Mant. Ins. II. 1794, 117.
 rufipes Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 373; ed. 12, 1767, 595.
 rufipes Chrysomela, C. de Geer, Mém. Ins. V. 1775, 295.
 rufipes Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 59.
 rufipes Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 263.—Crioceris.
 rufipes Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 443; ed. 12, 1767, 719.
 rufipes Cimex, M. Harris, Exp. Eng. Ins. 1776, 89.
 rufipes Cistela, J. C. Fabricius, Ent. Syst. I (2) 1792, 44.
 rufipes Clerus, C. de Geer, Mém. Ins. V. 1775, 165.
 rufipes Clerus, Brahm in D. H. Hoppe, Ent. Taschenbuch, 1797, 136.
 rufipes Coccinella, Scopoli, Ent. Carn. 1763, 73.
 rufipes Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 80.
 rufipes Conops, J. C. Fabricius, Spec. Ins. II. 1781, 466.
 rufipes Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 148.—Scarabaeus.
 rufipes Crabro, J. C. Fabricius, Mant. I. 1787, 297.
 rufipes Crioceris, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 67.
 rufipes Crioceris, J. C. Fabricius, Mant. I. 1787, 89.
 rufipes Crioceris (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I, 1791, 118.—Ero-
 rufipes Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 93. [tylus.
 rufipes Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 63.
 rufipes Cucujus, J. C. Fabricius, Ent. Syst. I (2) 1792, 94.
 rufipes Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 385; ed. 12, 1767, 617.
 rufipes Curculio, J. A. Scopoli, Ent. Carn. 1763, 32.
 rufipes Curculio, G. Borsdorff, Curc. Succ. 1785, 25.
 rufipes Dermestes, J. A. Scopoli, Annus V. 1772, 88.
 rufipes Dermestes, J. C. Fabricius, Spec. Ins. I. 1781, 65.
 rufipes Donacia, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 292.
 rufipes Dytiscus, O. F. Müller, Z. Dan. Prod. 1776, 73.
 rufipes Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 195.
 rufipes Elater, C. de Geer, Mém. Ins. IV. 1774, 150.
 rufipes Elater, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 113.
 rufipes Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1918.
 rufipes Elater, P. Rossi, Fauna Etrus. I. 1790, 181.
 rufipes Empis, J. A. Scopoli, Ent. Carn. 1763, 368.
 rufipes Empis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2890.
 rufipes Erax, J. A. Scopoli, Ent. Carn. 1763, 361.
 rufipes Erotylus, J. C. Fabricius, Mant. I. 1787, 92.

- rufipes** Formica, J. C. Fabricius, Syst. Ent. 1775, 391.
rufipes Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 32.—Chrysomela.
rufipes Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2070.
rufipes Helops, J. C. Fabricius, Syst. Ent. 1775, 258.
rufipes Hister, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], III. 1792, 304.
rufipes Hister, G. Paykull, Faun. Suec. I. 1798, 50.
rufipes Hydrophilus, J. C. Fabricius, Ent. Syst. I (1) 1792, 183.
rufipes Ichneumon, J. F. Miller, Icones Insect. VI. 1759, & text.
rufipes Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2683.
rufipes Ips, J. C. Fabricius, Mant. I. 1787, 45.—Tritoma, 1779.
rufipes Korynetes (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 151.—Dermestes.
rufipes Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 288.
rufipes Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 93.—Crioceris, 1787.
rufipes Leptura, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 298.
rufipes Lucanus, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 311.
rufipes Lucanus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 140.
rufipes Mordella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2025.
rufipes Musca, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 23.
rufipes Mutilla, J. C. Fabricius, Mant. I. 1787, 312.
rufipes Nitidula (L.), J. C. Fabricius, Syst. Ent. 1775, 78.—Silpha.
rufipes Nomada, J. C. Fabricius, Ent. Syst. II. 1793, 347.
rufipes Opatrum, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 225.
rufipes Oxyporus (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 535.—Staphylinus.
rufipes Philanthus, J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 225.—Crabro, 1787.
rufipes Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2010.—Helops.
rufipes Pompilus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 250.—Sphex.
rufipes Ptinus, A. G. Olivier, Entom. II. 1790, 8.
rufipes Reduvius, J. C. Fabricius, Mant. II. 1787, 309.
rufipes Saperda, A. G. Olivier, Entom. IV. 1795, 25.
rufipes Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 353; ed. 12, 1767, 559.
rufipes Scolopax, Picot de la Peirouse, K. Vet. Ac. Nya Handl. III. 1782, 113.
rufipes Silpha, Linnaeus, Syst. Nat., ed. 12, 1767, 573.
rufipes Sphaeridium, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 315.
rufipes Sphaeridium, C. P. Thunberg, Ins. Suecica (8) 1794, 101.
rufipes Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 571; ed. 12, 1767, 945.
rufipes Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 423; ed. 12, 1767, 685.
rufipes Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 529.
ruffipes Syrphus, J. D. Preyßler in Mayer's Samml. Phys. Aufsätze, III. 1793, 216.
rufipes Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 557; ed. 12, 1767, 924.
rufipes Tenthredo, N. Poda, Ins. Mus. Graec. 1761, 103.
rufipes Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2666.
rufipes Tenthredo, J. L. Christ, Nat. Ins. 1791, 439.
rufipes Tiphia, P. A. Latreille, Mag. encyclop. III (1) 1797, 25.
rufipes Tipula, Linnaeus, Faun. Suec., ed. 2, 1761, 439.
rufipes Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 410.
rufipes Triplax (Fab.), G. Paykull, Faun. Suec. III. 1800, 347.—Ips.
rufipes Tritoma, J. C. Fabricius, Reise Norwegen, 1779, 63.
rufipes Tritoma (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 39.—Silpha.
rufipes Upis, [Hausmann], Bemerk. Entom. 1799, 32.
rufipes Vespa, J. C. Fabricius, Syst. Ent. 1775, 367.
rufirostris Apion (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 111.—Curculio.
rufirostris Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 390.—Curculio, 1775.
rufirostris Curculio, J. C. Fabricius, Syst. Ent. 1775, 132.
rufirostris Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 98; ed. 12, 1766, 143.
rufirostris Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 322; *var. gujanensis*
rufitarsis Chrysomela, N. G. Leske, Reise Sachsen, 1785, 15.
rufitarsis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1718.
rufitarsis Dermestes, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 6.

- rufitarsis** Rhinomacer, P. A. Latreille, Journ. Santé Bourdeaux, II. 1797, 335.
rufiventris Apis, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (3) 1782, 300.
rufiventris Cantharis, Scopoli, Ent. Carn. 1763, 43.
rufiventris Falco, F. M. Daudin, Traité élém. Orn. 1800, 86.
rufiventris Loxia, F. M. Daudin, Traité élém. Orn. 1800, 420.
rufiventris Musca, Scopoli, Ent. Carn. 1763, 329.
rufiventris Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2859.
rufiventris Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 941.
rufiventris Tiphia, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 4.
rufo-albus Coluber, G. A. Suckow, Naturges. III. 1798, 251.
rufo-alba Perdix, J. M. Bechstein, Gem. Nat. Deutschl. III. 1793, 527.
rufo-barbata Fringilla, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 11.
rufo-cincta Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 72.
rufoclavata Silpha, C. de Geer, Mém. Ins. IV. 1774, 176.
rufofasciata Aranea, C. de Geer, Mém. Ins. VII. 1778, 269.
rufofasciatus Curculio, C. de Geer, Mém. Ins. V. 1775, 271.
rufofasciata Sphex, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 65.
rufofasciosa Phalaena Bom., E. J. C. Esper, Die Schmett., Suppl., 3 Abschn. [1797], 58.
rufomaculatus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 107.
rufomaculata Musca, C. de Geer, Mém. Ins. VI. 1776, 28.
rufomarginatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 481.
rufomarginatus Cimex, C. de Geer, Mém. Ins. III. 1773, 330.
rufomarginatus Gryllus Locusta, C. de Villers, Linn. Ent. I. 1789, 451.
rufomarginatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 152.
rufopunctatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 54.
rufo-unguiculatus Elater, C. de Geer, Mém. Ins. IV. 1774, 148.
rufo-villosus Ptinus, C. de Geer, Mém. Ins. IV. 1774, 230.
rufulus Curculio, J. R. Forster, Cat. Brit. Ins. 1770, 4 [n. n.].
rufula Ephemera, O. F. Müller, Z. Dan. Prod. 1776, 143.
rufulus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2717.
rufum Acridium, O. F. Müller, Z. Dan. Prod. 1776, 101.
rufum Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 230.—Gryllus.
rufa Actinia, O. F. Müller, Z. Dan. Prod. 1776, 231.
rufa Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 792.
rufa Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 798.
rufa Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 515.
rufus Anguis, *id. ac ruffa*, Laur., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1123.
rufus Antipus, C. de Geer, Mém. Ins. VII. 1778, 659.
rufa Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 575; ed. 12, 1767, 954.
rufa Apis, Scopoli, Ent. Carn. 1763, 306.
rufa Apis, P. Osbeck, Reise Ost-Indien China, 1765, 127.
rufa Ardea, J. A. Scopoli, Annus I. 1769, 87.
rufa Ardea, P. Boddaert, Tab. Planch. Enl. 1783, 54.
rufus Asilus, C. de Geer, Mém. Ins. VI. 1776, 241.
rufus Asilus (Scop.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 272.—Erax.
rufa Blatta, C. de Geer, Mém. Ins. III. 1773, 539.
rufus Bombylius, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 327.
rufus Bruchus, C. de Geer, Mém. Ins. V. 1775, 281.
rufum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 736; ed. 12, 1767, 1198.
rufum Buccinum, J. A. Scopoli, Del. Insub. II. 1786, 77.
rufus Bufo, J. G. Schneider, Hist. Amph. I. 1799, 230.
rufum Callidium, A. G. Olivier, Entom. IV. 1795, 28.
rufa Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 401; ed. 12, 1767, 647.
rufus Caprimulgus, P. Boddaert, Tab. Planch. Enl. 1783, 46.
rufus Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1030.
rufus Carabus, P. Rossi, Mant. Ins. I. 1792, 80.
rufa Cassidea (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 433.—Buccinum.
rufa Cassis (L.), F. C. Meuschen, Mus. Gever. 1787, 394.—Buccinum.

- rufus Cerambyx (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1857.—Steno-
 rufa Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 264.—Erotylus. [corus.
 rufa Cistela, R. Townson, Trav. Hungary, 1797, 460.
 rufus Clerus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 13.
 rufus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1105.
 rufum Colydium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 174.
 rufus Corvus, J. Latham, Index Orn. 1790, 161.
 rufa Crioceris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 71.
 rufus Cucujus, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 198.
 rufus Cucuius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 123.
 rufus Cuculus, J. M. Bechstein, Gem. Nat. Deutschl. II. 1791, 495.
 rufus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 90.
 rufus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 116.
 rufus Curculio, E. Donovan, Brit. Ins. VII. 1798, 87.
 rufus Dermestes, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 22.
 rufus Dytiscus, Scopoli, Ent. Carn. 1763, 98.
 rufus Elater, C. de Geer, Mém. Ins. IV. 1774, 144.
 rufus Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 219.
 rufus Erax, J. A. Scopoli, Ent. Carn. 1763, 363.
 rufus Erotylus, J. C. Fabricius, Gen. Ins. 1777, 222.
 rufus Falco, J. A. Scopoli, Del. Insub. II. 1786, 36.
 rufus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 266.
 ruffa Felis, Gueldenstaedt, Nov. Comm. Ac. Sci. Petrop. XX. 1776, 499.
 rufa Felis (Lynx), R. Kerr, Anim. Kingd. 1792, 158.
 rufa Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 580; ed. 12, 1767, 962.
 rufa Fringilla, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 15.
 rufus Galeopithecus, B. G. E. de Lacépède, Tabl. Mamm. 1799, 16.
 rufus Galeopithecus, J. B. Audebert, Hist. Nat. Singes, 1800, sign. Qq².
 rufus Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 433; ed. 12, 1767, 702.
 rufus Hemerobius, C. de Villers, Linn. Ent. III. 1789, 56.
 rufa Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1018.
 rufus Hydrophilus (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1943.—Dytis-
 rufus Ichneumon, C. de Geer, Mém. Ins. VII. 1778, 596. [cus.
 rufus Ips, F. v. P. Schrank, F. Boica, I. 1798, 512.
 rufus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 284; ed. 12, 1766, 475.
 rufa Lampyrus, A. G. Olivier, Entom. II. 1790, 28.
 rufus Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 137.
 rufus Lanius, J. A. Scopoli, Del. Insub. II. 1786, 86.
 rufus Lanius, S. L. B. de Hochenwart (*ex* Briss.), Nova Acta Acad. Caes. VIII. 1791, 229.
 rufus Lemur, J. B. Audebert, Hist. Nat. Singes, 1800, sign. Kk².
 rufus Limax, Linnaeus, Syst. Nat., ed. 10, 1758, 652; ed. 12, 1767, 1081.
 rufus Limax, G. de Razoumowski, Hist. Nat. Jorat, 1789, 268; *varr.* rufus, nigrescens.
 rufa Limosa (*ex* Briss.), J. M. Bechstein, Gem. Nat. Deutschl. III. 1793, 134.
 rufus Lycus (Ol.), A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 24.—Lampyrus.
 rufa Lytta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2016.
 rufus Malachius, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 108.
 rufus Malacopteryx (L.), J. R. Forster, Cat. Brit. Ins. 1770, 7 [*n. n.*].—Cantharis.
 rufa Melolontha, J. C. Fabricius, Syst. Ent. 1775, 36.
 rufus Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 465.
 rufa Motacilla, P. Boddaert, Tab. Planch. Enl. 1783, 35.
 rufa Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 955.
 rufa Musca (De G.), C. de Villers, Linn. Ent. III. 1789, 418.—Nemotelus.
 rufa Musca, J. A. Scopoli, Ent. Carn. 1763, 335.
 rufa Musca, C. de Geer, Mém. Ins. VI. 1776, 96.
 rufa Musca, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 17.
 rufa Muscicapa, P. Boddaert, Tab. Planch. Enl. 1783, 27.
 rufa Necydalis, Linnaeus, Syst. Nat., ed. 12, 1767, 642.
 rufus Nemotelus, C. de Geer, Mém. Ins. VI. 1777, 166.

- rufa Nereis, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 38.
 rufa Nerita, I. v. Born, Index Mus. Caes. Vind. 1778, 413.
 rufa Nomada, P. Rossi, Fauna Etrus. II. 1790, 111.
 rufus Oxyporus (L.), J. C. Fabricius, Syst. Ent. 1775, 267.—Staphylinus.
 Perca, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 351.
 rufa Perdix (L.), S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 448.—Tetrao.
 rufus Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 432.
 rufus Ptinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1606.
 rufa Pyrochroa, C. de Geer, Mém. Ins. V. 1775, 23.
 rufa Rana, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 rufus Regulus, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 15.
 rufus Scarabaeus, J. R. Forster, Cat. Anim. N. Amer. 1771, 24 [*n. n.*].
 rufus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 640.
 rufus Scarabaeus, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], I (4) 1782, 372.
 rufus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 39.
 rufus Scarites, P. Rossi, Fauna Etrus. I. 1790, 229.
 rufa Scolopax, J. A. Scopoli, Annus I. 1769, 93.
 rufa Silpha, N. G. Leske, Reise Sachsen, 1785, 14.
 rufus Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 194.
 rufus Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 422; ed. 12, 1767, 684.
 rufus Stenocorus, J. A. Scopoli, Annus V. 1772, 98.
 rufa Strix, J. A. Scopoli, Annus I. 1769, 22.
 rufa Sylvia (Gm.), J. Latham, Index Orn. 1790, 516.—Motacilla.
 rufus Tabanus, J. A. Scopoli, Ent. Carn. 1763, 373.
 rufus Tantalus, J. A. Scopoli, Del. Insub. II. 1786, 92.
 rufus Thelephorus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 62.—Cantharis.
 rufus Tenebrio, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 39.
 rufa Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 71.
 rufus Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 160; ed. 12, 1766, 276.
 rufa Thrips, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2224.
 rufus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 497.
 rufus Trogon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 404.
 rufus Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 169; ed. 12, 1766, 293.
 rufus Ursus, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 325.
 rufa Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 572; ed. 12, 1767, 949.
 rufum Vexillum, J. F. Bolten, Mus. Bolten. (2) 1798, 139.
 rugata Clava, T. Martyn, Univ. Conch. I [1784 *non* 1769], fig. 12.
 rugatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.
 rugata Mitra, T. Martyn, Univ. Conch. III [1789], fig. 103.
 rugata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3289.
 rugicollis Cerambyx, J. C. Fabricius, Mant. I. 1787, 135.
 rugicollis Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 611.
 rugicollis Ips, A. G. Olivier, Entom. II. 1790, 13.
 rugifrons Hister, G. Paykull, Faun. Suec. I. 1798, 47.
 rugosana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me justice 1796], fig. 82 [*n. et f.*].
 rugosissimus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 127.
 rugosa Acanthia (L.), J. C. Fabricius, Syst. Ent. 1775, 694.—Cimex.
 rugosa Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3349.
 rugosus Balanus, R. Pulteney, Cat. Birds &c. Dorset, 1799, 25.
 rugosus Bostrichus, A. G. Olivier, Entom. IV. 1795, 18.
 rugosus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 27.
 rugosum Buccinum, Linnaeus, Mant. II. 1771, 549.
 rugosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3476.
 rugosa Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 52.
 rugosa Buprestis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1940.
 rugosus Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2985.—Pagurus.
 rugosus Cancer (Astacus) (Fab.), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 65.—Pa-
 rugosus Carabus, C. de Geer, Mém. Ins. VII. 1778, 627. [gurus.]

- rugosus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1969.
 rugosus Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 56.
 rugosa Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 31.
 rugosus Cerambyx, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 36.
 rugosus Cerambix, A. G. Olivier, Entom. IV. 1795, 11.
 rugosa Chama, Linnaeus, Mant. II. 1771, 546.
 rugosa Chama, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 391.
 rugosa Chrysomela (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 689.—Tenebrio.
 rugosa Cidaris (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 84.—Turbo.
 rugosus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 442; ed. 12, 1767, 717.
 rugosus Cimex, Scopoli, Ent. Carn. 1763, 126.
 rugosa Cistela, A. G. Olivier, Entom. III. 1795, 10.
 rugosa Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 111.
 rugosa Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 115.
 rugosa Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 185 [n. n.].
 rugosus Curculio, G. A. Harrer, Besch. Schaeffer Icones, 1784, 173.
 rugosus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 117.
 rugosus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1759.
 rugosa Cytherea (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 179.—Venus.
 rugosa Donax, Linnaeus, Syst. Nat., ed. 10, 1758, 682; ed. 12, 1767, 1127.
 rugosus Elophorus, A. G. Olivier, Entom. III. 1795, 6.
 rugosum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 93.
 rugosa Galathea, J. C. Fabricius, Ent. Syst. II. 1793, 472.—Pagurus, 1775.
 rugosus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2087.
 rugosus Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 430; ed. 12, 1767, 697.
 rugosa Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 13 [n. n.].
 rugosus Ichneumon, C. de Geer, Mém. Ins. III. 1773, 597.
 rugosus Latridius, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 6.
 rugosa Locusta, C. P. Thunberg, D. D. Mus. Ac. Upsal. XXIII. 1804, 7.
 rugosa Machla, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 159.
 rugosa Mactra, G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 128.
 rugosa Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3261.
 rufus Malachus, A. G. Olivier, Entom. II. 1790, 4.
 rugosus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 108.
 rugosus Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 303.
 rugosa Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 330.
 rugosa Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3222.
 rugosus Mytilus, Linnaeus, Syst. Nat., ed. 12, 1767, 1156.
 rugosus Nautilus, Linnaeus, Syst. Nat., ed. 12, 1767, 1162.
 rugosa Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3673.
 rugosus Octopus (Bosc), G. Cuvier, Tab. Elém. 1798, 381.—Sepia.
 rugosum Opatrum, A. G. Olivier, Entom. III. 1795, 6.
 rugosus Pagurus, J. C. Fabricius, Syst. Ent. 1775, 412.
 rugosa Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 4.
 rugosa Pimelia, J. C. Fabricius, Syst. Ent. 1775, 252.
 rugosa Pimelia, A. G. Olivier, Entom. III. 1795, 10.
 rugosus Ptinus, C. de Villers, Linn. Ent. IV. 1789, 223.
 rugosus Rhinoceros, J. F. Blumenbach, Hand. Naturg. 1779, 134.
 rugosus Scarabaeus, N. Poda, Ins. Mus. Graec. 1761, 20.
 rugosa Sepia, L. Bosc, Actes Soc. H. N. Paris, I (1) 1792, 24.
 rugosum Sepidium, J. C. Fabricius, Spec. Ins. I. 1781, 315.
 rugosa Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 809; ed. 12, 1767, 1308.
 rugosa Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 361; ed. 12, 1767, 571.
 rugosus Staphylinus, J. C. Fabricius, Syst. Ent. 1775, 267.
 rugosa Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 208.
 rugosus Tamarindiformis, F. C. Meuschen, Mus. Gev. 1787, 412.
 rugosa Tellina, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 75.
 rugosa Tellina, I. v. Born, Index Mus. Caes. Vind. 1778, 18.

- rugosus** Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 678.
- rugosus** Tenebrio (L.), C. de Geer, Mém. Ins. V, 1775, 43.—Silpha.
- rugosus** Trochus (L.), F. C. Meuschen, Mus. Gever. 1787, 280.—Turbo
- rugosus** Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 82.
- rugosus** Turbo, Linnaeus, Syst. Nat., ed. 12, 1767, 1234.
- rugosa** Venus, Linnaeus, Mant. II. 1771, 545.
- rugosa** Venus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 81.
- rugosa** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3456.
- rugulosus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 406.
- rugula** Vibrio, O. F. Müller, An. Infus. 1786, 44.
- rullus** Buccinum, F. C. Meuschen, Mus. Gever. 1787, 296.
- rumicis** Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 451; ed. 12, 1767, 734.
- rumicis** Chrysomela, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 318.
- rumicis** Chrysomela, J. C. Fabricius, Mant. I. 1787, 70.
- rumicis** Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 379; ed. 12, 1767, 614.
- rumicis** Noctua (L.), J. C. Fabricius, Spec. Ins. II. 1781, 238.—Phalaena.
- rumicis** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 516; ed. 12, 1767, 852.
- rumicis** Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 559; ed. 12, 1767, 928.
- rumina** Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 480; ed. 12, 1767, 783.
- rumina** Papilio, D. Drury, Ill. Nat. Hist. I. 1770, index.
- rumina alba** Papilio Nym., E. J. C. Esper, Die Schmett. Suppl., 1 Abschn. [1797], 64.
- rumphii** Alpheus, F. Weber, Nomen. Fabricii, 1795, 91.
- rumpfi** Aranea, Scopoli, Ent. Carn. 1763, 401.
- rumpfi** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3491.
- rumphii** Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 336.—Alpheus, 1795.
- rumphii** Dromia, F. Weber, Nomen. Fabricii, 1795, 92.
- rumphii** Dromia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 360.
- runica** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 70.
- runica** Phalaena, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2561.
- runica** Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 141.—
- rupella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 320. [Noctua.]
- rupestrata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 109.
- rupestrata** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 192 [n.
- rupestrata** Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 455. [et f.]
- rupestrata** Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 310.—Geometra.
- rupestris** Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 618; ed. 12, 1767, 1026.
- rupestris** Acarus, Linnaeus, Faun. Suec., ed. 2, 1761, 484, no. 1985.
- rupestris** Apis, J. C. Fabricius, Ent. Syst. II. 1793, 320.
- rupestris** Apis, J. C. Fabricius, Ent. Syst. IV. 1794, 460.
- rupestris** Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 623; ed. 12, 1767, 1036.
- rupestris** Cicindela, Linnaeus, Syst. Nat., ed. 12, 1767, 658.
- rupestris** Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 111.
- rupestris** Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 265 & 275.
- rupestris** Coryphaena, O. F. Müller, Z. Dan. Prod. 1776, 43.
- rupestris** Coryphaenoides, J. E. Gunnerus, Trondhemske Selsk. Skrift. III. 1765, 50 & 58.
- rupestris** Ephemera, J. Hill, Decade Curious Insects, 1773, 19.
- rupestris** Helix, Studer in Coxe, Trav. Switz. III. 1789, 386 [n. n.].
- rupestris** Hirundo, J. A. Scopoli, Annus I, 1769, 167.
- rupestris** Julus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3020.
- rupestris** Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 286; ed. 12, 1766, 478.
- rupestris** Lutjanus (Linn.), M. E. Bloch, Nat. ausl. Fische. IV. 1790, 117.—Labrus.
- rupestris** Macrourus (Müll.), M. E. Bloch, Nat. ausl. Fische, II. 1786, 152.—Coryphaena.
- rupestris** Opilio, J. F. W. Herbst, Nat. ungest. Ins. (3), 1799, 4.
- rupestris** Perca (L.), P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 44.—Labrus.
- rupestris** Syrrhus, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 13.
- rupestris** Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 751.
- rupestris** Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 573.

- rupestris** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3464.
rupicapra Antilope, P. S. Pallas, Misc. Zool. 1766, 4.
rupicapra Capra, Linnaeus, Syst. Nat., ed. 10, 1758, 68; ed. 12, 1766, 95.
rupicapra Membracis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 514.
rupicapraría Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 105.
rupicapraría Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 222 [*n.*].
Rupicola M. J. Brisson, Ornith. IV. 1760, 437.—A. [et f.].
rupicola Columba, J. Latham, Index Orn. 1790, 590.
rupicolus Falco, F. M. Daudin, Traité élém. Orn. 1800, 135.
rupicola Melolontha, J. C. Fabricius, Syst. Ent. 1775, 818.
rupicola Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 90.
rupicola Phalaena Noctua, J. Hübner, Beitr. Schmett. I (4) 1789, 8.
rupicola Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 82.
rupicola Pipra, Linnaeus, Syst. Nat., ed. 12, 1766, 338.
rupicola Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1560.—
 Melolontha.
rupium Turbo, E. M. da Costa, Brit. Conch. 1778, 90.
ruptata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 295 [*n. et f.*].
ruralis Phalaena, Scopoli, Ent. Carn. 1763, 242.
rurea Bombyx, J. C. Fabricius, Mant. II. 1787, 114.
rurea Noctua, J. C. Fabricius, Syst. Ent. 1775, 618.
rurea Phalaena Bombyx (Fab.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 467.—
ruricola Alpheus (L.), F. Weber, Nomen. Fabricii, 1795, 91.—Cancer. [Bombyx.
ruricola Aranea, C. de Geer, Mém. Ins. VII. 1778, 282.
ruricola Callidium, A. G. Olivier, Entom. IV. 1795, 65.
ruricola Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 626; ed. 12, 1767, 1040.
ruricola Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1860.
ruricola Melolontha, J. C. Fabricius, Syst. Ent. 1775, 38.
ruricola Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1558.—
rurimana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 823. [Melolontha.
rus Madrepora, P. Forskal, Descr. Anim. 1775, 135.
russi Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 456; ed. 12, 1767, 741.
russi Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 424. [Lamia.
ruspator Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1834.—
ruspator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 565; ed. 12, 1767, 937.
ruspator Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 223.
ruspatrix Vespa, Linnaeus, Syst. Nat., ed. 12, 1767, 951.
russa Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 138.
russatus Asilus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 213.
russata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.
russata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 305 [*n. et f.*].
russata Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
 405.—Geometra.
russeliana Motacilla, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
russelli Coluber, G. Shaw, Nat. Misc. VIII. 1797, pl. 291.
russicum Callidium, J. C. Fabricius, Gen. Ins. 1777, 232.
russica Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 232.
russicus Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 254.—Callidium.
russica Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1674.
russica Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 323.
russica Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 49.
russicus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1726.
russicus Cuniculus, F. A. A. Meyer, Nat. Hausthier. 1792, 94.
russicus Erotylus (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 438.—Silpha.
russica Leptura, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 102.
russicus Milvus, F. M. Daudin, Traité élém. Orn. 1800, 148.
russica Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 360; ed. 12, 1767, 570.
russica Triplax (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 147.—Silpha.

- russula** Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 579.—Phalaena.
russula Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 12, 1767, 830.
russula Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 510.
rustan [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 166.
rusticalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 26.
rusticana Phalaena, Scopoli, Ent. Carn. 1763, 236.
rusticana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 254.
rusticana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 66 [*n. et f.*].
rusticata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.
rusticata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 241 [*n. et f.*].
rusticella [Phalaena], C. Clerck, Icones, I. 1759, pl. x, 11.
rusticella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 61.
rusticolus Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 88; ed. 12, 1766, 125.
rusticola Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 146; ed. 12, 1766, 243.
Rusticula Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 7 & 68.—A.
rusticum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 228.—Gryllus.
rustica Adimonia (Fab.), F. v. P. Schrank, F. Boica, I. 1798, 556.—Chrysomela.
rustica Altica (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 112.—Chrysomela.
rustica Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 125; ed. 12, 1766, 201.
rustica Apis, A. F. de Fourcroy, Ent. Paris. 1785, 451.
rustica Apis, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 64.
rusticus Ascalaphus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 192.
rustica Ascidia, Linnaeus, Syst. Nat., ed. 12, 1767, 1087.
rusticus Asilus, P. Rossi, Fauna Etrus. II. 1790, 328.
rusticus Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3486.
rustica Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 409; ed. 12, 1767, 660.
rusticus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 56.
rusticum Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 188.—Cerambyx.
rusticum Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 193.—Leptura.
rusticus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 378.—Buprestis.
rusticum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 681; ed. 12, 1767, 1124.
rusticus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 395; ed. 12, 1767, 634.
rusticus Cerambyx (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 305.—Stenocorus.
rusticum Cerastoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—Cardium.
rustica Cercopis, J. C. Fabricius, Syst. Ent. 1775, 689.
rustica Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 595.
rustica Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 274.
rustica Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1695.
rusticus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 339.
rusticus Cimex, J. C. Fabricius, Mant. II. 1787, 282.
rusticus Clytus (L.), F. v. P. Schrank, F. Boica, I. 1798, 680.—Leptura.
rusticus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 714; ed. 12, 1767, 1168.
rusticus Corvus, *id. ac pica*, Linn., J. A. Scopoli, Annus I. 1769, 38.
rustica Crioceris (Schall.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791, 118.—
rusticus Cucujus, A. F. de Fourcroy, Ent. Paris. 1785, 33. [Chrysomela].
rusticus Culex, P. Rossi, Fauna Etrus. II. 1790, 333.
rusticus Emberiza, P. S. Pallas, Reise Russ. III. 1776, 698.
rustica Galeruca (Schall.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 587.—Chrysomela.
rusticus Gryllus, J. C. Fabricius, Syst. Ent. 1775, 292.
rustica Hirundo, Linnaeus, Syst. Nat., ed. 10, 1758, 191; ed. 12, 1766, 343.
rusticus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 426.
rustica Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 398; ed. 12, 1767, 639.
rustica Mantis, J. C. Fabricius, Spec. Ins. I. 1781, 350.
rustica Melolontha, A. G. Olivier, Entom. I. 1789, 27.
rustica Mordella (Linn.), Scopoli, Ent. Carn. 1763, 61.—Buprestis.
rusticus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 320.
rustica Musca, J. C. Fabricius, Syst. Ent. 1775, 777.
rustica Nepa, J. C. Fabricius, Syst. Ent. 1775, 691.

- rustica* Ostrea, J. X. Poli, Test. Sicil. II. 1795, 158.
rustica Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 783; ed. 12, 1767, 1261.
rustica [Phalaena], P. Cramer, Utitl. Kapellen, IV (26) 1780, 30.
rustica Phalaena, Giorna, Cal. Ent. 1791, 95.
rustica Phalaena Bombyx, J. Hübner, Beitr. Schmett. II. 1790, 64.
rustica Pimelia, J. C. Fabricius, Ent. Syst. IV. 1794, 438.
rustica Sphex, O. F. Müller, Z. Dan. Prod. 1776, 161.
rustica Sphinx, J. C. Fabricius, Syst. Ent. 1775, 540.
rustica Sphinx, J. G. Schaller, Naturforscher, XXIII. 1788, 50.
rusticus Stenocorus, J. C. Fabricius, Spec. Ins. I. 1781, 228.
rusticus Stenocorus (Fab.), J. A. Scopoli, Del. Insub. II. 1786, 47.—Callidium.
rusticus Tabanus, Linnaeus, Syst. Nat., ed. 12, 1767, 1000.
rustica Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 556; ed. 12, 1767, 923.
rusticus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3572.
rustica Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
rustica Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 731; ed. 12, 1767, 1190.
rutana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 286.
rutella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 485.
ruteola Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74.
ruthenica Anas, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 140.
ruthenus Acipenser, Linnaeus, Syst. Nat., ed. 10, 1758, 237; ed. 12, 1766, 403.
ruticapilla Emberiza, A. Sparrman, Mus. Carls. II. 1787, no. xlv.
ruticapilla Fringilla (Sparr.), J. Latham, Index Orn. 1790, 438.—Emberiza.
“*Ruticilla*, Briss. 1760,” Waterh.; not used in a generic sense.
ruticilla Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 186.
ruticilla Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 326.
ruticilla Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. [1799], 525.
rutilago Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 86.
rutilago Phalaena Noctua, J. Hübner, Beitr. Schmett. I (1) 1786, 18.
rutilans Buprestis, J. C. Fabricius, Gen. Ins. 1777, 235.
rutilans Chrysis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 676.
rutilans Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 353.
rutilans Musca, J. C. Fabricius, Spec. Ins. II. 1781, 436.
rutilans Planaria, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 49.
rutilator Ichneumon, Linnaeus, Faun. Suec., ed. 2, 1761, 403.
rutili Echinorhynchus, O. F. Müller, Zool. Dan. II. 1784, 61.
rutilis Lanius, J. C. Schaeffer, Mus. Orn. 1789, 16.
rutilis Mus, R. Kerr, Anim. Kingd. 1792, 237; *var.* minor.
rutilis Pecten, F. C. Meuschen, Mus. Gever. 1787, 414.
rutilo Musca, M. Harris, Exp. Eng. Ins. 1776, 80.
rutila Anas, P. S. Pallas, Nov. Comm. Sci. Petrop. XIV (1) 1770, 579.
rutila Ardea, J. Latham, Syn. Birds, Suppl. I. 1787, 291.
rutila Bombyx, J. C. Fabricius, Mant. II. 1787, 123.
rutilus Cimex, J. C. Fabricius, Syst. Ent. 1775, 714.
rutilus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 324; ed. 12, 1766, 529.
rutila Emberiza, P. S. Pallas, Reise Russ. III. 1766, 698.
rutilus Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 39.—Mus.
rutilus Lanius, J. Latham, Index Orn. 1790, 70.
rutilus Mus, P. S. Pallas, N. Sp. Quad. II. 1779, 246.
rutilus Musca, M. Harris, Exp. Eng. Ins. 1776, 86.
rutila Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74.
rutilus [Sphinx], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 183.
ruuthensparri Gobius, B. A. Euphrasen, K. Vet. Ac. Nya Handl. VII. 1786, 64.
rybyensis Apis, Linnaeus, Amoen. Acad. VIII. 1771, 89.
rybyensis Sphex, Linnaeus, Amoen. Acad. VIII. 1771, 88.
Rygchopsalia M. J. Brisson, Ornith. VI. 1760, 223.—A.
Rynchites *v.* *Rhyn-*
Rynchophorus *v.* *Rhyn-*

[Rynchopsalia (1855) v. Ryg-.]

rynclops v. rhyn-.

ryphea [Papilio], P. Cramer, Utitl. Kapellen, I (4) 1775, 76.

Ryzophagus v. Rhizophagus.

- s-littera Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 116.—Chrysomela.
s-litera Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 373; ed. 12, 1767, 595.
S Curculio, C. de Villers, Linn. Ent. I. 1789, 216.
s-littera Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 35.—Chrysomela.
L' S Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 274.
s Trichoda, O. F. Müller, Z. Dan. Prod. 1776, 281.
saba Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 46.
sabaeus Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 261.—Bibio, 1781.
sabaeus Bibio, J. C. Fabricius, Spec. Ins. II. 1781, 416.
sabaea Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 33.—Simia.
sabaeus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 159.—Scarabaeus.
sabaeus Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2832.—Bibio.
sabaeus Papilio, J. C. Fabricius, Syst. Ent. 1775, 530.
sabaeus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 23.
sabaea Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 38.
sabaeus Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 66.
sabaudus Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 385.
Sabella Linnaeus, Syst. Nat., ed. 12, 1767, 1268.—Ver.
sabella Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 49.
sabellaris Lumbricus, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 37.
" Sabellites " J. W. K. Hupsch, Naturg. niederdeutschl., 1781, 31. (Not used in a Linnean
sabina Libellula, D. Drury, Ill. Nat. Hist. I. 1770, index & 114. [sense.]—Ver.
sabina [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 1.
sabina Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VII. 1794, 117.
sabinus [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, II. 1790, 44.
sabuleti Aphodius, Illiger in Kugelann, Käfer Preuss. 1798, 21.
sabuleti Scarabaeus, G. Paykull, Faun. Suec. I. 1798, 27.
sabuleti Scarabaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 24.
sabulicola Carabus, G. W. F. Panzer, Ins. Germ. heft 30 [1796], tab. 4.
sabulosa Apis, Scopoli, Ent. Carn. 1763, 300.
sabulosus Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 57.
sabulosus Carabus, J. C. Fabricius, Mant. I. 1787, 199.
sabulosus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 202.
sabulosus Crabro, J. C. Fabricius, Mant. I. 1787, 296.
sabulosus Crabro, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 515.
sabulosus Julus, Linnaeus, Syst. Nat., ed. 10, 1758, 640; ed. 12, 1767, 1065.
sabulosus Mellinus, J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 226.—Crabro,
sabulosum Opatrum (L.), J. C. Fabricius, Syst. Ent. 1775, 76.—Silpha. [1787.
sabulosa Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 63.—Silpha.
sabulosus Philanthus, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 13.
sabulosa Pimelia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2002.
sabulosa Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3750.
sabulosus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 350; ed. 12, 1767, 551.
sabulosus Scarites, J. C. Fabricius, Ent. Syst. I (1) 1792, 96.
sabulosus Scarites, A. G. Olivier, Entom. III. 1795, 11.
sabulosa Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 361; ed. 12, 1767, 572.
sabulosa Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 569; ed. 12, 1767, 941.
sabulosa Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 114.
sabulosus Tenebrio, J. C. Fuessly, Schweiz. Ins. 1775, 20.
sabulosa Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 158.
sabulosus Trox (L.), J. C. Fabricius, Syst. Ent. 1775, 31.—Scarabaeus.
sabulosa Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2764.—Crabro.

- saburon** Cassidea, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 420.
sacalis Musca, C. Bierkander, Mag. Neuste Phys. u. Nat. II (1) 1783, 102.
saccata Antilope, P. Boddaert, Elench. 1785, 142.
saccata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 623; ed. 12, 1767, 1036.
saccatum Chimaeroderma (L.), J. X. Poli, Test. Sicil. II. 1795, 259.—Pinna.
saccatus Lepus, R. Kerr, Anim. Kingd. 1792, 282.
saccata Pinna, Linnaeus, Syst. Nat., ed. 10, 1758, 707; ed. 12, 1767, 1160.
saccatus Sipunculus, Linnaeus, Syst. Nat., ed. 12, 1767, 1078.
saccharalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 238.
sacchari Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 77.
sacchari Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 469.—Phalaena saccharalis,
saccharina Forbicina, A. F. de Fourcroy, Ent. Paris. 1785, 525. [1794.
saccharina Lepisma, Linnaeus, Syst. Nat., ed. 10, 1758, 608; ed. 12, 1767, 1012.
saccharina Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 781; ed. 12, 1767, 1258.
Saccharivora M. J. Brisson, Ornith. III. 1760, 611 & vol. VI. Suppl., 117.—A.
saccharivora Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 580; ed. 12, 1767, 963.
sacculana Pyralis, Bosc, Bull. Sci. Soc. Philom. [Paris], no. 39, 1800, 115.
sacculus Vorticella, O. F. Müller, An. Infus. 1786, 267.
sacellum Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3530.
sacer Actinophorus (L.), J. Sturm, Verz. Ins. Samml. 1800, 74.—Scarabaeus.
sacra Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 453.
sacer Anthias, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 99.
sacra Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 640.
sacra Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 372; ed. 12, 1767, 593.
sacer Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2197.
sacer Copris (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 28.—Scarabaeus.
sacer Falco, J. R. Forster, Phil. Trans. LXII. 1772, 423.
sacer Falco, R. Kerr, Anim. Kingd. 1792, 508; *var.* americanus.
sacer Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 347; ed. 12, 1767, 545.
sacra, -crum *v.* sacer.
sacralis Pyralis, C. P. Thunberg, Ins. Suecica (1) 1784, 14.—Phalaena sacraria, L.
sacraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796], fig. 200 [*n. et f.*].
sacraria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 863.
sacrata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 639.
sacrificator Murex, F. C. Meuschen, Mus. Gever. 1787, 324.
saebiensis Parus, A. Sparman, Mus. Carls. I. 1786, no. xxv.
saepa Cynaedus, F. C. Meuschen, Mus. Gronov. 1778, 25.
safgha Sciaena, P. Forskal, Descr. Anim. 1775, 53.
saga *v.* sagus.
sagaris Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 321.
sagaris [Papilio], P. Cramer, Utitl. Kapellen, I (7) 1775, 130.
sagitta Anguis, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 134.
sagitta Callionymus, P. S. Pallas, Spic. Zool. VIII. 1770, 29.
sagitta Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 99.
sagitta Dipus (Pall.), P. Boddaert, Elench. 1785, 115.—Mus.
sagitta Glis, G. C. C. Storr, Prod. 1780, 39.
sagitta Hyblaea, J. C. Fabricius, Ent. Syst. III (2) 1794, 128.—Noctua, 1775.
sagitta Mus, P. S. Pallas, Reise Russ. II. 1773, 706.
sagitta Noctua, J. C. Fabricius, Syst. Ent. 1775, 597.
sagitta Pennatula, Linnaeus, Syst. Nat., ed. 10, 1758, 819; ed. 12, 1767, 1322.
sagitta Petaurista (Linn.), H. F. Link, Beytr. Nat. I (2) 1795, 78.—Sciurus.
sagitta Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 276.
sagitta Sciurus, Linnaeus, Syst. Nat., ed. 12, 1766, 88.
sagitta Sciurus (Petaurus), R. Kerr, Anim. Kingd. 1792, 268.
sagitta Sphinx, Panzer in Drury, Exot. Ins. 1785, 100.
sagitta Vibrio, O. F. Müller, An. Infus. 1786, 59.
sagitta Yerbua (Pall.), J. R. Forster, K. Vet. Ac. Handl. XXXIX. 1778, 113.—Mus.
sagittalis Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 272; Noctua sagitta, 1775.

- sagittariae** Donacia, J. C. Fabricius, Ent. Syst. I (2) 1792, 117. [1855, 94.]
- sagittariae** Phalaena, Gladbach, Namen u. Preissverz. 1778; see Stettin Ent. Zeit. XVI,
- sagittariae** Phalaena, J. G. Gladbach in Kuehn, Kurz. Anleit. Ins., ed. 2, 1783, 123 [*n. n.*].
- Sagittarius** This word occurs in the title-page and heading of Vosmaer's Dutch ed. of Regnum Animale (Beschr. Afrik. Roof-Vogel de Sagittarius, 1769). It is not used in the French ed. and its generic value is very doubtful.—A.
- Sagittarius** J. M. Bechstein in his ed. of Levaillant, Naturg. Afrik. Vögel, 120 [1800?—A.
- sagittarius** Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 177.
- sagittarius** Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 442.
- sagittarius** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 162.—Scarabaeus.
- "sagittarius** Graptolithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 174.
- sagittarius** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 159.
- sagittarius** Inachus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer, 1793.
- sagittarius** Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 24.
- sagittator** Ichneumon, P. Rossi, Mant. Ins. I. 1792, 122.
- sagittata** Geometra, C. de Villers, Linn. Ent. IV. 1789, 510.
- sagittata** Loligo, Lamarck, Bull. Sci. Soc. Philom. [Paris], no. 17, 1798, 130.
- sagittatus** Mytilus, J. X. Poli, Test. Sicil. II. 1795, 208.
- sagittata** Phalaena, J. C. Fabricius, Mant. II. 1787, 210.
- sagittata** Sphinx, *vide* C. C. Jung, Alph. Verz. Schmett. II. 1792, 183.
- sagittata** Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 44 [*n. n.*].
- sagittella** Phalaena (Tinea), C. Bjerkander, K. Vet. Ac. Nya Handl. XI. 1790, 132.
- sagittifer** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2134.
- sagittiformis** Taenia, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 125.
- sagittigera** Phalaena, Hufnagel, Berlin. Mag. III. 1767, 410.
- Sagoinus** R. Kerr, Anim. Kingd. 1792, 80.—M.
- Sagouin** B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.—M.
- saga** Coracias, J. R. Forster in Latham & Davies, Faun. Ind. ed. 2, 1795, 6 [*n. n.*].
- saga** Hyblaea, J. C. Fabricius, Ent. Syst. III (2) 1794, 128.—Noctua, 1787.
- saga** Noctua, J. C. Fabricius, Mant. II. 1787, 137.
- saida** Gadus, I. Lepechin, Nov. Comm. Sci. Petrop. XVIII. 1774, 512.
- saiga** Antilope, P. S. Pallas, Misc. Zool. 1766, 6.
- sayga** Capra, J. R. Forster, Phil. Trans. LVII (2) 1768, 344.
- saiga** Lucanus, A. G. Olivier, Entom. I. 1789, 23.
- saint** *v. sanct.*
- salacia** [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 4.
- salamander** Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 80.
- Salamandra** L. T. Gronovius, Zooph. I. 1763, 12.—R.
- Salamandra** J. N. Laurenti, Syn. Rept. 1768, 41.—R.
- salamandra** Gekko (L.), F. A. A. Meyer, Syn. Rept. 1795, 25.—Lacerta.
- salamandra** Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 204; ed. 12, 1766, 371.
- salamandrae** Ascaris, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 122.
- salamandrae** Fasciola, J. A. Frolich, Naturforscher, XXIV. 1789, 119.
- salamandrae** Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3064.
- salamandrina** Iguana, J. N. Laurenti, Syn. Rept., 1768, 48.
- salamandroides** Triton, J. N. Laurenti, Syn. Rept., 1768, 40.
- salaminia** Noctua (Cr.), J. C. Fabricius, Ent. Syst. III (2) 1794, 17.—Phalaena.
- salaminia** [Phalaena], P. Cramer, Utitl. Kapellen, II (15) 1777, 117.
- salar** Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 308; ed. 12, 1766, 509.
- Salaria** P. Forskal, Descr. Anim. 1775, x & 22.—P.
- salarias** Gadus, J. P. Bonnatere, Ency. Méth. (Ich.) 1788, 51. [Cucullanus lacustris.
- salaris** Capsularia, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 10; *v.*
- salatis** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 215.
- saldonana** Pyralis, J. C. Fabricius, Mant. II. 1787, 232.
- saldonana** Tortrix, C. de Villers, Linn. Ent. IV. 1789, 527.
- salicalis** Phalaena (D. & S.), J. C. Fabricius, Spec. Ins. II. 1781, 272.—Pyralis.
- salicalis** Phalaena (Pyr.) (D. & S.), C. de Villers, Linn. Ent. II. 1789, 441.—Pyralis.
- salicalis** Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 122.

- salicana* Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
salicana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 11 [*n. et f.*].
salicariae Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 167.
salicariae Curculio, M. Piller and L. Mitterpacher, Iter Poseg. 1783, 69.
salicariae Galeruca, G. Paykull, Faun. Suec. III. 1800, 453.
salicaria Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 33.—Motacilla.
salicaria Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 185; ed. 12, 1766, 330.
salicaria Sylvia (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 287.—Motacilla.
salicata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 109.
salicata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 273 [*n. et f.*].
salicella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 536; ed. 12, 1767, 887.
salicella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 659.—Phalaena.
saliceti Curculio, G. Paykull, Mon. Curc. 1792, 66.
saliceti Phalaena Noctua, M. B. Borkhausen, Nat. Eur. Schmett. IV. 1792, 630.
salicinus Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 618; ed. 12, 1767, 1027.
salicina Buprestis, Scopoli, Ent. Carn. 1763, 65.
salicinus Carabus, Scopoli, Ent. Carn. 1763, 90.
salicina Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2109.
salicinus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 115.
salicinus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 370.
salicinus Dermestes, O. F. Müller, Z. Dan. Prod. 1776, 57.
salicina Tipula, F. v. P. Schrank, Ins. Aust. 1781, 435.
salicis Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 453; ed. 12, 1767, 736.
salicis Aphis, J. H. Sulzer, Gesch. Ins. 1776, 105. [is Linn.
salicis Aphis, O. F. Müller, Z. Dan. Prod. 1776, 110 [2 spp. (1255 & 1276) one of which
salicis Bitoma, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 27.
salicis Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 578.—Phalaena.
salicis Buprestis, J. C. Fabricius, Gen. Ins. 1777, 237.
salicis Callidium, J. C. Fabricius, Mant. I. 1787, 154.
salicis Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 309.—Callidium.
salicis Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 454; ed. 12, 1767, 739.
salicis Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 319.
salicis Clythra (Fab.), G. W. F. Panzer, Deutsch. Ins. [1795], 188.—Cryptocephalus.
salicis Clytus, F. v. P. Schrank, F. Boica, I. 1798, 677.
salicis Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 456; ed. 12, 1767, 741.
salicis Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 53.
salicis Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 381; ed. 12, 1767, 611.
salicis Curculio, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 57.
salicis Curculio, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 98.
salicis Galeruca, C. Schwarz, Nomen. Roesel, I. 1793, 55.
salicis Laria, Scopoli, Ent. Carn. 1763, 22.
salicis Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 502; ed. 12, 1767, 822.
salicis Salicis, F. v. P. Schrank, F. Boica, I. 1798, 510.
salicis Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 31.
salicis Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 557; ed. 12, 1767, 924.
salicis Tenthredo, Linnaeus, Faun. Suec., ed. 2, 1761, 395, no. 1572.—[misprint; it is
 capreae of S. N., ed. 10.]
salicis-strobili Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 554; ed. 12, 1767, 919.
salicivorus Curculio, G. Paykull, Mon. Curc. 1792, 31.
salicornia Cellaria (Pall.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 445.—Cellularia.
salicornia Cellularia, P. S. Pallas, Elench. 1766, 61.
salictaria Phalaena (Geometra), N. Poda, Ins. Mus. Graec. 1761, 92.
salicti Curculio, F. v. P. Schrank, F. Boica, I. 1798, 489.
saliens Blennius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 458.
saliens Mus, G. Shaw, Nat. Misc. II. 1790, pl. 38.
saliens Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 49.
saligna Aphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2209.
salinarius Tabanus, Scopoli, Ent. Carn. 1763, 373.

- salinator** Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 90.
- salinator** Porcellana, F. C. Meuschen, Mus. Gever. 1787, 406.
- salinus** Astacus (L.), T. Pennant, Brit. Zool. ed. 4, IV. 1777, 18.—Cancer.
- salinus** Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 634; ed. 12, 1767, 1056.
- salinus** Cancer (Oniscus) (Fabr.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 145.—
- salinus** Gammarus (L.), J. C. Fabricius, Syst. Ent. 1775, 419.—Cancer. [Gammarus.]
- salinus** Gryllus (Locusta), P. S. Pallas, Reise Russ. II. 1773, 727.
- salis** Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 36.—Motacilla sialis.
- salisburgensis** Chrysomela, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (1) 1784, 43.
- salisburiensis** Buprestis, Herschell in [Hausmann], Bemerk. Entom. 1799, 31.
- Salius** F. v. P. Schrank, F. Boica, I. 1798, 360.—Col.
- salius** [Papilio], P. Cramer, Utitl. Kapellen, I (6) 1775, 107.
- salmachus** Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 493.
- Salmacia** J. G. Meigen, N. Class. Mouches, 1800, 38.—Dip.
- salmacis** [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 14.
- salmarinus** Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 310; ed. 12, 1766, 511.
- salmasis** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 132.
- Salmo** Linnaeus, Syst. Nat., ed. 10, 1758, 308; ed. 12, 1766, 509; divided by Linnaeus into Truttæ, Coregoni, Osmeri, Characini, but these words are not used in a subgeneric sense; cf. Gryllus (Mantis).
- salmonea** Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 173.—Phalaena.
- salmonea** Lernaea, Linnaeus, Syst. Nat., ed. 10, 1758, 655; ed. 12, 1767, 1093.
- salmoneus** Monoculus, J. C. Fabricius, Ent. Syst. II. 1793, 489.
- salmonea** [Papilio], P. Cramer, Utitl. Kapellen, II (14) 1777, 101.
- salmoneus** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 99.
- salmonea** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 218.
- salmonis** Echinorhynchus, O. F. Müller, Zool. Dan. II. 1784, 83.
- salmonis** Taenia, O. F. Müller, Naturforscher, XIV. 1780, 179.
- salmonis wartmanni** Taenia, J. A. Frolich, Naturforscher, XXIV. 1789, 124.
- salmulus** Salmo, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 65.
- salome** [Papilio], P. Cramer, Utitl. Kapellen, I (1) 1775, 18.
- salome** Papilio, J. C. Fabricius, Mant. II. 1787, 42.
- salomonis** Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 580; ed. 12, 1767, 963.
- salomonis** Formica, P. Forskal, Descr. Anim. 1775, 84.
- Salpa** G. Edwards in M. Catesby, Carol. II. 1771, 17.—P.
- Salpa** P. Forskal, Descr. Anim. 1775, 112.—Asc.
- Salpa** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 5 [n. n.].—Asc.
- salpa** Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 280; ed. 12, 1766, 470.
- Salpyga** J. G. Meigen, N. Class. Mouches, 1800, 37.—Dip.
- salsatorius** Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 169.
- salsus** Bufo, J. G. Schneider, Hist. Amph. I. 1799, 213.
- salsa** Rana, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1049.
- saltans** Antilope, R. Kerr, Anim. Kingd. 1792, 312.
- saltator** Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1834.—Lamia.
- saltator** Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 218.
- saltator** Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 121.
- saltator** Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 386.
- saltator** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 157.
- saltator** Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 433.
- saltator** Lamia, J. C. Fabricius, Mant. I. 1787, 141.
- saltator** Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 238.—Ichneumon, 1781.
- saltator** Tipula, M. Harris, Exp. Eng. Ins. 1776, 57.
- saltator** Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 448; ed. 12, 1767, 729.
- saltatorius** Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 176.—Cimex.
- saltatorius** Monoculus (Mull.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3005.—
- saltatorius** Nauplius, O. F. Müller, Z. Dan. Prod. 1776, 198. [Nauplius.]
- Saltatrix** G. Edwards in M. Catesby, Carol. II. 1771, 14.—P.
- saltatrix** Antilope, P. Boddaert, Elench. 1785, 141.

- saltatrix** Forbicina, A. F. de Fourcroy, Ent. Paris. 1785, 525.
saltatrix Gasterosteus, Linnaeus, Syst. Nat., ed. 12, 1766, 491.
saltatrix Musca, Linnaeus, Faun. Suec., ed. 2, 1761, 555.
saltatrix Mutilla, Scopoli, Ent. Carn. 1763, 314.
saltatrix Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 293; ed. 12, 1766, 486 [sectatrix]
saltatrix Phryganea, Linnaeus, Faun. Suec., ed. 2, 1761, 381.
saltitans Musca, Scopoli, Ent. Carn. 1763, 350.
saltuum Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 599; ed. 12, 1767, 996.
saltuum Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 287.
saltuum Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 559; ed. 12, 1767, 927.
salus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 342.
salus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 135.
salustrus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 310.
saluator Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 40.
salvaquardia Stello, J. N. Laurenti, Syn. Rept. 1768, 57.
salvator Stello, J. N. Laurenti, Syn. Rept. 1768, 56.
salvelini Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 24.
salvelini Ligula, F. v. P. Schrank, Reise südl. Gebirg. Baiern, 1793, 141.—Taenia, 1790.
salvelini Taenia, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 125.
salvelinus Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 309; ed. 12, 1766, 511.
salviae Curculio, F. v. P. Schrank, Naturforscher, XXIV. 1789, 74.
salviae Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2877.—Syrphus.
salviae Syrphus, J. C. Fabricius, Mant. II. 1787, 340.
salviafolia Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 82.
salviani Labrus, G. A. Suckow, Naturges. IV. 1799, 462.
salvianus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 348.
salviana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 318.
samamisca Motacilla, K. Hablitzl in P. S. Pallas, N. nord. Beytr. IV. 1783, 60.
samar Alata, F. C. Meuschen, Mus. Gev. 1787, 336.
samariensis Sphex, P. S. Pallas, Reise Russ. I. 1771, 473.
sambucalis Phalaena Pyralis, N. J. Brahm, Ins. Kal. II (1) 1791, 322.
sambucalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 122.
sambucaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 28 [n. et f.].
sambucaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 519; ed. 12, 1767, 860.
sambucata Geometra (D. & S.), C. de Villers, Linn. Ent. IV. 1789, 513.—Pyralis sambucalis.
sambucata Phalaena, *err. pro* sambucalis, Den. & Schiff., J. C. Fabricius, Mant. II. 1787, 215.
sambucata Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 378.—P. sambuci, Retz.
sambuci Acarus, F. v. P. Schrank, Ins. Aust. 1781, 524.
sambuci Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 451; ed. 12, 1767, 734.
sambucci Dermestes, Scopoli, Ent. Carn. 1763, 16.
sambuci Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 49.
sambuci Smaris (Schr.), P. A. Latreille, Préc. Car. Ins. 1796, 180.—Acarus.
sammara Sciaena, P. Forskal, Descr. Anim. 1775, 48.
samulus Salmo, J. J. Walbaum, Artedi, Ichth. (3) ed. 2, 1792, 61.
santa crucis Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 58.
st. crucis Cassida, J. C. Fabricius, Ent. Syst. IV. 1794, 446.
s. crucis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2178.
sancti crucis Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 35.
s. francisci Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1580.
sancti johannis Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 273.
santae luciae Murex, C. U. v. Salis, Reise Neapel, 1793, 371.
sancti mauritii Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3496.
st. mauritii Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 125.
st. oma Conus, F. C. Meuschen, Mus. Gev. 1787, 346.
st. stephani Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
sancti thomae Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 778.
st. thomae Colymbus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 107.
st. thomae Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 45.

- st. thomae Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 81.
- sanctus Cimex, J. C. Fabricius, Syst. Ent. 1775, 709.
- sanctus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 34.
- sanctus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 141.—Cimex, 1775.
- sancta Mantis, J. C. Fabricius, Mant. I. 1787, 228.
- sanctus Reduvius, J. C. Fabricius, Mant. II. 1787, 310.
- sandalinata Aranea, F. H. W. Martini & J. A. Goetze in Lister, Spinnen, 1778, 287.
- sandalinum Anomia, Linnaeus, Mant. II. 1771, 547. [in a generic sense.]
- “Sandaliolithus” J. W. C. A. F. Hüpsch, Neue Naturg. Schaalthiere, 1768, 56. [Not used
- “Sandalites” J. W. C. A. F. Hüpsch, Neue Naturg. Schaalthiere, 1768, 56. [Not used in
a generic sense.] [linum, L.]
- sandalium Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3349.—[sanda-
- sandalia Calceola (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 89.—Anomia sandalinum.
- sandaracha Musca, M. Harris, Exp. Eng. Ins. 1776, 119.
- sandwichensis Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 875.
- sandwichensis Muscivora, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 945.
- sanduicensis Muscivora, *id. ac* sandwichensis, Gm., J. Latham, Index Orn. 1790, 479.
- sandwichensis Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 717.
- sanduicensis Rallus, *id. ac* sandwichensis, Gm., J. Latham, Index Orn. 1790, 759.
- sandvicensis Sterna, J. Latham, Syn. Birds, Suppl. I. 1787, 296.
- sandvicensis Turbo, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 638.
- sandwichensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 813.
- sanduicensis Turdus, *id. ac* sandwichensis, Gm., J. Latham, Index Orn. 1790, 338.
- sangarida [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (32) 1782, 181.
- sanguiflua Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 35.
- sanguiforbae Involulus, F. v. P. Schrank, F. Boica, I. 1798, 476.
- sanguigutta Spheg, J. L. Christ, Nat. Ins. 1791, 293.
- sanguinalis Phalaena (Pyralis), Linnaeus, Syst. Nat., ed. 12, 1767, 882.
- sanguinariarius Bibio, P. S. Pallas, Reise Russ. I. 1771, 475.
- sanguinaria Phalaena Geometra, J. Hübner, Beitr. Schmett. I (2) [1787], 21.
- sanguinaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (6 or 7) 1799, 173.
- sanguinaria Tipula (Pall.), Lamarck in Pallas, Voy. Russie (8vo. ed.) VIII [1794], 197.—
- sanguinator Ichneumon, P. Rossi, Mant. Ins. II. 1794, 109. [Bibio.]
- sanguinella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 37.
- sanguineum Argoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Ostrea.
- sanguinea Attelabus, Giorna, Cal. Ent. 1791, 48.
- sanguinea Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 135.
- sanguineum Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 190.—Cerambyx.
- sanguineus Cancer, Linnaeus, Mant. II. 1771, 542.
- sanguinea Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 401.—[Lampyrus, ed. 12.]
- sanguinea Cassida (Linn.), Scopoli, Ent. Carn. 1763, 38.—Cantharis.
- sanguinea Cassida, Boeber in Reich's Mag. Thierreichs, I. 1793, 135.
- sanguineus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 396; ed. 12, 1767, 636.
- sanguinea Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 479.
- sanguinea Chrysomela, C. de Geer, Mém. Ins. V. 1775, 355.
- sanguinea Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 164.—Cricocoris.
- sanguinea Cicada, D. Drury, Ill. Nat. Hist. II. 1773, index & 73.
- sanguinea Cicada, C. de Geer, Mém. Ins. III. 1773, 221.
- sanguinea Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 185.
- sanguinea Cicada, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. VI., 1798, 116.
- sanguineus Cimex, F. v. P. Schrank, Beitr. Nat. 1776, 81.
- sanguineus Cimex, C. de Geer, Mém. Ins. VII. 1778, 616.
- sanguinea Coccinella, Linnaeus, Amoen. Acad. VI. 1763, 393.
- sanguinea Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 785.
- sanguinea Cricocoris, J. C. Fabricius, Syst. Ent. 1775, 119.
- sanguineus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1719.
- sanguineus Curculio, C. de Geer, Mém. Ins. V. 1775, 251. [—Cricocoris.
- sanguineus Curculio, P. Rossi, Mant. Ins. I. 1792, 36.

- sanguinea** Derris, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 67.
sanguineus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 405; ed. 12, 1767, 654.
sanguinea Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [*n. n.*]; Essai Fourmis, 1798, 37.
sanguinea Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 573.
sanguinea Galeruca, A. F. de Fourcroy, Ent. Paris. 1785, 102.
sanguinea Galeruca (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 159.—Cricocaris.
sanguineus Ichneumon, J. L. Christ, Nat. Ins. 1791, 349.
sanguinea Lampyrus, Linnaeus, Syst. Nat., ed. 12, 1767, 646.—[Cantharis, ed. 10.]
sanguinea Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 84.
sanguinea Libellula, O. F. Müller, F. Ins. Frid. 1764, 62.
sanguineus Lycus (L.), A. G. Olivier, Entom. II. 1790, 4.—Lampyrus.
sanguineus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 155.
sanguineus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 175.
sanguinea Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 138 [*n. n.*].
sanguinea Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 698; ed. 12, 1767, 1146.
sanguinea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3795.
sanguinea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3732.
sanguinea Picus, H. Lichtenstein, Cat. rerum Nat. I. 1793, 17.
sanguinea Pinna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3367.
sanguineus Pselaphus (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 291.—Staphylinus.
sanguinea Pyrochroa (L.), J. C. Fabricius, Syst. Ent. 1775, 202.—Lampyrus.
sanguineus Reduvius, P. Rossi, Fauna Etrus. II. 1790, 258.
sanguineus Reduvius, J. C. Fabricius, Ent. Syst. IV. 1794, 198.
sanguinea Sphex, J. L. Christ, Nat. Ins. 1791, 291.
sanguineus Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 422; ed. 12, 1767, 685.
sanguineus Thelephorus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 61.—Lampyrus.
sanguineus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 763; ed. 12, 1767, 1235.
sanguinicollis Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 11.—Necydalis.
sanguinicollis Cryptocephalus, J. A. Frolich, Naturforscher, XXVI. 1792, 130.
sanguinicollis Dermestes, J. C. Fabricius, Mant. I. 1787, 35.
sanguinicollis Elater, Hellwig in G. W. F. Panzer, Ins. Germ. heft 6 [1793], tab. 13.
sanguinicollis Engis (Fab.), G. Paykull, Faun. Suec. III. 1800, 351.—Mycetophagus.
sanguinicollis Hispa, Linnaeus, Mant. II. 1771, 530.
sanguinicollis Ips, J. C. Fabricius, Mant. I. 1787, 46. [Dermestes.
sanguinicollis Korynetes (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 153.—
sanguinicollis Luperus, J. A. Frolich, Naturforscher, XXVIII. 1799, 26.
sanguinicollis Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 498.—Ips, 1787.
sanguinicollis Necydalis, J. C. Fabricius, Mant. I. 1787, 170.
sanguinicollis Necydalis, A. G. Olivier, Entom. IV. 1795, 9.
sanguinicollis Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 232.—Ips.
sanguinipes Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 231.
sanguinipes Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 344.
sanguinipes Gryllus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 195.
sanguinipes Tenebrio, J. C. Fabricius, Syst. Ent. 1775, 256.
sanguinirostris Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 173; ed. 12, 1766, 303.
Sanguinolaria Lamarck, Mém. Soc. H. N. Paris, 1799, 84.—L.
sanguinolentum Acrydium, C. de Geer, Mém. Ins. III. 1773, 489.
sanguinolenta Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3347.
sanguinolenta Apis, F. v. P. Schrank, Ins. Aust. 1781, 412.
sanguinolenta Aranea, Linnaeus, Syst. Nat., ed. 12, 1767, 1032.
sanguinolenta Asterias, O. F. Müller, Z. Dan. Prod. 1776, 234.
sanguinolenta Bombyx, J. C. Fabricius, Spec. Ins. II. 1781, 199.
sanguinolenta Buprestis (Linn.), Scopoli, Ent. Carn. 1763, 66.—Chrysomela.
sanguinolentus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2-5) 1783, 161.
sanguinolenta Cantharis, Linnaeus, Syst. Nat., ed. 12, 1767, 647.
sanguinolenta Cantharis, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 37 [*n. n.*]
sanguinolenta Cantharis (Fab.), C. de Villers, Linn. Ent. IV. 1789, 323.—Malachius.

- sanguinolenta** Cassida, O. F. Müller, Z. Dan. Prod. 1776, 65.
sanguinolenta Cassida, F. v. P. Schrank, Beitr. Nat. 1776, 61.
sanguinolenta Cassida, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 193.
sanguinolentus Cerambix, A. G. Olivier, Entom. IV. 1795, 93.
sanguinolenta Cercopis (Scop.), J. C. Fabricius, Syst. Ent. 1775, 688.—Cicada.
sanguinolenta Cetonia, A. G. Olivier, Entom. I. 1789, 49. [Col.
sanguinolenta Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 371; ed. 12, 1767, 591.—
sanguinolenta Chrysomela (Scop.), F. v. P. Schrank, Ins. Aust. 1781, 72.—Buprestis.
sanguinolenta Cicada, Scopoli, Ent. Carn. 1763, 112.
sanguinolenta Cicada (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 756.—Tetti-
sanguinolentus Cimex, J. C. Fabricius, Syst. Ent. 1775, 721. [gonia.
sanguinolentus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 473.
sanguinolenta Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3406.
sanguinolentus Elater, F. v. P. Schrank, Beitr. Nat. 1776, 69.
sanguinolentus Erotylus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 40.
sanguinolenta Gorgonia, P. S. Pallas, Elench. 1766, 175. [Acrydium.
sanguinolentus Gryllus (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2086.—
sanguinolentus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2679.
sanguinolenta Leptura, Linnaeus, Faun. Suec., ed. 2, 1761, 196.
sanguinolentus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 158.—Cimex, 1775.
sanguinolentus Malachius, J. C. Fabricius, Mant. I. 1787, 169.
sanguinolenta Medusa, A. Modeer, Nova Acta Acad. Caes. VIII., App., 1791, 26.
sanguinolenta Nitidula, A. G. Olivier, Entom. II. 1790, 8.
sanguinolenta Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3322.
sanguinolenta Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3716.
sanguinolenta [Phalaena], P. Cramer, Utit. Kapellen, III (21) 1779, 102.
sanguinolenta Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 837.
sanguinolentus Portunus (Herbst), F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
sanguinolentus Prionus, J. A. Scopoli, Annus V. 1772, 99.
sanguinolentus Psittacus, R. Kerr, Anim. Kingd. 1792, 585. [24.—Curculio.
sanguinolentus Rhyrchophorus (Ol.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795,
sanguinolentus Sanguinolaria (Gm.), Lamarck, Mém. Soc. H. N. Paris, 1799, 84.—Solen.
sanguinolentus Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 6.
sanguinolentus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1583.
sanguinolentus Scarabaeus, G. W. F. Panzer, Ins. Germ. heft 43 [1797], tab. 4.
sanguinolentus Solen, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3227.
sanguinolenta Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 211.
sanguinolenta Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2666.
sanguinolenta Tettigonia, J. C. Fabricius, Syst. Ent. 1775, 681.
sanguinolenta Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3295.
[sanguinosa Sphinx, MS.], T. Martyn, Psyche, 1797, figs. 68 & 69.
sanguisorba Tabanus, M. Harris, Exp. Eng. Ins. 1776, 28.
Sanguisuga J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, ix.—Ver.
sanguisugus Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 615; ed. 12, 1767, 1022.
sanguisuga Hirudo, Linnaeus, Syst. Nat., ed. 10, 1758, 649; ed. 12, 1767, 1079.
sanguisuga Mitra (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 138.—Voluta.
sanguisugus Murex (L.), F. C. Meuschen, Mus. Gev. 1787, 332.—Voluta.
sanguisuga Petromyzon, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 99.
sanguisuga Tabanus, M. Harris, Exp. Eng. Ins. 1776, 29.
sanguisuga Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 732; ed. 12, 1767, 1192.
sannio Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 471.
sannio Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 104.
sannio Himantopus, O. F. Müller, An. Infus. 1786, 250.—Trichoda, 1773.
sannio Musca, M. Harris, Exp. Eng. Ins. 1776, 158.
sannio Phalaena, Scopoli, Ent. Carn. 1763, 211.
sannio [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (34) 1782, 237.
sannio Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 506.
sannio Trichoda, O. F. Müller, Verm. I (1) 1773, 94.

- sansun** Scomber, P. Forskal, Descr. Anim. 1775, 56.
santae luciae *v.* **sancta**.
santodactylas Ardea, S. G. Gmelin, Reise Russ. III. 1774, 253.
santolla Cancer, G. I. Molina, Sag. stor. nat. Chili, 1782, 207.
sao Papilio, Bergstraesser, Nom. Ins. II. 1779, 67.
Sapajou B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.—M.
Sapajus R. Kerr, Anim. Kingd. 1792, 75.—M.
Saperda J. C. Fabricius, Syst. Ent. 1775, 184.—Col.
saperdoides Tenebrio, A. G. Olivier, Entom. III. 1795, 11.
Saperta, *v.* **Saperda** J. C. Fabricius, Mant. I. 1787, 148.
saphirus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48 [*n. n.*].
saphyrinus *v.* **sapphirinus**. [*canus, europaeus, asiaticus, afer, monstrosus.*]
sapiens Homo, Linnaeus, Syst. Nat., ed. 10, 1758, 20; ed. 12, 1766, 28; *varr.* *ferus, ameri-*
sapiens Homo, J. C. P. Erxleben, Syst. Anim. 1777, 1; *varr.* *lappo, tartarus.*
saponariae Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 370.
saponarius Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 341.
sapphirina Chrysochela, J. R. Forster, N. Sp. Ins. 1771, 19.
sapphirinus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1705.
saphyrinus Labrus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 236.
sapphirinus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 496.
sappho Papilio (Hel.), P. S. Pallas, Reise Russ. I. 1771, 471.
sapho [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 54.
Saphyga P. A. Latreille, Préc. Car. Ins. 1796, 134.—Hym.
sara Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 167.
sarasenica Phalaena Noctua, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2583.
sarata Cancer, P. Forskal, Descr. Anim. 1775, 87.
sarba Sparus, P. Forskal, Descr. Anim. 1775, 31.
sarcitella Phalaena Tinea, Linnaeus, Syst. Nat., ed. 10, 1758, 536 [sarcitrella]; ed. 12, I.
sarcitella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 660.—Phalaena. [1767, 888.
sarcitorius Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 561; ed. 12, 1767, 930.
sarcitrella *v.* **sarcitella**.
 “Sarcophylla, Stockh. 1795,” Ag.; apparently from a MS. source.
sardica Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 146.
sardicus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3178.—Cidaris.
sardus Coluber, G. A. Suckow, Naturges. III. 1798, 242.
sarda Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 44.
Sargus (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 586.—P.
Sargus J. C. Fabricius, Suppl. Ent. Syst. 1798, 549.—Dip.
Sargus J. G. Meigen, N. Class. Mouches, 1800, 28.—Dip.
sargus Cynaedus, F. C. Meuschen, Mus. Gronov. 1778, 25.
sargus Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 278; ed. 12, 1766, 467.
sarmatica Mustela, P. S. Pallas, Reise Russ. I. 1771, 453.
sarmaticus Trochus (L.), F. C. Meuschen, Mus. Gev. 1787, 280.—Turbo.
sarmaticus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 763; ed. 12, 1767, 1235.
sarmentosa Gorgonia, E. J. C. Esper, Pflanzenth. II (8) 1791, 85.
sarpedon Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 461; ed. 12, 1767, 747.
sarpedon Sphinx, J. Hübner, Beitr. Schmett. II. 1790, 85.
Sarrotrium Illiger in Kugelann, Käfer Preuss. 1798, 339.—Col.
sarroube Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
sarroube Salamandra, J. P. Bonnaterre, Ency. Méth. (Erp.), 1789, 64.
sartor Cerambyx, C. Allioni, Misc. Taurin. III. 1766, 188.
sartor Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 304.—Lamia.
sartor Lamia, J. C. Fabricius, Mant. I. 1787, 137.
sasappo Gorgonia, P. S. Pallas, Elench. 1766, 188.
satelles Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 108.
satelles Scarabaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 5.
satellitua Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 609.—Phalaena.
satellitua Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 855.

- subellibia* Drury, *Ill. Ex. Ent. 1. pl. 29. fig. 1770*
- satellitius** Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 281.
- satellititia** Sphinx, Linnaeus, Mant. II. 1771, 539.
- satjata** Chama, Linnaeus, Syst. Nat., ed. 12, 1767, 1138.
- satrapa** Pyrochroa, F. v. P. Schrank, Ins. Aust. 1781, 174.
- satual** Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (7) 1788, 224.
- saturalis** Cimex, *err. pro suturalis*, Fabr. 1775, J. C. Fabricius, Mant. II. 1787, 301.
- saturatorius** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 561; ed. 12, 1767, 931.
- saturninus** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 223; ed. 12, 1766, 384.
- saturnina** Natrix (Linn.), J. N. Laurenti, Syn. Rept. 1768, 77.—Coluber.
- saturnius** Cimex, P. Rossi, Fauna Etrus. II. 1790, 245.
- saturnus** Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 409.
- saturnum** Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 47.
- saturnus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 328.
- saturnus** Papilio, J. C. Fabricius, Mant. II. 1787, 85.
- satura** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 83.
- satura** Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 377.
- Satyrus** Linnaeus, Amoen. Acad. VI. 1760, 69.—M.
- satyra** Amygone, O. F. Müller, Z. Dan. Prod. 1776, 198.
- satyrus** Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 259.—Bibio, 1775.
- satyrus** Bibio, J. C. Fabricius, Syst. Ent. 1775, 758.
- satyrus** Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 18.—Scarabaeus, 1775.
- satyra** Meleagris, Linnaeus, Syst. Nat., ed. 10, 1758, 157; ed. 12, 1766, 269. [mone.
- satyrus** Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3003.—Amy-
- satyrus** Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2831.—Bibio.
- satyrus** Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 32.
- satyra** Penelope (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 733.—Mele-
- satyrus** Phasianus, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.]. [agris.
- satyrus** Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 12.
- satyrus** Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 25; ed. 12, 1766, 34.
- sauciatius** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2191.
- sauciata** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3328.
- saucia** Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1798], 505.
- saujjala** Turdus, J. Latham, Index Orn. 1790, 356.
- saularis** Gracula, Linnaeus, Syst. Nat., ed. 10, 1758, 109; ed. 12, 1766, 165.
- saularis** Sturnus (L.), F. M. Daudin, Traité élém. Orn. 1800, 321.—Gracula.
- saurita** Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 385.
- Saurus** G. Edwards in M. Catesby, Carol. II. 1771, 2.—P.
- saurus** Elops, Linnaeus, Syst. Nat., ed. 12, 1766, 518.
- saurus** Esox, G. S. Volta, Itt. Veron. (2) [circa 1800], ccvi.
- saurus** Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 310; ed. 12, 1766, 511.
- saurus** Stello, J. N. Laurenti, Syn. Rept. 1768, 56.
- sau-sarai** Anas, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 153.
- saussuriana** Phalaena (Tinea), C. de Villers, Linn. Ent. II. 1789, 536.
- sauvagesii** Aranea, J. A. Dorthes, Tr. Linn. Soc. [Lond.] II. 1794, 90.
- sauvagii** Aranea, P. Rossi, Mém. Soc. Ital. IV. 1788, 141.
- savannarum** Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 921.
- Savia** *err. pro Cavia*, J. F. Blumenbach, Ordines Mamm. 1795.
- savogineus** Brontias, N. G. Leske, Add. Klein. Nat. Disp. Ech. 1778, 143.
- saxatilis** Anadema (L.), F. C. Meuschen, Mus. Gever. 1787, 482.—Echinus.
- saxatilis** Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 187.
- saxatilis** Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 276; ed. 12, 1766, 466.
- saxatilis** Cidaris (Linn.), N. G. Leske, Add. Klein. Nat. Disp. Ech. 1778, 82.—Echinus.
- saxatilis** Cimex, Scopoli, Ent. Carn. 1763, 128.
- saxatilis** Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 664; ed. 12, 1767, 1102.
- saxatilis** Holocentrus (Walb.), G. A. Suckow, Naturges. IV. 1799, 537.—Perca.
- saxatilis** Lygaeus (Scop.), J. C. Fabricius, Ent. Syst. IV. 1794, 148.—Cimex.
- saxatilis** Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 747; ed. 12, 1767, 1215.
- saxatilis** Mus, P. S. Pallas, N. Sp. Quad. II. 1779, 255.

- saxatilis Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 336o.
saxatilis Perca, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 33o.
saxatilis Perca (Linn.), M. E. Bloch, Nat. ausl. Fische, VI. 1792, 79.—Sparus.
saxatilis Purpura (L.), F. C. Meuschen, Mus. Gev. 1787, 312.—Murex.
saxatilis Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 278; ed. 12, 1766, 468.
saxatilis Staphylinus, F. v. P. Schrank, Ins. Aust. 1781, 234.
saxatilis Stello, J. N. Laurenti, Syn. Rept. 1768, 57.
saxatilis Turbo, G. Olivi, Zool. Adriat. 1792, 172.
saxatilis Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 294.
saxatilis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 833.
saxonica Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 190o.
saxonicus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1723.
saxonica Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 256.
sayaca Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 316.
scaber Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 618; ed. 12, 1767, 1027.
scabra Albunea, F. Weber, Nomen. Fabricii, 1795, 94.—Hippra, 1787.
scaber Alpheus (Herbst), F. Weber, Nomen. Fabricii, 1795, 91.—Cancer.
scabra Aphrodita, Linnaeus, Syst. Nat., ed. 12, 1767, 1084.
scabra Arca, J. X. Poli, Test. Sicil. II. 1795, 145.
scabra Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 225.
scaber Astacus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 407.
scabrum Buccinum, O. F. Müller, Verm. II. 1774, 136.
scaber Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 89.
scaber Bufo, J. G. Schneider, Hist. Amph. I. 1799, 222.
scaber Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 33o.—Buccinum.
scabra Bulla, O. F. Müller, Zool. Dan. II. 1784, 9o.
scabra Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3434.
scabra Buprestis, J. C. Fabricius, Syst. Ent. 1775, 22o.
scaber Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (7) 1788, 221.
scaber Cancer (Fab.), J. F. W. Herbst, Vers. Nat. Krab. II (1) 1791, 11.—Hippra.
scaber Cerambyx, N. Poda, Ins. Mus. Graec. 1761, 36.
scaber Cerambix, A. G. Olivier, Entom. IV. 1795, 75.
scabra Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 111.
scaber Cimex, Linnaeus, Amoen. Acad. VI. 1763, 40o.
scaber Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 223; ed. 12, 1766, 384.
scaber Cottus, Linnaeus, Syst. Nat., ed. 10, 1758, 265; ed. 12, 1766, 451.
scaber Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 379; ed. 12, 1767, 609.
scaber Curculio, J. C. Fabricius, Syst. Ent. 1775, 137.
scaber Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 384.
scabrum Daphnoderma, J. X. Poli, Test. Sicil. II. 1795, 255 & 26o.—= Arca of p. 145.
scaber Dermestes, J. C. Fabricius, Syst. Ent. 1775, 57.
scaber Dyticus, Illiger in Kugelann, Käfer Preuss. 1798, 266.
scabra Fasciola, O. F. Müller, Zool. Dan. II. 1784, 31.
scaber Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2077.
scaber Gryllus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 196.
scabra Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 77o; ed. 12, 1767, 1243.
scabra Helix, C. U. v. Salis, Reise Neapel, 1793, 378.
scabra Hippra, J. C. Fabricius, Mant. I. 1787, 33o.
scabra Hispa, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 15.
scaber Hister, J. C. Fabricius, Mant. I. 1787, 32.
scaber Homarus, F. Weber, Nomen. Fabricii, 1795, 94.
scabra Hyblaea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 448.
scaber Limax, T. Martyn, Univ. Conch. III [1789], fig. 119.
scabrum Mantellum, J. F. Bolten, Mus. Bolten. (2) 1798, 16o.
scaber Mellinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 266.
scaber Murex, G. Olivi, Zool. Adriat. 1792, 153.
scabra Mutilla, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 82.
scaber Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (3) 1799, 15.

- scabra** Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 96.
scabra Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 63.—Silpha.
scabra Peltis, A. F. de Fourcroy, Ent. Paris. 1785, 30.
scabra Pimelia, J. C. Fabricius, Syst. Ent. 1775, 251.
scabra Pimelia, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 49.
scabra Purpura, T. Martyn, Univ. Conch. III [1789], fig. 113.
scabra Raja, Linnaeus, Mus. Adolph. Frid. II. 1764, 52.
scabra Sabella, Linnaeus, Syst. Nat., ed. 12, 1767, 1268.
scaber Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 349; ed. 12, 1767, 549.
scabra Silpha, Scopoli, Ent. Carn. 1763, 21.
scabra Silpha, Linnaeus, Syst. Nat., ed. 12, 1767, 573.
scabra Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1624.
scabra Silpha (Fourc.), C. de Villers, Linn. Ent. I. 1789, 88.—Peltis.
scaber Tenebrio, A. G. Olivier, Entom. III. 1795, 13.
scabra Testudo, Linnaeus, Syst. Nat., ed. 10, 1758, 198; ed. 12, 1766, 351.
scabra Testudo, "Retzius," J. D. Schoepf, Hist. Test. 1792, 12.
scaber Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 758; ed. 12, 1767, 1229.
scaber Trox (L.), Illiger in Kugelann, Käfer Preuss. 1798, 99.—Silpha.
scaber Uranoscopus, Linnaeus, Syst. Nat., ed. 10, 1758, 250; ed. 12, 1766, 434.
scabiei Acarus, C. de Geer, Mém. Ins. VII. 1778, 94.
scabiosae Aphis, Scopoli, Ent. Carn. 1763, 138.
scabiosae Apis, P. Rossi, Fauna Etrus. II. 1790, 105.
scabiosae Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 361.
scabiosae Sphinx, Scheven, Naturforscher. X. 1777, 97.
scabiosae Zygæna (Scheven), J. C. Fabricius, Ent. Syst. III (1) 1793, 387.—Sphinx.
scabiosata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 336.
scabiosella Phalaena, Scopoli, Ent. Carn. 1763, 250.
scabra *v.* **scaber**.
scabrana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 410.—Pyralis.
scabrana Pyralis, J. C. Fabricius, Spec. Ins. II. 1781, 284.
scabrana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 130.
scabrana Tortrix (Fab.), C. P. Thunberg, Ins. Suecica (1) 1784, 20.—Pyralis.
scabrator Cerambix (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1828.—Lamia.
scabrator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 174.
scabrator Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 224.
scabratus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 411.
scabrata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 229 [*v.*].
scabratus Scarabaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 436. [*et f.*]
scabrella Alucita (L.), J. C. Fabricius, Gen. Ins. 1777, 297.—Phalaena.
scabrella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 369.
scabricornis Cerambyx, Scopoli, Ent. Carn. 1763, 54.
scabriculum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 740.—[Voluta, ed. 12.]
scabriculus Conus, D. Solander in G. Brander, Foss. Hant. 1766, 15.
scabricul[us] Curculio, Linnaeus, Mant. II. 1771, 531.
scabriculus Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 332.—Voluta.
scabriculus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 751.
scabricula Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1192.
scabriusculus Carabus, A. G. Olivier, Entom. III. 1795, 47.
scabriusculus Curculio, C. de Villers, Linn. Ent. I. 1789, 211.
scabriusculus Leucosia, F. Weber, Nomen. Fabricii, 1795, 92.
scabriuscula Leucosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 349.
scabriuscula Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 516.
scabriuscula Pimelia, A. G. Olivier, Entom. III. 1795, 19. [1787, 191.
scabriusculus Scarabaeus (Cetonia), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII.
scabrosus Anthribus, J. C. Fabricius, Ent. Syst. I (2) 1792, 377.—Bruchus, 1775.
scabrosus Brachycerus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 184.
scabrosus Bruchus, J. C. Fabricius, Syst. Ent. 1775, 64.
scabrosus Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 324.

- scabrosus** Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 294.
scabrosus Cimex, J. C. Fabricius, Syst. Ent. 1775, 719.
scabrosus Clerus, A. G. Olivier, Entom. IV. 1795, 16.
scabrosus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 126.
scabrosus Curculio (Fab.), G. Paykull, Mon. Curc. 1792, 121.—Bruchus.
scabrosus Gryllus, J. C. Fabricius, Ent. Syst. II. 1793, 51.
scabrosus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 154.—Cimex, 1775.
scabrosus Macrocephalus (Fab.), B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 606.—
scabrosa Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 156. [Bruchus.
scabrosus Scarabaeus, J. C. Fabricius, Gen. Ins. 1777, 209.
scaevolum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 304.
scaevola Cancer, P. Forskal, Descr. Anim. 1775, 93.
Scala [G. Humphreys], Mus. Calonn. 1797, 23.—G.
scala Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3485.
scala Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3551.
scalacella Phalaena, F. v. P. Schrank, Schrift. Berlin. Ges. nat. Freunde, II. 1781, 314.
scalacella Tinea (Schr.), J. C. Fabricius, Spec. Ins. II. 1781, 294.—Phalaena.
scalaris Angarius, F. C. Meuschen, Mus. Gever. 1787, 260.
scalaris Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 419.
scalaris Brachycerus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 183.—Curculio.
scalare Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3495.
scalare Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 113.
scalaris Cantharus, J. F. Bolten, Mus. Bolten. (2) 1798, 132 [*n. n.*].
scalaris Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 348.
scalaris Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 394; ed. 12, 1767, 632.
scalaris Cerambyx, J. C. Fabricius, Spec. Ins. I. 1781, 213.
scalaris Cossus, J. C. Fabricius, Ent. Syst. III (2) 1794, 5.—Hepialus, 1775.
scalaris Curculio, J. C. Fabricius, Gen. Ins. 1777, 228.
scalaris Curculio, D. Drury, Ill. Nat. Hist. III. 1782, index & 73.
scalaris Cyclostoma (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 74.—Turbo.
scalare Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 91.—Turbo.
"scalaris" Graptolithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 174.
scalaris Helix, O. F. Müller, Verm. II. 1774, 113.
scalaris Hepialus, J. C. Fabricius, Syst. Ent. 1775, 590.
scalaris Leptura (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 93.—Cerambyx.
scalaris Leptura, Linnaeus, Faun. Suec., ed. 2, 1761, 199.
scalaris Leptura (L.), J. A. Scopoli, Annus V. 1772, 102.—Cerambyx.
scalaris Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 332.
scalaris Nautilus (Orthoceras), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 4.
scalaria Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
scalaris Saperda (L.), J. C. Fabricius, Syst. Ent. 1775, 184.—Cerambyx.
scalaris Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 308.
scalaris Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 764; ed. 12, 1767, 1237.
scalator Cerambix, (Fab.), A. G. Olivier, Entom. IV. 1795, 67.—Lamia.
scalator Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 278.
scalatus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1825.
scaella Phalaena, Scopoli, Ent. Carn. 1763, 253.
scalis Motacilla, *id. ac* sialis, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 989.
Scalops G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
scalpellum Anatifa (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 64.—Lepas.
scalpellum Lepas, Linnaeus, Faun. Suec., ed. 2, 1761, 514.
scalpella Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 11 [*n. et f.*].
scalptor Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 105.
scandens Gracula, J. Latham, Index Orn. 1790, 193.
scandiaca Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 520.
scandiaca Strix, Linnaeus, Syst. Nat., ed. 10, 1758, 92; ed. 12, 1766, 132.
scanicus Curculio, G. Paykull, Mon. Curc. 1792, 59.
scanicus Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 357; ed. 12, 1767, 564.

- scanicus** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 416.
- Scapha** [G. Humphreys], Mus. Calonn. 1797, 59.—L.
- scapha** Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3315.
- scapha** Arca, J. F. Bolten, Mus. Bolten. (2) 1798, 173.
- scapha** Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 59.
- scapha** Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 127.
- scapha** Nautilus, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 242.
- scapha** Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 105.
- scapha** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3727.
- scapha** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3468.
- scaphe** Hippopus, F. C. Meuschen, Mus. Gev. 1787, 430.
- Scaphidium** A. G. Olivier, Entom. II. 1790, 1.—Col.
- scapula** Isogonum, J. F. Bolten, Mus. Bolten. (2) 1798, 168.
- scapula** [Patella], T. Martyn, Univ. Conch. III [1789], fig. 99.
- scapularis** Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 50.
- scapularis** Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 377.—Buprestis.
- scapularis** Cerambix, A. G. Olivier, Entom. IV. 1795, 17.
- scapularis** Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 23.
- scapularis** Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 276.
- scapulatella** Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 523.
- scapulatus** Corvus, F. M. Daudin, Traité élém. Orn. 1800, 232.
- scapulata** Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 338.
- scarabaei** Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3040.
- scarabaeoides** Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 441; ed. 12, 1767, 716.
- scarabaeoides** Clunipes, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785, 347.
- scarabaeoides** Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 356; ed. 12, 1767, 563.
- scarabaeoides** Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 413; ed. 12, 1767, 664.
- scarabaeoides** Hydrophilus (L.), J. C. Fabricius, Syst. Ent. 1775, 229.—Dytiscus.
- scarabaeoides** Silpha (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1626.—Dermestes.
- scarabaeoides** Sphaeridium (L.), J. C. Fabricius, Syst. Ent. 1775, 66.—Dermestes.
- Scarabaeus** Linnaeus, Syst. Nat., ed. 10, 1758, 345; ed. 12, 1767, 541.—Col.
- scarabaeus** Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 340.—Helix.
- scarabaeus** Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 768; ed. 12, 1767, 1241.
- scarabaeus** Rhinoceros (L.), F. C. Meuschen, Mus. Gev. 1787, 262.—Helix.
- scaraboides** Tenebrio, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 39.
- Scarites** J. C. Fabricius, Syst. Ent. 1775, 249.—Col.
- scarlatina** Certhia, A. Sparrman, Mus. Carls. III. 1788, no. lviii.
- Scarus** L. T. Gronovius, Zooph. I. 1763, 67.—P.
- Scarus** P. Forskal, Descr. Anim. 1775, 25.—P.
- scarus** Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 282; ed. 12, 1766, 473.
- Scathopse** E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 544.—Dip.
- Scathopse** J. G. Meigen, N. Class. Mouches, 1800, 20.—Dip.
- scathopse** Tipula, F. v. P. Schrank, Ins. Aust. 1781, 433.
- Scatopse, v. Scathopse** O. F. Müller, F. Ins. Frid. 1764, xxiii.—Dip.
- scaturigo** Beroe, A. Modeer, K. Vet. Ac. Nya Handl. XI. 1790, 37.
- Scaurus** J. C. Fabricius, Syst. Ent. 1775, 253.—Col.
- Scavia, id ac Cavia** J. F. Blumenbach, Hand. Naturg., ed. 5, 1797, 80.
- [**sceberiana** Phalaena], C. Clerck, Icones, I. 1759, pl. viii, 10.
- scleratus** Tetrodon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1444.
- skeleton** Hyla, J. N. Laurenti, Syn. Rept. 1768, 35.
- squeleton** Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 639.
- skeleton** Phasma, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 78.
- skeleton** Purpura, F. C. Meuschen, Mus. Gev. 1787, 310.
- [**scenicus** Araneus, C. Clerck, Aran. Svec. 1757, 117.]
- scenica** Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 623; ed. 12, 1767, 1035.
- scenica** Solpuga, J. F. W. Herbst, Nat. ungefl. Ins. (1) 1797, 46.
- sceptica** Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].

- schach Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 153.
 schach Cercopis, J. C. Fabricius, Mant. II. 1787, 274.
 schach Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 326.
 schach Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2101.—Cercopis.
 schach Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 371.
 schach Lanius, Linnaeus, Syst. Nat., ed. 10, 1758, 94; ed. 12, 1766, 136.
 schach Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 177.—Cimex, 1781.
 schach Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 461.
 schaedia Notoxus, P. Rossi, Fauna Etrus. I. 1790, 140.
 schaefferella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 541; ed. 12, 1767, 898
 schaefferella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 665.—Phalaena.
 [schaeffer]—
 schaeferi Acridium, J. S. Schroeter, Abh. Naturges. I. 1776, 281.
 schaefferi Actinophorus (L.), J. Sturm, Vers. Ins. Samml. 1800, 82.—Scarabaeus.
 schaefferi Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 463.
 schaefferi Aranea, Scopoli, Ent. Carn. 1763, 397.
 schaefferi Attelabus (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 237.—Meloe.
 schaefferi Blatta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2046.
 schaefferi Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2100.
 schaefferi Cerocoma (L.), J. C. Fabricius, Syst. Ent. 1775, 262.—Meloe.
 schaefferi Copris (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 29.—Scarabaeus.
 schaefferi Cryptocephalus, F. v. P. Schrank, Naturforscher, XXIV. 1789, 69.
 schaefferi Dermestes (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 95.—Megatoma.
 schaefferi Leptura, J. N. Laicharting, Tyrol. Ins. II. 1784, 130.
 schäferi Megatoma, Herbst in Jablonsky, Nat. Ins. (Käfer), IV. 1792, 93.
 schaefferi Meloe, Linnaeus, Syst. Nat., ed. 10, 1758, 420; ed. 12, 1767, 681.
 schaefferi Rhinomacer, G. A. Harrer, Besch. Schaeffer Icones, 1784, 191.
 schaefferi Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 349; ed. 12, 1767, 550.
 schaefferi Sphinx, Scheven, Naturforscher, X. 1777, 95.
 schaefferi Sphinx, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 6.
 schaefferi Stratiomys, A. F. de Fourcroy, Ent. Paris. 1785, 467.
 schalleri Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1988.
 schalleri Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1952.
 schalleri Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1874.
 schalleriana Phalaena (Tort.), Linnaeus, Faun. Suec., ed. 2, 1761, 348.
 schalleriana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 650.—Phalaena.
 schardj Formica, P. Forskal, Descr. Anim. 1775, xxiii.
 schediarius Pecten, F. C. Meuschen, Mus. Gever. 1787, 414.
 scheidleri Carabus, Megerle in G. W. F. Panzer, Ins. Germ. heft 66 [1799], tab. 2.
 scheidleri Carabus, C. Creutzer, Ent. Vers. 1799, 133.
 schellenbergella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 501.
 schemmerella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 16.
 schested- v. sehested-
 schevenella Phalaena, [D. H. Schneider], Nom. Ent. 1785, 55 [n. n.].
 schiffermillerella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 142.
 schiefermüllerella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 302.
 schiefermülleri Salmo, M. E. Bloch, Nat. Fische Deutschl. III. 1784, 157.
 schiffermülleriana Phalaena, J. A. Scopoli, Aunus V. 1772, 117.
 "schisti Ichthyolithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 159.
 schlemmerella Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 6 [n. et f.].
 "schleppysch Mus," E. Laxmann, K. Vet. Ac. Handl. XXXIV. 1773, 137.
 "schljaepus Mus," E. Laxmann in Schloezer, Briefwechsel, V (28), ed. 2, 1780, 226.
 schlosseri Alcyonium, P. S. Pallas, Elench. 1766, 355.
 schlosseri Gobius, P. S. Pallas, Spic. Zool. VIII. 1770, 1.
 schlosseri Scarus (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1282.—Gobius.
 schlugella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 529.
 schneideri Bryaxis, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 581.
 schneideri Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 268.

- schneideri Helops, G. W. F. Panzer, Ins. Germ. heft 34 [1796], tab. 1.
- schneideriana [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 37.
- Schoeniclus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 7 & 67.—A.
- schoeniclos (*sic*) Emberiza, Linnaeus, Faun. Suec., ed. 2, 1761, 84.—[Fringilla, Syst.
- schoeniclus Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 182. [Nat., ed. 10.]
- schoeniclus Emberiza, *err. pro* schoeniclus, Linn., S. G. Gmelin, Reise Russ. I. (1770), 53.
- schoenobaenus Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 184; ed. 12, 1766, 329.
- schoenobaena Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (51) [1799], 525.
- schoenobaenus Sylvia (L.), J. A. Scopoli, Annus I. 1769, 158.—Motacilla.
- schoepfii Balistes, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 461.
- schöpfii Diodon, J. A. Donndorff, Zool. Beyt. III. 1798, 786.
- schokari Coluber, P. Forskal, Descr. Anim. 1775, 14.
- schokur Salmo, P. S. Pallas, Reise Russ. III. 1776, 705.
- schonhu Turdus, *id. ac* shanhu, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795,
- shotaf Sciaena, P. Forskal, Descr. Anim. 1775, 51. [8 *n. n.*]
- schoukie Raja, P. Forskal, Descr. Anim. 1775, ix.
- Schraetser J. C. Wulff, Ichthy. 1765, 29.—P.
- schraetser Gymnocephalus (Linn.), M. E. Bloch, Nat. ausl. Fische, VII. 1793, 26.—Perca.
- schraetser Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 294; ed. 12, 1766, 487.
- Schraitser J. C. Schäffer, Piscium Bavar. 1761, 48.—P.
- schränkella Phalaena (Tinea), C. de Villers, Linn. Ent. II. 1789, 525. [336.]
- schränkiana Phalaena, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785,
- schränkii Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1980.
- schränkii Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2109.
- schränkii Cimex, G. A. Harrer, Besch. Schaeffer Icones, 1784, 289.
- schränkii Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2134.
- schränkii Megatoma, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 480.
- schränkii Rhagium, J. N. Laicharting, Tyrol. Ins. II. 1784, 118.
- schreiberella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 304.
- schreberi Cerocoma, J. C. Fabricius, Spec. Ins. I. 1781, 331.
- schreberi Copris (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 30.—Scarabaeus.
- schreberi Meloe (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2021.—Cerocoma.
- schreberi Pilularia (L.), F. v. P. Schrank, F. Boica, I. 1798, 399.—Scarabaeus.
- schreberi Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 551.
- schreberianus Bufo, J. N. Laurenti, Syn. Rept. 1768, 27.
- schreberiana Phalaena (Tort.), Linnaeus, Faun. Suec., ed. 2, 1761, 348.
- schreberiana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 650.—Phalaena.
- schreberiana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 45 *n. et*
- schroeteri Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3575. [f.]
- schuch Vespa, *id. ac* schach, Fabr. 1781, J. C. Fabricius, Mant. I. 1787, 288.
- schulzella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 321.
- schulziana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 413.—Pyralis.
- schulziana Pyralis, J. C. Fabricius, Gen. Ins. 1777, 293.
- schulzii Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 340.
- schumacherana Pyralis, J. C. Fabricius, Mant. II. 1787, 236.
- schumacherana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 530.
- schwarzana Pyralis, G. W. F. Panzer, Ins. Germ. heft 29 [1796], tab. 24.
- schwarzana Tortrix, G. W. F. Panzer, Ins. Germ. heft 29 [1796], tab. 24 (cover).
- schwarzella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 493.
- schypa Acipenser, A. I. Gueldenstaedt, N. Com. Petrop. XVI. 1772, 533. [? specific.]
- schytica Antilope, P. Bodaert in Pallas, Dierkund. Mengelwerk, I. 1767, 7.
- schytus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 110.
- Sciaena Linnaeus, Syst. Nat., ed. 10, 1758, 288; ed. 12, 1766, 480.—[Artedi, Ichth. 1738,
- Scillaea P. de Czenpinski, Diss. zool.-med. 1778, 26.—Moll. [gen. xxix, p. 38.]—P.
- scina Labrus, P. Forskal, Descr. Anim. 1775, 36.
- scincoides Lacerta, G. Shaw in White, Journ. N. S. W. 1790, 242.
- Scincus L. T. Gronovius, Zooph. I. 1763, 11.—R.
- Scincus J. N. Laurenti, Syn. Rept. 1768, 55.—R.

- scincus Seps, J. N. Laurenti, Syn. Rept. 1768, 58.
 scintillans Leucophaea, O. F. Müller, An. Infus. 1786, 147.
 scirpea Gorgonia, P. S. Pallas, Elench. 1766, 182.
 scirpea Pennatula, P. S. Pallas, Elench. 1766, 372.
 scirpi Curculio, P. Rossi, Fauna Etrus. I. 1790, 118.
 scirpi Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 405.
 scirpi Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 413.
 scissa Patella, C. U. v. Salis, Reise Neapel, 1793, 359.
 scitula Buprestis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 35.
 scitulus Musca, M. Harris, Exp. Eng. Ins. 1776, 105.
 scitus Musca, M. Harris, Exp. Eng. Ins. 1776, 107.
 scita Phalaena Noctua, J. Hübner, Beitr. Schmett. II. 1790, 35.
 sciureus Cebus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 51.—Simia.
 sciurea Didelphis, G. Shaw, Zool. N. Holland, 1794, 29.
 sciurea Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 29; ed. 12, 1766, 43.
 sciurea Volucella, J. M. Bechstein in Pennant, Uebers. 4flüss. Thiere, II. 1800, 351.
 Sciurus Linnaeus, Syst. Nat., ed. 10, 1758, 63; ed. 12, 1766, 86.—M.
 sciura Myrmecophaga, P. S. Pallas, Misc. Zool. 1766, 65.
 sciurus Simia (Sapajus) L., R. Kerr, Anim. Kingd. 1792, 78; var. mortuus.
 scladonia Apis, J. C. Fabricius, Ent. Syst. IV. 1794, 460.
 slavonicus Falco, J. Latham, Index Orn. 1790, 26.
 sclopeta Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 136.
 [sclopetarius Araneus, C. Clerck, Aran. Svec. 1757, 43.]
 sclopetarius Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (1) 1791, 23.
 sclopetaria Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 76 [n. n.].
 scobinata Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 701; ed. 12, 1767, 1151.
 scobinata Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 676; ed. 12, 1767, 1119.
 scobinata Terebratula (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 14.—Anomia.
 Scolecophagus Geoffroy, Décad. phil. et litt. (no. 28, 10 Pluv. An. 3) 1795, 196 (name suggested for Daubentonia).—M.
 Scolex O. F. Müller, Zool. Dan. (Danish ed.) I. 1781, 134 foot-note.—Ver.
 Scolia J. C. Fabricius, Syst. Ent. 1775, 355.—Hym.
 scoliaeformis Sphinx, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 173.
 scolopacea Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 647.
 scolopaceus Cuculus, Linnaeus, Syst. Nat., ed. 10, 1758, 111; ed. 12, 1766, 170.
 scolopaceus Lanius, H. Lichtenstein, Cat. rerum Nat. I. 1793, 4.
 scolopaceus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3548.
 scolopaceus Murex, J. F. Bolten, Mus. Bolten. (2) 1798, 144.
 scolopacea Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 590; ed. 12, 1767, 982.
 scolopaceus Nemotelus (L.), C. de Geer, Mém. Ins. VI. 1776, 162.—Musca.
 scolopaceus Papilio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 158.
 scolopacea Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 38.
 scolopaceus Rhagio (L.), J. C. Fabricius, Syst. Ent. 1775, 761.—Musca.
 scolopacina Motacilla, H. Ström, Nye Saml. K. Norske Vid. Selsk. Skrift. II. 1788, 368.
 scolopacina Musca, C. de Villers, Linn. Ent. III. 1789, 429.
 scolopacina Noctua (ex Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 191.
 scolopacina Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (48) 1796, 394.
 scolopacis Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3071.
 Scolopax Linnaeus, Syst. Nat., ed. 10, 1758, 145; ed. 12, 1766, 242.—A.
 scolopax Balistes, Linnaeus, Syst. Nat., ed. 10, 1758, 329.—[Centriscus, ed. 12.]
 scolopax Centriscus, Linnaeus, Syst. Nat., ed. 12, 1766, 415.
 scolopax Charadrius, S. G. Gmelin, Reise Russ. III. 1774, 87.
 Scolopendra Linnaeus, Syst. Nat., ed. 10, 1758, 637; ed. 12, 1767, 1062.—Myr.
 Scolopendra G. Shaw, Nat. Misc. VI. 1794, pl. 185.—Inf.
 scolopendrica Asterias, F. M. Daudin, Rec. Mém. Moll. 1800, 28.
 scolopendricus Julus, N. Poda, Ins. Mus. Graec. 1761, 127.
 scolopendroides Oniscus, P. S. Pallas, Spic. Zool. IX. 1772, 78.
 scolymus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3553.

- Scolytus** E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 309.—Col.
- Scolytus** J. C. Fabricius, N. Mag. Lieb. Ent. [Schneider's], I. 1791, 23.—Col.
- scolytus** Bostrichus, J. C. Fabricius, Syst. Ent. 1775, 59.
- scolythus** Dermestes, J. H. Sulzer, Gesch. Ins. 1776, 21. [Bostrichus.]
- scolytus** Ekkoptogaster (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 125.—
- Scomber** Linnaeus, Syst. Nat., ed. 10, 1758, 297; ed. 12, 1766, 492.—[Artedi, Ichth. 1738, gen. xxv, p. 30.]-P.
- scomber** Scomber, Linnaeus, Syst. Nat., ed. 12, 1766, 492.—[v. scombrus.]
- "**Scomberoides**, Lacép. 1800," Ag.; is 1802.
- scombrus** Scomber, Linnaeus, Syst. Nat., ed. 10, 1758, 297; ed. 12, 1766, 492 [scomber].
- scont** Phoca, P. Boddaert, Elench. 1785, 172.
- Scopeuma** J. G. Meigen, N. Class. Mouches, 1800, 36.—Dip.
- scopigera** Sphinx, Scopoli, Ent. Carn. 1763, 188.
- scopis** Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3045.
- scopolella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 896.
- scopolella** Tinea (L.), J. C. Fabricius, Mant. II. 1787, 251.—Phalaena.
- scopoliana** Leptura, J. N. Laicharting, Tyrol. Ins. II. 1784, 145.
- scopoliana** Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 238.—Phalaena.
- scopoliana** Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
- scopolii** Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1985.
- scopoli** Cerambyx, J. C. Fuessly, Schweiz. Ins. 1775, 12.
- scopoli** Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1708.
- scopoli** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1777.
- scopoli** Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1954.
- scopoli** Elater, J. C. Fuessly, Schweiz. Ins. 1775, 16.
- scopoli** Lamia, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 91.
- scopoli** Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1874.
- scopoli** Scarabaeus, J. C. Fuessly, Schweiz. Ins. 1775, 2.
- scopolinus** Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2-5) 1783, 97.
- scopolina** Chrysmela, Linnaeus, Syst. Nat., ed. 12, 1767, 597.
- scopolina** Clytra (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 36.—Chrysmela.
- scopolinus** Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 111.—Chrysmela.
- Scops** Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 6 & 62.—A.
- Scops** M. T. Brünich, Fund. Zool. 1772, 74.—A.
- scops** Strix, Linnaeus, Syst. Nat., ed. 10, 1758, 92; ed. 12, 1766, 132.
- scopularia** Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 7.
- scopularia** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 521.
- scopulorum** Aranea, J. C. Fabricius, Reise Norwegen, 1779, 317.
- scopulorum** Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 507.—Oniscus.
- scopulorum** Idotea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 304.—Oniscus.
- scopulorum** Limax, J. C. Fabricius, Reise Norwegen, 1779, 311.
- scopulorum** Oniscus, Linnaeus, Syst. Nat., ed. 10, 1758, 637; ed. 12, 1767, 1061.
- Scopus** M. J. Brisson, Ornith. V. 1760, 503.—A.
- Scopus** Bonnaterre, Ency. Méth. (Orn.) I. 1790, xciii.—A.
- Scopus** B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 18.—A.
- scorbuticus** Cimex, J. C. Fabricius, Syst. Ent. 1775, 706.
- scorbuticus** Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 129.—Cimex, 1775.
- scoriacea** Bombyx (ex Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 191.
- Scorpaena** Linnaeus, Syst. Nat., ed. 10, 1758, 266; ed. 12, 1766, 452.—[Artedi, Ichth. 1738,
- scorpiiformis** Aranea, J. C. Fabricius, Syst. Ent. 1775, 436. [gen. xxxiii, p. 47.]-P.
- scorpii** Fasciola, O. F. Müller, Z. Dan. Prod. 1776, 223.
- scorpii** Taenia, O. F. Müller, Z. Dan. Prod. 1776, 219.
- Scorpio** Linnaeus, Syst. Nat., ed. 10, 1758, 624; ed. 12, 1767, 1037.—Ar.
- scorpio** Alata (L.), F. C. Meuschen, Mus. Gev. 1787, 342.—Strombus.
- scorpio** Cancer, J. C. Fabricius, Reise Norwegen, 1779, 345.
- scorpio** Cerambyx, J. C. Fabricius, Spec. Ins. I. 1781, 210.
- scorpio** Cimex, C. de Geer, Mém. Ins. III. 1773, 350.
- scorpio** Curculio, J. C. Fabricius, Mant. I. 1787, 105.

- scorpio major** Formica, J. L. Christ, Nat. Ins. 1791, 518.
scorpio minor Formica, J. L. Christ, Nat. Ins. 1791, 518.
scorpio Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 338.
scorpio Inachus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
scorpio Lamia (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 273.—Cerambyx.
scorpio Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 747; ed. 12, 1767, 1215.
scorpio Panorpa, J. C. Fabricius, Ent. Syst. II. 1793, 97.
scorpio Purpura (L.), F. C. Meuschen, Mus. Gever. 1787, 310.—Murex.
scorpio Strombus, Linnaeus, Amoen. Acad. VIII. 1771, 145.
scorpioides Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 616.
scorpioides Cottus, O. Fabricius, F. Groen. 1780, 157.
scorpioides Oniscus, I. Lepechin, Acta Ac. Sci. Petrop. 1778 (1) 1780, 248.
scorpioides Testudo, Linnaeus, Syst. Nat., ed. 12, 1766, 352.
scorpius Cottus, Linnaeus, Syst. Nat., ed. 10, 1758, 265; ed. 12, 1766, 452.
scorpius Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 67.
scorpius Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 743; ed. 12, 1767, 1208.
scorteus Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 104.
scorticorum Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 251.
scortillum Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 418.
scortum Capisterium (L.), F. C. Meuschen, Mus. Gever. 1787, 462.—Donax.
scortum Donax, Linnaeus, Syst. Nat., ed. 12, 1767, 1126.—Venus, 1758.
scortum Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 686.
Scotias P. de Czenpinski, Diss. zool.-med. 1778, 51.—Col.
scotias Bruchus (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 40.—Ptinus.
scotias Gibbium (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 503.—
scotias Ptinus, J. C. Fabricius, Spec. Ins. I. 1781, 74. [Ptinus.]
scoticus Tetrao, J. Latham, Syn. Birds, Suppl. I. 1787, 290.
scotophila Phalaena Noctua, J. Hübner, Beitr. Schmett. I (3) [1788], 34.
Scarabaeus *err. pro* Scarabaeus, N. Mag. Lieb. Ent. [Fuessly's], III (1) 1786, 92.
scriba Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 292; ed. 12, 1766, 486.
scribaiana Phalaena Tortrix, N. J. Brahm, Ins. Kal. II (1) 1791, 454.
scribonia [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 177.
scriptana Tortrix, C. P. Thunberg, Ins. Succica (1) 1784, 20.
scriptella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 61.
scripturaria Geometra, [Denis & Schiffmüller], Schmett. Wien, 1775, 316. [et f.]
scripturata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 274 [n.]
scripturata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
scripta Antilope, P. S. Pallas, Misc. Zool. 1766, 8.
scripta Arca, I. v. Born, Index Mus. Caes. Vind. 1778, 79.
scriptus Balistes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1463.
scripta Capra, Lamarck in Thunberg, Voy. Japon &c. II. 1796, 47.
scripta Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 82.
scriptus Cerambyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 143.
scripta Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 448.
scripta Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 178.
scripta Donax, Linnaeus, Syst. Nat., ed. 10, 1758, 683; ed. 12, 1767, 1127.
scriptus Dytiscus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 65.
scriptus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 182.
scriptus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 755; ed. 12, 1767, 1225.
scripta Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 594; ed. 12, 1767, 987.
scriptus Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 7.
scriptus Sparus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 301.
scriptus Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 772.—Musca.
scripta Tentredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2668.
scripta Testudo, J. D. Schoepf, Hist. Test. 1792, 16.
scriptus Turbo, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 65.
scripta Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 689; ed. 12, 1767, 1135.
scrobiculator Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3535.

- scrobiculator** Tritonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 127.—Murex.
- scrobiculatus** Hydrophilus, Haefeli in G. W. F. Panzer, Ins. Germ. heft 67 [1799], tab. 11.
- scrobiculata** Noctua, J. C. Fabricius, Syst. Ent. 1775, 592.
- scrobilator** Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 306.—Murex.
- scrobilator** Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 749; ed. 12, 1767, 1218.
- scrofa** Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 34.—Scarabaeus.
- scrofa** Aranea, G. I. Molina, Sag. stor. nat. Chili, 1782, 215.
- scrofa** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 151.—Scarabaeus.
- scrofa** Scarabaeus, J. C. Fabricius, Mant. I. 1787, 11.
- scrofa** Scorpaena, Linnaeus, Syst. Nat., ed. 10, 1758, 266; ed. 12, 1766, 453.
- scrofa** Sus, Linnaeus, Syst. Nat., ed. 10, 1758, 49; ed. 12, 1766, 102.
- scrophia** Sus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 58.
- scrophulariae** Anthrenus (L.), J. C. Fabricius, Syst. Ent. 1775, 61.—Byrrhus.
- scrophulariae** Byrrhus, Linnaeus, Syst. Nat., ed. 12, 1767, 568.
- scrophulariae** Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 380; ed. 12, 1767, 614.
- scrophulariae** Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 356.
- scrophulariae** Necydalis, [D. H. Schneider], Nom. Ent. 1785, 18 [*n. n.*].
- scrophulariae** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 312 (note).
- scrophulariae** Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
- scrophulariae** Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 556; ed. 12, 1767, 923.
- scrophularis** Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 129.
- scrotalis** Sciurus, R. Kerr, Anim. Kingd. 1792, 265.
- scrupus** Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 118 [*n. n.*].
- scruposus** Cancer, Linnaeus, Mus. Lud. Ulr. 1764, 450.
- scruposa** Cellaria (L.), J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 23.—Sertularia.
- scruposa** Cellularia (Linn.), P. S. Pallas, Elench. 1766, 73.—Sertularia.
- scruposa** Sabella, Linnaeus, Syst. Nat., ed. 12, 1767, 1268.
- scruposa** Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 815; ed. 12, 1767, 1315.
- scrutator** Aphodius (Herbst), J. Sturm, Verz. Ins. Samml. 1800, 20.—Scarabaeus.
- scrutator** Carabus, J. C. Fabricius, Syst. Ent. 1775, 239.
- scrutator** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 191.
- scrutator** Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 182.
- scrutator** Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 161.
- scrutator** Stenocorus, A. G. Olivier, Entom. IV. 1795, 10.
- sculptus** Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 153.
- scurra** Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3409.
- scutatorum** Astrophyton, C. F. Schultze, Verst. Seest. 1760, 53.
- scutata** Anguis, J. N. Laurenti, Syn. Rept. 1768, 70.
- scutatus** Centriscus, Linnaeus, Syst. Nat., ed. 10, 1758, 336; ed. 12, 1766, 415.
- scutatus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2196.
- scutatus** Coluber, P. S. Pallas, Reise Russ. I. 1771, 459.
- scutata** Coracias, G. Shaw, Mus. Lever. I. 1792, 197.
- scutatus** Crabro, J. C. Fabricius, Mant. I. 1787, 296.
- scutatus** Echinocorys, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 175. [issue].
- scutatus** Echinocorytes, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xviii [repage].
- scutatus** Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3184.—Echinocorys.
- scutata** Geometra (D. & S.), C. de Villers, Linn. Ent. IV. 1789, 511.—[*v.* Geometra scutata].
- scutata** Iguana (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 16.—Lacerta. [tulata.]
- scutata** Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 201; ed. 12, 1766, 360.
- scutata** Laticauda (L.), J. N. Laurenti, Syn. Rept. 1768, 109.—Lacerta.
- scutata** Musca, P. Rossi, Fauna Etrus. II. 1790, 314.
- scutata** Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2763.—Crabro.
- scutata** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 202.—[scutulata, D. & S. *est.*]
- scutellaris** Apis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2795.—Nomada.
- scutellaris** Bruchus, J. C. Fabricius, Ent. Syst. I (2) 1792, 372.
- scutellaris** Buprestis, A. G. Olivier, Entom. II. 1790, 86.
- scutellare** Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 266.

- scutellaris** Cerambix, A. G. Olivier, Entom. IV. 1795, 16.
scutellaris Chrysis, J. C. Fabricius, Ent. Syst. IV. 1794, 458.
scutellaris Chrysis, G. W. F. Panzer, Ins. Germ. heft 51 [1798], tab. 11.
scutellaris Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 264.—Lagria.
scutellaris Clerus, Kugelann in G. W. F. Panzer, Ins. Germ. heft 38 [1796], tab. 15.
scutellaris Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1730.—
scutellaris Curculio, J. C. Fabricius, Mant. I. 1787, 115. [Lagria].
scutellaris Cynips, P. Rossi, Mant. Ins. II. 1794, 106.
scutellaris Diplolepis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 282.
scutellaris Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 497.
scutellaris Lagria, J. C. Fabricius, Mant. I. 1787, 94.
scutellaris Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 180.
scutellaris Mutilla, P. A. Latreille, Actes Soc. H. N. Paris, I (1) 1792, 10.
scutellaris Nomada, J. C. Fabricius, Spec. Ins. I. 1781, 487.
scutellaris Prionus, A. G. Olivier, Entom. IV. 1795, 14.
scutellaris Reduvius, J. C. Fabricius, Mant. II. 1787, 313.
scutellatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 483.
scutellata Albunea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 397.—Hippra, 1793.
scutellata Apis, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. III., 1794, 141.—[Nomada
 scutellaris, Fab.]
scutellatus Brachypterus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 561.
scutellatus Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [*n. n.*].
scutellata Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 58.
scutellatus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 195. [mela].
scutellata Coccinella (Herbst), Illiger in Kugelann, Käfer Preuss. 1798, 421.—Chryso-
scutellatus Curculio, J. R. Forster, Cat. Anim. N. Amer. 1771, 24 [*n. n.*].
scutellatus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 131.
scutellata Hippra, J. C. Fabricius, Ent. Syst. II. 1793, 474.
scutellatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 402.
scutellata Leptura, J. C. Fabricius, Spec. Ins. I. 1781, 247.
scutellatus Limax, T. Martyn, Univ. Conch. IV [1792], fig. 123.
scutellata Peltis, O. F. Müller, Z. Dan. Prod. 1776, 64.
scutellatus Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 218.
scutellata Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 317.
scutellatus Sargus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 567.
scutellatum Scaphidium, G. W. F. Panzer, Ins. Germ. heft 4 [1792], tab. 11.
scutellata Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 232.
scutellata Sphex, J. L. Christ, Nat. Ins. 1791, 284 et *varr.* seqq.
scutellata Tenthredo, C. de Villers, Linn. Ent. III. 1789, 126.
scutellata Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 203.
scutellum Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3730.
 “**scutiformis** Echinoneus,” M. v. Phelsum, Brief Zeegglen, 1774, 32.
scutiformis Echinoneus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 174.
scutiformis Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3184.—
 Echinoneus.
scutiformis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3721.
scutigera Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 93.
Scutigerulus F. C. Meuschen, Mus. Gever. 1787, 240.—Moll.
scutosa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 89.
scutra Hippopus, F. C. Meuschen, Mus. Gever. 1787, 430.
scutulana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
scutularia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 72 [*n.*].
scutularia Sphex, [Scheven], Naturforscher, XX. 1784, 99. [et f.].
scutularia Vespa (Scheven), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2763.—
scutulatum Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 55. [Sphex].
scutulatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3498.
scutulata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 117. [523].
scutulata Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,

- scutulata** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3452.
- scutulata** Voluta, T. Martyn, Univ. Conch. IV [1792], fig. 129.
- Scutum** [G. Humphreys], Mus. Calonn. 1797, 64.—Ech.
- scybalarius** Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 33.—Scarabaeus.
- scybalarius** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 146.—Scarabaeus.
- scybalaria** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 599; ed. 12, 1767, 996.
- scybalarius** Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 16.
- scylla** Papilio, Linnaeus, Amoen. Acad. VI. 1763, 404.
- Scyllaea** Linnaeus, Syst. Nat., ed. 10, 1758, 656; ed. 12, 1767, 1094.—Nud.
- Scyllaea** G. Cuvier, Tab. Elém. 1798, 388.—Nud.
- Scyllarus** J. C. Fabricius, Syst. Ent. 1775, 413.—Cr.
- scyllarus** Astacus (L.), J. C. Fabricius, Syst. Ent. 1775, 417.—Cancer.
- scyllarus** Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 633; ed. 12, 1767, 1054.
- scyllarus** Cancer (Mant.) L., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 99.
- scyllarus** Squilla (L.), J. C. Fabricius, Spec. Ins. I. 1781, 515.—Cancer.
- Scymnus** J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 545.—Col.
- scyndaphus** Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 57.
- scyphifera** Hydra, P. Forskal, Descr. Anim. 1775, 130.
- scyphiformis** Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 277.
- scyphina** Vorticella, O. F. Müller, An. Infus. 1786, 272.
- scyphus** Spongia, F. C. Meuschen, Mus. Gev. 1787, 532.
- scyron** [Sphinx], P. Cramer, Utitl. Kapellen, IV (26) 1780, 23.
- Scytale** F. C. Meuschen, Mus. Gronov. 1778, 12.—R.
- scytale** Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 228; ed. 12, 1766, 392.
- scytale** Boa, Linnaeus, Syst. Nat., ed. 10, 1758, 214; ed. 12, 1766, 374.
- scytale** Scytale, F. C. Meuschen, Mus. Gronov. 1778, 12.
- scytha** Coluber, P. S. Pallas, Reise Russ. II. 1773, 717.
- Scythrops** J. Latham, Index Orn. 1790, 141.—A.
- Scytrops** Bonnaterre, Ency. Méth. (Orn.) I. 1790, xcvi.—A.
- scyton** [Sphinx], P. Cramer, Utitl. Kapellen, II (9) 1777, 5.
- scyton** Zygaena (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 164.—Sphinx.
- sebae** Aranea, J. A. Scopoli, Annus V. 1772, 126.
- sebae** Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1118.
- sebaldus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 343.
- sebaldus** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 101.
- sebaldus** Papilio, J. C. Fabricius, Mant. II. 1787, 89.
- secalinus** Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 216.
- secalis** Carabus, G. Paykull, Mon. Carab. 1790, 94.
- secalis** Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 390.—Ichneumon.
- secalis** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 567; ed. 12, 1767, 939.
- secalis** Musca, C. Bierkander, K. Vet. Ac. Handl. XXXVIII. 1777, 30.
- secalis** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 519.
- secalis** Phalaena (Pylalis), Linnaeus, Syst. Nat., ed. 12, 1767, 882.
- secalis** Salix, F. v. P. Schrank, F. Boica, I. 1798, 509.
- secalis** Tipula, C. Bierkander, K. Vet. Ac. Handl. XL. 1779, 162. v
- Secretarius** F. M. Daudin, Traité élém. Orn. 1800, 29.—A.
- secretarius** Otis, J. A. Scopoli, Del. Insub. II. 1786, 93.
- secretarius** Vultur, G. Shaw in Miller, Cim. Phys. 1796, 56.
- secretus** Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 101.
- sectator** Papilio, N. Meerburgh, Zeldzam. Gewassen, 1775, pl. x.
- sectator** Papilio Hel., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2250.
- sectatrix** Perca, Linnaeus, Syst. Nat., ed. 12, 1766, 486.—[misprint for saltatrix, q. v.]
- sector** Aranea, P. Forskal, Descr. Anim. 1775, 85.
- sectoralis** Phalaena, [D. H. Schneider], Nom. Ent. 1785, 52 [n. n.].
- secundaria** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 101. [et f.]
- secundaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 156 [n.].
- secundaria** Sertularia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 3854.
- secunda** Ascaris, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 120.

- securata** Phalaena, J. C. Fabricius, Mant. II. 1787, 214.
securiclata Alata, F. C. Meuschen, Mus. Gever. 1787, 342.
securifrons Eschara, P. S. Pallas, Elench. 1766, 56.
securis Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 271.
sedecim *v.* **sexdecim**.
sedentarius Cancer, P. Forskal, Descr. Anim. 1775, 95.
sedentarius Cancer (Gammarellus), Forsk., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793,
sedi Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 286. [136.]
sedi Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 121.
sedi Sphinx (Fab.), M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 165.—Zygaena.
sedi Zygaena, J. C. Fabricius, Mant. II. 1787, 101.
sedonia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 184.
seductor Ichneumon, J. A. Scopoli, Del. Insub. I. 1786, 57.
seductorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 139. [1789, 1913.]
seelandicus Elater, *id. ac* siaelandicus, Müll., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2870.
seelandica Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2870.
segetalis Coccinella, D. E. Naezén, K. Vet. Ac. Nya Handl. XIII. 1792, 170.
segetis Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 381; ed. 12, 1767, 612.
segetis Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1915.—[*Cf.* Bjerkander,
 K. Vet. Ak. Handl. 1779, 285, if used specifically.]
segetis Noctua, J. C. Fabricius, Spec. Ins. II. 1781, 223.
segetum Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 512.
segetum Anser (Gm.), J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 116.—Anas.
segetum Bombyx (D. & S.), E. J. C. Esper, Die Schmett. III (25) 1786, 301.—Noctua.
segetum Lytta, J. C. Fabricius, Ent. Syst. I (2) 1792, 84.
segetum Melolontha, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 15.
segetum Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 81.
segetum Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 289.
segmentarius Ichneumon, J. C. Fabricius, Mant. I. 1787, 262.
segmentaria Tenthredo, J. C. Fabricius, Suppl. Ent. Syst. 1798, 215.
segmentator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 163.
[**segmentatus** Araneus, C. Clerck, Aran. Svec. 1757, 45.]
segmentatus Araneus, T. Martyn, Aranei, 1793, 20.
segmentorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 149.
segmentosus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 428.
segnis Cancer, P. Forskal, Descr. Anim. 1775, 91.
segnis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 595; ed. 12, 1767, 988.
segnis Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 772.—Musca.
segusinus Cimex, C. Allioni, Misc. Taurin. III. 1766, 191.
seheli Mugil, P. Forskal, Descr. Anim. 1775, 73.
[**sehested-**]—
sehestediana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 412.—Pyralis.
sehestediana Pyralis, J. C. Fabricius, Gen. Ins. 1777, 293.
sehestedii Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 107.
sehestedii Lamia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 146.
seladonia Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 276.
seladonius Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 114.
seladonia Necydalis, J. C. Fabricius, Ent. Syst. I (2) 1792, 352.
seladonia Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 103.
selas Patella, F. C. Meuschen, Mus. Gever. 1787, 242.
selata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 444.
seledon Tanagra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 158.
selenaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 101.
selenaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 163 [*n. et f.*].
selene Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 321.
selene [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 54. [150.]
selene Papilio N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. 1783,
selenitica Bombyx (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 193.

- selenitica** Phalaena Bomb., J. Hübner, Samml. Vögel u. Schmett. 1793, 14 [*n. et f.*].
seleucis Turdus, P. Forskal, Descr. Anim. 1775, 5.
sella Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3345.
sella Placuna (L.), G. Cuvier, Tab. Elém. 1798, 418.—Anomia.
sellatus Attelabus, J. C. Fabricius, Ent. Syst. IV. 1794, 454.
sellatus Curculio, Herbst in Jablonsky, Nat. Ins. (Kafer) VI. 1795, 217.
sellatus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 171.
sellata Mutilla, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 19.
sellatus Notoxus, Kugelann in G. W. F. Panzer, Ins. Germ. heft 38 [1796], tab. 20.
sellmanni Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 207.
Semblis J. C. Fabricius, Syst. Ent. 1775, 305.—Neur.
Semblis P. A. Latreille, Préc. Car. Ins. 1796, 102.—Neur.
Sembris, *err. pro Semblis* J. C. Fabricius, Mant. I. 1787, 244.
semele Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 474; ed. 12, 1767, 772.
semiaenea Altica (Fab.), G. W. F. Panzer, Deutsch. Ins. [1795], 178.—Galleruca.
semiaenea Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 30.
Semialata F. C. Meuschen, Cat. Coll. Coq. Oudaan, 1766, 46 [*n. n.*].—G.
semialba Sterna, J. P. Bonnatere, Ency. Méth. (Orn.) 1790, 94.
semiannularis Tenthredo, C. de Villers, Linn. Ent. III. 1789, 117.
semiannularis Ichneumon, F. v. P. Schrank, Beitr. Nat. 1776, 89.
semiargentella Phalaena, E. Donovan, Brit. Ins. II. 1793, 76.
semi-argus Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 245.
semiaurata Chrysis (L.), J. C. Fabricius, Syst. Ent. 1775, 359.—Sphex.
semiauratus Ichneumon (L.), J. C. Fabricius, Mant. I. 1787, 269.—Sphex.
semiauratus Sphex, Linnaeus, Faun. Suec., ed. 2, 1761, 413.
semiauratum Isogonum, J. F. Bolten, Mus. Bolten. (2) 1798, 168.
semiaurita Melina (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 22.—Ostrea.
semiaurita Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 700; ed. 12, 1767, 1149.
semicaerulea Alcedo, P. Forskal, Descr. Anim. 1775, 2.
semicineta Apis, J. C. Fabricius, Ent. Syst. II. 1793, 341.
semicinctus Philanthus, G. W. F. Panzer, Ins. Germ. heft 47 [1797], tab. 24.
semicineta Sphex, C. de Villers, Linn. Ent. III. 1789, 251.
semicineta Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 331.
semicoleopter Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 25.
semicoleopratus Dermestes, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 6.
semicollaris Psittacus, J. Latham, Index Orn. 1790, 103.
semicolon Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 69.
semicolon Leptura, F. v. P. Schrank, F. Boica, I. 1798, 694.
semicornis Scarabaeus, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 10.
semicuprea Donacia, G. W. F. Panzer, Ins. Germ. heft 29 [1796], tab. 14.
semicylindricus Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 344.
semicylindrica Lepisma, C. de Geer, Mém. Ins. VII. 1778, 14.
semicylindrus Alpheus, F. Weber, Nomen. Fabricii, 1795, 92.
semiflavus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 725.
semiflavus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2162.
semiflava Musca, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 9.
semiglobosus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3180.
semilineatus Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 104.
semi-lituus Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 710; ed. 12, 1767, 1163.
semilituus Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 158.
semiluctifera Musca, C. de Villers, Linn. Ent. III. 1789, 463.
semiluctifera Phalaena Bomb., C. de Villers, Linn. Ent. II. 1789, 159.
semiluna Trichoda, O. F. Müller, Verm. I (1) 1773, 85.
Semilunaris F. C. Meuschen, Cat. Coll. Coq. Oudaan, 1766, 12 [*n. n.*].—G.
semilunaris Curculio, J. A. Frolich, Naturforscher, XXVI. 1792, 131.
semilunaris Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3184.
semilunaris Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 109.
semilunaris Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3549.

- semilunatus** Bufo, J. G. Schneider, Hist. Amph. I. 1799, 215.
- semilunatus** Pentagonaster, C. F. Schultze, Verst. Seest. 1760, 50.
- semilutea** Phalaena Noct., C. de Villers, Linn. Ent. II. 1789, 251.
- semimaculana** Phalaena Tort., J. Hübner, Samml. Vögel u. Schmett. 1793, 8 [*n. et f.*].
- semimaculana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 48 [*n.*].
- semimonile** Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 100. [*et f.*].
- seminarius** Bruchus, Linnaeus, Syst. Nat., ed. 12, 1767, 605.
- seminationis** Musca, J. C. Fabricius, Syst. Ent. 1775, 786.
- semi-niger** Dytiscus, C. de Geer, Mém. Ins. IV. 1774, 401.
- seminigra** Tipula, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 10.
- seminuda** Apis, J. C. Fabricius, Spec. Ins. I. 1781, 479.
- seminuda** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3331.
- seminudus** Rhinomacer, P. A. Latreille, Journ. Santé Bordeaux, II. 1797, 336.
- seminulum** Acarus, O. F. Müller, Z. Dan. Prod. 1776, 188.
- seminulum** Acarus, Block in G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 24.
- seminulum** Anisotoma (Fab.), J. G. Kugelann, Illiger in Kugelann, Käfer Preuss. 1798,
- seminulum** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 470. [78.—Sphaeridium.
- seminulum** Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 129.
- seminulum** Enchelis, O. F. Müller, Verm. I (1) 1773, 35.
- seminulum** Hydrophilus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 314.
- seminulum** Hydrophilus, G. Paykull, Faun. Suec. I. 1798, 190.
- seminulum** Peltis, O. F. Müller, Z. Dan. Prod. 1776, 65.
- seminulum** Ptinus, F. v. P. Schrank, Ins. Aust. 1781, 36.
- seminulum** Scotias, F. v. P. Schrank, F. Boica, I. 1798, 543.—Ptinus, 1781.
- seminulum** Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 786; ed. 12, 1767, 1264.
- seminulum** Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 360; ed. 12, 1767, 570.
- seminulum** Sphaeridium (L.), J. C. Fabricius, Spec. Ins. I. 1781, 79.—Silpha.
- seminulum** Volvox (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 540.—Sphaeridium.
- semiorbiculata** Cardita (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 410.—Chama.
- semiorbiculata** Chama, Linnaeus, Syst. Nat., ed. 10, 1758, 691; ed. 12, 1767, 1138.
- semiorbiculatus** Hippopus (L.), F. C. Meuschen, Mus. Gever. 1787, 428.—Chama.
- semipalmata** Anas, J. Latham, Tr. Linn. Soc. [Lond.], IV. 1798, 103.
- semipalmata** Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 659.
- semi-pavo** Sphinx, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 35.
- semipectinata** Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer., 1783, 43.
- semiplanata** Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 75.
- semiplanata** Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 186.
- Semi-Porcellana** F. C. Meuschen, Mus. Gever. 1787, 396.—G.
- semipunctatus** Actinophorus (Fab.), J. Sturm, Verz. Ins. Samml. 1800, 75.—Scarabaeus.
- semipunctatus** Brentus, J. C. Fabricius, Mant. I. 1787, 96.
- semipunctatum** Callidium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 151.
- semipunctatus** Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
- semipunctata** Cetonia, J. C. Fabricius, Mant. I. 1787, 29. [1859.—Stenocorus.
- semipunctata** Cicindela (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
- semipunctata** Cimex, J. C. Fabricius, Syst. Ent. 1775, 698. [1925.—Elaphrus.
- semipunctatus** Curculio, J. C. Fabricius, Syst. Ent. 1775, 135.
- semipunctatus** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 416.—Brentus, 1787.
- semipunctata** Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 199.
- semipunctatus** Elaphrus, J. C. Fabricius, Syst. Ent. 1775, 227.
- semipunctatus** Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 30.
- semipunctatus** Hister, J. C. Fabricius, Ent. Syst. I (1) 1792, 73. [1575.—Cetonia.
- semipunctatus** Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
- semipunctatus** Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 63.
- semipunctatus** Stenocorus, J. C. Fabricius, Syst. Ent. 1775, 180.
- semiramis** Bumbyx (*sic*) (Cram.), J. C. Fabricius, Gen. Ins. 1777, 277.—Phalaena.
- semiramis** [Phalaena], P. Cramer, Uitl. Kapellen, I (2) 1775, 19.
- semire** [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 3.

- semirostris** Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 114; ed. 12, 1766, 175.
semirubella Phalaena, Scopoli, Ent. Carn. 1763, 245.
semirufus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 301.
semispinosus Erinaceus, G. Cuvier, Tab. Elém. 1798, 108.
semistriatus Byrrhus, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 594.
semistriatus Byrrhus, J. C. Fabricius, Ent. Syst. IV. 1794, 437.
semistriata Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 96.
semistriata Donax, J. X. Poli, Test. Sicil. II. 1795, 79.
semistriatus Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 412; ed. 12, 1767, 665.
semistriatus Dyticus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 70.—Dytiscus.
semistriatus Hister, L. G. Scriba, J. Lieb. Ent. I. 1799, 72.
semistriata Melolontha, A. G. Olivier, Entom. I. 1789, 78.
semistriatum Peronaeoderma, J. X. Poli, Test. Sicil. II. 1795, 252 & 257.—= Donax of
semistriatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 97. [p. 79.
semistriata Viverra, P. Boddaert, Elench. 1785, 84.
semisulcatus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 70.
semitectaria Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2466.
semiteres Fusaria, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 37.
semitorquatus Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1031.
semitorquata Loxia, Richard & Bernard, Actes Soc. H. N. Paris, I (1) 1792, 118.
semitorquata Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 972.
semitorquata Sylvia (Gm.), J. Latham, Index Orn. 1790, 542.—Motacilla.
semivittatus Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 59.
sempronius Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 62.
semulator Musca, M. Harris, Exp. Eng. Ins. 1776, 112.
senator Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 714; ed. 12, 1767, 1168.
senator Lanius, Linnaeus, Syst. Nat., ed. 10, 1758, 94.
senatoria Bibio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 215.
senatoria Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 109.
senatoria Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3327.
senatoria Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 113.
senecionis Chermes, Scopoli, Ent. Carn. 1763, 140.
Senectus [G. Humphreys], Mus. Calonn. 1797, 24.—G.
senegallensis Alauda, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 137.
senegalensis Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 797.
senegalensis Alcedo, Linnaeus, Syst. Nat., ed. 12, 1766, 180.
senegalensis Antilope, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 646.
senegalensis Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3312.
senegalensis Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 645.
senegalensis Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 186.
senegalensis Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 319.
senegalensis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2147.
senegalensis Colius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 842.
senegalensis Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 283.
senegallensis Columba, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 133.
senegalensis Coracias, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 379.
senegalensis Corvus, Linnaeus, Syst. Nat., ed. 12, 1766, 158.
senegalensis Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 169.
senegalensis Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 422.
senegalensis Falco, F. M. Daudin, Traité élém. Orn. 1800, 41.
senegalensis Galago, E. Geoffroy, Mag. encyclop. I (1) 1796, 49.
senegalensis Glareola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 696.
senegalensis Hirundo, Linnaeus, Syst. Nat., ed. 12, 1766, 345.
senegalensis Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 333.
senegalensis Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3537.
senegalensis Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 327.
senegalensis Mycteria, G. Shaw, Tr. Linn. Soc. [Lond.], V. 1800, 35.
senegalensis Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3686.

- senegalensis** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3337.
senegalensis Perdix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 212.
senegallensis Picus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 91.
senegalensis Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 430.
senegalensis Pimelia, A. G. Olivier, Entom. III. 1795, 7.
senegalensis Prionus, A. G. Olivier, Entom. IV. 1795, 22.
senegalensis Spondylus, K. Schreibers, Vers. Conch. II. 1793, 162.
senegalensis Sylvia (L.), J. Latham, Index Orn. 1790, 526.—Motacilla.
senegalensis Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3244.
senegalensis Trichechus, H. F. Link, Beytr. Nat. I (2) 1795, 109.
senegallensis Tringa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 113.
senegalensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 823.
senegalensis Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3282.
senegalicum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3477.
senegala Coracias, *id. ac* senegalensis, Gm., J. Latham, Index Orn. 1790, 169.
senegala Coracias, F. M. Daudin, Traité élém. Orn. 1800, 261.
senegala Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 320.
senegalus Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 137.
senegala Loxia (L.), F. M. Daudin, Traité élém. Orn. 1800, 438.—Fringilla.
senegala Parra, Linnaeus, Syst. Nat., ed. 12, 1766, 259.
senegalus Psittacus, Linnaeus, Syst. Nat., ed. 12, 1766, 149.
senegalla Purpura (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 140.—Murex senegalensis
senegalus Tetrao, Linnaeus, Mant. II. 1771, 526.
senegalla Tringa (L.), J. Latham, Index Orn. 1790, 728.—Parra.
senegalus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 89.
senegallus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 142.
senex Alpheus, F. Weber, Nomen. Fabricii, 1795, 91 [*n. n.*].
senex Attelabus, P. S. Pallas, Reise Russ. II. 1773, 723.
senex Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 340.
senex Cercopithecus, J. C. P. Erxleben, Syst. Anim. 1777, 24.
senex Curculio, P. Rossi, Fauna Etrus. I. 1790, 131.
senicula Buprestis, F. v. P. Schrank, Naturforscher, XXIV. 1789, 85.
seniculus Cebus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 46.—Simia.
seniculus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 161.—Scarabaeus.
seniculus Curculio, J. Latham, Index Orn. 1790, 219.
seniculus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 23.
seniculus Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 37.
seniculus Simia (Sapajus) L., R. Kerr, Anim. Kingd. 1792, 75.
senilis Actinia, Linnaeus, Syst. Nat., ed. 12, 1767, 1088.—Priapus, 1761.
senilis Apis, J. C. Fabricius, Syst. Ent. 1775, 382.
senilis Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 694; ed. 12, 1767, 1142.
senilis Bibio, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 3.
senilis Bombylius, J. C. Fabricius, Ent. Syst. IV. 1794, 411.
senile Callidium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 152.
senilis Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 55.
senilis Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 179.
senilis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2704.
senilis Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 331.
senilis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 9.
senilis Priapus, Linnaeus, Faun. Suec., ed. 2, 1761, 510.
senilis Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 237.
sennae Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 470; ed. 12, 1767, 764.
senoculata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 622; ed. 12, 1767, 1034.
sensitivus Curculio, Scopoli, Ent. Carn. 1763, 32.
senta Vorticella, O. F. Müller, Verm. I (1) 1773, 109.
senticosum Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 296.—Murex.
senticosum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 151.
senticosa Lepas, J. F. Bolten, Mus. Bolten. (2) 1798, 197 [*n. n.*].

- senticosus** Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 751; ed. 12, 1767, 1220.
- senticosa** Purpura, T. Martyn, Univ. Conch. III [1789], fig. 113.
- sentis** Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 390; ed. 12, 1767, 626.
- separata** Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 75.
- sephen** Raja, P. Forskal, Descr. Anim. 1775, 17.
- Sepia** Linnaeus, Syst. Nat., ed. 10, 1758, 658; ed. 12, 1767, 1095.—Ceph.
- sepiaria** Phalaena, Hufnagel, Berl. Mag. IV. 1767, 516.
- sepicola** Anthribus, J. C. Fabricius, Ent. Syst. I (2) 1792, 378. [thribus.]
- sepicola** Macrocephalus (Fab.), B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 607.—An-
- sepicola** Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 351; ed. 12, 1767, 553.
- sepidium** J. C. Fabricius, Syst. Ent. 1775, 250.—Col.
- sepiiformis** Iguana, J. N. Laurenti, Syn. Rept. 1768, 47.
- sepiiformis** Lacerta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1077.
- sepiiformis** Stincus (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 30.—Lacerta.
- Sepiola** J. G. Schneider, Samml. Verm. Abh. 1784, 116.—Ceph.
- sepiola** Loligo, Lamarck, Bull. Sci. Soc. Philom. [Paris], no. 17, 1798, 130.
- sepiola** Sepia, Linnaeus, Syst. Nat., ed. 10, 1758, 659; ed. 12, 1767, 1096.
- sepium** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3654.
- seposita** Asterias, A. J. Retzius, K. Vet. Ac. Handl. 1783, 237.
- seppella** Tinea, J. C. Fabricius, Gen. Ins. 1777, 296.
- seppella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 56.
- Seppia**, *v.* **Sepia** G. I. Molina, Sag. stor. nat. Chili, 1782, 199.
- seppiiana** [Phalaena], C. Stoll in Cramer, Utl. Kapellen, IV (30) 1781, 135.
- Seps** J. N. Laurenti, Syn. Rept. 1768, 58.—R.
- seps** Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 204; ed. 12, 1766, 363.
- septemcinctus** Dasytus, Linnaeus, Syst. Nat., ed. 10, 1758, 51; ed. 12, 1766, 54.
- septemcincta** Scolia, J. C. Fabricius, Syst. Ent. 1775, 356.
- septemcincta** Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 269.—Scolia.
- septendecim** Cicada, Linnaeus, Syst. Nat., ed. 12, 1767, 708.
- septendecim** Tettigonia (L.), J. C. Fabricius, Syst. Ent. 1775, 679.—Cicada.
- septemdecimpunctata** Coccinella, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV.
- septemdentatus** Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2-5) 1783, 155. [1797, 96.]
- septemfasciata** Perca, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 353.
- septemfasciata** Perca, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIV. 1793, 56.
- septemguttatus** Carabus, J. C. Fabricius, Ent. Syst. IV. 1794, 442.
- septemguttata** Cassida, Linnaeus, Syst. Nat., ed. 12, 1767, 577.
- septem-maculata** Coccinella, C. de Geer, Mém. Ins. V. 1775, 373.
- septemmaculata** Coccinella, J. C. Fabricius, Gen. Ins. 1777, 217.
- septemmaculata** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 149.—
- septemmaculata** Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 346. [Scarabaeus.]
- septemmaculatus** Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 20.
- septemnodia** Ceria, Scopoli, Ent. Carn. 1763, 351.
- septemnotata** Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 275. [298.]
- septempunctata** Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778,
- septempunctatus** Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
- septempunctatus** Cimex, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 109.
- septempunctata** Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 365; ed. 12, 1767, 581.
- septempustulatus** Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 109.
- septemradiata** Ostrea (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3327.—
- septemradiatus** Pecten, O. F. Müller, Z. Dan. Prod. 1776, 248. [Pecten.]
- septemspinus** Cancer, J. C. Fabricius, Mant. I. 1787, 325.
- septemspinosa** Leucosia, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer, 1787.
- septemspiralis** Helix, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 278.
- septemtrionis** Brentus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 183.
- septemtrionis** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 360.
- septenarius** Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 324.
- septendecim** *v.* **septemdecim**.
- septentrionalis** Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 161.

- septentrionalis** Colymbus, Linnaeus, Syst. Nat., ed. 12, 1766, 220.
septentrionalis Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 306.
septentrionalis Lepus, H. F. Link, Beytr. Nat. I (2) 1795, 73.
septentrionalis Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 865.
septentrionalis Mergus (L.), J. C. Schaeffer, Mus. Orn. 1789, 62.—Colymbus.
septentrionalis Tentredo, Linnaeus, Syst. Nat., ed. 10, 1758, 557; ed. 12, 1767, 926.
sepulchralis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 596; ed. 12, 1767, 991.
sepulchralis Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 772.—Musca.
sepulchralis Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 374.
sepulchralis Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 179.—Musca.
sepulchralis Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 480.—Tinea sepulchrella,
sepulchrella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 316. [1794-
sepultura principis Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 33.
sepulta Pila, J. F. Bolten, Mus. Bolten. (2) 1798, 146.
sequana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 44 [*n. et f.*].
sequella [Phalaena], C. Clerck, Icones, I. 1759, pl. x, 14.
sequella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 885.
sequella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 657.—Phalaena.
serailia Madrepora, P. Forskal, Descr. Anim. 1775, 135.
serapis [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 222.
serena Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 312.
serena Noctua, J. C. Fabricius, Mant. II. 1787, 171.
serena Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 84.
serena Papilio, J. C. Fabricius, Syst. Ent. 1775, 461.
serena Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
serena Pipra, Linnaeus, Syst. Nat., ed. 12, 1766, 340. [270.—Noctua.
sergilia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 66.
sergestus [Papilio], P. Cramer, Uitl. Kapellen, I (7) 1775, 117.
seriata Madrepora, P. S. Pallas, Elench. 1766, 336.
seriata Madrepora, F. C. Meuschen, Mus. Gever. 1787, 508.
seriata Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 693.
sericalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 10 & 12 [2].
sericana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 83 [*n. et f.*].
[sericatus Araneus, C. Clerck, Aran. Svec. 1757, 40.]
sericatus Araneus, T. Martyn, Aranei, 1793, 17.
sericata Geometra, C. C. Jung, Alph. Verz. Schmett. II. 1792, 196.
sericata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
sericata Phalaena Noctua, H. G. Lang (*ex* Esper, tab.), Verz. Schmett., ed. 2, 1789,
sericealis Phalaena, Scopoli, Ent. Carn. 1763, 242. [133-
sericealis Pyralis (Scop.), C. de Villers, Linn. Ent. IV. 1789, 515.—Phalaena.
sericearia Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 212.
sericella Phalaena Tinea, J. Hübner, Beitr. Schmett. II. 1790, 27.
sericea Apis, J. R. Forster, Cat. Anim. N. Amer. 1771, 30 [*n. n.*].
sericea Apis, J. R. Forster, N. Sp. Ins. 1771, 91.
sericea Apis, J. L. Christ, Nat. Ins. 1791, 190.
sericea Apis, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. III., 1794, 141 [*n. n.*].
sericea Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 198.
sericeus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 54.
sericea Buprestis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 36.
sericeum Callidium, J. C. Fabricius, Mant. I. 1787, 152.
sericea Cantharis, Scopoli, Ent. Carn. 1763, 44.
sericea Cantharis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 280.
sericea Cantharis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 69.
sericeus Carabus, J. R. Forster, Cat. Anim. N. Amer. 1771, 26 [*n. n.*].
sericeus Carabus, J. R. Forster, N. Sp. Ins. 1771, 58.
sericeus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 378.—Buprestis.
sericeus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 147.
sericeus Catops (Fab.), G. Paykull, Faun. Suec. I. 1798, 342.—Tritoma.

- sericeus** Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1850.—
sericeus Chermes, A. F. de Fourcroy, Ent. Paris. 1785, 230. [Callidium.]
sericea Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 374; ed. 12, 1767, 598.
sericea Cimex (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 771.—Tenthredo.
sericea Cistela, J. R. Forster, Cat. Brit. Ins. 1770, 4 [n. n.].
sericea Cistela, J. R. Forster, N. Sp. Ins. 1771, 16.
sericea Conops, C. de Villers, Linn. Ent. III. 1789, 585.
sericea Conops, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 111.
sericeus Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 109.—Chrysomela.
sericeus Curculio, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 286.
sericeus Curculio, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 68.
sericeus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 37.
sericea Cynips, J. R. Forster, N. Sp. Ins. 1771, 77.
sericeus Cyprinus, P. S. Pallas, Reise Russ. III. 1776, 704.
sericea Donacia, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 100.
sericea Donacia, J. J. Zschach, Mus. Lesk. 1788, 27.
sericea Empis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 389.
sericea Formica, J. C. Fabricius, Suppl. Ent. Syst. 1798, 279.
sericea Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 95.
sericea Helix, O. F. Müller, Verm. II. 1774, 62.
sericeus Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 189.
sericea Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 397; ed. 12, 1767, 638.
sericeus Lepus, R. Kerr, Anim. Kingd. 1792, 282.
sericea Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 103.
sericea Meloe, P. S. Pallas, Icon. Ins. 1782, 85.
sericeus Melyris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 46.
sericea Musca, A. F. de Fourcroy, Ent. Paris. 1785, 489.
sericea Mylabris, A. F. de Fourcroy, Ent. Paris. 1785, 112.
sericeum Opatrum, A. G. Olivier, Entom. III. 1795, 5.
sericea Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 9.
sericea Phoca, C. P. Thunberg, Beskr. Svenske Djur. 1798, 86.
sericea Pimelia, A. G. Olivier, Entom. III. 1795, 8.
sericea Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 33.
sericeus Prionus, A. G. Olivier, Entom. IV. 1795, 16.
sericeus Rynchites, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 135, sign. I 4.
sericeus Scymnus (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
sericeus Seps, J. N. Laurenti, Syn. Rept. 1768, 61 & 160. [547.—Tritoma.]
sericea Sertularia, P. S. Pallas, Elench. 1766, 114.
sericeus Stenocorus, A. G. Olivier, Entom. IV. 1795, 20.
sericeus Sturnus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 805.
sericea Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 921.
sericea Tenthredo, F. v. P. Schrank, Baier. Reise, 1786, 58.
sericeus Thelephorus, O. F. Müller, Z. Dan. Prod. 1776, 62.
sericea Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 978.
sericea Tritoma, J. C. Fabricius, Mant. I. 1787, 44.
sericea Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 675.
sericea Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 203.
serici Noctua, C. P. Thunberg, K. Vet. Ac. Nya Handl. II. 1781, 242.
sericina Noctua, E. J. C. Esper, Die Schmett. IV (40) 1790, 183.
Serinus M. J. Brisson, Ornith. III. 1760, 179.—A.
serinus Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 320.
serinus Loxia (L.), J. M. Bechstein, Gem. Nat. Deutschl. IV. 1795, 294.—Fringilla.
serina Papilio, J. C. Fabricius, Syst. Ent. 1775, 497.
serina Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [50, 1798], 522.
serotinaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 147 [n.
serotinaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 315. [et f.].
serotinus Aphodius, C. Creutzer, Ent. Vers. 1799, 61.
serotina Chrysomela, O. F. Müller, Z. Dan. Prod. 1776, 83.

- serotina** Enchelis, O. F. Müller, An. Infus. 1786, 26.
serotina Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
serotinus Scarabaeus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 67 [1799], tab. 2.
serotina Sphex, O. F. Müller, Z. Dan. Prod. 1776, 161.
serotina Tenthredo, O. F. Müller, Z. Dan. Prod. 1776, 150.
serotinus Vespertilio, J. C. D. Schreber, Säugth. I. 167 (1774), pl. liii (1774).
serpens Chalcida (Bl.), F. A. A. Meyer, Syn. Rept. 1795, 31.—*Lacerta*.
serpens *Lacerta*, M. E. Bloch, Beschäft. Ges. Nat. Freunde, II. 1776, 33.
serpens *Muraena*, Linnaeus, Syst. Nat., ed. 10, 1758, 244; ed. 12, 1766, 425.
serpens *Ophichthus* (L.), C. P. Thunberg, De *Muraena*, 1789, 10.—*Muraena*.
serpens *Ophisurus* (L.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 195.—*Muraena*.
serpens *Tubipora*, Linnaeus, Syst. Nat., ed. 10, 1758, 790; ed. 12, 1767, 1271.
serpens *Vibrio*, O. F. Müller, An. Infus. 1786, 48.
Serpentarius G. Cuvier, Tab. Elém. 1798, 254.—A.
Serpentarius B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 16.—A.
serpentarius Falco, J. F. Miller, Icon. Anim., pl. 28 (1779).
serpentarius Falco (*Gypaetus*), R. Kerr, Anim. Kingd. 1792, 477.
serpentarius *Serpentarius* (Mill.), G. Cuvier, Tab. Elém. 1798, 254.—Falco.
serpentarius *Vultur* (Mill.), J. Latham, Index Orn. 1790, 8.—Falco.
serpentata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 612.
serpentiformis *Cepola*, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 525.
serpentiformis *Taenia*, J. A. E. Goeze, Eingeweidewürm. 1782, 391.
serpentina *Helix*, G. I. Molina, Sag. stor. nat. Chili, 1782, 205.
serpentina *Nais*, O. F. Müller, Verm. I (2) 1774, 20.
serpentina *Nerita*, J. F. Bolten, Mus. Bolten. (2) 1798, 16.
serpentinus *Planorbis*, J. F. Bolten, Mus. Bolten. (2) 1798, 72 [*n. n.*].
serpentina *Sphex*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 199.
serpentina *Testudo*, Linnaeus, Syst. Nat., ed. 10, 1758, 199; ed. 12, 1766, 354.
“**serpentinus** *Amphibolithus*,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 158.
serpentulus *Alyselminthus*, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 298.
serpentulus *Taenia*, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 41.
serpentulus *Vibrio*, O. F. Müller, Verm. I (1) 1773, 42.
serpentum *Taenia*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3064.
Serphus F. v. P. Schrank, Schrift. Berlin. Ges. Nat. Freunde, I. 1780, 307.—Hym.
serpo *Musca*, M. Harris, Exp. Eng. Ins. 1776, 144.
Serpula Linnaeus, Syst. Nat., ed. 10, 1758, 786; ed. 12, 1767, 1264.—Ver.
“**serpulites** *Graptolithus*,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 174.
serpylli *Sphinx*, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 163.
serra *Delphinus*, Borowski, Gem. Nat. Thiere, II. 1781, 38.
serra *Dermestes*, J. C. Fabricius, Ent. Syst. I (1) 1792, 234.
serra *Donax*, J. F. Bolten, Mus. Bolten. (2) 1798, 183.
serrarius *Prionus*, G. W. F. Panzer, Ins. Germ. heft 9, 1793, tab. 6.
serratella Phalaena (*Tinea*), Linnaeus, Faun. Suec., ed. 2, 1761, 369.
serraticorne *Anobium*, P. Rossi, Fauna Etrus. I. 1790, 42.
serraticornis *Anthrenus*, J. C. Fabricius, Ent. Syst. I (1) 1792, 265.
serraticornis *Attelabus*, C. de Villers, Linn. Ent. I. 1789, 222.
serraticornis *Bruchus*, J. C. Fabricius, Syst. Ent. 1775, 65.
serraticornis *Bruchus*, C. Quensel, Diss. ignotus insectorum Species, 1790, 12.
serraticornis *Calopus* (L.), J. C. Fabricius, Syst. Ent. 1775, 182.—*Cerambyx*.
serraticornis *Cantharis*, Scopoli, Ent. Carn. 1763, 42.
serraticornis *Cantharis*, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 55.
serraticornis *Cerambyx*, Linnaeus, Syst. Nat., ed. 10, 1758, 395; ed. 12, 1767, 634.
serraticornis *Chrysomela*, P. Forskal, Descr. Anim. 1775, xxii.
serraticornis *Elater*, Scopoli, Ent. Carn. 1763, 91.
serraticornis *Elater*, D. Drury, Ill. Nat. Hist. III. 1782, index & 69.
serraticornis *Elater*, G. Paykull, Faun. Suec. III. 1800, 21.
serraticornis *Hispa* (Thunb.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1733.—
serraticornis *Hispa*, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 96. [Ptinus.

- serraticornis** Hispa, J. C. Fabricius, Ent. Syst. I (2) 1792, 73. [Lycus.]
- serraticornis** Lampyris (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1888.—
- serraticornis** Lycus, Fabr., J. C. Fabricius, Mant. I. 1787, 164.—Pyrochroa, 1775.
- serraticornis** Mordella, Scopoli, Ent. Carn. 1763, 61.
- serraticornis** Phalaena Hepialus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2618.
- serraticornis** Prionus, A. G. Olivier, Entom. IV. 1795, 14.
- serraticornis** Ptinus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 5.
- serraticornis** Pyrochroa, J. C. Fabricius, Syst. Ent. 1775, 203.
- serraticornis** Pyrochroa, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 85.
- serraticornis** Staphylinus, F. v. P. Schrank, F. Boica, I. 1798, 641.
- serraticornis** Tillus, A. G. Olivier, Entom. II. 1790, 4.
- serratipes** Scarabaeus, D. Drury, Ill. Nat. Hist. I. 1770, index & 82.
- serrati-pes** Scarabaeus, P. Brown, Illust. Zool. 1776, 124.
- serratiostris** Cuculus, A. Vroeg, Catal. Vogel. 1764, Adumb., 1.
- serrato-fasciatum** Acrydium, C. de Geer, Mém. Ins. III. 1773, 495.
- serrator** Carabus, P. Forskal, Descr. Anim. 1775, 77.
- serrator** Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 224.
- serrator** Merganser (L.), J. C. Schaeffer, Mus. Orn. 1789, 66.—Mergus.
- serrator** Mergus, Linnaeus, Syst. Nat., ed. 10, 1758, 129; ed. 12, 1766, 208.
- serrator** Tenebrio, J. C. Fabricius, Syst. Ent. 1775, 255.
- Serratula** C. F. Schulze, Dresdn. Mag. II. 1765, 460.—Col.
- serratulae** Acanthia, J. C. Fabricius, Syst. Ent. 1775, 694.
- serratulae** Chermes (Fab.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 442.—Coccus.
- serratulae** Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2125.—
- serratulae** Coccus, J. C. Fabricius, Syst. Ent. 1775, 744. [Acanthia.]
- serratulae** Cynips, J. C. Fabricius, Suppl. Ent. Syst. 1798, 214.
- serratulae** Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 168.
- serratulae** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 600; ed. 12, 1767, 997.
- serrata** Acanthia, J. C. Fabricius, Syst. Ent. 1775, 695.
- serratum** Acrydium (L.), C. de Geer, Mém. Ins. III. 1773, 493.—Gryllus.
- serratus** Alysseminthus (Goeze), J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm.
- serratus** Astacus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 15. [1800, 286.—Taenia.]
- serratus** Astacus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 345.
- serratus** Astacus, J. C. Fabricius, Ent. Syst. II. 1793, 486.
- serrata** Blaps, J. C. Fabricius, Ent. Syst. IV. 1794, 439.
- serrata** Bombyx, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 70.
- serratus** Bostrichus, G. W. F. Panzer, Deutsch. Ins. [1795], 288.
- serratus** Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 25.
- serratus** Bruchus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 199.
- serrata** Bulla, O. Fabricius, Nye Saml. K. Danske Skrifter, IV (1) 1793, 88.
- serrata** Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 200.
- serratus** Cancer, P. Forskal, Descr. Anim. 1775, 90.
- serratus** Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 180.
- serratus** Cancer (Gammarellus) (Fab.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793,
- serratus** Cancer, G. Shaw, Zool. N. Holland, 1794, 21. [138.—Oniscus.]
- serrata** Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 403; ed. 12, 1767, 649.
- serratum** Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 680; ed. 12, 1767, 1123.
- serratum** Cardium, J. F. Bolten, Mus. Bolten. (2) 1798, 190.
- serratum** Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 482.
- serratus** Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 442; ed. 12, 1767, 717.
- serratus** Copris, A. F. de Fourcroy, Ent. Paris. 1785, 13.
- serratus** Cuculus, A. Sparrman, Mus. Carls. I. 1786, no. iii.
- serrata** Cymothoa, J. C. Fabricius, Ent. Syst. II. 1793, 510.—Oniscus, 1787.
- serratus** Dermestes, G. Paykull, Faun. Suec. I. 1798, 300.
- serrata** Fulgora, J. C. Fabricius, Spec. Ins. II. 1781, 313.
- serratus** Gryllus (Bulla), Linnaeus, Syst. Nat., ed. 10, 1758, 427; ed. 12, 1767, 693
- serratus** Helops, J. C. Fabricius, Syst. Ent. 1775, 257.
- serrata** Hispa, J. C. Fabricius, Mant. I. 1787, 48.

- serrata** Lepas, L. Spengler, Skr. nat. Selsk. [Copen.], I (1) 1790, 197.
serrata Linguatula, J. A. Frolich, Naturforscher, XXIV. 1789, 148.
serrata Locusta, J. C. Fabricius, Ent. Syst. II. 1793, 43.
serratus Lycus (L.), A. G. Olivier, Entom. II. 1790, 6.—Cantharis.
serratus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 134.
serrata Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 35.
serratus Mergus, Linnaeus, Faun. Suec., ed. 2, 1761, 48.—=**serrator**.
serrata Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 597; ed. 12, 1767, 993.
serratus Oniscus, O. Fabricius, F. Groen. 1780, 262.
serratus Oniscus, J. C. Fabricius, Mant. I. 1787, 242.
serratus Palaemon, F. Weber, Nomen. Fabricii, 1795, 94.—Astacus, 1793.
serrata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 522.
serrata Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 40.
serrata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 297.
serrata Pimelia, J. C. Fabricius, Spec. Ins. I. 1781, 317.
serrata Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2009.—Helops.
serratum Polystoma (Frol.), J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800,
serratus Ptilinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 73. [203.—Linguatula.
serratus Reduvius, J. C. Fabricius, Syst. Ent. 1775, 732.
serratus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1562.—
serrata Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 337. [Melolontha.
serratus Tenebrio, J. C. Fabricius, Syst. Ent. 1775, 255.
serratus Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 6.
serrata Trox, J. C. Fabricius, Spec. Ins. I. 1781, 35.
serricauda Locusta, J. C. Fabricius, Ent. Syst. IV. 1794, 455.
serricornis Dytiscus, G. Pajkull, K. Vet. Ac. Nya Handl. XX. 1799, 49.
serricornis Notoxus, G. W. F. Panzer, Ins. Germ. heft 31 [1796], tab. 17.
serricornis Ptinus, J. C. Fabricius, Ent. Syst. I (1) 1792, 240.
serrilumbis Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 107.
serripes Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 216.—Gryllus.
serripes Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1817.—
serripes Cimex, J. C. Fabricius, Syst. Ent. 1775, 709. [Prionus.
serripes Crabro, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 8.
serripes Gryllus, J. C. Fabricius, Mant. I. 1787, 236.
serripes Locusta, J. C. Fabricius, Mant. I. 1787, 233.
serripes Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 143.—Cimex, 1775.
serripes Prionus, J. C. Fabricius, Spec. Ins. I. 1781, 205.
serripes Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 464.
Serrocerus J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 486.—Col.
Serropalpus C. N. Hellenius, K. Vet. Ac. Nya Handl. VII. 1786, 310.—Col.
serropalpus Helops, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 49.
serrulatae Cicada, J. C. Fabricius, Syst. Ent. 1775, 686.
serrulatus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 105.
sertifera Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 378.
Sertularia Linnaeus, Syst. Nat., ed. 10, 1758, 807; ed. 12, 1767, 1306.—Pol.
sertum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 262.
sertum Nautilus, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 240.
serval Felis, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 30.
serval Felis, J. C. D. Schreber, Säugth. III. 407 (1777), pl. cviii (1776).
serval Felis, J. C. P. Erxleben, Syst. Anim. 1777, 523.
servana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 407.—Pyralis.
servana Pyralis, J. C. Fabricius, Gen. Ins. 1777, 292.
servia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 66.
servilia Libellula, D. Drury, Ill. Nat. Hist. I. 1770, index & 112.
servula Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 20.
serva Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 474.
servus Cimex, J. C. Fabricius, Mant. II. 1787, 300.
servus Curculio, J. C. Fabricius, Mant. I. 1787, 112.

- servus** Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 80.
- serva** Libellula, J. C. Fabricius, Ent. Syst. II. 1793, 378.
- servus** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 156.—Cimex, 1787.
- serva** Noctua, J. C. Fabricius, Syst. Ent. 1775, 593.
- serva** Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 110.
- Sesia** J. C. Fabricius, Syst. Ent. 1775, 547.—Lep.
- sesia** Papilio, J. C. Fabricius, Gen. Ins. 1777, 257.
- sesia** Sphinx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2389.
- sesonia** [Papilio], C. Stoll, Aanh. Cramer's Utitl. Kapellen, V. 1790, 176.
- sesostris** [Papilio], P. Cramer, Utitl. Kapellen, III (13) 1779, 34.
- sesquicincta** Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 202.
- sesquicornis** Hister, J. D. Preyßler in Mayer, Samml. Phys. Aufsätze, II. 1792, 3.
- sesquipedalis** Ascaris, Linnaeus, Mant. II. 1771, 543. [Phalaena Geom.]
- sesquistriataria** Bombyx (Knoch), E. J. C. Esper, Die Schmett. III (28) 1786, 368.—
- sesquistriataria** Phalaena (Geom.), A. W. Knoch, Beitr. Insektenge. I. 1781, 1.
- sequistriatus** Carabus, G. W. F. Panzer, Naturforscher, XXIV. 1789, 34.
- sesquistriga** Phalaena Bombyx, N. J. Brahm, Ins. Kal. II (1) 1791, 51.
- sesquistrigata** Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2492.
- sesquiteriana** Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2518.
- sesquiteriataria** Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2466.
- sesquiteriata** Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.
- sessilata** Paradisea, T. Pennant in Forster, Ind. Zool. 1781, 40 [n. n.].
- sessilis** Chama, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 391.
- sessilis** Evania, J. C. Fabricius, Ent. Syst. II. 1793, 194.
- sessilis** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 418.
- sessilis** Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 683.
- sessonia** Papilio, T. Martyn, Psyche, 1797, fig. 6.
- seta** Gordius, O. F. Müller, Verm. I (2) 1774, 30.
- setacea** Gorgonia, P. S. Pallas, Elench. 1766, 182.
- setacea** Nitidula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1631.
- setacea** Paradisea, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 7 [n. n.].
- setacea** Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 813.
- seticornis** Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (7) 1788, 229.
- seticornis** Carabus, O. F. Müller, Z. Dan. Prod. 1776, 79.
- seticornis** Cimex, J. C. Fabricius, Syst. Ent. 1775, 725.
- seticornis** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 179.—Cimex, 1775.
- seticornis** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
- seticornis** Nereis, Linnaeus, Syst. Nat., ed. 12, 1767, 1085.
- seticornis** Spio (L.), O. Fabricius, Schrift. Berlin. Ges. Nat. Freunde, VII. 1787, 259.—
- setifer** Cerambyx, O. F. Müller, Z. Dan. Prod. 1776, 92. [Nereis.]
- setifer** Chaetodon, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 101. [Daphne setifera.]
- setifer** Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3001.—
- setiferus** Astacus (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 343.—Cancer.
- setiferus** Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1054.
- setiferus** Cancer (Gammarellus) L., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 106.
- setifera** Cercaria, O. F. Müller, An. Infus. 1786, 127.
- setifera** Daphne, O. F. Müller, Z. Dan. Prod. 1776, 200.
- setiferus** Monoculus (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 494.—Daphne.
- setiformis** Ascaris, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 78.
- Setiger** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [n. n.].—M.
- setiger** Byrrhus, Illiger in Kugelann, Käfer Preuss. 1798, 95.
- setiger** Oniscus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 26.
- setigerus** Alysseminthus, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 260.
- setigera** Galeodes, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 580.
- setigerus** Lophius, M. Vahl, Skr. nat. Selsk. [Copen.] IV (1) 1797, 215.
- setigera** Taenia, J. A. Frolich, Naturforscher, XXIV. 1789, 106.
- setirostris** Clupea, P. M. A. Broussonet, Ichth. 1782.
- setosus** Alpheus, F. Weber, Nomen. Fabricii, 1795, 91 [n. n.].

- setosus** Asilus, Scopoli, Ent. Carn. 1763, 365.
setosus Cancer, G. I. Molina, Sag. stor. nat. Chili, 1782, 207.
setosus Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 339.
setosus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2144.
setosus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2189.
setosus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 90.
setosa Echinometra, P. L. S. Müller, Del. Nat. I. 1766, 131.
setosus Erinaceus, J. C. D. Schreber, Säugth. III. 583 (1777), pl. clxiv (1777).
setosa Gorgonia, Linnaeus, Syst. Nat., ed. 12, 1767, 1292.
setosus Hystrix, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 3 [n. n.]-
setosus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 395.
setosa Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2859.
setosa Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 97.
setosus Sciurus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 469.
setosus Sphyrus, J. C. Fabricius, Ent. Syst. IV. 1794, 288.
setosus Tenebrio, P. S. Pallas, Icon. Ins. 1781, 42.
setosus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3594.
Setoura P. Browne, Hist. Jamaica, ed. 2, 1789, 425.—Lep.
setulosa Gorgonia, *il. ac setosa*, L., J. F. Maratti, Plant. Zooph. Med. 1776, 11.
seuruga Acipenser, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XVI. 1772, 533
seuruga Acipenser (*ex* Gueld.), J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 17. [?specific].
severina [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 95.
severus Cerastes (Linn.), J. N. Laurenti, Syn. Rept. 1768, 81.—Coluber.
severus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 219; ed. 12, 1766, 379.
severus [Papilio], P. Cramer, Utitl. Kapellen, III (24) 1780, 153.
severa [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 235.
severus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 97; ed. 12, 1766, 140.
severus Psittacus, R. Kerr, Anim. Kingd. 1792, 562; *var.* erythrochlorus.
severus SpheX, D. Drury, Ill. Nat. Hist. III. 1782, index & 58.
sexalata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 50.
sexalisata Phalaena Geometra, J. Hübner, Beitr. Schmett. I (3) [1788], 17.
sexangulum Dentalium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3739.
sexcincta Apis, J. C. Fabricius, Syst. Ent. 1775, 387.
sexcinctus Crabro, J. C. Fabricius, Syst. Ent. 1775, 374.
sexcinctus Dasypus, Linnaeus, Syst. Nat., ed. 10, 1758, 51; ed. 12, 1766, 54.
sexcinctus Hylaeus, J. C. Fabricius, Ent. Syst. II. 1793, 304.
sexcincta Scolia, J. C. Fabricius, Syst. Ent. 1775, 356.
sexcincta SpheX (Fab.), J. L. Christ, Nat. Ins. 1791, 268.—Scolia.
sexcincta Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2762.—Crabro.
sexcincta Vespa, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 1.
sexcuspidata Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 427.
sedecim Tettigonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 101.
 [sexdecim]-
sexdecimguttata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 367; ed. 12, 1767, 584.
sexdecimguttatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 436.
sexdecimguttatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 115.
sedecimmaculata Coccinella, J. C. Fabricius, Mant. I. 1787, 58.
sexdecimmaculata Coccinella, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 34.—
 [=sexdecimpunctata, Fab.]
sexdecimmaculata Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 109.
sexdecimnotata Coccinella, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. III., 1794, 133.
sexdecim punctata Buprestis, F. v. P. Schrank, Naturforscher, XXIV. 1789, 83.
sexdecimpunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 368; ed. 12, 1767, 585.
sexdecimpunctata Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 100.
sexdecimpunctata Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 386; ed. 12, 1767, 618.
sexdecimpustulata Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 114.
sexdens Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 581; ed. 12, 1767, 964.
sexdentatus Bostrichus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 110.

- sexdentatus** Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2-5) 1783, 153.
sexdentata Chrysis, J. L. Christ, Nat. Ins. 1791, 404.
sexdentata Chrysis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 258.
sexdentata Chrysis, L. H. v. Bloch in Becker, Plau. Grund. 1799, 106.
sexdentata Chrysis, G. W. F. Panzer, Ins. Germ. heft 51 [1798], tab. 12.
sexdentatum Colydius (Fab.), G. Paykull, Faun. Suec. III. 1800, 313.—Dermestes.
sexdentatus Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 232.
sexdentatus Dermestes, I. C. H. Boerner, Oek. Nachr. Ges. Schlesien, IV. 1776, 78
sexdentata Ips, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 31. [not seen].
sexdentata Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2836.—
sexdentatus Scolytus, A. G. Olivier, Entom. IV. 1795, 11. [Stratiomys.
sexdentata Silpha (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1619.—
sexdentata Stratiomys, J. C. Fabricius, Spec. Ins. II. 1781, 418. [Ips.
sexdentata Vertigo, Studer in Coxe, Trav. Switz. III. 1789, 388 [*n. n.*].
sexfasciata Bembex, J. C. Fabricius, Ent. Syst. II. 1793, 251.
sexfasciatum Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 265.
sexfasciatum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 336.
sexfasciatus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3183.
sexfasciatus Erotylus, J. C. Fabricius, Ent. Syst. I (2) 1792, 36.
sexfasciata Nomada, Jurine in G. W. F. Panzer, Ins. Germ. heft 62 [1799], tab. 18.
sexfasciata Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 465.
sexguttatus Attelabus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1811.—
sexguttata Buprestis, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 97. [Clerus.
sexguttata Buprestis, N. J. Brahm, Ins. Kal. I (2) 1791, 141.
sexguttatus Carabus, J. C. Fabricius, Syst. Ent. 1775, 236.
sexguttata Cicindela, J. C. Fabricius, Syst. Ent. 1775, 226.
sexguttatus Cimex, J. C. Fabricius, Gen. Ins. 1777, 299.
sexguttatus Clerus, J. C. Fabricius, Syst. Ent. 1775, 823.
sexguttatus Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 105.
sexguttatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 138.
sexguttatus Elater, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 65.
sexguttata Formica, J. C. Fabricius, Ent. Syst. II. 1793, 354.
sexguttata Leptura, J. C. Fabricius, Syst. Ent. 1775, 198.
sexguttatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 174.—Cimex, 1777.
sexguttata Mylabris, A. G. Olivier, Entom. III. 1795, 11.
sexguttata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 53 [*n. n.*].
sexguttata Pneumora, C. P. Thunberg, K. Vet. Ac. Handl. XXXVI. 1775, 258.
sexguttatus Reduvius, J. C. Fabricius, Syst. Ent. 1775, 832.
sexguttata Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 235.
sexguttella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 88.
sexies-fasciatus Echinites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 170.
sexiesperforatus Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 199.
sexlineata Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 44.
sexlineata Cistela, J. C. Fabricius, Spec. Ins. I. 1781, 149.
sexlineata Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 94.
sexlineatus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
sexlineata Lacerta, Linnaeus, Syst. Nat., ed. 12, 1766, 364. [1716.—Cistela.
sexlineata Perca, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIII. 1792, 142.
sexlineata Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 99.
sexmaculatus Apalus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 166.
sexmaculata Buprestis, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 121.
sexmaculata Buprestis, G. A. Harrer, Besch. Schaeffer Icones, 1784, 62.
sexmaculata Buprestis, Herschel in [Hausmann], Bemerk. Entom. 1799, 30.
sexmaculatus Carabus, J. C. Fabricius, Mant. I. 1787, 196.
sexmaculatus Carabus, E. Donovan, Ins. India, 1800.
sexmaculatus Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 305.
sexmaculata Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 155.—Cryptocephalus.
sexmaculatus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 108.

- sexmaculata cephalus. Clytra (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 32.—Crypto-
- sexmaculata Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 110.—Cryptocephalus,
- sexmaculata Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 96. [1781.
- sexmaculata Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 106.
- sexmaculatus Cordyle, C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 49.
- sexmaculatus Crabro, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 518.
- sexmaculatus Cryptocephalus, J. C. Fabricius, Spec. Ins. I. 1781, 138.
- sexmaculatus Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 611.
- sexmaculatus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 502.
- sex-maculatus Elater, O. F. Müller, F. Ins. Frid. 1764, 17.
- sexmaculatus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2085.
- sexmaculata Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 398; ed. 12, 1767, 638.
- sexmaculata Leptura, F. v. P. Schrank, Ins. Aust. 1781, 157.
- sexmaculata Libellula, J. C. Fabricius, Mant. I. 1787, 338.
- sexmaculata Mordella, J. C. Fabricius, Syst. Ent. 1775, 263.
- sexmaculata Musca, J. D. Preyssler in Mayer, Samm. Phys. Aufsätze, I. 1791, 88.
- sexmaculata Mutilla, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 286.
- sexmaculata Mutilla, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 6.
- sexmaculata Mylabris, V. Petagna, Inst. Ent. 1792, 294.
- sexmaculata Mylabris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 120.
- sexmaculata Noctua, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 2.
- sexmaculata Nomada, [Hausmann], Bemerk. Entom. 1799, 14.
- sexmaculatus Ripiphorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 111.
- sexmaculata Scolia, J. C. Fabricius, Spec. Ins. I. 1781, 452.
- sexmaculata Sphex, J. L. Christ, Nat. Ins. 1791, 268.
- sexmaculatus Stenocorus (Ol.), J. C. Fabricius, Ent. Syst. I (2) 1792, 295.—Cerambyx.
- sexmaculata Vespa, C. Allioni, Misc. Taurin. III. 1766, 196.
- sexmaculata [Vespa], Giorna, Cal. Ent. 1791, 87.
- sexnotata Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 82.
- sexnotata Chrysomela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 86.
- sexnotata Cicindela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1923.
- sexnotata Coccinella, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 9.
- sexnotatus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1711.
- sexnotatus Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 53.
- sexnotata Saperda, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 57.
- sexpennis Paradisea, P. Boddaert, Tab. Planch. Enl. 1783, 39.
- sexpes Alpheus, F. Weber, Nomen. Fabricii, 1795, 92 [n. n.].
- sexpes Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 344.
- sexpunctata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 622; ed. 12, 1767, 1033.
- sexpunctata Buprestis, Scopoli, Ent. Carn. 1763, 67.
- sexpunctatus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 45.
- sexpunctatum Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 264.
- sexpunctatum Callidium, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 50.
- sexpunctata Cantharis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 281.
- sexpunctatus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 416; ed. 12, 1767, 672.
- sexpunctatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1992.
- sexpunctata Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 109.
- sexpunctata Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 375; ed. 12, 1767, 599.
- sexpunctata Chrysomela, J. C. Fabricius, Mant. I. 1787, 70.
- sexpunctata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2116.
- sexpunctata Cicindela, J. C. Fabricius, Syst. Ent. 1775, 226.
- sexpunctatus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 444; ed. 12, 1767, 721.
- sexpunctatus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 339.
- sexpunctatus Cimex, J. C. Fabricius, Mant. II. 1787, 300.
- sexpunctata Clytra, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 34.
- sexpunctata Coccinella, Linnaeus, Syst. Nat., ed. 12, 1767, 580.
- sexpunctatus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 176.

- sexpunctata** Crioceris, J. C. Fabricius, Ent. Syst. I (2) 1792, 4.
sexpunctatus Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 109.—Chrysomela.
sexpunctatus Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 550; ed. 12, 1767, 913.
sexpunctatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 158.—Cimex, 1787.
sexpunctatus Melyris, G. W. F. Panzer, Naturforscher, XXIV. 1789, 11.
sexpunctata Mordella, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 148.
sexpunctata Mordella, P. Rossi, Fauna Etrus. I. 1790, 243.
sexpunctata Mutilla, N. S. Swederus. K. Vet. Ac. Nya Handl. VIII. 1787, 285.
sexpunctatus Philanthus, J. C. Fabricius, Ent. Syst. II. 1793, 291.
sexpunctata Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 356.
sexpunctatus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 248.
sexpunctatus Psocus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 203.—Hemerobius.
sexpunctatus Ptinus, G. W. F. Panzer, Ins. Germ. heft 1, 1792, no. 20.
sexpunctata Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 245.
sexpunctata Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 312.
sexpunctatus Scarabaeus [Copriss], A. G. Olivier, Entom. I. 1789, 166.
sexpunctata Scolia, P. Rossi, Mant. Ins. I. 1792, 130.
sexpunctata Sphex, J. C. Fabricius, Ent. Syst. IV. 1794, 457.
sexpunctata Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 405.
sexpunctata Vespa, J. L. Christ, Nat. Ins. 1791, 241.
sexpunctella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 313.
sexpustulatus Carabus, J. C. Fabricius, Syst. Ent. 1775, 825.
sexpustulata Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 114.
sexpustulata Chrysomela, C. Villers, Linn. Ent. I. 1789, 158.
sexpustulatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 722.
sexpustulata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 367; ed. 12, 1767, 585.
sexpustulata Coccinella, C. P. Thunberg, N. Acta Soc. Sci. Upsal. V. 1792, 106.
sexpustulatus Cryptocephalus, P. Rossi, Fauna Etrus. I. 1790, 97.
sexpustulatus Cryptocephalus (Vill.), G. A. Harrer, Besch. Schaeffer's Abbild. 1791,
sexpustulatus Dytiscus, J. C. Fabricius, Gen. Ins. 1777, 239. [139.—Chrysomela.
sexpustulata Ips, J. C. Fabricius, Ent. Syst. I (2) 1792, 512.
sexpustulatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 165.—Cimex, 1775.
sexpustulata Nitidula, J. C. Fabricius, Ent. Syst. I (1) 1792, 260.
sexpustulata Vespa, C. de Villers, Linn. Ent. III. 1789, 281.
sexsetacea Paradisea, J. Latham, Index Orn. 1790, 196.
sexstriatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13. I. 1789, 2182.
sexta Sphinx, Linnaeus, Amoen. Acad. VI. 1763, 410.
sex vittatus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 545.
sey Gadus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 367.
seyta Papilio, L. Prunner, Lep. Pedemont. 1798, 74.
sezalata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 228 [*n. et f.*].
shanhu Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 814.
sheltopusik [Bipes], B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
shepeianus Turbo, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 638.
shyp Acipenser, J. R. Forster, Phil. Trans. LVII (2) 1768, 353.
siaelandicus Elater, O. F. Müller, F. Ins. Frid. 1764, 17.
sialis Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 187; ed. 12, 1766, 336.
sialis Sylvia (L.), J. Latham, Index Orn. 1790, 522.—Motacilla.
siamea Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 101.
siamensis Bufo, J. G. Schneider, Hist. Amph. I. 1799, 231.
siamensis Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 203.
siamensis Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 662.
siamensis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1720.
siamensis Naja, J. N. Laurenti, Syn. Rept. 1768, 91.
siamensis Pholas, L. Spengler, Skr. nat. Selsk. [Copen.], II (1) 1792, 88.
siamica alba Formica, J. L. Christ, Nat. Ins. 1791, 518.
siamica rubra Formica, J. L. Christ, Nat. Ins. 1791, 518.
sibbaldi Syngnathus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 6.

- siber** Castor, *err. pro fiber*, R. R. Castel in Buffon, Hist. Nat. (Deterville ed.), Quadr. V.
sibericus *v.* **sibiricus**. [1799, 125.]
- siberita** Conops (Fab.), J. D. Preyßler in Mayer's Samml. Phys. Aufsätze, II. 1792, 45.—
siberita Stomoxys, J. C. Fabricius, Syst. Ent. 1775, 798. [Stomoxys.]
- sibilans** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 222; ed. 12, 1766, 383.
sibilatrix Motacilla, J. M. Bechstein, Naturforscher, XXVII. 1793, 47.
- sibilla** Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 337.
sibilla Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 12, 1767, 781.
 [sibiricus]—
- sibericum** Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 226.—Gryllus.
sibirica Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 799.
sibirica Ammonites, Lamarck in Pallas, Voy. Russie (8vo ed.) VIII [1794], 212.
sibirica Apis, J. C. Fabricius, Spec. Ins. I. 1781, 478.
sibericus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 31.
sibirica Buprestis, J. C. Fabricius, Spec. Ins. I. 1781, 279.
sibiricus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1840.
sibiricus Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 690.
sibericus Corvus, P. Boddaert, Tab. Planch. Enl. 1783, 37.
sibiricus Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 373.
sibiricus Cryptocephalus, J. A. Frolich, Naturforscher, XXVI. 1792, 130. [minor, 275.]
sibericus Dipus, R. Kerr, Anim. Kingd. 1792; *varr.* major, medius, 274; pumilio,
sibirica Emberiza, J. P. Falk & P. S. Pallas in Falk, Reise Russ. (5) 1786, 398.
sibiricus Erinaceus, J. C. P. Erxleben, Syst. Anim. 1777, 172.
sibiricus Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 12, 1767, 702.
sibiricus Gulo, P. S. Pallas, Spic. Zool. XIV. 1780, 35.
sibiricum Ibex, P. S. Pallas, Spic. Zool. XI. 1776, 52.
sibirica Leptura, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 51.
sibirica Libellula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2620.
sibirica Loxia, P. S. Pallas, Reise Russ. II. 1773, 711.
sibirica Lytta (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2015.—Meloe.
sibirica Mantis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2055.
sibirica Meloe, P. S. Pallas, Reise Russ. II. 1773, 720.
sibirica Melolontha, A. G. Olivier, Entom. I. 1789, 68.
sibiricus Moschus, P. S. Pallas, Spic. Zool. XIII. 1779, 29.
sibirica Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 936.
sibirica Mustela, P. S. Pallas, Reise Russ. II. 1773, 701.
siberica Mutilla, J. L. Christ, Nat. Ins. 1791, 148.
sibiricus Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1013.
sibiricus Sciurus, E. Laxmann, Sibir. Briefe, 1769, 69.
sibirica SpheX, J. C. Fabricius, Ent. Syst. II. 1793, 207.
sibirica Strix, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIX. 1798, 185.
siberica Tanagra, A. Sparrman, Mus. Carls. I. 1786, no. xix.
sibiricus Turdus, P. S. Pallas, Reise Russ. III. 1776, 694.
sibirica Yerbua, J. R. Forster, K. Vet. Ac. Handl. XXXIX. 1778, 112.
- sibon** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 222; ed. 12, 1766, 383.
- siccifolius** Gryllus (Mantis), Linnaeus, Syst. Nat., ed. 10, 1758, 425.—[Mantis, ed. 12.]
siccifolia Locusta, C. de Geer, Mém. Ins. III. 1773, 438.
siccifolia Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 689.—[Gryllus, ed. 10.]
siccifolia Membracis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 97.
siccifolia Phyllium (L.), Illiger in Kugelann, Käfer Preuss. 1798, 499.—Mantis.
sicheas [Phalaena], P. Cramer, Utitl. Kapellen, II (13) 1777, 86.
sicheus [Papilio], P. Cramer, Utitl. Kapellen, II (12) 1777, 76.
siciliana Cypraea, C. U. v. Salis, Reise Neapel, 1793, 364.
siculana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 79 [*n. et f.*].
sicularia Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 73.
sicula Apis, P. Rossi, Mant. Ins. II. 1794, 139.
sicula Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 64.
siculum Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 335.

- sicula** Gioenia, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 502.
sicula Ostrea, J. F. Bolten, Mus. Bolten. (2) 1798, 170 [*n. n.*].
sicula Phalaena Bombyx, N. J. Brahm, Ins. Kal. II (1) 1791, 180.
Sicus Scopoli, Ent. Carn. 1763, 369.—Dip.
Sicus P. A. Latreille, Préc. Car. Ins. 1796, 158.—Dip.
Sicus J. G. Meigen, N. Class. Mouches, 1800, 21.—Dip.
sidæ Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 77.
sidæ Hesperia (Esp.), J. C. Fabricius, Ent. Syst. III (1) 1793, 351.—Papilio.
sidæ Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 169.
sidæ Mylabris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 120.
sidæ Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 23.
sidæ Papilio (*ex* Esper, tab.), J. C. Fabricius, Mant. II. 1787, 91.
sidæ Papilio Pl. Urb., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1784],
siderea Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 168. [178.
sidus Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 12 [*n. n.*].
Signanus P. Forskal, Descr. Anim. 1775, x [see also 25].—P.
signanus Scarus, P. Forskal, Descr. Anim. 1775, 25.
Sigara J. C. Fabricius, Syst. Ent. 1775, 691.—Hem.
Sigaretus Lamarck, Mém. Soc. H. N. Paris, 1799, 77.—G.
Sigaretus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 5 [*n. n.*].—G.
Sigera, *err. pro Sigara*, Fab. J. R. Schellenberg, Cimic. Helvet. 1800, 22.
sigma Carabus, P. Rossi, Fauna Etrus. I. 1790, 226.
sigma Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 78.
sigmoidea Musca, A. F. de Fourcroy, Ent. Paris. 1785, 471.
signatella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 523.
signatella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 338.
signatorius Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 216.
signatus Apate, J. C. Fabricius, Ent. Syst. I (2) 1792, 363.
signata Apis (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II., 1791, 126.—Vespa.
signata Aranea, J. C. Fabricius, Gen. Ins. 1777, 249.
signata Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 361.—Vespa.
signata Bombyx, C. P. Thunberg, Ins. Suecica (4) 1792, 53.
signata Cassida, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 78.
signata Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 234.
signata Cetonia, J. C. Fabricius, Syst. Ent. 1775, 818.
signatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 712.
signatus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 80.
signata Coccinella, Scopoli, Ent. Carn. 1763, 74.
signata Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 55.
signata Coccinella, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 304.
signatus Crabro, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 517.
signatus Crabro, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 15.
signatus Cryptocephalus, J. N. Laicharting, Tyrol. Ins. I. 1781, 174.
signatus Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 619.
signatus Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 308.
signatus Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 234.
signatus Elater, A. G. Olivier, Entom. II. 1790, 48.
signata Emberiza, J. A. Scopoli, Del. Insub. II. 1786, 95.
signatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 428.
signata Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 81.
signata Leptura, Hellwig in G. W. F. Panzer, Ins. Germ. heft 8, 1793, tab. 13.
signata Leucophra, O. F. Müller, An. Infus. 1786, 154.
signata Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 39.
signata Musca, J. D. Preyßler in Mayer's Samml. Phys. Aufsätze, I. 1791, 95.
signatus Mycetophagus, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 20.
signata Noctua, J. C. Fabricius, Syst. Ent. 1775, 608.
signata Phalaena, Scopoli, Ent. Carn. 1763, 231.
signata Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 258.

- signata** Phryganea, J. C. Fabricius, Spec. Ins. I. 1781, 389.
signata Podura, J. C. Fabricius, Gen. Ins. 1777, 244.
signata Podura, A. F. de Fourcroy, Ent. Paris. 1785, 522.
signatus Psittacus, J. A. Scopoli, Del. Insub. II. 1786, 86.
signatus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1568.—
signata Scolia, G. W. F. Panzer, Ins. Germ. heft 62 [1799], tab. 13. [Melolontha.
signata Sphex, G. W. F. Panzer, Ins. Germ. 53 [1798], tab. 2.
signata Tenthredo, Scopoli, Ent. Carn. 1763, 279.
signata Tenthredo, J. C. Fabricius, Spec. Ins. I. 1781, 416.
[signata Testudo, Walbaum, Chelonogr. p. 120?] quoted by Gmelin, Syst. Nat., ed. 13,
 p. 1043, but is a division (not a sp.) of Chelonia.
signata Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 574; ed. 12, 1767, 952.
signella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 17.
signifer Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 313.
signifera Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 80.
signifer Orchestes, C. Creutzer, Ent. Vers. 1799, 125.
[signifera Phalaena (N.) MS.], T. Martyn, Psyche, 1797, figs. 32 & 33.
signiferella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 39.
signipennella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 68.
signum Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
signum Noctua, J. C. Fabricius, Mant. II. 1787, 154.—[*err. pro sigma*, D. & S.]
sihama Atherina, P. Forskal, Descr. Anim. 1775, 70.
siima Coryphaena, Linnaeus, Syst. Nat., ed. 12, 1766, 448.
silacealis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 25.
silaceata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.
silaceata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 303 [n. et f.].
silaceata Phalaena Geom., J. Hübner, Samml. Vögel u. Schmett. 1793, 16 [n. et f.].
silacella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 37.
silacea Ips, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 169.
silacea Nitidula, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 36.
silene Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 85.
silene Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 238. [Noctua.
silene Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 742.—
silenissa Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) X. 1800, 306.
silens Tanagra, P. Boddaert, Tab. Planch. Enl. 1783, 46.
silentis Musca, M. Harris, Exp. Eng. Ins. 1776, 59.
silena Amymone, O. F. Müller, Z. Dan. Prod. 1776, 198.
silenus Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 26.—Simia.
silenus Geotrupes (Scop.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 18.—Scarabaeus.
silenus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 330. [Amymone.
silenus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3004.—
silenus [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 159.
silenus Papilio, J. C. Fabricius, Syst. Ent. 1775, 531.
silenus Pithecus (L.), E. Geoffroy & Cuvier, Mag. encyclop. III (12) 1795, 462.—Simia.
silenus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 13.
silenus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 21.
silenus Scarabaeus, J. A. Scopoli, Del. Insub. I. 1786, 50.
silenus Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 26; ed. 12, 1766, 36.
silenus Simia (Cercop.), L., R. Kerr, Anim. Kingd. 1792, 64; & *varr.* albibaratus, tie-tie,
sileris Laria, Scopoli, Ent. Carn. 1763, 22. [purpuratus.
Silicaria F. M. Daudin, Rec. Mém. Moll. 1800, 33.—G.
silicina Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 9.
silicula Solen, J. F. Bolten, Mus. Bolten. (2) 1798, 155.
silicula Taenia, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 125.
siliqua Hypogaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 251 & 257.—Solen.
siliqua Mya, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, 48.
siliqua Solen, Linnaeus, Syst. Nat., ed. 10, 1758, 672; ed. 12, 1767, 1113.
Siliquaria J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xv.—G.

- Siliquaria** Lamarck, *Mém. Soc. H. N. Paris*, 1799, 78.—G.
- Silpha** Linnaeus, *Syst. Nat.*, ed. 10, 1758, 359; ed. 12, 1767, 569.—Col.
- silphae** Filaria, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3040.
- Silphoides** J. F. W. Herbst in Fuessly, *Arch. Ins.* IV. 1783, 41.—Col.
- silphoides** Buprestis, F. v. P. Schrank, *Naturforscher*, XXIV. 1789, 82.
- silphoides** Carabus, P. Rossi, *Fauna Etrus.* I. 1790, 215.
- silphoides** Cerambyx, F. v. P. Schrank, *Ins. Aust.* 1781, 145.
- sylphoides** Chrysomela, F. v. P. Schrank, *Samml. Nat. Phys. Aufsatz.* 1796, 211.
- silphoides** Cimex, C. P. Thunberg, *Nov. Ins. Spec.* (2) 1783, 29.
- silphoides** Cimex, J. C. Fabricius, *Ent. Syst.* IV. 1794, 86.
- silphoides** Curculio, Herbst in Jablonsky, *Nat. Ins.* (Käfer) VI. 1795, 279.
- silphoides** Dermestes, J. A. Scopoli, *Annus V.* 1772, 89.
- silphoides** Opatrum (*ex* Herbst), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1633.
- silphoides** Pimelia (L.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 2008.—Tene-
- silphoides** Scarabaeus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1586. [brío.]
- silphoides** Staphylinus, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 684.
- silphoides** Staphylinus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 2028.
- silphoides** Tenebrio, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 677.—[*Silpha maura*, ed. 10.]
- sylphoides** Tenebrio, M. Piller & L. Mitterpacher, *Iter Poesg.* 1783, 67.
- silphoides** Throx, C. P. Thunberg, *D. D. Mus. Ac. Upsal.* 1787, 38.
- siluri** Ascaris, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3036.
- siluri** Taenia, A. J. G. C. Batsch, *Naturg. Bandwürm.* 1786, 157.
- Silurus** Linnaeus, *Syst. Nat.*, ed. 10, 1758, 304; ed. 12, 1766, 501.—P.
- silurus** Kerona, O. F. Müller, *An. Infus.* 1786, 244.—Trichoda, 1773.
- silurus** Trichoda, O. F. Müller, *Verm.* I (1) 1773, 88.
- silus** Salmo, P. Ascanius, *Icon.* III. 1775, 4.
- silvandra** [Phalaena], C. Stoll in Cramer, *Uitl. Kapellen*, IV (31) 1781, 155.
- silvanus** *v.* **sylvanus**.
- silvarum** *v.* **sylvarus**.
- silveria** [Phalaena], C. Stoll in Cramer, *Uitl. Kapellen*, IV (30) 1781, 134.
- silvestris** *v.* **sylvestris**.
- Silvia** Cuvier, *Leçons Comp. Anat.* I. 1800, tab. 2.—*v.* **Sylvia**.—A.
- silvius** *v.* **sylvius**.
- simack** Ophidium, J. J. Walbaum, *Artedi, Ichth.* (3), ed. 2, 1792, 159.
- simaethis** Hesperia (Dru.), J. C. Fabricius, *Ent. Syst.* III (1) 1793, 286.—Papilio.
- simaethis** [Papilio], D. Drury, *Ill. Nat. Hist.* I. 1770, index & 3.
- Simia** Linnaeus, *Syst. Nat.*, ed. 10, 1758, 25; ed. 12, 1766, 34.—M. Linnaeus divides the Simiae into Simiae, Papiones, & Cercopitheci, but these words are not used in a subgeneric sense.
- simiae** Taenia, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3058.
- “**simiae** Zoolithus,” J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, III. 1793, 387.
- similana** Phalaena Tort., J. Hübner, *Samml. Vögel u. Schmett.* 1793, 13 [*n. et f.*].
- similana** Tortrix, [Denis & Schiffermüller], *Schmett. Wien.* 1775, 131.
- similana** Tortrix, J. Hübner, *Europ. Schmett.* (Tort.) [me judice 1796], fig. 41 [*n. et f.*].
- similaria** Phalaena, Hufnagel, *Berl. Mag.* IV. 1767, 512.
- similatorius** Ichneumon, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 221.
- similata** Coccinella, C. P. Thunberg, *Ins. Suecica* (9) 1795, 112.
- similata** Geometra, C. P. Thunberg, *Ins. Suecica*, (1) 1784, 10.
- similella** Tinea, J. Hübner, *Europ. Schmett.* 8 Horde [me judice 1796], 64.
- [**similis**, -e]—
- simile** Apis, M. Harris, *Exp. Eng. Ins.* 1776, 166.
- similis** Bombylius, A. Modeer, *Physiogr. Sölsk. Handl.* I (4) 1786, 294.
- similis** Bulimus, J. G. Bruguière, *Ency. Méth.* (Vers) (2) 1792, 355.
- similis** Carabus, O. F. Müller, *Z. Dan. Prod.* 1776, 77.
- similis** Cassida, G. W. F. Panzer in Voet, *Hartschaal. Insekt.* IV. 1797, 82.
- similis** Chrysomela, O. F. Müller, *Z. Dan. Prod.* 1776, 81.
- similis** Chrysomela, J. F. W. Herbst in Fuessly, *Arch. Ins.* IV. 1783, 58.
- similis** Chrysomela, G. W. F. Panzer in Voet, *Hartschaal. Insekt.* IV. 1797, 28.

- similis** Clytra, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. 1792, 191.
similis Coccinella, F. v. P. Schrank, Ins. Aust. 1781, 56.
similis Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 15.
similis Coccinella, P. Rossi, Fauna Etrus. I. 1790, 68.
similis Copris, L. G. Scriba, J. Lieb. Ent. I. 1790, 56.
similis Curculio, J. R. Forster, Cat. Brit. Ins. 1770, 4 [*n. n.*].
similis Curculio, D. Drury, Ill. Nat. Hist. II. 1773, index & 62.
similis Curculio, O. F. Müller, Z. Dan. Prod. 1776, 89.
similis Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3421.
similis Elater, [D. H. Schneider], Nom. Ent. 1785, 18 [*n. n.*].
similis Enchelis, O. F. Müller, An. Infus. 1786, 25.
similis Fulgora, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 96.
similis Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2085.
similis Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3625.—Planorbis.
similis Hylaenus, J. C. Fabricius, Ent. Syst. II. 1793, 306.
similis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2720.
similis Leptura, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 101.
similis Melolontha, J. A. Frolich, Naturforscher, XXVI. 1792, 94.
similis Musca, J. R. Forster, Cat. Brit. Ins. 1770, 15 [*n. n.*].
similis Musca, J. R. Forster, N. Sp. Ins. 1771, 97.
similis Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 479; ed. 12, 1767, 782.
similis Phalaena, J. C. Fuessly, Schweiz. Ins. 1775, 35.
similis Planorbis, O. F. Müller, Verm. II. 1774, 166.
similis Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 247.—Sphex, 1781.
similis Rhinomacer, O. F. Müller, Z. Dan. Prod. 1776, 90.
similis Saperda, J. N. Laicharting, Tyrol. Ins. II. 1784, 31.
similis Sirex, J. C. Fabricius, Ent. Syst. II. 1793, 129.
similis Sphex, J. C. Fabricius, Spec. Ins. I. 1781, 447.
similis Staphylinus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 151.
similis Staphylinus, G. Paykull, Mon. Staph. 1789, 10.
similis Staphylinus, A. G. Olivier, Entom. III. 1795, 13.
simininus Manatus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 732.
simplex [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 39.
simplex Aedemera (L.), A. G. Olivier, Entom. III. 1795, 9.—Necydalis.
simplex Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 38.
simplex Calopus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 56.
simplex Cardium, L. Spengler, Skr. nat. Selsk. [Copen.], V (1) 1799, 31.
simplex Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 58.
simplex Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 13.
simplex Donacia, J. C. Fabricius, Syst. Ent. 1775, 195.
simplex Donacia, C. P. Thunberg, N. Acta Soc. Sci. Upsal. V. 1792, 118.
simplex Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 127.
simplex Fistularia, O. F. Müller, Z. Dan. Prod. 1776, 254.—Tubularia, 1774.
simplex Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 118 [*n. n.*].
simplex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
simplex Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2721.
simplex Leptura (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1866.—Donacia.
simplex Leptura (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 226.—Donacia.
simplex Medusa, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 49.
simplex Necydalis, Linnaeus, Syst. Nat., ed. 12, 1767, 643.
simplex Papilio, J. E. I. Walch, Naturforscher, VI. 1775, 130.
simplex Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 271.
simplex Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 606.
simplex Sylvia, J. Latham, Syn. Birds, Suppl. I. 1787, 287.
simplex Taenia, J. A. Frolich, Naturforscher, XXV. 1791, 58.
simplex Thelephorus (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 84.—Necydalis.
simplex Tubularia, O. F. Müller, Verm. I (2) 1774, 19.
simplex Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 267.

- simplicius** [Papilio], C. Stoll, Aanhang, Cramer's Uitd. Kapellen, V. 1790, 171.
simpulum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 128.
simson Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 12.—Scarabaeus.
simson Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 345; ed. 12, 1767, 542.
simulacrum Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 21.
simulans Noctua, J. C. Fabricius, Mant. II. 1787, 177.
simulans Phalaena, Hufnagel, Berl. Mag. III. 1767, 396.
simulans Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 211.—
simulater Musca, M. Harris, Exp. Eng. Ins. 1776, 123. [Noctua.
simulator Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 180.
simulator Musca, M. Harris, Exp. Eng. Ins. 1776, 152.
simulata Bulla, D. Solander in G. Brander, Foss. Hant. 1766, 29.
simus Blennius, W. Svief, Acta Ac. Sci. Petrop. 1779 (2) 1783, 198.
sima Clupea, Linnaeus, Syst. Nat., ed. 10, 1758, 319; ed. 12, 1766, 524.
simus Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 375.
sima Coryphaena, *id. ac siima*, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
sima Daphnia, O. F. Müller, Entom. 1785, 91. [1194.
sima Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 84.
simus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3000.—Daphnia.
sinamarinus Bulimus, J. B. Bruguière, J. Nat. Hist. (Choix des Mém.) I. 1792, 342.
sinapis Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 468; ed. 12, 1767, 760.
[**sinensis**—
chinensis Anas, P. Osbeck, Reise Ost-Indien China, 1765, 342.
chinensis Ancilla (L.), F. C. Meuschen, Mus. Gever. 1787, 246.—Patella.
sinensis Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 642.
chinensis Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 383.
chinensis Balistes, P. Osbeck, Reise Ost-Indien China, 1765, 147.
chinensis Balistes, Osb., M. E. Bloch, Nat. ausl. Fische, II. 1786, 29.
chinensis Calyptroea (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 78.—Patella.
chinensis Cancer, P. Osbeck, Reise Ost-Indien China, 1765, 151.
chinensis Cancer (Gammarellus), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 107.
chinensis Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 401.—[Lampyrus, ed. 12.]
chinensis Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 84.
chinensis Cerambyx, J. R. Forster, N. Sp. Ins. 1771, 39.
chinensis Cerambyx, C. de Geer, Mém. Ins. V. 1775, 109.—[**sinensis** in Gm. p. 1863.]
chinensis Cetonia (Forst.), J. C. Fabricius, Syst. Ent. 1775, 42.—Scarabaeus.
chinensis Chaetodon, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 5.
sinensis Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2095.
chinensis Cicindela, C. de Geer, Mém. Ins. IV. 1774, 119.
chinensis Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 45.
sinensis Clupea, Linnaeus, Syst. Nat., ed. 10, 1758, 319; ed. 12, 1766, 525.
chinensis Columba, J. A. Scopoli, Del. Insub. II. 1786, 94.
sinensis Colymbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 586.
chinensis Conus, J. R. Forster in Osbeck, Voy. China, I. 1771, 203.—[*See* Cunnus.]
sinensis Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3394.
sinensis Coracias, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
sinensis Coracias, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 381.
sinensis Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 372.
sinensis Coturnix (L.), J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 223.
chinensis Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 47.
sinensis Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 171.
chinensis Cunnus, P. Osbeck, Reise Ost-Ind. China, 1765, 247.
chinensis Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 386.—[Bruchus pecticornis, ed. 12.]
chinensis Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 507.
chinensis Curculio, E. Donovan, Ins. China, 1798.
chinensis Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3421.
chinensis Delphinus, P. Osbeck, Reise Ost-Ind. China, 1765, 337.
chinensis Dermestes, J. C. Fabricius, Syst. Ent. 1775, 58.

- sinensis Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 869.
 sinensis Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 264.
 sinensis Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 493.
 chinensis Fistularia, Linnaeus, Syst. Nat., ed. 12, 1766, 515.
 chinensis Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 183.
 sinensis Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 915.
 chinensis Fulica, P. Boddaert, Tab. Planch. Enl. 1783, 54.
 sinensis Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1021.
 chinensis Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 287; ed. 12, 1766, 479.
 chinensis Lacerta, P. Osbeck, Reise Ost-Ind. China, 1765, 366.
 chinense Lampadion, J. F. Bolten, Mus. Bolten. (2) 1798, 77.
 chinensis Lampyris, Linnaeus, Syst. Nat., ed. 12, 1767, 645.—[Cantharis, ed. 10.]
 chinensis Lanius, J. A. Scopoli, Del. Insub. II. 1786, 86.
 chinensis Libellula, C. de Geer, Mém. Ins. III. 1773, 556.
 chinensis Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 545; ed. 12, 1767, 904.
 sinensis Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 855.
 sinensis Mergus, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 73.
 sinensis Moschus, R. Kerr, Anim. Kingd. 1792, 295.
 sinensis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 963.
 sinensis Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3542.
 sinensis Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2872.
 sinensis Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 942.
 chinensis Notoxus, J. C. Fabricius, Ent. Syst. IV. 1794, 444.
 chinensis Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 160.
 sinensis Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 394.
 sinensis Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3335.
 sinensis Parra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 709. [est, 1788.]
 chinensis Parra, Gm., M. Vahl, Skr. nat. Selsk. [Copen.], IV (1) 1797, 13.—[sinensis,
 sinensis Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1012.
 chinensis Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 781; ed. 12, 1767, 1257.
 sinensis Patella, v. chinensis, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
 sinensis Pelecanus, J. F. Blumenbach, Abb. nat. Gegen., no. 25, 1798. [3692.
 chinensis Perca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1318.
 chinensis Perdix (L.), J. Latham, Index Orn. 1790, 652.—Tetrao.
 sinensis Prionus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 39.
 chinensis Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 77.
 sinensis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 337.
 chinensis Rana, P. Osbeck, Reise Ost-Ind. China, 1765, 244.
 chinensis Scarabaeus, J. R. Forster, N. Sp. Ins. 1771, 2.
 chinensis Scolopax, P. Boddaert, Tab. Planch. Enl. 1783, 53.
 sinensis Scolopax, J. Latham, Index Orn. 1790, 717.
 sinensis Scomber, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 599.
 chinensis Sitta, P. Osbeck, Reise Ost-Ind. China, 1765, 326.
 chinensis Solenostomus, F. C. Meuschen, Mus. Gronov. 1778, 36.
 chinensis Sparus, P. Osbeck, Reise Ost-Ind. China, 1765, 340.
 sinensis Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 198.
 sinensis Spondylus, K. Schreibers, Vers. Conch. II. 1793, 154.
 chinensis Stellio, J. G. Schneider, Amph. Phys. sp. alt. 1792, 28.
 sinensis Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 608.
 sinensis Strix, J. Latham, Index Orn. 1790, 53.
 chinensis Stromateus, B. A. Euphrasen, K. Vet. Ac. Nya Handl. IX. 1788, 54.
 sinensis Sylvia (Gm.), J. Latham, Index Orn. 1790, 533.—Motacilla.
 sinensis Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 897.
 chinensis Tetrao, Linnaeus, Syst. Nat., ed. 12, 1766, 277.
 chinensis Tetrao, J. R. Forster in Osbeck, Voy. China, I. 1771, 203.
 chinensis Tetrao, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 129.
 sinensis Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 765.
 sinensis Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3583.

- chinensis** Turdus, P. Osbeck, Reise Ost.-Ind. China, 1765, 406.
- sinensis** Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 295.
- sinensis** Uria, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 12 [*n. n.*].
- sinensis** Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3285.
- chinensis** Vespa, J. C. Fabricius, Ent. Syst. II, 1793, 261.
- sineosae** Aleyonium, J. F. Maratti, Plant. Zooph. Med. 1776, 13.
- singalensis** Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 964.
- cingalensis** Sylvia (Gm.), J. Latham, Index Orn. 1790, 533.—Motacilla.
- singoriensis** Aranea, E. Laxmann, Nov. Comm. Sci. Petrop. XIV (1) 1770, 602.
- singulariata** Phalaena (Geom.), C. de Villers, Linn. Ent. II, 1789, 383.
- singularis** Ascidia, J. E. Gunnerus, Skrifter Kiøbenh. Selskab, X, 1770, 166.
- singularis** Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 1066.
- singularis** Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 75 [*n. n.*].
- singularis** Phalaena, Hufnagel, Berl. Mag. III, 1767, 396.
- singularis** Tabanus, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 234.
- singularis** Musca, M. Harris, Exp. Eng. Ins. 1776, 45.
- sinicus** Cancer, Linnaeus, Mant. II, 1771, 541.
- sinicus** Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 41.—Simia.
- sinica** Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 86 [*n. n.*].
- sinica** Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 164; ed. 12, 1766, 284.
- sinica** Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 321.
- sinicum** Lampadion, J. F. Bolten, Mus. Bolten. (2) 1798, 77 [*n. n.*].
- sinica** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3705.
- sinica** Pithecus (L.). E. Geoffroy & Cuvier, Mag. encyclop. III (12) 1795, 462.—Simia.
- sinica** Simia, Linnaeus, Mant. II, 1771, 521.
- sinicus** Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 69; & *var.* pileatus.
- sinistra** Helix, O. F. Müller, Verm. II, 1774, 90.
- sinister** Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3524.
- sinistrosa** Chama, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 392.
- Sinodendron**, *z.* **Synodendron** J. C. Fabricius, Ent. Syst., Index, 1796, 154.—Col.
- sinon** Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 161.
- sinon** Papilio, J. C. Fabricius, Syst. Ent. 1775, 452.
- sinon** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 101.
- sinon** Papilio (Eques), N. Poda, Ins. Mus. Graec. 1761, 62.
- sinon** Scarabaeus [Copris], A. G. Olivier, Entom. I, 1789, 123.
- sinuana** Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
- sinuator** Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
- sinuator** Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II, 1793, 402.—Hydrachna.
- sinuatus** Actinophorus (Ol.), J. Sturm, Verz. Ins. Samml. 1800, 76.—Scarabaeus.
- sinuata** Altica, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 106.
- sinuatus** Apate, J. C. Fabricius, Ent. Syst. I (2) 1792, 362.
- sinuatus** Bombylius, J. C. Mikán, Mon. Bomb. 1796, 35.
- sinuatum** Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 264.
- sinuatum** Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 94.
- sinuata** Buprestis, A. G. Olivier, Entom. II, 1790, 74.
- sinuata** Buprestis, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 13.
- sinuata** Cantharis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 278.
- sinuatus** Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 1991.
- sinuata** Cassida, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 392.
- sinuata** Cassida, J. C. Fabricius, Ent. Syst. I (1) 1792, 298.
- sinuata** Cetonia, J. C. Fabricius, Syst. Ent. 1775, 819.
- sinuata** Cicindela, D. H. Schneider in G. W. F. Panzer, Ins. Germ. heft 2, 1792, tab. 19.
- sinuatus** Cimex, J. C. Fabricius, Mant. II, 1787, 290.
- sinuatus** Clypeus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 157.
- sinuata** Coccinella, D. E. Naезén, K. Vet. Ac. Nya Handl. XIII, 1792, 171.
- sinuatus** Copris, A. F. de Fourcroy, Ent. Paris. 1785, 15.
- sinuatus** Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 174.
- sinuatus** Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 474.—Tinea sinuella, 1794.

- sinuatus** Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3180.—
sinuata Geometra, [Denis & Schiffermüller], Schmett. Wien. 1775, 114. [Clypeus.
sinuata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 288 [*n. et f.*].
sinuata Helix, O. F. Müller, Verm. II. 1774, 18.
sinuata Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 378.
sinuatus Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 43.
sinuata Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 347.
sinuata Libellula, J. C. Fabricius, Ent. Syst. II. 1793, 378.
sinuatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 143.—Cimex, 1787.
sinuata Membracis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 513.
sinuatus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 65.
sinuata Noctua, J. C. Fabricius, Syst. Ent. 1775, 611.
sinuata Noctua, J. C. Fabricius, Spec. Ins. II. 1781, 507.
sinuata Phalaena, J. C. Fabricius, Gen. Ins. 1777, 287.
sinuata Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 267.
sinuata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.
sinuatus Scarabaeus, J. A. Scopoli, Del. Ins. I. 1786, 52.
sinuatus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 160.
sinuatus Scarabaeus (Fourc.), G. A. Harrer, Besch. Schaeffer's Abbild. 1791, 23.—Copris.
sinuata Silpha, J. C. Fabricius, Syst. Ent. 1775, 75.
sinuata Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 109.
sinuata Tipula, J. C. Fabricius, Syst. Ent. 1775, 748.
sinuata Trichoda, O. F. Müller, An. Infus. 1786, 175.
sinuata Tuceta, J. F. Bolten, Mus. Bolten. (2) 1798, 173.
sinuata Venus, I. v. Born, Index Mus. Caes. Vind. 1778, 48.
sinuata Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 438.
sinuata Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 270.
sinuatus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 509.
sinuella Tinca, J. C. Fabricius, Ent. Syst. III (2) 1794, 308.
Sinum J. F. Bolten, Mus. Bolten. (2) 1798, 14.—G.
sinuosata Phalaena, Giorna, Cal. Ent. 1791, 65.
sinuosus Alysseminthus, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 295.
sinuosa Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3622.—[*Cf. sinuata*,
sinuosa Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 160. [v. Born.
sinuosa Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3319.
sinuosa Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 317.
sinuosus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1576.
sinuosa Spongia, P. S. Pallas, Elench. 1766, 394.
sinuosa Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3243.
sinuosa Venus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 81.
sipedon Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 219; ed. 12, 1766, 379.
sypho Ascidia (Forsk.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 153.—Salpa siph.
siphon Salpa, P. Forskal, Descr. Anim. 1775, 115.
Siphonium P. Browne, Hist. Jamaica, ed. 2, 1789, 396.—?Ver.
sipmanus Conus, F. C. Meuschen, Mus. Gever. 1787, 364.
sipunculooides Acanthus, E. Acharius, K. Vet. Ac. Nya Handl. I. 1780, 53.
Sipunculus Linnaeus, Syst. Nat., ed. 12, 1767, 1078.—Ann. [Acanthus sipunculooides.
sipunculus Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 25.—
sipunculus Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 711; ed. 12, 1767, 1164.
sipunculus Orthocera (L.), A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 91.—
sipyulus Attelabus, Linnaeus, Syst. Nat., ed. 10, 1758, 387; ed. 12, 1767, 620. [Nautilus.
sipyulus Clerus (L.), J. C. Fabricius, Syst. Ent. 1775, 158.—Attelabus.
sirecialis Phalaena Pyr., J. Hübner, Samml. Vögel u. Schmett. 1793, 13 [*n. et f.*].
sireciformis Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1782, 208.
Siren Linnaeus, Amoen. Acad. VII. 1766, 325.—R.
Siren Linnaeus, Syst. Nat., ed. 12 [addenda at end of vol. I. 1767].—R.
siren Muraena, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 154.
Sirene H. F. Link, Beytr. Nat. I. 1794, 67.—M.

- Sirex** Linnaeus, Faun. Suec., ed. 2, 1761, 396.—Hym.
Sirex O. F. Müller, F. Ins. Frid. 1764, 70.—Hym.
Sirex P. A. Latreille, Préc. Car. Ins. 1796, 106.—Hym.
sirius Astraea, J. F. Bolten, Mus. Bolten. (2) 1798, 79.
sirius Papilio, J. C. Fabricius, Syst. Ent. 1775, 488.
Siro J. H. Kniphof, De Pedic. 1759, 52.—Ar.
Siro P. A. Latreille, Préc. Car. Ins. 1796, 185.—Ar.
siro Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 616; ed. 12, 1767, 1024.
siro Tyroglyphus (L.), P. A. Latreille, Préc. Car. Ins. 1796, 185.—Acarus.
sirsair Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 542.
sirtalis Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 222; ed. 12, 1766, 383.
sisammus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 44.
sispes Chalcis (L.), J. C. Fabricius, Mant. I. 1787, 272.—Sphex.
sispes Chrysis (L.), J. C. Fabricius, Syst. Ent. 1775, 359.—Sphex.
sispes Sphex, Linnaeus, Faun. Suec., ed. 2, 1761, 413.
sisymbrella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
sisymbrii Altica (Fab.), G. W. F. Panzer, Deutsch. Ins. [1795], 178.—Galleruca.
sisymbrii Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1689.
sisymbrii Curculio, J. C. Fabricius, Gen. Ins. 1777, 224.
sisymbrii Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 31.
[sisyphius Araneus, C. Clerck, Aran. Svec. 1757, 54.]
sisyphius Araneus, T. Martyn, Aranei, 1793, 24.
siterata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 522.
sitibundus Bufo, J. G. Schneider, Hist. Amph. I. 1799, 225.
sitibunda Rana, P. S. Pallas, Reise Russ. I. 1771, 458.
Sitta Linnaeus, Syst. Nat., ed. 10, 1758, 115; ed. 12, 1766, 177.—A.
situla Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 223; ed. 12, 1766, 385.
sjanko Murex, F. C. Meuschen, Mus. Gever. 1787, 324; *varr.* perversus, ramosus, tuberskenei Millepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 135. [culatus.
Skua (*ex* Clusius), J. E. Gunnerus, Trondhiemske Selsk. Skrift. III. 1765, pp. 103 & 112.— [A.
skua Catharacta, M. T. Brünnich, Orn. Boreal. 1764, 32. [A.
skoorra Anas, O. F. Müller, Z. Dan. Prod. 1776, 16.
slanbuschii Cimex, J. C. Fabricius, Mant. II. 1787, 299.
slanbuschii Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 155.—Cimex, 1787.
S-littera *v.* S.
sloanii Aranea, Scopoli, Ent. Carn. 1763, 401.
sloani Raia, C. F. Stephan, De Raiis, 1779, 20.
sloanus Papilio, P. Cramer, Utitl. Kapellen, I (8) 1776, 134.
smaragdaria Geometra, C. de Villers, Linn. Ent. IV. 1789, 499.
smaragdaria Geometra (F.), J. Hübner, Europ. Schmett. 5 Horde [me judice 1800], 15.—
smaragdaria Phalaena, J. C. Fabricius, Mant. II. 1787, 192. [Phalaena.
smaragdina Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 258.
smaragdina Formica, J. C. Fabricius, Syst. Ent. 1775, 828.
smaragdina Leptura, D. E. Naezén, K. Vet. Ac. Nya Handl. XIII. 1792, 173.
smaragdina Musca, A. F. de Fourcroy, Ent. Paris. 1785, 492.
smaragdinus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3359.
smaragdina Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 7.
smaragdinus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 322.
smaragdinus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1579.
smaragdula Apis, J. C. Fabricius, Mant. I. 1787, 305.
smaragdula Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 412.
smaragdulus Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 739; ed. 12, 1767, 1203.
smaragdula Buprestis, A. G. Olivier, Entom. II. 1790, 36.
smaragdula Cantharis, J. C. Fabricius, Spec. Ins. I. 1781, 259.
smaragdulus Carabus, P. Rossi, Mant. Ins. I. 1792, 81.
smaragdulus Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 60.
smaragdula Cetonia, J. C. Fabricius, Syst. Ent. 1775, 45.
smaragdula Chrysis, J. C. Fabricius, Syst. Ent. 1775, 357.

- smaragdulus** Cimex, J. C. Fabricius, Syst. Ent. 1775, 711.
smaragdulus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 173.—Scarabaeus.
smaragdulus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789,
smaragdulus Curculio, J. C. Fabricius, Mant. I. 1787, 111. [1728.—Erotylus.
smaragdulus Erotylus, J. C. Fabricius, Syst. Ent. 1775, 123.
smaragdulus Helops (Fab.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 47.—Erotylus.
smaragdula Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 342.
smaragdulus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 34.
smaragdulus Telephorus (Fab.), A. G. Olivier, Entom. II. 1790, 9.—Cantharis.
smaragdulus Trochilus, Bosc, J. Nat. Hist. (Choix des Mém.) I. 1792, 385.
smaragdus Cetonia (Brahm), G. A. Harrer, Beschr. Schaeffer's Abbild. 1791, 39.—Scara-
smaragdus [Helix], T. Martyn, Univ. Conch. II [1788], figs. 73 & 74. [baeus.
smaragdus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 279.
smaragdus Scarabaeus, N. J. Brahm, Ins. Kal. I. 1791, 153.
smaragdus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3595.
smaragdus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3602.
smaragdylus Mytilus, F. C. Meuschen, Mus. Gever. 1787, 466.
smaria Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 743.
Smaris P. A. Latreille, Préc. Car. Ins. 1796, 180.—Ar.
smaris Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 278; ed. 12, 1766, 468.
smearthmanniana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 405.—
smearthmanniana Pyralis, J. C. Fabricius, Spec. Ins. II. 1781, 278. [Pyralis.
smidtiana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 253.
smyrnensis Alcedo, Linnaeus, Syst. Nat., ed. 10, 1758, 116; ed. 12, 1766, 181.
smirnensis Cerambyx, Linnaeus in Hasselquist, Palast. 1762, 451.
smirnensis Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1827.
smyrnensis Gobius, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 66.
smyrnensis Gobioides (Bonn.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 576.—
smirnensis Larus, Linnaeus in Hasselquist, Palast. 1762, 323. [Gobius.
Soarus H. F. Linck, Mag. Neuste Phys. u. Nat. VI (3) 1790, 38 [*n. n.*].—P.
socia Lithosia (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 460.—Tinea sociella.
socia Loxia, J. Latham, Index Orn. 1790, 381.
socia Phalaena, Hufnagel, Berl. Mag. III. 1767, 418.
sociabile Tethym, J. E. Gunnerus, Trondhiemske Selsk. Skrift. III. 1765, 99.
socialis Brachionus (Linn.), P. S. Pallas, Elench. 1766, 96.—Hydra.
socialis Elater, Linnaeus, Syst. Nat., ed. 12, 1767, 1067.
socialis Hydra, Linnaeus, Syst. Nat., ed. 10, 1758, 817; ed. 12, 1767, 1321.
socialis Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 39.—Mus.
socialis Lemmus (Pall.), H. F. Link, Beytr. Nat. I (2) 1795, 75.—Mus.
socialis Mus, P. S. Pallas, Reise Russ. II. 1773, 705.
socialis Staphylinus, G. Paykull, Mon. Staph. 1789, 60.
socialis Staphylinus, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791, 118.
socialis Tipula, O. F. Müller, Z. Dan. Prod. 1776, 171.
socialis Vesicaria, F. v. P. Schrank, Verz. Eingeweidwürmer, 1788, 31.
socialis Volvox, O. F. Müller, An. Infus. 1786, 15.
socialis Vorticella (Linn.), O. F. Müller, Verm. I (1) 1773, 112.—Hydra.
sociaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 155 [*n. et f.*].
sociata Actinia, Ellis & Solander, N. H. Zooph. 1786, 5 [see Phil. Trans. LVII. 1767, 436].
sociata Hydra (Ellis), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I (7) 1790, 3868.—Actinia.
sociata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 637.
sociata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 432.
sociata Vorticella, F. M. Daudin, Rec. Mém. Moll. 1800, 29.
sociella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 534; ed. 12, 1767, 883.
sociella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 656.—Phalaena.
socio Musca, M. Harris, Exp. Eng. Ins. 1776, 147.
socio-minor Musca, M. Harris, Exp. Eng. Ins. 1776, 153.
socors Lynceus, O. F. Müller, Entom. 1785, 78.
socors Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3009.—Lynceus.

- socrus** Phalaena, Giorna, Cal. Ent. 1791, 15.
sodomitica Tenthredo, Linnaeus in Hasselquist, Palast. 1762, 467.
sofat Sciaena, *v.* **schotaf**, P. Forskal, Descr. Anim. 1775, 51.
sogo Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 61.
sohal Chaetodon, P. Forskal, Descr. Anim. 1775, 63.
sohar Chaetodon, *id. ac* sohal, Forsk., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
Sol C. F. Schultze, Verst. Seest. 1760, 51.—Ast. [1268.
Sol [G. Humphreys], Mus. Calonn. 1797, 27.—G.
sol Trichoda, O. F. Müller, Verm. I (1) 1773, 76.
solandra Papilio, J. C. Fabricius, Syst. Ent. 1775, 500.
solandri Aranea, Scopoli, Ent. Carn. 1763, 397.
solandri Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1829.—Lamia.
solandri Lamia, J. C. Fabricius, Syst. Ent. 1775, 177.
solandriana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 532; ed. 12, 1767,
solandriana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 648.—Phalaena. [878.
solani Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 435.
solani Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 93.
solani Noctua, J. C. Fabricius, Mant. II. 1787, 150.
solaris Asterias, [Schreber], Naturforscher, XXVII. 1793, 2.
solaris Baphia, F. C. Meuschen, Mus. Gever. 1787, 472.
solaris Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 448.
solaris Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 161.
solaris Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 90.
solaris Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 91.
solaris Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 10.
solaris Phalaena Noctua, J. Hübner, Beitr. Schmett. I (4) 1789, 27.
solaris Scolopax, P. Boddaert, Tab. Planch. Enl. 1783, 48.
solaris Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 187 [*v. v.*].
solaris Trichoda, O. F. Müller, An. Infus. 1786, 166.
solaris Trochus, Linnaeus, Mus. Lud. Ulr. 1764, 645.
Solarium Lamarck, Mém. Soc. H. N. Paris, 1799, 74.—G.
Solea G. Edwards in M. Catesby, Carol. II. 1771, 27.—P.
Solea (*ex* Klein), J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 582.—P.
solea Ancilla, F. C. Meuschen, Mus. Gever. 1787, 248.
solea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3695.
solea Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 270; ed. 12, 1766, 457.
solea Vespertilio, E. A. W. Zimmermann, Spec. Zool. 1777, 452.
Solen Linnaeus, Syst. Nat., ed. 10, 1758, 672; ed. 12, 1767, 1113.—L.
solen Mytilus, C. U. v. Salis, Reise Neapel. 1793, 405.
Solena P. Browne, Hist. Jamaica, ed. 2, 1789, 412.—L.
soleniforme Cardium, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 235.
Solenites J. Gesner, Tract. Petref. 1758, 39.—L.
“**solenites** Helmintholithus,” J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 399.
Solenostomus L. T. Gronovius, Zooph. I. 1763, 119.—P.
Solenostomus (*ex* Klein), J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 582.—P.
sollicitus, &c. *v.* **sollicitus**.
solidaginis Aphis, J. C. Fabricius, Reise Norwegen, 1779, 54.
solidiuscula Voluta, *id. ac* solidula, L., M. Houttuyn, Nat. Hist. I (16) 1771, 140.
solidula Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 728.—[Voluta, ed. 12.]
solidulus Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 337.—Bulla.
solidula Pupa, J. F. Bolten, Mus. Bolten. (2) 1798, 110.
solidula Tellina, R. Pulteney, Cat. Birds &c. Dorset, 1799, 29.
solidula Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1187.—[Bulla, ed. 10.]
solida Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3434.
solida Bulla, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 374.
solidum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 681.—[Mactra, ed. 12.]
solidus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3389.
solida Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 408.

- solida** Mactra, Linnaeus, Syst. Nat., ed. 12, 1767, 1126.
solida Madrepora, P. Forskal, Descr. Anim. 1775, 131.
solida Millepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1283.
solida Nitidula, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 530.
solida Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 258.
solida Taenia, O. F. Müller, Z. Dan. Prod. 1776, 219.
solida Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 102.
solina [Phalaena], C. Stoll, Aanh. Cramer's Uitl. Kapellen, II. 1790, 55.
solitaneus Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 102.
solitaria Ascidia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 153.
solitaria Cynips, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 781.
solitarius Didus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 728.
solitaria Emberiza, J. Latham, Syn. Birds, Suppl. I. 1787, 286.
solitarius Psittacus, G. A. Suckow, Naturg. II (1) 1800, 334.
solitaria Salpa, P. Forskal, Descr. Anim. 1775, 116.
solitarius Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 100.
solitaria Tenthredo, Scopoli, Ent. Carn. 1763, 281.
solitarius Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 170.
solitarius Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 142.
solum Taenia, Linnaeus, Syst. Nat., ed. 10, 1758, 819; ed. 12, 1767, 1323.
solivagus Musca, M. Harris, Exp. Eng. Ins. 1776, 85.
solivagus Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 101.
sollicitorius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 332.
sollicitus Musca, M. Harris, Exp. Eng. Ins. 1776, 116.
sologniensis Strix, *err. pro soloniensis*, J. Latham, Index Orn. 1790, 62.
solon Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 69.
solonica Meloe, P. S. Pallas, Icon. Ins. 1782, 87.
soloniensis Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 637.
soloniensis Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 293.
solor Musca, M. Harris, Exp. Eng. Ins. 1776, 146.
Solpuga A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 216.—Ar.
Solpuga A. A. H. Lichtenstein & J. F. W. Herbst, Nat. ungefl. Ins. (1) 1797, 1.—Ar.
solstitialis Lepura, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 103.
solstitialis Melolontha (L.), J. C. Fabricius, Syst. Ent. 1775, 33.—Scarabaeus.
solstitialis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 601; ed. 12, 1767, 999.
solstitialis Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 97; ed. 12, 1766, 141.
solstitialis Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 351; ed. 12, 1767, 554.
solstitialis Tipula, P. S. Pallas, Reise Russ. I. 1771, 475.
solutum Buccinum, J. Hermann, Naturforscher, XVI. 1781, 53.
soluta Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3434.
somaidia Kateretes, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 16.
somniculosa [Phalaena], P. Cramer, Uitl. Kapellen, II (9) 1777, 6.
somnolentus [Geometra], v. C. C. Jung, Alph. Verz. Schmett. II. 1792, 205.
sonans Rana, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
sonchi Aphis, Linnaeus, Syst. Nat., ed. 12, 1767, 735.
sonchi Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1896.
sonchi Cryptocephalus, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 319.
sonchi Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 998.
songarus Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 39.—Mus.
songarus Mus, P. S. Pallas, N. Sp. Quad. II. 1779, 269.
songarus Mus (Cricetus), R. Kerr, Anim. Kingd. 1792, 245.
soni Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 283.
sonneratii Cuculus, J. Latham, Index Orn. 1790, 215.
sonnerati Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 324.
sonora Volucella, O. F. Müller, Z. Dan. Prod. 1776, 178.
sophia Libellula, A. F. de Fourcroy, Ent. Paris. 1785, 345.
sophia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 248.
sophiae Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 272.

- sophiae** Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 468.—Phalaena sophialis, 1787.
- sophialis** Phalaena, J. C. Fabricius, Mant. II. 1787, 217.
- sophialis** Pyralis, C. de Villers, Linn. Ent. IV. 1789, 515.
- sophialis** Pyralis (F.), J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 11 & 29.—
- sophocles** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 267. [Phalaena.]
- sophonisba** [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 12.
- sophorae** Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 215.
- sophorae** Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 471; ed. 12, 1767, 767.
- sophononia** Libellula, D. Drury, Ill. Nat. Hist. II. 1773, index & 86.
- sophus** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 46.
- sopita** Bulla, D. Solander in G. Brander, Foss. Hant. 1766, 19.
- soranus** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 121.
- sorbi** Apion (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 111.—Attelabus.
- sorbi** Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 390.
- sorbi** Chermes, Linnaeus, Syst. Nat., ed. 12, 1767, 738.
- sordaria** Phalaena, C. P. Thunberg, Ins. Suecica (4) 1792, 60.
- sordens** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2166.
- sordens** Phalaena, Hufnagel, Berl. Mag. III. 1767, 306.
- sordens** Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1546.
- sordens** Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1573.
- sordialis** Pyralis, C. P. Thunberg, Ins. Suecica (1) 1784, 16.
- sordiata** Phalaena, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2479.
- sordiata** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 871.
- sordidalis** Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2528.
- sordidalis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 10 & 15 [2].
- sordidata** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 185.
- sordidella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 41.
- sordidus** Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 32.—Scarabaeus.
- sordida** Apis, Scopoli, Ent. Carn. 1763, 299.
- sordida** Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2790.
- sordidus** Cerambyx, A. G. Olivier, Entom. IV. 1795, 124.
- sordidus** Chaetodon, P. Forskal, Descr. Anim. 1775, 62.
- sordidus** Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 44.
- sordidus** Cimex, J. C. Fabricius, Mant. II. 1787, 302.
- sordidus** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 146.—Scarabaeus.
- sordidus** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 402.
- sordidus** Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 126.
- sordidus** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 164.—Cimex. 1787.
- sordidus** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3561.
- sordida** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
- sordida** Nitidula, J. C. Fabricius, Ent. Syst. I (1) 1792, 258.
- sordida** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 81.
- sordida** Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 50.
- sordida** Phalaena, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 2. [578.—Noctua.]
- sordida** Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV 1792,
- sordidus** Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 99; ed. 12, 1766, 148.
- sordidus** Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 16.
- sordidus** Scarus, P. Forskal, Descr. Anim. 1775, 30.
- sordidus** Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 143.
- Sorex** Linnaeus, Syst. Nat., ed. 10, 1758, 53; ed. 12, 1766, 73.—M.
- Sorex** B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.—M.
- sorex** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
- sorex** Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 23.
- soricina** Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 26.
- soricinus** Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1918.
- soricinus** Mus, Hermann in Schreber, Säugth. IV. 661 (1780), & pl. clxxxiii B (? date)
- soricinus** Pteropus (Pall.), J. C. P. Erxleben, Syst. Anim. 1777, 138.—Vespertilio.
- soricinus** Vespertilio, P. S. Pallas, Misc. Zool. 1766, 48.

- "soricis Zoolithus," J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 387.
 sorocensis Apis, J. C. Fabricius, Gen. Ins. 1777, 246.
 soror [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 150.
 sororcula Phalaena, Hufnagel, Berl. Mag. III. 1767, 398.
 sororcula Phalaena Bombyx (Hufn.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 249.
 sosove Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 352.
 sospeta Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 39.
 sosybius Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 219.
 soui Tinamus (Gm.), J. Latham, Index Orn. 1790, 634.—Tetrao.
 sovi Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 768.
 sovimgaria Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 471.
 spadicearia Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.
 spadicearia Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
 spadiceata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 612. [389.—Geometra.
 spadicella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 31.
 spadicea Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 641.
 spadiceum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3485.
 spadicea Cantharis, Scopoli, Ent. Carn. 1763, 43.
 spadicea Coturnix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 218.
 spadiceus Dermestes, G. W. F. Panzer, Deutsch. Ins. [1795], 104.
 spadicea Diomedea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 568.
 spadiceus Falco, J. R. Forster, Phil. Trans. LXII. 1772, 383.
 spadiceus Falco, R. Kerr, Anim. Kingd. 1792, 507; var. leucourus.
 spadicea Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3016.
 spadicea Leptura, G. Paykull, Faun. Suec. III. 1800, 103.
 spadicea Muscipapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 937.
 spadicea Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3672.
 spadicea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 86.
 spadicea Perdix (Gm.), J. Latham, Index Orn. 1790, 644.—Tetrao. [748.—Noctua.
 spadicea Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 spadicea Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1619.
 spadicea Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627.
 spadicea Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 610.
 spadiceus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 759.
 spadicea Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3288.
 spadicea Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3454.
 spadix Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 256.
 spadix [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 149.
 Spalax A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIV (1) 1770, 409.—M.
 Spalax G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [n. n.].—M.
 spallanzani Holothuria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3140.
 spallanzani Tubularia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3835.
 spallanzania Mantis, P. Rossi, Mant. Ins. I. 1792, 102.
 sparganella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
 sparganella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 83.
 sparreri Falco = sparverius, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788,
 [sparrmann-]— [284.
 sparmannella Alucita, J. C. Fabricius, Suppl. Ent. Syst. 1798, 505.—Tinea, 1794.
 sparmannella Tinea, L. Bosc, Tr. Linn. Soc. [Lond.], I. 1791, 197.
 sparmannella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 324.
 sparrmanni Anas, J. Latham, Index Orn. 1790, 876.
 sparrmanniana Phalaena (Tort.), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787,
 sparmanniana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 285. [201.
 sparsa Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 160.
 sparsana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
 sparsella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 141. [et f.]
 spartariaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 116 [n.
 spartiata Geometra (Fuess.), C. de Villers, Linn. Ent. IV. 1789, 505.—Phalaena. [116]

- spartiata** Phalaena, J. F. W. Herbst in Fuessly, Arch. Ins. II. 1782, tab. 5.
- spartii** Leptura, D. H. Hoppe, Ins. Elyt. 1795, 60.
- spartii** Phalaena Noctua, N. J. Brahm, Ins. Kal. II (1) 1791, 323. [gen. xxviii, 35.]—P.
- Sparus** Linnaeus, Syst. Nat., ed. 10, 1758, 277; ed. 12, 1766, 467; [Artedi, Ichth. 1738,
- sparverius** Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 90; ed. 12, 1766, 128.
- sparverius** Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3594.
- spasma** Petropus (Linn.), J. C. P. Erleben. Syst. Anim. 1777, 135.—Vespertilio.
- spasma** Vespertilio, Linnaeus, Syst. Nat., ed. 10, 1758, 32; ed. 12, 1766, 47.
- spataceata** Phalaena, Scopoli, Ent. Carn. 1763, 228.
- Spatagus** O. F. Müller, Z. Dan. Prod. 1776, xxix & 236.—Ech.
- spatagus** Echinospatagus, F. C. Meuschen, Mus. Gronov. 1778, 92.
- spatagus** Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 665; ed. 12, 1767, 1104.
- Spatangites** N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 244.—Ech.
- Spatangus** N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 230.—Ech.
- Spatangus** A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 14.—Ech.
- spathula** Enchelis, O. F. Müller, Verm. I (1) 1773, 38.
- spathula** Musca, Scopoli, Ent. Carn. 1763, 341.
- spathula** Platycephalus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 97.
- spathula** Squalus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 522.
- speccosa** *v.* **speciosa**.
- speciosissima** Cetonia (Scop.), Herbst in Jablonsky. Nat. Ins. (Käfer) III. 1790, 207.—
Cetonia, P. Rossi, Fauna Etrus. I. 1790, 25. [Scarabaeus.
- speciosissima** Coccinella, Scopoli, Ent. Carn. 1763, 74.
- speciosissimus** Scarabaeus, J. A. Scopoli, Del. Insub. I. 1786, 48.
- speciosa** Aranea, P. S. Pallas, Reise Russ. II. 1773, 732.
- speciosa** Aranea, F. A. A. Meyer, Spinner Gött. 1790, 11.
- speciosus** Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 384.
- speciosa** Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 38.—Phalaena.
- speciosa** Cassida, N. J. Brahm, Ins. Kal. I (1) 1790, 74. [ciosissima, Scop.
- speciosa** Chrysomeia (Scop.), Linnaeus, Syst. Nat., ed. 12, 1767, 588.—[Coccinella spe-
- speciosa** Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I. 1791, 117.
- speciosus** Cimex, N. Poda, Ins. Mus. Graec. 1761, 59.
- speciosus** Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.), 1790, 17.
- speciosa** Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 783.
- speciosus** Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 385; ed. 12, 1767, 616.
- speciosus** Elater, Linnaeus, Syst. Nat., ed. 12, 1767, 651.
- speciosa** Ephemera, N. Poda, Ins. Mus. Graec. 1761, 98.
- speciosa** Fringilla, P. Boddaert, Tab. Planch. Enl. 1783, 12.
- speciosa** Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 108.
- speciosus** Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 551; ed. 12, 1767, 912.
- speciosa** Lamia, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. III., 1794, 136 [*n. n.*].
- speciosa** Meloe, P. S. Pallas, Icons. Ins. 1782, 84.
- speciosa** Melolontha, J. A. Frolich, Naturforscher, XXVI. 1792, 101.
- speciosa** Mylaris, P. S. Pallas, Icon. Ins. 1781, 39.
- speciosa** (*sic*) Paradisea, P. Boddaert, Tab. Planch. Enl. 1783, 38.
- speciosa** Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 8.
- speciosa** [Phalaena], P. Cramer, Util. Kapellen, II (9) 1777, 16.
- speciosa** Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2001.—My-
- speciosus** Prionus, A. G. Olivier, Entom. IV. 1795, 31. [laris.
- speciosus** Scomber, P. Forskal, Descr. Anim. 1775, 54.
- speciosa** Sertularia, P. S. Pallas, Elench. 1766, 152.
- speciosa** Silpha, J. D. Schulzens, Naturforscher, VI. 1775, 95.
- speciosus** Sphex, D. Drury, Ill. Nat. Hist. II. 1773, index & 71.
- speciosa** Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 217.
- speciosus** Syrphus, P. Rossi, Fauna Etrus. II. 1790, 285.
- speciosa** Tettigonia, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 145.
- speciosus** Turdus, J. Latham, Index Orn. 1790, 363.
- spectabilis** Actinia, O. Fabricius, F. Groen. 1780, 351.

- spectabilis* Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 123; ed. 12, 1766, 195.
spectabilis Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 153.
spectabilis Cerambyx, D. Drury, Ill. Nat. Hist. III. 1782, index & 73.
spectabilis Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 66.
spectabilis Curculio, J. C. Fabricius, Syst. Ent. 1775, 155.
spectabilis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3723.
spectabilis Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3468.
Spectrum J. A. Scopoli, Intr. Hist. Nat. 1777, 413.—Lep.
Spectrum C. Stoll, Nat. Afb. Spoken, Introd. [1787], 3.—Or.
Spectrum B. G. E. de Lacépède, Tabl. Mamm. 1799, 15.—M.
spectrum Bibio, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 342.
spectrum Brachycerus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.), 1790, 186.—Curculio.
spectrum Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 717; ed. 12, 1767, 1171.
spectrum Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 46.—Conus.
spectrum Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 194.
spectrum Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 560.—[Sirex, ed. 12.]
spectrum Lemur, P. S. Pallas, N. Spec. Glir. (2) 1778, 275.
spectrum Noctua, E. J. C. Esper, Die Schmett. IV (37) 1788, 131.
spectrum Phalaena Noct., H. G. Lang, Verz. Schmett. 1789, 149.
spectrum Prosimia (Erx.), P. Boddaert, Elench. 1785, 66.—Pteropus.
spectrum Pteropus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 133.—Vespertilio.
spectrum Sirex, Linnaeus, Faun. Suec., ed. 2, 1761, 396.
spectrum Vespertilio, Linnaeus, Syst. Nat., ed. 10, 1758, 31; ed. 12, 1766, 46.
specularis Locusta, *id. ac* specularis, Fabr. 1775, J. C. Fabricius, Mant. I. 1787, 233.
specularis Buprestis, Scopoli, Ent. Carn. 1763, 64.
specularis Cyprinus, K. v. Meidinger, Vers. Deutsch. Syst. Nomencl. 1787, 112.
specularis Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2064.
specularis Locusta, J. C. Fabricius, Syst. Ent. 1775, 284.
specularis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3724.
specularis Ichneumon, Scopoli, Ent. Carn. 1763, 286.
speculifera Musca, C. de Villers, Linn. Ent. III. 1789, 464.
speculifer Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 246.
spelaeus Ursus, J. C. Rosenmüller, De Oss. Foss. 1794, 18.
spelta Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 726; ed. 12, 1767, 1182.
 [spengler]—
spengleri Capisterium (L.), F. C. Meuschen, Mus. Gev. 1787, 462.—Mactra.
spengleri Cerambyx (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1828.—
spengleri Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 109. [Lamia.
sprengleri Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 609.
sprengleri [amia], J. C. Fabricius, Gen. Ins. 1777, 231.
sprengleri Mactra, *id. ac* sprengleri, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
sprengleri Mactra, Linnaeus, Syst. Nat., ed. 12, 1767, 1125. [3256.
sprengleri Nautilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3371.
sprengleri Solen, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3228.
sprengleri Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3234.
sprengleri Testudo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1043.
sprengleri Tetrodon, M. E. Bloch, Nat. ausl. Fische, I. 1785, 135.
sprengleri Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3571.
sprenglerianus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3595.
sperator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 157.
sperata Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 186.
sperata Sylvia, J. Latham, Index Orn. 1790, 523.
sperbius Zygaena, J. C. Fabricius, Mant. II. 1787, 103.
Spercheus A. Kugelann in Illiger, Käfer Preuss. 1798, 241.—Col.
sperchius [Sphinx], P. Cramer, Utit. Kapellen, II (13) 1777, 79.
spermaticum Chaos, J. F. Blumenbach, Handb. Naturg. 1779, 447.
spermophoros Corallina, Linnaeus, Syst. Nat., ed. 10, 1758, 807; ed. 12, 1767, 1305 [as
sphacelatus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 120. [var. of rubens].

- sphaacelatus** Scarabaeus, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 5.
- sphaera** Echinus, O. F. Müller, Z. Dan. Prod. 1776, 235.
- sphaericula** Volvox, *id. ac* sphaerula, Müll., G. Adams, Ess. Micr. 1787, 482.
- sphaericus** Dytiscus, C. de Geer, Mém. Ins. IV. 1774, 402.
- sphaericus** Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2084.
- sphaerica** Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3627.—*Nerita*.
- sphaericus** Hydrophilus, [D. H. Schneider], Nom. Ent. 1785, 20 [*n. n.*].
- sphaericus** Lynceus, O. F. Müller, Z. Dan. Prod. 1776, 199.
- sphaericus** Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3008.—*sphaerica* *Nerita*, O. F. Müller, Verm. II. 1774, 170. [*Lynceus*].
- Sphaeridium** J. C. Fabricius, Syst. Ent. 1775, 66.—*Col.*
- Sphaerium** J. A. Scopoli, Intr. Hist. Nat. 1777, 397.—*L.*
- sphaerocephalus** Scarites, A. G. Olivier, Entom. III. 1795, 13.
- sphaerocerus** Pausus, A. Afzelius, Tr. Linn. Soc. [Lond.], IV. 1798, 246 & 270.
- sphaerogaster** Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 201.
- sphaeroides** Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 664; ed. 12, 1767, 1102.
- sphaeroideus** Angarius, F. C. Meuschen, Mus. Gever. 1787, 258.
- spheroidea** Coccinella, C. de Geer, Mém. Ins. VII. 1778, 665.
- sphaeroidea** Patella, F. C. Meuschen, Mus. Gever. 1787, 244.
- sphaeroidea** Vorticella, O. F. Müller, An. Infus. 1786, 255.
- sphaerula** Volvox, O. F. Müller, Verm. I (1) 1773, 31.
- sphaerulata** Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 54.
- sphaerulata** Mitra, T. Martyn, Univ. Conch. I [1784 *non* 1769], fig. 21.
- Sphaex** *id. ac* **Sphex** J. A. Scopoli, Annus V. 1772, 122.
- Sphagebranchus** M. E. Bloch, Nat. ausl. Fische, IX. 1795, 88.—*P.*
- Sphagebranchus** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [*n. n.*].—*P.*
- sphageus** Atteblabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1811.—[*cf.* **sphesphaegiformis** *v.* **sphesgiformis**.] [*geus* Clerus, Fab.]
- sphesgiformis** Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 306.—[*v. et.* **sphesphaegiformis**.]
- sphesgeus** Clerus, J. C. Fabricius, Mant. I. 1787, 125.
- sphesgeus** Mulio, J. C. Fabricius, Suppl. Ent. Syst. 1787, 559.—*Syrphus*, 1775.
- sphesgea** Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2873.—*Syrphesgeus* *Syrphus*, J. C. Fabricius, Syst. Ent. 1775, 768. [*phus*].
- sphaegiformis** Cimex, P. Rossi, Fauna Etrus. II. 1790, 250.
- sphesgiformis** Sesia (D. & S.), J. C. Fabricius, Mant. II. 1787, 99.—*Sphinx* **sphesgiformis**.
- sphesgiformis** Sphinx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 441.—*Sesia*.
- sphesgoides** Apis, F. v. P. Schrank, Ins. Aust. 1781, 409.
- sphesgoides** Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1797], tab. 24.
- sphesgum** Ichneumon, J. C. Fabricius, Mant. I. 1787, 270.
- Spheniscus** Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 5 & 50.—*A.*
- Spheniscus** M. J. Brisson, Ornith. VI. 1760, 97.—*A.*
- Spheniscus** M. T. Brünnich, Fund. Zool. 1772, 78.—*A.*
- “**Spheroides**, Lacép. 1800,” Ag.; occurs only in vernacular.
- “**Spherula**, Sold. 1780,” Ag.; not used in a Linnean sense.
- Sphex** Linnaeus, Syst. Nat. ed. 10, 1758, 569; ed. 12, 1767, 941.—*Hym.*
- sphingiella** Phalaena Tin., J. Hübner, Samml. Vogel u. Schmett. 1793, 8 [*n. et f.*].
- sphingiella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 53.
- sphingis-euphorbiae** Cynipsichneumon, J. L. Christ, Nat. Ins. 1791, 383.
- Sphinx** Linnaeus, Syst. Nat., ed. 10, 1758, 489; ed. 12, 1767, 796.—*Lep.*
- sphinx** Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 261.—*Bibio*, 1787.
- sphinx** Bibio, J. C. Fabricius, Mant. II. 1787, 329.
- sphinx** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 165.—*Scarabaeus*.
- sphinx** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 42.
- sphinx** Cynocephalus (L.), E. Geoffroy & Cuvier, Mag. encyclop. III (12) 1795, 462.—*[Simia]*.
- sphinx** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 270.
- sphinx** Mantis, J. L. M. Poiret, Voy. Barbarie, I. 1789, 305.
- sphinx** Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2832.—*Bibio*.
- sphinx** Onitis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 26.—*Scarabaeus*, 1792.

- sphinx Papilio, J. C. Fabricius, Syst. Ent. 1775, 520.
- sphinx Papio (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 15.—Simia.
- sphinx Phalaena, Hufnagel, Berl. Mag. III. 1767, 400.
- sphinx Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 14.
- sphinx Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 25.
- sphinx Scarabaeus, J. F. W. Herbst, Beschäf. Ges. Nat. Freunde, IV. 1779, 325.
- sphinx Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 25; ed. 12, 1766, 35.
- sphinx Simia (Papio), R. Kerr, Anim. Kingd. 1792, 60.
- sphinx Vespertilio, M. Vahl, Skr. nat. Selsk. [Copen.], IV (1) 1797, 124.
- Sphondylus, *v.* Spondylus L. T. Gronovius, Zooph. III. 1781, 272.
- Sphyraena [P. Artedi, Ichth. 1738, gen. p. 84.]—P.
- Sphyraena (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 584.—P.
- sphyraena Argentina, Linnaeus, Syst. Nat., ed. 10, 1758, 315; ed. 12, 1766, 518.
- sphyraena Esox, Linnaeus, Syst. Nat., ed. 10, 1758, 313; ed. 12, 1766, 515.
- spicae Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 17.
- spicatus Limax, T. Martyn, Univ. Conch. IV [1792] fig. 121.
- spicata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 35.
- spicata Sertularia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 58. [3371.]
- spicula Nautilus, *err. pro* spirula, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
- spilophthalma Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 163.
- spilopterygius Balistes, J. J. Walbaum, Artedi, Ichth. (3) ed. 2, 1792, 455.
- spinachia Gasterosteus, Linnaeus, Syst. Nat., ed. 10, 1758, 296; ed. 12, 1766, 492.
- spinaciae Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 70.
- spinaciae Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 454.
- spinarella Gasterosteus, Linnaeus, Syst. Nat., ed. 10, 1758, 297; ed. 12, 1766, 492.
- spinarum Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 110.
- spinator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 224.
- spinator Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 276.
- spinator Lamia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 145.
- spinata Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 40.
- spinata Tipula, O. F. Müller, F. Ins. Frid. 1764, 79.
- spinax Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 233; ed. 12, 1766, 398.
- spinellus Hemerobius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 193.
- spinetum Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 12.
- spini Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 49.
- spini Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 278.—Papilio.
- spini Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 186.
- spini Papilio, H. G. Lang, Verz. Schmett. ed. 2, 1789, 46.
- [spinibarbis]—
- spinibarbis Carabus, J. C. Fabricius, Syst. Ent. 1775, 243.
- spinibarbis Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 390; ed. 12, 1767, 624.
- spinibarbis Prionus (L.), J. C. Fabricius, Syst. Ent. 1775, 163.—Cerambyx.
- spinicarpus Cancer (Gammarellus) (Müll.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 135.—Gammarus.
- spinicarpus Gammarus, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 66.
- spinicauda Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 978.
- spinicauda Sylvia (Gm.), J. Latham, Index Orn. 1790, 528.—Motacilla.
- spinicorne Callidium, A. G. Olivier, Entom. IV. 1795, 68.
- spinicornis Cerambyx, D. Drury, Ill. Nat. Hist. I. 1770, index & 92.
- spinicornis Cerambyx, J. C. Fabricius, Syst. Ent. 1775, 167. [Lamia.]
- spinicornis Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1828.—
- spinicornis Cerambyx (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 306.—Stenocorus.
- spinicornis Chrysomela, J. R. Forster, Cat. Anim. N. Amer. 1771, 25 [u. n.].
- spinicornis Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 224.
- spinicornis Prionus, J. C. Fabricius, Ent. Syst. I (2) 1792, 245.
- spinicornis Ptinus, J. C. Fabricius, Mant. I. 1787, 40.
- spinicornis Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 31.
- spinicornis Stenocorus, J. C. Fabricius, Syst. Ent. 1775, 179.

- spinicornis** Trox, J. C. Fabricius, Ent. Syst. I (1) 1792, 88.
spinidens Cimex, J. C. Fabricius, Mant. II. 1787, 285.
spinifer Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 629; ed. 12, 1767, 1047.
spinifer Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 125.
spinifer Inachus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 359.—Cancer.
spinifera Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 275.
spinifera Musca, A. F. de Fourcroy, Ent. Paris. 1785, 494.
spinifera Phalaena Bomb., C. de Villers, Linn. Ent. II. 1789, 174.
spinifera Sciaena, P. Forskal, Descr. Anim. 1775, 49.
spinifer Sparus, P. Forskal, Descr. Anim. 1775, 32.
spinifex Cassida, Linnaeus, Amoen. Acad. VI. 1763, 392.
spinifex Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 33.
spinifex Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 170.—Scarabaeus.
spinifex Curculio, J. C. Fabricius, Mant. I. 1787, 115.
spinifex Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 29.
spinifrons Calappa (Herbst), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
spinifrons Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 185.
spinifrons Gryllus (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2071.—
spinifrons Locusta, C. de Geer, Mém. Ins. III. 1773, 456. [Locusta.
spiniger Carabus, G. Paykull, Mon. Carab. 1790, 43.
spiniger Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 350.
spiniger Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 127.—Cimex, 1781.
spiniger Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 410.
spiniger Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1544.
spinilabris Carabus, G. W. F. Panzer, Ins. Germ. heft 39 [1797], tab. 11.
spinimanus Tenebrio, P. S. Pallas, Icon. Ins. 1781, 55.
spinimobilis Aranea, Linnaeus, Syst. Nat., ed. 12, 1767, 1034.
spinipes Acarus, O. F. Müller, Z. Dan. Prod. 1776, 187.
spinipes Apis, J. C. Fabricius, Ent. Syst. II. 1793, 341.
spinipes Aranea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2951.
spinipes Blaps, J. C. Fabricius, Suppl. Ent. Syst. 1798, 46.
spinipes Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 241.
spinipes Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 415; ed. 12, 1767, 671.
spinipes major Carabus, N. Poda, Ins. Mus. Graec. 1761, 45.
spinipes Cerambyx, A. G. Olivier, Entom. IV. 1795, 103.
spinipes Cimex, F. v. P. Schrank, Ins. Aust. 1781, 273.
spinipes Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 360.
spinipes Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 174.
spinipes Dermestes, J. A. Scopoli, Annus V. 1772, 87.
spinipes Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2064.—Locusta.
spinipes Helops, A. G. Olivier, Entom. III. 1795, 17.
spinipes Helops, J. C. Fabricius, Suppl. Ent. Syst. 1798, 53.
spinipes Hispa, J. C. Fabricius, Ent. Syst. IV. 1794, 448.
spinipes Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
spinipes Locusta, J. C. Fabricius, Syst. Ent. 1775, 283.
spinipes Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 44.
spinipes Melolontha, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 13.
spinipes Musca, Scopoli, Ent. Carn. 1763, 342.
spinipes Mycetophagus, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 20.
spinipes Phalangium (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2942.—
spinipes Pycnogonum, O. Fabricius, F. Groen. 1780, 232. [Pycnogonum.
spinipes Rana, J. G. Schneider, Hist. Amph. I. 1799, 129 & 139.
spinipes Saperda, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 48.
spinipes Scarabaeus, D. Drury, Ill. Nat. Hist. I. 1770, index & 79.
spinipes Spheg, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2734.
spinipes Staphylinus, E. Pontoppidan, Danske Atlas, I. 1763, 678.
spinipes Staphylinus, L. H. v. Bloch in Becker, Plau. Grund. 1799, 116.
spinipes Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 296.

- spinipes Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 404.—Hydrachna.
- spinipes Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 573; ed. 12, 1767, 950.
- spinirostris Brachycerus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 183.
- spinitorquus Lanius, J. M. Bechstein, Gem. Nat. Deutschl. II. 1791, 392.
- spinoletta Alauda, Linnaeus, Syst. Nat., ed. 10, 1758, 166; ed. 12, 1766, 288.
- spinosaes Leptura, F. v. P. Schrank, Ins. Aust. 1781, 165.
- spinosissima Crioceris, A. F. de Fourcroy, Ent. Paris. 1785, 96.
- spinosulus Cimex, J. H. Sulzer, Gesch. Ins. 1776, 98.
- spinosa Acanthia, P. Rossi, Fauna Etrus. II. 1790, 224. [Gryllus, L.]
- spinosum Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 234.—*Cf.* spinulosus
- spinosa Akis (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 126.—Pimelia.
- spinosa Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 522.
- spinosa Anomia, Linnaeus, Syst. Nat., ed. 12, 1767, 1154.
- spinosus Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 118.
- spinosa Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 624; ed. 12, 1767, 1037.
- spinosa Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 53.
- spinosus Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 386.
- spinosus Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 167.
- spinosus Balistes, F. C. Meuschen, Mus. Gronov. 1778, 23.
- spinosa Bembex, J. C. Fabricius, Ent. Syst. IV. 1794, 458.
- spinosus Bruchus, J. C. Fabricius, Syst. Ent. 1775, 64.
- spinosum Buccinum, T. Martyn, Univ. Conch. I [1784 *non* 1769], fig. 4.
- spinosus Byrrhus, P. Rossi, Mant. Ins. II. 1794, 81.
- spinosum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 320.
- spinosus Cancer (*ex* Rumph), P. L. S. Müller, Del. Nat. II. 1767, 139.
- spinosus Cancer, P. Ascanius, Icon. IV. 1777, 6.
- spinosa Cancer, F. C. Meuschen, Mus. Gronov. 1778, 84.
- spinosus Cancer, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 249.
- spinosus Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 173.
- spinosus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1967.
- spinosum Cardium, F. C. Meuschen, Mus. Gever. 1787, 442.
- spinosus Cerambyx, D. Drury, Ill. Nat. Hist. II. 1773, index & 57.
- spinosus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 100.
- spinosum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 480.
- spinosus Charadrius, Linnaeus, Syst. Nat., ed. 10, 1758, 151; ed. 12, 1766, 256.
- spinosus Chiton, J. G. Bruguière, J. Nat. Hist. (Choix des Mém.) I. 1792, 25.
- spinosa Cicada, J. F. W. Herbst, Einl. Ins. I. 1784, 236. [Membracis.]
- spinosa Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2094.—
- spinosa Cicada (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 748.—Tettigonia.
- spinosa Cicada, J. C. Fabricius, Suppl. Ent. Syst. 1798, 520.
- spinosus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 715.
- spinosus Crabro, J. C. Fabricius, Syst. Ent. 1775, 373.
- spinosus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1805.
- spinosus Cyclopterus, O. Fabricius, Skr. nat. Selsk. [Copen.], IV (2) 1798, 27.
- spinosa Cymothoa, J. C. Fabricius, Ent. Syst. II. 1793, 508.—Oniscus, 1775.
- spinosus Diodon, Linnaeus, Syst. Nat., ed. 10, 1758, 335.
- spinosa Donax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3265.
- spinosa Fulica, Linnaeus, Syst. Nat., ed. 10, 1758, 152.
- spinosus Gyrinus, J. C. Fabricius, Spec. Ins. I. 1781, 298.
- spinosa Helix, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 636.
- spinosus Ichneumon, C. de Geer, Mém. Ins. III. 1773, 596.
- spinosus Ips, C. de Geer, Mém. Ins. V. 1775, 197.
- spinosa Lepas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3213.
- spinosaes Leptura, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (2) 1782, 161.
- spinosa Lunatica (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 102.—Turbo.
- spinosa Madrepora, J. E. I. Walch in Müller, Del. Nat., ed. 2, I. 1778, 105.
- spinosa Mantis, J. C. Fabricius, Syst. Ent. 1775, 274.
- spinosa Membracis, J. C. Fabricius, Syst. Ent. 1775, 675.

- spinosa** Mutilla, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 283.
spinosus Oniscus, J. C. Fabricius, Syst. Ent. 1775, 298.
spinosus Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (3) 1799, 8.
spinosa Ostrea, T. Martyn, Univ. Conch. IV [1792], fig. 155.
spinosa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3730.
spinosa Pennantula, J. Ellis & D. Solander, Nat. Hist. Zooloph. 1786, 62.
spinosum Phalangium, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris] no. 15, 1798, 114.
spinosa Phasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 187.—Mantis. 1775.
spinosa Pimelia (L.), J. C. Fabricius, Syst. Ent. 1775, 252.—Tenebrio.
spinosus Prionus, J. C. Fabricius, Mant. I. 1787, 130.
spinosus Ripiphorus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 126.
spinosus Scolytus, A. G. Olivier, Entom. IV. 1795, 9.
spinosa Scorpaena, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1220.
spinosa Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 812; ed. 12, 1767, 1312.
spinosa Sphex, J. R. Forster, Cat. Brit. Ins. 1770, 14 [*n. n.*].
spinosa Sphex, J. R. Forster, N. Sp. Ins. 1771, 87.
spinosus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 154.
spinosus Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1500.
spinosus Strombus, Linnaeus, Syst. Nat., ed. 12, 1767, 1212.
spinosus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 100 [*n. n.*].
spinosus Tenebrio, Linnaeus, Mus. Lud. Ulr. 1764, 101.
spinosus Tenebrio, P. Forskal, Descr. Anim. 1775, 80.
spinosa Tettigonia, J. C. Fabricius, Mant. II. 1787, 266.
spinosus Trochus, F. C. Meuschen, Mus. Gev. 1787, 282.
spinosus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3570.
spinosus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 82 [*n. n.*].
spinosus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3594.
spinosa Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2761.—Crabro.
spinulosus Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 398.
spinulosa Helix, J. Lightfoot, Phil. Trans. LXXVI (1) 1786, 166.
spinulosa Locusta, J. C. Fabricius, Syst. Ent. 1775, 826.
spinulosa Patella, F. C. Meuschen, Mus. Gev. 1787, 244.
spinula Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 64.
spinula Bombyx, E. J. C. Esper, Die Schmett. III (26) 1786, 320.
spinula Cidarx, J. F. Bolten, Mus. Bolten. (2) 1798, 84 [*n. n.*].
spinula Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 16.
spinula Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 63.—
spinula Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 141 [*n. n.*]. [Bombyx.
Spinus Moehring, Geschl. Vogel. (Nozem. & Vosm. ed.) 1758, 2 & 24.—A.
spinus Acanthis (L.), M. B. Borkhausen, Deutsch. Fauna, I. 1797, 252.—Sparus.
spinus Carduelis (L.), J. C. Schaeffer, Mus. Orn. 1789, 24.—Fringilla.
spinus Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 181; ed. 12, 1766, 322.
spinus Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 281; ed. 12, 1766, 471.
Spio O. Fabricius, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785, 259.—Ver.
spio Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 354.—Papilio.
spio Papilio (Plebejus), Linnaeus, Mus. Lud. Ulr. 1764, 338.
spipola Ficedula, J. C. Schaeffer, Mus. Orn. 1789, 36.
spiraecae Sphinx, E. J. C. Esper, Die Schmett., Suppl., 2 Abschn. [1797], 21.
spiraecae Scarabaeus, P. S. Pallas, Reise Russ. II. 1773, 719.
spiralis Andrena, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 135.
spiralis Antipathes (Linn.), P. S. Pallas, Elench. 1766, 217.—Gorgonia.
spiralis Ascaris, C. A. Rudolphi, Obs. Ver. Intest. II. 1795, 11.
spiralis Gorgonia, Linnaeus, Syst. Nat., ed. 10, 1758, 800; ed. 12, 1767, 1290.—[becomes
spiralis Ichneumon, A. F. de Foureroy, Ent. Paris. 1785, 407. [a *var.* of *abies.*]
spiralis Noctua, J. C. Fabricius, Syst. Ent. 1775, 592.
spiralis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 4.
spiralis Sertularia, G. Olivi, Zool. Adriat. 1792, 291.
spiralis Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3464.

- spirans** Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 533.
spirans Holothuria, P. Forskal, Descr. Anim. 1775, 104.
spiratum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 739; ed. 12, 1767, 1203.
spirata Cassis (L.), F. C. Meuschen, Mus. Gev. 1787, 388.—Buccinum.
spirata Patella, G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 102.
spirifex Spheg, Linnaeus, Syst. Nat., ed. 10, 1758, 570; ed. 12, 1767, 942.
"Spirilla, Humph. 1797," Ag.; I cannot find this word.
spirillum Buccinum (L.), F. C. Meuschen, Mus. Gev. 1787, 302.—Murex.
spirillus Murex, Linnaeus, Syst. Nat., ed. 12, 1767, 1221.
spirillus Purpura (L.), F. C. Meuschen, Mus. Gev. 1787, 310.—Murex.
spirillum Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 786; ed. 12, 1767, 1264.
spirillum Spirorbis (L.), F. M. Daudin, Rec. Mém. Moll. 1800, 38.—Serpula.
spirillum Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 111.
spirillum Vibrio, O. F. Müller, An. Infus. 1786, 49.
Spiroglyphus F. M. Daudin, Rec. Mém. Moll. 1800, 39.—Ver.
Spirorbis F. M. Daudin, Rec. Mém. Moll. 1800, 37.—Ver.
spirorbis Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 770; ed. 12, 1767, 1244.
spirorbis Planorbis (Linn.), O. F. Müller, Verm. II. 1774, 161.—Helix.
spirorbis Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 787; ed. 12, 1767, 1265.
Spirula Lamarck, Mém. Soc. H. N. Paris, 1799, 80.—Ceph.
spirula Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 710; ed. 12, 1767, 1163.
spirula Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 163.
spirula Spirula (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 80.—Nautilus.
spissicella Tinea, J. C. Fabricius, Gen. Ins. 1777, 295.
spissicornis Cimex, J. C. Fabricius, Gen. Ins. 1777, 300.
spissicornis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 181.—Cimex, 1777.
spissicornis Miris, J. R. Schellenberg, Cimic. Helvet. 1800, 9.
spissicornis Phycis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 463.
spiza Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 186.
spiza Merops (L.), B. Merrem, Avium rar. Icones, I. 1784, 16; *var.* atricapilla, 18.—
spiza Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 188. [Motacilla.
splachnea Tubularia, Linnaeus, Syst. Nat., ed. 12, 1767, 1303.
splendana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 31 [*n. et f.*].
splendella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 320.
splendeo Libellula, M. Harris, Exp. Eng. Ins. 1776, 99.
splendens Buprestis, J. C. Fabricius, Syst. Ent. 1775, 221.
splendens Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 326.
splendens Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 129.
splendens Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 229.
splendens Leptura, J. N. Laicharting, Tyrol. Ins. II. 1784, 137.
splendens Libellula, M. Harris, Exp. Eng. Ins. 1776, 99. [Stratiomys.
splendens Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2833.—
splendens Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 746.
splendens Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1560.
splendens Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 523.
splendens Stratiomys, J. C. Fabricius, Mant. II. 1787, 330.
splendens Sturnus, F. M. Daudin, Traité élém. Orn. 1800, 309.
splendidalis [Phalaena], C. Stoll in Cramer, Util. Kapellen, IV (31) 1781, 161.
splendidulus Cerambyx, J. C. Fabricius, Ent. Syst. I (2) 1792, 263.
splendidula Chrysis, P. Rossi, Fauna Etrus. II. 1790, 78. [Tettigonia.
splendidula Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2098.—
splendidulus Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 14.
splendidulus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 157.—Scarabaeus.
splendidulus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 186.
splendidula Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3655.
splendidula Lampyrus, Linnaeus, Syst. Nat., ed. 12, 1767, 644.
splendidula Meloe, P. S. Pallas, Icon. Ins. 1782, 83.
splendidulus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 23.

- splendidula** Tettigonia, J. C. Fabricius, Syst. Ent. 1775, 681.
splendida Apis, O. F. Müller, Z. Dan. Prod. 1776, 164.
splendida Apis, J. C. Fabricius, Ent. Syst. II. 1793, 316.
splendida Buprestis, [D. H. Schneider], Nom. Ent. 1785, 20 [*n. n.*].
splendida Buprestis, G. Paykull, Faun. Suec. II. 1799, 229.
splendidus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 138.
splendidus Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [*n. n.*].
splendida Cassida, Boeber in Keich's Mag. Thierreichs, I. 1793, 136.
splendida Cetonia, J. C. Fabricius, Syst. Ent. 1775, 47.
splendida Chrysis, J. C. Fabricius, Syst. Ent. 1775, 357.
splendida Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 324.
splendidus Coluber, G. A. Suckow, Naturges. III. 1798, 251.
splendidus Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 82.
splendidus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 448.
splendidus Ichneumon, J. C. Fabricius, Ent. Syst. IV. 1794, 457.
splendida Lampyrus, D. Drury, Ill. Nat. Hist. III. 1782, index & 75.
splendida Leptura, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 103.
splendida Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 41. [Cetonia.
splendida Melolontha (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 151.—
splendida [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 242.
splendidus Psittacus, G. Shaw, Mus. Lever. I. 1792, 27.
splendidus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 18.
splendida Sphex, O. F. Müller, Z. Dan. Prod. 1776, 161.
splendidus Syrphus, P. Rossi, Fauna Etrus. II. 1790, 292.
splendor Tipula, M. Harris, Exp. Eng. Ins. 1776, 56.
spodocephala Emberiza, P. S. Pallas, Reise Russ. III. 1776, 698.
spoliatricula Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 89.
spoliatricula Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. Eur. Schmett. IV.
spoliatus Carabus, P. Rossi, Mant. Ins. I. 1792, 79. [1792, 179.—Noctua.
spoliata Musca, Scopoli, Ent. Carn. 1763, 350.
Spondilis G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 8 [*n. n.*].—Col.
Spondylis J. C. Fabricius, Syst. Ent. 1775, 159.—Col.
spondyloides Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3348.
spondyloides Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3321.
spondyloides Tenebrio, A. G. Olivier, Entom. III. 1795, 10.
spondyloidea Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3335.
spondyloidea Pedum, Lamarck, Mém. Soc. H. N. Paris, 1799, 88.
Spondylus Linnaeus, Syst. Nat., ed. 10, 1758, 690; ed. 12, 1767, 1136.—L.
Spongia Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348; ed. 12, 1767, 1296.—Por.
spongiosa Asterias, O. Fabricius, F. Groen. 1780, 368.
spongiosa Gorgonia, P. Forskal, Descr. Anim. 1775, 129.
spongiosa Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 164.
spongites Cellepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1286.
spongites Eschara, P. S. Pallas, Elench. 1766, 45.
"spongites" Helmintholithus, Linnaeus, Syst. Nat., ed. 12, III. 1768, 167.
spongites Lepas, J. X. Poli, Test. Sicil. I. 1791, 25.
spongites Millepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1284.
spongites Millepora (L.), J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 132.—Celle-
sponsalis Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 210. [pora.
sponsalis Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 635.
sponsana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 225.—Tortrix sparsana.
sponsata Phalaena, J. C. Fabricius, Mant. II. 1787, 199.
sponsor Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 153.
sponsorius Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 425.
sponsa Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 128; ed. 12, 1766, 207.
sponsa Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 47 [*n. n.*].
sponsus Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 90.
sponsa Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 602.—Phalaena.

- sponsa* Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 841.
sprattus Clupea, Linnaeus, Syst. Nat., ed. 10, 1758, 318; ed. 12, 1766, 523.
sprengleri *v. spengleri*.
spretella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 142.
spretia Bombyx [ex Naturforscher], J. C. Fabricius, Mant. II. 1787, 124.
spretia Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3434.
spretia Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
spretia Noctua (Fab.), C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 90.—Bombyx.
spuma Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 180.
spumans Gryllus, C. P. Thunberg, D. D. Mus. Ac. Upsal., 1787, 59.
spumans Gryllus, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 104.
spumaria Cercopis (L.), J. C. Fabricius, Syst. Ent. 1775, 688.—Cicada.
spumaria Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 437; ed. 12, 1767, 708.
spurca Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 724; ed. 12, 1767, 1179.
spurca Muscivora, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 170.
spuria Coccinella, J. A. Scopoli, Annus V. 1772, 107.
spurius Coccus, A. Modeer, Götheborg. Samhalle Handl. (Wet. Afd.) I. 1778, 43.
spurius Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3396.
spurius Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 39.
spuria Madrepora, P. S. Pallas, Char. Thierpfl. II. 1787, 145.
spuria Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [n. n.].
spurius Monodon, O. Fabricius, F. Groen. 1780, 31.
spuria Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3222.
spurius Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 162.
spuria Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3284.
spuria Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3458.
sputarium Vorticella, O. F. Müller, An. Infus. 1786, 259.
sputator Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 405; ed. 12, 1767, 654.
sputator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 153.
sputator Lacerta, A. Sparrman, K. Vet. Ac. Nya Handl. V. 1784, 165.
squaiotta Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 634.
squali Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3037.
squali Taenia, O. Fabricius, Skr. nat. Selsk. [Copen.], III (2) 1794, 41.
squalida Andrena (Scop.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 139.—Nomada.
squalida Apis (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2795.—Nomada.
squalidum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3487.
squallida Cantharis, Scopoli, Ent. Carn. 1763, 41.
squalida Cicada, O. F. Müller, Z. Dan. Prod. 1776, 102.
squalidus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2177.
squalidus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2192.
squalidus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 176.—Scarabaeus.
squalidus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 177.
squallida Leptura, J. A. Scopoli, Annus V. 1772, 102.
squalida Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
squalida Noctua, J. C. Fabricius, Mant. II. 1787, 136.
squallida Nomada, J. A. Scopoli, Annus IV. 1770, 45.
squalida Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3714.
squalida Phalaena Noctua, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2581.
squallidus Reduvius, P. Rossi, Fauna Etrus. II. 1790, 258.
squallidus Scarabaeus, Scopoli, Ent. Carn., 1763, 6.
squalidus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 30.
squalida Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627.
squalida Tellina, R. Pulteney, Cat. Birds, &c. Dorset, 1799, 29.
squalidus Trox, A. G. Olivier, Entom. I. 1789, 12.
squalina Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3420.
squalipeta Echeneis, Daldorf, Skr. nat. Selsk. [Copen.], II (2) 1793, 157.
Squalus Linnaeus, Syst. Nat., ed. 10, 1758, 233; ed. 12, 1766, 397; [Artedi, Ichth. 1738, gen. xlv, p. 66.]—P.

- squalus Cyprinus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 28.
- squalus Saperda, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 48.
- squama Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3346.
- squamana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 410.—Pyralis.
- squamana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 651.
- squamata Actinia, O. F. Müller, Nova Acta Acad. Caes. VI. 1778, 54.
- squamata Angaria, J. F. Bolten, Mus. Bolten. (2) 1798, 71.
- squamata Aphrodita, Linnaeus, Syst. Nat., ed. 10, 1758, 655; ed. 12, 1767, 1084.
- squamata Ascidia, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 244.
- squamata Chama, P. L. S. Müller, Del. Nat. I. 1766, 129.
- squamatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2186.
- squamata Corallina, Linnaeus, Syst. Nat., ed. 10, 1758, 806; ed. 12, 1767, 1304 [as
squamatum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 93. [*var. of officinalis*].
- squamata Holothuria, O. F. Müller, Z. Dan. Prod. 1776, 232.
- squamata Hydra, O. F. Müller, Z. Dan. Prod. 1776, 230.
- squamata Libellula, O. F. Müller, F. Ins. Frid. 1764, 62.
- squamata Musca, O. F. Müller, F. Ins. Frid. 1764, 85.
- squamata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3329.
- squamata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3725.
- squamata Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 10.
- squamatus Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 42.
- squamata Testudo, J. G. Schneider, Nat. Schildkr. 1783, 340.
- squamifer Curculio, O. F. Müller, Z. Dan. Prod. 1776, 87.
- squamifer Curculio, G. Paykull, Faun. Suec. III. 1800, 206.
- squamigera Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 435; ed. 12, 1767, 705.
- squamigera Membracis (L.), J. C. Fabricius, Syst. Ent. 1775, 675.—Cicada.
- squamigera Rana, J. J. Walbaum, Schrift. Berlin. Ges. Nat. Freunde, V. 1784, 221.
- squamigera Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 204.
- squamosus Acarus, C. de Geer, Mém. Ins. VII. 1778, 116.
- squamosa Actinia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 15.
- squamosa Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 170.
- squamosus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 260.
- squamosus Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3256.
- squamosa Chama, D. Solander in G. Brander, Foss. Hant. 1766, 36.
- squamosa Chama (L.), F. C. Meuschen, Mus. Gev. 1787, 454.—Venus.
- squamosum Chiton, Linnaeus, Mus. Lud. Ulr. 1764, 465.
- squamosus-septemvalvis Chiton, K. Schreibers, Vers. Conch. II. 1793, 335.
- squamosus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1804.
- squamosus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 539.
- squamosus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 452.
- squamosus Gryllus, *err. pro squarrosus*, L., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 102. [1789, 2075.
- squamosa Melolontha, A. G. Olivier, Entom. I. 1789, 66.
- squamosus Notopterus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 189.
- squamosa Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3319.
- squamosa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3713.
- squamosa Pinna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3365.
- squamosa Podura, Scopoli, Ent. Carn. 1763, 379.
- squammosus Psittacus, J. Latham, Index Orn. 1790, 101.
- squamosus Scarabaeus, C. de Villers, Linn. Ent. I. 1789, 30.
- squamosus Scutigterulus (L.), F. C. Meuschen, Mus. Gev. 1787, 240.—Chiton.
- squamosus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 157.
- squamosus Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1502.
- squamosa Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 688; ed. 12, 1767, 1133.
- squamosus Vespa, D. Drury, Ill. Nat. Hist. I. 1770, index & 98.
- squamula Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 701; ed. 12, 1767, 1151.
- squamula Brachionus, O. F. Müller, An. Infus. 1786, 334.
- squamula Echionoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—Anomia.

- squamula Fenestella (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 193.—Anomia.
- squamulana Phalaena Tortrix, J. Hübner, Samml. Vögel u. Schmett. 1793, 6 [*n. et f.*].
- squamulana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 92 [*n. et f.*].
- squamularis Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 18.
- squamulatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 353.
- squamulatus Scarabaeus, O. F. Müller, Z. Dan. Prod. 1776, 55.
- squamulosus Chaetodon, G. Shaw, Nat. Misc. VIII. 1796, pl. 275.
- squamulosus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 216.
- squarrosus Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 219.—Gryllus.
- squarrosus Gryllus, Linnaeus, Mant. II. 1771, 533.
- squarrosa Locusta (L.), J. C. Fabricius, Syst. Ent. 1775, 285.—Gryllus.
- squarrosus Syngnathus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 8.
- squatarola Tringa, Linnaeus, Syst. Nat., ed. 10, 1758, 149; ed. 12, 1766, 252.
- squatina Cercopis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 102.
- squatina Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 233; ed. 12, 1766, 398.
- squatinoraia Raia, C. F. Stephan, De Raiis, 1779, 21.
- skeleton *v.* sceleton.
- Squilla L. T. Gronov, Acta Helvet. IV. 1760, 38.—Cr.
- Squilla L. T. Gronov, Zooph. II. 1764, 232.—Cr.
- squilla Astacus (L.), J. C. Fabricius, Syst. Ent. 1775, 416.—Cancer.
- squilla Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 632; ed. 12, 1767, 1051.
- squilla *var.* fasciata Cancer, P. Forskal, Descr. Anim. 1775, xxi.
- squilla Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 55.
- squilla Palaemon (L.), F. Weber, Nomen. Fabricii, 1795, 94.—Cancer.
- squinado Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (7) 1788, 214.
- squination Cervus, R. Kerr, Anim. Kingd. 1792, 304.
- stabilis Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 76.
- stabilis Phalaena Noctua, N. J. Brahm, Ins. Kal. II (1) 1791, 12.
- staechadis citrinae Phalaena, J. G. Gladbach in Kuehn, Kurze Anleit. Ins., ed. 2, 1783,
- stagnalis Acurus, A. F. de Fourcroy, Ent. Paris. 1785, 529. [156 *n. n.*]
- stagnalis Astacus (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 18.—Cancer.
- stagnale Buccinum (Linn.), O. F. Müller, Verm. II. 1774, 132.—Helix.
- stagnalis Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 303.—Helix.
- stagnalis Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 634; ed. 12, 1767, 1056.
- stagnalis Cancer (Gammarellus), L., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 121.
- stagnalis Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 66.
- stagnalis Dytiscus, J. C. Fabricius, Mant. I. 1787, 191.
- stagnalis Fasciola, O. F. Müller, Verm. I (2) 1774, 53.
- stagnalis Gammarus (L.), J. C. Fabricius, Syst. Ent. 1775, 419.—Cancer.
- stagnalis Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 774; ed. 12, 1767, 1249 [no. 703].
- stagnalis Helix, Linnaeus, Syst. Nat., ed. 12, 1767, 1248 [no. 697].
- stagnalis Hirudo, Linnaeus, Syst. Nat., ed. 10, 1758, 649; ed. 12, 1767, 1079.
- stagnalis Lymnoea (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 75.—Helix.
- stagnalis Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3362.
- stagnalis Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.—Fasciola, 1774.
- stagnalis Rhinoceros (L.), F. C. Meuschen, Mus. Gever. 1787, 266.—Helix.
- stagnalis Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3750.
- stagnalis Salmo, O. Fabricius, F. Groen. 1780, 175.
- stagnalis Turbo (L.), E. M. da Costa, Brit. Conch. 1778, 93.—Helix.
- stagnana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
- stagnorum Aquarius (Fab.), J. R. Schellenberg, Cimic. Helvet. 1800, 20.
- stagnorum Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 51.
- stagnorum Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 450; ed. 12, 1767, 732.
- stagnorum Donacia, [D. H. Schneider], Nom. Ent. 1785, 16 [*n. n.*].
- stagnorum Gerris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 189.—Cimex.
- stagnorum Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3653; *id. ac* Turbo [stagnalis].
- staminea Helix, T. Martyn, Univ. Conch. II [1788], fig. 71.
- staminea Mitra, T. Martyn, Univ. Conch. III [1789], fig. 104.

- stannea** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3709.
- stannella** Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 80.
- stannella** Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 97.
- stapazina** Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 331.
- stapazina** Sylvia (L.), J. Latham, Index Orn. 1790, 530.—Motacilla.
- stapella** Phalaena (Tinea), *errone stipella*, L., O. F. Müller, Z. Dan. Prod.; 1776, 136.
- staphylaeata** Phalaena, Scopoli, Ent. Carn. 1763, 221.
- staphylaea** Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 370; ed. 12, 1767, 590.
- staphylaea** Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 725; ed. 12, 1767, 1181.
- staphylea** Porcellana, F. C. Meuschen, Mus. Gev. 1787, 404.
- staphylea** Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 36.
- Staphylinus** Linnaeus, Syst. Nat., ed. 10, 1758, 421; ed. 12, 1767, 683.—Col.
- staphylinus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2200.
- “**Stariki**, Bonnat. 1790,” Ag.; this word does not occur among Bonnat’s genera, and I cannot trace it.
- statices** Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 495; ed. 12, 1767, 808.
- statices** Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 555.—Sphinx.
- statilinus** Papilio Helic., Hufnagel, Berl. Mag. II. 1766, 84.
- Statinia** J. G. Meigen, N. Class. Mouches. 1800, 36.—Dip.
- statis** Sphinx, O. F. Müller, Z. Dan. Prod. 1776, 117.
- statira** [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 35.
- stativa** Chamaeformis, F. C. Meuschen, Mus. Gev. 1787, 446.
- statua** Curculio, P. Rossi, Fauna Etrus. I. 1790, 122.
- statua** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 430.
- “**Steatornis**, Humb. 1800,” Ag.; I cannot trace this reference.—A.
- steineriana** Tortrix, [Denis & Schiffermüller], Schm. Wien, 1775, 317.
- steinkelnerana** Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 233.—Tortrix.
- steinkellneriana** Tortrix, [Denis & Schiffermüller], Schm. Wien, 1775, 130.
- stelenes** Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 465; ed. 12, 1767, 750.
- stella** Patella, F. C. Meuschen, Mus. Gev. 1787, 244.
- “**stella columnaris** Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 169.
- stellaris** Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 144; ed. 12, 1766, 239.
- stellaris** Astroites, J. E. I. Walch, Naturforscher, V. 1775, 51.
- stellaris** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 274.
- stellaris** Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
- stellaris** Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 795; ed. 12, 1767, 1277.
- stellaris** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 12.
- stellaris** Serpula, O. Fabricius, F. Groen. 1780, 383.
- stellaris** Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 235; ed. 12, 1766, 399.
- stellaris** Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81.
- stellare** Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 405.—Hydrachna.
- stellaris** Tubularia, O. F. Müller, Verm. I (2) 1774, 18.
- stellaris** Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3600.
- stellaris** Volucella, A. F. de Fourcroy, Ent. Paris. 1785, 503.
- stellarum** Sphinx, A. F. de Fourcroy, Ent. Paris. 1785, 253.
- stellatarum** Sesia (L.), J. C. Fabricius, Syst. Ent. 1775, 548.—Sphinx.
- stellatarum** Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 493; ed. 12, 1767, 803.
- stellatella** Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 524.
- stellatus** Acipenser, P. S. Pallas, Reise Russ. I. 1771, 460.
- stellatum** Alcyonium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3816.
- stellata** Arca, J. G. Bruguière, Ency. Méth. (Vers.) (1) 1789, 117.
- stellatus** Botryllus, J. Gaertner in P. S. Pallas, Spic. Zool. X. 1774, 37.
- stellata** Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 116.
- stellatus** Colymbus, E. Pontoppidan, Danske Atlas, I. 1763, 621.
- stellatus** Colymbus, M. T. Brünnich, Orn. Boreal. 1764, 39.
- stellata** Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3413.
- stellata** Doris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3107.
- stellatus** Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3174.

- stellata* Lepas, J. X. Poli, Test. Sicil. I. 1791, 29.
stellatus Lophius, M. Vahl, Skr. nat. Selsk. [Copen.], IV (1) 1797, 214.
stellata Madrepora, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3767.
stellatus Mergus (L.), J. C. Schaeffer, Mus. Orn. 1789, 61.—Colymbus.
stellata Musca, J. C. Fuessly, Schweiz. Ins. 1775, 54.
stellata Musca, J. C. Fuessly, Schweiz. Ins. 1775, 56.
stellata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 470.
stellata Musca, J. J. Roemer, Gen. Ins. 1789, 84.
stellatus Nerita, T. Martyn, Univ. Conch. III [1789]. fig. 110.
stellata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3337.
stellata Ostrea, J. F. Bolten, Mus. Bolten. (2) 1798, 170 [n. n.].
stellata Patella, G. S. Helbling, Abh. Privatges. Bohm. IV. 1779, 109.
stellatus Pleuronectes, P. S. Pallas, Nova Acta Ac. Sci. Petrop. I. 1787, 347.
stellatus Scarus, P. Forskal, Descr. Anim. 1775, 26.
stellatus Seps, F. v. P. Schrank, F. Boica, I. 1798, 286.
stellata Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 219.
stellata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 369.
stellata Tenthredo, J. L. Christ, Nat. Ins. 1791, 457.
stellata Terebella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3114.
stellata Thais, J. F. Bolten, Mus. Bolten. (2) 1798, 54.
stellata Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 341.
stellatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3571.
stellata Tubipora, A. Modeer, K. Vet. Ac. Nya Handl. IX. 1788, 230.
stellatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3600.
stellata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3289.
stellata Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1319.
stelleri Anas, P. S. Pallas, Spic. Zool. VI. 1769, 35.
stelleri Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 370.
stelleri Hydrodamalis, A. J. Retzius, K. Vet. Ac. Nya Handl. XV. 1794, 292.
stellifer Bodianus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 55.
stellifer Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 198.
stellifer Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 128.
stellifera Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
stellifera Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3719.
stellifera Pennatula, O. F. Müller, Z. Dan. Prod. 1776, 255.
stellifera Tipula, J. Cederhielm, F. Ingrid. 1798, 296.
stellina Vorticella, O. F. Müller, An. Infus. 1786, 270.
Stellio J. N. Laurenti, Syn. Rept. 1768, 56.—R.
Stelliö G. Edwards in M. Catesby, Carol. II. 1771, 110.—R.
stellio Cordylus (Linn.), J. N. Laurenti, Syn. Rept. 1768, 52.—Lacerta.
stellio Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 202; ed. 12, 1766, 361.
stellio Perca, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 349.
stellio Scincus, J. N. Laurenti, Syn. Rept. 1768, 55.
stellulata Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 165.
stenelea [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 38.
Stenocorus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 221.—Col.
Stenocorus J. C. Fabricius, Syst. Ent. 1775, 178.—Col.
Stenosis Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 160.—Col.
stentor Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 18.
stentoreus Brachionus (Linn.), P. S. Pallas, Elench. 1766, 95.—Hydra.
stentoreus Caryophyllinus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 6.
stentorea Hydra, Linnaeus, Syst. Nat., ed. 10, 1758, 817; ed. 12, 1767, 1321.
stentorea Vorticella (Linn.), O. F. Müller, Verm. I (1) 1773, 112.—Hydra.
Stenus P. A. Latreille, Préc. Car. Ins. 1796, 77.—Col.
stephanelli Buprestis, V. Petagna, Spec. Ins. ult. Calab. 1786, 23.
Stephanostoma Anon. [Lenz], Neue allgem. deutsch. Bibl. X (2) 1794, Intelligenzbl. 256;
 [see K. A. Rudolphi, Archiv. Zool (Wiedemann) II (1) 1801, 58.]—Ver.
Stercorarius M. J. Brisson, Ornith. VI. 1760, 150.—A.

- stercoraria** Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 600.
stercoraria Crioceris (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 198.—Chrysomela.
stercoraria Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 719; ed. 12, 1767, 1174.
stercoraria Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 599; ed. 12, 1767, 996.
stercorarius Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 349; ed. 12, 1767, 550.
stercorarius Staphylinus, A. G. Olivier, Entom. III. 1795, 18.
stercorarius Starnus, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 16.
stercoraria Tipula, C. de Geer, Mém. Ins. IV. 1776, 388.
stercorarius Vultur, Picot de la Peirouse, K. Vet. Nya Handl. III. 1782, 106.
stercorator Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 149.—Scarabaeus.
stercorator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 172.
stercorator Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 20.
stercoreus Culex, Linnaeus, Syst. Nat., ed. 10, 1758, 603; ed. 12, 1767, 1003.
stercoreus Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 357.
stercorea Empis, Linnaeus, Faun. Succ., ed. 2, 1761, 467.
stercoreus Globus, J. A. Scopoli, Annus V. 1772, 127.
stercorea Silpha (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1626.—Tri-
stercoreum Sphaeridium, J. C. Fabricius, Ent. Syst. I (1) 1792, 81. [toma.
stercorea Tritoma, C. P. Thunberg, Ins. Suecica (8) 1794, 100.
sterculeus Conus, F. C. Meuschen, Mus. Gev. 1787, 358.
stercus culicum Conus, F. C. Meuschen, Mus. Gev. 1787, 358.
stercus granulatus Conus, F. C. Meuschen, Mus. Gev. 1787, 358.
stercus-muscarum Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 147.
stercus-muscarum Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 715; ed. 12, 1767, 1169.
stercus-muscarum Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 40.—Conus.
stercus-muscarum Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3673.
stercus-pulicum Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3434.
stercus pulicum Conus, F. C. Meuschen, Mus. Gev. 1787, 358. [Acrydium!
Steridium J. D. Preyssl in Mayer's Samml. Phys. Aufsätze, 1793; must be a misprint for
sterleta Acipenser, A. I. Gueldenstaedt, N. Com. Petrop. XVI. 1772, 533.—[? specific]
Sterna Linnaeus, Syst. Nat., ed. 10, 1758, 137; ed. 12, 1766, 227.—A.
sterna Larus, J. A. Scopoli, Annus I. 1769, 82.
sternae Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 612; ed. 12, 1767, 1019.
sternia Clupea, Linnaeus, Syst. Nat., ed. 10, 1758, 319; ed. 12, 1766, 524.
sternicornis Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 409; ed. 12, 1767, 660.
sternicornis Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 276.
sternicornis Erytolus (*sic*), J. A. Frolich, Naturforscher, XXVI. 1792, 126.
Sternoptyx J. Hermann, Naturforscher, XVI. 1781, 33.—P.
sternutator Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1832.—
sternutator Lamia, J. C. Fabricius, Syst. Ent. 1775, 172. [Lamia.
sterope [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 40.
stropes Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 160.
stropes Sphinx (*ex* Goetze), Panzer in Drury, Exot. Ins. 1785, 96.
stichica Cetonia, *err. pro* stictica (L.), J. C. Fabricius, Mant. I. 1787, 31.
stichica Noctua, *err. pro* stictica, J. C. Fabricius, Mant. II. 1787, 173. [Noctua.
stichica Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 413.—
stickmanniana Tortrix, C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 167.
stictiata Phalaena, *id. ac* sticticata, Mant. II. 213, J. C. Fabricius, Ent. Syst. III (2) 1794,
sticticalis Phalaena (Pyr.), Linnaeus, Faun. Succ., ed. 2, 1761, 352. [206.
sticticana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 270.
sticticata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 638.
sticticus Aphodius (Panz.), C. Creutzer, Ent. Vers. 1799, 26.—Scarabaeus.
stictica Apis, J. C. Fabricius, Mant. I. 1787, 302.
sticticus Brachycerus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 42.
stictica Cetonia (L.), J. C. Fabricius, Syst. Ent. 1775, 51.—Scarabaeus.
sticticus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
sticticus Curculio, J. C. Fabricius, Gen. Ins. 1777, 227.
sticticus Dytiscus, Linnaeus, Syst. Nat., ed. 12, 1767, 666.

- sticticus** Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2087.
sticticus Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 229.
stictica Melolontha (L.), C. P. Thunberg, N. Acta Soc. Sci. Upsal. V. 1792, 89.—*Scarabaeus*.
stictica Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2863. [baeus].
sticticus Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 552.
sticticus Scarabaeus, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 4.
stictica Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 407.
stictopterus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2169.
stictopterus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1558.
stigma Apis, J. L. Christ, Nat. Ins. 1791, 188.
stigma Bombyx, J. C. Fabricius, Syst. Ent. 1775, 563.
stigma Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 189.—*Cerambyx*.
stigma Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 395; ed. 12, 1767, 635.
stigma Cerambyx, A. G. Olivier, Entom. IV. 1795, 126.
stigma Cimex, Herbst, Einl. Ins. I. 1784, 258.
stigma Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 528.
stigma Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 382; ed. 12, 1767, 612.
stigma Ephemera, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2630.
stigma Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 188.
stigma Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 1717.
stigma Iulus, J. C. Fabricius, Syst. Ent. 1775, 428.
stigma Melolontha, J. C. Fabricius, Ent. Syst. IV. 1794, 450.
stigma Musca, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 21.
stigma Musca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 563.
stigma Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 293; ed. 12, 1766, 487.
stigma Phalaena (Fab.), J. E. Smith in Abbot, Ins. Georgia, 1797, 111.—*Bombyx*.
stigma Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 645.
stigma Sphex, Linnaeus, Syst. Nat., ed. 12, 1767, 945.
stigma Tenthredo, J. C. Fabricius, Suppl. Ent. Syst. 1798, 215.
stigma Vespa, J. C. Fabricius; Ent. Syst. II. 1793, 275.
stigmata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
stigmatialis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 452.
stigmatella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 295.
stigmatias Cetonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 13.
stigmatisata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
stigmatizans Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 230.
stigmatizans Libellula, J. C. Fabricius, Syst. Ent. 1775, 421.
stigmatizans Noctua, J. C. Fabricius, Syst. Ent. 1775, 601.
stigmosa Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 280.
Stincus id. ac Scincus F. A. A. Meyer, Syn. Rept. 1795, 30.—*R.*
stincus Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 205; ed. 12, 1766, 365.
stincus Scincus, F. C. Meuschen, Mus. Gronov. 1778, 7.
stipella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 539; ed. 12, 1767, 893.
stipella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 57.
stipulata Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 813.
stiva Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 64.
stockerus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 441; ed. 12, 1767, 715.
stoicus Byrrhus (Müll.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 484.—*Cistela*.
stoica Cistela, O. F. Müller, Z. Dan. Prod. 1776, 58. [Cistela].
Stola P. Browne, Hist. Jamaica, ed. 2, 1789, 413.—*L.*
stolatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3496.
stolata Cetonia, J. C. Fabricius, Spec. Ins. I. 1781, 58.
stolatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2181.
stolatus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 219; ed. 12, 1766, 379.
stolatus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1724.
stolatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1746.
stolata Phalaena, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2548.
stolatus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1573.—*Cetonia*.

- stolida** Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 98.
- stolidus** Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 442; ed. 12, 1767, 717.
- stolidus** Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 176.
- stolida** Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 724; ed. 12, 1767, 1180.
- stolida** Noctua, J. C. Fabricius, Syst. Ent. 1775, 599.
- stolida** Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 404.—Cypraea.
- stolida** Sterna, Linnaeus, Syst. Nat., ed. 10, 1758, 137; ed. 12, 1766, 227.
- stolliana** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 41.
- Stomachida** C. Pereboom, N. gen. Verm. 1780, 5.—Ver.
- Stomatia** Helbling, Abh. Privatges. Böhmen, IV. 1779, 124.—G.
- Stomatia** P. Browne, Hist. Jamaica, ed. 2, 1789, 398.—G.
- Stomatia** Lamarck, Mem. Soc. H. N. Paris. 1799, 77.—G.
- stomias** Esox, G. Shaw, Nat. Misc. IX. 1798, pl. 344.
- stomoxiformis** Sphinx, J. Hübner, Beitr. Schmett. II. 1790, 93.
- Stomoxoides** J. C. Schaeffer, Elem. Ent. 1766, gen. 99.—Dip.
- Stomoxys** E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 538.—Dip.
- Stomoxys** J. C. Fabricius, Syst. Ent. 1775, 797.—Dip.
- strabo** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 287.
- stragula** Cryptocephalus, P. Rossi, Mant. Ins. II. 1794, 90.
- stralsundica** Silpha, [D. H. Schneider], Nom. Ent. 1785, 7 [n. n.].
- straminalis** Phalaena Pyr., J. Hübner, Samml. Vögel u. Schmett. 1793, 14 [n. et f.].
- straminearia** Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 303.
- stramineata** Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2490.
- straminella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 134.
- stramineus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2164.
- straminea** Donax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3266.
- stramineus** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2720.
- stramineus** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3542.
- straminea** Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 43.
- straminea** Phalaena, E. Donovan, Brit. Ins. II. 1793, 65.
- straminea** Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 75.
- straminea** Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 357.
- straminea** Tenthredo, F. v. P. Schrank, Beitr. Nat. 1776, 85.
- stramineus** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3575.
- strataria** Phalaena, Hufnagel, Berl. Mag. IV. 1767, 514.
- stratiolata** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 283.
- Stratiomis**, *v.* **Stratiomys** J. A. Scopoli, Intr. Hist. Nat. 1777, 408.
- Stratiomys** E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 475.—Dip.
- Stratiomys** J. C. Fabricius, Syst. Ent. 1775, 759.—Dip.
- stratiotalis** Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
- stratiotata** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 529; ed. 12, 1767, 873.
- stratiotes** Phalaena, *id. ac* stratiotata, L., A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 47.
- stratonice** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 234.
- Streber** J. C. Schaeffer, Piscium Bavar. 1761, 69.—P.
- strenuus** Apis, M. Harris, Exp. Eng. Ins. 1776, 131.
- strenuous** Apis, M. Harris, Exp. Eng. Ins. 1776, 164.
- strepens** Callidium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 150.
- strepens** Lamia (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. IV., 1796, 148.—
- strepens** Stenocorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 297. [Stenocorus.]
- strepera** Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 125; ed. 12, 1766, 200.
- strepera** Coracias, J. Latham, Index Orn. 1790, 173.
- strephon** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 281.
- strephon** Papilio, J. C. Fabricius, Syst. Ent. 1775, 522.
- Strephona** P. Browne, Hist. Jamaica, ed. 2, 1789, 409.—G.
- strepsiceros** Antilope, P. S. Pallas, Misc. Zool. 1766, 9.
- strepsiceros** Ovis, Linnaeus, Syst. Nat., ed. 10, 1758, 71; ed. 12, 1766, 98.
- stria** Reduvius, J. C. Fabricius, Ent. Syst. IV. 1794, 201.
- striana** Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.

- striaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 88 [*n. et f.*].
striatalis [Phalaena], C. Stoll, Anhang. Cramer's Utitl. Kapellen, I. 1787, 41.
striatalis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 451.
striataria [Phalaena], C. Clerck, Icones, II. 1764, pl. lv.
striataria [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 125.
striataria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 859.
striatella Alucita, J. C. Fabricius, Spec. Ins. II. 1781, 310.
striatella Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 56.
striatellus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 415.
striatellus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 173.
striatella Phalaena (Tin.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 506.—Alucita.
striatella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
striatellus Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 760; ed. 12, 1767, 1232.
striatopunctata Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 61.
striato-radiatus Spatangus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 234.
striatula Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 702; ed. 12, 1767, 1152.
striatula Anomia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 74.
striatula Bernicla, J. F. Bolten, Mus. Bolten. (2) 1798, 198 [*n. n.*].
striatulum Buccinum, O. F. Müller, Verm. II. 1774, 147.
striatulus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 329.
striatula Bulla (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3430.—Bucci-
striatulus Carabus, J. C. Fabricius, Syst. Ent. 1775, 240. [num.
striatula Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 31.
striatulus Cimex, J. C. Fabricius, Syst. Ent. 1775, 721.
striatulus Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 375.
striatulus Curculio, J. C. Fabricius, Syst. Ent. 1775, 129.
striatulus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1759.
striatulum Dentalium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3738.
striatula Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 768; ed. 12, 1767, 1242.
striatula Helix, O. F. Müller, Verm. II. 1774, 24.
striatulus Hemerobius, J. C. Fabricius, Syst. Ent. 1775, 310.
striatulus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 161.—Cimex, 1775.
striatula Mactra, Linnaeus, Syst. Nat., ed. 12, 1767, 1125.
striatulus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3557.
striatulus Mytilus, Linnaeus, Mant. II. 1771, 548.
striatula Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 696; ed. 12, 1767, 1144.
striatula Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3699.
striatulus Pectunculus, E. M. da Costa, Brit. Conch. 1778, 191.
striatula Perna (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 21.—Mytilus. [brio.
striatula Pimelia (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2008.—Tene-
striatulus Psocus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 203.—Hemerobius, 1775.
striatulus Ptinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1606.
striatula Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627.
striatulus Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 525.
striatula Tellina, G. Olivi, Zool. Adriat. 1792, 101.
striatula Tellina (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 187.—Solen striatus.
striatulus Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 679.
striatulus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 765; ed. 12, 1767, 1238.
striatum Acrydium, J. D. Preyssler in Mayer's Samml. Phys. Aufsätze, III. 1793, 270.
striata Anadema, F. C. Meuschen, Mus. Gever. 1787, 482.
striata Anatifa, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 64.
striatus Angarius, F. C. Meuschen, Mus. Gever. 1787, 256.
striatus Angarius, F. C. Meuschen, Mus. Gever. 1787, 260.
striatus Anguis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1119.
striatum Anobium, J. C. Fabricius, Mant. I. 1787, 39.
striatum Anobium, A. G. Olivier, Entom. II. 1790, 9.
striatum Anobium, Illiger in Kugelann, Käfer Preuss. 1798, 329.
striata Anomia, J. F. Bolten, Mus. Bolten. (2) 1798, 192.

- striatus** Anthias, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 125.
striatus Anthribus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 161.
[striatus Araneus, C. Clerck, Aran. Svec. 1757, 119.]
striatus Araneus, T. Martyn, Aranei, 1793, 56.
striata Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3308.
striata Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 144; ed. 12, 1766, 238.
striatus Asilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2901.
striatus Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 387.
striatus Astroides, J. E. I. Walch, Naturforscher, V. 1775, 44.
striata Auriformis (L.), F. C. Meuschen, Mus. Gever. 1787, 248.—Haliotis.
striatus Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 164.
striata Bembex, J. C. Fabricius, Ent. Syst. II. 1793, 250.
striata Blaps, J. C. Fabricius, Spec. Ins. I. 1781, 322.
striatus Brachionus, O. F. Müller, An. Infus. 1786, 332.
striatum Buccinum, O. F. Müller, Verm. II. 1774, 149.
striatum Buccinum, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 105.
striatum Buccinum, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 7.
striatum Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 41.
striatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 302.
striatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3477.
striatum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112 [*n. n.*].
striatus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 366.—Buccinum.
striata Bulla, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 372.
striata Buprestis, J. C. Fabricius, Syst. Ent. 1775, 217.
striatus Byrrhus, A. G. Olivier, Entom. II. 1790, 9.
striatum Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 191.—Cerambyx.
striata Camerina, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 399.
striatus Carabus, C. de Geer, Mém. Ins. IV. 1774, 90.
striatus Carabus, G. Paykull, Mon. Carab. 1790, 45.
striatus Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 29.
striatus Carabus, G. Paykull, Faun. Suec. I. 1798, 115.
striatum Cardium, L. Spengler, Skr. nat. Selsk. [Copen.], V (1) 1799, 45.
striata Cassis, F. C. Meuschen, Mus. Gever. 1787, 392.
striatus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 396; ed. 12, 1767, 635.
striatus Cerambyx, J. C. Fabricius, Mant. I. 1787, 133.
striata Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 52.
striatum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 475.
striatus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 275; ed. 12, 1766, 464.
striata Chama, F. C. Meuschen, Mus. Gever. 1787, 454.
striata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 444.
striata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 446.
striatus Chiton, J. F. Bolten, Mus. Bolten. (2) 1798, 196 [*n. n.*].
striata Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 164 [*n. n.*].
striata Chrysomela, J. H. Sulzer, Gesch. Ins. 1776, 35.
striata Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 122.
striata Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 105.
striata Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 437; ed. 12, 1767, 709.
striata Cicada, J. C. Fabricius, Mant. II. 1787, 271.
striata Cicindela, C. de Geer, Mém. Ins. IV. 1774, 118.
striatus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 449; ed. 12, 1767, 730.
striatus Cimex, Scopoli, Ent. Carn. 1763, 133.
striata Cistela, J. R. Forster, Cat. Brit. Ins. 1770, 4 [*n. n.*].
striata Cistela, J. R. Forster, N. Sp. Ins. 1771, 15.
striata Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 147.
striata Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 269.
striatus Colius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 843.
striata Coluber, F. C. Meuschen, Mus. Gronov. 1778, 13.
striatus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 122.

- striata** Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 282.
striatus striatus Colymbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 586.
striatus striata Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 716; ed. 12, 1767, 1171.
striata Coracias, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 381.
striata Corixa, A. F. de Fourcroy, Ent. Paris. 1785, 221.
striatus Corvus, P. Boddaert, Tabl. Planch. Enl. 1783, 38.
striata Coturnix, J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 221.
striata Crioceris, O. F. Müller, Z. Dan. Prod. 1776, 85. [Crioceris.
striatus Cryptocephalus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1725.—
striatus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 50.—Conus.
striatus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 86.
striatus Curculio, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 58.
striatus Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 72.
striatus Curculio, J. C. Fabricius, Mant. I. 1787, 117.
striatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 398.
striatus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 372.
striatus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 378.
striata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3421.
striatum Dentalium, I. v. Born, Index Mus. Caes. Vind. 1778, 449.
striatus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 20.
striata Donacia, G. W. F. Panzer, Ins. Germ. heft 29 [1796], tab. 1.
striata Donax, Linnaeus, Syst. Nat., ed. 12, 1767, 1127.
striatus Dytiscus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 72.—Dytiscus.
striatus Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 411; ed. 12, 1767, 665.
striatus Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 22.
striatus Elaphrus, J. C. Fabricius, Ent. Syst. I (1) 1792, 179.
striatus Elater, Linnaeus, Syst. Nat., ed. 12, 1767, 652.
striata Ephemera, Linnaeus, Syst. Nat., ed. 12, 1767, 907.
striatus Epinephelus, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 20.
striatum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 94.—Turbo striatulus, Gm.
striata Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 923.
striata Fulgora, J. C. Fabricius, Ent. Syst. IV. 1794, 7.
striatus Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 119.
striatus Gyrinus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 701.
striatus Gyrinus, J. C. Fabricius, Ent. Syst. I (1) 1792, 203.
striata Haliotis, Linnaeus, Syst. Nat., ed. 10, 1758, 780; ed. 12, 1767, 1256.
striata Helix, O. F. Müller, Verm. II. 1774, 38.
striatus Helops (Fourc.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 49.—Tenebrio.
striatus Hister, J. R. Forster, Cat. Brit. Ins. 1770, 4 [n. n.].
striatus Hister, J. R. Forster, N. Sp. Ins., 1771, 11.
striatus Hister, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 448.
striatus Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 71.
striata Hyena, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 256.
striatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2703.
striatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2721.
striata Kolpoda, O. F. Müller, An. Infus., 1786, 98.
striatus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 285; ed. 12, 1766, 476.
striatus Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
striata Lepas, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 62.
striatus Lophius, C. Shaw, Nat. Misc. V. 1794, pl. 175.
striata Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 306.
striatus Lucanus, A. G. Olivier, Entom. I. 1789, 19.
striata Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 104 [n. n.].
striatus Lutjanus (L.), G. A. Suckow, Naturges. IV. 1799, 544.—Perca.
striatus Lycus, G. A. Olivier, J. Nat. Hist. (Choix des Mém.) I. 1792, 268.
striata Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3257.
striata Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 20.
striata Melolontha, J. C. Fabricius, Syst. Ent. 1775, 35.

- striatus** Mergus, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 73.
striatus Miris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 186.—Cimex.
striatus Monoceros, F. C. Meuschen, Mus. Gever. 1787, 290.
striata Monotoma, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 23.
striata Mordella, A. F. de Fourcroy, Ent. Paris. 1785, 161.
striata Motacilla, A. Vroeg, Catal. Vogel. 1764, adumb. 3.
striata Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 976.
striatus Murex, F. C. Meuschen, Mus. Gever. 1787, 332.
striatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3530.
striatus Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 62; ed. 12, 1766, 84.
striatus Mus (L.), E. A. W. Zimmermann, Spec. Zool. 1777, 516.—Sciurus.
striata Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2865.
striata Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 315.
striata Muscicapa, J. R. Forster, Phil. Trans. LXII. 1772, 406 & 428.
striata Muscicapa, H. Lichtenstein, Cat. rerum Nat. I. 1793, 48.
striatus Myoxus (Linn.), P. Boddaert, Elench. 1785, 122.—Sciurus.
striata Myrmecophaga, P. Boddaert, Elench. 1785, 75.
striata Nassa, J. F. Bolten, Mus. Bolten. (2) 1798, 132 [n. n.].
striata Necydalis, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 109.
striata Nepa (L.), C. de Geer, Mém. Ins. III. 1773, 389.—Notonecta.
striata Neritæformis, F. C. Meuschen, Mus. Gever. 1787, 276.
striata Nitidula, A. G. Olivier, Entom. II. 1790, 14.
striata Noctua (ex Gladb.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 214.
striata Nomada, J. C. Fabricius, Ent. Syst. II. 1793, 348.
striata Notonecta, Linnaeus, Syst. Nat., ed. 10, 1758, 439; ed. 12, 1767, 712.
striata Oliva, T. Martyn, Univ. Conch. III [1789], fig. 111.
striatus Ophicephalus, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 141.
striata Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 72.
striata Ostrea, R. Pulteney, Cat. Birds &c. Dorset, 1799, 36.
striatum Ostreum, E. M. da Costa, Brit. Conch. 1778, 162.
striata Patella, F. C. Meuschen, Mus. Gever. 1787, 244.
striata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3695.
striatus Pecten, O. F. Müller, Z. Dan. Prod. 1776, 248.
striata Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 293; ed. 12, 1766, 487.
striata Perdix (Gm.), J. Latham, Index Orn. 1790, 654.—Tetrao.
striata [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 155.
striata Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 502.
striatum Phalangium, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 220.
striatus Pholas, Linnaeus, Syst. Nat., ed. 10, 1758, 669; ed. 12, 1767, 1111.
striata Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 547; ed. 12, 1767, 908.
striatus Picus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 91.
striatus Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 427.
striata Pimelia, J. C. Fabricius, Syst. Ent. 1775, 251.
striata Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2001.—Blaps.
striata Pinna, J. F. Bolten, Mus. Bolten. (2) 1798, 159 [n. n.].
striata Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1003.
striata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.
striatus Platycerus, A. F. de Fourcroy, Ent. Paris. 1785, 3.
striatus Ptinus, J. C. Fabricius, Mant. I. 1787, 40.
striata Pyramis, J. F. Bolten, Mus. Bolten. (2) 1798, 58.
striatus Rallus, Linnaeus, Syst. Nat., ed. 12, 1766, 262.
striata Rapa, J. F. Bolten, Mus. Bolten. (2) 1798, 148.
striatus Rhinomacer, A. F. de Fourcroy, Ent. Paris. 1785, 115.
striatus Scarabæus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1569.—
striatus Scaurus, J. C. Fabricius, Ent. Syst. I. (1) 1792, 93. [Melolontha.
striatus Sciurus, Linnaeus, Syst. Nat., ed. 10, 1758, 64; ed. 12, 1766, 87.
striatus Sciurus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 150, and *varr. asiaticus,*
americanus.

- striatum** Sepidium, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 48.
striatum Sepidium, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 129.
striatus Serrocerus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 487.
striatus Serropalpus, C. N. Hellenius, K. Vet. Ac. Nya Handl. VII. 1786, 318.
striata Sigara (L.), J. C. Fabricius, Syst. Ent. 1775, 691.—Notonecta.
striata Silpha, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 40.
striata Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1625.
striatus Solen, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3227.
striatus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 158.
striatus Staphylinus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 333.
striatus Staphylinus, A. G. Olivier, Entom. III. 1795, 28.
striata Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 609.
striatus Strombus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3524.—
 Buccinum.
striatus Strongylus, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 83.
striata Sylvia (Gm.), J. Latham, Index Orn. 1790, 527.—Motacilla.
striatus Tabanus, J. C. Fabricius, Mant. II. 1787, 356.
striatus Tamarindiformis, F. C. Meuschen, Mus. Gever. 1787, 412.
striata Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 899.
striata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3238.
striatus Tenebrio, O. F. Müller, Z. Dan. Prod. 1776, 74.
striata Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 157.
striatus Tenebrio, A. G. Olivier, Entom. III. 1795, 7.
striata Testudo, G. A. Suckow, Naturges. III. 1798, 37.
striatus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 763.
striata Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 238.
striata Trichoda, O. F. Müller, An. Infus. 1786, 183.
striata Tringa, Linnaeus, Syst. Nat., ed. 12, 1766, 248.
striatus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 495.
striatus Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 759; ed. 12, 1767, 1230.
striatus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81 [*n. n.*].
striata Trogossita, A. G. Olivier, Entom. II. 1790, 7.
striatus Turbo, E. M. da Costa, Brit. Conch. 1778, 86.
striatus Turbo, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 66.
striatus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 817.
striata Upis (Ol.), Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 27.—Tenebrio.
striata Upupa, P. Boddaert, Tab. Planch. Enl. 1783, 39.
striata Uria (*ex* Briss.), S. Odmann, K. Vet. Ac. Nya Handl. II. 1781, 234.
striata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3279.
striata Vespa, J. C. Fabricius, Mant. I. 1787, 288.
striata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3455.
Stribilita F. C. Meuschen, Mus. Gever. 1787, 488.—Ech.
stribilita Laganus, F. C. Meuschen, Mus. Gever. 1787, 488.
strictita Tipula, *err. pro* stictica, Fabr. 1781, J. C. Fabricius, Mant. II. 1787, 325.
stricta Ancilla, F. C. Meuschen, Mus. Gever. 1787, 246.
stricta Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 438.
stricta Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 409; ed. 12, 1767, 660.
stricta Cetonia, A. G. Olivier, Entom. I. 1789, 79.
strictus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 374.
stricta Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 641.
stricta Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 135 [*n. n.*].
stricta Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 6 [*n. n.*].
stricta Spongia, G. Vio in G. Olivi, Zool. Adriat. 1792, xxv.
stricta Tipula, *id. ac* strictica, Mant. II. 325, J. C. Fabricius, Ent. Syst. IV. 1794, 245.
stricta Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 183.
strictus Vibrio, O. F. Müller, An. Infus. 1786, 71.
stridens Sciaena, P. Forskal, Descr. Anim. 1775, 50.
stridens Sciaena, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1303.

- stridulum** Acridium, O. F. Müller, Z. Dan. Prod. 1776, 100.
- stridulum** Acridium (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 261.—Gryllus.
- stridula** Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 436; ed. 12, 1767, 706.
- stridulus** Cimex (Fab.), C. de Villers, Linn. Ent. IV. 1789, 403.—Reduvius.
- stridulus** Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 432; ed. 12, 1767, 701.
- stridula** Mutilla, P. Rossi, Mant. Ins. I. 1792, 148.—Tiphia, 1790.
- stridulus** Reduvius, J. C. Fabricius, Mant. II. 1787, 309.
- stridula** Strix, Linnaeus, Syst. Nat., ed. 10, 1758, 93; ed. 12, 1766, 133.
- stridula** Tettigonia (L.), J. C. Fabricius, Syst. Ent. 1775, 679.—Cicada.
- stridula** Tiphia, P. Rossi, Fauna Etrus. II. 1790, 68.
- striga** Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 172.
- strigalis** Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 274.
- strigalis** Phalaena (Pyr.) Fab., C. de Villers, Linn. Ent. II. 1789, 442.—Phalaena.
- strigana** Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 413.—Pyralis.
- strigana** Pyralis, J. C. Fabricius, Syst. Ent. 1775, 654.
- strigaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 95 [n. et f.].
- strigaria** Phalaena, J. C. Fabricius, Syst. Ent. 1775, 831.
- strigaria** Phalaena (Geom.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2458.
- strigator** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 173.
- strigatulus** Lepas, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 644.
- strigata** Andrena, J. C. Fabricius, Ent. Syst. II. 1793, 311.
- strigata** Bibio, J. C. Fabricius, Ent. Syst. IV. 1794, 255.
- strigatum** Buccinum, O. F. Müller, Verm. II. 1774, 148.
- strigatum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3477.
- strigata** Bulla (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3430.—Buccinum.
- strigata** Cassida, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 81.
- strigata** Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 113.
- strigata** Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 79.
- strigatus** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 735.
- strigatus** Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 467.
- strigatus** Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 472.—Tinea strigella, 1794.
- strigata** Cypris, O. F. Müller, Z. Dan. Prod. 1776, 199.
- strigata** Fasciola, O. F. Müller, Verm. I (2) 1774, 66.
- strigatus** Gobius, P. M. A. Broussonet, Ichth. 1782.
- strigata** Helix, O. F. Müller, Verm. II. 1774, 61.
- strigata** Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191 [no. 2279].
- strigata** Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191 [no. 2288]. [Cypris.
- strigatus** Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3002.—
- strigata** Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2834.—Stratiomys.
- strigata** Nitidula, J. C. Fabricius, Mant. I. 1787, 51.
- strigatum** Opatrum, J. C. Fabricius, Suppl. Ent. Syst. 1798, 41.
- strigata** Phalaena, Scopoli, Ent. Carn. 1763, 218.
- strigata** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 283.
- strigata** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 171.
- strigata** Phalaena (Geometra), O. F. Müller, F. Ins. Frid. 1764, 51.
- strigata** Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 281.
- strigatus** Pectunculus, E. M. da Costa, Brit. Conch. 1778, 185.
- strigata** Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
- strigata** Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 223.—Nitidula.
- strigata** Stratiomys, J. C. Fabricius, Spec. Ins. II. 1781, 417.
- strigatus** Strongylus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 187.—Nitidula.
- strigatum** Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 402.—Hydrachna.
- strigatus** Turbo, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 637.
- Strigea** P. C. Abildgaard, Skr. nat. Selsk. [Copen.], I (1) 1790, 37.—Ver.
- strigella** Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 293.
- strigella** Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 308.
- strigialis** [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, II. 1790, 56.
- strigilaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 109 [n. et f.].

- strigillaria** Phalaena Geometra, J. Hübner, Beitr. Schmett. I (2) [1787], 13.
strigilatum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 741; ed. 12, 1767, 1206.
strigilatus Hypogaederma (L.), J. X. Poli, Test. Sicil. II. 1795, 251 & 257.—Solen.
strigilata Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 341.
strigilatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3564.
strigilatus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 49.
strigilata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 528; ed. 12, 1767, 872.
strigilata Phalaena Geometra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
strigilatus Solen, Linnaeus, Syst. Nat., ed. 10, 1758, 673; ed. 12, 1767, 1115.
strigilatus Strombus (L.), F. C. Meuschen, Mus. Gever. 1787, 294.—Buccinum.
strigilata Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 98.
strigilatus Trogon, Linnaeus, Syst. Nat., ed. 12, 1766, 167.
strigilella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 87.
strigilis Coluber, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 22.
strigilis Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 516; ed. 12, 1767, 851.
strigilis Sphinx, Linnaeus, Mant. II. 1771, 538.
strigirostris Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 42.
strigis Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3045.
strigis Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3055.
strigis Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3040.
strigis Hippobosca, J. A. Scopoli, Annus V. 1772, 124.
strigis Pediculus, E. Pontoppidan, Danske Atlas, I. 1763, 699.
strigis Pediculus, J. A. Scopoli, Annus V. 1772, 124.
strigis Pediculus, J. C. Fabricius, Syst. Ent. 1775, 806.
strigosula Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3634.
strigosus Anarhichas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1144.
strigosa Andrena, G. W. F. Panzer, Ins. Germ. heft 64 [1799], tab. 16.
strigosus Astacus (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 15.—Cancer.
strigosa Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 454.
strigosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3476.
strigosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3488.
strigosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3494.
strigosus Cancer, Linnaeus, Faun. Suec., ed. 2, 1761, 495.
strigosus Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 55.
strigosus Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 49.
strigosus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1986.
strigosus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1822.
strigosa Cetonia, A. G. Olivier, Entom. I. 1789, 84.
strigosa Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
strigosus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1716.
strigosus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1918.
strigosa Galathea (L.), J. C. Fabricius, Ent. Syst. II. 1793, 471.—Cancer.
strigosus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2684.
strigosa Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1877.
strigosa Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2843.
strigosa Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 322.
strigosa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 88.
strigosus Pagurus (L.), J. C. Fabricius, Syst. Ent. 1775, 412.—Cancer.
strigosus Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 225.
strigosa Phalaena Bomb., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2433.
strigosa Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 278.
strigosa Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2637.
strigosa Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 49.
strigosa Spongia, P. S. Pallas, Elench. 1766, 397.
strigosa Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3239.
strigosa Tenthredo, J. C. Fabricius, Suppl. Ent. Syst. 1798, 217.
strigosus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3573.
strigosa Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3456.

- strigulalis** *Pyralis*, J. Hübner, Europ. Schmett. 6 Horde [me justice 1796], 7 & 8 [2].
- strigulana** *Pyralis* (D. & S.), J. C. Fabricius, Mant. II. 1787, 233.—Phalaena.
- strigulana** *Tortrix*, [Denis & Schiffermüller], Schmett. Wien, 1775, 130.
- strigulata** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 192.
- strigula** *Bombyx*, J. C. Fabricius, Syst. Ent. 1775, 577.
- strigula** *Musca*, J. C. Fabricius, Ent. Syst. IV. 1794, 334.
- strigula** *Noctua*, [Denis & Schiffermüller], Schmett. Wien, 1775, 69.
- strigula** Phalaena *Noctua* (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 181.—
- strilidore** *Papilio*, Linnaeus, Amoen. Acad. VI. 1763, 405. [Noctua.]
- striolata** *Cicindela*, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 114.
- striola** *Carabus*, J. C. Fabricius, Ent. Syst. I (1) 1792, 146.
- stritos** *Curculio*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1779.
- Strix** Linnaeus, Syst. Nat., ed. 10, 1758, 92; ed. 12, 1766, 131.—A.
- strix** *Bombyx* (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 56.—Phalaena.
- strix** *Curculio*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 506.
- strix** *Noctua* (L.), J. C. Fabricius, Syst. Ent. 1775, 591.—Phalaena.
- strix** Phalaena, P. Cramer, Utitl. Kapellen, II (13) 1777, 77.
- strix** Phalaena (*Noctua*), Linnaeus, Syst. Nat., ed. 10, 1758, 508; ed. 12, 1767, 833.
- strobilana** *Tortrix*, J. Hübner, Europ. Schmett. (Tort.) [me justice 1796], fig. 70 [n. et f.].
- strobilata** Phalaena *Geometra*, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 352.
- strobilella** [Phalaena], C. Clerck, Icones, I. 1759, pl. xii. 10.
- strobilella** Phalaena (*Tinea*), Linnaeus, Syst. Nat., ed. 10, 1758, 539; ed. 12, 1767, 892.
- strobilella** *Tinea* (L.), J. C. Fabricius, Syst. Ent. 1775, 662.—Phalaena.
- strobilellae** *Ichneumon*, Linnaeus, Syst. Nat., ed. 10, 1758, 564; ed. 12, 1767, 935.
- strobili** *Cynips*, *id. ac salicis-strobili*, L., F. v. P. Schrank, Ins. Aust. 1781, 320.
- "**strobiloides** *Grapholithus*," Linnaeus, Syst. Nat., ed. 12, III. 1768, 174.
- strobinellae** *Cynipsichneumon*, J. L. Christ, Nat. Ins. 1791, 385.
- stroemella** *Tinea*, J. C. Fabricius, Spec. Ins. II. 1781, 303.
- strömia** *Lepas*, O. F. Müller, Z. Dan. Prod. 1776, 251.
- stroemianus** *Cancer* (Gammarellus) (Fab.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793,
- stroemianus** *Oniscus*, O. Fabricius, F. Groen. 1780, 261. [134.—Oniscus.]
- stroemiana** Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 407.—*Pyralis*.
- stroemiana** *Pyralis*, J. C. Fabricius, Spec. Ins. II. 1781, 280.
- stroemiana** *Tortrix* (Fab.), C. P. Thunberg, Ins. Suecica (1) 1784, 21.—*Pyralis*.
- strömei** *Parus*, J. Latham, Index Orn. 1790, 563.
- stroemii** *Salmo*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1374.
- stroemii** *Zeus*, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 398.
- stroggylonurus** *Manatus*, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 732.
- Stromateus** Linnaeus, Syst. Nat., ed. 10, 1758, 248; ed. 12, 1766, 432; [Artedi, Ichth. 1738, gen. xv, p. 19.]—P.
- Strombiformis** E. M. da Costa, Brit. Conch. 1778, 107.—G.
- strombiformis** *Murex*, C. U. v. Salis, Reise Neapel, 1793, 373.
- Strombites** J. Gesner, Tract. Petref. 1758, 56.—G.
- stromboides** *Buccinum*, J. Hermann, Naturforscher, XVI. 1781, 54.
- Strombus** Linnaeus, Syst. Nat., ed. 10, 1758, 742; ed. 12, 1767, 1207.—G.
- Strombus** [G. Humphreys], Mus. Calonn. 1797, 39.—G.
- Strongylus** J. A. E. Goeze, Eingeweidewürm. 1782, 137.—Ver.
- Strongylus** O. F. Müller, Zool. Dan. II. 1784, 6.—Ver.
- Strongylus** Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 179.—Col.
- strongilus** *Sparus*, P. Forskal, Descr. Anim. 1775, xv.
- structor** *Formica*, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 142 [n. n.]; Essai
- structus** *Musca*, M. Harris, Exp. Eng. Ins. 1776, 147. [Fourmis, 1798, 46.]
- strues** *Tubipora*, A. Modeer, K. Vet. Ac. Nya Handl. IX. 1788, 247.
- strumarius** *Gryllus* (Mantis), Linnaeus, Syst. Nat., ed. 10, 1758, 426.—[Mantis, ed. 12.]
- strumaria** *Mantis*, Linnaeus, Syst. Nat., ed. 12, 1767, 691.—[*Gryllus*, ed. 10.]
- Strumbus**, *err. pro Strombus* P. Browne, Hist. Jamaica, ed. 2, 1789, 404.
- strumosa** *Ascaris*, J. A. Frolsch, Naturforscher, XXV. 1791, 82.
- strumosus** Buffo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.

- strumosa* Fusaria, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 64.
strumosus Gekko (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 26.—*Lacerta*.
strumosa *Lacerta*, Linnaeus, Syst. Nat., ed. 10, 1758, 208; ed. 12, 1766, 368.
strumosa *Musca*, Scopoli, Ent. Carn. 1763, 343.
strumosa *Salamandra* (Linn.), J. N. Laurenti, Syn. Rept. 1768, 42.—*Lacerta*.
strumosus *Staphylinus*, J. C. Fabricius, Ent. Syst. I (2) 1792, 525.
Struthio Linnaeus, Syst. Nat., ed. 10, 1758, 155; ed. 12, 1766, 265.—*A*.
struthio-camelus *Sirex*, C. de Villers, Linn. Ent. III. 1789, 132.
struthiopennella *Tinea*, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 68.
stubberica *Sterna*, J. M. Bechstein, Gem. Nat. Deutschl. II. 1791, 828.
stultorum *Callistoderma* (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—*Mactra*.
stultorum *Cardium*, Linnaeus, Syst. Nat., ed. 10, 1758, 681.—[*Mactra*, ed. 12.]
stultorum *Mactra*, Linnaeus, Syst. Nat., ed. 12, 1767, 1126.
stultus *Curculio*, J. C. Fabricius, Mant. I. 1787, 107.
stulta *Fringilla*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 919.
stupata *Pennatula*, A. Modeer, K. Vet. Ac. Nya Handl. VII. 1786, 283.
stupida *Bibio*, P. Rossi, Fauna Etrus. II. 1790, 277.
stupidus *Curculio*, J. C. Fabricius, Syst. Ent. 1775, 139.
stuposa *Noctua*, J. C. Fabricius, Ent. Syst. III (2) 1794, 42.
stuposa *Spongia*, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 186.
Sturio G. Edwards in M. Catesby, Carol. I. 1771, xxxiii.—*P*.
sturio *Acipenser*, Linnaeus, Syst. Nat., ed. 10, 1758, 237; ed. 12, 1766, 403.
sturionis *Echinorhynchus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3050.
sturionis *Hirudo*, P. C. Abildgaard, Skr. nat. Selsk. [Copen.], III (2) 1794, 56.
sturni *Ascaris*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3034.
sturni *Pediculus*, J. R. Forster, Cat. Brit. Ins. 1770, 16 [*n. n.*].
sturni *Pediculus*, F. v. P. Schrank, Beitr. Nat. 1776, 118.
sturni *Taenia*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3071.
sturnina *Gracula*, P. S. Pallas, Reise Russ. III. 1776, 695.
sturninus *Sturnus* (Pall.), F. M. Daudin, Traité élém. Orn. 1800, 322.—*Gracula*.
Sturnus Linnaeus, Syst. Nat., ed. 10, 1758, 167; ed. 12, 1766, 290.—*A*.
sturnus *Curculio*, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 280.
stuticus *Phalaena*, A. F. de Fourcroy, Ent. Paris. 1785, 272.
stutnesia *Alca*, Borowski, Gem. Nat. Thiere, III. 1782, 34.
stygia *Musca*, J. C. Fabricius, Spec. Ins. II. 1781, 438.
stylatus *Asilus*, J. C. Fabricius, Syst. Ent. 1775, 795.
stylata *Hydrachna*, F. v. P. Schrank in Moll, Oberdeutsche Beyträge, I. 1787, 139.
stylata *Musca*, J. C. Fabricius, Syst. Ent. 1775, 785.
stylata *Stomoxys*, J. C. Fabricius, Ent. Syst. IV. 1794, 396.
Stylephorus G. Shaw, Tr. Linn. Soc. [Lond.], I. 1791, 90.—*P*.—[*non* 1788, *teste* Agassiz.]
Styrex J. A. Scopoli, Ent. Carn. 1763, 367.—*Dip*.
styriaca *Raphidia*, N. Poda, Ins. Mus. Graec. 1761, 101.
styx *Zygaena*, J. C. Fabricius, Syst. Ent. 1775, 556.
suasa *Noctua*, [Denis & Schiffermüller], Schmett. Wien, 1775, 83. [Noctua.
suasa *Phalaena* *Noctua* (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 457.—
suaveolens *Cerambyx*, Linnaeus, Syst. Nat., ed. 12, III. 1768, App., 224.
suavis *Chrysis*, J. L. Christ, Nat. Ins. 1791, 406.
subalata *Distorsio*, J. F. Bolten, Mus. Bolten. (2) 1798, 134.
subalbidus *Coluber*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1103.
subalpina *Chrysomela*, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 192.
subangularis *Cidaris*, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 106.
subangularis *Echinus* (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3172.—
subapterus *Cimex*, C. de Geer, Mém. Ins. III. 1773, 287. [Cidaris.
subarator *Scarabaeus*, O. F. Müller, Z. Dan. Prod. 1776, 53.
subarcuatulus *Nautilus*, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 642.
subarcuata *Phalaena* *Geom.*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2493.
subarcuatus *Turbo*, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 66.
subarquata *Scolopax*, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIX. 1775, 471.

- subater** Cimex, M. Harris, Exp. Eng. Ins. 1776, 90.
subater Curculio, O. F. Müller, Z. Dan. Prod. 1776, 90.
subaurata Apis, P. Rossi, Mant. Ins. I. 1792, 144.
subbrunneus Sparus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 299.
subbuteo Accipiter (L.), J. C. Schaeffer, Mus. Orn. 1789, 7.—Falco.
subbuteo Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 89; ed. 12, 1766, 127.
subbuteo Falco, R. Kerr, Anim. Kingd. 1792, 521; *var. borealis*.
subbuteonis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3033.
subcaeruleus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 104.
subcaerulea Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 77.
subcarinatus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2082.
subclavatum Distoma, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 185.
subclavata Planaria, J. A. E. Goeze, Eingeweidewürm. 1782, 178.—[?a specific name.]
subcoleoptrata Conops, Linnaeus, Syst. Nat., ed. 12, 1767, 1006. [Conops.
subcoleoptrata Musca (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2869.—
subcoleoptratus Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 764.—Conops.
subcoleoptrata Thereva (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 560.—Conops.
subcorticalis Phalaena, Hufnagel, Berl. Mag. III. 1767, 308.
subcristatus Colymbus, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 37.
subcutaneus Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 390.—Ichneumon.
subcutaneus Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 568; ed. 12, 1767, 940.
subcutanea Musca, C. Bjerkander, K. Vet. Ac. Nya Handl. XIV. 1793, 57.
subcyaneus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 84.
subcylindrica Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3652.
subdipterus Rhipiphorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 109.
subdivisum Vexillum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 139.—Voluta.
subdivisa Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3453.
suberaria Phalaena, E. Donovan, Brit. Ins. VII. 1798, 91.
suberosa Gorgonia, P. S. Pallas, Elench. 1766, 191.
suberosus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1586.—
suberosa Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 266. [Trox.
suberosus Trox, J. C. Fabricius, Syst. Ent. 1775, 31.
subfalcatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2701.
subfasciatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1773.
subfasciatus Scarabaeus (Cetonia), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787,
subferruginea Cassida, F. v. P. Schrank, Beitr. Nat. 1776, 62. [191.
subflavaria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 327.
subflavus Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 76.
subflava Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3413.
subflava Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 982.
subflava Sylvia (Gm.), J. Latham, Index Orn. 1790, 535.—Motacilla.
subfuscula Cypraea, T. Martyn, Univ. Conch. III [1789], fig. 96.
subfuscus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2184.
subfuscus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1094.
subfuscus Elater, O. F. Müller, F. Ins. Frid. 1764, 17.
subfuscus Labrus, J. A. Donndorff, Zool. Beyt. III. 1798, 477.
subglobosus Carabus, G. Paykull, Mon. Carab. 1790, 88.
subglobosus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1805. [Spatangus.
subglobosus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3198.—
subglobosa Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2007.—
subglobosus Spatangus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 240. [Tenebrio.
subglobosus Tenebrio, P. S. Pallas, Icon. Ins. 1781, 50.
subgutturosa Antilope, A. I. Gueldenstaedt, Acta Ac. Sci. Petrop. 1778 (1), 1780, 251.
subis Hirundo, Linnaeus, Syst. Nat., ed. 10, 1758, 192; ed. 12, 1766, 344.
sublatus Musca, M. Harris, Exp. Eng. Ins. 1776, 125.
sublimis Phalaena, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2549.
sublividus Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 183.
sublobatus Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3049.

- sublucanus** Cancer, P. Forskal, Descr. Anim. 1775, 94.
sublucanus, *var. lucidus* Cancer, P. Forskal, Descr. Anim. 1775, xxi.
sublucanus Cancer (Astacus) Forsk., J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 66.
sublustris Phalaena Noct. (*ex* Esper, tab.), H. G. Lang, Verz. Schmett., ed. 2, 1789, 130.
subluteus Turbo, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 65.
submarginalis Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2528.
submarinus Julius, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 303.
submersa Globosa, F. C. Meuschen, Mus. Gever. 1787, 382.
subnigra Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 283.
subnigra Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
subocellatus Cerambix, A. G. Olivier, Entom. IV. 1795, 69.—*Lamia*, 1792.
subocellatus *Lamia*, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 459.
suboratus Angarius, F. C. Meuschen, Mus. Gever. 1787, 256.
subpilosus Cerambyx, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 67.
subpinnata Antipathes, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 101.
subpraepitium *Voluta*, D. L. G. Karsten, Mus. Lesk. I. 1789, 227.
subpunctata *Chrysomela*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1673.
subpunctata *Coccinella*, F. v. P. Schrank, Ins. Aust. 1781, 51.
subpunctatus *Crabro*, P. Rossi, Fauna Etrus. II. 1790, 95.
subquadrata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2492.
subrotundus *Echinodiscus*, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 206.
subrotundus *Echinus* (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3191.—
subrotundus *Hydrophilus*, J. C. Fabricius, Ent. Syst. I (1) 1792, 184. [*Echinodiscus*.
subrotunda *Ostrea*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3318.
subrubicunda *Tellina*, T. Martyn, Univ. Conch. IV [1792], fig. 156.
subrubicunda-radiata *Tellina*, T. Martyn, Univ. Conch. IV [1792], fig. 159.
subrubra Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
subrufescens Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 268.
subrufus *Araneus*, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 201.
subrufus *Cimex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2168.
subrufus *Curculio*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.
subrufus *Curculio*, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 418.
subrufus *Ichneumon*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2718.
subrufus *Limax*, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 267.
subrufa *Ostrea*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3329.
subrufus *Ostrea* (Penn.), E. Donovan, Brit. Shells, pl. xii (1799).—*Pecten*.
subrufus *Pecten*, T. Pennant, Brit. Zool. ed. 4, IV. 1777, 86.
subrufa Phalaena, Giorna, Cal. Ent. 1791, 91.
subrufa Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
subrufus Turbo, J. Adams, Tr. Linn. Soc. [Lond.], V. 1800, 3.
subrugosa *Buprestis*, G. Paykull, Faun. Suec. II. 1799, 218.
subsequella *Tinea*, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 42.
subsequa *Noctua*, [Denis & Schiffermüller], Schmett. Wien, 1775, 79.
subsequa Phalaena *Noctua*, J. Hübner, Beitr. Schmett. I (3) [1788], 32.
subspinosa *Auchenia*, C. P. Thunberg, N. Acta Soc. Sci. Upsal. V. 1792, 116.
subspinosa *Chrysomela* (Fab.), C. de Villers, Linn. Ent. I. 1789, 165.—*Crioceris*.
subspinosa *Crioceris*, J. C. Fabricius, Spec. Ins. I. 1781, 155. [1723.—*Crioceris*.
subspinosus *Cryptocephalus* (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
subspinosus *Lema*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 93.—*Crioceris*, 1781.
subspinosa *Leptura*, J. C. Fabricius, Ent. Syst. I (2) 1792, 347.
subspinosa *Melolontha*, J. C. Fabricius, Syst. Ent. 1775, 39. [Melolontha.
subspinosus *Scarabaeus* (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1566.—
subspiralis *Patella*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3712.
substigmatisata Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2581.
substrialis Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2528.
substriatus *Apate*, G. Paykull, Faun. Suec. III. 1800, 142.
substriatus *Carabus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1987.
substriata *Helix*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3667.

- substriata** Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
- substriatus** Staphylinus, G. Paykull, Mon. Carab. 1790, 137.
- subsultans** Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 993.
- subsultans** Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 304.
- subterranea** Anas, J. A. Scopoli, Annus I. 1769, 67.
- subterraneus** Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 20.—Scarabaeus.
- subterranea** Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 577 [no. 18]. [no. 51].
- subterranea** Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 579 [no. 35]; ed. 12, 1767, 961
- subterraneus** Carabus (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 49.—Scarites.
- subterraneus** Copris (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 55.—Scarabaeus.
- subterraneus** Crabro, J. C. Fabricius, Syst. Ent. 1775, 374. [Essai Fourmis, 1798, 49.
- subterranea** Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 142 [n. n.];
- subterranea** Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 70.
- subterraneum** Opatrum, J. C. Fabricius, Suppl. Ent. Syst. 1798, 41.
- subterraneus** Oxyporus (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 532.—Staphylinus.
- subterranea** Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 51.
- subterraneus** Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 348; ed. 12, 1767, 548.
- subterraneus** Scarites, J. C. Fabricius, Syst. Ent. 1775, 249.
- subterranea** Scolopendra, G. Shaw, Tr. Linn. Soc. [Lond.], II. 1794, 9.
- subterranea** Sphex, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II., 1791, 126.
- subterraneus** Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 422; ed. 12, 1767, 684.
- subterraneus** Tenebrio (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1993.—
Scarites.
- subterranea** Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2761.—
- subtestaceus** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2720. [Crabro.
- subtile** Ellobium, J. F. Bolten, Mus. Bolten. (2) 1798, 105.
- subtilis** Mus, P. S. Pallas, Reise Russ. II. 1773, 705.
- subtomentosa** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2843.
- subtomentosa** Pimelia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 56.
- subtridactyla** Tringa, Linnaeus in Hasselquist, Palast. 1762, 307.
- subtruncata** Trigonella, E. M. da Costa, Brit. Conch. 1778, 198.
- subtusa** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 88. [650.—Noctua.
- subtusa** Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
- subuculus** Echinites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 171.
- subuculus** Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3183.—
- subuculus** Terebella, J. F. Bolten, Mus. Bolten. (1) [1798], 17. [Echinites.
- subula** Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 89.
- subulatum** Acrydium (L.), J. C. Fabricius, Syst. Ent. 1775, 279.—Gryllus.
- subulata** Aedemera, A. G. Olivier, Entom. III. 1795, 15.
- subulata** Anas, S. G. Gmelin, Reise Russ. I (1770) 13.
- subulata** Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 11.
- subulatum** Buccinum, Linnaeus, Syst. Nat., ed. 12, 1767, 1205.
- subulatus** Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 41.
- subulata** Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 119.
- subulata** Empis, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 23.
- subulatum** Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 94.—Buccinum.
- subulatus** Gryllus (Bulla), Linnaeus, Syst. Nat., ed. 10, 1758, 428; ed. 12, 1767, 693.
- subulata** Loligo, Lamarck, Bull. Sci. Soc. Philom. [Paris], no. 17, 1798, 130.
- subulata** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.
- subulata** Planaria, O. Fabricius, F. Groen. 1780, 326.
- subulatus** Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 216.
- subulatus** Strombus (L.), F. C. Meuschen, Mus. Gev. 1787, 294.—Buccinum.
- subulata** Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2665.
- subulatum** Terebra (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 71.—Buccinum.
- subulo** Prionus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 38.
- subumbrata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 110.
- subumbrata** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 233 [n. n.].
- suburbanus** Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [n. n.]. [et f.]

- subventus** Musca, M. Harris, Exp. Eng. Ins. 1776, 145.
subvillosa Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2794.
subvillosa Coccinella, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 183.
subvillosa Lytta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2016.
subvillosus Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1999.
subviridis Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 108.
subviridis Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3280.
succé Anas, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 134.
succedana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
succenturiata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 236
succenturiata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 606. [n. et f.]
succenturiata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 528; ed. 12, 1767,
succinatorium Anadema, F. C. Meuschen, Mus. Gever. 1787, 482. [872.
succincta Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 336.—Strombus.
succinctus Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 215.—Gryllus.
succincta Andrena (L.), J. C. Fabricius, Syst. Ent. 1775, 378.—Apis.
succincta Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 576; ed. 12, 1767, 955.
succinctum Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 45.
succinctus Carabus, A. G. Olivier, Entom. III. 1795, 100.
succinctus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 391; ed. 12, 1767, 627.
succincta Chrysis, Linnaeus, Syst. Nat., ed. 12, 1767, 947.
succinctus Cimex, Linnaeus, Amoen. Acad. VI. 1763, 400.
succinctus Curculio, J. C. Fabricius, Gen. Ins. 1777, 227.
succincta Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 722; ed. 12, 1767, 1177.
succinctus Endomychus (L.), G. Paykull, Faun. Suec. II. 1799, 114.—Silpha.
succinctus Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 398.
succinta Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 62.—Strombus.
succinctus Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 170.—Cimex.
succincta Melolontha (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 181.—
succinctus Murex, Linnaeus, Mant. II. 1771, 551. [Trichius.
succinctus Murex, F. C. Meuschen, Mus. Gever. 1787, 332.
succincta Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2866.
succincta Nerita, F. C. Meuschen, Mus. Gever. 1787, 268.
succinta Nomada, J. A. Scopoli, Annus IV. 1770, 45.
succincta Nomada, G. W. F. Panzer, Ins. Germ. heft 55 [1798], tab. 21.
succincta Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3735.
succincta Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 400.—Cypraea.
succinctus Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 18.
succinctus Scarabaeus (Fab.), C. de Villers, Linn. Ent. IV. 1789, 211.—Trichius.
succincta Silpha, Linnaeus, Syst. Nat., ed. 12, 1767, 573.
[s]uccinctus Strombus, Linnaeus, Syst. Nat., ed. 12, 1767, 1212.
succincta Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 85.
succinctus Trichius (Pall.), J. C. Fabricius, Mant. I. 1787, 25.—Scarabaeus.
succincta Tritoma (L.), C. P. Thunberg, D. Mus. Ac. Upsal. 1787, 39.—Silpha.
succincta Venus, Linnaeus, Mant. II. 1771, 546.
succincta Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 694.
succineus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 308.—Helix.
"succineus" Entomolitus, Linnaeus, Syst. Nat., ed. 12, III. 1768, 161.
succinea Gorgonia, P. S. Pallas, Elench. 1766, 200.
succinea Helix, O. F. Müller, Verm. II. 1774, 97.
succinea Helix, Studer in Coxe, Trav. Switz. III. 1789, 385 [n. n.]
succineus Limax, O. F. Müller, Verm. II. 1774, 7.
succinea Phalaena Noctua, E. J. C. Esper, Die Schmett. IV., Abschn. 2 [post 1796],
succinea Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74. [37.
succineus Psittacus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 6 [n. n.]
succisa Trichoda, O. F. Müller, An. Infus. 1786, 192.
succollator Callidium, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 48.
succollata Vorticella, O. F. Müller, An. Infus. 1786, 287.

- suecica** Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2794.
- suecica** Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1899.
- suecicus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2194.
- suecicus** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1796.
- suecicus** Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1907.
- suecica** Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 35.—Motacilla.
- svecica** Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 187; ed. 12, 1766, 336.
- suecica** Sylvia (L.), J. Latham, Index Orn. 1790, 521.—Motacilla.
- suero** [Phalaena], P. Cramer, Utitl. Kapellen, II (9) 1777, 3.
- suetonius** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 320.
- sufflator** Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 90; ed. 12, 1766, 127.
- suffumata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 316.
- suffumata** Geometra, J. Hülbner, Europ. Schmett. (Geom.) [me judice 1796], fig. 306 [u.
- suffusa** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 80. [et f.].
- suffusa** Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 549.—Noctua.
- sugillatorius** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 561; ed. 12, 1767, 930.
- Suillus** G. Edwards in M. Catesby, Carol. II. 1771, 15.—P.
- Suillus** M. Catesby, Pisc. & c. Imag. 1777, 15.—P.
- suillus** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 402.
- suillus** Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 285; ed. 12, 1766, 476.
- suillus** Mus, J. C. D. Schreber, Säugth. IV. 715 (1782), pl. cciv B (1782).
- suilla** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 343.
- suilla** Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 61.
- suilla** Simia, R. Kerr, Anim. Kingd. 1792, 59.
- suillus** Spalax (Schr.), H. F. Link, Beitr. Nat. I (2) 1795, 76.—Mus.
- suillus** Tapir, J. F. Blumenbach, Hand. Naturg. 1779, 129.
- suis** Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3032.
- suis** Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 611; ed. 12, 1767, 1017.
- suis** Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3074.
- suis** Trichocephalus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 5.
- sujef** Muraenoides, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 324.
- sujefianus** Blennius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 458.
- Sukotyryus** R. Kerr, Anim. Kingd. 1792, 114.—M.
- Sula** M. J. Brisson, Ornith. VI. 1760, 495.—A.
- Sula** B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 16.—A.
- sula** Pelecanus, Linnaeus, Syst. Nat., ed. 12, 1766, 218.
- sulcatella** Cetonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 14.
- sulcatella** Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2608.
- sulcator** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 167.—Scarabaeus.
- sulcator** Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 27.
- sulcator** Acarus, O. F. Müller, Z. Dan. Prod. 1776, 187.
- sulcata** Actinia, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 40.
- sulcata** Anomia, J. X. Poli, Test. Sicil. II. 1795, 187.
- sulcata** Aranea, J. H. Sulzer, Gesch. Ins. 1776, 254.
- sulcata** Ascidia, A. Coquebert, Bull. Sci. Soc. Philom. [Paris], no. 1, 1797, 1.
- sulcatus** Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 163.
- sulcata** Blaps, J. C. Fabricius, Syst. Ent. 1775, 254.
- sulcatum** Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 251.
- sulcatum** Buccinum, F. C. Meuschen, Mus. Gever. 1787, 304.
- sulcatus** Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 300.—Helix.
- sulcata** Buprestis, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 90.
- sulcata** Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 235.
- sulcatum** Callidium, J. C. Fabricius, Syst. Ent. 1775, 189.
- sulcatus** Cancer, P. Forskal, Descr. Anim. 1775, 92.
- sulcata** Cantharis (Fab.), C. de Villers, Linn. Ent. IV. 1789, 324.—Cucujus.
- sulcatus** Carabus, C. de Geer, Mém. Ins. IV. 1774, 104.
- sulcatus** Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 326.

- sulcatus** Carabus, J. C. Fabricius, Ent. Syst. IV. 1794, 443.
sulcatus Carabus, A. G. Olivier, Entom. III. 1795, 24.
sulcata Cardita, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 405.
sulcata Cassis, F. C. Meuschen, Mus. Gever. 1787, 386.
sulcatus Cerambyx, J. H. Sulzer, Gesch. Ins. 1776, 45.
sulcatus Cerambix, A. G. Olivier, Entom. IV. 1795, 28.
sulcatum Cerithium (Born), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 486.—Murex.
sulcata Cetonia, A. G. Olivier, Entom. I. 1789, 36.
sulcata Chama, D. Solander in G. Brander, Foss. Hant. 1766, 40.
sulcatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 43.
sulcata Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 147.
sulcatum Colydidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 495.
sulcatus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 618.
sulcatus Cucuius, J. C. Fabricius, Mant. I. 1787, 165.
sulcatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 155.
sulcatus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 126.
sulcatus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 117.
sulcatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1779.
sulcatum Cylonium (Ol.), J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 31.—Ips.
sulcatus Dasycerus, Al. Brongniart, Bull. Sci. Soc. Philom. [Paris], no. 39, 1800, 115.
sulcatus Dermestes, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 2.
sulcatus Dermestes, P. Rossi, Mant. Ins. II. 1794, 80.
sulcatus Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 67.
sulcatus Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 412; ed. 12, 1767, 666.
sulcatum Echinoderma, J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—= Anomia of p. 187.
sulcatus Elater, J. C. Fabricius, Gen. Ins. 1777, 234.
sulcatus Elater, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 162.
sulcata Geometra, C. C. Jung, Alph. Verz. Schmett. II. 1792, 219.
sulcata Helix, O. F. Müller, Verm. II. 1774, 108.
sulcata Hispa, J. C. Fabricius, Ent. Syst. IV. 1794, 448.
sulcatus Hister, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 172.
sulcatus Hister (Fourc.), A. G. Olivier, Entom. I. 1789, 17.—Scarabaeus.
sulcatus Ichneumon, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 216.
sulcata Ips, A. G. Olivier, Entom. II. 1790, 4.
sulcatus Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
sulcatus Lucanus, J. A. Scopoli, Annus V. 1772, 76.
sulcatus Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 324.
sulcatus Murex, F. C. Meuschen, Mus. Gever. 1787, 332.
sulcatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3549.
sulcatus Mytilus, J. F. Bolten, Mus. Bolten. (2) 1798, 158.
sulcata Nerita, I. v. Born, Index Mus. Caes. Vind. 1778, 416.
sulcata Nitidula, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 247.
sulcatum Opatrum, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 226.
sulcatum Opatrum, C. P. Thunberg, Ins. Suecica (5) 1794, 67.
sulcata Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 83.
sulcata Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 86.
sulcatus Pecten, O. F. Müller, Z. Dan. Prod. 1776, 248.
sulcatus Pectunculus, E. M. da Costa, Brit. Conch. 1778, 192.
sulcata Perna, A. J. Retzius, Diss. Nova Test. Gen. 1788, 22.
sulcata Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2000.—Blaps.
sulcata Pimelia, A. G. Olivier, Entom. III. 1795, 17.
sulcatus Prionus, A. G. Olivier, Entom. IV. 1795, 39.
sulcatus Ptinus, J. C. Fabricius, Spec. Ins. I. 1781, 73.
sulcatus Scarabaeus, O. F. Müller, Z. Dan. Prod. 1776, 54.
sulcatus Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 13.
sulcatus Scarabaeus, D. Drury, Ill. Nat. Hist. I. 1770, index & 76.
sulcatus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 24.
sulcatus Scarites, A. G. Olivier, Entom. III. 1795, 7.

- sulcatus** Scaurus, J. C. Fabricius, Ent. Syst. I (1) 1792, 93.
sulcata S[el]pula, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 254.
sulcata Serpula Lagena, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 634.
sulcatus Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 97.
sulcatus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 168.
sulcatus Staphylinus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 54.
sulcatus Staphylinus, G. Paykull, Mon. Staph. 1789, 32.
sulcatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 98 [n. n.].
sulcata Tellina, D. Solander in G. Brander, Foss. Hant. 1766, 37.
sulcata Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 159.
sulcatus Tenebrio, J. C. Fabricius, Ent. Syst. I (1) 1792, 110.
sulcata Testudo, J. F. Miller, Icon. Anim., pl. 26 (1779).
sulcata Testudo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1045.
sulcatus Throx, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 38.
sulcata Trichoda, O. F. Müller, Zool. Dan. II. 1784, 100.
sulcata Tritoma, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 39.
sulcata Tritoma, C. P. Thunberg, Ins. Suecica (8) 1794, 100.
sulcatus Trochus, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 35.
sulcatus Trochus, F. C. Meuschen, Mus. Gev. 1787, 280.
sulcata Trogosita (Ol.), J. C. Fabricius, Ent. Syst. I (1) 1792, 116.—Ips.
sulcatus Trox, A. G. Olivier, Entom. I. 1789, 11.
sulcatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3592.
sulcata Turbo (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3610.—Helix.
sulcatus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 89 [n. n.].
sulcata Venus, J. Hermann, Naturforscher, XV. 1781, 127.
sulcata Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 181 [n. n.].
sulcata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3436.
sulcata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3455.
sulcicollis Carabus, G. Paykull, Faun. Suec. I. 1798, 153.
sulcicollis Curculio, G. Paykull, Faun. Suec. III. 1800, 217.
sulcicornis Cicada, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 61.
sulcidorsum Involvulus, F. v. P. Schrank, F. Boica, I. 1798, 477.
sulcifrons Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 132.
sulcifrons Curculio, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. VI., 1798, 113.
sulcirostris Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 617.
sulcosum Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 230.
sulcosum Buccinum, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 151.
sulcosa Cassidea, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 422.
sulima [Phalaena], C. Stoll, Aanh. Cramer's Utitl. Kapellen, V. 1790, 175.
sulphurago Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 86.
sulphuralis [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 113.
sulphuralis Phalaena (Pyrallis), Linnaeus, Syst. Nat., ed. 12, 1767, 881.
sulphuralis Pyralis, C. P. Thunberg, Ins. Suecica (1) 1784, 16.
sulphurana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 273.
sulphuraria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 142.
sulphuratus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1717.
sulphuratus Cuculus, H. Lichtenstein, Cat. rerum Nat. I. 1793, 15.
sulphuratus Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 65.
sulphuratus Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 137.
sulphurata Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 305.
sulphurata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 639.
sulphuratus Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2665.
sulphurea-caudata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 49.
sulphurella Alucita, J. C. Fabricius, Syst. Ent. 1775, 670.
sulphurella Phalaena (Tin.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 506.—Alucita.
sulphurella Tinea, J. C. Fabricius, Gen. Ins. 1777, 296.
sulphurella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 64.
sulphurella Tinea (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 79.—Alucita.

- sulphureo-maculata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 47.
 sulphureum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 227.—Gryllus.
 sulphurea Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 292.
 sulphurea Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 230.
 sulphureus Bombylius, J. C. Mikán, Mon. Bomb. 1796, 52.
 sulphurea Bombyx, J. C. Fabricius, Gen. Ins. 1777, 279.
 sulphurea Chlamys (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 164.—Ostrea.
 sulphurea Chrysomela, Linnaeus, Syst. Nat., ed. 10. 1758, 376; ed. 12, 1767, 602.
 sulphurea Cistela (L.), J. C. Fabricius, Syst. Ent. 1775, 117.—Chrysomela.
 sulphurea Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 77.
 sulphureus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1714.—
 sulphurea Ephemera, O. F. Müller, Z. Dan. Prod. 1776, 142. [Chrysomela.
 sulphureus Gryllus, J. C. Fabricius, Spec. Ins. I. 1781, 369.
 sulphureus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2722.
 sulphurea Noctua (L.), [Denis & Schiffermüller], Schmett. Wien, 1775, 93.—Phal. (P.)
 sulphuralis.
 sulphurea Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 85.
 sulphurea Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3328.
 sulphureus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 330.
 sulphurifer Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 62.
 sulpitia [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 37.
 sulpitia [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 77.
 sulpitia Papilio Nym., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2336.
 sulpitia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 245.
 sultana Tubularia, J. F. Blumenbach, Handb. Naturges. I. 1779, 441.
 sultureus Papilio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 158.
 sultzella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 896.
 sulzerella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 301.
 sulzeri Carabus, F. v. P. Schrank, F. Boica, I. 1798, 612.
 sulzeri Cimex, N. J. Brahm, Ins. Kal. I (2) 1791, 223.
 sulzeri Scarabaeus, J. C. Fuessly, Schweitz. Ins. 1775, 3.
 sulzeriana Phalaena, J. A. Scopoli, Del. Insub. II. 1786, 55.
 sumatranus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1712.
 sumatraensis Antilope, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 98.
 sumatrensis Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 655.
 sumatrensis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1712.
 sumatrensis Perca, M. Park, Tr. Linn. Soc. [Lond.], III. 1797, 36.
 summana Perca, P. Forskal, Descr. Anim. 1775, 42.
 summana, v. fusco-guttata Perca, P. Forskal, Descr. Anim. 1775, 42.
 summus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 45.
 sumptuosa Chrysomela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 88.
 sumptuosus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 525.
 sunamisica Sylvia (Habl.), J. Latham, Index Orn. 1790, 552.—Motacilla samamisica.
 sungorus Mus, P. S. Pallas, Reise Russ. II. 1773, 703.
 sungora Mutilla, P. S. Pallas, Reise Russ. II. 1773, 730.
 superbiens Volucella, O. F. Müller, Z. Dan. Prod. 1776, 178.
 superbus Apis, M. Harris, Exp. Eng. Ins. 1776, 164.
 superba Cassida, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1644.
 superba Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162 [n. n.].
 superba Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 705.
 superbus Cimex, J. A. Pollich, Bemerk. Kuhrpfälz. phys.-oek. Ges. 1779 (1781), 268.
 superbus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2200.
 superbus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 350.
 superbus Ichneumon, J. L. Christ, Nat. Ins. 1791, 357.
 superbus Manacus, P. S. Pallas, Spic. Zool. VI. 1769, 8.
 superbus Merops, G. Shaw, Nat. Misc. III. 1791, pl. 78.
 superba Motacilla, G. Shaw, Nat. Misc. I. 1789, pl. 10.
 superbus Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VI. 1793, 14.

- superba** Paradisea, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
- superba** Paradisaea, J. A. Scopoli, Del. Insub. II. 1786, 88.
- superba** Paradisea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 402.
- superbus** Phasianus, Linnaeus, Mant. II. 1771, 526.
- superba** Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 999.
- superbus** Scarabaeus, C. de Villers, Linn. Ent. I. 1789, 36.
- superbus** Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 142.
- superba** U pupa, J. Latham, Index Orn. 1790, 279.
- superbus** Vespa, M. Harris, Exp. Eng. Ins. 1776, 129.
- superbum** Vexillum, J. F. Bolten, Mus. Bolten. (2) 1798, 139.
- superciliosa** Alcedo, Linnaeus, Syst. Nat., ed. 12, 1766, 179.
- superciliosa** Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 537.
- superciliosus** Blennius, Linnaeus, Syst. Nat., ed. 10, 1758, 257; ed. 12, 1766, 442.
- superciliosus** Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 629; ed. 12, 1767, 1047.
- superciliosus** Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 728.
- superciliosus** Cimex, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. VI., 1798, 116.
- superciliosus** Falco, Linnaeus, Syst. Nat., ed. 12, 1766, 128.
- superciliosa** Iguana (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 16.—*Lacerta*.
- superciliosa** Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 200; ed. 12, 1766, 360.
- superciliosa** Loxia, F. M. Daudin, Traité élém. Orn. 1800, 415.
- superciliosus** Merops, Linnaeus, Syst. Nat., ed. 12, 1766, 183.
- superciliosa** Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 975.
- superciliosa** Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 944.
- superciliosa** Sylvia (Gm.), J. Latham, Index Orn. 1790, 526.—*Motacilla*.
- superciliosus** Todus, J. P. Bonnatere, Ency. Méth. (Orn.) 1791, 271.
- superciliosus** Trochilus, Linnaeus, Syst. Nat., ed. 12, 1766, 189.
- superficialis** Ostrea, P. Forskal, Descr. Anim. 1775, 123.
- superstitiosus** Cimex, J. C. Fabricius, Syst. Ent. 1775, 719.
- superstitiosus** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 153.—*Cimex*.
- superstitiosa** Mantis, J. C. Fabricius, Spec. Ins. I. 1781, 348.
- supposita** Cassida, Linnaeus, Syst. Nat., ed. 12, 1767, 578.
- suratensis** Chaetodon, M. E. Bloch, Nat. ausl. Fische. IV. 1790, 3.
- suratensis** Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 778.
- suratensis** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 669.
- suratensis** Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 814.
- suratus** Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 362.
- surcitor** Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 763.
- surculosus** Spondylus, F. C. Meuschen, Mus. Gever. 1787, 432.
- surculosa** Spongia, E. J. C. Esper, Pflanzenth., Forts. I (8) 1797, 194.
- suricatta** Viverra, *see* J. C. D. Schreber, Säugth. III., pl. xcvi (1776).
- suricatta** Viverra [?Schr.], J. C. P. Erxleben, Syst. Anim. 1777, 488.
- surinamensis** Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 448.
- surinamensis** Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 116.—*Chrysomela*.
- surinamensis** Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 575 [no. 6].
- surinamensis** Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 579 [no. 36]; ed. 12, 1767, 961
- surinamensis** Ascalaphus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 207. [no. 52].
- surinamensis** Attelabus, Linnaeus, Syst. Nat., ed. 10, 1758, 387; ed. 12, 1767, 619.
- surinamensis** Blatta, Linnaeus, Syst. Nat., ed. 10, 1758, 424; ed. 12, 1767, 687.
- surinamensis** Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 156.
- surinamensis** Cavia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 697.
- surinamensis** Certhia, J. Latham, Index Orn. 1790, 295.
- surinamensis** Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 373; ed. 12, 1767, 595.
- surinomensis** (*sic*) Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 96.
- surinamensis** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2134.
- surinamensis** Coccinella, Linnaeus, Amoen. Acad. VI. 1763, 393.
- surinamensis** Colliuris (L.), C. de Geer, Mém. Ins. IV. 1774, 80.—*Attelabus*.
- surinamensis** Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 787.
- surinamensis** Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 375.

- surinamensis** Curculio, Linnaeus, Amoen. Acad. VI. 1763, 395.
surinamensis Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 357; ed. 12, 1767, 565.
surinamensis Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 887.
surinamensis Erotylus (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 435.—Coccinella.
surinamensis Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 34.—Chrysomela.
surinamensis Gryllus, C. de Geer, Mém. Ins. III. 1773, 519.
surinamensis Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 51.
surinamensis Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 98.
surinamensis Lampyris, C. de Geer, Mém. Ins. IV. 1774, 48.
surinamensis Lanius, F. v. P. Schrank, Abh. Privatges. Nat. Oberdeutschl. I. 1792, 95.
surinamensis Lutjanus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 3.
surinamensis Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 71.
surinamensis Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 464.
surinamensis Moschus, E. A. W. Zimmermann, Spec. Zool. 1777, 530.
surinamensis Musca, C. de Geer, Mém. Ins. VI. 1776, 145.
surinamensis Nepa, C. de Geer, Mém. Ins. III. 1773, 379.
surinamensis Nomada, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 62.
surinamensis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3716.
surinamensis Plotus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 581.
surinamensis Seps, J. N. Laurenti, Syn. Rept. 1768, 59.
surinamensis Silpha, J. C. Fabricius, Syst. Ent. 1775, 72.
surinamensis Sitta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 442.
surinamensis Sorex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 114.
surinamensis Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 112.
surinamensis Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 604.
surinamensis Tenebrio (L.), C. de Geer, Mém. Ins. V. 1775, 54.—Dermestes.
surinamensis Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 121.
surinamum Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 224.—Gryllus.
surinama Aeshna, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 189.
surinamus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 632.
surinama Cetonia (L.), A. G. Olivier, Entom. I. 1789, 79.—Scarabaeus.
surinama Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 317.
surinamus Gryllus, Linnaeus, Mus. Lud. Ulr. 1764, 146.
surinama Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 325.
surinamus Scarabaeus, Linnaeus, Amoen. Acad. VI. 1763, 391.
surinamus Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 297.
surinama Vespa, Linnaeus, Syst. Nat., ed. 12, 1767, 952.
suripes Apis, J. L. Christ, Nat. Ins. 1791, 163.
surmuletus Mullus, Linnaeus, Syst. Nat., ed. 10, 1758, 300; ed. 12, 1766, 496.
surratus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 362.
Sus Linnaeus, Syst. Nat., ed. 10, 1758, 49; ed. 12, 1766, 102.—M.
sus Aphodius (Herbst), Illiger in Kugelann, Käfer Preuss. 1798, 27.—Scarabaeus.
sus Copris (Herbst), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 150.—Scarabaeus.
sus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 278.
sus Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 9.
susanna Papilio, J. C. Fabricius, Mant. II. 1787, 16.
suscitator Coturnix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 222.
suscitator Perdix (Gm.), J. Latham, Index Orn. 1790, 654.—Tetrao.
suscitator Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 763.
suslica Arctomys (Gueld.), R. Kerr, Anim. Kingd. 1792, 252.—Mus.
suslica Mus, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIV (1) 1770, 389.
suspensus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 32.
suspensa Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 43.
suspicator Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 194.
suspiciosus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 265.
suspirans Papilio (Nymphalis), N. Poda, Ins. Mus. Graec. 1761, 70.
sutor Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 392; ed. 12, 1767, 628.
sutor Ichneumon, J. L. Christ, Nat. Ins. 1791, 347.

- sutor *Lamia* (L.), J. C. Fabricius, Syst. Ent. 1775, 172.—*Cerambyx*.
- sutoria *Motacilla*, T. Pennant, Ind. Zool. [1769], 7.
- sutoria *Sylvia* (Gm.), J. Latham, Index Orn. 1790, 551.—*Motacilla*.
- suttneriana *Tortrix*, [Denis & Schiffermüller], Schmett. Wien, 1775, 127.
- suturalis *Bruchus*, J. C. Fabricius, Ent. Syst. I (2) 1792, 372.
- suturalis *Buprestis*, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 94.
- suturalis *Buprestis*, A. G. Olivier, Entom. II. 1790, 70.
- suturale *Callidium*, A. G. Olivier, Entom. IV. 1795, 62.
- suturalis *Carabus*, J. C. Fabricius, Syst. Ent. 1775, 239.
- suturalis *Cassida*, J. C. Fabricius, Gen. Ins. 1777, 219.
- suturalis *Cerambyx*, J. C. Fabricius, Spec. Ins. I. 1781, 212.
- suturalis *Cetonia*, J. C. Fabricius, Syst. Ent. 1775, 48.
- suturalis *Chrysomela*, J. C. Fabricius, Syst. Ent. 1775, 95.
- suturalis *Cicada*, J. C. Fabricius, Ent. Syst. IV. 1794, 34.
- suturalis *Cicindela*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 62.
- suturalis *Cimex*, J. C. Fabricius, Syst. Ent. 1775, 721.
- suturalis *Coccinella*, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 50.
- suturalis *Coccinella*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 78.
- suturalis *Crioceris*, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 203.
- suturalis *Cryptocephalus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1713.
- suturalis *Curculio*, J. C. Fabricius, Syst. Ent. 1775, 133.
- suturalis *Curculio*, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 84.
- suturalis *Curculio*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1742.
- suturalis *Dryops*, G. W. F. Panzer, Ins. Germ. heft 45 [1797], tab. 12.
- suturalis *Elater*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1918.
- suturalis *Elater*, A. G. Olivier, Entom. II. 1790, 18.
- suturalis *Elater*, G. W. F. Panzer, Deutsch. Ins. [1795], 239.
- suturalis *Galeruca*, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 591.
- suturalis *Hypophlaeus*, G. Paykull, Faun. Suec. III. 1800, 323.
- suturalis *Leptura*, J. C. Fabricius, Mant. I. 1787, 159.
- suturalis *Lucanus*, A. G. Olivier, Entom. I. 1789, 16.
- suturalis *Lygaeus*, J. C. Fabricius, Ent. Syst. IV. 1794, 159.—*Cimex*, 1775.
- suturalis *Melolontha*, J. C. Fabricius, Syst. Ent. 1775, 34.
- suturalis *Necydalis*, C. de Villers, Linn. Ent. I. 1789, 282.
- suturalis *Omalisus*, A. G. Olivier, Entom. II. 1790, 4.
- suturalis *Oxyporus*, G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 20.
- suturalis *Saperda*, J. C. Fabricius, Mant. I. 1787, 149.
- suturalis *Scarabaeus*, K. E. v. Moll in Schrank and Moll, Nat. Briefe Oesterreich, I. [1785], 162.
- suturalis *Scarabaeus*, J. C. Fabricius, Ent. Syst. I (1) 1792, 28.
- suturalis *Scymnus*, C. P. Thunberg, Ins. Suecica (9) 1795, 106.
- suturalis *Stenocorus*, A. G. Olivier, Entom. IV. 1795, 29.
- sutura-nigra *Leptura*, C. de Geer, Mém. Ins. V. 1775, 138.
- suturatus *Buprestis*, A. F. de Fourcroy, Ent. Paris. 1785, 49.
- suturatus *Cerambyx*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1824.
- suturata *Chrysomela*, A. F. de Fourcroy, Ent. Paris. 1785, 111.
- suturatus *Curculio*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1803.
- suturatus *Dermestes*, A. F. de Fourcroy, Ent. Paris. 1785, 23.
- "suturatus *Helmintholithus*," Linnaeus, Syst. Nat., ed. 12, III. 1768, 167.
- suturatus *Scarabaeus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1570.
- suum *Ascaris*, J. A. E. Goeze, Eingeweidewürm. 1782, 71.
- svarbag *Uria*, M. T. Brännich, Orn. Boreal. 1764, 27.
- svittata *Cistela*, *err. pro* quinquevittata, J. C. Fabricius, Ent. Syst. I (2) 1792, 47.
- swaloo *Actinia*, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 141.
- swammerdammella *Alucita* (L.), J. C. Fabricius, Syst. Ent. 1775, 669.—*Phalaena*.
- swammerdamella *Phalaena* (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 540; ed. 12, [1767, 895.
- swammerdamii *Aranea*, Scopoli, Ent. Carn. 1763, 393.
- swederiana [*Phalaena*], C. Stoll, Aanhang. Cramer's Utl. Kapellen, II. 1790, 75.
- sybaris *Anobium*, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 490.

- sybaris** [Phalaena], P. Cramer, Uitl. Kapellen, I (6) 1775, 112.
sybilla *Sylvia* (L.), J. Latham, Index Orn. 1790, 523.—*Motacilla sibililla*.
sycomori *Cynips*, Linnaeus, Syst. Nat., ed. 10, 1758, 554; ed. 12, 1767, 919.
sycophanta *Buprestis*, A. F. de Fourcroy, Ent. Paris. 1785, 42.
sycophanta *Carabus*, Linnaeus, Syst. Nat., ed. 10, 1758, 414; ed. 12, 1767, 670.
sycophanta *Cerambyx*, F. v. P. Schrank, Ins. Aust. 1781, 137.
sycophanta *Rhagium*, F. v. P. Schrank, F. Boica, I. 1798, 662.—*Cerambyx*, 1781.
Sycotypus P. Browne, Hist. Jamaica, ed. 2, 1789, 406.—G.
syerata *Phalaena*, *id. ac suero*, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 261.
Sygnatus, *v. Syngnathus* J. A. Donndorff, Zool. Beyt. III. 1798, 787.
Sygratus H. F. Linck [*err. pro Syngnathus*], Mag. Neuste Phys. u. Nat. VI (3) 1790,
sylla [Phalaena], P. Cramer, Uitl. Kapellen, III (20) 1779, 79. [36.]
syllius *Papilio*, Herbst in Jablonsky, Nat. Ins. (Schmett.) VIII. 1796, 15.
sylphoides *v. silphoides*.
sylvanus *Anthrax*, J. C. Fabricius, Ent. Syst. IV. 1794, 261.—*Bibio*, 1775.
sylvanus *Bibio*, J. C. Fabricius, Syst. Ent. 1775, 758.
sylvanus *Geotrupes*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 16.—*Scarabaeus*, 1775.
sylvanus *Hesperia* (Esp.), J. C. Fabricius, Ent. Syst. III (1) 1793, 326.—*Papilio*.
sylvanus *Musca* (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2832.—*Bibio*.
sylvanus [*Papilio*], D. Drury, Ill. Nat. Hist. II. 1773, index & 5.
sylvanus *Papilio*, P. U., E. J. C. Esper, Die Schmett. I (9) 1779, 343.
silvana [*Papilio*], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 143.
sylvana *Pyralis*, J. C. Fabricius, Ent. Syst. III (2) 1794, 244.
sylvanus *Scarabaeus*, J. C. Fabricius, Syst. Ent. 1775, 11.
sylvanus *Simia*, Linnaeus, Syst. Nat., ed. 10, 1758, 25; ed. 12, 1766, 34.
silvanus *Simia*, *id. ac sylvanus*, Linn., J. C. D. Schreber, Säugth. I (1774), 68.
sylvarum *Apis*, Linnaeus, Faun. Suec., ed. 2, 1761, 425.
sylvarum *Apis*, F. v. P. Schrank, Ins. Aust. 1781, 400.
silvarum *Cimex*, P. Rossi, Fauna Etrus. II. 1790, 251.
sylvarum *Musca*, Linnaeus, Syst. Nat., ed. 10, 1758, 592; ed. 12, 1767, 985.
sylvarum *Oniscus*, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 24.
sylvarum *Syrphus* (L.), J. C. Fabricius, Syst. Ent. 1775, 767.—*Musca*.
sylvarum *Tenthredo*, J. C. Fabricius, Ent. Syst. II. 1793, 105.
sylvarum *Termes*, Scopoli, Ent. Carn. 1763, 381.
sylvarum *Ypsolophus*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 507.—*Alucita sylvella*.
sylvaticus *Acarus*, C. de Geer, Mém. Ins. VII. 1778, 162.
sylvatica *Antilope*, A. Sparrman, K. Vet. Ac. Nya Handl. I. 1780, 197.
sylvaticus *Cervus*, R. Kerr, Anim. Kingd. 1792, 303.
sylvatica *Cicindela*, Linnaeus, Syst. Nat., ed. 10, 1758, 407; ed. 12, 1767, 658.
sylvatica *Cimbex*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 772.
sylvaticus *Cimex*, J. C. Fabricius, Syst. Ent. 1775, 722.
sylvatica *Formica*, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 491.
sylvatica *Fringilla*, Linnaeus, Syst. Nat., ed. 10, 1758, 180.
sylvatica *Fringilla*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 926.
sylvaticus *Lygaeus*, J. C. Fabricius, Ent. Syst. IV. 1794, 163.—*Cimex*, 1775.
sylvaticus *Mus*, Linnaeus, Syst. Nat., ed. 10, 1758, 62; ed. 12, 1766, 84.
sylvaticus *Mus*, R. Kerr, Anim. Kingd. 1792, 230; *var. albus*.
sylvaticus *Mus*, J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, II. 1800, 715; *varr.*
varius, *niger*, *leucocephalus*, *americanus*.
sylvatica *Podura*, O. F. Müller, Z. Dan. Prod. 1776, 184.
sylvaticus *Salmo*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1367.
sylvaticus *Scarabaeus*, G. W. F. Panzer, Deutsch. Ins. [1795], 8.
sylvatica *Simia*, J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, I. 1799, 187.
sylvatica *Sylvia*, M. Houttuyn in Nozeman & Houttuyn, Ned. Vogel. I (177—), 87.
sylvatica *Tenthredo*, Linnaeus, Syst. Nat., ed. 10, 1758, 558; ed. 12, 1767, 926.
sylvaticus *Tetrao*, R. L. Desfontaines, Mém. Ac. Roy. Sci. [Paris], 1787 (1789), 500.
sylvata *Geometra*, [Denis & Schiffermüller], Schmett. Wien. 1775, 109.
sylvata *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796], fig. 231 [*n. et f.*].

- sylvata** Phalaena, Scopoli, Ent. Carn. 1763, 220.
- sylvella** Alucita (L.), J. C. Fabricius, Syst. Ent. 1775, 667.—Phalaena.
- sylvella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 893.
- sylvester** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 41.
- sylvestraria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796], fig. 94 [*n.*].
- sylvestrata** Phalaena Geometra, J. Hübner, Beitr. Schmett. I (1) 1786, 27. [*et f.*].
- sylvestris** Acanthia (L.), J. C. Fabricius, Mant. II. 1787, 279.—Cimex.
- sylvestris** Acheta, L. Bosc, Actes Soc. H. N. Paris, I (1) 1792, 44.
- sylvestris** Blatta, N. Poda, Ins. Mus. Graec. 1761, 50.
- sylvestris** Carabus, Hellwig in G. W. F. Panzer, Ins. Germ. heft 5, 1793, tab. 3.
- sylvestris** Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 449; ed. 12, 1767, 731.
- sylvestris** Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 368.
- sylvestris** Equus, J. P. Falk, Reise Russ. (5) 1786, 290.—[*var.* of caballus.]
- sylvestris** Gallina, P. Forskal, Descr. Anim. 1775, 8.
- sylvestris** Geometra, C. C. Jung, Alph. Verz. Schmett. II. 1792, 221.
- sylvestris** Helix, Studer in Coxe, Trav. Switz. III. 1789, 387 [*n. n.*].
- sylvestris** Limax, J. A. Scopoli, Annus V. 1772, 127.
- sylvestris** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 166.—Cimex, 1781.
- sylvestris** Nematelus, O. F. Müller, Z. Dan. Prod. 1776, 179.
- sylvestris** Oniscus, J. C. Fabricius, Ent. Syst. II. 1793, 397.
- sylvestris** Papilio (Plebeius), N. Poda, Ins. Mus. Graec. 1761, 79.
- sylvestris** Passer, J. C. Schaeffer, Mus. Orn. 1789, 25.
- silvestris** Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74.
- sylvestris** Scarabaeus, Scopoli, Ent. Carn. 1763, 5.
- sylvestris** Simia, H. F. Link, Beytr. Nat. I (2) 1795, 61.
- sylvestris** Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 88.
- sylvestris** Strix, J. A. Scopoli, Annus I. 1769, 21.
- sylvestris** Tetrao, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- sylvestris** Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 252.
- sylvestris** Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 87.
- sylvestris** Vespa, Scopoli, Ent. Carn., 1763, 309.
- Sylvia** J. A. Scopoli, Annus I. 1769, 154.—A.
- Sylvia** J. Latham, Syn. Birds, Suppl. I. 1787, 287.—A.
- Sylvia** B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 8.—A.
- sylviana** [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 174.
- Sylvicola** M. Harris, Exp. Eng. Ins. 1776, 100.—Dip.
- Sylvicola** [G. Humphreys], Mus. Calonn. 1797, 60.—G.
- sylvicola** Melolontha, J. C. Fabricius, Syst. Ent. 1775, 39.
- sylvicola** Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1565.—Melolontha.
- sylvicola** Simia, G. Shaw, Mus. Lever. I. 1793, 201.
- sylvicola** Simia (Papio), R. Kerr, Anim. Kingd. 1792, 61.
- sylvicola** Sylvia, G. Montagu, Tr. Linn. Soc. [Lond.] IV. 1798, 35.
- sylviella** Sylvia, J. Latham, Syn. Birds, Suppl. I. 1787, 288.
- sylvinus** Hepialus (L.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 75.—Phalaena.
- sylvina** Noctua (L.), E. J. C. Esper, Die Schmett. IV (30) 1786, 32.—Phalaena.
- sylvina** Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 306.
- silvius** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 342.
- sylvia** Libellula, A. F. de Fourcroy, Ent. Paris. 1785, 346.
- sylvia** Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 185; ed. 12, 1766, 330.
- sylvia** [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 68.
- sylvia** Papilio, J. C. Fabricius, Syst. Ent. 1775, 470.
- silvius** Papilio, A. W. Knoch, Beitr. Insektenges. I. 1781, 71.
- siluius** Papilio, J. C. Fabricius, Mant. II. 1787, 88.
- sylvia** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 188.
- sylvius** Papilio (Plebeius), N. Poda, Ins. Mus. Graec. 1761, 77.
- silvius** Papilio, Pl. Urb., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. 1782, [Sphinx], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, II. 1790, 65. [140.

- symbolica** Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
Symethis F. Weber, Nomen. Fabricii, 1795, 92.—Cr.
Symethis J. C. Fabricius, Suppl. Ent. Syst. 1798, 331.—Cr.
symethus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 280.—Papilio.
symethus [Papilio], P. Cramer, Utitl. Kapellen, II (13) 1777, 84.
symmetricus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 118.
symetrica Patella, G. S. Helbling, Abh. Privates. Böhm. IV. 1779, 111.
symnistra Albunea (Fab.), F. Weber, Nomen. Fabricii, 1795, 94.—Hippa.
symmystra (*sic*) Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 630; ed. 12, 1767, 1053 [symm-].
symnistra Hippa (L.), J. C. Fabricius, Mant. I. 1787, 329.—Cancer.
Synagris (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 586.—P.
synagris Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 280; ed. 12, 1766, 470.
Synbranchus M. E. Bloch, Nat. ausl. Fische, IX. 1795, 86.—P.
Synbranchus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [*n. n.*].—P.
syncaster Trichoda, *v.* **lyncaster**, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3889.
syncellus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 86.
Synchita J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 401.—Col.
syngenesiae Buprestis, Scopoli, Ent. Carn. 1763, 63.
syngenesiae Curculio, Scopoli, Ent. Carn. 1763, 27.
syngenesiae Musca, J. C. Fabricius, Spec. Ins. II. 1781, 454.
Syngnathus Linnaeus, Syst. Nat., ed. 10, 1758, 336; ed. 12, 1766, 416; [Artedi, Ichth.
Synodendron J. C. Fabricius, Ent. Syst. I (2) 1792, 358.—Col. [1738, gen. i, p. 1.]—P.
Synodus L. T. Gronovius, Zooph. I. 1763, 112.—P.
synodus Esox, Linnaeus, Syst. Nat., ed. 10, 1758, 313; ed. 12, 1766, 516.
synodus Synodus, F. C. Meuschen, Mus. Gronov. 1778, 35.
Synodicum C. J. Phipps, Voy. N. Pole, 1774, 199.—Coel.
synoicum Alcyonium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3816.
syphax Anthrax, J. C. Fabricius, Suppl. Ent. Syst. 1798, 554.
syphax Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 15.—Scarabaeus, 1775.
syphax Papilio, J. C. Fabricius, Syst. Ent. 1775, 480.
syphax Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 9.
sypho *v.* **sipho**.
syphilus [Sphinx], P. Cramer, Utitl. Kapellen, II (9) 1777, 4.
syphilus Zygaena (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 164.—Sphinx.
syracusanus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 755; ed. 12, 1767, 1224.
syracusana Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3456.
syrene Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 286.
syriaca Buprestis, A. G. Olivier, Entom. II. 1790, 87.
syriaca Cantharis (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 278.—Meloe.
syriaca Cavia (Gm.), J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 414.—
syriacus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 41. [Hyrax.
syriacus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 404; ed. 12, 1767, 653.
syriaca Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 927.
syriacus Hyrax, J. C. D. Schreber, Säugth. IV. 923 (1792), pl. ccxlv (1784).
syriacus Meloe, Linnaeus, Syst. Nat., ed. 10, 1758, 419; ed. 12, 1767, 680.
syriacus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 351; ed. 12, 1767, 553.
syrichta Cebus (L.), H. F. Link, Beytr. Nat. I (2) 1795, 63.—Simia.
syrichtus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 19.—Scarabaeus, 1775.
syrichtus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 349.
syrichtus Papilio, J. C. Fabricius, Syst. Ent. 1775, 534.
syrichtus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 13.
syrichta Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 29; ed. 12, 1766, 44.
syrichtus Simia (Sapajus) L., R. Kerr, Anim. Kingd. 1792, 79.
syringa [Phalaena], P. Cramer, Utitl. Kapellen, I (1) 1775, 8.
syringa Sertularia, Linnaeus, Syst. Nat., ed. 12, 1767, 1311. [*et f.*].
syringaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 29 [*n.*
syringaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 520; ed. 12, 1767,
syringella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 328. [860.

- Syrinx** J. B. Bohadsch, Anim. Marin. 1761, 93.—? Ascid.
Syrinx J. F. Bolten, Mus. Bolten. (2) 1798, 121.—G.
syrinx Papilio, M. B. Borkhausen, Nat. eur. Schmet. I. 1788, 37.
syrmatophorus Gobius, F. C. Meuschen, Mus. Gronov. 1778, 30.
syrmatophora Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3222.
syrphiformis Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me giudice 1796], 22.
Syrphus J. C. Fabricius, Syst. Ent. 1775, 762.—Dip.
sysiphus [Papilio], P. Cramer, Uitl. Kapellen, II (14) 1777, 96.
systema Rana, J. G. Schneider, Hist. Amph. I. 1799, 144.
- t-littera** Chrysomela, *err. pro s-littera*, L., J. C. Fabricius, Mant. I. 1787, 78.
tabacaria Fistularia, Linnaeus, Syst. Nat., ed. 10, 1758, 312; ed. 12, 1766, 515.
tabacaria Solenostomus, F. C. Meuschen, Mus. Gronov. 1778, 36.
tabaccaria Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 121.
tabacicolor Leptura, C. de Geer, Mém. Ins. V. 1775, 139.
tabacina Certhia, J. Latham, Index Orn. 1790, 289.
tabak Chaetodon, J. J. Walbaum, Artdi, Ichth. (3) ed. 2, 1792, 421.
tabaniformis (griseus et rufus) Bombylius, C. de Geer, Mém. Ins. VI. 1776, 270.
tabaniformis Sphinx, S. A. v. Rottemberg, Naturforscher. VII. 1775, 110.
tabanoides Anthrax, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 215.
Tabanus Linnaeus, Syst. Nat., ed. 10, 1758, 601; ed. 12, 1767, 999.—Dip.
tabellaria Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 163; ed. 12, 1766, 281.
tabernacularia Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
tabida Altica, J. C. Fabricius, Syst. Ent. 1775, 115.
tabidus Carabus, J. C. Fabricius, Syst. Ent. 1775, 237.
tabidus Carabus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 70.
tabida Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 136.—Altica, 1775.
tabidus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 534.
tabida Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 33.—Chrysomela, 1781.
tabidus Sirex, J. C. Fabricius, Syst. Ent. 1775, 326.
tabida Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 468.
tabitha Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 243.
tabuanus Psittacus, G. Shaw, Mus. Lever. II. 1796, 29.—tabuensis, Gmelin.
tabuensis Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 306.
tabuensis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 317.
tabuensis Psittacus, R. Kerr, Anim. Kingd. 1792, 565; *var. coccineus*.
tabuensis Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 717.
tacaud Gadus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 366.
tachardus Falco, F. M. Daudin, Traité élém. Orn. 1800, 164.
tachiro Falco, F. M. Daudin, Traité élém. Orn. 1800, 90.
taciturna Volucella, O. F. Müller, Z. Dan. Prod. 1776, 179.
tacitus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 308.
tadorna Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 122; ed. 12, 1766, 195.
taedatus Carabus, J. C. Fabricius, Mant. I. 1787, 196.
taedella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 366.—[tedella, Clerck.]
[Taenia P. Artdi, Ichth. 1738, gen. p. 82.—P.]
Taenia Linnaeus, Syst. Nat., ed. 10, 1758, 819; ed. 12, 1767, 1323.—Ver.
taenia Barbatula (L.), H. F. Linck, Mag. Neuste Phys. u. Nat. VI(3) 1790, 38.—Cobitis.
taenia Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3493.
taenia Cepola, Linnaeus, Syst. Nat., ed. 12, 1766, 445.
taenia Cobitis, Linnaeus, Syst. Nat., ed. 10, 1758, 303; ed. 12, 1766, 499.
taenia Trochus, F. C. Meuschen, Mus. Gever. 1787, 282.
taenia Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 201.
taeniaeformis Hydatigena, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 100.
taeniaeformis Vesicaria, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 30.
taenialis Millepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 133.
taeniatus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 28.

- taeniata** Buprestis, J. C. Fabricius, Mant. I. 1787, 180.
taeniatus Carabus, G. Paykull, Mon. Curc. 1792, 148.
taeniatus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1863.
taeniatus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 628.
taeniata Coronella, J. N. Laurenti, Syn. Rept. 1768, 86.
taeniatus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 181.
taeniatus Dytiscus, P. Rossi, Mant. Ins. I. 1792, 69.
taeniatus Elater, G. W. F. Panzer, Deutsch. Ins. [1795], 236.
taeniata Musca, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 18.
taeniata Salamandra, J. G. Schneider, Hist. Amph. I. 1799, 58.
Taenioides B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 532.—P.
taeniola Leptocephalus, F. C. Meuschen, Mus. Gronov. 1778, 40.
taeniolata Lacerta, G. Shaw in White, Journ. N. S. W. 1790, 245.
taeniolata Phalaena (Geom.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2493.
tages Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 168.
tages Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 354.—Papilio.
tages Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 485; ed. 12, 1767, 795.
tages [Phalaena], P. Cramer, Uitl. Kapellen, II (9) 1777, 2.
tages Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 143.
taguan Petaurista, H. F. Link, Beytr. Nat. I (2) 1795, 78.
tahitense Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3498.
tahitica Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1016.
tahitiensis Coccinella, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 67.
tahitiensis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1729.
tahitiensis Musca, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 215.
tahitiensis Numenius (Gm.), J. Latham, Index Orn. 1790, 711.—Scolopax.
tahitiensis Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 717.
tahitiensis Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 656.
tahitiensis Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 201.
tahitius Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 412.
tahmel Sciaena, P. Forskal, Descr. Anim. 1775, 53.
taioa Gobiomorus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 583.
taimen Salmo, P. S. Pallas, Reise Russ. II. 1773, 716.
taitensis Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 84 [*n. n.*].
taitensis Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 713.
taitensis Cuculus, A. Sparrman, Mus. Carls. II. 1787, no. xxxii.
taitensis Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 102 [*n. n.*].
taitensis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 7.
taitianus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 329.
taiticus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 86.
tajacu Sus, Linnaeus, Syst. Nat., ed. 10, 1758, 50; ed. 12, 1766, 103.
tajassu Sus, *id. ac* tajacu, Linn., J. C. P. Erxleben, Syst. Anim. 1777, 185.
tajara Raja, P. Forskal, Descr. Anim. 1775, p. ix.
tajassu *v.* **tajacu**.
talao Tanagra, G. Cuvier, Tabl. Elém. 1798, 205.
talapoin Cercopithecus (Schr.), J. C. P. Erxleben, Syst. Anim. 1777, 36.—Simia.
talapoin Simia, J. C. D. Schreber, Säugth. I. 101 (1774), pl. xvii (1774).
talapoin Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 71; & *var.* **niger**.
talaris Mytilus, F. C. Meuschen, Mus. Gever. 1787, 466.
talaria Purpura, F. C. Meuschen, Mus. Gever. 1787, 314.
talau Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 349.—Papilio.
talau Papilio, Linnaeus, Amoen. Acad. VI. 1763, 407.
t-album Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 379; ed. 12, 1767, 609.
taeolus Spondylus, F. C. Meuschen, Mus. Gever. 1787, 436.
tales [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 62.
talgoi Myrmecophaga, T. Pennant in Forster, Ind. Zool. 1781, 39 [*n. n.*].
talicuna Cancer, G. I. Molina, Sag. stor. nat. Chili, 1782, 206.
Talpa Linnaeus, Syst. Nat., ed. 10, 1758, 52; ed. 12, 1766, 73.—M.

- talpa** Balistes, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 467.
talpa Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 720; ed. 12, 1767, 1174.
talpa Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 22.—Scarabaeus, 1792.
talpa Gryllus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 633.
talpa Madrepora, F. C. Meuschen, Mus. Gever. 1787, 496.
talpa Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 400.—Cypraea.
talpa Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 32.
talpa Scarabaeus, G. W. F. Panzer, Beitr. Ges. Ins. I. 1793, pl. vi [*n. et f.*].
talpae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3032.
talpae Ascaris, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 121.
talpae Cucullanus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 14.
talpinus Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 40.—Mus.
talpinus Mus, P. S. Pallas, Nov. Comm. Sci. Petrop. XIV (1) 1770, 568.
talpina Mus (Myotalpa), R. Kerr, Anim. Kingd. 1792, 246; var. nigra.
talpinus Sorex, F. W. Schmidt, Samml. phys.-oek. Aufsätze, I. 1795, 24.
Talpoides B. G. E. de Lacépède, Tabl. Mamm. 1799, 10.—M.
talus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 318.
talus [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777, 122.
talus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 128.
tamachia Coluber, J. A. Scopoli, Del. Insub. III. 1788, 38.
tamandua Myrmecophaga, G. Cuvier, Tabl. Elém. 1798, 143.
tamaricinus *z.* **tamariscinus**.
tamaricis *v.* **tamariscis**.
tamarin Cebus, H. F. Link, Beitr. Nat. I (2) 1795, 63.
Tamarindiformis F. C. Meuschen, Mus. Gever. 1787, 412.—L.
tamarisci Curculio, J. C. Fabricius, Mant. I. 1787, 113.
tamaricinus (*sic*) Dipus (Pall.), J. C. D. Schreber, Säugth. IV. 859 (1789).—Mus.
tamariscinus Mus, P. S. Pallas, Reise Russ. II. 1773, 702.
tamariscus Glis, G. C. C. Storr, Prod. 1780, 39.
tamarisca Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 808; ed. 12, 1767, 1307.
tamaricis (*sic*) Altica, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 318.
tamaricis (*sic*) Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 163.
Tamatia G. Cuvier, Tab. Elém. 1798, 234.—A.
tamatia Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 405.
taminaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 90 [*n. et f.*].
taminata Geometra, [Denis & Schiffermüller], Schmett. Wien. 1775, 116.
taminata Phalaena Geometra, J. Hübner, Beitr. Schmett. I (4) 1789, 30.
tamulus Alphaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 405.
tamulus Crangon, F. Weber, Nomen. Fabricii, 1795, 94.—Astacus.
tamulus Gryllus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 195.
tamulus Scorpio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 294.
tamula Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 263.
tan Phalaena (Tinea), C. de Villers, Linn. Ent. II. 1789, 524.
tan Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 341.
tanacenti Aphis (? Linn. tanaceti), J. Mayer, Abh. Privatges. Böhmen, IV. 1779, 183.
tanaceti Adimonia, J. N. Laicharting, Tyrol. Ins. I. 1781, 191.
tanaceti Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 735.
tanaceti Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 369; ed. 12, 1767, 587.
taneceti Galeruca (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 83.—Chrysomela.
tanaceti Noctua, [Denis & Schiffermüller], Schmett. Wien. 1775, 73.
Tanagara J. R. Forster, Man. H. N. des Oiseaux, 1799, 50; *id. est* Tanagra.
Tanagra Linnaeus, Mus. Adolph. Frid. II. 1764, 30.—A.
tanais [Phalaena], P. Cramer, Uitl. Kapellen, I (6) 1775, 106.
tandrek Mus, J. A. Scopoli, Del. Insub. II. 1786, 84.
tang Mugil, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 171.
Tangara M. J. Brisson, Ornith. III. 1760, 3.—A.
tannensis Columba, J. Latham, Index Orn., 1790, 600.
tanschaurica Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3655.

- tantali** *Pediculus*, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 571.
Tantalus Linnaeus, *Syst. Nat.*, ed. 10, 1758, 140; ed. 12, 1766, 240.—A.
tantalus Anthrax, J. C. Fabricius, *Ent. Syst.* IV. 1794, 260.
tantalus *Sesia* (L.), J. C. Fabricius, *Syst. Ent.* 1775, 547.—Sphinx.
tantalus Sphinx, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 493; ed. 12, 1767, 803.
tantalus Sphinx, P. Cramer, *Uitl. Kapellen*, I (6) 1775, 107.
taparara Alcedo, J. P. Bonnaterre, *Ency. Méth. (Orn.)* 1791, 293.
tapaya *Lacertus*, B. G. E. de Lacépède, *Quad. Ovip.* I. 1788, *Syn. méth.*
tapera *Hirundo*, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 345.
tapete-persicum *Fusus*, J. F. Bolten, *Mus. Bolten.* (2) 1798, 119.
tapeti *Lepus*, P. Boddaert, *Elench.* 1785, 100.
tapezana *Pyralis* (L.), J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 480.—*Tinea tapezella*.
tapetzella *Phalaena* (*Tinea*), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 536; ed. 12, 1767, 888.
tapezella *Tinea* (L.), J. C. Fabricius, *Syst. Ent.* 1775, 659.—*Phalaena*.
Tapir E. A. W. Zimmermann, *Geogr. Gesch.* II. 1780, 153.—M.
Tapir J. F. Gmelin in Linn. *Syst. Nat.*, ed. 13, I. 1788, 216.—M.
Tapir E. Geoffroy & Cuvier, *Mag. encyclop.* II (6) 1795, 189.—M.
tapir *Hydrochaerus*, J. C. P. Erxleben, *Syst. Anim.* 1777, 191.
Tapirus M. J. Brisson, *Reg. Anim.* 1762, 81.—M.
Tapirus M. T. Brünnich, *Fund. Zool.* 1772, 44.—M.
Tapirus B. G. E. de Lacépède, *Tabl. Mamm.* 1799, 12.—M.
tapoatafa *Viverra*, F. A. A. Meyer, *Zool. Entdeck.* 1793, 28.
tapouaru *Didelphis*, F. A. A. Meyer, *Zool. Entdeck.* 1793, 24.
taraba *Psittacus*, J. F. Gmelin in Linn. *Syst. Nat.*, ed. 13, I. 1788, 344.
taraguira *Lacerta*, J. F. Bolten, *Mus. Bolten.* (1) [1798], 8.
tarandi *Oestrus*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 584; ed. 12, 1767, 969.
tarandicornis *Millepora*, H. Ström, *Skrifter K. Vid. Selskab*, XII. 1779, 309.
tarandinus *Tabanus*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 601; ed. 12, 1767, 1000.
tarandus *Cervus*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 67; ed. 12, 1766, 93.
tarandus *Cervus*, J. F. Gmelin in Linn. *Syst. Nat.*, ed. 13, I. 1788, 177; *varr.* rangifer,
tarandus *Cimex*, J. C. Fabricius, *Ent. Syst.* IV. 1794, 93. [groenlandicus, caribou].
tarandus *Lucanus*, N. S. Swederus, *K. Vet. Ac. Nya Handl.* VIII. 1787, 186.
tarandus *Lucanus*, G. W. F. Panzer, *Beytr. Ges. Ins.* I. 1793, pl. iii [u. *et f.*].
tarandus *Membracis*, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 514.
tarandus *Scarabaeus*, A. G. Olivier, *Entom.* I. 1789, 39.
tarandus *Scarabaeus*, J. C. Fabricius, *Ent. Syst.* I (1) 1792, 48.
Tarantula P. Browne, *Hist. Jamaica*, ed. 2, 1789, 419.—Ar.
Tarantula J. C. Fabricius, *Ent. Syst.* 1793, 432.—Ar.
tarantula *Aranea*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 622; ed. 12, 1767, 1035.
taras [Papilio], J. A. B. Bergstraesser, *Nom. Ins.* IV. 1780, 40.
taraxaci *Chrysomela*, J. F. W. Herbst in Fuessly, *Arch. Ins.* IV. 1783, 56.
taraxaci *Bombyx*, [Denis & Schiffermüller], *Schmett. Wien*, 1775, 57.
taraxaci *Phalaena* B. (D. & S.), E. J. C. Esper, *Die Schmett.* III (17) 1783, 68.—*Bombyx*.
taraxaci *Phalaena Bombyx*, J. C. Fuessly in Fuessly, *Arch. Ins.* VI. 1785, 19.
taraxaconis *Chrysomela*, J. F. Gmelin in Linn. *Syst. Nat.*, ed. 13, I. 1789, 1686.—[C.
tarchon [*Phalaena*], P. Cramer, *Uitl. Kapellen*, II (12) 1777, 65. [taraxaci, Herbst.]
tardae *Ascaris*, J. F. Gmelin in Linn. *Syst. Nat.*, ed. 13, I. 1790, 3034.
tardae *Taenia*, J. F. Gmelin in Linn. *Syst. Nat.*, ed. 13, I. 1790, 3077.
Tardigradus M. J. Brisson, *Reg. Anim.* 1762, 21.—M.
Tardigradus P. Boddaert, *Elench.* 1785, 43.—M.
tardigradus *Lemur*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 29; ed. 12, 1766, 44.
tardigradus *Loris* (L.), E. Geoffroy, *Mag. encyclop.* I (1) 1796, 49.—*Lemur*.
tardigradus *Musca*, M. Harris, *Exp. Eng. Ins.* 1776, 46.
tardigradus *Sirex*, J. Cederhielm, *F. Ingric.* 1798, 154.
tarditas *Musca*, M. Harris, *Exp. Eng. Ins.* 1776, 106.
tarda *Buprestis*, J. C. Fabricius, *Ent. Syst.* I (2) 1792, 209.
tardus *Curculio*, O. F. Müller, *Z. Dan. Prod.* 1776, 86.
tardus *Dytiscus*, J. F. W. Herbst, *Beschäf. Ges. Nat. Freunde*, IV. 1779, 318.

- tarda** Musca, Linnaeus, Faun. Suec., ed. 2, 1761, 441.
- tarda** Otis, Linnaeus, Syst. Nat., ed. 10, 1758, 154; ed. 12, 1766, 264.
- tarda** Solpuga, J. F. W. Herbst, Nat. ungeß. Ins. (1) 1797, 50.
- tarda** Tipula, O. F. Müller, Z. Dan. Prod. 1776, 170.
- taria** Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 163.
- tarnatanum** Buccinum, F. C. Meuschen, Mus. Gever. 1787, 300.
- tarnatanus** Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 318.
- tarpeia** Papilio (Nym.), P. S. Pallas, Reise Russ. I. 1771, 470.
- tarquinius** Bombyx (Cram.), J. C. Fabricius, Gen. Ins. 1777, 280.—Phalaena.
- tarquinia** Bombyx (Cram.), J. C. Fabricius, Gen. Ins. 1777, 281.—Phalaena.
- tarquinius** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 319.
- tarquinius** [Papilio], P. Cramer, Uitl. Kapellen, I (1) 1775, 7.
- tarquinia** [Phalaena], P. Cramer, Uitl. Kapellen, I (1) 1775, 6.
- tarquinia** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 148.
- tarsata** Formica, J. C. Fabricius, Suppl. Ent. Syst. 1798, 280.
- tarsata** Yerbua, J. R. Forster, K. Vet. Ac. Handl. XXXIX. 1778, 112.
- tarsicrinalis** Phalaena (Pyr.), A. W. Knoch, Beitr. Insektenges. II. 1782, 75.
- tarsicrinalis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 5 & 3 [2].
- tarsier** Lemur, J. C. P. Erxleben, Syst. Anim. 1777, 71.—[v. et. tarsia.]
- tarsiplumalis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 3 [2].
- Tarsius** G. C. C. Storr, Prod. 1780, 32 & tab. A.—M.
- Tarsius** E. Geoffroy, Mag. encyclop. I (1) 1796, 49.—M.
- Tarsius** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [n. n.].—M.
- tarsia** Lemur, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 25.—[v. et. tarsier.]
- tarsoleucos** Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 359.
- tarsosus** Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 462.
- tarsosus** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 408.
- tartaricum** Acrydium (L.), A. G. Olivier, Ency. Meth. VI (Ins.) 1791, 220.—Gryllus.
- tartarica** (sic) Alauda, P. S. Pallas, Reise Russ. II. 1773, 707.
- tartarica** Aranea, F. A. A. Meyer, Mag. Neuste Phys. u. Nat. IX (2) 1794, 81.
- tartarica** Buprestis, P. S. Pallas, Reise Russ. I. 1771, 464.
- tartarica** Capra, Linnaeus, Syst. Nat., ed. 12, 1766, 97.
- tatarica** (sic) Charadrius, P. S. Pallas, Reise Russ. II. 1773, 715.
- tartaricus** Falco, F. M. Daudin, Traité élém. Orn. 1800, 98.
- tartaricus** Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 432; ed. 12, 1767, 700.
- tartaricus** (sic) Staphylinus, P. S. Pallas, Reise Russ. II. 1773, 726.
- tasima** [Phalaena], P. Cramer, Uitl. Kapellen, III (20) 1779, 80.
- tasitus** Apis, M. Harris, Exp. Eng. Ins. 1776, 165.
- tatanus** Scolopax, *err. typ. pro* totanus, Linn., O. F. Müller, Z. Dan. Prod. 1776, 23.
- tatao** Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 315.
- tataricus** v. **tartaricus**.
- Tatu** J. F. Blumenbach, Hand. Naturg., 1779, 74.—M.
- tatua** Vespa, G. Cuvier, Bull. Sci. Soc. Philom. [Paris], no. 8, 1797, 58.
- tau** Batrachoides (L.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 451.—Gadus.
- tau** Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 560.—Phalaena.
- tau** Cerambyx, J. A. Frolich, Naturforscher, XXVI. 1792, 140.
- tau** Gadus, Linnaeus, Syst. Nat., ed. 12, 1766, 439.
- tau** Musca, F. v. P. Schrank, Ins. Aust. 1781, 458.
- tau** Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 811.
- tau** Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 497.—[P. (Attacus), ed. 12.]
- taumas** Papilio, J. C. Fabricius, Mant. II. 1787, 84.
- tau-nigrum** Melolontha, Schrank in Born, Phys.-Arb. Freunde Wien, II (2) 1787, 6.
- tau-nigrum** Scarabaeus (Schr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1563.—
- taurella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 142. [Melolontha.
- tauri** Pediculus, Linnaeus, Faun. Suec., ed. 2, 1761, 476.
- tauriculus** Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 51.
- taurinensis** Chrysomela, C. Allioni, Misc. Taurin. III. 1766, 187.
- Taurus** G. C. C. Storr, Prod. 1780, 41 & tab. c.—M.

- taurus** Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 424.
- taurus** Bos, Linnaeus, Syst. Nat., ed. 10, 1758, 71; ed. 12, 1766, 98.
- taurus** Bos, J. C. P. Erxleben, Syst. Anim. 1777; *varr.* urus, 228; domesticus, 230.
- taurus** Bos, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 202; *varr.* ferus.
- taurus** Bos, R. Kerr, Anim. Kingd. 1792; *varr.* bonasus, bison, 333; europaeus, indicus, 334; abessinicus, madagascariensis, timanensis, africanus, 335.
- taurus-urus** Bos, J. Spalowsky in Mayer's Samml. Physik. Aufsätze, IV. 1794, 387.
- taurus** Cassida, J. C. Fabricius, Mant. II. 1787, 380.
- taurus** Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2095.—Membracis.
- taurus** Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 344.
- taurus** Copris (Schr.), G. A. Harter, Besch. Schaeffer's Icones, 1784, 26.—Scarabaeus.
- taurus** Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 500.
- taurus** Membracis, J. C. Fabricius, Syst. Ent. 1775, 676.
- taurus** Pilularius (Schr.), F. v. P. Schrank, F. Boica, I. 1798, 395.—Scarabaeus.
- taurus** Scarabaeus, J. C. D. Schreber, Nov. Spec. Ins. 1759, 7.
- tauvinus** Holocentrus (Forsk.), G. A. Suckow, Naturges. IV. 1799, 523.—Perca.
- tauvina** Perca, P. Forskal, Descr. Anim. 1775, 39.
- taxea** Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
- taxicornis** Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 112.—Cryptocephalus, 1792.
- taxicornis** Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 50.
- taxicornis** Ips, P. Rossi, Fauna Etrus. I. 1790, 49.
- Taxus** E. Geoffroy & Cuvier, Mag. encyclop. II (6) 1795, 187.—M.
- Taxus** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
- taxus** Meles (Schr.), P. Boddaert, Elench. 1785, 80.—Ursus. [albus, maculatus.]
- taxus** Meles, J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, II. 1800, 338; & *varr.*
- taxus** Ursus, J. C. D. Schreber, Säugth. III. 520 (1777), pl. cxlii B (1778).
- tectes** Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 941.
- tectigera** Membracis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 668.
- tectoriola** Tellina, F. C. Meuschen, Mus. Gever. 1787, 458.
- tectus** Bucco, P. Boddaert, Tab. Planch. Enl. 1783, 43.
- tectus** Charadrius, P. Boddaert, Tab. Planch. Enl. 1783, 51.
- tecta** Meloe, Hellwig in G. W. F. Panzer, Ins. Germ. heft 10, 1793, tab. 14.
- tecta** Meloe, F. A. A. Meyer, Tent. Monogr. Meloes, 1793, 19.
- tecta** Scolia (Fab.), A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 204.—Vespa.
- tectus** Staphylinus, G. Paykull, Mon. Staph. 1789, 68.
- tectum** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3569.
- tecta** Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 466.
- tectum-chinense** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 4.
- tectum-chinense** Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81 [*n. n.*].
- tectum-persicum** Cidaris (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 84.—Turbo.
- tectum-persicum** Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 762; ed. 12, 1767, 1234.
- tedea** [Papilio], P. Cramer, Uitl. Kapellen, II (9) 1777, 8.
- tedea** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 48.
- tedella** [Phalaena], C. Clerck, Icones, I. 1759, pl. x, 13.
- teges** Chama, F. C. Meuschen, Mus. Gever. 1787, 456.
- teguixin** Ameiva (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 29.—Lacerta.
- teguixin** Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 208; ed. 12, 1766, 368.
- teira** Chaetodon, P. Forskal, Descr. Anim. 1775, 60.
- tela aranae** Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 446.
- telamon** Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 486.—[P. (Plebejus), ed. 12.]
- telamon** Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, I. 1767, 788.
- telarius** Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 616; ed. 12, 1767, 1023.
- teachus** [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, I. 1787, 24.
- telegone** [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 3.
- telegonus** [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 72.
- telegonus** Papilio Pl. U., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1780],
- teleius** [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 71. [33.]
- telemachus** Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 463; ed. 12, 1767, 752.

- telemus** *Hesperia* (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 269.—*Papilio*.
- telemus** *Monoculus*, Linnaeus, Syst. Nat., ed. 10, 1758, 635; ed. 12, 1767, 1059.
- telemus** [*Papilio*], P. Cramer, Utitl. Kapellen, I (1) 1775, 7.
- telephii** *Papilio* P. Rur., E. J. C. Esper, Die Schmett. I (9) 1779, 363.
- Telephorus** J. C. Schaeffer, Elem. Ent. 1766, tab. 123.—Col.
- telephus** *Hesperia* (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 304.—*Papilio*.
- telephus** *Papilio*, C. C. Jung.—[**thelephus**, Cramer, *est.*]
- telescopium** *Cerithium* (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 484.—*Trochus*.
- telescopium** *Murex* (L.), G. Cuvier, Tab. Elém. 1798, 403.—*Trochus*.
- telescopium** *Strombus* (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 97.—*Trochus*.
- telescopium** *Trochus*, Linnaeus, Syst. Nat., ed. 10, 1758, 760; ed. 12, 1767, 1231.
- telicanus** *Papilio*, H. G. Lang, Verz. Schmett., ed. 2, 1789, 47.
- telifera** *Phalaena* (*Noctua*), G. Paykull, K. Vet. Ac. Nya Handl. VII. 1786, 60.
- Tellina** Linnaeus, Syst. Nat., ed. 10, 1758, 674; ed. 12, 1767, 1116.—L.
- tellina** *Gafrarium*, J. F. Bolten, Mus. Bolten. (2) 1798, 177.
- tellinata** *Solen*, L. Spengler, Skr. nat. Selsk. (Copen.) III (2) 1794, 106.
- Tellinites** J. Gesner, Tract. Petref. 1758, 38.—L.
- tellinoides** *Mactra*, R. Pulteney, Cat. Birds &c. Dorset. 1799, 31.
- temama** *Cervus*, R. Kerr, Anim. Kingd. 1792, 303.
- temapara** *Lacerta*, J. F. Bolten, Mus. Bolten. (1) [1798]. 8.
- temenus** [*Sphinx*], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 148.
- temeraria** *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 91 [z. et f.].
- temerata** *Geometra*, [Denis & Schiffermüller], Schmett. Wien, 1775, 116.
- temerata** *Phalaena Geometra* (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 179.
- temia** *Corvus*, F. M. Daudin, Traité élém. Orn. 1800, 244. [494.—*Geometra*.
- temira** [*Phalaena*], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 160.
- tempestioris** *Curculio*, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 246.
- templi** *Noctua*, C. P. Thunberg, Ins. Suecica (4) 1792, 56.
- temporaria** *Rana*, Linnaeus, Syst. Nat., ed. 10, 1758, 212; ed. 12, 1766, 357.
- temula** *Musca*, Scopoli, Ent. Carn. 1763, 330.
- temula** *Tenthredo*, Scopoli, Ent. Carn. 1763, 277.
- Tenagodus** J. E. Guettard, Mém. diff. Sci. III. 1770, p. 128.—Ver.
- tenax** *Cercaria*, O. F. Müller, Verm. I (1) 1773, 69.
- tenax** *Musca*, Linnaeus, Syst. Nat., ed. 10, 1758, 591; ed. 12, 1767, 984.
- tenax** *Proteus*, O. F. Müller, An. Infus. 1786, 10.
- tenax** *Syrphus* (L.), J. C. Fabricius, Syst. Ent. 1775, 765.—*Musca*.
- tendens** *Tipula*, J. C. Fabricius, Syst. Ent. 1775, 752.
- tendineus** *Conus*, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 733.
- Tendipes** J. G. Meigen, N. Class. Mouches, 1800, 17.—Dip.
- Tendus**, *err. pro Turdus* W. Hayes, Nat. Hist. Brit. Birds, 1775, 17.—A.
- tenebrans** *Bostrichus* (Pall.), A. G. Olivier, Ency. Méth. V. (Ins.) 1790, 108.—*Ligniperda*.
- tenebrata** *Phalaena*, Scopoli, Ent. Carn. 1763, 230.
- tenebricosa** *Buprestis*, A. G. Olivier, Entom. II. 1790, 62.
- tenebricosa** *Cantharis*, Scopoli, Ent. Carn. 1763, 44.
- tenebricosus** *Cerambyx*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 309.
- tenebricosus** *Cerambix* (Fab.), A. G. Olivier, Entom. IV. 1795, 34.—*Callidium tenebro-*
- tenebricosa** *Chrysomela*, J. C. Fabricius, Syst. Ent. 1775, 94. [sum.]
- tenebricosus** *Curculio*, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 81.
- tenebricosus** *Curculio*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.
- tenebricosus** *Ichneumon*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2707.
- tenebricosa** *Vespa*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 203.
- tenebricosus** *Musca*, M. Harris, Exp. Eng. Ins. 1776, 45.
- Tenebrio** Linnaeus, Syst. Nat., ed. 10, 1758, 417; ed. 12, 1767, 674.—Col.
- tenebrio** *Cucujus*, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 56.
- tenebriodes** *v. tenebrioides*.
- tenebrioides** *Buprestis*, *id. ac tenebrionis*, Linn., P. S. Pallas, Icon. Ins. 1782, 67.
- tenebrioides** *Carabus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1986.
- tenebrioides** *Carabus*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 324.

- tenebrioides Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1667.—[C.]
- tenebrioides Curculio, P. S. Pallas, Icon. Ins. 1781, 36. [tenebriosa, Fab.]
- tenebrioides Lucanus, J. A. Scopoli, Annus V. 1772, 75.
- tenebrioides Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 9.
- tenebrioniformis Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1782, 209.
- tenebrionis Buprestis, Linnaeus, Faun. Suec., ed. 2, 1761, 213.
- tenebriosa Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 116.
- Tenebroides M. Piller & L. Mitterpacher, Iter Poseg. 1783, 87.—Col.
- tenebroides Lucanus, J. C. Fabricius, Mant. I. 1787, 2.
- tenebrosum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 322.
- tenebrosus Cimex, J. C. Fabricius, Mant. II. 1787, 288.
- tenebrosus Cuculus, P. S. Pallas, N. nord. Beytr. III. 1782, 2.
- tenebrosa Fulgora, J. C. Fabricius, Syst. Ent. 1775, 674.
- tenebrosus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 135.—Cimex, 1787.
- tenebrosa Noctua (ex Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 228.
- tenebrosa Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (49 or 50) 1798, 451.
- tenella Apis, J. L. Christ, Nat. Ins. 1791, 197.
- tenella Asterias, A. J. Retzius, K. Vet. Ac. Nya Handl. IV. 1783, 241.
- tenella Chrysomela, Linnaeus, Faun. Suec., ed. 2, 1761, 171.
- tenella Cistela, A. G. Olivier, Entom. III. 1795, 9.
- tenella Crioceris (L.), J. C. Fabricius, Syst. Ent. 1775, 119.—Chrysomela. [Chrysomela.
- tenellus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1719.—
- tenella Galeruca (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 592.—Chrysomela.
- tenella Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3640.
- tenella Libellula, C. de Villers, Linn. Ent. III. 1789, 15.
- tenellus Limax, O. F. Müller, Verm. II. 1774, 11.
- tenellus Lycus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 25.
- tenella Millepora, E. J. C. Esper, Pflanzenth., Forts. I (4) 1795, 113.
- tenella Phalaena, [D. H. Schneider], Nom. Ent. 1785, 55 [n. n.].
- tenella Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 69.
- tener Musca, M. Harris, Exp. Eng. Ins. 1776, 116.
- tenera Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3653.
- tenera Tipula, O. F. Müller, F. Ins. Frid. 1764, 79.
- tenerana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
- tengmalmi Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 291.
- Tenia, *id. ac* Taenia J. A. Scopoli, Intr. Hist. Nat. 1777, 383.
- teniola Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 420.
- Tenrec B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.—M.
- tentabunda Trigla, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 362.
- tentaculalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 5 & 5 [2].
- Tentacularia Bosc, Bull. Sci. Soc. Philom. [Paris], no. 2, 1797, 9.—Ver.
- Tentacularia J. G. H. Zeder in Goeze, 1 Nachtr., Eingeweidewürm. 1800, 5.—Ver.
- tentacularis Blennius, M. T. Brünnich, Ich. Massil. 1768, 26.
- tentacularis Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 465.—Phalaena.
- tentacularis Phalaena (Pyralis) = tentacularia Phal. (Geom.), S. N., ed. 10, Linnaeus, Faun. Suec., ed. 2, 1761, 349.
- tentacularia Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 522.
- tentaculatus Blennius, *id. ac* tentacularis, Brun., B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 458.
- tentaculata Caecilia, Linnaeus, Syst. Nat., ed. 10, 1758, 229; ed. 12, 1766, 393.
- tentaculata Fasciola, O. F. Müller, Verm. I (2) 1774, 63.
- tentaculata Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 774; ed. 12, 1767, 1249.
- tentaculata Musca, C. de Geer, Mém. Ins. VI. 1776, 86.
- tentaculata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
- tentaculella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 26.
- tentator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 196.
- tentator Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 50.
- tentata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [n. n.].

- tenthrediniformis** Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 44.
tenthredinis Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3041.
tenthredinum Acarus, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 177.
tenthredinum Ichneumon, T. Bergmann, K. Vet. Ac. Handl. XXIV. 1763, 170.
Tenthredo Linnaeus, Syst. Nat., ed. 10, 1758, 555; ed. 12, 1767, 920.—Hym.
tenthredoides Erax, Scopoli, Ent. Carn. 1763, 361.
tenthredoides Spheg, Scopoli, Ent. Carn. 1763, 297.
tentorialis Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 163 [*n. n.*].
tentorialis Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81.
tentorium Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3571.
Tentredo, *id. ac* **Tenthredo** J. A. Scopoli, Annus V. 1772, 120.
tenuicollis Meloe, P. S. Pallas, Icon. Ins. 1798, 102.
tenuicollis [Notoxus], P. Rossi, Mant. Ins. I. 1792, 47.
tenuicornis Scarabaeus, J. D. Preyßler, Verz. böhm. Ins. 1790, 44.
tenuicrustatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2—5) 1783, 113.
tenuirostris Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 180.
tenuis Cerambyx (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1858.—Prionus.
tenuis Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3641.
tenuis Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3329.
tenuis Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3320.
tenuis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3708.
tenuis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3733.
tenuis Prionus, J. A. Scopoli, Annus V. 1772, 100.
tenuis Spondylus, K. Schreibers, Vers. Conch. II. 1793, 163.
tenuis Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 528.
tenuis Tellina, E. M. da Costa, Brit. Conch. 1778, 210.
tenuissima Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 11.
tenuissima Fusaria, J. G. H. Zeder in Goetze, 1 Nachtr. Eingeweidewürm. 1800, 57.
tenuo Cardium, F. C. Meuschen, Mus. Gever. 1787, 438.
tenur Musca, M. Harris, Exp. Eng. Ins. 1776, 112.
tepidā Vespa, J. C. Fabricius, Syst. Ent. 1775, 366.
tercingulata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
terdigitata Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
ter-digitata Salamandra, J. P. Bonnatere, Ency. Méth. (Erp.), 1789, 64.
terea [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 32.
Terebella Linnaeus, Syst. Nat., ed. 12, 1767, 1092.—Ver.
Terebellum J. F. Bolten, Mus. Bolten. (2) 1798, 135.—G.
Terebellum Lamarck, Ency. Méth. (Tabl. Vers) pl. 360 (1798) [*n. et f.*].—G.
terebella Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 334.—Bulla.
terebellum Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 355.—Helix.
terebellum Bulla, Linnaeus, Syst. Nat., ed. 12, 1767, 1185.
terebellum Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 718.
terebellum Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3390.
terebellum Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 50.—Conus.
terebella Helix, O. F. Müller, Verm. II. 1774, 123.
terebella Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3562.
terebellum Terebellum (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 69.—Bulla.
terebella Volvox, J. Ellis, Phil. Trans. LIX. 1770, 150.
Terebra J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xv.—G.
Terebra Lamarck, Mém. Soc. H. N. Paris, 1799, 71.—G.
terebra Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 60.
terebra Conus, I. v. Born, Index Mus. Caes. Vind. 1778, 145.
terebra Conus, F. C. Meuschen, Mus. Gever. 1787, 364.
terebra Cossus (D. & S.), J. C. Fabricius, Ent. Syst. III (2) 1794, 4.—Bombyx.
terebra Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 92.—Turbo.
terebra Monoceros (L.), F. C. Meuschen, Mus. Gever. 1787, 290.—Turbo.
terebra Strombiformis (L.), E. M. da Costa, Brit. Conch. 1778, 112.—Turbo.
terebra Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 766; ed. 12, 1767, 1239.

- terebra** Turritella (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 74.—Turbo.
terebrealis Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 328.
terebrians Ips, A. G. Olivier, Entom. II. 1790, 5.
terebrians Ligniperda, P. S. Pallas, Spic. Zool. IX. 1772, 6.
terebrians Lyctus (Ol.), J. C. Fabricius, Ent. Syst. I (2) 1792, 503.—Ips.
terebrians Lygdus (Ol.), J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 33.—Ips.
terebrians Scolytus, A. G. Olivier, Entom. IV. 1795, 6.
terebriator Ichneumon, J. A. Scopoli, Ent. Carn. 1763, 285.
Terebratula O. F. Müller, Z. Dan. Prod. 1776, 249.—Br.
Terebratula A. J. Retzius, Diss. Nova Test. Gen. 1788, 13.—Br.
Terebratula A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 180.—Br.
terebtratula Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 703; ed. 12, 1767, 1153.
terebtratula Lampas (L.), F. C. Meuschen, Mus. Gev. 1787, 438.—Anomia.
terebtratula Terebratula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 99.
terebtratula Terebratula (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 89.—Anomia.
[terebtratus Araneus, C. Clerck, Aran. Svec. 1757, 120.]
terebtratus Araneus, T. Martyn, Aranei, 1793, 56.
Teredo Linnaeus, Syst. Nat., ed. 10, 1758, 651; ed. 12, 1767, 1267.—L.
teredo Pholas, O. F. Müller, Z. Dan. Prod. 1776, 251.
teredo Serpula, E. M. da Costa, Brit. Conch. 1778, 21.
teredula Pholas, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 240.
terek Scolopax, J. Latham, Index Orn. 1790, 724.
teres Ascaris, J. A. E. Goeze, Eingeweidewürm. 1782, 74.—[Not a specific name.]
teres Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1758.
teres Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3405.
teres Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3200.
teres Gekko, J. N. Laurenti, Syn. Rept. 1768, 44.
teres Gryllus (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2072.—Locusta.
teres Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3667.
teres Locusta, C. de Geer, Mém. Ins. III. 1773, 458.
teres Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
teres Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1568.
tereticollis (sic) Buprestis, P. S. Pallas, Icon. Ins. 1782, 75.
tereticollis Curculio, C. de Geer, Mém. Ins. V. 1775, 246.
teretirostris Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 106.
tergipes Limax, P. Forskal, Descr. Anim. 1775, 99.
terlineatus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 102.
terlineatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1803.
terlineata Noctua, C. C. Jung, Alph. Verz. Schmett. II. 1792, 229.
termaculatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2185.
ter-maculatum Phalangium, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778,
Termes Linnaeus, Syst. Nat., ed. 10, 1758, 609; ed. 12, 1767, 1015.—Neur. [220.
termiformis Podura, Scopoli, Ent. Carn. 1763, 380.
terminans Callidium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 151.
terminaria Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2466.
terminatus Carabus, Hellwig in G. W. F. Panzer, Ins. Germ. heft 7, 1793, tab. 2.
terminatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 401.
terminata Mylabris, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 143.
terminata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
terminus Papilio, J. C. Fabricius, Syst. Ent. 1775, 488.
termo Monas, O. F. Müller, Verm. I (1) 1773, 25.
ternatanus Fusus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 120.—Murex.
ternatanus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3554.
ternatella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 331.
ternata Cellaria, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 30.
ternatus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 206.
ternata Sertularia (E. & S.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3862.—
terordinatus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 112. [Cellaria.]

- terpsicore** *Papilio* (*Heliconius*), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 466; ed. 12, 1767, 755.
- terpunctata** *Sphinx*, Panzer in Drury, *Exot. Ins.* 1785, 101.
- terrae-novae** *Anas*, J. P. Bonnatere, *Ency. Méth.* (Orn.) 1790, 148.
- terrapen** *Testudo*, B. G. E. de Lacépède, *Quad. Ovip.* I. 1788, *Syn. méth.*
- terrefactor** *Ichneumon*, C. de Villers, *Linn. Ent.* III. 1789, 195.
- terrella** *Tinea*, [Denis & Schiffermüller], *Schmett.* Wien, 1775, 140.
- terrella** *Tinea*, J. Hübner, *Europ. Schmett.* 8 Horde [me judice 1796], 42.
- terrena** *Noctua*, C. C. Jung, *Alph. Verz. Schmett.* II. 1792, 230.
- terrestris** *Aphodius* (Fab.), Illiger in Kugelann, *Käfer Preuss.* 1798, 24.—*Scarabaeus*.
- terrestris** *Apis*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 578; ed. 12, 1767, 960.
- terrestris** *Aranea*, G. de Razoumowsky in Bertholon's *Nature Considérée*, VII. 1789, 3.
- terrestris** *Copris* (Fab.), A. G. Olivier, *Ency. Méth.* V (Ins.) 1790, 144.—*Scarabaeus*.
- terrestris** *Corallina*, P. S. Pallas, *Elench.* 1766, 427.
- terrestris** *Crocodylus*, J. N. Laurenti, *Syn. Rept.* 1768, 54.
- terrestris** *Fasciola*, O. F. Müller, *Verm.* I (2) 1774, 68.
- terrestris** *Helix*, P. Forskal, *Descr. Anim.* 1775, xxxiii.
- terrestris** *Helix*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3639.
- terrestris** *Hippopotamus*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 74.
- terrestris** *Julus*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 639; ed. 12, 1767, 1065.
- terrestris** *Lepisma*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 608; ed. 12, 1767, 1012.
- terrestris** *Lumbricus*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 647; ed. 12, 1767, 1076.
- terrestris** *Microtus* (L.), F. v. P. Schrank, *F. Boica*, I. 1798, 72.—*Mus*.
- terrestris** *Mus*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 61; ed. 12, 1766, 82.
- terrestris** *Musca*, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 996.
- terrestris** *Planaria*, O. F. Müller, *Z. Dan. Prod.* 1776, 223.—*Fasciola*, 1774.
- terrestris** *Podura*, Scopoli, *Ent. Carn.* 1763, 379.
- terrestris** *Psittacus*, G. Shaw, *Mus. Lever.* I. 1793, 217.
- terrestris** *Rana*, J. P. Bonnatere, *Ency. Méth.* (Erp.) 1789, 8.
- terrestris** *Salamandra*, M. Houttuyn, *Verh. Zeeuwsch Genoot. Wet. Vlissingen*, IX. 1782,
- terrestris** *Salamandra*, J. P. Bonnatere, *Ency. Méth.* (Erp.) 1789, 62. [327.
- terrestris** *Salamandra*, J. G. Schneider, *Hist. Amph.* I. 1799, 54.
- terrestris** *Salamandra*, P. A. Latreille, *Salamand. France*, 1800, 29 & 32.
- terrestris** *Scarabaeus*, J. C. Fabricius, *Syst. Ent.* 1775, 15.
- terrestris** *Seps*, J. N. Laurenti, *Syn. Rept.* 1768, 61 & 166.
- terrestris** *Testudo*, P. Forskal, *Descr. Anim.* 1775, 12.
- terrestris** *Tipula*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 586; ed. 12, 1767, 972.
- terrestris** *Trochus*, T. Pennant, *Brit. Zool.*, ed. 4, IV. 1777, 111.
- terricola** *Carabus*, J. F. W. Herbst in Fuessly, *Arch. Ins.* V. 1784, 140.
- terrifica** *Bombyx*, [Denis & Schiffermüller], *Schmett.* Wien, 1775, 63.
- terrifica** *Caudisona*, J. N. Laurenti, *Syn. Rept.* 1768, 93.
- terrifica** *Phalaena Bombyx* (D. & S.), M. B. Borkhausen, *Nat. eur. Schmett.* III. 1790, 387.—
- tersata** *Buprestis*, J. C. Fabricius, *Ent. Syst.* I (2) 1792, 208. [Bombyx.
- tersata** *Donacia*, G. W. F. Panzer, *Ins. Germ.* heft 29 [1796], tab. 16.
- tersata** *Geometra*, [Denis & Schiffermüller], *Schmett.* Wien, 1775, 109.
- tersata** *Geometra*, J. Hübner, *Europ. Schmett.* (Geom.) [me judice 1796], fig. 268 [*n. et f.*].
- tersella** *Tinea*, [Denis & Schiffermüller], *Schmett.* Wien, 1775, 139.
- tersa** *Ampelis*, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 298.
- tersa** *Noctua*, [Denis & Schiffermüller], *Schmett.* Wien, 1775, 312.
- tersa** *Sphinx*, Linnaeus, *Mant.* II. 1771, 538.
- tertialis** *Phalaena* (Pyr.), C. de Villers, *Linn. Ent.* II. 1789, 451.
- tertianella** *Phalaena* (*Tinea*), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 538; ed. 12, 1767, 891.
- tertarius** *Ichneumon*, A. F. de Fourcroy, *Ent. Paris.* 1785, 404.
- tertullianus** *Hesperia*, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 341.
- tespis** *Phalaena*, Linnaeus, *Syst. Nat.*, ed. 12, I. 1767, 791.—(*v. thespis*.)
- tessacourbe** *Muscicapa*, J. A. Scopoli, *Del. Insub. II.* 1786, 95.
- tessararius** *Lucanus*, Herbst, *Einkl. Ins.* I. 1784, 57.
- tessarophthalmus** *Cimex*, F. v. P. Schrank, *Ins. Aust.* 1781, 277.
- tessellana** *Phalaena Tortrix*, J. Hübner, *Samml. Vögel u. Schmett.* 1793, 8 [*n. et f.*].

- tessellaris** Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 149.
tessellata Anguis, J. N. Laurenti, Syn. Rept. 1768, 72.
tessellatum Anobium, A. G. Olivier, Entom. II. 1790, 6.
tessellatus Anthrax, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 215.
tessellatus Aphodius (Müll.), C. Creutzer, Ent. Vers. 1799, 29.—Scarabaeus.
tessellatus Ascalaphus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 192.
tessellatum Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 85.
tessellatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3476.
tessellata Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 153.
tessellatus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 199.
tessellatus Cimex (Fab.), C. de Villers, Linn. Ent. IV. 1789, 403.—Reduvius.
tessellata Clava, T. Martyn, Univ. Conch. III [1789], fig. 97.
tessellata Coccinella, C. de Geer, Mém. Ins. V. 1775, 383.
tessellatus Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1114.—
tessellata Coronella, J. N. Laurenti, Syn. Rept. 1768, 87. [Coronella.
tessellatus Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 618.
tessellatus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 165.
tessellatus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 129.
tessellatus Dermestes, J. C. Fabricius, Syst. Ent. 1775, 56.
tessellatus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 25.
tessellatus Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 68.
tessellatus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3180.—Ci-
tessellatus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 406; ed. 12, 1767, 655. [daris.
tessellata Empis, J. C. Fabricius, Ent. Syst. IV. 1794, 405.
tessellatus Erotylus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 40.
tessellatus Gryllus, D. Drury, Ill. Nat. Hist. II. 1773, index & 80.
tessellatus Labrus, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 8.
tessellata Mitra, T. Martyn, Univ. Conch. I [1784 non 1769] fig. 19.
tessellata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 476.
tessellata Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 324.
tessellata Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3685.
tessellata Perca, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 353.
tessellata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 298.
tessellata Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 274.
tessellatus Reduvius, J. C. Fabricius, Mant. II. 1787, 313.
tessellatus Scarabaeus, O. F. Müller, Z. Dan. Prod. 1776, 55.
tessellatus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 165.
tessellatus Stelloio, J. N. Laurenti, Syn. Rept. 1768, 57.
tessellata Stomoxys, J. C. Fabricius, Ent. Syst. IV. 1794, 395.
tessellata Testudo, J. G. Schneider, Schrift. Berlin. Ges. Nat. Freunde, X (3) 1792, 262.
tessellata Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 509.
tessellatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3574.
tessellatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3583.
tessella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 538; ed. 12, 1767, 889.
tessella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 661.—Phalaena.
tessera Mytilus, F. C. Meuschen, Mus. Gever. 1787, 466.
tesseradactyla Phalaena (Alucita), Linnaeus, Faun. Suec., ed. 2, 1761, 370.
tesseradactylus Pterophorus (L.), J. C. Fabricius, Syst. Ent. 1775, 671.—Phalaena.
tesserana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 126.
tesserarius Lucanus, J. F. W. Herbst (*ex* Voet) in Borowski, Gem. Nat. Thiere, VI. 1784,
tesserella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 298. [57.
tessulatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3479.
tessulatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2195.—Reduvius
tessulata Coccinella, Scopoli, Ent. Carn. 1763, 78. [tessellatus, Fab.
tessulata Coccinella, O. F. Müller, Z. Dan. Prod. 1776, 66.
tessulatus Conus, I. v. Born, Index Mus. Caes. Vind. 1778, 131.
tessulatus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 87.
tessulata Hirudo, O. F. Müller, Verm. I (2) 1774, 45.

- tessulata** Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 637.
tessulata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [*n. n.*].
tessulata Patella, O. F. Müller, Z. Dan. Prod. 1776, 237.
tessulata Phalaena (Geometra), O. F. Müller, F. Ins. Frid. 1764, 51.
tessulatus Trochus, I. v. Born, Index Mus. Caes. Vind. 1778, 336.
testacearia Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 321.—**testacea**, De G.
Testacella G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 5 [*n. n.*].—G.
testaceofasciata Leptura, C. de Geer, Mém. Ins. V. 1775, 133.
testaceo-incarnata Columba, *v. incarnata*, P. Forskal, Descr. Anim. 1775, 5.
testaceo-villosus Ptinus, C. de Geer, Mém. Ins. IV. 1774, 235.
testacea Adimonia, J. A. Frolich, Naturforscher, XXVIII. 1799, 33.
testacea Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 797.
testacea Altica, J. C. Fabricius, Syst. Ent. 1775, 114.
testaceum Anisotoma, Illiger in Kugelann, Käfer Preuss. 1798, 80.
testaceum Anobium, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 158.
testaceum Anobium, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 489.
testaceus Anthribus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 160.
testacea Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 413.
testacea Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 439.
testaceus Bostrichus, J. C. Fabricius, Mant. I. 1787, 37, no. 14.
testaceus Bostrichus, *err. pro varius*, Fabr. 1775, J. C. Fabricius, Mant. I. 1787, 38, no. 15.
testaceus Bruchus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 201.
testacea Buprestis, J. A. Scopoli, Annus V. 1772, 105.
testaceum Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 190.—Cerambyx.
testaceus Calopus, J. D. Andersch in D. H. Hoppe, Ent. Taschenbuch, 1797, 166.
testacea Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 403; ed. 12, 1767, 649.
testacea Cantharis (Fab.), C. de Villers, Linn. Ent. IV. 1789, 325.—Cucujus.
testacea Cantharis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 277.
testaceus Carabus, Linnaeus, Faun. Suec., ed. 2, 1761, 224.
testacea Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 300.
testaceus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 396; ed. 12, 1767, 635.
testaceus Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 244.—Saperda.
testaceus Cerambyx, J. A. Frolich, Naturforscher, XXVI. 1792, 141.
testacea Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 136.—Altica, 1775.
testacea Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2098.—Tetti-
testaceus Cimex, Scopoli, Ent. Carn. 1763, 135. [gonia].
testaceus Cimex, P. Rossi, Mant. Ins. II. 1794, 55.
testacea Cistela, J. C. Fabricius, Syst. Ent. 1775, 116.
testacea Cistela, F. v. P. Schrank, F. Boica, I. 1798, 567.
testaceus Claviger, J. D. Preyßler, Verz. böhm. Ins. 1790, 68.
testacea Conops, Linnaeus, Syst. Nat., ed. 12, 1767, 1006.
testacea Crioceris, J. C. Fabricius, Mant. I. 1787, 87. [Cistela].
testacea Crioceris (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 118.—
testaceus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1714.
testaceus Cucuius, J. C. Fabricius, Mant. I. 1787, 166. [—Cistela].
testaceus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 90.
testacea Cynips, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2650.
testaceus Dermestes, J. C. Fabricius, Syst. Ent. 1775, 57.
testaceus Dermestes (L.), F. v. P. Schrank, Ins. Aust. 1781, 27.—Silpha.
testaceus Dermestes (Fab.), C. de Villers, Linn. Ent. IV. 1789, 221.—Bostrichus.
testaceus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1958.
testaceus Dytiscus, F. v. P. Schrank, F. Boica, I. 1798, 715.
testaceus Elater, A. G. Olivier, Entom. II. 1790, 29.
testaceus Elater, J. A. Frolich, Naturforscher, XXVI. 1792, 161.
testaceus Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 229.
testacea Ephemera, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2630.
testaceus Erotylus, J. C. Fabricius, Syst. Ent. 1775, 822.
testaceus Falco, F. M. Daudin, Traité élém. Orn. 1800, 125.

- testacea Formica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2804.
- testacea Fringilla, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 27.
- testacea Galeruca, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 588.
- testacea Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 33.—Chrysomela, 1781.
- testacea Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 13.
- testaceus Gryllus, C. de Geer, Mém. Ins. III. 1773, 524.
- testaceus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2072.
- testaceus Hallomenus, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 23.
- testacea Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 108.
- testaceus Helops, F. v. P. Schrank, F. Boica, I. 1798, 634.
- testaceus Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 550; ed. 12, 1767, 912.
- testacea Hispa, Linnaeus, Syst. Nat., ed. 12, 1767, 603.
- testacea Horia, J. C. Fabricius, Mant. I. 1787, 164.—Lymexylon, 1781.
- testaceus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2702.
- testaceus Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 228.
- testacea Ips, P. Rossi, Mant. Ins. I. 1792, 22.
- testacea Ips, J. C. Fabricius, Suppl. Ent. Syst. 1798, 179.
- testaceus Iulus, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 414.
- testaceum Lampadion, J. F. Bolten, Mus. Bolten. (2) 1798, 77.
- testaceus Leistus, J. A. Frolich, Naturforscher, XXVIII. 1799, 8.
- testacea Leptura, N. Poda, Ins. Mus. Graec. 1761, 38.
- testacea Leptura, Linnaeus, Faun. Suec., ed. 2, 1761, 196.
- testacea Leptura, O. F. Müller, Z. Dan. Prod. 1776, 94, no. 1054.
- testacea Leptura (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 94.—Cerambyx.
- testaceum Lymexylon, J. C. Fabricius, Spec. Ins. I. 1781, 256.
- testacea Lytta, J. C. Fabricius, Ent. Syst. I (2) 1792, 85.
- testaceus Malacopteryx, J. R. Forster, Cat. Brit. Ins. 1770, 7 [n. n.].
- testacea Mantis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 80.
- testaceus Meloe (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2019.—Mylabris.
- testaceus Meloe, C. de Villers, Linn. Ent. I. 1789, 405.
- testacea Melolontha, J. C. Fabricius, Syst. Ent. 1775, 35.
- testaceus Melyris, A. G. Olivier, Entom. II. 1790, 11.
- testaceus Monoculus, A. F. de Fourcroy, Ent. Paris. 1785, 538.
- testacea Mordella, J. R. Forster, Cat. Brit. Ins. 1770, 6 [n. n.].
- testacea Mordella, J. R. Forster, N. Sp. Ins. 1771, 63.
- testacea Mordella, J. C. Fabricius, Mant. I. 1787, 218.
- testacea Musca, C. de Geer, Mém. Ins. VI. 1776, 87.
- testacea Musca, J. C. Fabricius, Spec. Ins. II. 1781, 440.
- testaceus Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 499.
- testaceus Mycetophagus, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, [400]
- testacea Mylabris, J. C. Fabricius, Spec. Ins. I. 1781, 331.
- testacea Myopa (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 398.—Conops.
- testaceus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3361.
- testacea Necydalis, J. C. Fabricius, Ent. Syst. I (2) 1792, 355.
- testacea Nitidula, J. C. Fabricius, Ent. Syst. IV. 1794, 446.
- testacea Nitidula (L.), F. v. P. Schrank, F. Boica, I. 1798, 447.—Silpha.
- testacea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 81.
- testaceum Opatrum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1634.
- testaceus Oxyporus, J. C. Fabricius, Ent. Syst. I (2) 1792, 535.
- testaceus Paederus (Payk.), A. G. Olivier, Entom. III. 1795, 5.—Staphylinus.
- testacea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3725.
- testacea Peltis, A. F. de Fourcroy, Ent. Paris. 1785, 32.
- testacea Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 42.
- testacea Phryganea, Scopoli, Ent. Carn. 1763, 267.
- testacea Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2637.
- testaceus Ptinus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 6.
- testaceus Ptinus, A. G. Olivier, Entom. II. 1790, 9.
- testaceus Rhinomacer, G. A. Harrer, Besch. Schaeffer Icones, 1784, 188.

- testacea** Saperda, J. C. Fabricius, Spec. Ins. I. 1781, 235.
testaceus Scarabaeus, J. R. Forster, Cat. Anim. N. Amer. 1771, 24 [*n. n.*].
testaceus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 15.
testaceus Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 19.
testaceus Scarites, J. C. Fabricius, Ent. Syst. IV. 1794, 437.
testacea Scolopax, A. Vroeg, Catal. Vogel. 1764, Adumb., 6.
testaceus Scorpio, C. de Geer, Mém. Ins. VII. 1778, 347.
testacea Sicus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 554.—Stratiomys, 1787.
testacea Silpha, Linnaeus, Syst. Nat., ed. 12, 1767, 574.
testacea Silpha (Fourc.), C. de Villers, Linn. Ent. I. 1789, 88.—Peltis.
testaceum Sphaeridium, A. G. Olivier, Entom. II. 1790, 11.
testaceum Sphaeridium, J. C. Fabricius, Ent. Syst. I (1) 1792, 83.
testacea Spheg, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2735.
testaceus Staphylinus, G. Paykull, Mon. Staph. 1789, 28.
testaceus Stenocorus, A. G. Olivier, Entom. IV. 1795, 27.
testacea Stratiomys, J. C. Fabricius, Mant. II. 1787, 330.
testaceus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99.
testaceus Tabanus, P. Forskal, Descr. Anim. 1775, 85.
testaceus Telephorus (L.), C. de Geer, Mém. Ins. IV. 1774, 71.—Cantharis.
testacea Termes (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 82.—Hemerobius.
testacea Tettigonia, J. C. Fabricius, Mant. II. 1787, 267.
testalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 227.
testa-ovi Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 106.
testaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 143.
testator Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1835.—Lamia.
testator Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 223.
testata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 202.
testata Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 331.
testiculus Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 736; ed. 12, 1767, 1199.
testiculus Cassidea (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 426.—Buccinum.
testiculus Cassis (L.), F. C. Meuschen, Mus. Gever. 1787, 394.—Buccinum.
testipes Curculio, F. v. P. Schrank, F. Boica, I. 1798, 495.
testudinalis Patella, O. F. Müller, Z. Dan. Prod. 1776, 237.
testudinaria Coccinella, A. F. de Fourcroy, Ent. Paris. 1785, 151.
testudinarium Amusium, J. F. Bolten, Mus. Bolten. (2) 1798, 166 [*n. n.*].
testudinarius Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 35.—Scarabaeus.
testudinaria Balanus (L.), F. C. Meuschen, Mus. Gever. 1787, 478.—Lepas.
testudinarius Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (1) 1791, 8.
testudinaria Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162 [*n. n.*].
testudinarius Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 195.
testudinarius Conus (*ex* Mart.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 694.
testudinarius Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 151.—Scarabaeus.
testudinaria Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 719; ed. 12, 1767, 1173.
testudinarius Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 24.
testudinarius Erodius, J. C. Fabricius, Spec. Ins. I. 1781, 326.
testudinarius Hister, C. de Geer, Mém. Ins. IV. 1774, 345.
testudinaria Lepas, Linnaeus, Syst. Nat., ed. 10, 1758, 668; ed. 12, 1767, 1108.
testudinaria Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 783; ed. 12, 1767, 1260.
testudinaria Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 260.
testudinaria Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 402.—Cypraea.
testudinarius Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 19.
testudinarius Unio, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, 65.
testudinata Patella, T. Martyn, Univ. Conch. III [1789], fig. 100.
testudineus Acarus, F. v. P. Schrank, Ins. Aust. 1781, 520.
testudineus Anthias, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 121.
testudineum Buccinum (*ex* Chem.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 266.
testudineum Sphaeridium, P. Rossi, Mant. Ins. II. 1794, 83.
testudineus Tenebrio, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 83.

- testudineus** Tetraodon, Linnaeus, Syst. Nat., ed. 10, 1758, 332; ed. 12, 1766, 410 [Tetro-].
testudinis Acarus, Linnaeus in Hasselquist, Palast. 1762, 472.
 "testudinis Amphibolithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 158.
testudinis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3035.
Testudo Linnaeus, Syst. Nat., ed. 10, 1758, 197; ed. 12, 1766, 350.—R.
testudo Acarus, P. Rossi, Fauna Etrus. II. 1790, 339.
testudo Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 65.
testudo Hepialus (D. & S.), J. C. Fabricius, Ent. Syst. III (2) 1794, 7.—Bombyx.
testudo Papilio N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. 1781,
testudo Phoca, R. Kerr, Anim. Kingd. 1792, 127. [118].
Teta P. Browne, Hist. Jamaica, ed. 2, 1789, 469.—A.
tetagropila Cancer, *err. pro aegagropila*, Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
tetanus Scolopax, *v. tobanus*, Linnaeus, Faun. Suec., ed. 2, 1761, 59. [1790, 2975].
teter Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 406.
Tethys Linnaeus, Syst. Nat., ed. 10, 1758, 653; ed. 12, 1767, 1089.—Moll.
Tethyum J. B. Bohadsch, Anim. Marin. 1761, 128.—Moll.
tetra Noctua, J. C. Fabricius, Mant. II. 1787, 138.
tetra Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 727.—
tetracantha Aranea, P. S. Pallas, Spic. Zool. IX. 1772, 49. [Noctua].
tetracanthus Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 116.
tetracarinatus Staphylinus, L. H. v. Bloch in Becker, Plau. Grund. 1799, 116.
tetraceras Ceratium, F. v. P. Schrank, Naturforscher, XXVII. 1793, 36.
tetrachelatus Scorpio, J. D. Preyßler, Verz. böhm. Ins. 1790, 56.
Tetractis C. F. Schultze, Verst. Seest. 1760, 49.—Ast.
tetracula Alca, P. S. Pallas, Spic. Zool. V. 1769, 23.
tetradactylus Canis, Al. Brongniart, Actes Soc. H. N. Paris, I (1) 1792, 115.
tetradactyla Cetonia (L.), J. C. Fabricius, Syst. Ent. 1775, 49.—Scarabaeus.
tetradactyla Lacerta (Schn.), J. A. Donndorff, Zool. Beyt. III. 1798, 134.—Stellio.
tetradactyla Manis, Linnaeus, Syst. Nat., ed. 12, 1766, 53.
tetradactyla Melolontha (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 161.—
 Scarabaeus.
tetradactyla Myrmecophaga, Linnaeus, Syst. Nat., ed. 10, 1758, 35; ed. 12, 1766, 52.
tetradactyla Phalaena (Alucita), Linnaeus, Syst. Nat., ed. 10, 1758, 542; ed. 12, 1767,
tetradactylus Scarabaeus, Linnaeus, Mant. II. 1771, 530. [900].
tetradactyla Simia, H. F. Link, Beitr. Nat. I (2) 1795, 62.
tetradactylus Stellio, J. G. Schneider, Amph. Phys. sp. alt. 1792, 33.
tetradactylus Urrus, R. Kerr, Anim. Kingd. 1792, 186.
tetradactyla Viverra, P. S. Pallas in J. C. D. Schreber, Säugth. III. (1777) 434.
tetradactyla Viverra, E. A. W. Zimmermann, Spec. Zool. 1777, 482.
tetraëdra Amphinome, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 48.
tetragonata Coccinella, J. N. Laicharting, Tyrol. Ins. I. 1781, 125.
tetragonoceps Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 87.
tetragonon Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 257.
Tetragonoptrus (*ex* Klein), J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 582.—P.
tetragonurus Sorex, J. Herrmann in E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 383.
tetragonus Alpheus, F. Weber, Nomen. Fabricii, 1795, 92 [*n. n.*].
tetragona Arca, J. X. Poli, Test. Sicil. II. 1795, 137.
tetragonus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 34.
tetragonus Cancer, J. C. Fabricius, Suppl. Ent. Syst., 1798, 341.
tetragonus Coluber, P. A. Latreille, Salamand. France, 1800, xxxv.
tetragonum Daphnoderma, J. X. Poli, Test. Sicil. II. 1795, 255 & 260. = Arca of p. 137.
tetragona Fasciola, O. F. Müller, Verm. I (2) 1774, 69.
tetragona Musca, A. F. de Fourcroy, Ent. Paris. 1785, 484.
tetragona Planaria, O. F. Müller, Z. Dan. Prod. 1776, 223.—Fasciola, 1774.
tetragonus Syngnathus, C. P. Thunberg, Physiogr. Salsk. Handl., I (4) 1786, 301.
tetragona Vesicaria, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 124.
tetragrammos Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2194.
tetragrammus Curculio, P. S. Pallas, Icon. Ins. 1781, 29.

- tetralunaris** Phalaena, Hufnagel, Berl. Mag. IV. 1767, 506.
- Tetrao** Linnaeus, Syst. Nat., ed. 10, 1758, 159; ed. 12, 1766, 273.—A.
- Tetraodon** Linnaeus, Syst. Nat., ed. 10, 1758, 332; ed. 12, 1766, 410 [Tetrodon].—P.
- tetraodon** Cancer, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 6.
- tetraoides** Columba, J. A. Scopoli, Annus I. 1769, 125.
- tetraonis** Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3034.
- tetraonis** Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 614; ed. 12, 1767, 1020.
- tetrapodella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 890.
- tetraporus** Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3190.
- “**Tetrapteryx**, Thunb. 179—,” Ag.: is 1818.—A.
- tetrapunctella** Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 96.
- tetrapuncta** Crioceris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 47.
- tetraquetra** Doris (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3106.—Limax.
- tetraquetra** Limax, P. S. Pallas. Nova Acta Ac. Sci. Petrop. II. 1788, 237.
- Tetras**, *i. e.* **Tetrao**, J. R. Forster. Man. H. N. Oiseaux, 1799, 51.
- tetrastichon** Elater, Linnaeus, Syst. Nat., ed. 12, 1767, 656.
- tetrastigma** Cassida, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 65.
- tetrastyla** Medusa, P. Forskal, Descr. Anim. 1775, 106.
- Tetratoma** J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 217.—Col.
- Tetratoma** Herbst in Jablonsky. Nat. Ins. (Käfer) IV. 1792. St.—Col.
- tetrax** Otis, Linnaeus, Syst. Nat., ed. 10, 1758, 154; ed. 12, 1766, 264.
- tetricella** Tinea, [Denis & Schiffermüller], Schmett. Wien. 1775, 138.
- tetricus** Apis, M. Harris, Exp. Eng. Ins. 1776, 138.
- tetrio** Sphinx, Linnaeus, Mant. II. 1771, 538.
- tetrix** Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 473.—Tinea tetricella, D. & S.
- tetrix** Lagopus (L.), J. C. Schaeffer, Mus. Orn. 1789, 3.—Tetrao.
- tetrix** Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 159; ed. 12, 1766, 274.
- Tetrodon**, *v.* **Tetraodon** Linnaeus, Syst. Nat., ed. 12, 1766, 410.—P.
- tetrophthalmus** Anableps, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 7.
- tetrophthalmus** Cerambyx, J. R. Forster, N. Sp. Ins. 1771, 41.
- Tettigonia** J. C. Fabricius, Syst. Ent. 1775, 678.—Hem.
- Tettigonia** *v.* **Gryllus**.
- tettigonus** Astacus, J. C. Fabricius, Syst. Ent. 1775, 417.
- tettigonus** Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2989.—Astacus.
- tettigonus** Cancer (Astacus) (Fab.), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 78.—Astacus.
- teucer** Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 464; ed. 12, 1767, 753.
- teucii** Cimex, N. Host in Jacquin, Coll. Bot. II. 1788, 255.
- Teuthis** Linnaeus, Syst. Nat., ed. 12, 1766, 507.—P.
- Teuthis** J. G. Schneider, Samml. verm. Abh. 1784, 113.—Ceph.
- teutonaria** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 823.
- teutonicus** Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1842.
- teutonia** Papilio, J. C. Fabricius, Syst. Ent. 1775, 474.
- teutonus** Asilus, Linnaeus, Syst. Nat., ed. 12, 1767, 1008. † 630
- teutonus** Asilus, G. W. F. Panzer, Ins. Germ. heft 1, 1792, no. 11.
- teutonus** Carabus, F. v. P. Schrank, Ins. Aust. 1781, 214.
- textilis** Chama, F. C. Meuschen, Mus. Gever. 1787, 454.
- textile** Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 717; ed. 12, 1767, 1171.
- textile** Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 50.—Conus.
- textilis** Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3683.
- textilis** Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 37 [*n. n.*].
- textile** Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3280.
- textor** Acarus, A. F. de Fourcroy, Ent. Paris. 1785, 530.
- textor** Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 392; ed. 12, 1767, 629.
- textor** Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 349.—Oriolus.
- textor** Lamia (L.), J. C. Fabricius, Syst. Ent. 1775, 171.—Cerambyx.
- textor** Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 390.
- textoria** Volva, J. F. Bolten, Mus. Bolten. (2) 1798, 22.

- textrix** Apis, J. L. Christ, Nat. Ins. 1791, 169.
- textrix** Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 877.
- textum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3493.
- texta** Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 30.
- texta** Phalaena Noct. (*ex* Esper, tab.), H. G. Lang, Verz. Schmett., ed. 2, 1789, 133.
- thaca** Chama, G. I. Molina, Sag. stor. nat. Chili, 1782, 203.
- thagus** Pelecanus, G. I. Molina, Sag. stor. nat. Chili, 1782, 240.
- Thais** J. F. Bolten, Mus. Bolten. (2) 1798, 54.—G.
- thais** [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 21.
- thais** Papilio, J. C. Fabricius, Mant. II. 1787, 64.
- thais** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 149.
- Thalassema**; occurs in Pallas, Spicil. X. 1771, 8 as Jos. Gaertner *in litt.* but the first formal use of the word is in Lamareck, Syst. Anim. 1801, 328.
- Thalassema** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 6 [*n. n.*].—Ver.
- thalassema** Lumbricus, P. S. Pallas, Spic. Zool. X. 1774, 8.
- thalassinum** Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 225.—Gryllus.
- thalassina** Boa, J. N. Laurenti, Syn. Rept. 1768, 89.
- thalassinus** Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3206.
- thalassina** Chrysis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2747.
- thalassinus** Gryllus, J. C. Fabricius, Spec. Ins. I. 1781, 367.
- thalassina** Leptura, F. v. P. Schrank, Ins. Aust. 1781, 160.
- thalassina** Locusta, C. de Geer, Mém. Ins. III. 1773, 433.
- thalasina** Necydalis, J. C. Fabricius, Ent. Syst. I (2) 1792, 350.
- thalassina** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 82.
- thalassina** Noctua, Hufnagel, Naturforscher, IX. 1776, 119.
- thalassinus** Stellio, J. N. Laurenti, Syn. Rept., 1768, 57.
- thales** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 268.
- thales** Papilio (*ex* Esper, tab.), J. C. Fabricius, Gen. Ins. 1777, 255.
- Thalia** P. Browne, Hist. Jamaica, ed. 2, 1789, 384.—Nud.
- Thalia** J. G. Bruguière, Ency. Méth. (Tabl. Vers.), pl. 88 (1791) [*n. et f.*].—Nud.
- Thalia** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 5 [*n. n.*].—Nud.
- thalia** Holothuria, Linnaeus, Syst. Nat., ed. 10, 1758, 657; ed. 12, 1767, 1090.
- thalia** Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 10, 1758, 467; ed. 12, 1767, 757.
- thalia** Talis (L.), G. Cuvier, Tab. Elém. 1798, 389.—Holothuria.
- thalictri** Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 425.
- Thalis** G. Cuvier, Tab. Elém. 1798, 389.—Nud.
- thallo** Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 12, 1767, 756.
- thallo** Sphinx (L.), E. Donovan, Ins. China, 1799.—Papilio.
- thallus** [Papilio], P. Cramer, Uitl. Kapellen, III (22) 1779, 117.
- thamyra** [Papilio], P. Cramer, Uitl. Kapellen, III (21) 1779, 83.
- thamyras** Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 483; ed. 12, 1767, 789.
- thapsi** Phalaena Noctua, Brahm, Ins. Kal. II. 1791, 135 & 533.
- thapsiella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me justice 1796], 42.
- thapsus** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 434.
- tharis** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 38.
- tharops** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 133.
- tharos** [Papilio], D. Drury, Ill. Nat. Hist. I. 1770, index & 43.
- tharus** Falco, G. I. Molina, Sag. stor. nat. Chili, 1782, 264.
- tharus** Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 482.
- thasia** Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 450.
- thasus** [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 86.
- thasus** [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 179.
- thaul** Bufo, J. G. Schneider, Hist. Amph. I. 1799, 227.
- thaumantias** Trochilus, Linnaeus, Syst. Nat., ed. 12, 1766, 190.
- thaumas** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 327.
- thaumas** Papilio, S. A. v. Rottemburg, Naturforscher, VI. 1775, 4.
- thaumaturgus** Curculio, P. Rossi, Mant. Ins. II. 1794, 94.
- thazard** Scomber, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 599.

- theanus** [Papilio], P. Cramer, Uitl. Kapellen, II (12) 1777, 65.
- thebanus** Scarabaeus, J. F. W. Herbst, Beschäf. Ges. Nat. Freunde, IV. 1779, 324.
- theca** Lophia, J. F. Bolten, Mus. Bolten. (2) 1798, 169.
- thelebas** [Sphinx], P. Cramer, Uitl. Kapellen, II (13) 1777, 86.
- thelebus** Zygaena, J. C. Fabricius, Mant. II. 1787, 103.
- Thelephorus**, *id. ac* **Telephorus** O. F. Müller, Z. Dan. Prod. 1776, 62.
- thelephus** [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 103.
- themistocles** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 66.
- thenca** Turdus, G. I. Molina, Sag. stor. nat. Chili, 1782, 250.
- theobroma** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 43.
- theobroma** Nucella, J. F. Bolten, Mus. Bolten. (2) 1798, 131.
- theobromae** Bruchus, Linnaeus, Syst. Nat., ed. 12, 1767, 605.
- theobromatis** Bruchus, *id. ac* theobromae, L., J. F. Gmelin in Linn. Syst. Nat., ed. 13, theocritus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 289. [I. 1789, 1735.]
- theophrastus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 281.
- Thereva** P. A. Latreille, Préc. Car. Gen. Ins. 1796, 167.—Dip.
- Thereva** J. C. Fabricius, Suppl. Ent. Syst. 1798, 548.—Dip.
- Thereva** J. G. Meigen, N. Class. Mouches, 1800, 33.—Dip.
- thermalis** Turbo, Linnaeus, Syst. Nat., ed. 12, 1767, 1237.
- thermicola** Aphodius, J. Sturm, Verz. Ins. Samml. 1800, 44.
- thermopylae** [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 26.
- thero** Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 274.—Papilio.
- thero** Papilio (Plebejus), Linnaeus, Mus. Lud. Ulr. 1764, 328.
- thersamon** Hesperia (Esp.), J. C. Fabricius, Ent. Syst. III (1) 1793, 313.—Papilio.
- thersamon** Papilio Pl. Rur., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
- thersander** [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 87. [1784, 176.]
- thersander** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 32.
- thersanon** [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 6.
- thersites** Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 279.
- thersites** Papilio, J. C. Fabricius, Syst. Ent. 1775, 453.
- theseus** [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777, 128.
- theseus** Papilio, J. C. Fabricius, Mant. II. 1787, 1.
- thespis** Papilio (Plebejus), Linnaeus, Mus. Lud. Ulr. 1764, 318.
- Thetis** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 5 [n. n.]—Nud.
- thetis** [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 16.
- thetis** Sphinx, Linnaeus, Mant. II. 1771, 539.
- thetis** Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 552.—Sphinx.
- Thetys** F. C. Meuschen, Mus. Gronov. 1778, 45.—Nud.
- thetys** [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 2.
- thetys** Papilio, J. C. Fabricius, Gen. Ins. 1777, 264.
- Theutis** *v.* **Teuthis**, Linn., M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 65.
- Theutys**, *id. ac* **Teuthis** A. Gouan, Hist. Pisc. 1770, 105.
- theylia** Sphinx, *v.* **thyelia**.
- thezeana** Lepisma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 199.
- Thiara** J. F. Bolten, Mus. Bolten. (2) 1798, 109.—G.
- thiara** Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 497.
- thilius** Turdus, G. I. Molina, Sag. stor. nat. Chili, 1782, 250.
- thisbe** *v.* **thysbe**.
- thlaspi** Cicada, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 69.
- thoas** Papilio, Linnaeus, Mant. II. 1771, 536.
- thomae** Bibio (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 299.—Tipula.
- thomae** Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 623.
- thomae** Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3394.
- thomae** Hirtea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 552.—Tipula.
- thomae** Prionus (L.), J. C. Fabricius, Syst. Ent. 1775, 162.—Cerambyx.
- thomae** Spheg, J. C. Fabricius, Syst. Ent. 1775, 346.
- thomae** Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 976.
- thomensis** Colymbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 592.

- thomensis** Podiceps (Gm.), J. Latham, Index Orn. 1790, 784.—Colymbus.
thoos Zygaena, J. C. Fabricius, Spec. Ins. II. 1781, 166.
thoracella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 520.
thoracella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 88.
thoracicum Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 233.
thoracica Altica, J. C. Fabricius, Syst. Ent. 1775, 821.
thoracica Anaspis, A. F. de Fourcroy, Ent. Paris. 1785, 142.
thoracicum Anobium, P. Rossi, Fauna Etrus. I. 1790, 41.
thoracica Apis, J. C. Fabricius, Syst. Ent. 1775, 383.
thoracicus Bostrichus, G. W. F. Panzer, Deutsch. Ins. [1795], 288.
thoracicus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 45.
thoracica Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 138.
thoracica Cantharis, C. de Villers, Linn. Ent. I. 1789, 296.
thoracicus Carabus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 69.
thoracicus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 376.—Buprestis.
thoracica Cassida, A. F. de Fourcroy, Ent. Paris. 1785, 141.
thoracicus Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 300.
thoracica Cetonia, J. C. Fabricius, Syst. Ent. 1775, 47.
thoracica Chrysomela, J. R. Forster, Cat. Brit. Ins. 1770, 6 [n. n.].
thoracica Chrysomela, O. F. Müller, Z. Dan. Prod. 1776, 82.
thoracica Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 109.
thoracica Chrysomela, J. C. Fabricius, Mant. I. 1787, 75.
thoracica Chrysomela (Geoff.), C. de Villers, Linn. Ent. I. 1789, 165.—Cricocaris.
thoracica Cicada, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 18.
thoracica Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 63.
thoracicus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 39.
thoracica Cistela, J. C. Fabricius, Ent. Syst. I (2) 1792, 45.
thoracicus Clerus, A. G. Olivier, Entom. IV. 1795, 18.
thoracicus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 170.
thoracica Cricocaris, A. F. de Fourcroy, Ent. Paris. 1785, 96.
thoracicus Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 50.
thoracicus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 24.
thoracicus Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 69.
thoracicus Elater, Scopoli, Ent. Carn. 1763, 92.
thoracicus Elater, J. C. Fabricius, Syst. Ent. 1775, 214.
thoracicus Erotylus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 40.
thoracica Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 503.
thoracica Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 24.—Chrysomela, 1787.
thoracicus Hylaeus, J. C. Fabricius, Ent. Syst. II. 1793, 304.
thoracica Lampyris, A. G. Olivier, Entom. II. 1790, 27.
thoracica Leptura, C. Creutzer, Ent. Vers. 1799, 125.
thoracica Leptura, G. Paykull, Faun. Suec. III. 1800, 105.
thoracicus Malachius (Fourc.), A. G. Olivier, Entom. II. 1790, 9.—Cicindela.
thoracica Mordella, Linnaeus, Syst. Nat., ed. 10, 1758, 420; ed. 12, 1767, 682.
thoracica Necydalis, [D. H. Schneider], Nom. Ent. 1785, 18 [n. n.].
thoracicus Notoxus, Schneider in G. W. F. Panzer, Ins. Germ. heft 23, 1794, tab. 6.
thoracicus Oxyporus, J. C. Fabricius, Gen. Ins. 1777, 242.
thoracica Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 63.—Silpha.
thoracica Peltis, A. F. de Fourcroy, Ent. Paris. 1785, 31.
thoracica Saperda, A. G. Olivier, Entom. IV. 1795, 18.
thoracicus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1576.—
thoracicus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 149. [Cetonia].
thoracicus Scarites, P. Rossi, Fauna Etrus. I. 1790, 227.
thoracica Scolia, J. C. Fabricius, Mant. I. 1787, 281.
thoracica Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 360; ed. 12, 1767, 571.
thoracica Sphex, J. L. Christ, Nat. Ins. 1791, 324.
thoracica Sphex, P. Rossi, Mant. Ins. II. 1794, 118.
thoracicus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 170.

- thoracica** Synchita, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 406.
thoracicus Telephorus, A. G. Olivier, Entom. II. 1790, 12.
thoracicus Tenebrio (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. IV. 1796,
thoracica Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 376. [148.—Trogosita.
thoracica Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 330.
thoracica Tiphia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 254.
thoracicus Trogosita, J. C. Fabricius, Ent. Syst. I (1) 1792, 116.
thoraco-circularis Copris (Laich.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 30.—
thoracocircularis Scarabaeus, J. N. Laicharting, Tyrol. Ins. I. 1781, 24. [Scarabaeus.
thous Canis, Linnaeus, Syst. Nat., ed. 12, 1766, 60.
thrasibulus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 346.
thraso Papilio (*ex* Seba), C. C. Jung, Alph. Verz. Schmett. II. 1792, 236.
thrasonella Phalaena, Scopoli, Ent. Carn. 1763, 253.
thrax Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 337.—Papilio.
thrax Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, 1767, 794.
Thrichecus v. **Trichechus** P. Browne, Hist. Jamaica, ed. 2, 1789, 459.
Thrips Linnaeus, Syst. Nat., ed. 10, 1758, 457; ed. 12, 1767, 743.—Hem.
thrissa Clupea, Linnaeus, Syst. Nat., ed. 10, 1758, 318; ed. 12, 1766, 524.
Throsco P. A. Latreille, Préc. Car. Ins. 1796, 42.—Col.
Throx, *id. ac* **Trox** Herbst in Fuessly, Arch. Ins. IV. 1783, 12.
thucydides Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 323.
thuja Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 809; ed. 12, 1767, 1308.
thula Ardea, G. I. Molina, Sag. stor. nat. Chili, 1782, 235.
thunbergella Tinea, J. C. Fabricius, Mant. II. 1787, 253.
thunberghiana [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 192.
thunbergiana Phalaena (Tort.), Herbst, Einl. Ins. II. 1785, 129.
tunbergiana Pyralis, J. C. Fabricius, Spec. Ins. II. 1781, 284.
thunbergii Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1980.
thunbergii Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2158.
thunbergii Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1666.
thunbergii Lacerta, J. A. Donndorff, Zool. Beyt. III. 1798, 132.
thyas Amymone, O. F. Müller, Entom. 1785, 47.
thyas Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3004.—
thyastes [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 47. [Amymone.
thyelia Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 492; ed. 12, 1767, 803 [thyelia].
thyestes [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, IV. 1790, 144.
"Thylacodus, Guett. 1774," Scudd.; *teste* Dalton.—Is an emendation of Tulaxodus, Guett.
thymallus Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 311; ed. 12, 1766, 512. [—G.
thymallus-latus Salmo, M. E. Bloch, Nat. Fische Deutschl. I. 1782, 170.
thymastri Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2876.—Syrphus.
thymastri Syrphus, J. C. Fabricius, Spec. Ins. II. 1781, 433.
thymelus Strombus, F. C. Meuschen, Mus. Gever. 1787, 292.
thymetus [Papilio], P. Cramer, Utitl. Kapellen, II (16) 1777, 134.
thymetus Papilio, J. C. Fabricius, Mant. II. 1787, 30.
thymiaria Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 4.
thymiaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 859.
thymifolia Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2064.—Locusta.
thymifolia Locusta, J. C. Fabricius, Syst. Ent. 1775, 283.
thymus Salmo, J. P. Bonnatte, Ency. Méth. (Ich.) 1788, 167.
Thynnus J. C. Fabricius, Syst. Ent. 1775, 360.—Hym.
thynnus Scomber, Linnaeus, Syst. Nat., ed. 10, 1758, 297; ed. 12, 1766, 493.
thynnonus [Papilio], P. Cramer, Utitl. Kapellen, III (19) 1779, 46.
thyphon Papilio, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II. 1791, 124.
thyra Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 314.—Papilio.
thyra Papilio (Plebejus), Linnaeus, Mus. Lud. Ulr. 1764, 329.
thyrrena Cassidea, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 439.
thyrreha Bombyx (*ex* Cram.), J. C. Fabricius, Gen. Ins. 1777, 278.
thyrsis Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 333.

- thyrsis** Papilio, J. C. Fabricius, Syst. Ent. 1775, 532.
thysbe Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 292.—Papilio.
thysbe [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 70.
thisbe Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 130.
thysbe Papilio (Plebejus), Linnaeus, Mus. Lud. Ulr. 1764, 330.
thysbe Sesia, J. C. Fabricius, Syst. Ent. 1775, 548.
tiara [Limax], T. Martyn, Univ. Conch. III [1789], fig. 116.
tiberina [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 52.
tibetanus Pavo, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
tibetanus Pavo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 731.
Tibia J. F. Bolten, Mus. Bolten. (2) 1798, 123.—G.
tibialana Phalaena Tortrix, J. Hübner, Samml. Vögel u. Schmett. 1793, 12 [n. et f.].
tibialana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me justice 1796], fig. 40 [n. et f.].
tibialata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me justice 1796], fig. 210 [n. et f.].
tibialis Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 383.
tibialis Blaps, J. C. Fabricius, Ent. Syst. IV. 1794, 439.
tibialis Bombyx, J. C. Fabricius, Syst. Ent. 1775, 578.
tibialis Carabus, G. Paykull, Faun. Suec. I. 1798, 168.
tibialis Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 43.
tibialis Crabro, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 513.
tibialis Crabro, J. C. Fabricius, Suppl. Ent. Syst. 1798, 271.
tibialis Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 43.
tibialis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 217.
tibialis Falco, F. M. Daudin, Traité élém. Orn. 1800, 120.
tibialis Gryllus (Locusta), P. S. Pallas, Reise Russ. II. 1773, 728.
tibialis Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 407.
tibialis Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 541.
tibialis Melolontha, A. G. Olivier, Entom. I. 1789, 83.
tibialis Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2859.
tibialis Nomada, J. C. Fabricius, Ent. Syst. II. 1793, 346.
tibiale Opatrum, J. C. Fabricius, Spec. Ins. I. 1781, 90.
tibialis Pimelia (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2008.—Tenebrio.
tibialis Scarabaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 24.
tibialis Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 86.—Opatrum.
tibialis Sphex, J. C. Fabricius, Spec. Ins. I. 1781, 444.
tibialis Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 49.
tibialis Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 678.
tibialis Tenebrio (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. VI., 1798, 115.—
tibialis Tenthredo, C. de Villers, Linn. Ent. III. 1789, 117. [Blaps.
tibialis Tenthredo, Jurine in G. W. F. Panzer, Ins. Germ. heft 62 [1799], tab. 11.
tibialis Tettigonia, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 5.
tibialis Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2767.
tibialis Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 690.
tibialis Zygaena (Drury), J. C. Fabricius, Syst. Ent. 1775, 555.—Sphinx.
tibiatrix Hyla, J. N. Laurenti, Syn. Rept. 1768, 34.
tibicen Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (1) 1791, 25.
tibicen Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 436; ed. 12, 1767, 707.
tibicen Tettigonia (L.), J. C. Fabricius, Syst. Ent. 1775, 679.—Cicada.
tibicen aruanus Buccinum, F. C. Meuschen, Mus. Gev. 1787, 304.
tibicina Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 152.
tibullus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 326.
tibullus Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
tiburo Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 234; ed. 12, 1766, 399.
tiburtia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 134.
tiburtus [Sphinx], P. Cramer, Uitl. Kapellen, III (20) 1779, 75.
tigerina Chama (L.), F. C. Meuschen, Mus. Gev. 1787, 452.—Venus.
tigerina Cytherea (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 178.—Venus.
tigerinus Gobius, F. C. Meuschen, Mus. Gronov. 1778, 42.

- tigerina** Ostrea (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3327.—Pecten.
- tigerinus** Pecten, O. F. Müller, Z. Dan. Prod. 1776, 248.
- tigerina** Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (45) 1791, 330.
- tigerina** Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 688; ed. 12, 1767, 1133 & 1134.
- tigratus** Curculio, P. Rossi, Mant. Ins. I. 1792, 39.
- tigrea** Porcellana, F. C. Meuschen, Mus. Gever. 1787, 398.
- tigridis** Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3031.
- tigrina** Aranea, Linnaeus, Syst. Nat., ed. 12, III. 1768, App., 226.
- tigrina** Aranea (Cancroides), C. de Geer, Mém. Ins. VII. 1778, 302.
- tigrina** Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 638.
- tigrinum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3475.
- tigrinum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3502.
- tigrina** Cassida, C. de Geer, Mém. Ins. V. 1775, 168.
- tigrina** Cassida, G. A. Harrer, Besch. Schaeffer Icones, 1784, 91.
- tigrinus** Cerambyx, C. de Geer, Mém. Ins. V. 1775, 114.
- tigrinus** Cerambyx, A. G. Olivier, Entom. IV. 1795, 101.—Lamia, 1792.
- tigrina** Cetonia, A. G. Olivier, Entom. I. 1789, 91.
- tigrina** Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 368; ed. 12, 1767, 586.
- tigrina** Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 131.
- tigrina** Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 147.
- tigrinus** Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1113.—Coro-
- tigrinus** Conus, F. C. Meuschen, Mus. Gever. 1787, 362. [nella.]
- tygrina** Coronella, J. N. Laurenti, Syn. Rept. 1768, 87.
- tigrinus** Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 126.
- tigrinus** Curculio, G. W. F. Panzer, Naturforscher, XXIV. 1789, 21.
- tigrinus** Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 370.
- tigrina** Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3404.
- tigrinus** Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 229.
- tigrinum** Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 94.—Buccinum.
- tigrinus** Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 437.
- tigrinus** Falco, J. M. G. Beseke, Beytr. Vög. Kurlands, 1792, 10.
- tigrina** Felis, J. C. D. Schreber, Säugth. III. 396 (1777), pl. cvi (1776).
- tigrinus** Gobius, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 204.
- tigrinus** Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 77.
- tigrina** Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 468.
- tigrina** Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 985.
- tigrina** Musca, J. C. Fabricius, Syst. Ent. 1775, 779.
- tigrina** Mustela (L.), J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 399.—
- tigrinum** Myrmeleon, J. C. Fabricius, Syst. Ent. 1775, 312. [Viverra.]
- tigrinus** Nematelus, C. de Geer, Mém. Ins. VI. 1776, 206.
- tigrina** Nerita, F. C. Meuschen, Mus. Gever. 1787, 272.
- tigrina** Noctua, J. C. Fabricius, Syst. Ent. 1775, 599.
- tigrina** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3707.
- tigrina** Perca (Bloch), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 352.—Holocentrus.
- tigrina** Phalaena B., C. de Villers, Linn. Ent. II. 1789, 159.
- tigrinus** Squalus, T. Pennant, Ind. Zool. [1769], 24.
- tigrina** Stratiomys, J. C. Fabricius, Syst. Ent. 1775, 760.
- tigrina** Sylvia (Gm.), J. Latham, Index Orn. 1790, 537.—Motacilla.
- tigrina** Viverra, J. C. D. Schreber, Säugth. III. 425 (1777), pl. cxv (1776).
- tigripes** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2148.
- tigris** Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 243.
- tigris** Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 68.
- tigris** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 40.
- tigris** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1778.
- tigris** Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 721; ed. 12, 1767, 1176.
- tigris** Felis, Linnaeus, Syst. Nat., ed. 10, 1758, 41; ed. 12, 1766, 61.
- tigris** Papilio (ex Goeze), C. C. Jung, Alph. Verz. Schmett. II. 1792, 239.
- tigris** Phalaena Geometra, J. E. I. Walch, Naturforscher, XIII. 1779, 31.

- tigris** Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 404.—Cypraea.
tigris Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 36 [*n. n.*].
tigris Trichoda, O. F. Müller, An. Infus. 1786, 206.
tigris Trochus, T. Martyn, Univ. Conch. II [1788], fig. 75.
tigriensis Phryganea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 201.
tilephus Papilio, *err. pro* thelephus, Cram., J. C. Fabricius, Mant. II. 1787, 78.
tiliae Apatē [Hellw.], G. W. F. Panzer, Ins. Germ. heft 8, 1793, tab. 14.
tiliae Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 734.
tiliae Chermes, A. F. de Fourcroy, Ent. Paris. 1785, 229.
tiliae Cimex, J. C. Fabricius, Gen. Ins. 1777, 301.
tiliae Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 456; ed. 12, 1767, 741.
tiliae Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 174.—Cimex, 1777.
tiliae Saperda, F. v. P. Schrank, F. Boica, I. 1798, 667.
tiliae Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 489; ed. 12, 1767, 797.
tiliaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 520.
tiliguerta Ameiva (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 28.—Lacerta.
tiliguerta Lacerta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I (3) 1789, 1070.
tiligugu Ameiva (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 29.—Lacerta.
tiligugu Lacerta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I (3) 1789, 1073.
tillarga Libellula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 285.
Tillus A. G. Olivier, Entom. II. 1790, 1.—Col.
timais [Phalaena], P. Cramer, Utit. Kapellen, III (23) 1780, 148.
timantes Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 483; ed. 12, 1767, 791.
timeo Musca, M. Harris, Exp. Eng. Ins. 1776, 107.
timesius [Sphinx], C. Stoll, Aanhang. Cramer's Utit. Kapellen, V. 1790, 172.
timeus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 285.—Papilio.
timeus [Papilio], P. Cramer, Utit. Kapellen, II (16) 1777, 137.
timidus Cerambyx, Scopoli, Ent. Carn. 1763, 53.
timidus Cuniculus, F. C. Meuschen, Mus. Gronov. 1778, 4.
timidus Curculio, P. Rossi, Mant. Ins. I. 1792, 37.
timidus Lepus, Linnaeus, Syst. Nat., ed. 10, 1758, 57; ed. 12, 1766, 77.
timidus Lepus, J. C. P. Erxleben, Syst. Anim. 1777; *varr.* alpinus, 328; niger, 329; cor-
timidus Lepus, R. Kerr, Anim. Kingd. 1792, 278; *varr.* melinus. [nutus, 330.
timidus Musca, M. Harris, Exp. Eng. Ins. 1776, 116.
timidus Prionus, J. A. Scopoli, Annus V. 1772, 99.—Cerambyx, 1763.
timolea [Phalaena], P. Cramer, Utit. Kapellen, I (7) 1775, 127.
timoleon [Papilio], C. Stoll, Aanhang. Cramer's Utit. Kapellen, IV. 1790, 146.
timon Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 260.
timon Papilio, J. C. Fabricius, Mant. II. 1787, 65.
timorensis Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 731.
timucu Esox, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 88.
Tinamou B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 11.—A.
Tinamus J. Herrmann, Tab. affin. Anim. 1783, 164 & 235.—A.
Tinamus J. P. Bonnatere, Ency. Méth. (Orn.) I. 1790, lxxvii.—A.
Tinamus J. Latham, Index Orn. 1790, 633.—A.
Tinca E. L. Geoffroy, Descr. 719 Plant. &c. 1767, 406.—P.
tinca Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 321; ed. 12, 1766, 526 [trinca].
tinca Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 285; ed. 12, 1766, 477.
tincae Fasciola, A. Modeer, K. Vet. Ac. Nya Handl. XI. 1790, 127.
tincta Phalaena Noctua, N. J. Brahm, Ins. Kal. II (1) 1791, 393.
tinctaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 121 [*n. etf.*].
tinctella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 50.
tinctor Alpheus (Forsk.), F. Weber, Nomen. Fabricii, 1795, 91.—Cancer.
tinctor Cancer, P. Forskal, Descr. Anim. 1775, 93.
tinctor Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 335.
tinctor Sphex, J. L. Christ, Nat. Ins. 1791, 311.
tinctorius Acarus, Linnaeus, Syst. Nat., ed. 12, 1767, 1025.
tinctorius Calamita, J. G. Schneider, Hist. Amph. I. 1799, 175.

- tinctoria** Rana, G. Cuvier, Tab. Elém. 1798, 295.
- tinctorium** Trombidium (L.), J. C. Fabricius, Syst. Ent. 1775, 430.—Acarus.
- Tinea** J. C. Fabricius, Syst. Ent. 1775, 655.—Lep.
- Tinea** v. Phalaena (Tinea), Linnaeus.
- tinea** Ichneumon, J. L. Christ, Nat. Ins. 1791, 369.
- tinea** Lalrus, P. Forskal, Descr. Anim. 1775, xv.—[? misprint for tinca, Linn.]
- tinea** Oniscus, O. F. Müller, Z. Dan. Prod. 1776, 197.
- tinea** Trichoda, O. F. Müller, Verm. I (1) 1773, 83.
- tinealis** Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 119.
- tineana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 81 [n. et f.].
- tinearum** Ichneumon, C. de Villers, Linn. Ent. III. 1789, 211.
- tineata** Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [n. n.].
- tineiformis** Phryganea, F. v. P. Schrank, Ins. Aust. 1781, 310.
- tineiformis** Sphinx Hyal., J. Hübner, Samml. Vögel u. Schmett. 1793, 8 [n. et f.].
- tineodes** Noctua, C. F. Vieweg, Tabl. Verz. Brand. Schmett. II. 1790, 83.
- tineodes** Phalaena, Hufnagel, Berl. Mag. III, 1767, 412.
- tineoides** Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 576.
- tineoides** Phryganea, Scopoli, Ent. Carn. 1763, 267.
- tinianus** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 713.
- tinniens** Rhingia, F. A. A. Meyer, Mag. Neuste Phys. u. Nat. IX (2) 1794, 75.
- tinniens** Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 827.
- tinniens** Vespa, Scopoli, Ent. Carn. 1763, 311.
- tinnunculi** Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 612; ed. 12, 1767, 1018.
- Tinnunculus** Linnaeus, Amoen. Acad. VII. 1766, 450.—M.
- tinnunculus** Accipiter (L.), J. C. Schaeffer, Mus. Orn. 1789, 8.—Falco.
- tinnunculus** Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 90; ed. 12, 1766, 127.
- tinnunculus** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 279; *varr.* griseus, alaudarius.
- tintinnabulatus** Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 826.
- tintinnabulum** Balanus (L.), E. M. da Costa, Brit. Conch. 1778, 250.—Lepas.
- tintinnabulum** Beroe, A. Modeer, K. Vet. Ac. Nya Handl. XI. 1790, 49.
- tintinnabulum** Lepas, Linnaeus, Syst. Nat., ed. 10, 1758, 668; ed. 12, 1767, 1108.
- tinus** Falco, J. Latham, Index Orn. 1790, 50.
- tinus** Mergus, Linnaeus in Hasselquist, Palast. 1762, 322.
- tiphae** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 413.
- Tiphia** J. C. Fabricius, Syst. Ent. 1775, 353.—Hym.
- tiphia** Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 186; ed. 12, 1766, 331.
- tiphon** Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 22. [12.]
- tiphus** Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 485.—[P. (Nymphalis), ed.]
- tiphys** Papilio Pl. Rur., E. J. C. Esper, Die Schmett. I (Bd. 2), Forts. Tagschmett. [1780], 6.
- Tipula** Linnaeus, Syst. Nat., ed. 10, 1758, 585; ed. 12, 1767, 970.—Dip.
- tipula** Sphinx, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 33.
- tipulae** Ichneumon, Scopoli, Ent. Carn. 1763, 288.
- tipulae** Ichneumon, W. Kirby, Tr. Linn. Soc. [Lond.], IV. 1798, 232.
- tipulaea** Musca, A. F. de Fourcroy, Ent. Paris. 1785, 497.
- tipularius** Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 451; ed. 12, 1767, 733.
- tipularius** Cimex, M. Harris, Exp. Eng. Ins. 1776, 89.
- tipularius** Gerris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 192.—Cimex.
- tipularia** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 337.
- tipularia** Panorpa, J. C. Fabricius, Syst. Ent. 1775, 314.
- tipuliformis** Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 190.
- tipuliformis** Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2865.—
- tipuliformis** Rhagio, J. C. Fabricius, Gen. Ins. 1777, 306. [Rhagio.]
- tipuliformis** Sesia (Clerck), J. C. Fabricius, Syst. Ent. 1775, 549.—Sphinx.
- tipuliformis** Sp[hinx], C. Clerk, Icones, I. 1759, pl. ix, 1.
- tipuloides** Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 606; ed. 12, 1767, 1008.
- tipuloides** Ceroplatys, Bosc, J. C. Fabricius, Suppl. Ent. Syst. 1798, 550; *olim* Keroplatys.
- tipuloides** Cimex, C. de Geer, Mém. Ins. III. 1773, 354.

- tipuloides** Keroplatus, L. Bosc, Act. Soc. Hist. Nat. Paris, I (1) 1792, 42.
tipuloides Panorpa, J. C. Fuessly, Schweiz. Ins. 1775, 46.
tircis [Papilio], C. Stoll in Cramer, Uitl. Kapellen, VI (32) 1782, 166.
tiresia [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 7.
tiresias [Phalaena], P. Cramer, Uitl. Kapellen, I (8) 1776, 133.
tirhaca [Phalaena], P. Cramer, Uitl. Kapellen, II (15) 1777, 116.
tiriacula Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 51.
tirica Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 351.
tiridates Papilio, P. Cramer, Uitl. Kapellen, II (14) 1777, 100.
tirrhaca Noctua (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 213.—Phalaena tirhaca.
tisiphone Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 492; ed. 12, 1767, 803.
titan [Sphinx], P. Cramer, Uitl. Kapellen, II (12) 1777, 73.
Titania J. G. Meigen, N. Class. Mouches, 1800, 35.—Dip.
titania Astraea, J. F. Bolten, Mus. Bolten. (2) 1798, 80.
titania Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 428.
Titanoceratophyton (ex Boerh.), P. L. S. Müller, Del. Nat. I. 1766, 128.—? Alga.
titanus Anthrax, J. C. Fabricius, Suppl. Ent. Syst. 1798, 554.
titanus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 16.—Scarabaeus, 1775.
titanus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 10.
titea [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 148.
tithonus Papilio (P.), Linnaeus, Mant. II. 1771, 537.
tithys v. *tityus*.
Titia J. G. Meigen, N. Class. Mouches, 1800, 38.—Dip.
titia Libellula, D. Drury, Ill. Nat. Hist. II. 1773, index & 83.
titillator Cerambix (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1831.—Lamia.
titillator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 565; ed. 12, 1767, 934.
titillator Lamia, J. C. Fabricius, Syst. Ent. 1775, 172.
titus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 297.
tityrus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 331.
tityrus Papilio, J. C. Fabricius, Syst. Ent. 1775, 532.
tityrus Papilio (Plebeius), N. Poda, Ins. Mus. Graec. 1761, 77.
tityrus Papilio (Fab.), J. E. Smith in Abbott, Ins. Georgia, 1797, 37.—Hesperia.
tithys Ficedula, J. C. Schaeffer, Mus. Orn. 1789, 35.
titys Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 187.
tithys Sylvia (L.), J. A. Scopoli, Annus I. 1769, 157.—Motacilla tityus.
tityus Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 13.—Scarabaeus.
tityus Scarabaeus, Linnaeus, Amoen. Acad. VI. 1763, 391.
tityus Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 493.
t-littera see t.
tobaci Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 498.
tobagensis Trochilus, *id. ac tobaci*, Gm., J. Latham, Index Orn. 1790, 316.
tobata Tringa, v. *lobata*.
tobianus Ammodytes, Linnaeus, Syst. Nat., ed. 10, 1758, 247; ed. 12, 1766, 430.
toco Ramphastos, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 82.
Todus M. J. Brisson, Ornith. IV. 1760, 528.—A.
Todus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 10.—A.
todus Alcedo, Linnaeus, Syst. Nat., ed. 10, 1758, 116.
togatubalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 7[2].
togata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 454.
togata Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (45) 1791, 336.
togata Tellina, J. X. Poli, Test. Sicil. II. 1795, 42.
togatus Tetrao, Linnaeus, Syst. Nat., ed. 12, 1766, 275.
togata Vorticella, O. F. Müller, An. Infus. 1786, 294.
tolai Lepus, P. S. Pallas, N. sp. Quad. I. 1778, 17.
tolchiquatli Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 296.
tolu Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 422.
tolumnia [Papilio], P. Cramer, Uitl. Kapellen, II (11) 1777, 51.
tomentosa Aphis, C. de Villers, Linn. Ent. I. 1789, 549.

- tomentosus** Balistes, Linnaeus, Syst. Nat., ed. 10, 1758, 328; ed. 12, 1766, 405.
tomentosa Buprestis, A. G. Olivier, Entom. II. 1790, 56.
tomentosum Callidium, J. A. Frolich, Naturforscher, XXVI. 1792, 158.
tomentosa Cantharis, C. Allioni, Misc. Taurin. III. 1766, 189.
tomentosa Cicada, J. C. Fabricius, Syst. Ent. 1775, 683.
tomentosa Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 759.
tomentosus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2164.
tomentosus Cimex, C. de Villers, Linn. Ent. I. 1789, 528.
tomentosus Cryptocephalus (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2164.
tomentosus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 536. [1730.—Lagria.
tomentosus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 278.
tomentosus Dermestes, C. de Geer, Mém. Ins. IV. 1774, 199.
tomentosus Dermestes, F. v. P. Schrank, Ins. Aust. 1781, 30.
tomentosus Elater, J. C. Fabricius, Suppl. Ent. Syst. 1798, 138.
tomentosa Flustra, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 24.
tomentosus Helix, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 254.
tomentosa Lagria, J. C. Fabricius, Syst. Ent. 1775, 125.
tomentosa Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 340.
tomentosa Libellula, J. C. Fabricius, Syst. Ent. 1775, 423.
tomentosa Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 157.
tomentosa Melyris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 60.
tomentosa Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 105.
tomentosus Rhagio, J. C. Fabricius, Ent. Syst. IV. 1794, 275.
tomentosus Scarabaeus, O. F. Müller, Z. Dan. Prod. 1776, 55.
tomentosus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 644.
tomentosus Scarabaeus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], III. 1792, 269.
tomentosa Silpha, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 203.
tomentosa Sphex, J. C. Fabricius, Mant. I. 1787, 274.
tomentosa Sphex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2734.
tomentosa Spongia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3821.
tomentosus Trixagus (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 534.—Dermestes.
tomineo Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 121.—[*var. colubris est.*, ed. 12.]
tomyris Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) X. 1800, 102.
tomyris [Phalaena], P. Cramer, Utit. Kapellen, III (22) 1779, 123.
tonkaea Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 256.
Tonna M. T. Brunnich, Zool. Fund. 1772, 248.—Moll.
tophaceata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.
tophaceata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 309 [n.
topographica Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.]. [et f.].
torcular Strombiformis, E. M. da Costa, Brit. Conch. 1778, 110.
torcularis Turbo, I. v. Born, Index Mus. Caes. Vind. 1778, 368.
torda Alca, Linnaeus, Syst. Nat., ed. 10, 1758, 130; ed. 12, 1766, 210.
torda Pinguin (L.), J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 29.—Alca.
tordae Taenia, O. Fabricius, F. Groen. 1780, 319.
toreuma [Buccinum], T. Martyn, Univ. Conch. II [1788], fig. 56.
toreumatica Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 155.
toreumaticus Echinites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 156.
toreumaticus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3180.—
Torficula, v. **Porficula** P. Browne, Hist. Jamaica, ed. 2, 1789, 433. [Cidaris.
tormentaria Bombyx (ex Goeze), C. C. Jung, Alph. Verz. Schmett. II. 1792, 243.
tormentosa Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 230.
tormentosa Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 601.
tormentosa Crioceris (L.), J. C. Fabricius, Syst. Ent. 1775, 122.—Chrysomela.
tormentosus Dermestes, J. C. Fabricius, Syst. Ent. 1775, 57.
tormentosa Pyrochroa, C. de Geer, Mém. Ins. V. 1775, 26.
tormentosa Silpha, C. de Geer, Mém. Ins. IV. 1774, 183.
tormentosa Spongia, Linnaeus, Syst. Nat., ed. 12, 1767, 1299.

- torminata** Geometra, *see* C. C. Jung, Alph. Verz. Schmett. II. 1792, 243.
tornatilis Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 338.—Voluta.
tornatilis Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 728.—[Voluta, ed. 12.]
tornatilis Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 330.—Voluta.
tornatilis Rhinoceros (L.), F. C. Meuschen, Mus. Gever. 1787, 262.—Voluta.
tornatilis Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1187.—Bulla, 1758.
tornator Cerambyx, J. A. Scopoli, Del. Insub. II. 1786, 38.
tornator Cerambyx (Fab.), A. G. Olivier, Entom. IV. 1795, 103.—Lamia.
tornator Lamia, J. C. Fabricius, Syst. Ent. 1775, 176.
tornatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46 [*n. n.*].
tornatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48 [*n. n.*].
tornatum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 92.
tornata Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 377.
tornatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 97.
tornata Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 121.
tornatus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 83.
tornatus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 89.
tornatum Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
torosa Alata, F. C. Meuschen, Mus. Gever. 1787, 344.
torosus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 380.
torosa Histrix, B. Merrem, Leipz. Mag. 1786, 198.
torosus Vespertilio, M. Vahl, Skr. nat. Selsk. [Copen.] IV (1) 1797, 136.
torpedo Raja, Linnaeus, Syst. Nat., ed. 10, 1758, 231; ed. 12, 1766, 395.
torquareus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 110.
torquatinus Papilio E. A., E. J. C. Esper, Ausl. Schmett. (14) 1798, 206.
torquata Alcedo, Linnaeus, Syst. Nat., ed. 12, 1766, 180.
torquata Anas, S. G. Gmelin, Reise Russ. II. 1774, 179.
torquatus Anser (Gm.), J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 122.—Anas.
torquata Aptenodytes, J. R. Forster, Comm. Soc. R. Sci. Gött. III. 1781, 135.
torquata Ardea, J. F. Miller, Icon. Anim., pl. 36 (1782).
torquatus Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1032.
torquata Cercopis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 101.
torquata Cetonia (Dru.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 198.—Scara-
torquatus Charadrius, E. Pontoppidan, Danske Atlas, I. 1763, 625. [baeus].
torquatus Charadrius, Linnaeus, Syst. Nat., ed. 12, 1766, 255.
torquata Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 187.
torquatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 710.
torquatus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 100.
torquatus Colymbus, M. T. Brünnich, Orn. Boreal. 1764, 41.
torquata Coturnix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 218.
torquatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 38.
torquatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 45.
torquatus Falco, M. T. Brünnich, Orn. Boreal. 1764, 4.
torquatus Formicarius, P. Boddaert, Tab. Planch. Enl. 1783, 43.
torquata Fringilla, J. F. Miller, Icon. Anim., pl. 30 (1779).
torquata Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1022.
torquatus Ichneumon, C. de Villers, Linn. Ent. III. 1789, 203.
torquatus Labrus, J. J. Walbaum, Artdi. Ichth. (3), ed. 2, 1792, 245.
torquatus Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 40.—Mus.
torquatus Lemmus (Pall.), H. F. Link, Beytr. Nat. I (2) 1795, 75.—Mus.
torquatus Mus, P. S. Pallas, N. sp. Quad. II. 1779, 206.
torquata Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 328.
torquatus [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777, 123.
torquatus Passer, F. S. Bock, Naturforscher, XVII. 1782, 97.
torquatus Passer, J. C. Schaeffer, Mus. Orn. 1789, 25.
torquatus Picus, P. Boddaert, Tab. Planch. Enl. 1783, 52.
torquata Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1000.
torquatus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 351.

- torquatus** Rallus, Linnaeus, Syst. Nat., ed. 12, 1766, 262.
torquatus Ramphastos, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 354.
torquata Scarabaeus, D. Drury, Ill. Nat. Hist. III. 1782, index & 60.
torquata Strix, F. M. Daudin, Traité élém. Orn. 1800, 193.
torquata Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3070.
torquatus Tringa, E. Pontoppidan, Danske Atlas, I. 1763, 624.
torquatus Trochilus, J. Latham, Index Orn. 1790, 309.
torquatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3597.
torquatus Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 170; ed. 12, 1766, 296.
Torquilla M. J. Brisson, Ornith. IV. 1760, 4.—A.
Torquilla M. T. Brünnich, Fund. Zool. 1772, 82.—A.
torquilla Jynx, Linnaeus, Syst. Nat., ed. 10, 1758, 112.—[Yunx, ed. 12.]
torquilla Volvox, J. Ellis, Phil. Trans. LIX. 1770, 149.
torquilla Yunx, Linnaeus, Syst. Nat., ed. 12, 1766, 172.—[Jynx, ed. 10.]
torrefacta Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 151.
torridatum Jaculus, J. C. P. Erxleben, Syst. Anim. 1777, 409.
torrida Anas (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 516.—Branta.
torrida Branta, J. A. Scopoli, Annus I. 1769, 68.
torridum Buccinum, O. F. Müller, Verm. II. 1774, 149.
torridus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1824.
torridus Cimex, J. A. Scopoli, Annus V. 1772, 110.
torrida Loxia, J. A. Scopoli, Annus I. 1769, 140.
torris Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191.
torris Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 401.—Hydrachna.
torrita Branta = **torrida**, J. A. Scopoli, Bemerk. Naturg. I. 1770, 75.
torsk Blennius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 460.
torsk Gadus, G. A. Suckow, Naturges. IV. 1799, 246.
torta Ostrea, J. Hermann, Schrift. Berlin. Ges. Nat. Freunde, II. 1781, 276.
tortilis Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 100 [*n. n.*].
tortilus Cypraea, T. Martyn, Univ. Conch. II [1788], fig. 60.
tortricella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 16.
tortricis Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 376.
Tortrix *v.* Phalaena (Tortrix), Linnaeus.
"Tortrix, Brong. 1800," Ag.; does not occur.
tortrix Curculio, Linnaeus, Faun. Suec., ed. 2, 1761, 182.
tortuosa Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 693; ed. 12, 1767, 1140.
tortuosum Cardium, J. Hermann, Naturforscher, XV. 1781, 117.
tortuosa Millepora, E. J. C. Esper, Phanzenth. Forts. I (5) 1796, 118.
tortuosa Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 283.
torulosus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 332.
torulosum Cerithium (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 482.—Murex.
torulosa Murex, Linnaeus, Syst. Nat., ed. 12, 1767, 1226.
torulosa Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2002.—
torulosa Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 181. [Tenebrio.
torulosus Tenebrio, P. S. Pallas, Icon. Ins. 1781, 51.
torvus Blennius, L. T. Gronov, Acta Helvet. VII. 1772, 47.
torva Fasciola, O. F. Müller, Verm. I (2) 1774, 62.
torvus Musca, M. Harris, Exp. Eng. Ins. 1776, 113.
torva Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
torvus Sirex, M. Harris, Exp. Eng. Ins. 1776, 96.
tota-cinerea Muraena, P. Forskal, Descr. Anim. 1775, 22.
"totalis Anthropolithus," J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 386.
"totalis Ornitholithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 157.
Totanus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 6 & 64.—A.
Totanus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [*n. n.*].—A.
totanus Limosa, J. C. Schaeffer, Mus. Orn. 1789, 52.
totanus Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 145; ed. 12, 1766, 245.
totliana Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2850.

- toto-marginalis Dytiscus, C. de Geer, Mém. Ins. IV. 1774, 391.
 tottus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 50.
 totta Loxia, A. Sparrman, Mus. Carls. I. 1786, no. xviii.
 touan Mustela, J. M. Bechstein in Pennant, Uebers. 4 füss. Thiere, II. 1800, 359.
 toulon Cuculus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 90.
 Touraco B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 2.—A.
 Touyou B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 20.—A.
 tovi Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 351.
 toxea [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 133.
 toxicon Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 62.
 [trabalis Araneus, C. Clerck, Aran. Svec. 1757, 97.]
 trabalis Araneus, T. Martyn, Aranei, 1793, 45.
 trabalis Nerita, F. C. Meuschen, Mus. Gever. 1787, 272.
 trabealis Phalaena, Scopoli, Ent. Carn. 1763, 240.
 trachealis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3035.
 Trachelia J. A. Scopoli, Annus I. 1769, 110.—A.
 tracheliotus Vultur, J. R. Forster in Levaillant, Reise Afrikas, III. 1791, 363.
 Trachichthys G. Shaw, Nat. Misc. X. 1799, pl. 378.—P.
 Trachinus Linnaeus, Syst. Nat., ed. 10, 1758, 250; ed. 12, 1766, 435; [Artedi, Ichth. 1738,
 Trachipterus A. Gouan, Hist. Pisc. 1770, 103 & 153.—P. [gen. xxxi, 4].—P.
 trachurus Oniscus, P. S. Pallas, Reise Russ. III. 1776, 709.
 trachurus Scomber, Linnaeus, Syst. Nat., ed. 10, 1758, 298; ed. 12, 1766, 494.
 "Trachipterus, Gouan," Ag.; v. Trachipterus.—P.
 trachyptera Cepola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1187.
 trachyrhynchus Pelecanus, J. Latham, Index Orn. 1790, 884.
 tragacanthae Bruchus, A. G. Olivier, Entom. IV. 1795, 15.
 tragiae Curculio, J. C. Fabricius, Syst. Ent. 1775, 131.
 tragocamelus Antilope, P. S. Pallas, Misc. Zool. 1766, 5.
 Tragopan Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 1 & 13.—A.
 tragopoginis Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 615.—Phalaena.
 tragopoginis [Phalaena], C. Clerck, Icones, I. 1759, pl. i, 5.
 tragopoginis Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 316.
 Tragosita, *err. pro* Trogosita G. Paykull, Faun. Suec. I. 1798, 91.
 tragulinus Conus, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 149.
 Tragulus M. J. Brisson, Reg. Anim. 1762, 65.—M.
 Tragulus P. S. Pallas, Spic. Zool. (XIII) 1779, 27.—M.
 Tragus F. v. P. Schrank, F. Boica, I. 1798, 78.—M.
 tragus Cimex, J. C. Fabricius, Mant. II. 1787, 288.
 tragus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 135.—Cimex, 1787.
 tragus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 56.
 tramoserica Patella, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 16.
 tranquebaria Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3328.
 tranquebarica Albulia, J. F. Bolten, Mus. Bolten. (2) 1798, 21.
 tranquebarica Attelabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 162.
 tranquebaricum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3491.
 tranquebarica Buprestis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1932.
 tranquebaricus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1848.
 tranquebarica Chlamys (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 161.—Ostrea.
 tranquebaricum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 152.
 tranquebarica Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 95.
 tranquebarica Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 92.
 tranquebarica Leptura, J. C. Fabricius, Suppl. Ent. Syst. 1798, 154.
 tranquebarica Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2870.
 tranquebaricus Palaemon, F. Weber, Nomen. Fabricii, 1795, 94 [n. n.].
 tranquebaricus Palaemon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 403.
 tranquebarica Parra (Jacana), B. C. Otto in Buffon, Natg. Vögel, XXIX. 1800, 191.
 tranquebarica Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3714.
 tranquebarica Plotia, J. F. Bolten, Mus. Bolten. (2) 1798, 96.

- tranquebaricus** Portunus, F. Weber, Nomen. Fabricii, 1795, 93 [*n. n.*].
tranquebaricus Portunus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 366.
tranquebaricus Prionus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 141.
tranquebaricus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 83.
tranquebarica Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2769.
tranquebarorum Apis, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 282.
tranquilla Apis, O. F. Müller, Z. Dan. Prod. 1776, 164.
tranquillus Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 417.
tranquilla Monas, O. F. Müller, An. Infus. 1786, 6.
transalpina Sphinx, E. J. C. Esper, Die Schmett. II (14) [1781], 196.
transalpina Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 16.
transfuga Apis, J. L. Christ, Nat. Ins. 1791, 196.
transfuga Blatta, Brünnich in E. Pontoppidan, Kurz. Nachr. N.-H. Dännemark, 1765, 212.
transfuga Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 594; ed. 12, 1767, 987.
transfuga Syrphus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 306.—Musca.
transfuga Trichoda, O. F. Müller, Z. Dan. Prod. 1776, 281.
translucens Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3404.
translucens Phalaena Noctua, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2584.
transmarinus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 213.
transparens Ehippium, J. F. Bolten, Mus. Bolten. (2) 1798, 166.
transparens Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 75.
transtra Ostrea, F. C. Meuschen, Mus. Gever. 1787, 424.
transversalis Apis, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 65.
transversalis Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 190.
transversalis Cimex, J. C. Fabricius, Mant. II. 1787, 304.
transversalis Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 97.
transversalis Coccinella, Thunberg in J. C. Fabricius, Mant. I. 1787, 54.
transversalis Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 71.
transversalis Dytiscus, E. Pontoppidan, Danske Atlas, I. 1763, 677.
transversalis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 175.
transversalis Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 281.
transversalis Tipula, C. de Villers, Linn. Ent. III. 1789, 372.
transversana Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2518.
transversata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 600.
transversata Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 16.
transversata Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 75.
transversepunctata Coccinella, J. C. H. Boerner, Oek. Nach. Ges. Schlesien, IV. 1776,
transverse-striatus Dytiscus, C. de Geer, Mém. Ins. IV. 1774, 399. [250 [not seen]].
transversa Apis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 83.
transversa Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 437.
transversa Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 84.
transversa Cercopis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 523.
transversa Chama, F. C. Meuschen, Mus. Gever. 1787, 456.
transversus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 40.
transversus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 497.
transversa Ips, A. G. Olivier, Entom. II. 1790, 14.
transversa Macrocephalus, A. G. Olivier, Entom. IV. 1795, 10.
transversa Phalaena, Hufnagel, Berl. Mag. III. 1767, 418.
transversus Spirorbis, F. M. Daudin, Rec. Mém. Moll. 1800, 48.
trapa Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 56.
trapa Murex, J. F. Bolten, Mus. Bolten. (2) 1798, 145.
trapezana Pyralis, J. C. Fabricius, Mant. II. 1787, 228.
trapezana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 523.
trapezina Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 600.—Phalaena.
trapezina Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 510; ed. 12, 1767, 836
trapezium [G. Humphreys], Mus. Calonn. 1797, 50 [*n. n.*].—L. [trapez-].
trapezium Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 300.—Murex.
trapezia Cardita (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 407.—Chama.

- trapezius** Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 47.
trapezia Chama, Linnaeus, Syst. Nat., ed. 12, 1767, 1138.
trapezium Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 39.
trapezium Fusus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 118.—Murex.
trapezium Lepas, J. C. Fabricius, Reise Norwegen, 1779, 305.
trapezium Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 755; ed. 12, 1767, 1224.
trauniana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 229.—Tortrix.
trauniana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 132.
trauniana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 38 [*n. et f.*].
tredecimguttata Aranea, P. Rossi, Fauna Etrus. II. 1799, 136.
tredecimmaculata Coccinella, J. R. Forster, Cat. Brit. Ins. 1770, 5 [*n. n.*].
tredecimmaculata Coccinella, J. R. Forster, N. Sp. Ins. 1771, 18.
tredecimmaculata Coccinella, J. C. Fabricius, Syst. Ent. 1775, 83.
tredecimnotata Coccinella, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 10.
tredecimpunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 366; ed. 12, 1767, 582.
tredecimpunctata Coccinella, J. C. Fabricius, Syst. Ent. 1775, 83.
tredecimpunctata Coccinella, F. v. P. Schrank, Briefe Donaumoor, 1795, 137. [613.
tredecimpunctatus Curculio, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
tredecimpunctatus Rynchophorus, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 10.
trembleyella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 527.
tremella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
tremellae Acarus, Linnaeus, Faun. Suec., ed. 2, 1761, 485.
tremellaris Fasciola, O. F. Müller, Verm. I (2) 1774, 72.
tremellaris Planaria, O. F. Müller, Z. Dan. Prod. 1776, 223.—Fasciola, 1774.
tremulae Aphis, Linnaeus, Faun. Suec., ed. 2, 1761, 261.
tremulae Cicada, O. Estlund, K. Vet. Ac. Nya Handl. XVII. 1796, 129.
tremulae Curculio, J. C. Fabricius, Mant. I. 1787, 109.
tremulus Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 244.—Saperda.
tremula Chrysomela, J. C. Fabricius, Mant. I. 1787, 69.
tremula Chrysomela, C. de Villers, Linn. Ent. IV. 1789, 257.
tremula Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I. 1791, 117.
tremula Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 162.
tremula Enchelis, O. F. Müller, An. Infus. 1786, 30.
tremulus Gymnotus, [M. Houttyn], Nat. Hist. I (7) 1764, 111.
tremula Holothuria, J. E. Gunnerus, K. Vet. Ac. Handl. XVIII. 1767, 119.
tremula Leptura (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 208.—Saperda.
tremula Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 991.—[*temula*, Scop.]
tremula [Phalaena], C. Clerck, Icones, I. 1759, pl. ix, 13.
tremula Phalaena (Bombyx), Linnaeus, Faun. Suec., ed. 2, 1761, 298.
tremula Saperda, J. C. Fabricius, Syst. Ent. 1775, 186.
tremula Saperda, G. W. F. Panzer, Ins. Germ. heft 1, 1792, no. 7.
tremula Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 587; ed. 12, 1767, 975.
tremula Vorticella, O. F. Müller, An. Infus. 1786, 289.
Trepidaria J. G. Meigen, N. Class. Mouches, 1800, 35.—Dip.
trepida Bombyx, E. J. C. Esper, Die Schmett. III (24) 1786, 284.
trepidus Cebus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 50.—Simia.
trepida Phalaena (Fab.), E. Donovan, Brit. Ins. VII. 1798, 63.—Bombyx.
trepida Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 39.
trepidus Simia (Sapajus), R. Kerr, Anim. Kingd. 1792, 77 & *var. fulvus*.
treueriana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 130.
treueriana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 100 [*n. et f.*].
triacanthus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3527.
Trianophorus C. A. Rudolphi, Obs. Ver. Intest. 1793, 44.—Ver.
trianfractus Turbo, E. M. da Costa, Brit. Conch. 1778, 92.
triangulana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 257.
triangulari-spinosa Aranea, C. de Geer, Mém. Ins. VII. 1778, 321.
[triangularis Araneus, C. Clerck, Aran. Svec. 1757, 71.]
triangularis Araneus, T. Martyn, Aranei, 1793, 32.

- triangularis** Chama, F. C. Meuschen, Mus. Gever. 1787, 454.
triangularis Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 46.
triangularis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2181.
triangularis Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 108.
triangularis Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 134.
triangularis Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 205.
triangularis Copris (Dru.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 176.—Scarabaeus.
triangularis Curculio, V. Petagna, Spec. Ins. ult. Calab. 1786, 14.
triangularis Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2082.
triangularis Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
triangularis Nerita, F. C. Meuschen, Mus. Gever. 1787, 274.
triangularis Noctua, C. P. Thunberg, Ins. Suecica (1) 1784, 3.
triangularis Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (3) 1799, 9.
triangularis Scarabaeus, D. Drury, Ill. Nat. Hist. I. 1770, index & 82.
triangularis Tabanus, A. F. de Fourcroy, Ent. Paris. 1785, 455.
triangularis Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3237.
triangularis Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 188.
triangularis Tipula, J. C. Fabricius, Syst. Ent. 1775, 749.
triangulatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2181.
triangulata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.
triangulatus Scarabaeus (*ex* Goeze), Panzer in Drury, Exot. Ins. 1785, 139.
triangulella Tinea, C. C. Jung, Alph. Verz. Schmett. II. 1792, 245.
triangulella Tinea, Bloch in G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 23.
triangulum Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2791.
triangulum Cicada, C. de Villers, Linn. Ent. I. 1789, 472.
triangulum Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 86.
triangulum Hylaeus, J. C. Fabricius, Ent. Syst. II. 1793, 306.
triangulum Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2719.
triangulum Noctua, J. C. Fabricius, Mant. II. 1787, 145.
triangulum Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 125.
triangulum Phalaena, Hufnagel, Berl. Mag. III. 1767, 306.
triangulum Philanthus, J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 224.—Vespa,
triangulum Scarabaeus, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 97. [1775-
triangulum Sphecx, C. de Villers, Linn. Ent. III. 1789, 251.
triangulum Vespa, J. C. Fabricius, Syst. Ent. 1775, 373.
triarcuata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 296.
triaris Papilio, L. Prunner, Lep. Pedemont. 1798, 70.
tribuloides Cancer, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 352.
tribuloides Cantharus, J. F. Bolten, Mus. Bolten. (2) 1798, 133.
tribuloides Curculio, P. S. Pallas, Icon. Ins. 1781, 30.
tribulus Aranea, J. C. Fabricius, Spec. Ins. I. 1781, 547.
tribulus Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1045.
tribulus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1827.—Lamia.
tribulus Corallina, J. Ellis & D. Solander, Nat. Hist. Zoph. 1786, 124.
tribulus Curculio, J. C. Fabricius, Syst. Ent. 1775, 153.
tribulus Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 55.
tribulus Lamia, J. C. Fabricius, Syst. Ent. 1775, 170.
tribulus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 746; ed. 12, 1767, 1214.
tribulus Purpura (L.), F. C. Meuschen, Mus. Gever. 1787, 310.—Murex.
tribulus Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 140.
tribunella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
tribunus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3377.
tricanthus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3527.
tricarinatum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 280.
tricarinata Helix, O. F. Müller, Verm. II. 1774, 85.
tricarinata Patella, Linnaeus, Syst. Nat., ed. 12, 1767, 1259.
tricarinatum Phalangium, Linnaeus, Syst. Nat., ed. 12, 1767, 1029.
tricarinata Testudo, J. D. Schoepf, Hist. Test. 1792, 9.

- tricesima** Noctua, C. C. Jung, Alph. Verz. Schmett. II. 1792, 245.
trichas Sylvia (L.), J. Latham, Index Orn. 1790, 519.—Turdus.
trichas Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 293.
Trichechus Linnaeus, Syst. Nat., ed. 10, 1758, 34; ed. 12, 1766, 49.—M.
Trichichus Manati, P. Boddaert, Elench. 1785, 173.
Trichidion (*ex* Klein), J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 585.—P.
trichiura Ascaris, Linnaeus, Mant. II. 1771, 543.
trichiura Trichocephalus (L.), P. C. Abildgaard, Skr. nat. Selsk. [Copen.], I (1) 1790, 31.—
Trichiurus Linnaeus, Syst. Nat., ed. 10, 1758, 246; ed. 12, 1766, 429.—P. [Ascaris.
Trichius J. C. Fabricius, Syst. Ent. 1775, 40.—Col.
Trichocephalos J. A. E. Goeze, Eingeweidewürm. 1782, 112.—Verm.
trichocephala Ascaris, A. J. Retzius, Verm. Intest. 1786, 12.
trichocephala Linguatula, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 232.
Trichoda O. F. Müller, Verm. I (1) 1773, 71.—Inf.
trichodactyla Alucita, [Denis & Schiffermüller], Schmett. Wien, 1775, 145.
trichodactylus Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 268; ed. 12, 1766, 455.
Trichodes J. F. W. Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 154.—Col.
trichoides Tubularia, P. S. Pallas, Elench. 1766, 84.
 “Trichopodus, Lacép. 1800,” Ag.; is 1802.
trichopterus Labrus, P. S. Pallas, Spic. Zool. VIII (1770), 45.
trichrous Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1988.
trichrous Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2683.
trichroa Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2583.
trichrou Meloe, P. S. Pallas, Icon. Ins. 1798, 100.
Trichuris Roederer, Götting. Anz., 10 Oct. 1761, 243.—Ver.
Trichuris Roederer & Wagler, M. E. Bloch, Eingeweidewürmer, 1782, 33.—Verm.
 “Tricidos, Bolten, 1798,” Scudd.; *err. pro* Trisidos.
tricinctaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 523; ed. 12, 1767, [865].
tricincta Coccinella, J. C. Fabricius, Mant. I. 1787, 55.
tricinctus Crabro, J. C. Fabricius, Syst. Ent. 1775, 375.
tricinctus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 430.
tricinctus Curculio, *id. ac* cinctus, Fourc., A. G. Olivier, Ency. Méth. V (Ins.) 1790, 497.
tricinctus Dasybus, Linnaeus, Syst. Nat., ed. 10, 1758, 51; ed. 12, 1766, 53.
tricinctus Ichneumon, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 327.
tricinctus Mellinus, J. C. Fabricius, Ent. Syst. II. 1793, 287.
tricincta Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 266.—Tiphia.
tricincta Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 292.—Crabro.
tricinctus Syrphus, J. D. Preyßler in Mayer's Samml. Phys. Aufsätze, III. 1793, 311.
tricincta Tenthredo, J. L. Christ, Nat. Ins. 1791, 450.
tricincta Tiphia, J. C. Fabricius, Syst. Ent. 1775, 354.
tricincta Vespa, J. C. Fabricius, Syst. Ent. 1775, 363.
tricincta Vespa, F. v. P. Schrank, Ins. Aust. 1781, 393.
tricincta Volucella, O. F. Müller, Z. Dan. Prod. 1776, 178.
triccirratous Gadus, M. T. Brännich, Ich. Massil. 1768, 22.
Tricla A. J. Retzius, Diss. Nova Test. Gen. 1788, 8.—Moll.
tricolor Anas, P. Boddaert, Tab. Planch. Enl. 1783, 56.
tricolor Andrena, J. C. Fabricius, Syst. Ent. 1775, 377.
tricolor Anobium, A. G. Olivier, Entom. II. 1790, 10.
tricolor Anthrenus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 333.
tricolor Apis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2791.—Andrena.
tricolor Ardea, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 111.
tricolor Asterias, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 28.
tricolor Attelabus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1811.—Clerus.
tricolor Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1897.
tricolor Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1988.
tricolor Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 57.
tricolor Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 304.
tricolor Certhia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 99.

- tricolor** Cetonia, A. G. Olivier, Entom. I. 1789, 88.
tricolor Chaetodon, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 103.
tricolor Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 129.
tricolor Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 316.
tricolor Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2108.
tricolor Cimex, J. C. Fabricius, Mant. II. 1787, 306.
tricolor Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2164.
tricolor Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2160.
tricolor Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 536.
tricolor Clerus, J. C. Fabricius, Spec. Ins. I. 1781, 202.
tricolor Coccinella, J. C. Fabricius, Mant. I. 1787, 59.
tricolor Conops, N. Poda, Ins. Mus. Graec. 1761, 118.
tricolor Corvus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 85.
tricolor Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1726.
tricolor Cryptocephalus, P. Rossi, Mant. Ins. I. 1792, 33.
tricolor Curculio, J. A. Scopoli, Annus V. 1772, 91.
tricolor Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1773.
tricolor Cylinderus, F. C. Meuschen, Mus. Gev. 1787, 372.
tricolor Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 24.
tricolor Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1956.
tricolor Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1958.
tricolor Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1917.
tricolor Elater, A. G. Olivier, Entom. II. 1790, 9.
tricolor Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 323.
tricolor Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 17.—Chrysomela, 1781.
tricolor Gryllus (Mantis), Linnaeus, Syst. Nat., ed. 10, 1758, 426.—[Mantis, ed. 12.]
tricolor Hydrophilus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 122.
tricolor Ichneumon, F. v. P. Schrank, Beitr. Nat. 1776, 87.
tricolor Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 182.
tricolor Loxia, A. Vroeg, Catal. Vogel. 1764, Adumb., 2.
tricolor Lycus, A. G. Olivier, Entom. II. 1790, 10.
tricolor Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 181.—Cimex, 1787.
tricolor Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 691.—[Gryllus, ed. 10.]
tricolor Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
tricolor Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3686.
tricolor Oriolus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 87.
tricolor Paederus (Payk.), J. C. Fabricius, Ent. Syst. I (2) 1792, 537.—Staphylinus.
tricolor Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 282.
tricolor Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2580.
tricolor Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 437.
tricolor Pipra, D. L. G. Karsten, Mus. Lesk. I. 1789, xxiii.
tricolor Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 251.—SpheX, 1793.
tricolor Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 309.
tricolor Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1574.
tricolor Scolia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 204.
tricolor Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627.
tricolor SpheX, F. v. P. Schrank, Ins. Aust. 1781, 383.
tricolor SpheX, J. C. Fabricius, Ent. Syst. II. 1793, 215.
tricolor Staphylinus, J. C. Fabricius, Mant. I. 1787, 221.
tricolor Syrphus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 563.
tricolor Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 891.
tricolor Tentredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2657.
tricolor Tipula, J. C. Fabricius, Syst. Ent. 1775, 749.
tricolor Vespa, P. S. Pallas, Reise Russ. I. 1771, 474.
tricolor Vespa, J. C. Fabricius, Syst. Ent. 1775, 369.
tricolor Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3456.
tricolorata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
tricolorella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2606.

- tricoloreus* Ichneumon, J. L. Christ, Nat. Ins. 1791, 349.
tricolora Bombyx, J. C. Fabricius, Mant. II. 1787, 114.
tricolora Bombyx, J. J. Roemer, Gen. Ins. 1789, 73.
tricolora Motacilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 175.
tricolora Phalaena Noct., J. H. Sulzer, Gesch. Ins. 1776, 160.
tricomma Phalaena, Hufnagel, Berl. Mag. III. 1767, 408.
tricornis Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [*n. n.*].
tricornis Ostracion, Linnaeus, Syst. Nat., ed. 10, 1758, 331; ed. 12, 1766, 408.
tricornis Rhinoceros, J. F. Gmelin, Anhang zu Bruce, Reisen Africa, 1791, 79 [*n. n.*].
tricornis Scarabaeus, Jablonsky, Nat. Ins. (Käfer) I. 1785, 269.
tricornis Staphylinus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 149.
tricornutus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 637.
tricostata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3698.
Tricuspidaria C. A. Rudolphi, Obs. Verm. Intest. 1793, 44.—Ver.
tricuspidator Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
tricuspidator Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 402.—Hydrachna.
tricuspidata Aranea, J. C. Fabricius, Syst. Ent. 1775, 433.
tricuspidata Buprestis, A. G. Olivier, Entom. II. 1790, 29.
tricuspidatus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 144.
tricuspidata Ligia, F. Weber, Nomen. Fabricii, 1795, 92 [*n. n.*].
tricuspidata Mordella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2024.
tricuspidata Pipemelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2008.—
tricuspidatum Sepidium, J. C. Fabricius, Syst. Ent. 1775, 250. [Sepidium].
tricuspidata Taenia, M. E. Bloch, Eingeweidewürmer, 1782, 19.
tricuspidata Vespa, C. de Villers, Linn. Ent. III. 1789, 280.
tricuspis Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 348.
tricuspis Coccinella, C. P. Thunberg, Ins. Succica (9) 1795, 107.
tricuspis Crabro, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 127.
Tridachna [G. Humphreys], Mus. Calonn. 1797, 50.—L.
Tridachnes J. F. Bolten, Mus. Bolten. (2) 1798, 171.—L.
“*Tridachna*, Da Costa, 1776,” Scudd.; not used in a Linnaean sense.
Tridacna J. G. Bruguière, Ency. Méth. (Tabl. Vers.), pl. 235 (1797) [*n. et f.*]—the refer-
ence of Hermannsen, to I. p. 386 shows that Bruguière did not adopt the name till 1797,
as in 1789 he used the vernacular *Tridacne*.
Tridacna Lamarck, Mém. Soc. H. N. Paris, 1799, 86.—L.
tridactyla-columnae Chalcides, J. N. Laurenti, Syn. Rept. 1768, 64.
tridactylon Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 154.
Tridactylus A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 26.—Or.
Tridactylus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 11.—A.
tridactyla Alcedo, P. S. Pallas, Spic. Zool. VI. 1769, 10.
tridactylus Blennius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 459.
tridactylus Bradypus, Linnaeus, Syst. Nat., ed. 10, 1758, 34; ed. 12, 1766, 50.
tridactyla Didelphis, R. Kerr, Anim. Kingd. 1792, 198.
tridactylus Ignavus, J. F. Blumenbach, Hand. Naturg. 1779, 71.
tridactyla Lacerta, J. A. Donndorff, Zool. Beyt. III. 1798, 132.
tridactyla Lacerta, G. A. Suckow, Naturges. III. 1798, 140.
tridactylus Larus, Linnaeus, Syst. Nat., ed. 10, 1758, 136; ed. 12, 1766, 224.
tridactyla Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 866.
tridactyla Myrmecophaga, Linnaeus, Syst. Nat., ed. 10, 1758, 35; ed. 12, 1766, 51.
tridactyla Phalaena (Alucita), Linnaeus, Syst. Nat., ed. 10, 1758, 542; ed. 12, 1767, 899.
tridactyla Phytotoma (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 366.—Loxia.
tridactylus Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 114; ed. 12, 1766, 177.
tridactylus Pterophorus (L.), J. C. Fabricius, Syst. Ent. 1775, 671.—Phalaena.
tridactylus Tardigradus, F. C. Meuschen, Mus. Gronov. 1778, 3.
tridens Alpheus (Herbst), F. Weber, Nomen. Fabricii, 1795, 91.—Cancer.
tridens Apaté, J. C. Fabricius, Ent. Syst. I (2) 1792, 362.
tridens Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 350.—Helix.
tridens Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 267.

- tridens** Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 340.
- tridens** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 167.—Scarabaeus.
- tridens** Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 109.
- tridens** Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 298.—Vespa, 1781.
- tridens** Crabro, J. C. Fabricius, Suppl. Ent. Syst. 1798, 270.
- tridens** Curculio, J. C. Fabricius, Mant. I. 1787, 122.
- tridens** Helix, O. F. Müller, Verm. II. 1774, 106.
- tridens** Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [*n. n.*].
- tridens** Musca, Bosc, J. Nat. Hist. (Choix des Mém.) II. 1792, 54.
- tridens** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 67.
- tridens** Pedicellaria, O. F. Müller, Z. Dan. Prod. 1776, 229.
- tridens** Phalaena, Hufnagel, Berl. Mag. III. 1767, 300.
- tridens** Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 29.
- tridens** Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 232.
- tridens** Turbo (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3611.—Helix.
- tridens** Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 464.
- tridentalus** Oniscus, N. Poda, Ins. Mus. Graec. 1761, 125.
- tridentata** Anomia, P. Forskal, Descr. Anim. 1775, 124.
- tridentata** Apis, J. C. Fabricius, Syst. Ent. 1775, 387.
- tridentata** Bembex, J. C. Fabricius, Ent. Syst. II. 1793, 251.
- tridentatus** Cancer, P. Forskal, Descr. Anim. 1775, 90.
- tridentatus** Carabus, A. G. Olivier, Entom. III. 1795, 53.
- tridentata** Cetonia, A. G. Olivier, Entom. I. 1789, 88.
- tridentata** Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 374; ed. 12, 1767, 596.
- tridentata** Cicindela, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 26.
- tridentata** Cicindela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 51.
- tridentatus** Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 214.
- tridentata** Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 112.—Cryptocephalus, 1775.
- tridentata** Clytra (L.), J. N. Laicharting, Tyrol. Ins. I. 1781, 170.—Chrysomela.
- tridentatus** Crabro, J. C. Fabricius, Syst. Ent. 1775, 373.
- tridentatus** Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 106.—Chrysomela.
- tridentatus** Elater, J. C. Fabricius, Suppl. Ent. Syst. 1798, 139.
- tridentata** Hyaloea (Forsk.), Lamarck, Mém. Soc. H. N. Paris, 1799, 89.—Anomia.
- tridentatus** Iulus, J. C. Fabricius, Syst. Ent. 1775, 427.
- tridentatus** Lucanus (L.), Linnaeus, Syst. Nat., ed. 12, 1767, 560.—Scarabaeus, 1758.
- tridentata** Melolontha (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 42.—Chrysomela.
- tridentatus** Oniscus, O. F. Müller, Z. Dan. Prod. 1776, 198.
- tridentata** Phalaena, Hufnagel, Berl. Mag. IV. 1767, 618.
- tridentata** Saperda, A. G. Olivier, Entom. IV. 1795, 30.
- tridentatus** Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 354.—[Lucanus, ed. 12.]
- tridentata** Serpula, J. C. Fabricius, Reise Norwegen, 1779, 385.
- tridentatus** Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3519.
- tridentatus** Vermetus, F. M. Daudin, Rec. Mém. Moll. 1800, 47.
- tridentata** Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2761.—Crabro.
- tridentella** Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
- tridentifer** Scarabaeus, F. A. A. Meyer, Zool. Archiv (1) 1796, 199.
- triedra** Libellula, O. F. Müller, F. Ins. Frid. 1764, 62.
- triedra** Libellula, C. Allioni, Misc. Taurin. III. 1766, 194.
- trifarius** Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 203.
- trifasciana** Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 248.
- trifasciaria** Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2459.
- trifasciata** Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 113.—Chrysomela.
- trifasciata** Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 41.
- trifasciata** Apis, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 220.
- trifasciata** Aranea, P. Forskal, Descr. Anim. 1775, 86.
- trifasciatus** Asellus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 256.
- trifasciatum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3477.
- trifasciatum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3489.

- trifasciatus Bulimus, J. G. Brugnière, Ency. Méth. (Vers) (1) 1789, 317.
 trifasciata Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal., 1787, 51.
 trifasciata Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 198.
 trifasciatum Callidium, J. C. Fabricius, Spec. Ins. I. 1781, 244.
 trifasciata Cassida, J. C. Fabricius, Mant. I. 1787, 65.
 trifasciatus Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 255.—Callidium.
 trifasciatus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1836.
 trifasciata Cerambix (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1830.—Lamia.
 trifasciata Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 56.
 trifasciatus Chaetodon, M. Park, Tr. Linn. Soc. [Lond.] III. 1797, 34.
 trifasciata Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 594.
 trifasciata Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 313.
 trifasciata Cicada, C. de Geer, Mém. Ins. III. 1773, 186.
 trifasciata Cicindela, J. C. Fabricius, Spec. Ins. I. 1781, 286.
 trifasciatus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 725.
 trifasciata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 365; ed. 12, 1767, 580.
 trifasciatus Conops, Scopoli, Ent. Carn. 1763, 352.
 trifasciata Conops, C. de Geer, Mém. Ins. VI. 1776, 262.
 trifasciata Conops, Herbst, Einl. Ins. III. 1786, 116.
 trifasciatus Cryptocephalus, J. C. Fabricius, Mant. I. 1787, 81.
 trifasciatus Curculio, J. C. Fabricius, Mant. I. 1787, 105.
 trifasciatus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 374.
 trifasciata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3405.
 trifasciatus Dermestes, J. C. Fabricius, Mant. I. 1787, 34.
 trifasciatus Elater, Hellwig in G. W. F. Panzer, Ins. Germ. heft 3, 1792, tab. 14.
 trifasciata Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 30.—Chrysomela.
 trifasciata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 13.
 trifasciata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3642.
 trifasciatus Hemerobius, O. F. Müller, Z. Dan. Prod. 1776, 146.
 trifasciata Lamia, J. C. Fabricius, Syst. Ent. 1775, 174.
 trifasciata Lamia (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. III., 1794, 136.—
 trifasciata Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 349. [Callidium].
 trifasciatus Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 179.—Cimex.
 trifasciata Meloe, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2020.
 trifasciatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 113.
 trifasciata Musca (Scop.), F. v. P. Schrank, Ins. Aust. 1781, 453.—Conops.
 trifasciata Mylabris (Thun.), A. G. Olivier, Entom. III. 1795, 5.—Meloe.
 trifasciatus Notoxus, P. Rossi, Mant. Ins. I. 1792, 45.
 trifasciatus Oriolus, G. Shaw in Miller, Cim. Phys. 1796, 101.
 trifasciata Perca, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 354.
 trifasciata Phalaena, J. A. Scopoli, Annus V. 1772, 116.
 trifasciata Phalaena, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 2.
 trifasciata Porcellana, F. C. Meuschen, Mus. Gever. 1787, 402.
 trifasciata Spheg, O. F. Müller, Z. Dan. Prod. 1776, 161.
 trifasciatus Syrphus, J. D. Preyßler in Mayer, Samm. Phys. Aufsätze, III. 1793, 313.
 trifasciata Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 675; ed. 12, 1767, 1118.
 trifasciata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 366.
 trifasciata Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 330.
 trifasciata Tiphia, J. C. Fabricius, Ent. Syst. II. 1793, 226.
 trifasciata Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2828.
 trifasciata Turbo, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 2.
 trifasciata Vespa, O. F. Müller, Z. Dan. Prod. 1776, 163.
 trifasciata Vespa, J. C. Fabricius, Mant. I. 1787, 290.
 trifasciella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 520.
 trifasciella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
 trifascis Meloe, P. S. Pallas, Reise Russ. II. 1773, 721.
 trifida Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2096.—Mem-
 trifidus Dytiscus, G. W. F. Panzer, Ins. Germ. heft 26 [1795], tab. 2. [bracis].

- trifida* Membracis, J. C. Fabricius, Mant. II. 1787, 264.
trifoliata Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 316.
trifolii Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 57.
trifolii Curculio, Linnaeus, Syst. Nat., ed. 12, vol. III. 1768, App., 224.
trifolii Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 266.
trifolii Phalaena, Hufnagel, Berl. Mag. III. 1767, 398.
trifolii Phalaena B. (D. & S.), E. J. C. Esper, Die Schmett. III (18) 1783, 87.—Bombyx.
trifolii Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1783, 223.
trifurcalis Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
trifurcale Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 404.—Hydrachna.
trifurcata Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 29.
trifurcatus Culex, *err. pro* bifurcatus, L., J. C. Fabricius, Ent. Syst. IV. 1794, 301.
trifurcatus Gadus, G. A. Suckow, Naturges. IV. 1799, 245.
trifurcus Lutjanus (L.), G. A. Suckow, Naturges. IV. 1799, 541.—Perca.
trifurca Perca, Linnaeus, Syst. Nat., ed. 12, 1766, 489.
trifuscatus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1724.—
 [Chrysomela trifurcata, Forst., *est.*]
Trigla Linnaeus, Syst. Nat., ed. 10, 1758, 300; ed. 12, 1766, 496; [Artedi, Ichth. 1738, gen. xxxii. 42.]—P.
triglina Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 85.
triglochis Scarabaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 5.
trigonalis Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 382.
trigonalis Mylabris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 76.
trigonalis Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 182.
trigonana Tortrix, [Denis & Schiffermüller], Schmett. Wien. 1775, 317.
Trigonella E. M. da Costa, Brit. Conch. 1778, 196.—L.
trigonellae Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1783, 219.
trigonellus Lynceus, O. F. Müller, Z. Dan. Prod. 1776, 199. [Lynceus.
trigonellus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3008.—
trigonella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 538; ed. 12, 1767, 891.
trigonella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 663.—Phalaena.
Trigonia J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xiv.—L.
trigonus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3549.
trigonocephalus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 203.
trigonooides Cardium, P. S. Pallas, Reise Russ. I. 1771, 478.
trigonophora Helix, Lamarck, J. Nat. Hist. (Choix des Mém.), II. 1792, 349.
trigonostigma Certhia, J. A. Scopoli, Del. Insub. II. 1786, 91.
trigonostoma Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3667.
trigono-tubulosa Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 44.
trigona Apis, F. v. P. Schrank, Reise südl. Gebirg. Baiern. 1793, 6.
trigonus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 37.
trigonus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2184.
trigona Leucopha, O. F. Müller, An. Infus. 1786, 155.
trigona Libellula, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 191.
trigona Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 159.
trigonus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3549.
trigonus Ostracion, Linnaeus, Syst. Nat., ed. 10, 1758, 330; ed. 12, 1766, 408.
trigona Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3714.
trigona Trichoda, O. F. Müller, Verm. I (1) 1773, 82.
trigrammica Phalaena, Hufnagel, Berl. Mag. III. 1767, 408.
trigrammus Myrmeleo, P. S. Pallas, Reise Russ. I. 1771, 469.
trigutta Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 247.
triguttata Aranea, J. C. Fabricius, Syst. Ent. 1775, 436.
triguttatus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 729.
triguttatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 148.
triguttatus Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 176.—Cimex.
trilaterum Cardium, S. G. Gmelin, Reise Russ. III. 1774, 248.
trilaterum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3253.

- trilatera Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3234.
 trilemniscatum Callidium, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 49.
 trilenva Musca, M. Harris, Exp. Eng. Ins. 1776, 58.
 trilinea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 84.
 trilinearia Phalaena Geometra, J. Hübner, Beitr. Schmett. I (2) [1787], 23.
 trilineata Akis, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 130.
 trilineata Aranea, Linnaeus, Syst. Nat., ed. 12, 1767, 1031.
 trilineata Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 423.
 trilineata Cantharis, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 82.
 trilineatus Carabus, J. C. Fabricius, Spec. Ins. I. 1781, 305.
 trilineatus Cerambyx, Linnaeus, Mant. II. 1771, 532.
 trilineata Cetonia, J. C. Fabricius, Gen. Ins. 1777, 211.
 trilineata Chrysomela, J. C. Fabricius, Gen. Ins. 1777, 219.
 trilineata Cicada, F. v. P. Schrank, Beitr. Nat. 1776, 75.
 trilineatus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 106.
 trilineatus Cimex, F. v. P. Schrank, Ins. Aust. 1781, 285.
 trilineatus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 341.
 trilineata Coccinella, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 262.
 trilineata Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 46.
 trilineata Coccinella, J. C. Fabricius, Mant. I. 1787, 53.
 trilineatus Coluber, G. A. Suckow, Naturges. III. 1798, 245.
 trilineata Crioceris, J. C. Fabricius, Mant. I. 1787, 90.
 trilineatus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1724.—
 Crioceris.
 trilineatus Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 105.
 trilineatus Cychrus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 30.
 trilineata Empis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2890.
 trilineatus Erodium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 427.
 trilineatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2679.
 trilineatum Lampadion, J. F. Bolten, Mus. Bolten. (2) 1798, 77 [n. n.].
 trilineatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 157.
 trilineata Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 980.
 trilineata Perca, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIV. 1793, 55.
 trilineata Phalaena, J. A. Scopoli, Annus V. 1772, 115.
 trilineata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 606.
 trilineata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 384.
 trilineatus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1575.—
 trilineata Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627. [Cetonia.
 trilineatus Stenocorus (L.), J. C. Fabricius, Syst. Ent. 1775, 179.—Cerambyx.
 trilineata Stratiomys (L.), J. C. Fabricius, Syst. Ent. 1775, 760.—Musca.
 trilineatus Syrphus, J. C. Fabricius, Syst. Ent. 1775, 766.
 trilinguis Madrepora, P. Boddaert in Pallas, Syst. Plant. Dier. 1768, 613.
 "Trilobitus, Brunn. 1781," Ag.; does not occur.
 Trilobus M. T. Brunnich, Nye Saml. K. Danske Skrifter, I. 1781, 388.—Cr.
 triloba Buprestis, A. G. Olivier, Entom. II. 1790, 37.
 triloba Buprestis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 34.
 trilobus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 137.
 triloba Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 149. [Crioceris.
 trilobus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1718.—
 triloba Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 21.—Crioceris, 1781.
 trilobus Staphylinus, A. G. Olivier, Entom. III. 1795, 20.
 triloba Vespa, J. C. Fabricius, Mant. I. 1787, 290.
 trilunata Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2584.
 trimaculatus Bruchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 159.
 trimaculata Cantharis, A. G. Olivier, Entom. III. 1795, 18.
 trimaculatus Carabus, C. de Villers, Linn. Ent. I. 1789, 383.
 trimaculatus Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 347.
 trimaculata Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 592.

- trimaculata** Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 110.
trimaculatus Crabro, P. Rossi, Fauna Etrus. II. 1790, 95.
trimaculatus Cryptocephalus, P. Rossi, Fauna Etrus. I. 1790, 96.
trimaculatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 141.
trimaculatus Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 233.
trimaculatus Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1294.
trimaculata Libellula, C. de Geer, Mém. Ins. III. 1773, 556.
trimaculata Meloe (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2018.—
trimaculata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 472. [Mylabris].
trimaculata Mylabris, J. C. Fabricius, Syst. Ent. 1775, 261.
trimaculatus Oxyporus, J. C. Fabricius, Ent. Syst. I (2) 1792, 533.
trimaculata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 384.
trimaculata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2493.
trimaculata Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2583.
trimaculatum Trombidium, P. Rossi, Mant. Ins. II. 1794, 5.
trimaculosa Phalaena Noct., H. G. Lang (ex Esper, tab.) Verz. Schmett., ed. 2, 1789, 124.
trimacula Bombyx, [Denis & Schiffermüller], Schmett. Wien. 1775, 59.
trimarginata Sphex, O. F. Müller, Z. Dan. Prod. 1776, 161.
trinacris Coccinella, A. F. de Fourcroy, Ent. Paris. 1785, 145.
trinialis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 317.
trinca Cyprinus, *v. tinca*.
trinervis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2182.
trinervis Musca, A. F. de Fourcroy, Ent. Paris. 1785, 489.
Trynga Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 7 & 67.—A.
Tringa Linnaeus, Syst. Nat., ed. 10, 1758, 148; ed. 12, 1766, 247.—A.
tringa Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 731; ed. 12, 1767, 1191.
tringae Pediculus, O. Fabricius, F. Groen. 1780, 219.
tringae-striatae Pediculus, O. F. Müller, Z. Dan. Prod. 1776, 185.
tringaria Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 590; ed. 12, 1767, 982.
tringarius Nematelus, O. F. Müller, Z. Dan. Prod. 1776, 179.
tringarius Rhagio (L.), J. C. Fabricius, Syst. Ent. 1775, 761.—Musca.
trinotata Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 11.
trinotatus Elater, D. H. Schneider, Verz. Parthei Ins. 1800, 7.
trinotella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 95.
Triola Retzius in Journ. de Phys. I., 1800, 146; *err. pro* **Tricla**.
triopas [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (27) 1780, 64.
triops Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2179.
triops Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 430; ed. 12, 1767, 697.
triops Locusta (L.), J. C. Fabricius, Syst. Ent. 1775, 285.—Gryllus.
triestegus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 274; ed. 12, 1766, 463.
triestegus Turdus, A. Sparrman, Mus. Carls. IV. 1789, no. lxxxiv.
tripartita Phalaena, Hufnagel, Berlin. Mag. III. 1767, 414.
tripartita Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 293.
tripartita Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 424.
tripennis Strix, F. v. P. Schrank, F. Boica, I. 1798, 112.
triphylla Pedicellaria, O. F. Müller, Z. Dan. Prod. 1776, 229.
tripla Venus, Linnaeus, Mant. II. 1771, 545.
triplacia Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 617.—Phalaena.
triplasia Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 517; ed. 12, 1767, 854.
Triplax Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 146.—Col. [triplac-].
Triplex [G. Humphreys], Mus. Calonn. 1797, 40.—G.
triplicatus Cantharus, J. F. Bolten, Mus. Bolten. (2) 1798, 133.
triplicata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 291.
triplicata Phalaena Geometra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
tripolitanus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 808.
tripos Brachionus, O. F. Müller, Verm. I (1) 1773, 133.
tripos Cercaria, O. F. Müller, Z. Dan. Prod. 1776, 206.
Trips *v.* **Thrips**, Linnaeus, Amoen. Acad. VI. 1763, 401.

- tripterigia Noctua (*ex* Esper, tab.), C. C. Jung, *Alph. Verz. Schmett.* II. 1792, 248.
- tripteris Balaena, J. J. Walbaum, *Artedi, Ichth.* (3), ed. 2, 1792, 551.
- tripterus Cimex, J. C. Fabricius, *Mant.* II. 1787, 294.
- tripterus Murex, I. v. Born, *Index Mus. Caes. Vind.* 1778, 287.
- triptera Noctua (L.), J. C. Fabricius, *Syst. Ent.* 1775, 609.—Phalaena.
- triptera Phalaena (Noctua), Linnaeus, *Syst. Nat.*, ed. 12, 1767, 848.
- triptolemus [Sphinx], P. Cramer, *Uitl. Kapellen*, III (18) 1779, 40.
- tripunctanella Tinea, C. P. Thunberg, *D. D. Mus. Ac. Upsal.*, App. III., 1794, 140 [*n. n.*].
- tripunctana Pyralis (D. & S.), J. C. Fabricius, *Mant.* II. 1787, 238.—Tortrix.
- tripunctana Tortrix, [Denis & Schiffermüller], *Schmett. Wien*, 1775, 131.
- tripunctaria Phalaena (Geometra), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 523; ed. 12, 1767, 864.
- tripunctator Ichneumon, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 226.
- tripunctata Aranea, F. H. W. Martini & J. A. Goeze in Lister, *Spinnen*, 1778, 297.
- tripunctata Buprestis, J. C. Fabricius, *Mant.* I. 1787, 179.
- tripunctatus Cerambyx (Saperda), N. S. Swederus, *K. Vet. Ac. Nya Handl.* VIII. 1787, 197.
- tripunctata Cicada, J. C. Fabricius, *Spec. Ins.* II. 1781, 323.
- tripunctata Cicada, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 2116.
- tripunctata Cicada, J. C. Fabricius, *Ent. Syst.* IV (1) 1794, 29.
- tripunctatus Cimex, J. C. Fabricius, *Syst. Ent.* 1775, 711.
- tripunctatus Cimex, O. F. Müller, *Z. Dan. Prod.* 1776, 107.
- tripunctatus Clythra, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 110.—Cryptoccephalus, 1792.
- tripunctata Clytra, D. H. Schneider, *N. Mag. Lieb. Ent.* [Schneider's], II. 1792, 191.
- tripunctata Coccinella, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 365; ed. 12, 1767, 580.
- tripunctatus Cryptoccephalus, J. C. Fabricius, *Ent. Syst.* I (2) 1792, 53.
- tripunctatus Curculio, A. F. de Fourcroy, *Ent. Paris.* 1785, 130.
- tripunctatus Cynips, A. F. de Fourcroy, *Ent. Paris.* 1785, 389.
- tripunctatus Dytiscus, A. G. Olivier, *Entom.* III. 1795, 14.
- tripunctata Flata, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 519.—Cicada, 1794.
- tripunctatus Ichneumon, A. F. de Fourcroy, *Ent. Paris.* 1785, 410.
- tripunctatus Ichneumon, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2684.
- tripunctatus Meloe, C. P. Thunberg, *Nov. Ins. Spec.* (6) 1791, 112.
- tripunctata Musca, Scopoli, *Ent. Carn.* 1763, 329.
- tripunctata Musca, C. Bjerkander, *K. Vet. Ac. Handl.* XXXVIII. 1777, 33.
- tripunctata Musca, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2861.
- tripunctata Nitidula, Illiger in Kugelann, *Käfer Preuss.* 1798, 387.
- tripunctata Phalaena, J. A. Scopoli, *Del. Insub.* II. 1786, 54.
- tripunctata Phalaena, J. C. Fabricius, *Ent. Syst.* III (2) 1794, 217.
- tripunctatum Phalangium, F. H. W. Martini & J. A. E. Goeze in Lister, *Spinnen*, 1778, 221.
- tripunctata Phryganea, Scopoli, *Ent. Carn.* 1763, 269.
- tripunctata Phryganea, J. C. Fabricius, *Ent. Syst.* II. 1793, 81.
- tripunctata Saperda, J. C. Fabricius, *Ent. Syst.* I (2) 1792, 310.
- tripunctata Sphex, J. L. Christ, *Nat. Ins.* 1791, 317.
- tripunctata Tiphia, P. Rossi, *Fauna Etrus.* II. 1790, 69.
- tripunctata Tipula, O. F. Müller, *F. Ins. Frid.* 1764, 79.
- tripunctata Tipula, J. C. Fabricius, *Spec. Ins.* II. 1781, 405.
- tripunctata Vespa, J. C. Fabricius, *Mant.* I. 1787, 290.
- tripunctatus Vibrio, O. F. Müller, *An. Infus.* 1786, 52.
- tripunctella Tinea, [Denis & Schiffermüller], *Schmett. Wien*, 1775, 319.
- tripunctorius Ichneumon, C. P. Thunberg, *D. D. Mus. Ac. Upsal.* 1789, 86.
- tripus Brachionus, *v. tripos*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3872.
- tripustulatus Carabus, J. C. Fabricius, *Ent. Syst.* I (1) 1792, 145.
- tripustulatus Cicindela, J. C. Fabricius, *Ent. Syst.* I (1) 1792, 169.
- tripustulatus Cimex, J. C. Fabricius, *Spec. Ins.* II. 1781, 370.
- tripustulata Coccinella, C. de Geer, *Mém. Ins.* V. 1775, 393.
- tripustulata Coccinella, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1662.
- tripustulatus Lygaeus, J. C. Fabricius, *Ent. Syst.* IV. 1794, 176.—Cimex, 1781.
- triquedra Fusaria, J. G. H. Zeder in Goeze, 1 *Nachtr. Eingeweidewürm.* 1800, 43.
- triqueter Murex, I. v. Born, *Index Mus. Caes. Vind.* 1778, 288.

- triqueter** Ostracoda, Linnaeus, Syst. Nat., ed. 10, 1758, 330; ed. 12, 1766, 407.
- triquetra** Antipat[h]es, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 82.
- triquetra** Aranea, J. H. Sulzer, Gesch. Ins. 1776, 254.
- triquetra** Ascaris, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 120.
- triquetra** Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 444.
- triquetra** Kolpoda, O. F. Müller, An. Infus. 1786, 97.
- triquetra** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 94.
- triquetra** Phalaena Noctua, J. Hübner, Beitr. Schmett. I (3) [1788], 14.
- triquetra** Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 787; ed. 12, 1767, 1265.
- triquetra** Tellina, F. C. Meuschen, Mus. Gever. 1787, 462.
- triquetralis** Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 120.
- triradiata** Asterias, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 645. [Pecten.
- triradiata** Ostrea (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3326.—
- triradiata** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3733.
- triradiatus** Pecten, O. F. Müller, Z. Dan. Prod. 1776, 248.
- triradiata** Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3279.
- Trisactis** C. F. Schultze, Verst. Seest. 1760, 49.—Ast.
- Triscaedecacnimos** C. F. Schultze, Verst. Seest. 1760, 53.—Crin.
- Triscaedecactis** C. F. Schultze, Verst. Seest. 1760, 51.—Ast.
- triscalis** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 224; ed. 12, 1766, 385.
- Trisidos** J. F. Bolten, Mus. Bolten. II. 1798, 175.—L.
- trispinosa** Apis, J. C. Fabricius, Mant. I. 1787, 303.
- trispinosus** Bostrichus, A. G. Olivier, Entom. IV. 1795, 16.
- trispinosus** Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1992.
- trispinosus** Cimex, C. de Geer, Mém. Ins. III. 1773, 354.
- trispinosus** Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 301.—Apis, 1787.
- tristalis** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 224.
- tristan** Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 33.
- tristana** Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 248.
- tristana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 50 [n. et f.].
- tristata** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 254 [n. et f.].
- tristata** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 526; ed. 12, 1767, 869.
- tristella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 134.
- tristella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 62.
- tristis** Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 12.—Necydalis.
- tristis** Aranea, F. A. A. Meyer, Spinner Gött. 1790, 14.
- tristis** Attelabus, J. C. Fabricius, Ent. Syst. IV. 1794, 454.
- tristis** Blaps, J. C. Fabricius, Ent. Syst. I (1) 1792, 108.
- tristis** Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 410; ed. 12, 1767, 662.
- triste** Callidium, J. C. Fabricius, Mant. I. 1787, 154.
- tristis** Cantharis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 68.
- tristis** Carabus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 318.
- tristis** Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 177.
- tristis** Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 167.
- triste** Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 680.
- tristis** Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 308.—Callidium.
- tristis** Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 629.
- tristis** Cetonia, J. C. Fabricius, Syst. Ent. 1775, 45.
- tristis** Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 315.
- tristis** Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 192.
- tristis** Cicindela, J. C. Fabricius, Syst. Ent. 1775, 825.
- tristis** Cimex (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 770.—Tenthredo.
- tristis** Cimex, C. de Geer, Mém. Ins. III. 1773, 340.
- tristis** Cimex, J. C. Fabricius, Syst. Ent. 1775, 716.
- tristis** Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 468.—Phalaena tristalis, 1794.
- tristis** Crioceris, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 165.
- tristis** Cryptocephalus, J. N. Laicharting, Tyrol. Ins. I. 1781, 184. [Crioceris.
- tristis** Cryptocephalus (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1725.—

- tristis** Curculio, Scopoli, Ent. Carn. 1763, 31.
tristis Curculio, J. C. Fabricius, Syst. Ent. 1775, 149.
tristis Dytiscus, G. Paykull, Faun. Suec. I. 1798, 232.
tristis Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 406; ed. 12, 1767, 655.
tristis Erotylus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 102.
tristis Formica, J. L. Christ, Nat. Ins. 1791, 513.
tristis Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 181; ed. 12, 1766, 320.
tristis Gracula (L.), J. Latham, Index Orn. 1790, 190.—Paradisea.
tristis Helops, P. Rossi, Fauna Etrus. I. 1790, 236.
tristis Helops, G. W. F. Panzer, Ins. Germ. heft 8 [1793], tab. 1.
tristis Lamia (L.), J. C. Fabricius, Syst. Ent. 1775, 175.—Cerambyx.
tristis Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 39.
tristis Musca, M. Harris, Exp. Eng. Ins. 1776, 115.
tristis Musca, J. H. Sulzer, Gesch. Ins. 1776, 216.
tristis Necydalis, J. C. Fabricius, Mant. I. 1787, 170.
tristis Noctua, J. C. Fabricius, Syst. Ent. 1775, 617.
tristis Paradisea, Linnaeus, Syst. Nat., ed. 12, 1766, 167.
tristis Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 27.
tristis Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 40.
tristis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 272.
tristis Sagra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 104.
tristis Saperda, J. C. Fabricius, Syst. Ent. 1775, 186.
tristis Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1569.—
tristis Scaurus, A. G. Olivier, Entom. III. 1795, 4. [Melolontha].
tristis Silpha, Illiger in Kugelann, Käfer Preuss. 1798, 366.
tristis Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 524.
tristis Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 303.
tristis Tabanus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 567.
tristis Tenebrio, Scopoli, Ent. Carn. 1763, 83.
tristis Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 243.
tristis Tenthredo, J. C. Fabricius, Spec. Ins. I. 1781, 406.
tristis Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 145.
tristor Musca, M. Harris, Exp. Eng. Ins. 1776, 107.
tristriaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 130.
tristriatus Acarus, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 24.
tristriata Cassida, J. C. Fabricius, Ent. Syst. I (1) 1792, 295.
tristriata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2116.
tristriatus Cimex, J. C. Fabricius, Mant. II. 1787, 293.
tristriata Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2583.
tristrigalis Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2527.
tristrigatus Mellinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 266.
tristrigata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.
tristrigata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2493.
tristrigata Vespa, J. C. Fabricius, Ent. Syst. IV. 1794, 459.
trisulcatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 89.
trisulcatus Trochus, P. Forskal, Descr. Anim. 1775, 126.
trisulcus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 23.
trite Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 469; ed. 12, 1767, 763.
triticea Hydra, Linnaeus, Faun. Suec., ed. 2, 1761, 543.
triticeus Mus, P. Boddaert, Elench. 1785, 111.
triticici Cimex, W. Kirby, Tr. Linn. Soc. [Lond.] V. 1800, 110.
triticici Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 320.
triticici Tipula, W. Kirby, Tr. Linn. Soc. [Lond.] IV. 1798, 232.
Tritoma E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 335.—Col.
Tritoma J. C. Fabricius, Syst. Ent. I. 1775, 68.—Col.
tritoma Sphaeridium, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791, 116.
Triton Linnaeus, Syst. Nat., ed. 10, 1758, 658; ed. 12, 1767, 1092.—Cirr.
Triton J. N. Laurenti, Syn. Rept. 1768, 37.—R.

- Triton** J. X. Poli, Test. Sicil. I. 1791, 12; a generic term applied to the fleshy part of *Lepas*.
- Triton** J. G. Bruguière, Ency. Méth. (Tabl. Vers.) pl. 85 (1791), [*n. et f.*].—Cirr.
- triton** Gekko (Retz.), F. A. A. Meyer, Syn. Rept. 1795, 24.—*Lacerta*.
- triton** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 298.
- triton** Lacerta, A. J. Retzius in Linnaeus, Faun. Suec. 1800, 288.
- triton** Papilio, J. C. Fabricius, Mant. II. 1787, 74.
- Tritonia** Cuvier, Tabl. élém. 1798, 387.—Nud.
- Tritonia** J. G. Meigen, N. Class. Mouches. 1800, 33.—Dip.
- tritoniolum** Buccinum, F. C. Meuschen, Mus. Gever. 1787, 298.
- tritonis** Buccinum (*ex* Rumph), P. L. S. Müller, Del. Nat. I. 1766, 129.
- tritonis** Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 298.—Murex.
- tritonis** Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 754; ed. 12, 1767, 1222.
- tritonis** Tritonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 125.—Murex.
- Tritonium** O. F. Müller, Z. Dan. Prod. 1776, 243.—Moll.
- Tritonium** J. F. Bolten, Mus. Bolten. (2) 1798, 125.—G.
- tritonium** Buccinum, F. C. Meuschen, Mus. Gever. 1787, 296.
- tritonius** Proteus, J. N. Laurenti, Syn. Rept. 1768, 37 & 140.
- tritophus** Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 63.
- trituberculatus** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2708.
- trituberculatus** Pilularius, F. v. P. Schrank, F. Boica, I. 1798, 397.
- triunguis** Testudo, P. Forskal, Descr. Anim. 1775, ix.
- Triurus** B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 200.—P.
- triurus** Zeus, G. S. Volta, Itt. Veron. (2) [circa 1800], clxxxi.
- trivia** Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 179.
- trivia** Papilio N. Ph., E. J. C. Esper, Die Schmett. I (9) 1779, 349.
- trivialis** Alauda, Linnaeus, Syst. Nat., ed. 10, 1758, 166; ed. 12, 1766, 288.
- trivialis** Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 82.
- trivialis** Phalaena, Scopoli, Ent. Carn. 1763, 242.
- trivialis** Sylvia (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 287.—Alauda.
- trivittatus** Cimex, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 111.
- trivittatus** Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 203.
- trivittatus** Scarabaeus (Cetonia), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787,
- trivittatus** Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 106. [190.
- trivittis** Meloe, P. S. Pallas, Icon. Ins. 1782, 92.
- Trixagus** J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 534.—Col.
- trixapus** Cancer (Gammarellus), (Pall.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 112.—Squilla.
- trixapus** Monoculus (Pall.), Lamarck in Pallas, Voy. Russie (Svo. ed.) VIII [1794], 207.—
- trixapus** Squilla, P. S. Pallas, Reise Russ. I. 1771, 477. [Squilla.
- trizonata** Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.
- trizonata** Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 202.
- trochantericus** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 416.
- trochiformis** Madrepora, P. S. Pallas, Elench. 1766, 305.
- trochiformis** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3693.
- trochiformis** Turbo, I. v. Born, Index Mus. Caes. Vind. 1778, 355.
- trochilea** Certhia, A. Sparmann, Mus. Carls. IV. 1789, no. lxxx.
- Trochilium** J. A. Scopoli, Intr. Hist. Nat. 1777, 414.—Lep.
- Trochilus** Linnaeus, Syst. Nat., ed. 10, 1758, 119; ed. 12, 1766, 189.—A.
- Trochilus** E. M. da Costa, Test. Brit. 1778, 36; not used in a generic sense.—G.
- “**Trochilus**, Humph. 1797”; auct., probably a misprint for *Trochulus*.
- trochilus** Buprestis, J. C. Fabricius, Gen. Ins. 1777, 235.
- trochilus** Helix, J. L. M. Poiret, Voy. Barbarie, II. 1789, 28.
- trochilus** Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 188; ed. 12, 1766, 338.
- trochilus** Sylvia (L.), J. A. Scopoli, Annus I. 1769, 160.—Motacilla.
- Trochites** J. Gesner, Tract. Petref. 1758, 53.—G.
- trochlea** Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 248.
- trochlea** Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 82 [*n. n.*].
- trochlearis** Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 389; ed. 12, 1767, 622.

- trochlearis** Prionus (L.), A. G. Olivier, Entom. IV. 1795, 7.—Cerambyx.
- trochoides** Bulinus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 300.
- trochoides** Helix, J. L. M. Poirer, Voy. Barbarie, II. 1789, 29.
- trochoides** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3642.
- Trochulus** [G. Humphreys], Mus. Calonn. 1797, 26.—G.
- trochulus** Helix, O. F. Müller, Verm. II. 1774, 79.
- trochulus** Helix, O. Fabricius, Nye Saml. K. Danske Skrifter, IV (1) 1793, 99.
- Trochus** Linnaeus, Syst. Nat., ed. 10, 1758, 756; ed. 12, 1767, 1227.—G.
- trochus** Helix, O. F. Müller, Verm. II. 1774, 79.
- trochus** Nerita, O. F. Müller, Verm. II. 1774, 176.
- trochus** Trichoda, O. F. Müller, An. Infus. 1786, 163.
- Trocus**, *err. pro Trochus* P. Browne, Hist. Jamaica, ed. 2, 1789, 402.
- trofonia** [Phalaena], P. Cramer, Utl. Kapellen, III (21) 1779, 92.
- Trogium** Illiger in Kugelann, Käfer Preuss. 1798, 500.—Hym.
- Troglodyta** Linnaeus, Amoen. Acad. VI. 1760, 72.—M.
- troglodyta** Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 262.—Bibio, 1775.
- troglodyta** Bibio, J. C. Fabricius, Syst. Ent. 1775, 759.
- troglodyta** Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2832.—Bibio.
- troglodyta** Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 14.
- troglodyta** Papilio, J. C. Fabricius, Syst. Ent. 1775, 502.
- troglodyta** Sirex, J. C. Fabricius, Mant. I. 1787, 258.
- Troglodytes** Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 2 & 22.—A.
- troglodytes** Curculio, J. C. Fabricius, Mant. I. 1787, 108.
- troglodytes** Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 36.—Motacilla.
- troglodytes** Homo, Linnaeus, Syst. Nat., ed. 10, 1758, 24; ed. 12, 1766, 33.
- troglodytes** Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 188; ed. 12, 1766, 337.
- troglodytes** Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 713.
- troglodytes** Simia (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 26.—Homo.
- troglodytes** Sylvia (L.), J. A. Scopoli, Annus I. 1769, 160.—Motacilla.
- Trogon** Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 8 & 78.—A.
- Trogon** M. J. Brisson, Ornith. IV. 1760, 165.—A.
- Trogon** Linnaeus, Syst. Nat., ed. 12, I. 1766, 167.—A.
- Trogon** B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 2.—A.
- Trogossita** A. G. Olivier, Entom. II. 1790, no. 19.—Col.: emend. **Trogosita**, Fabricius, Ent. Syst. I (1) 1792, 115.
- troille** Colymbus, Linnaeus, Faun. Suec., ed. 2, 1761, 52.
- troille** Uria (L.), M. T. Brünnich, Orn. Boreal. 1764, 27.—Colymbus.
- troilus** Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 459; ed. 12, 1767, 746.
- Trombidium** J. C. Fabricius, Syst. Ent. 1775, 430.—Arach.
- trompe** Oestrus, A. Modeer, K. Vet. Ac. Nya Handl. VII. 1786, 134.
- trompeta** Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 120.
- tropica** Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 579; ed. 12, 1767, 961.
- tropica** Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 403; ed. 12, 1767, 649.
- tropica** Clupea, Linnaeus, Syst. Nat., ed. 10, 1758, 319; ed. 12, 1766, 524.
- tropicus** Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 372.
- tropica** Echeneis, B. A. Euphrasen, K. Vet. Ac. Nya Handl. XII. 1791, 315.
- tropicus** Gobius, P. Osbeck, Reise Ost-Indien China, 1765, 392.
- tropicus** Pompilus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 250.—Sphex.
- tropica** Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 571; ed. 12, 1767, 945.
- tropicus** Tabanus, Linnaeus, Syst. Nat., ed. 10, 1758, 602; ed. 12, 1767, 1001.
- tropica** Vespa, Herbst, Einl. Ins. III. 1786, 56.
- tros** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 10.
- Trox** J. C. Fabricius, Syst. Ent. 1775, 31.—Col.
- troxima** Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 62.
- trullus** Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VII. 1794, 108.
- trumpo** Phiseter, J. P. Bonnatte, Ency. Méth. (Cet.) 1789, 14.
- truncataria** Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 328.
- truncatella** Bursaria, O. F. Müller, Verm. I (1) 1773, 62.
- truncatellus** Carabus, Linnaeus, Faun. Suec., ed. 2, 1761, 224.

- truncatella** Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
truncatellus Hydrophilus, C. P. Thunberg, Ins. Suecica (6) 1794, 73.
truncatellus Hydrophilus, G. Paykull, Faun. Suec. I. 1798, 189.
truncatella Peltis, O. F. Müller, Z. Dan. Prod. 1776, 64.
truncatella Vorticella, O. F. Müller, Verm. I (1) 1773, 100.
truncaticornis Scarabaeus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 238.
truncator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 222.
truncatum Buccinum, O. F. Müller, Verm. II. 1774, 130.
truncatula Bulla, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 377.
truncatulus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1991.
truncatulus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 168. [Buccinum.
truncatula Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3659.—
truncatum Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 401.—Hydrachna
truncata Actinia, O. F. Müller, Z. Dan. Prod. 1776, 231. [truncatella.
truncata Alica (Scop.), A. G. Olivier, Ency. Méth. IV. (Ins.) 1789, 112.—Chrysomela.
truncata Anomia, Linnaeus, Syst. Nat., ed. 12, 1767, 1152.
truncata Aranea, P. S. Pallas, Spic. Zool. IX. 1772, 47.
truncata Ascaris, C. A. Rudolphi, Obs. Ver. Intest. 1793, 12.
truncatum Buccinum, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 369.
truncatus Bulimus, J. G. Bruguière, Ency. Méth. (Vers.) (1) 1789, 310.
truncata Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3434.
truncata Bulla, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 1.
truncatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1991.
truncatus Carabus, F. v. P. Schrank, Naturforscher, XXIV. 1789, 87.
truncatus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 166.
truncatus Carabus, J. D. Preyßler in Mayer's Samml. Phys. Aufsätze, III. 1793, 373.
truncata Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 112.
truncatum Cerion, J. F. Bolten, Mus. Bolten. (2) 1798, 90.
truncata Chama (L.), E. M. da Costa, Brit. Conch. 1778, 233.—Mya.
truncata Chrysomela, Scopoli, Ent. Carn. 1763, 70.
truncata Cicada, Linnaeus, Amoen. Acad. VI. 1763, 399.
truncatus Crino, Lamarck in J. J. Virey, Journ. de Phys. IV. 429 (1798).
truncatum Criopoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—Anomia.
truncatus Cryptcephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1717.
truncatus Cuneus, E. M. da Costa, Brit. Conch. 1778, 205.
truncata Daphnia, F. v. P. Schrank, Naturforscher, XXVII. 1793, 36.
truncata Eschara, M. Houuttuyn, Nat. Hist. I (17) 1772, 477.
truncata Flustra, Linnaeus, Syst. Nat., ed. 12, 1767, 1300.
truncata Fulgora, Linnaeus, Syst. Nat., ed. 12, 1767, 704.—[v. Cicada.]
truncatus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 11.—Scarabaeus, 1775.
truncatum Gonium, O. F. Müller, Verm. I (1) 1773, 61.
truncatus Ichneumon (Poda), J. L. Christ, Nat. Ins. 1791, 365.—Sphex.
truncata Laternula (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 155.—Mya.
truncatus Lynceus, O. F. Müller, Entom. 1785, 75.
truncata Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 795; ed. 12, 1767, 1277.
truncata Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 17.
truncata Millepora, P. S. Pallas, Elench. 1766, 249.
truncatus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3008.—
truncatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3547. [Lynceus.
truncata Musca, C. Bjerckander, K. Vet. Ac. Handl. XXXVIII. 1777, 34.
truncata Mya, Linnaeus, Syst. Nat., ed. 10, 1758, 670; ed. 12, 1767, 1112.
truncata Nitidula, J. C. Fabricius, Ent. Syst. I (1) 1792, 261.
truncatus Pectunculus, E. M. da Costa, Brit. Conch. 1778, 195.
truncata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 602.
truncata Planaria, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 43.
truncatus Portunus, F. Weber, Nomen. Fabricii, 1795, 93 [n. n.].
truncatus Portunus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 365.
truncata Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 143.

- truncatus** Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 6.
truncata Sphex, N. Poda, Ins. Mus. Graec. 1761, 107.
truncatus Stenocorus, J. A. Frolich, Naturforscher, XXVI. 1792, 155.
truncata Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 105.
truncata Tellina, Linnaeus, Syst. Nat., ed. 12, 1767, 1118.
truncata Terebratula (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 14.—Anomia.
truncatus Tetrodon, A. J. Retzius, K. Vet. Ac. Nya Handl. VI. 1785, 121.
truncatus Trilobus, M. T. Brünnich, Nye Saml. K. Danske Skrifter, I. 1781, 391.
truncatum Tritonium, O. F. Müller, Z. Dan. Prod. 1776, 244.
truncatus Unio, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, [66].
truncorum Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 575; ed. 12, 1767, 954.
truncorum Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 623; ed. 12, 1767, 1036.
truncorum Hylaeus (L.), J. C. Fabricius, Ent. Syst. II. 1793, 305.—Apis.
trunculus Curculio, G. Bonsdorff, Curc. Succ. 1785, 33.
trunculus Donax, Linnaeus, Syst. Nat., ed. 10, 1758, 682; ed. 12, 1767, 1127.
trunculus Mactra, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 145.
trunculus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 747; ed. 12, 1767, 1215.
trunculus Peronacoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 257.—Donax.
trunculus Purpura (L.), F. C. Meuschen, Mus. Gever. 1787, 314.—Murex.
trunca Actinia, O. F. Müller, Nova Acta Acad. Caes. VI. 1778, 53.
truncus Enchelis, O. F. Müller, An. Infus. 1786, 39.
Trupanea F. v. P. Schrank, Briefe Donaumoor, 1795, 147.—Dip.
"Trutta" *v.* Salmo.
Trutta E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 409.—P.
Trutta (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 584.—P.
trutta Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 308; ed. 12, 1766, 509.
truttae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3036.
truttae Cucullanus, O. Fabricius, Skr. nat. Selsk. [Copen.], III (2) 1794, 30.
truttae Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 24.
truttae Fasciola, J. A. Frolich, Naturforscher, XXIV. 1789, 126.
truttae Ligula, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 119.
truttae Taenia (Frol.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3064.—Vesi-
truttae Vesicaria, J. A. Frolich, Naturforscher, XXIV. 1789, 127. [caria.
Truxalis J. C. Fabricius, Syst. Ent. 1775, 279.—Orth.
Trynga *v.* Tringa.
Trypoxylon P. A. Latreille, Préc. Car. Ins. 1796, 121.—Hym.
tryxus Papilio, C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 87.
tsaltsalya Oestrus, F. A. A. Meyer, Zool. Entdeck. 1793, 145.
tschaivytscha Salmo, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 71.
tschecantschia Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 997.
tschecantschia Sylvia (Gm.), J. Latham, Index Orn., 1790, 552.—Motacilla.
tschelag Mus, R. Kerr, Anim. Kingd. 1792, 242.
tscheriway *v.* cheriway.
tscherkessicus Glis, J. C. P. Erxleben, Syst. Anim. 1777, 366.
tschila Falco, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 5 [*n. n.*].
Tschiptirra, Linnaeus, Amoen. Acad. VII (1766), 450.—A.
tschutschensis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 962.
tuba *v.* tubus.
tubaeformis Strongylus, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 74.
tuber Curculio, G. C. Reich, Mant. Ins. 1797, 7.
tuber Mytilus, F. C. Meuschen, Mus. Gever. 1787, 466.
tuber Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 759; ed. 12, 1767, 1230.
tuberculana Pyralis, L. Bosc, Tr. Linn. Soc. [Lond.], I. 1791, 196. [Lamia.
tuberculator Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1835.—
tuberculator Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 224.
tuberculatum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 223.—Gryllus.
tuberculata Apis, J. C. Fabricius, Ent. Syst. II. 1793, 334.
tuberculata Aranea, C. de Geer, Mém. Ins. VII. 1778, 226.

- tuberculata Argonauta, J. F. Bolten, Mus. Bolten. (2) 1798, 71.
tuberculata Auriformis (L.), F. C. Meuschen, Mus. Gever. 1787, 250.—Haliotis.
tuberculatum Baccinum, F. C. Meuschen, Mus. Gever. 1787, 302.
tuberculatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 304.
tuberculatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3503.
tuberculatum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 115 [*n. n.*].
tuberculatus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 330.—Nerita.
tuberculata Calappa, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer, 1787.
tuberculata Camerina, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 400.
tuberculatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 204.
tuberculatus Cancer, J. C. Fabricius, Mant. I. 1787, 321.
tuberculatus Carabus, C. de Geer, Mém. Ins. VII. 1778, 623.
tuberculatus Carabus, J. Sturm in D. H. Hoppe, Ent. Taschenbuch. 1797, 248 [*n. n.*].
tuberculatum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 679; ed. 12, 1767, 1122.
tuberculata Cassida, J. C. Fabricius, Syst. Ent. 1775, 90.
tuberculata Cassis, F. C. Meuschen, Mus. Gever. 1787, 392.
tuberculatus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 113.
tuberculatus Cerambyx, J. C. Fabricius, Mant. I. 1787, 131.
tuberculatus Cerambyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 143.
tuberculatus Chiton, Linnaeus, Syst. Nat., ed. 10, 1758, 667; ed. 12, 1767, 1106.
tuberculata Cicada, C. P. Thunberg, D.D. Mus. Ac. Upsal. 1787, 60.
tuberculata Cicindela, J. C. Fabricius, Syst. Ent. 1775, 225.
tuberculata Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 85.
tuberculatus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 343.
tuberculatus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789.
tuberculatus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 88. [1730.—Lagria.
tuberculatus Curculio, C. de Geer, Mém. Ins. VII. 1778, 658.
tuberculatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 480.
tuberculatus Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 384.
tuberculata Doris, O. F. Müller, Nova Acta Acad. Caes. VI. 1778, 50.
tuberculatus Elater, E. Pontoppidan, Kurz. Nachr. N.-H. Dänemark. 1765, 208.
tuberculatus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1914.
tuberculatus Erodium, C. P. Thunberg, D.D. Mus. Ac. Upsal. 1787, 41.
tuberculatus Erodium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 426.
tuberculatus Erodium, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 123.
tuberculata Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 498.
tuberculata Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 569.
tuberculatus Gorgonia, E. J. C. Esper, Pflanzenth. II (9) 1792, 127.
tuberculatus Gryllus, J. C. Fabricius, Syst. Ent. 1775, 290.
tuberculata Haliotis, Linnaeus, Syst. Nat., ed. 10, 1758, 780; ed. 12, 1767, 1256.
tuberculata Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 99.
tuberculatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 395.
tuberculata Iguana, J. N. Laurenti, Syn. Rept. 1768, 49.
tuberculata Lagria, J. C. Fabricius, Mant. I. 1787, 93.
tuberculata Locusta, C. de Geer, Mém. Ins. III. 1773, 444.
tuberculata Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 102.
tuberculatus Macrocephalus, A. G. Olivier, Entom. IV. 1795, 10.
tuberculata Medusa, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 48.
tuberculatus Murex, F. C. Meuschen, Mus. Gever. 1787, 330.
tuberculatus Murex (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3564.—
tuberculatus Murex, J. F. Bolten, Mus. Bolten. (2) 1798, 144. [Strombus.
tuberculatus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 320.
tuberculata Musca, O. F. Müller, Z. Dan. Prod. 1776, 177.
tuberculata Musca, C. de Villers, Linn. Ent. III. 1789, 428.
tuberculata Musca, C. de Villers, Linn. Ent. III. 1789, 550.
tuberculata Nerita, O. F. Müller, Verm. II. 1774, 191.
tuberculatus Ostraria, Linnaeus, Syst. Nat., ed. 10, 1758, 331; ed. 12, 1766, 409.
tuberculata Ostrea, G. Olivi, Zool. Adriat. 1792, 120.

- tuberculata Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 782; ed. 12, 1767, 1259.
- tuberculata Pimelia, J. C. Fabricius, Mant. I. 1787, 208.
- tuberculatus Prionus, A. G. Olivier, Entom. IV. 1795, 20.
- tuberculata Raja, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 104.
- tuberculatus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 318.
- tuberculata Sepia, J. B. P. M. de Lamarck, Bull. Sci. Soc. Philom. [Paris], no. 17, 1798,
- tuberculata Sphex, C. de Villers, Linn. Ent. III. 1789, 253. [130.]
- tuberculatus Staphylinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 181.
- tuberculatus Strombus, Linnaeus, Syst. Nat., ed. 12, 1767, 1213.
- tuberculatus Tenebrio (Fab.), C. de Villers, Linn. Ent. IV. 1789, 361.—Pimelia.
- tuberculatus Trilobus, M. T. Brünnich, Nye Saml. K. Danske Skrifter, I. 1781, 389.
- tuberculatus Trochus, E. M. da Costa, Brit. Conch. 1778, 44.
- tuberculatus Trox (De G.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 23.—
- tuberculata Turbo, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 112. [Scarabaeus.]
- tuberculata Venus, J. Hermann, Naturforscher, XV. 1781, 126.
- tuberculosus Bostrichus, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 113.
- tuberculosa Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 29.
- tuberculosa Cicindela, *err. pro tuberculata*, Fab., A. G. Olivier, Ency. Méth. V. (Ins.)
- tuberculosus Cimex, Scopoli, Ent. Carn. 1763, 128. [1790, 732.]
- tuberculosus Curculio, Scopoli, Ent. Carn. 1763, 27.
- tuberculosus Julus, O. F. Müller, Z. Dan. Prod. 1776, 201.
- tuberculum Ascidia, O. Fabricius, F. Groen. 1780, 332.
- tuberosum Aleyonium, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 180.
- tuberosum Brachionus, P. S. Pallas, Elench. 1766, 105.
- tuberosum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 735; ed. 12, 1767, 1198.
- tuberosus Cancer, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 7.
- tuberosus Cantharus, J. F. Bolten, Mus. Bolten. (2) 1798, 132.
- tuberosa Cassidea (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 436.—Buccinum.
- tuberosa Cassis (L.), F. C. Meuschen, Mus. Gever. 1787, 394.—Buccinum.
- tuberosa Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 28.
- tuberosa Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 22 [*n. n.*].
- tuberosa Galeodes, J. F. Bolten, Mus. Bolten. (2) 1798, 53.
- tuberosus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1789, 111.
- tuberosa Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 37.
- tuberosa Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 141.
- tuberosus Scarabaeus, C. G. Jablonsky, Nat. Ins. (Käfer) II. 1789, 85.
- tuberosum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 127.
- tuberosa Vorticella (Pall.), O. F. Müller, An. Infus. 1786, 308.—Brachionus.
- tubum Formica, J. C. Fabricius, Syst. Ent. 1775, 393.
- tubicen Buccinum, F. C. Meuschen, Mus. Gever. 1787, 300 & 304.
- tubicola Lumbricus, O. F. Müller, Z. Dan. Prod. 1776, 216.
- tubicola Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
- tubifer Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3044.
- tubifer Purpura, J. B. Bruguière, J. Nat. Hist. (Choix des Mém.) I. 1792, 29.
- Tubifera J. G. Meigen, N. Class. Mouches, 1800, 34.—Dip.
- tubifera Ascaris, O. Fabricius, F. Groen. 1780, 273.
- tubifera Proboscidea (Müll.), J. G. Bruguière, Ency. Méth. (Vers Int. 1791), 97.—Ascaris.
- tubifex Brachionus, P. S. Pallas, Elench. 1766, 91.
- tubifex Lumbricus, O. F. Müller, Verm. I (2) 1774, 27.
- tubifex Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 37.
- Tubipora Linnaeus, Syst. Nat., ed. 10, 1758, 789; ed. 12, 1767, 1270.—Cor.
- Tubipora Linnaeus, Faun. Suec., ed. 2, 1761, 537.—Pol.
- “tubiporus Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 167.
- tubipora Millepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 139.
- Tubularia Linnaeus, Syst. Nat., ed. 10, 1758, 803; ed. 12, 1767, 1301.—Ver.
- Tubularia O. Fabricius, F. Groen. 1780, 438.—Ver.
- Tubularia Adams, Trans. Linn. Soc. V. 1800, 12.—?
- tubularis Astroites, J. E. I. Walch, Naturforscher, V. 1775, 48.

- tubularis** Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1050.
- tubularis** Madrepora (Walch), P. S. Pallas, Char. Thierpl. II. 1787, 131.—Astroites.
- tubularis** Pagurus (L.), J. C. Fabricius, Syst. Ent. 1775, 411.—Cancer.
- tubularia** Spongia, *id. ac tubulosa*, Pall., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
- tubulator** Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 188. [3823.]
- tubulatus** Helix, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 67.
- tubulata** Purpura, T. Martyn, Univ. Conch. III [1789], fig. 114.
- tubulifera** Millepora, P. S. Pallas, Elench. 1766, 259.
- Tubulites** J. Gesner, Tract. Petref. 1758, 40.—Ver.
- tubulosa** Corallina, P. S. Pallas, Elench. 1766, 430.
- tubulosum** Corallium, Marsigli in P. L. S. Müller, Del. Nat. I. 1766, 128.
- tubulosa** Flustra, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 17.
- tubulosa** Holothuria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3138.
- tubulosa** Millepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 136.
- tubulosa** Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 44.
- tubulosa** Spongia, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348.
- Tubulus** F. C. Meuschen, Mus. Gever. 1787, 238.—[Dentalium, L.]
- tuba** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3484.
- tuba** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3554.
- tubus-vermicularis** Teredo, P. J. Bergius, K. Vet. Ac. Handl. XXVI. 1765, 229.
- Tucana** M. J. Brisson, Ornith. IV. 1760, 408.—A.
- tucanus** Ramphastos, Linnaeus, Syst. Nat., ed. 10, 1758, 103; ed. 12, 1766, 151.
- tuccia** Meloe, P. Rossi, Fauna Etrus. I. 1790, 238.
- Tuceta** J. F. Bolten, Mus. Bolten. (2) 1798, 172.—L.
- Tucipora** *v.* **Tubipora** P. S. Pallas, Elench. 1766, 339.
- Tudicla** J. F. Bolten, Mus. Bolten. (2) 1798, 145.—G.
- tuguriorum** Musca, Scopoli, Ent. Carn. 1763, 328.
- tui** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 352.
- “**Tuija**, Lacép. 1800-1801,” Ag.; does not occur, see **Touyou**.
- tuipara** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 348.
- Tulaxodus** J. E. Guettard, Mém. diff. Sci. III. 1770, 143.—Moll.
- “**Tulaxoves**, Guett. 1786,” Scudd.; *err. pro* Tulaxodus.
- tulbaghia** Papilio (Nymphalis), Linnaeus, Mus. Lud. Ulr. 1764, 284.
- Tulipa** K. Schreibers, Vers. Conch. II. 1793, 347.—Cirr.
- tulipa** Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 298.—Murex.
- tulipa** Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 111.
- tulipa** Colus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 117.—Murex.
- tulipa** Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 717; ed. 12, 1767, 1172.
- tulipa** Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 51.—Conus.
- tulipa** Fasciolaria (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 73.—Murex.
- tulipa** Lepas, O. F. Müller, Z. Dan. Prod. 1776, 251.
- tulipa** Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 754; ed. 12, 1767, 1223.
- tulipifera** Cellaria, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 27.
- tulipifera** Sertularia (E. & S.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3862.—
- [**tulipina** Phalaena (N.), MS.], T. Martyn, Psyche, 1797, fig. 60. [Cellaria.]
- tulliolus** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 41.
- tullius** Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 159.
- tullia** Libellula, D. Drury, Ill. Nat. Hist. II. 1773, index & 85.
- tullia** [Papilio], P. Cramer, Utitl. Kapellen, I (7) 1775, 127.
- tullius** Papilio, J. C. Fabricius, Mant. II. 1787, 34.
- tullia** Papilio (Nymphalis), O. F. Müller, F. Ins. Frid. 1764, 36.
- tullia** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 242.
- tullius** Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 118.
- tullus** [Papilio], P. Cramer, Utitl. Kapellen, III (24) 1780, 153.
- tulpia** Satyrus, Linnaeus, Amoen. Acad. VI. 1760, 69.
- tumbil** Salmo, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 112.
- tumens** Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3292.
- tumidana** Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 130.

- tumidula Venus, Linnaeus, Mant. II. 1771, 546.
- tumidus Apis, M. Harris, Exp. Eng. Ins. 1776, 164.
- tumidum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 111 [*n. n.*].
- tumidum Cardium, F. C. Meuschen, Mus. Gever. 1787, 438.
- tumida Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 185.
- tumidus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 378.
- tumidum Ellobium, J. F. Bolten, Mus. Bolten. (2) 1798, 105.
- tumidum Gafrarium, J. F. Bolten, Mus. Bolten. (2) 1798, 176.
- tumida Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3668.
- tumida Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107.
- tumidum Lampadion, J. F. Bolten, Mus. Bolten. (2) 1798, 78 [*n. n.*].
- tumida Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 37.
- tumidus Trochus, F. C. Meuschen, Mus. Gever. 1787, 282.
- tumidus Turbo, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 111.
- tumidus Unio, A. J. Retzius, Diss. Nova Test. Gen. 1788, 17.
- tumulorum Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 574; ed. 12, 1767, 953.
- tumulorum Eucera (L.), J. C. Fabricius, Ent. Syst. II. 1793, 344.—Apis.
- tumulosa Cypraea, F. C. Meuschen, Mus. Gronov. 1778, 107.
- tuna Corallina, J. Ellis & D. Solander, Nat. Hist. Zoph. 1786, 111.
- tunensis Apis, J. C. Fabricius, Mant. I. 1787, 304.
- tunetana Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2773.—[*tunensis*, Fab.]
- tunetana Cidaris, F. C. Meuschen, Mus. Gever. 1787, 482.
- tunetanus Scorpio, J. F. W. Herbst, Nat. ungefl. Ins. (4) 1800, 68.
- tunica-cepae Anomia, E. M. da Costa, Brit. Conch. 1778, 165.
- tunicatus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 368.
- tunicatus Ichneumon, H. Ström, Nye Saml. K. Danske Skrifter, III. 1788, 277.
- tunicatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 170.—Cimex, 1781.
- tunicata Sepia, G. I. Molina, Sag. stor. nat. Chili, 1782, 199.
- tunstalli Emberiza, J. Latham, Index Orn. 1790, 418.
- tupha Spongia, P. S. Pallas, Elench. 1766, 398.
- tupinambis Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
- tupinambis Plotus, J. P. Bonnatere, Ency. Méth. (Orn.), 1790, 40.
- “Turaco, Lacép.” Ag.; *v.* Touraco.
- Turacus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [*n. n.*].—A.
- turbata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 255 [*n. et f.*].
- turbata Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 59.
- turbidus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 19.
- turbida Noctua (*ex Esper*, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 252.
- turbida Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (49 or 50) 1798, 495.
- turbiformis Trochus, C. U. v. Salis, Reise Neapel, 1793, 375.
- Turbina P. Browne, Hist. Jamaica, ed. 2, 1789, 403.—G.
- turbinata Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 36.
- turbinata Anomia, J. X. Poli, Test. Sicil. II. 1795, 189.
- turbinatum Criopoderma, J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—Anomia of p. 189.
- turbinata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3404.
- turbinata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3668.
- turbinata Leucopha, O. F. Müller, An. Infus. 1786, 151.
- turbinata Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 793 [no. 19]; ed. 12, 1767, 1272.
- turbinata Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 796 [no. 33].
- turbinata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 35.
- turbinata Spongia, G. Vio in G. Olivi, Zool. Adriat. 1792, xxvi.
- turbinatus Trochus, I. v. Born, Index Mus. Caes. Vind. 1778, 340.
- Turbinella Lamarck, Mém. Soc. H. N. Paris, 1799, 73.—G.
- turbinellus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 750.
- turbinellus Vasum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 56.—Voluta.
- turbinellus Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1195.
- Turbinis F. C. Meuschen, Mus. Gever. 1787, 276.—G.
- “Turbinites, Gmel. 1793,” Scudd.; not used in a generic sense.

- "Turbinoidea, Da Costa, 1776," Scudd.; not used in a Linnean sense.
 turbinoidea Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 75 [n. n.].
 turbita Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 162; ed. 12, 1766, 280.
 Turbo Linnaeus, Syst. Nat., ed. 10, 1758, 761; ed. 12, 1767, 1232.—G.
 turbo Cercaria, O. F. Müller, An. Infus. 1786, 123.
 turbo Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3642.
 turboidea Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81.
 turcaria Phalaena, J. C. Fabricius, Syst. Ent. 1775, 624.
 turcicella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 523.
 turcicum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 217.—Gryllus.
 turcica Anadema, F. C. Meuschen, Mus. Gever. 1787, 480.
 turcicus Carabus, J. C. Fabricius, Mant. I. 1787, 203.
 turcica Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 281.
 turcicus Echinocyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 214.
 turcicus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3193.—Echinocyamus.
 turcicus Gekko (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 26.—Lacerta.
 turcicus Gryllus, J. C. Fabricius, Mant. I. 1787, 236.
 turcica Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 202; ed. 12, 1766, 362.
 turcica Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 83.
 turcica Musca, A. F. de Fourcroy, Ent. Paris. 1785, 487.
 turcica Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 442.
 turcica Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 4.
 turcicus Phasianus, J. Latham, Index Orn. 1790, 627.
 turcica Sphex, J. C. Fabricius, Syst. Ent. 1775, 351.
 turcica Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 339.
 turcica Tipula, J. C. Fabricius, Mant. II. 1787, 322.
 turcica Vespa, D. Drury, Ill. Nat. Hist. II. 1773, index & 73.
 turcosa Ascita, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 35.
 "turcosa Zoolithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 156.
 turca Cicada, J. C. Fabricius, Syst. Ent. 1775, 685.
 turca Columba, M. T. Brunnich, Orn. Boreal. 1764, 62.
 turca Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 616.—Phalaena.
 turca Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 322.
 turdi Acarus, Scopoli, Ent. Carn. 1763, 389.
 turdi Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 9.
 turdina Alauda, J. A. Scopoli, Del. Insub. I. 1786, 60.
 Turdus Linnaeus, Syst. Nat., ed. 10, 1758, 168; ed. 12, 1766, 291.—A.
 Turdus G. Edwards in M. Catesby, Carol. II. 1771, 9.—P.
 turdus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 287; ed. 12, 1766, 478.
 turfusus Staphylinus, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 164.
 turgens Synoicum, C. J. Phipps, Voy. N. Pole, 1774, 199.
 turgitum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3490.
 turgidum Cardium, D. Solander in G. Brander, Foss. Hant. 1766, 38.
 turgidus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 378.
 turgida Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3641.
 turgida Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3667.
 turgida Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3260.
 turgidus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 26.
 turgida Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3327.
 turgida Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 34.
 turgitum *z.* turgidum.
 turionella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 539; ed. 12, 1767, 892.
 turionellae Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 564; ed. 12, 1767, 935.
 turlu Alauda, J. A. Scopoli, Del. Insub. I. 1786, 70.
 Turnix Bonnatere, Ency. Méth. (Orn.), I. 1790, lxxxii & 5.—A.
 turnus Papilio (E.), Linnaeus, Mant. II. 1771, 536.
 turpella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
 Turricula J. Herrmann, Tab. aff. Anim., ed. 2, 1783, tabula.—G.

- Turrricula** [G. Humphreys], Mus. Calonn. 1797, 58.—G.
turrricula Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 324.
turrricula Strombus, C. U. v. Salis, Reise Neapel, 1793, 367.
turrricula Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3454.
turrifer Vibrio, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 315.
 "Turrilites, Montf. 1799," Ag.; does not occur.
turrimurarius Sphecx. J. L. Christ, Nat. Ins. 1791, 321.
Turris P. L. S. Müller, Del. Nat. I. 1766, 129.—G.
Turris [G. Humphreys], Mus. Calonn. 1797, 34.—G.
Turris J. F. Bolten, Mus. Bolten. (2) 1798, 123.—G.
turris Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3543.
turris Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 52 [n. n.].
turris Trochus, F. C. Meuschen, Mus. Gever. 1787, 288.
turris-clavata Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 90.
turris-picta Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 90.
Turritella Lamarck, Mém. Soc. H. N. Paris, 1799, 74.—G.
turrita Bulla (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3428.—Planorbis.
turritus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 38.
turritus Gryllus (Acrida), Linnaeus, Syst. Nat., ed. 10, 1758, 427; ed. 12, 1767, 692.
turrita Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 64.
turritum Lampadion, J. F. Bolten, Mus. Bolten. (2) 1798, 78.
turrita Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3686.
turritus Ostracion, P. Forskal, Descr. Anim. 1775, 75.
turritus Planorbis, O. F. Müller, Verm. II. 1774, 169.
turrita Plotia, J. F. Bolten, Mus. Bolten. (2) 1798, 95 [n. n.].
turritus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 100.
turritus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81.
turrita Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3456.
tursio Delphinus, J. E. Gunnerus, K. Norske Vid. Selsk. Skrift. IV. 1768, 111.
tursio Physeter, Linnaeus, Syst. Nat., ed. 10, 1758, 77; ed. 12, 1766, 107.
turtur Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 164; ed. 12, 1766, 284.
turturella Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 65.
turturum Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3639.
turunda Echinanthus, F. C. Meuschen, Mus. Gronov. 1778, 91.
tusciaria Phalaena Geometra, M. B. Borkhausen in Scriba, Beitr. Ins. III. 1793, 217.
tussilaginis Musca, J. C. Fabricius, Syst. Ent. 1775, 787.
tuta Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 453.
tuteicornis Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 70.
tybris [Phalaena], P. Cramer, Utit. Kapellen, I (8) 1776, 145.
tygrina v. **tigrina**.
Tylos J. G. Meigen, N. Class. Mouches, 1800, 31.—Dip.
tymber [Phalaena], P. Cramer, Utit. Kapellen, II (14) 1777, 109.
tympanista Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (1) 1791, 25.
tympanista Columba, M. T. Brünnich, Orn. Boreal. 1764, 62.
tympanistra Tettigonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 100.
tympanotonor Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 92.
tyndarus Papilio D. F., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. 1781,
tynderaeus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 35. [97.
typclus Lagomys, v. **typhlus**.
typhae Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 415.
typhae Noctua, C. P. Thunberg, Ins. Suecica (1) 1784, 3.
typhae Onchidium, F. Buchannan, Tr. Linn. Soc. [Lond.] V. 1800, 132.
typhae Phalaena Noctua (ex Esper, tab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
typhae Tipula, O. F. Müller, Z. Dan. Prod. 1776, 170. [722.—Noctua.
typhaeus Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 537.
typhoeus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 346; ed. 12, 1767, 543.
typhiaeformis Sphinx, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 174.
typhina Tipula, Scopoli, Ent. Carn. 1763, 323.

- typhis Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 54. [118.
 typhius Coluber, ?*err. pro* typhlus, Gm., B. G. E. de Lacépède, Quad. Ovip., II. 1789,
 typhle Syngnathus, Linnaeus, Syst. Nat., ed. 10, 1758, 336; ed. 12, 1766, 416.
 typhlis Talpoides, B. G. E. de Lacépède, Tabl. Mamm. 1799, 10.
 typhlus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 218; ed. 12, 1766, 378.
 typlcus (*sic*) Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 40.—Mus.
 typhlus Mus, P. S. Pallas, N. Sp. Quad. II. 1779, 154.
 typhlus Mus (Myotalpa), R. Kerr, Anim. Kingd. 1792, 248.
 typhocus Scarabaeus, *err. pro* typhaeus, L., J. C. Fabricius, Syst. Ent. 1775, 10.
 typhon Geotrupes (Ol.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 15.—Scarabaeus.
 typhon Scarabaeus, A. G. Olivier, Entom. I. 1789, 12.
 typhonius Bufo, J. G. Schneider, Hist. Amph. I. 1799, 207.
 typhonia Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 211; ed. 12, 1766, 356.
 typica Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 613.—Phalaena.
 typica Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 518; ed. 12, 1767, 857.
 typographus Bostrichus (L.), J. C. Fabricius, Syst. Ent. 1775, 59.—Dermestes.
 typographus Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 355; ed. 12, 1767, 562.
 typographus Ips (L.), C. de Geer, Mém. Ins. V. 1775, 193.—Dermestes.
 typographus Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 7.—Bostrichus.
 tyrannulus Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 169.
 Tyrannus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 5.—A.
 tyrannus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 371.
 tyrannus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 347.
 tyrannus Lanius, Linnaeus, Syst. Nat., ed. 10, 1758, 94; ed. 12, 1766, 136.
 tyrannus Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 302; *varr.* dominicensis, carolinensis, ludovicianus.
 tyrannus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 177.—Cimex, 1781.
 tyrannus Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 325.
 tyres [Phalaena], P. Cramer, Uitl. Kapellen, III (22) 1779, 124.
 tyria Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 224; ed. 12, 1766, 386.
 Tyroglyphus P. A. Latreille, Préc. Car. Ins. 1796, 185.—Ar.
 tyrolensis Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1102.
 tyrolensis Silpha, J. N. Laicharting, Tyrol. Ins. I. 1781, 98.
 tyrrhaea [Phalaena], P. Cramer, Uitl. Kapellen, I (4) 1775, 71.
 tyrrhenus Astacus, V. Petagna, Inst. Ent. 1792, 418.
 tyrrhenum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3478.
 tyrrhenum Cassis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 30.—Buccinum.
 tyrrhena Medusa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3155.
 tyrtaeus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 271.
 tysonis Perca, J. A. Donndorff, Zool. Beyt. III. 1798, 526.
 tytia [Papilio], P. Cramer, Uitl. Kapellen, II (11) 1777, 37.
 tytrus Papilio D. F., J. C. Fabricius, Mant. II. 1787, 27.
 tzeiran Antilope, E. A. W. Zimmermann, Spec. Zool. 1777, 543.

ubaldus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 209.

Uber [G. Humphreys], Mus. Calonn. 1797, 21.—G.

vca Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1041.

[III. 1768, *errata*.

uccinctus Strombus, Linnaeus, Syst. Nat., ed. 12, 1767, 1212; *err. typ. succinctus, vide*

ucranica Leptura, E. Laxmann, Nov. Comm. Sci. Petrop. XIV (1) 1770, 596.

udalrica [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 16.

uddmanni Aranea, Scopoli, Ent. Carn. 1763, 400.

uddmanniana Leptura, G. A. Harrer, Besch. Schaeffer Icones, 1784, 225.

uddmanniana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 823.

uddmanniana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 648.—Phalaena.

ufens [Phalaena], P. Cramer, Uitl. Kapellen, II (9) 1777, 2.

Uleiota P. A. Latreille, Préc. Car. Ins. 1796, 46.—Col.

ulex Antipathes, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 100.

- ulicis Curculio, J. R. Forster, Cat. Brit. Ins. 1770, 4 [*n. n.*].
- ulicis Curculio, J. R. Forster, N. Sp. Ins. 1771, 31.
- ulicis Curculio, Bory de St. Vincent, Journ. Santé Bordeaux, III. 1798, 73.
- ulietanus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 328.
- ulietensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 815.
- uliginalis Phalaena, [D. H. Schneider], Nom. Ent. 1785, 52 [*n. n.*].
- uliginata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 214.
- uliginosus Cicindela, [D. H. Schneider], Nom. Ent. 1785, 21 [*n. n.*].
- uliginosus Dyticus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 71.—Dytiscus.
- uliginosus Dytiscus, Linnaeus, Faun. Suec., ed. 2, 1761, 216.
- uliginosus Elaphrus, J. C. Fabricius, Ent. Syst. I (1) 1792, 178.
- uliginosus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 278.
- uliginosa Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 983.
- uliginosus Nemotelus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 269.—Musca.
- uliginosus Stratiomys, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 89.
- ulmaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 85
- ulmarius Luperus, A. F. de Fourcroy, Ent. Paris. 1785, 89. [*n. et f.*].
- ulmaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 181.
- ulmata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 632.
- ulmea Noctua, F. v. P. Schrank, Samml. Nat. Phys. Aufsatz. 1796, 213.
- ulmi Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 451; ed. 12, 1767, 733.
- ulmi Bombyx (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 456.—Noctua.
- ulmi Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 453; ed. 12, 1767, 737.
- ulmi Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 439; ed. 12, 1767, 711.
- ulmi Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 449; ed. 12, 1767, 731.
- ulmi Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 455; ed. 12, 1767, 740.
- ulmi Curculio, C. de Geer, Mém. Ins. V. 1775, 215.
- ulmi Galeruca, A. F. de Fourcroy, Ent. Paris. 1785, 103.
- ulmi Miris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 187.—Cimex.
- ulmi Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 66.
- ulmi Phalaena, J. G. Gladbach in Kuehn, Kurz. Anleit. Ins., ed. 2, 1783, 153 [*n. n.*].
- ulmi Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 385.—
- ulmi Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 274. [Noctua.
- ulni Psylla, A. F. de Fourcroy, Ent. Paris. 1785, 223.
- ulmi Staphylinus, P. Rossi, Fauna Etrus. I. 1790, 248.
- ulmi Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 559; ed. 12, 1767, 928.
- ulmi Thrips, J. C. Fabricius, Spec. Ins. II. 1781, 396.
- ulna Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 6.
- ulni Psylla, *v.* ulmi.
- ulricus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 314.—Papilio.
- ulrica [Papilio], P. Cramer, Utit. Kapellen, II (9) 1777, 7.
- ultima Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
- ultramarina Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 927.
- ultramarinus Papilio, F. C. Meuschen, Mus. Gronov. 1778, 71.
- ulula Noctua, J. C. Fabricius, Syst. Ent. 1775, 592.
- ulula Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 142.
- ulula Strix, Linnaeus, Syst. Nat., ed. 10, 1758, 93; ed. 12, 1766, 133.
- ulula Strix, R. Kerr, Anim. Kingd. 1792, 536; *var.* minor.
- ululans Reduvius, P. Rossi, Fauna Etrus. II. 1790, 256.
- ulvae Helix, R. Pulteney, Cat. Birds &c. Dorset, 1799, 49.
- ulvae Turbo, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 114.
- ulysses Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 462; ed. 12, 1767, 748.
- ulyssiponensis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3706.
- umbellana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 286.
- umbellaria Hydra, Linnaeus, Syst. Nat., ed. 10, 1758, 818.
- umbellaria Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1318.
- umbellatarum Bruchus, J. C. Fabricius, Mant. I. 1787, 41.
- umbellatarum Buprestis, Scopoli, Ent. Carn. 1763, 64.

- umbellatarum** Buprestis, J. C. Fabricius, Mant. I. 1787, 183.
umbellatarum Cimex, Scopoli, Ent. Carn. 1763, 133.
umbellatarum Clerus, A. G. Olivier, Entom. IV. 1795, 5.
umbellatarum Curculio, J. C. Fabricius, Mant. I. 1787, 103.
umbellatarum Ichneumon, F. v. P. Schrank, Baier. Reise, 1786, 261.
umbellatarum Leptura (Schr.), J. C. Fabricius, Syst. Ent. 1775, 199.—Necydalis.
umbellatarum Leptura, J. N. Laicharting, Tyrol. Ins. II. 1784, 161.
umbellatarum Molorchus (Schr.), J. C. Fabricius, Ent. Syst. I (2) 1792, 357.—Necydalis.
umbellatarum Musca, J. C. Fabricius, Syst. Ent. 1775, 785.
umbellatarum Necydalis, J. C. D. Schreber, Nov. Spec. Ins. 1759, 9.
umbellatarum Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 307.
umbellata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3720.
umbellata Vorticella, *id. ac* umbellaria, L., M. Houttuyn, Nat. Hist. I (XVIII) 1773, 22.
umbellella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 484.—Pyralis umbellana, 1794.
umbelliferarum Musca, Scopoli, Ent. Carn. 1763, 349.
Umbellula G. Cuvier, Leçons Comp. Anat. I 1800, tab. 9 [*n. n.*].—Coel.
umbella Medusa, O. F. Müller, Beschäft. Ges. Nat. Freunde, II. 1776, 297.
umbella Patella, F. C. Meuschen, Mus. Gever. 1787, 242.
umbella [Patella], T. Martyn, Univ. Conch. III [1789] fig. 102.
umbella Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3706.
umbellus Tetrao, Linnaeus, Syst. Nat., ed. 12, 1766, 275.
umber Bombyx (Cram.), J. C. Fabricius, Gen. Ins. 1777, 281.—Phalaena.
umbra Coracinus, F. C. Meuschen, Mus. Gronov. 1778, 26.
umbra Cyprinus, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 30.
umbra Iguana (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 17.—Lacerta.
umbra Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 207; ed. 12, 1766, 367.
umbra Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 67.
umbra [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 23.
umber [Phalaena], P. Cramer, Utitl. Kapellen, I (2) 1775, 24.
umbra Phalaena Noctua, J. Hübner, Beitr. Schmett. I (2) [1787], 17.
umbra Sciaena, Linnaeus, Syst. Nat., ed. 10, 1758, 289; ed. 12, 1766, 480.
umbilicalis Trochus, E. M. da Costa, Brit. Conch. 1778, 46.
umbilicalis Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 88.
umbilicaris Helix, G. Olivi, Zool. Adriat. 1792, 177.
umbilicaris Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 758; ed. 12, 1767, 1229.
umbilicatus Nautilus, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 641.
umbilicatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3485.
umbilicata Bulla, J. F. Bolten, Mus. Bolten. (2) 1798, 15.
umbilicatus Mytilus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 95.
umbilicatus Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 710; ed. 12, 1767, 1163.
umbilicata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 203.
umbilicatus Planorbis, O. F. Müller, Verm. II. 1774, 160.
umbilicus Angarius, F. C. Meuschen, Mus. Gever. 1787, 260.
Umbla G. Edwards in M. Catesby, Carol. II. 1771, 1.—P.
Umbla M. Catesby, Pisc. &c. Imag. 1777, 1.—P.
umbla Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 310; ed. 12, 1766, 511.
umblae Fasciola, O. Fabricius, F. Groen. 1780, 329.
Umbla L. T. Gronovius, Zooph. I. 1763, 114.—P.
umbra *v.* umber.
umbraculata Acheta (L.), J. C. Fabricius, Ent. Syst. II. 1793, 31.—Gryllus.
umbraculata Acanthia, J. C. Fabricius, Syst. Ent. 1775, 695. [Acanthia.
umbraculatus Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2126.—
umbraculatus Gryllus (Acheta), Linnaeus, Syst. Nat., ed. 10, 1758, 428; ed. 12, 1767,
umbraculata Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 348. [695.
umbraculus Diplolepis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 281.
umbraculum Gorgonia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 80.
umbracula Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 6.
umbraculum Pecten, F. C. Meuschen, Mus. Gever. 1787, 414.

- umbralis** *Pyralis*, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 27.
- umbrana** *Tortrix*, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 59 [*n. et f.*].
- umbrarum** *Musca*, Linnaeus, Syst. Nat., ed. 10, 1758, 599; ed. 12, 1767, 996.
- [umbraticus** *Aranea*, C. Clerck, Aran. Svec. 1757, 31.]
- umbratica** *Aranea*, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 232.
- umbratica** *Bombyx*, C. C. Jung, Alph. Verz. Schmett. II. 1792, 272.
- umbraticus** *Cerambyx*, A. G. Olivier, Entom. IV. 1795, 129.
- umbratica** *Gorgonia*, E. J. C. Esper, Pflanzenth., II (8) 1791, 83.
- umbratica** *Noctua* (L.), J. C. Fabricius, Syst. Ent. 1775, 618.—*Phalaena*.
- umbratica** *Phalaena* (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 515; ed. 12, 1767, 849.
- umbratica** *Tipula*, O. F. Müller, Z. Dan. Prod. 1776, 170.
- umbratilis** *Apis*, J. L. Christ, Nat. Ins. 1791, 172.
- umbratilis** *Cimex*, Linnaeus, Syst. Nat., ed. 10, 1758, 448; ed. 12, 1767, 728.
- umbratilis** *Curculio*, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 67.
- umbratilis** *Lygaeus* (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 178.—*Cimex*.
- umbratilis** *Phalaena*, A. F. de Fourcroy, Ent. Paris. 1785, 304.
- umbratulata** *Acanthia*, J. C. Fabricius, Syst. Ent. 1775, 695.
- umbrata** *Hydrachna*, O. F. Müller, Z. Dan. Prod. 1776, 191.
- umbrata** *Ichneumon*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 229.
- umbrata** *Libellula*, Linnaeus, Syst. Nat., ed. 10, 1758, 545; ed. 12, 1767, 903.
- umbrata** *Phalaena* Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2497.
- umbrella** *Tinea*, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
- umbretta** *Phasma*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 78.
- umbretta** *Scopus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 618.
- umbria** *Motacilla*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 959.
- umbria** *Sylvia* (Gm.), J. Latham, Index Orn. 1790, 518.—*Motacilla*.
- umbriana** *Phalaena*, Scopoli, Ent. Carn. 1763, 237.
- umbricatus** *v. imbricatus*.
- umbrosa** *Buprestis*, J. C. Fabricius, Ent. Syst. I (2) 1792, 189.
- umbrosus** *Cimex*, D. Drury, Ill. Nat. Hist. III. 1782, index & 64.
- umbrosa** *Melolontha*, J. C. Fabricius, Ent. Syst. I (2) 1792, 169.
- umbrosa** *Patella*, J. F. Bolten, Mus. Bolten. (2) 1798, 1.
- umbrosa** *Noctua* (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 273.
- umbrosa** *Phalaena* *Noctua*, E. J. C. Esper, Die Schmett. IV (48) 1796, 413.
- umbrosa** *Phryganea*, Linnaeus, Faun. Suec., ed. 2, 1761, 381.
- umbrosa** *Porphyria*, J. F. Bolten, Mus. Bolten. (2) 1798, 36.
- umbrosa** *Sphex*, J. L. Christ, Nat. Ins. 1791, 293.
- umminia** *Noctua* (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 506.—*Phalaena*.
- umminia** [*Phalaena*], P. Cramer, Utitl. Kapellen, III (23) 1780, 137.
- unalaschk-**
- aonalaschkac** *Turdus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 808.
- unalaschkensis** *Emberiza*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 875.
- unalaschkensis** *Hirundo*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1025.
- aonalaschkensis** *Hirundo*, (Gm.), *id. ac unalasch-*, Gm., J. Latham, Index Orn. 1790, 577.
- aunalaschkensis** *Icterus* (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 354.—*Oriolus*.
- aunalaschkensis** *Oriolus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 394.
- aonalaschkensis** *Oriolus*, *id. ac aunal-*, Gm., J. Latham, Index Orn. 1790, 186.
- unau** *Bradytus*, H. F. Link, Beytr. Nat. I (2) 1795, 68.
- unca** *Noctua* (L.) [Denis & Schiffermüller], Schmett. Wien, 1775, 91.—*Phalaena uncana*.
- uncana** *Phalaena* (Tort.), Linnaeus, Faun. Suec., ed. 2, 1761, 342.—=*uncula*, Clerck.
- uncana** *Pyralis* (L.), J. C. Fabricius, Syst. Ent. 1775, 647.—*Phalaena*.
- uncana** *Tortrix*, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 76 [*n. et f.*].
- uncella** *Tinea*, [Denis & Schiffermüller], Schmett. Wien, 1775, 136.
- uncia** *Felis*, J. C. D. Schreber, Säugth. III. 386 (1777), pl. C. (1776).
- Uncinaria** J. A. Frölich, Naturforscher, XXIV. 1789, 136.—*Ver*.
- uncinatus** *Brachionus*, O. F. Müller, Verm. I (1) 1773, 134.
- uncinatus** *Cimex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2200.
- uncinata** *Eschara*, W. G. Tilesius, Verz. merkw. Seeprod. 1800, 7.

- uncinata** Lernaea, O. F. Müller, Z. Dan. Prod. 1776, 226.
- uncinatus** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3542.
- uncinata** Phryganea, F. v. P. Schrank, Ins. Aust. 1781, 306.
- uncinata** Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 142 [*n. n.*].
- uncinata** Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3750.
- uncinata** Vespa, J. C. Fabricius, Syst. Ent. 1775, 367.
- uncinularia** Geometra (*ex* Goeze), C. C. Jung, Alph. Verz. Schmett. II. 1792, 273.
- uncinulata** Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3056.
- uncinulata** Planaria, M. Braun, Schrift. Berlin. Ges. Nat. Freunde, X (1) 1790, 61.
- uncinus** Tenebrio, J. R. Forster, N. Sp. Ins. 1771, 60.
- uncula** [Phalaena], C. Clerck, Icones, I. 1759, pl. iii, 7.
- undalis** Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 272.
- undalis** Phalaena (Pyr.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 441.—Phalaena.
- undalis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 19.
- undans** Angarius, F. C. Meuschen, Mus. Gever. 1787, 260.
- undana** Pyralis, J. C. Fabricius, Mant. II. 1787, 237.
- undana** Tortrix, C. de Villers, Linn. Ent. IV. 1789, 532.
- undaria** Phalaena, J. C. Fabricius, Syst. Ent. 1775, 623.
- undato-bifasciata** Cantharis, C. de Geer, Mém. Ins. VII. 1778, 649.
- undatus** Acarus, J. C. Fabricius, Syst. Ent. 1775, 811.
- undata** Actinia, O. F. Müller, Zool. Dan. II. 1784, 66.
- undata** Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 797.
- undatus** Anthribus, J. C. Fabricius, Ent. Syst. I (2) 1792, 378.—Bruchus, 1787.
- [**undatus** Araneus, C. Clerck, Aran. Svec. 1757, 100.]
- undata** Aranea (Phalangium), C. de Geer, Mém. Ins. VII. 1778, 320.
- undata** Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 695; ed. 12, 1767, 1142.
- undata** Arca, J. F. Bolten, Mus. Bolten. (2) 1798, 174.
- undata** Blaps, J. C. Fabricius, Suppl. Ent. Syst. 1798, 47.
- undatus** Bombylius, J. C. Mikan, Mon. Bomb. 1796, 38.
- undata** Bombyx, J. C. Fabricius, Mant. II. 1787, 122.
- undata** Bombyx, C. de Villers, Linn. Ent. IV. 1789, 451.
- undatus** Brachycerus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 162.
- undatus** Bruchus, J. C. Fabricius, Mant. I. 1787, 41.
- undatum** Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 740; ed. 12, 1767, 1204.
- undatus** Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 320.
- undata** Bulla, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 380.
- undata** Buprestis, J. C. Fabricius, Mant. I. 1787, 182.
- undatum** Callidius (L.), J. C. Fabricius, Syst. Ent. 1775, 191.—Cerambyx.
- undatus** Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 396; ed. 12, 1767, 636.
- undatus** Cerambix (Fab.), A. G. Olivier, Entom. IV. 1795, 80.—Lamia.
- undata** Cetonia, A. G. Olivier, Entom. I. 1789, 84.
- undata** Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 446.
- undatus** Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 68.
- undata** Chrysomela, C. de Geer, Mém. Ins. V. 1775, 350.
- undata** Chrysomela, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 12.
- undata** Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal., 1787, 43.
- undata** Cicada, C. de Geer, Mém. Ins. III. 1773, 185.
- undata** Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 32.
- undatus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2161.
- undata** Coccinella, J. C. Fabricius, Mant. I. 1787, 55.
- undata** Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 139.
- undatus** Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 167.
- undatus** Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 614.
- undatus** Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 189.
- undatus** Curculio, [D. H. Schneider], Nom. Ent. 1785, 13 [*n. n.*].
- undatus** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1741.
- undatus** Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 370.
- undatus** Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 355; ed. 12, 1767, 562.

- undatus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1915.
- undatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 434.
- undatus Hallomenus, Block in G. W. F. Panzer, Ins. Germ. heft 68 [1799], tab. 23.
- undata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3667.
- undatus Helops, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 46.
- undatus Helops, J. C. Fabricius, Ent. Syst. I (1) 1792, 122.
- undatus Hydrophilus, J. C. Fabricius, Ent. Syst. I (1) 1792, 185.
- undata Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 270.
- undata Leptura, O. F. Müller, Z. Dan. Prod. 1776, 95.
- undatus Macrocephalus (Fab.), B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 606.—
- undata Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 157. [Bruchus.]
- undata Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 19.
- undatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 114.
- undata Melolontha, A. G. Olivier, Entom. I. 1789, 80.
- undata Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 982.
- undatus Murex, F. C. Meuschen, Mus. Gever. 1787, 330.
- undatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3556.
- undatus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3360.
- undata Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 779; ed. 12, 1767, 1255.
- undata Neritaeformis, F. C. Meuschen, Mus. Gever. 1787, 276.
- undata Nitidula, A. G. Olivier, Entom. II. 1790, 14.
- undata Noctua, J. C. Fabricius, Syst. Ent. 1775, 600.
- undata Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 78.
- undata Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 94.
- undatus Picus, Linnaeus, Syst. Nat., ed. 12, 1766, 175.
- undatus Prionus, A. G. Olivier, Entom. IV. 1795, 32.
- undatus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 141.
- undata Silpha, J. C. Fabricius, Mant. I. 1787, 50.
- undatus Stenocorus, J. C. Fabricius, Syst. Ent. 1775, 181.
- undata Sylvia (Gm.), J. Latham, Index Orn. 1790, 534.—Motacilla.
- undata Tellina, R. Pulteney, Cat. Birds &c. Dorset, 1799, 30.
- undata Tringa, M. T. Brünnich, Orn. Boreal. 1764, 55.
- undatum Tritonium (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 243.—Buccinum.
- undatus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 80.
- undata Tuceta (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 173.—Arca.
- undata Venus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 81.
- undata Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 181.
- undata Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 684.
- undata Voluta, T. Martyn, Univ. Conch. IV [1792], fig. 127.
- undecimalis Sciaena, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 60.
- undecimalis Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 305; ed. 12, 1766, 503.
- undecimcinctus Dasyppus, G. I. Molina, Sag. stor. nat. Chili, 1782, 305.
- undecimdentatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2—5) 1783, 181.
- undecimmaculata Buprestis, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 120.
- undecimmaculata Coccinella, G. A. Harrer, Besch. Schaeffer Icones, 1784, 98.
- undecimmaculata Coccinella, J. C. Fabricius, Mant. I. 1787, 57.
- undecimpunctata Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 110.
- undecimpunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 366; ed. 12, 1767,
- undecimpunctata Coccinella, F. v. P. Schrank, Ins. Aust. 1781, 54. [581.]
- undecim-punctatum Phalangium, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 221.
- undella Tinea, J. C. Fabricius, Syst. Ent. 1775, 661.
- undosum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 740; ed. 12, 1767, 1203.
- undosa Chama, F. C. Meuschen, Mus. Gever. 1787, 454.
- undosa Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 26.
- undosa Lagena (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 131.—Buccinum.
- undosa Noctua (ex Geoff.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 274.
- undosa Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 753.

- undula** *Alyselminthus* (Schrank), J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm.
- undula** *Taenia*, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 40. [1800, 300.—*Taenia*.
- undula** *Vibrio*, O. F. Müller, Verm. I (1) 1773, 43.
- undulana** Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
- undulana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 7 [*n. et f.*].
- undularis** *Coccinella*, G. W. F. Panzer in Voet, Hart-schaal. Insekt. IV. 1797, 104.
- undularis** [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 16.
- undularis** [Phalaena], D. Drury, Ill. Nat. Hist. I. 1770, index & 19.
- undulataria** *Phalaena*, Hufnagel, Berl. Mag. IV. 1767, 512.
- undulataria** *Phalaena* Geom., C. de Villers, Linn. Ent. II. 1789, 322.
- undulataria** *Phalaena* (Tin.), C. de Villers, Linn. Ent. II. 1789, 518.
- undulatella** *Tinea*, A. F. de Fourcroy, Ent. Paris. 1785, 325.
- undulata** Alcedo, J. A. Scopoli, Del. Insub. II. 1786, 90.
- undulata** *Anomia*, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 74.
- undulata** *Anomia*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3346.
- undulatus** Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 114.
- undulatus** *Anthrribus*, G. W. F. Panzer, Deutsch. Ins. [1795], 294.
- undulata** *Ardea*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 637.
- undulatus** *Asilus*, A. F. de Fourcroy, Ent. Paris. 1785, 460.
- undulatus** *Astroites*, J. E. I. Walch, Naturforscher, V. 1775, 60.
- undulatus** *Balistes*, M. Park, Tr. Linn. Soc. [Lond.] III. 1797, 37.
- undulatum** *Buccinum*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3475.
- undulata** *Buprestis*, F. v. P. Schrank, F. Boica, I. 1798, 600.
- undulatus** *Byrrhus*, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 484.
- undulatus** *Cerambyx*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1860.
- undulata** *Certhia*, A. Sparrman, Mus. Carls. II. 1787, no. xxxiv.
- undulata** *Chrysomela*, Linnaeus, Amoen. Acad. VI. 1763, 393.
- undulata** *Cicada*, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 60.
- undulata** *Coccinella*, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 18.
- undulata** *Coccinella*, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 262.
- undulata** *Cochlis*, J. F. Bolten, Mus. Bolten. (2) 1798, 147.
- undulatus** *Curculio*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1803.
- undulatus** *Curculio*, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 413.
- undulatus** *Cylindrus*, F. C. Meuschen, Mus. Gever. 1787, 372.
- undulata** *Cypraea*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3406.
- undulatus** *Dermestes*, N. J. Brahm, Ins. Kal. I (1) 1790, 114.
- undulatus** *Dermestes*=undatus, Linnaeus, Faun. Suec., ed. 2, 1761, 141.
- undulata** *Diaperis*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 67.
- undulatus** *Dytiscus*, F. v. P. Schrank, Beitr. Nat. 1776, 70.
- undulatus** *Elater*, C. de Geer, Mém. Ins. IV. 1774, 155.
- undulatus** *Falco*, H. Lichtenstein, Cat. rerum Nat. I. 1793, 3.
- undulata** *Fringilla*, A. Vroeg, Catal. Vogel. 1764, Adumb., 3.
- undulata** *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 262
- undulata** *Helix*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3654. [*n. et f.*].
- undulata** *Hydrachna*, O. F. Müller, Hydrachnae, 1781, 80.
- undulata** *Lambis*, J. F. Bolten, Mus. Bolten. (2) 1798, 68.
- undulatus** *Limax*, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 29.
- undulata** *Loxia*, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 151.
- undulata** *Loxia*, J. Latham, Index Orn. 1790, 387.
- undulata** *Lunatica*, J. F. Bolten, Mus. Bolten. (2) 1798, 101.
- undulatus** *Lutjanus* (L.), G. A. Suckow, Naturges. IV. 1799, 549.—*Perca*.
- undulata** *Madrepora* (Walch), P. S. Pallas, Char. Thierpf. II. 1787, 135.—*Astroites*.
- undulata** *Medusa*, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 49.
- undulata** *Megatoma*, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 96.
- undulata** *Meloe* (Herbst.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2019.—
- undulatus** *Murex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3559. [*Mylabris*].
- undulata** *Muscicapa*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 940.
- undulata** *Mylabris*, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 179.

- undulatus Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3678.
undulata Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 4.
undulata Perca, Linnaeus, Syst. Nat., ed. 12, 1766, 483.
undulata Phalaena, Scopoli, Ent. Carn., 1763, 223.
undulata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 524; ed. 12, 1767, 867.
undulata Phalaena (Geometra), O. F. Müller, Z. Dan. Prod. 1776, 127.
undulata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 35 [*n. n.*].
undulata Psophia, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 24.
undulata Scolopax, P. Boddaert, Tab. Planch. Enl. 1783, 54.
undulatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3586.
undulatum Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 400.—Hydrachna.
undulatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3597.
undulata Venus, J. v. Born, Index Mus. Caes. Vind. 1778, 54.
undulosata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 380.
undulosa Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 286.
unedo Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 680; ed. 12, 1767, 1123.
unedo Fragum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 189.—Cardium.
unernak Ophidium, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 278.
ungarica Ancilla (L.), F. C. Meuschen, Mus. Gever. 1787, 246.—Patella.
hungaricus Attelabus, J. A. Scopoli, Annus V. 1772, 92. [ungaricus.
hungaricus Attelabus (Herbst), J. C. Fabricius, Ent. Syst. I (2) 1792, 388.—Curculio
hungarica Buprestis (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1940.—
ungaricum Callidium, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 96. [Mordella.
ungaricus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1836.
ungarica Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 220.
hungarica Chrysis, J. A. Scopoli, Annus V. 1772, 122.
ungaricus Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 71.
ungaricus Gryllus (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2057.—
ungarica Lamia, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 90. [Truxalis.
hungarica Mordella, J. A. Scopoli, Annus V. 1772, 104.
hungarica Mutilla, J. C. Fabricius, Ent. Syst. II. 1793, 369.
ungarica Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 782; ed. 12, 1767, 1259.
hungaricus Rynchites (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 129,
sign. I.—Attelabus.
ungaricus Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 230.
hungaricus Sirex, J. L. Christ, Nat. Ins. 1791, 414.
ungaricus Truxalis, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 192.
hungarus Cancer (Fab.), J. F. W. Herbst, Vers. Nat. Krab. II (1) 1791, 26.—Pagurus.
hungarus Ips, F. v. P. Schrank, F. Boica, I. 1798, 513.
hungarus Meloe, F. v. P. Schrank, Beitr. Nat. 1776, 71.
hungarus Pagurus, J. C. Fabricius, Mant. I. 1787, 327.
hungarus Proscarabaeus, F. v. P. Schrank, Ins. Aust. 1781, 226.—Meloe, 1776.
unguicana Pyralis, *id. ac* unguicella Phalaena (L.), J. C. Fabricius, Syst. Ent. 1775, 654.
unguicella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 536; ed. 12, 1767, 887.
unguicella Tinea, *id. ac* unguicana, Fabr., C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 79.
unguicornis Musca, Scopoli, Ent. Carn. 1763, 335.
unguiculatus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 173.
unguiculatus Cossus, J. C. Fabricius, Ent. Syst. III (2) 1794, 4.
unguiculata Medusa, O. Swartz, K. Vet. Ac. Nya Handl. IX. 1788, 199.
unguiculata Melolontha, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 18.
unguiculatus Nautilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3372.
unguiculatus Onitis (Ol.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 27.—Scarabaeus.
unguiculatus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 157.
unguiculatus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1585.
unguiculata Sepia, G. I. Molina, Sag. stor. nat. Chili, 1782, 199.
unguiculata Stratiomys, Block in G. W. F. Panzer, Ins. Germ. heft 12, 1793, tab. 22.
unguiculata Vespa, C. de Villers, Linn. Ent. III. 1789, 282.
unguiculatus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 506.

- unguis** Li[n]gula (L.), G. Cuvier, Tab. Elém. 1798, 435.—Patella.
- unguis** Lingula (L.), Lamareck, Mém. Soc. H. N. Paris, 1799, 89.—Patella.
- unguis** Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 704; ed. 12, 1767, 1156.
- unguis** Patella, Linnaeus, Syst. Nat. ed. 10, 1758, 783; ed. 12, 1767, 1260.
- ungula** Tridachnes, J. F. Bolten, Mus. Bolten. (2) 1798, 172.
- ungula** Vespertilio, P. Boddaert, Elench. 1785, 71.
- ungulatum** Callitricoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 259.—Mytilus.
- ungulata** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 598; ed. 12, 1767, 995.
- ungulatus** Mytilus, Linnaeus, Syst. Nat. ed. 10, 1758, 705; ed. 12, 1767, 1157.
- ungulatus** Oniscus, P. S. Pallas, Spic. Zool. IX. 1772, 62.
- ungulina** Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 254.—Helix.
- ungulina** Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 772; ed. 12, 1767, 1245.
- ungulinus** Monoceros, F. C. Meuschen, Mus. Gever. 1787, 290.
- ungulina** Perna (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 21.—Mytilus unguulatus.
- ungulinus** Planorbis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 72.—Helix.
- ungulinus** Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 767; ed. 12, 1767, 1240.
- unicinctus** Dasypus, Linnaeus, Syst. Nat., ed. 10, 1758, 50; ed. 12, 1766, 53.
- unicolor** Anthribus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 160.
- unicolor** Attelabus, A. F. de Fourcroy, Ent. Paris. 1785, 16.
- unicolor** Blennius, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 185.
- unicolor** Bombyx, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 3.
- unicolor** Bombyx, A. G. Olivier, Ency. Méth. V. (Ins.) 1790, 94.
- unicolor** Bruchus, A. G. Olivier, Entom. IV. 1795, 17.
- unicolor** Buprestis, A. G. Olivier, Entom. II. 1790, 63.
- unicolor** Callidium (Fab.), A. G. Olivier, Ency. Méth. V. (Ins.) 1790, 258.—Saperla.
- unicolor** Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 138.
- unicolor** Carabus, J. C. Fabricius, Mant. I. 1787, 198.
- unicolor** Carabus, F. v. P. Schrank, Briefe Donaumoor, 1795, 137.
- unicolor** Cerambyx, D. Drury, Ill. Nat. Hist. I. 1770, index & 83.
- unicolor** Cervus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 112.
- unicolor** Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 161.
- unicolor** Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2104.
- unicolor** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2199.
- unicolor** Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 267.
- unicolor** Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1103.
- unicolor** Corticeus, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 87.
- unicolor** Crabro, G. W. F. Panzer, Ins. Germ. heft 52 [1797], tab. 24 [Sphex in text].
- unicolor** Crioceris, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 11.
- unicolor** Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 608.
- unicolor** Cucujus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 242.
- unicolor** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 334.
- unicolor** Dermestes, N. J. Brahm, Ins. Kal. I (2) 1791, 144.
- unicolor** Galleruca, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 135.
- unicolor** Gryllus (Bulla), Linnaeus, Syst. Nat., ed. 10, 1758, 427; ed. 12, 1767, 692.
- unicolor** Gryllus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 635.
- unicolor** Hexodon, A. G. Olivier, Entom. I. 1789, 4.
- unicolor** Hister, Linnaeus, Syst. Nat., ed. 10, 1758, 358; ed. 12, 1767, 567.
- unicolor** Hypophlaeus, J. Cederhielm, F. Ingric. 1798, 114.
- unicolor** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2721.
- unicolor** Ips, A. G. Olivier, Entom. II. 1790, 12.
- unicolor** Leptura, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 518.
- unicolor** Melolontha, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 154.
- unicolor** Melolontha, A. G. Olivier, Entom. I. 1789, 26.
- unicolor** Nitidula, A. G. Olivier, Entom. II. 1790, 17.
- unicolor** Perca, J. J. Walbaum, Artdi, Ichth. (3) ed. 2, 1792, 352.
- unicolor** Phalaena Noctua, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2583.
- unicolor** Pimelia, J. C. Fabricius, Spec. Ins. I. 1781, 316.
- unicolor** Ptinus, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 67.

- unicolor** Saperda, J. C. Fabricius, Mant. I. 1787, 147.
unicolor Scarabaeus, D. Drury, Ill. Nat. Hist. III. 1782, index & 61.
unicolor Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 183.
unicolor Silpha, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 209.
unicolor Sorex, R. Kerr, Anim. Kingd. 1792, 208.
unicolor Sphex, J. C. Fabricius, Mant. I. 1787, 275.
unicolor Sphex, G. W. F. Panzer, Ins. Germ. heft 52 [1797], tab. 24.
unicolor Staphylinus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 149.
unicolor Stenosis, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 163.
unicolor Upis, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 234.
unicolor Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 203.
unicolorata Phalaena Geometra, J. Hübner, Beitr. Schmett. I (2) [1787], 15.
unicolorata Phalaena Geometra, H. G. Lang, Verz. Schmett., ed. 2, 1789, 198.
unicoloria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (4) 1795, 101.
Unicornis G. Edwards, in M. Catesby, Carol. II. 1771, 19.—P.
unicornis Apis, J. L. Christ, Nat. Ins. 1791, 160.
unicorne Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 254.
unicornis Chama, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 389.
unicornis Chaetodon, P. Forskal, Descr. Anim. 1775, 63.
unicornis Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 396.
unicornis Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 171.
unicornis Rhinoceros, Linnaeus, Syst. Nat., ed. 10, 1758, 56; ed. 12, 1766, 104.
unicornu Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 33.
unicornu Scarabaeus, F. v. P. Schrank, Naturforscher, XXIV. 1789, 61.
unicus Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 103.
unidentata Buprestis, J. C. Fabricius, Syst. Ent. 1775, 216.
unidentatus Cerambix, A. G. Olivier, Entom. IV. 1795, 21.
unidentatum Colyidium (Fab.), G. Paykull, Faun. Suec. III. 1800, 314.—Dermestes.
unidentatum Cylonium (Ol.), J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 32.—Ips.
unidentatus Dermestes (Ol.), J. C. Fabricius, Ent. Syst. I (1) 1792, 232.—Ips.
unidentata Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 96.
unidentata Ips, A. G. Olivier, Entom. II. 1790, 9.
unifasciatus Attelabus (Fab.), C. de Villers, Linn. Ent. IV. 1789, 296.—Clerus.
unifasciata Buprestis, Scopoli, Ent. Carn. 1763, 66.
unifasciatum Callidium, P. Rossi, Fauna Etrus. II. 1790, 343.
unifasciatum Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 269.
unifasciata Cetonia, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 413.
unifasciata Cercopis, J. C. Fabricius, Spec. Ins. II. 1781, 330.
unifasciata Chrysomela, C. de Geer, Mém. Ins. VII. 1778, 664.
unifasciata Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2102.—
unifasciatus Clerus, J. C. Fabricius, Mant. I. 1787, 125. [Cercopis].
unifasciata Clytra, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 35.
unifasciata Coccinella, J. C. Fabricius, Gen. Ins. 1777, 216.
unifasciata Coccinella, L. G. Scriba, Beitr. Ins. II. 1791, 107.
unifasciata Crioceris, J. C. Fabricius, Syst. Ent. 1775, 120.
unifasciatus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
unifasciatus Curculio, J. C. Fabricius, Mant. I. 1787, 101. [1721.—Crioceris].
unifasciatus Erotylus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 101.
unifasciata Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 142 [n. n.];
unifasciata Helix, E. M. da Costa, Brit. Conch. 1778, 75. [Essai Fourmis, 1798, 47.
unifasciata Lamia, P. Rossi, Fauna Etrus. I. 1790, 147.
unifasciata Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 92.—Crioceris, 1775.
unifasciata Libellula, C. de Geer, Mém. Ins. III. 1773, 557.
unifasciatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 178.
unifasciatus Notoxus, F. v. P. Schrank, F. Boica, I. 1798, 574.
unifasciata Phalaena Geometra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.
unifasciatus Scarabaeus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 240.
unifasciata Scolia, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 2.

- unifasciata** Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 233.
unifasciata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 365.
unifasciatus Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2766.
unifasciata Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 677.
unifascis Tipula, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 341.
uniflora Sertularia, P. S. Pallas, Elench. 1766, 121.
uniformis Tringa, J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1788, 678.
uniglumis Apis (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II., 1791, 126.—
uniglumis Crabro (L.), J. C. Fabricius, Syst. Ent. 1775, 376.—Vespa. [Crabro].
uniglumis Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 573; ed. 12, 1767, 951.
unigulta Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [antea 1796], 13.
unilineatus Dytiscus, F. v. P. Schrank, Ins. Aust. 1781, 204.
unilinguis Linguatula, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 231.
unilunaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (3) 1795, 77.
unimaculatus Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 75.
unimaculatus Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1295.
unimaculata Libellula, C. de Geer, Mém. Ins. III. 1773, 558.
unimaculata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 640.
unimaculata Perca, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 75.
unimaculata Phryganea, O. F. Müller, Z. Dan. Prod. 1776, 145.
unimaculatus Salmo, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 105.
unimaculata Sciaena, Linnaeus, Syst. Nat., ed. 10, 1758, 289; ed. 12, 1766, 480.
Unio A. J. Retzius, Diss. Nova Test. Gen. 1788, 16.—L.
unionalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 21.
unipunctaria Phalaena Geometra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2466.
unipunctata Bitoma, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 26.—Dermestoides.
unipunctata Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 45. [1783].
unipunctata Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 708.
unipunctata Cicindela, J. C. Fabricius, Syst. Ent. 1775, 225.
unipunctatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 38.
unipunctatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2187.
unipunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 364; ed. 12, 1767, 579.
unipunctatus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 495.
unipunctatus Dermestoides, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 40.
unipunctatus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1959.
unipunctata Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 576.
unipunctatus Hemerobius, O. F. Müller, F. Ins. Frid. 1764, 66.
unipunctata Leptura, J. C. Fabricius, Mant. I. 1787, 157.
unipunctatum Opatrum (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1633.—
unipunctatus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 20. [Dermestoides].
unipunctatum Sphaeridium (L.), J. N. Laicharting, Tyrol. Ins. I. 1781, 82.—Coccinella.
unispinosa Formica, J. C. Fabricius, Ent. Syst. II. 1793, 359.
unispinus Rhinomacer, O. F. Müller, Z. Dan. Prod. 1776, 91.
unistriatus Dytiscus, F. v. P. Schrank, Ins. Aust. 1781, 205.
unistriatus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1957.
unistriata Lacerta, G. Shaw, Nat. Misc. III. 1791, pl. 89.
unisulcata Alca, M. T. Brännich, Orn. Boreal. 1764, 25.
unitella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 51.
unita Bombyx (D & S.), J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 350.—Noctua.
unita Noctua, [Denis & Schiffermüller], Schmett. Wien. 1775, 68.
unita Phalaena Bombyx (Esp.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 247.—
unita Phalaena Noctua, J. Hübner, Beitr. Schmett. I. (1) 1786, 29. [Noctua, D. & S.
univittatus Clerus, P. Rossi, Mant. Ins. I. 1792, 44.
unungulus Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 160.
unzerina Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) V. 1792, 27.
Uperotus J. E. Guettard, Mém. diff. Sci. III. 1770, 126.—Ver.
Upis J. C. Fabricius, Ent. Syst. I (2) 1792, 515.—Col.
upsaliensis Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1980.

- upsaliensis** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 409.
upsaliensis Ptinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1608.
Upupa Linnaeus, Syst. Nat., ed. 10, 1758, 117; ed. 12, 1766, 183.—A.
upupae Fasciola, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 123.
upupae-pennella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 68.
Upupe, *v.* **Upupa** S. G. Gmelin, Reise Russ. I (1770), 77.
uralensis Ameiva (Gm.), F. A. A. Meyer, Syn. Rept., 29.—Lacerta.
uralensis Hippobosca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2905.
uralensis Lacerta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1789, 1073.
uralensis Lytta (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2015.—Meloe
uralensis Meloë, P. S. Pallas, Reise Russ. II. 1773, 722.
uralensis Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1557.
uralensis Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1624.
uralensis Stryx, P. S. Pallas, Reise Russ. I. 1771, 455.
urania Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 10, 1758, 466; ed. 12, 1767, 756.
Uranoscopus Linnaeus, Syst. Nat., ed. 10, 1758, 250; ed. 12, 1766, 434.—P.
urbanus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 503.
urbana Mantis, J. C. Fabricius, Syst. Ent. 1775, 278.
urbanus Musca, M. Harris, Exp. Eng. Ins. 1776, 153.
urbanus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3574.
urbica Hirundo, Linnaeus, Syst. Nat., ed. 10, 1758, 192; ed. 12, 1766, 344.
urceolaris Brachionus, O. F. Müller, Verm. I (1) 1773, 131.
urceolaris Vorticella, Linnaeus, Syst. Nat., ed. 13, 1767, 1319.
urceus Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 336.—Strombus.
urceus Bulimus, (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 298.—Nerita.
urceus Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 63.—Strombus.
urceus Nerita, O. F. Müller, Verm. II. 1774, 174.
urceus Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 37.
urceus Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 745; ed. 12, 1767, 1212.
urceus Tubipora, Linnaeus, Syst. Nat., ed. 10, 1758, 790.
urens Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.), 1790, 62.
urens Spongia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 187.
urganda [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 162.
urganda Phalaena (Geom.), Herbst, Einl. Ins. II. 1785, 121.
Uria Moehring, Geschl. Vogel. (Nozem. & Vosm. ed.) 1758, 5 & 55.—A.
Uria M. J. Brisson, Ornith. VI. 1760, 70.—A.
Uria J. D. Petersen, Balth. Vögel, 1766, 7 [*n. n.*].—A.
Uria J. R. Forster, Ench. 1788, 38.—A.
Uria J. P. Bonnaterre, Ency. Méth. (Orn.) I. 1790, lxxxiii.—A.
Uria B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 14.—A.
urile Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 575.
urinarium Trichoda, O. F. Müller, Verm. I (1) 1773, 90.
Urinator B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 14.—A.
urinator Colymbus, Linnaeus, Syst. Nat., ed. 12, 1766, 223.
urinator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 224.
urinator Podiceps (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 294.—Colymbus.
urinatoria Aranea, N. Poda, Ins. Mus. Graec. 1761, 123.
urinatrix Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 560.
urksuk Ascaris, O. F. Müller, Z. Dan. Prod. 1776, 214.
urna Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 76 [*n. n.*].
urna Murex, F. C. Meuschen, Mus. Gever. 1787, 322.
urna Vasum, J. F. Bolten, Mus. Bolten. (2) 1798, 56.
urneodes Sertularia, F. C. Meuschen, Mus. Gever. 1787, 518.
urnula Trichoda, O. F. Müller, Verm. I (1) 1773, 87.
Urocerus E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 265.—Hym.
urogalli Taenia, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 129.
Urogallus J. A. Scopoli, Introd. Hist. Nat. 1777, 478.—A.
urogallus Lagopus (L.), J. C. Schaeffer, Mus. Orn. 1789, 2.—Tetrao.

- urogallus** Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 159; ed. 12, 1766, 273.
- urovang** Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 836.
- ourovang** Turdus, *id. ac* urovang, Gm., J. Latham, Index Orn. 1790, 351.
- ursellus** Acarus, O. F. Müller in Fuessly, Arch. Ins. VI. 1785, 30.
- ursellus** Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3411.
- ursi** Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3060.
- ursicola** Coccinella, J. C. Fabricius, Mant. Ins. I. 1787, 58.
- ursina** Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2790.
- ursinus** Bradypus, G. Shaw, Nat. Misc. II. 1791, pl. 58.
- ursina** Coccinella, J. C. Fabricius, Mant. I. 1787, 61.
- ursinum** Myrmeleon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 207.
- ursina** Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 43.
- ursina** Phoca, Linnaeus, Syst. Nat., ed. 10, 1758, 37; ed. 12, 1766, 55.
- ursina** Simia, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 656.
- ursula** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 82.
- ursula** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen. IV (29) 1781, 107.
- ursula** Trichoda, *err. pro* uvula, Müll., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790.
- Ursulo** G. Edwards, in M. Catesby, Carol. I. 1771, xxx.—M. [3884.
- Ursus** Linnaeus, Syst. Nat., ed. 10, 1758, 47; ed. 12, 1766, 69.—M.
- ursus** Cancer, J. C. Fabricius, Mant. I. 1787, 323.
- ursus** Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (3) 1792; *varr.* major. 82;
- ursus** Curculio, [D. H. Schneider], Nom. Ent. 1785, 14 [*n. n.*] [minor, 83,
- ursus** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 399.
- ursus** Inachus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 356.—Cancer. 1787.
- ursus** Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 107.
- ursus** Melolontha, J. C. Fabricius, Syst. Ent. 1775, 818.
- ursus** Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 247.—SpheX, 1793.
- ursus** Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1567.—Melo-
- ursus** SpheX, J. C. Fabricius, Ent. Syst. II. 1793, 210. [lontha.
- urticae** Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 453; ed. 12, 1767, 736.
- urticae** Aphis, J. C. Fabricius, Syst. Ent. 1775, 738.
- urticae** Aphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2208.
- urticae** Bombyx (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 276.
- urticae** Brachypterus (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
- urticae** Cassida, N. J. Brahm, Ins. Kal. I (1) 1790, 109. [561.—Dermestes.
- urticae** Cataretus, Illiger in Kugelann, Käfer Preuss. 1798, 395.
- urticae** Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 454; ed. 12, 1767, 738.
- urticae** Cimex, J. C. Fabricius, Syst. Ent. 1775, 723.
- urticae** Curculio, Scopoli, Ent. Carn. 1763, 28.
- urticae** Curculio, C. de Geer, Mém. Ins. V. 1775, 219.
- urticae** Curculio, O. F. Müller, Z. Dan. Prod. 1776, 88.
- urticae** Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 235.
- urticae** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 421.
- urticae** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 166.—Cimex, 1775.
- urticae** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 600; ed. 12, 1767, 998.
- urticae** Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 477; ed. 12, 1767, 777.
- urticae** Thrips, J. C. Fabricius, Spec. Ins. II. 1781, 397.
- urticalis** Phalaena Pyralis, N. J. Brahm, Ins. Kal. II (1) 1791, 177.
- urticalis** Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 121.
- urticana** Phalaena Tortrix, C. de Villers, Linn. Ent. II. 1789, 418.
- urticana** Tortrix [Denis & Schiffermüller], Schmett. Wien. 1775, 132.
- urticarius** Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 74.
- urticarius** Curculio, J. R. Schellenberg, Helvet. Entom. I. 1798, 98.
- urticaria** Phalaena, Hufnagel, Berl. Mag. IV. 1767, 508.
- urticata** Phalaena (Geom.), Linnaeus, Faun. Suec. ed. 2, 1761, 340.—[hortulata, S. N.,
- urticata** Phalaena, Scopoli, Ent. Carn. 1763, 220. [ed. 10.]
- urubutinga** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 265.
- urubutinga** Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 494.

- urus** Bos, P. Boddaert, Elench. 1785, 151.
usnea Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 16.
usneoides Sertularia, P. S. Pallas, Elench. 1766, 132.
usta Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 308.
usta Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*u. u.*].
usta Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74 [*u. u.*].
usta Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 201.
ustalella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 307.
ustella [Phalaena], C. Clerck, Icones, I. 1759, pl. iii, 10.
ustella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 367.
ustilago Chaos, Linnaeus, Syst. Nat., ed. 12, 1767, 1326.
ustilago Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 108.
ustularia Phalaena, E. Donovan, Brit. Ins. III. 1794, 82.
ustulataria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 516.
ustulata Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 15.—Necydalis.
ustulatus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 46.
ustulata Cantharis, Scopoli, Ent. Carn. 1763, 43.
ustulatus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 416; ed. 12, 1767, 673.
ustulatus Elater, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 303.
ustulatus Elater, G. Paykull, Faun. Suec. III. 1800, 32.
ustulatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2717.
ustulata Leptura, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 298.
ustulata Leptura, J. N. Laicharting, Tyrol. Ins. II. 1784, 157.
ustulata Necydalis (Scop.), F. v. P. Schrank, Ins. Aust. 1781, 171.—Cantharis.
ustulata Necydalis, J. C. Fabricius, Mant. I. 1787, 170.
ustulata Phalaena (Geometra), O. F. Müller, Z. Dan. Prod. 1776, 199.
ustulatum Sphaeridium, J. D. Preyßler, Verz. böhm. Ins. 1790, 34.
ustulata Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 556; ed. 12, 1767, 922.
ustulatus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 506.—Tinea ustalella, 1794.
usurpator Ichneumon, Scopoli, Ent. Carn. 1763, 283.
utinensis Triton, J. N. Laurenti, Syn. Rept. 1768, 38.
utopiensis Charadrius, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 117.
utricularis Hydatigena, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 99.
utricularis Taenia (Batsch), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3061.—
utriculata Vorticella, O. F. Müller, An. Infus. 1786, 264. [Hydatigena].
utriculenta Hydatigena, J. A. E. Goeze, Eingeweidewürm. 1782, 219.
utriculenta Vesicaria (Goez.), F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 30.—
Utriculum A. Modeer, K. Vet. Ac. Nya Handl. XIII. 1792, 111.—Inf. [Hydatigena].
utriculus Medusa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3155.
utriculus Porphyria (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 37.—Voluta.
utriculus Teredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3748.
utriculus Vibrio, O. F. Müller, Verm. I (1) 1773, 48.
utriculus Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3441.
uva Angarius, F. C. Meuschen, Mus. Gever. 1787, 262.
uva Brachycerus, J. C. Fabricius, Ent. Syst. I (2) 1792, 383.
uva Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 349.—Turbo.
uva Cerion (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 90.—Turbo.
uva Coccus, A. Modeer, Götheborg. Samhalle Handl. (Wet. Afd.) I. 1778, 32.
uva Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 53.
uva Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 56.
uva Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (1) 1794, 32.
uva Monas, O. F. Müller, An. Infus. 1786, 8.
uva Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 812; ed. 12, 1767, 1311.
uva Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 765; ed. 12, 1767, 1238.
uva Volvox, O. F. Müller, An. Infus. 1786, 20.
uvae Coccus, Linnaeus, Faun. Suec., ed. 2, 1761, 266.
uvae ursi Coccus, A. Modeer, Götheborg. Samhalle Handl. (Wet. Afd.) I. 1778, 49.
uvula Trichoda, O. F. Müller, Verm. I (1) 1773, 94.

- uxor** Phalaena Noctua, J. Hübner, Beitr. Schmett. I (3) [1788], 31.
- uxoria** [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 150.
- Vacca** G. Edwards in M. Catesby, Carol. I. 1771, xxxi.—M.
- vacca** Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 36.
- vacca** Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 92.
- vacca** Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 162.—Scarabaeus.
- vacca** Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 547.
- vaccarium** Sphaeridium, J. G. Kugelann in Illiger, Käfer Preuss. 1798, 69.
- vaccarum** Musca, C. de Geer, Mém. Ins. VI. 1776, 85.
- vaccinarius** Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 138.
- vacciniae nigrae** Phalaena, Gladbach, Namen u. Preissverz. 1778; see Stettin. Ent. Zeit. XVI. 1855, 95.
- vacciniae nigrae** Phalaena, J. G. Gladbach in Kuehn, Kurze Anleit. Ins., ed. 2, 1783, 158
- vaccinii** Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 320. [u. n.]
- vacillans** Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
- vacillator** Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 181.
- vacillatorius** Ichneumon, P. Rossi, Mant. Ins. I. 1792, 113.
- vacua** Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 757.
- vacua** Musca, Scopoli, Ent. Carn. 1763, 346.
- vacuus** Syrphus, J. C. Fabricius, Syst. Ent. 1775, 763.
- vafra** Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 927.
- vagabunda** Ascidia, Linnaeus, Mant. II. 1771, 543.
- vagabundus** Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 276; ed. 12, 1766, 465.
- vagabundus** Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 450; ed. 12, 1767, 732.
- vagabunda** Coracias, J. Latham, Index Orn. 1790, 171.
- vagabundus** Crabro, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 16.
- vagabundus** Gerris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 192.—Cimex.
- vagans** Carabus, A. G. Olivier, Entom. III. 1795, 39.
- vagans** Cimex, J. C. Fabricius, Mant. II. 1787, 307.
- vagans** Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 501.
- vagans** Formica, J. C. Fabricius, Ent. Syst. II. 1793, 358.
- vagans** Leptura, A. G. Olivier, Entom. IV. 1795, 31.
- vagans** Miris, J. C. Fabricius, Ent. Syst. IV. 1794, 185.—Cimex, 1787.
- vagans** Musca, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 18.
- vagans** Mutilla, J. C. Fabricius, Suppl. Ent. Syst. 1798, 282.
- vagator** Ichneumon, Scopoli, Ent. Carn. 1763, 288.
- vagatorius** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 146.
- vagelli** Pediculus, J. C. Fabricius, Mant. II. 1787, 369.
- vagina** Hypogaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 251 & 257.—Solen.
- vagina** Solen, Linnaeus, Syst. Nat., ed. 10, 1758, 672; ed. 12, 1767, 1113.
- vaginaeformis** Nautilus (O.), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 7.
- Vaginalis** J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 705.—A.
- Vaginalis** Bonnaterre, Ency. Méth. (Orn.) I. 1790, xciii.—A.
- Vaginalis** B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 17.—A.
- vaginalis** Cervus, P. Boddaert, Elench. 1785, 136.
- vaginalis** Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 382; ed. 12, 1767, 612.
- vaginator** Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1832.—
- vaginator** Lamia, J. C. Fabricius, Mant. I. 1787, 136. [Lamia.]
- vaginator** Vorticella, O. F. Müller, An. Infus. 1786, 310.
- vaginatorius** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 562; ed. 12, 1767, 932.
- vaginata** Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2099.—Tetti-
- vaginata** Tettigonia, J. C. Fabricius, Mant. II. 1787, 266. [gonia.]
- Vaginella** F. M. Daudin, Bull. Sci. Soc. Philom. [Paris], no. 43, 1800, 145.—Pt.
- vagula** Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
- vaga** Andrena, G. W. F. Panzer, Ins. Germ. heft 64 [1799], tab. 18.
- vagus** Anthrenus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1615.

- vagus** Byrrhus, Linnaeus, Syst. Nat., ed. 12, 1767, 568.
vagus Crabro (L.), J. C. Fabricius, Syst. Ent. 1775, 375.—Sphex.
vagus Curculio, J. N. Laicharting, Tyrol. Ins. I. 1781, 206.
vaga Formica, Scopoli, Ent. Carn. 1763, 312.
vagus Mus, P. S. Pallas, N. sp. Quad. II. 1797, 327.
vagus Musca, M. Harris, Exp. Eng. Ins. 1776, 153.
vaga Nomada, G. W. F. Panzer, Ins. Germ. heft 55 [1798], tab. 22.
vaga Podura, Linnaeus, Syst. Nat., ed. 12, 1767, 1013.
vaga Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 571; ed. 12, 1767, 946.
vagus Sphex, M. Harris, Exp. Eng. Ins. 1776, 95.
vaga Tenthredo, J. C. Fabricius, Spec. Ins. I. 1781, 415.
vaga Tubularia, F. v. P. Schrank, Beitr. Nat. 1773, 104.
vagus Turbo, D. Solander in G. Brander, Foss. Hant. 1766, 26.
vaga Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2764.—Crabro.
vahliana Pyralis, J. C. Fabricius, Mant. II. 1787, 225.
vahliana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 521.
vahlii Cerocoma, J. C. Fabricius, Mant. I. 1787, 217.
vahlii Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 84.
vahlii Cimex, J. C. Fabricius, Mant. II. 1787, 283.
vahlii Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 108.
vahlii Meloe (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2021.—Cerocoma.
vaillantii Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
vaillantina [Phalaena], C. Stoll, Anhang. Cramer's Utitl. Kapellen, IV. 1790, 142.
v-album Papilio (ex Esper, tab.), H. G. Lang, Verz. Schmett., ed. 2, 1789, 36.
valens Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 274.
valens Musca, M. Harris, Exp. Eng. Ins. 1776, 113.
valens Papilio, J. C. Fabricius, Mant. II. 1787, 67.
valentini Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 91.
valentini Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3329.
valentina Musca, C. Allioni, Misc. Taurin. III. 1766, 198.
valentina [Papilio], P. Cramer, Utitl. Kapellen, III (21) 1779, 82.
valentina [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 76.
valeria [Papilio], P. Cramer, Utitl. Kapellen, I (8) 1776, 133.
valesina Papilio Nym., E. J. C. Esper, Die Schmett., Suppl., 1 Abschn. [1797], 73.
Valgus L. G. Scriba, J. Lieb. Ent. I. 1790, 66.—Col.
valgus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 444; ed. 12, 1767, 720.
valgus Curculio, J. C. Fabricius, Syst. Ent. 1775, 150.
valgus Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 20.—Scarabaeus.
valgus Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 133.—Cimex.
valga Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2879.
valgum Phasma, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 78.
valgus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 347; ed. 12, 1767, 546.
valgus Syrphus, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 7.
valga Vorticella, O. F. Müller, An. Infus. 1786, 266.
validus Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 64.
validus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 499.
validus Musca, M. Harris, Exp. Eng. Ins. 1776, 124.
validus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 6.
valitaris Centriscus, *err. pro velitaris*, Pall., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. [1789, 1461].
vallata Musca, J. R. Forster, Cat. Brit. Ins. 1770, 15 [n. n.].
vallata Musca, J. R. Forster, N. Sp. Ins. 1771, 96.
valligera Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 80.
valligera Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, [551.—Noctua].
valpes Melolontha, J. C. Fabricius, Mant. I. 1787, 25.
valsella Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3333.
Valvata O. F. Müller, Verm. II. 1774, 198.—G.
valvata Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3675.
vampum Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 122.
valligera Gmelin. Syst. Nat. 1. 5. p. 2541 (1776)

- vampyrus** Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 14.
vampyrus Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 60.
vampyrus Pteropus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 130.—Vespertilio.
vampyrus Spectrum, B. G. E. de Lacépède, Tabl. Mamm. 1799, 15.
vampyrus Sphinx, J. C. Fabricius, Mant. II. 1787, 98.
vampyrus Vespertilio, Linnaeus, Syst. Nat., ed. 10, 1758, 31; ed. 12, 1766, 46.
vampyrus Vespertilio, R. Kerr, Anim. Kingd. 1792; *varr.* niger, 90; *subniger*, helvus, 91.
vandalicus Cimex, P. Rossi, Fauna Etrus. II. 1790, 249.
vandelli Onitis, J. Sturm, Verz. Ins. Samml. 1800, 70.
vandelliela Phalaena, J. A. Scopoli, Annus V. 1772, 119.
vanduffeli Squalus, J. J. Walbaum, Artedii, Ichth. (3), ed. 2, 1792, 522.
vanelli Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 720; ed. 12, 1767, 1175.
vanelli Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3046.
vanelli Strongylus, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 122.
Vanellus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 7 & 65.—A.
Vanellus M. J. Brisson, Ornith. V. 1760, 94.—A.
vanellus Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 79.
vanellus Rhagio, J. C. Fabricius, Ent. Syst. IV. 1794, 272.
vanellus Tringa, Linnaeus, Syst. Nat., ed. 10, 1758, 148; ed. 12, 1766, 248.
vanillae Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 482; ed. 12, 1767, 787.
vanessa Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 192.
vaninia [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (30) 1781, 128.
vannillus Cyllindrus, F. C. Meuschen, Mus. Gever. 1787, 368.
vannus Kerona, O. F. Müller, An. Infus. 1786, 240.
vanus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 26.
vaporarium Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 415; ed. 12, 1767, 671.
varanes [Papilio], P. Cramer, Utit. Kapellen, II (14) 1777, 100.
varex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
varia *v.* **varius**.
variabilis Aquila, F. v. P. Schrank, F. Boica, I. 1798, 108. [114.—Dermestes.
variabilis Bostrichus (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. VI. 1798,
variabile Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 188.—Cerambyx.
variabilis Cantharis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 54.
variabilis Cerambyx, Linnaeus, Faun. Suec., ed. 2, 1761, 192.
variabilis Cetonia, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 157.
variabilis Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 708.
variabilis Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2108.
variabilis Cimex, C. de Villers, Linn. Ent. I. 1789, 505.
variabilis Coccinella, J. C. Fabricius, Gen. Ins. 1777, 218.
variabilis Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 42.
variabilis Coccinella, L. G. Scriba, J. Lieb. Ent. II. 1790, 183.
variabilis Coccinella, G. Paykull, Faun. Suec. II. 1799, 31. [207.
variabilis Cryptocephalus, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. 1792,
variabilis Cryptophagus (Fab.), G. Paykull, Faun. Suec. III. 1800, 354.—Dermestes.
variabilis Curculio, J. C. Fabricius, Gen. Ins. 1777, 224.
variabilis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 263.
variabilis Dermestes, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 141.
variabilis Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 234.
variabilis Elater, C. de Geer, Mém. Ins. IV. 1774, 154.
variabilis Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1916.
variabilis Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 230.
variabilis Gryllus (Locusta), P. S. Pallas, Reise Russ. I. 1771, 467.
variabilis Leptura, C. de Geer, Mém. Ins. V. 1775, 137.
variabilis Leptura (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 94.—Cerambyx.
variabilis Lepus, P. S. Pallas, N. sp. Quad. I. 1778, 1.
variabilis Lepus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 161; *varr.* niger,
variabilis Meloe, P. S. Pallas, Icon. Ins. 1782, 81. [hybridus.
variabilis Melolontha, J. C. Fabricius, Gen. Ins. 1777, 210.

- variabilis** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2834.
variabilis Mycetophagus, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792,
variabilis Mylabris, A. G. Olivier, Entom. III. 1795, 10. [397.
variabilis Noctua, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 70.
variabilis Parra, Linnaeus, Syst. Nat., ed. 12, 1766, 260.
variabilis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 9.
variabilis Pimelia (L.), A. G. Olivier, Entom. III. 1795, 29.—Tenebrio.
variabilis Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 33.
variabilis Rana, P. S. Pallas, Spic. Zool. VII. 1769, 1.
variabilis Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 352; ed. 12, 1767, 558.
variabilis Sphex, P. Rossi, Fauna Etrus. II. 1790, 64.
variabilis Syrphus, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 10.
variabilis Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1. 1788, 891.
variabilis Tellina, R. Pulteney, Cat. Birds &c. Dorset, 1799, 29.
variabilis Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 678.
variabilis Tenebrio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 49.
variabilis Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 466.
variana Pyralis, J. C. Fabricius, Mant. II. 1787, 231.
variana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 526.
varians Apis, P. Rossi, Mant. Ins. I. 1792, 142.
varians Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 155.
varians Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 269.
varians Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 271.
varians Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 263.—Cistela.
varians Cicindela, S. I. Ljungh, K. Vet. Ac. Nya Handl. XX. 1799, 147.
varians Cistela, J. C. Fabricius, Mant. I. 1787, 85.
varians Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 78.
varians Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1714.—
varians Cryptocephalus, G. Paykull, Faun. Succ. II. 1799, 148. [Cistela.
varians Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1767.
varians Curculio, *id. ac* varius, L. A. G. Olivier, Ency. Méth. V (Ins.) 1790, 563.
varians Curculio, G. Paykull, Mon. Curc. 1792, 16.
varians Melolontha, A. G. Olivier, Entom. I. 1789, 78.
varians Staphylinus, G. Paykull, Mon. Staph. 1789, 45.
variator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 157.
variator Trombidium, J. C. Fabricius, Ent. Syst. II. 1793, 403.
variatorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 152.
variata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 110.
variata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 293 [*n. et f.*].
variata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 11.
variata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 455.
variata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 382.
varicans Cercaria, P. C. Abildgaard, Skr. Nat. Selsk. [Copen.], III (1) 1793, 89.
varicolor Lygaea, J. C. Fabricius, Ent. Syst. IV. 1794, 149.
varicornis Buprestis, O. F. Müller, Z. Dan. Prod. 1776, 59.
varicornis Cimex, J. C. Fabricius, Mant. II. 1787, 298.
varicornis Crabro, J. C. Fabricius, Suppl. Ent. Syst. 1798, 271.
varicornis Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 180.
varicornis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 151.—Cimex, 1787.
varicornis Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2666.
varicosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3505.
varicosus Curculio, P. S. Pallas, Icon. Ins. 1781, 22.
varicosus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 320.
varicosa Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116.
varicosus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99.
varica Fasciola, O. F. Müller, Zool. Dan. II. 1784, 93.
varica Helix, O. F. Müller, Verm. II. 1774, 70.
varicus Musca, M. Harris, Exp. Eng. Ins. 1776, 114.

- variegalis** Phalaena, J. C. Fabricius, Mant. II. 1787, 218.
variegalis Pyralis, C. de Villers, Linn. Ent. IV. 1789, 515.
variegana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 228.—Tortrix.
variegana Tortrix, [Denis & Schiffermüller], Schmett. Wien. 1775, 130.
variegana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 14 [*n. et f.*].
variegataria Phalaena Geometra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2459.
variegator Bruchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 234.—Ichneumon, 1775.
variegator Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1830.—
variegator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 339. [Lamia.
variegator Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 221.
variegator Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 211.
variegatus Acarus, F. v. P. Schrank, Ins. Aust. 1781, 509.
variegatus Acarus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 572.
variegatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 500.
variegatum Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 222.—Gryllus.
variegata Aeshna, J. C. Fabricius, Syst. Ent. 1775, 425.
variegata Alcedo, J. A. Scopoli, Del. Insub. II. 1786, 90.
variegatus Alpheus (Herbst), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
variegata Ampelis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 841.
variegata Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 505.
variegata Andrena, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 139.
variegatus Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 113.
variegatus Antribus, A. F. de Fourcroy, Ent. Paris. 1785, 136.
variegata Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 577; ed. 12, 1767, 957.
variegata Apis, J. C. Fabricius, Spec. Ins. I. 1781, 483.
variegata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 293.
variegata Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 225.
variegata Ardea, J. A. Scopoli, Annus I. 1769, 88.
variegata Ascaris, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 135.
variegata Aspis, J. N. Laurenti, Syn. Rept. 1768, 106.
variegata Bembex, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 292.
variegata Blatta, J. C. Fabricius, Syst. Ent. 1775, 273.
variegatus Bombylius, C. de Geer, Mém. Ins. VI. 1776, 268.
variegatus Bombylius, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 92.
variegatus Bulimus, J. G. Bruguière, Méth. (Vers) (1) 1789, 336.
variegatus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 55.
variegatum Callidium, J. C. Fabricius, Syst. Ent. 1775, 189.
variegatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2—5) 1783, 136.
variegatus Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 450.
variegata Cantharis, A. F. de Fourcroy, Ent. Paris. 1785, 156.
variegatus Carabus, J. C. Fabricius, Spec. Ins. II. 1781, 501.
variegatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1986.
variegata Cardita, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 407.
variegata Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 363; ed. 12, 1767, 576.
variegatus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1849.—
variegata Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 55. [Callidium.
variegata Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 475.
variegata Cetonia, J. C. Fabricius, Syst. Ent. 1775, 51.
variegatus Chermes, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 440.
variegatus Chiton, J. F. Bolten, Mus. Bolten. (2) 1798, 196.
variegata Chrysis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 677.
variegata Cicada, J. C. Fabricius, Syst. Ent. 1775, 684.
variegata Cicada, J. C. Fabricius, Syst. Ent. 1775, 686.
variegata Cicada, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 22.
variegata Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 187.
variegata Cicada, J. C. Fabricius, Mant. II. 1787, 272.
variegata Cicada (*ex Stoll*), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 757.
variegata Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 149.

- variegatus Cimex, N. Poda, Ins. Mus. Graec. 1761, 59.
 variegatus Cimex, D. Drury, Ill. Nat. Hist. I. 1770, index & 109.
 variegatus Cimex, D. Drury, Ill. Nat. Hist. II. 1773, index & 72.
 variegatus Cimex, C. de Geer, Mém. Ins. III. 1773, 342.
 variegatus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 108.
 variegatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 48.
 variegatus Cimex, G. A. Harrer, Besch. Schaeffer Icones, 1784, 289.
 variegatus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 200.
 variegata Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 99.
 variegata Coccinella, J. C. Fabricius, Ent. Syst. IV. 1794, 446.
 variegatus Coccus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2221.
 variegatus Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1085.—
 variegatus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 36. [Aspis.
 variegata Crioceris, J. C. Fabricius, Ent. Syst. I (2) 1792, 4.
 variegatus Cryptocephalus, J. C. Fabricius, Spec. Ins. II. 1781, 497.
 variegatus Cuculus, J. A. Scopoli, Del. Insub. II. 1786, 89.
 variegatus Culex, F. v. P. Schrank, Ins. Aust. 1781, 482.
 variegatus Curculio, J. A. Scopoli, Annus V. 1772, 91.
 variegatus Curculio, J. C. Fabricius, Mant. I. 1787, 97.
 variegatus Curculio (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 475.—C. varius.
 variegatus Dermestes, Scopoli, Ent. Carn. 1763, 16.
 variegatus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 20.
 variegatus Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 68. [Cidaris.
 variegatus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3179.—
 variegatum Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 93.—Turbo.
 variegatus Erytulus, J. C. Fabricius, Spec. Ins. I. 1781, 157.
 variegata Evania, J. C. Fabricius, Suppl. Ent. Syst. 1798, 241.
 variegatus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 267.
 variegata Ficus, J. F. Bolten, Mus. Bolten. (2) 1798, 148.
 variegata Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 911.
 variegata Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 573.
 variegatus Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 432; ed. 12, 1767, 700.
 variegata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3650.
 variegata Helix, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 67.
 variegata Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 109 [z. n.].
 variegatus Hemerobius, J. C. Fabricius, Ent. Syst. II. 1793, 85.
 variegatus Hydrophilus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 304.
 variegatus Ichneumon, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 327.
 variegatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2701.
 variegatus Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1294.
 variegata Leptura, J. C. Fabricius, Syst. Ent. 1775, 199.
 variegata Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 79.
 variegata Libellula, Linnaeus, Amoen. Acad. VI. 1763, 412.
 variegata Libellula, J. C. Fabricius, Spec. Ins. I. 1781, 524.
 variegatus Lumbricus, O. F. Müller, Verm. I (2) 1774, 26.
 variegatus Macrocephalus, A. G. Olivier, Entom. IV. 1795, 4.
 variegata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 638.
 variegatus Mellinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 265.
 variegatus Meloe, E. Donovan, Brit. Ins. II. 1793, 81.
 variegata Molorchus, J. C. Fabricius, Ent. Syst., I (2) 1792, 357.—Leptura, 1775.
 variegatus Monoceros (L.), F. C. Meuschen, Mus. Gever. 1787, 290.—Turbo.
 variegata Mordella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 127.
 variegata Musca, Scopoli, Ent. Carn. 1763, 326.
 variegata Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 328.
 variegatus Mytilus, J. F. Bolten, Mus. Bolten. (2) 1798, 158.
 variegata Necydalis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1878.—
 variegata Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 18. [Leptura
 variegata Nitidula, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 245.

- variegata Noctua (*ex* Gladb.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 256.
 variegata Nomada (L.), J. C. Fabricius, Syst. Ent. 1775, 389.—*Apis*.
 variegatus Oniscus, C. de Villers, Linn. Ent. IV. 1789, 188.
 variegatus Parus, S. G. Gmelin, Reise Russ. III. 1777, 105.
 variegata Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 2.
 variegatus Petromyzon, J. C. Wulff, Ichthy. 1765, 16.
 variegata Phalaena, Scopoli, Ent. Carn. 1763, 222.
 variegata Phalaena, J. C. Fabricius, Gen. Ins. 1777, 291.
 variegata Phalaena B., C. de Villers, Linn. Ent. II. 1789, 160.
 variegata Phalaena (Noctua), H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 336.
 variegata Phalaena Tinea, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 89.
 variegatum Phasma, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 78.
 variegata Phasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 189.
 variegata Phoca, C. P. Thunberg, Beskr. Svenske Djur, 1798, 88.
 variegata Phryganea, Scopoli, Ent. Carn. 1763, 266.
 variegata Phryganea, O. F. Müller, Z. Dan. Prod. 1776, 145.
 variegata Phryganea, J. C. Fabricius, Spec. Ins. I. 1781, 391.
 variegata Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 357.
 variegatus Picus, J. Latham, Index Orn. 1790, 233.
 variegata Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 61.
 variegatus Pomatias, Studer in Coxo, Trav. Switz. III. 1789, 388 [*n. n.*].
 variegatus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 247.—*Sphex*, 1793.
 variegata Porphyria (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 33.—*Voluta*.
 variegatus Portunus (Herbst), F. Weber, Nomen. Fabricii, 1795, 93.—*Cancer*.
 variegatus Portunus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 364.
 variegata Procellaria, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 78.
 variegatus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 319.
 variegatus Psocus, A. J. Coquebert, Icon. Ins. (1) 1799, 13.
 variegatus Ptinus, P. Rossi, Mant. Ins. I. 1792, 20.
 variegata Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 143.
 variegatus Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 718.
 variegata Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 211.
 variegatus Rynchophorus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 22.—
 variegatus Scarabaeus, Scopoli, Ent. Carn. 1763, 12. [Curculio.
 variegatus Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 9.
 variegatus Sciurus, J. C. P. Erxleben, Syst. Anim. 1777, 421.
 variegatus Sciurus, R. Kerr, Anim. Kingd. 1792, 264; *var. major*.
 variegata Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 230.
 variegatus Serropalpus, Bosc, La Médecine éclairée (Fourcroy's), I. 1791, 329.
 variegatus Simia (Papio), R. Kerr, Anim. Kingd. 1792, 62.
 variegata Simia (Sapajus), R. Kerr, Anim. Kingd. 1792, 79.
 variegata Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 570; ed. 12, 1767, 944.
 variegatus Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 211.
 variegata Sphinx, C. Allioni, Misc. Taurin. III. 1766, 193.
 variegatus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 154.
 variegatus Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 194.
 variegatus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 172.
 variegatus Strongylus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 184.
 variegata Synchronita, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 403.
 variegatus Tabanus, C. de Geer, Mém. Ins. VI. 1776, 230.
 variegata Tanagra, J. Latham, Index Orn. 1790, 421.
 variegatus Tantalus, J. A. Scopoli, Del. Insub. II. 1786, 92.
 variegata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3237.
 variegatus Tenebrio, J. C. Fabricius, Spec. Ins. I. 1781, 323.
 variegata Tenthredo, J. Hill, Decade Curious Insects, 1773, 7.
 variegatus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 768.
 variegata Tettigonia, J. C. Fabricius, Ent. Syst. IV. 1794, 19.
 variegata Thrips, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2224.

- variegatus** Tinamus (Gm.), J. Latham, Index Orn. 1790, 634.—Tetrao.
variegata Tiphia, J. C. Fabricius, Spec. Ins. I. 1781, 451.
variegata Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 586; ed. 12, 1767, 971.
variegata Tringa, M. T. Brünnich, Orn. Boreal. 1764, 54.
variegatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3575.
variegatus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 83 [*n. n.*].
variegatus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 767; ed. 12, 1767, 1240.
variegatus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 817.
variegata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3281.
variegata Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 269.
variegata Vexillum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 138.—Voluta.
variegata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3457.
variella Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 336.
variella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2608.
variella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
variella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 299.
vario Salmo, B. S. Nau, Oek. Nat. Fische Mainz, 1787, 22.
variolans Porcellana, F. C. Meuschen, Mus. Gev. 1787, 406.
variolaris Buprestis, P. S. Pallas, Reise Russ. I. 1771, 464.
variolaris Pimelia, A. G. Olivier, Entom. III. 1795, 9.
variolator Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 277.
variolosum Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 218.—Gryllus.
variolosus Actinophorus (Fab.), J. Sturm, Verz. Ins. Samml. 1800, 76.—Scarabaeus.
variolosa Blaps, J. C. Fabricius, Ent. Syst. I (1) 1792, 108.
variolosus Brachycerus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 185.
variolosa Buprestis, G. Paykull, Faun. Suec. II. 1799, 219.
variolosum Callidium, J. Fabricius, Suppl. Ent. Syst. 1798, 149.
variolosus Cancer (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2995.—
variolosus Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 338. [Hippa].
variolosus Carabus, J. C. Fabricius, Mant. I. 1787, 195.
variolosus Carabus, J. C. Fabricius, Ent. Syst. IV. 1794, 441.
variolosa Cassida, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 385.
variolosa Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 591.
variolosus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 445; ed. 12, 1767, 721.
variolosa Clytra (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 34.—Chrysomela.
variolosus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 171.—Scarabaeus.
variolosus Curculio, J. C. Fabricius, Syst. Ent. 1775, 150.
variolosa Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3413.
variolosus Distomus, J. Gaertner in P. S. Pallas, Spic. Zool. X. 1774, 40.
variolosus Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 128.
variolosus Erotylus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 61.
variolosa Gorgonia, F. C. Meuschen, Mus. Gev. 1787, 524.
variolosus Gryllus (Bulla), Linnaeus, Syst. Nat., ed. 10, 1758, 427; ed. 12, 1767, 693.
variolosa Hippa, J. C. Fabricius, Mant. I. 1787, 330.
variolosa Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 164.
variolosa Pimelia, J. C. Fabricius, Ent. Syst. IV. 1794, 438.
variolosa Pimelia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 45.
variolosus Scarabaeus, J. C. Fabricius, Mant. I. 1787, 16.
variolosa Symethis, F. Weber, Nomen. Fabricii, 1795, 92.—Hippa, 1787.
variolosus Tenebrio, C. de Geer, Mém. Ins. V. 1775, 32.
variolosus Tenebrio, A. G. Olivier, Entom. III. 1795, 13.
variolosa Upis (Ol.), Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 31.—Tenebrio.
varia Acanthia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 526.
varia Amphisbaena, J. N. Laurenti, Syn. Rept. 1768, 66.
varia Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 259.
varius Anthrenus, J. C. Fabricius, Ent. Syst. I (1) 1792, 264.
varius Anthribus, J. C. Fabricius, Ent. Syst. I (2) 1792, 378.—Bruchus, 1787.
varia Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2777.

- varia** Apis, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 74.
varia Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 202.
varium Argoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Ostrea.
varius Astacus, J. C. Fabricius, Spec. Ins. I. 1781, 512.
varia Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 54.
varius Banchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 234.—Ichneumon, 1793.
varius Blennius, J. A. Donndorff, Zool. Beyt. III. 1798, 314.
varia Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 431.
varius Bostrichus, J. C. Fabricius, Syst. Ent. 1775, 60.
varius Bruchus, J. C. Fabricius, Mant. I. 1787, 42.
varius Bruchus, A. G. Olivier, Entom. IV. 1795, 18.
varium Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 93.
varium Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3486.
varius Byrrhus, J. C. Fabricius, Syst. Ent. 1775, 60.
varius Byrrhus, C. P. Thunberg, Ins. Suecica (5) 1794, 67.
varium Callidium, J. C. Fabricius, Gen. Ins. 1777, 232.
varium Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 260.
varius Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2987.—Astacus.
varius Cancer (Astacus) (Fabr.), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 77.—
varius Carabus, O. F. Müller, Z. Dan. Prod. 1776, 77. [Astacus, 1781.
varius Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 138.
varius Carabus, A. G. Olivier, Entom. III. 1795, 110.
varius Cerambyx, J. C. Fabricius, Mant. I. 1787, 130.
varia Cercopis, J. C. Fabricius, Mant. II. 1787, 274.
varia Chlamys (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 164.—Ostrea.
varia Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2104.—Cercopis.
varia Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 756.
varia Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 42.—variegata, Mant. II. 272, est.
varius Cimex, J. C. Fabricius, Mant. II. 1787, 284.
varius Cimex, J. C. Fabricius, Mant. II. 1787, 306.
varius Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2160.
varia Cistela (Fab.), J. N. Laicharting, Tyrol. Ins. I. 1781, 71.—Byrrhus.
varia Coccinella, F. v. P. Schrank, F. Boica, I. 1798, 465.
varius Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1101.
varius Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 715; ed. 12, 1767, 1170.
varia Coracias, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 381.
varius Corvus, M. T. Brünnich, Orn. Boreal. 1764, 8.
varia Crotophaga, J. Latham, Index Orn. 1790, 149.
varius Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1727.
varius Cuculus, M. Vahl, Skr. nat. Selsk. [Copen.], IV (1) 1797, 61.
varius Curculio, J. C. Fabricius, Syst. Ent. 1775, 142.
varius Curculio, J. C. Fabricius, Gen. Ins. 1777, 223.
varius Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1756.
varius Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1806.
varius Curculio (Fab.), G. Paykull, Mon. Curc. 1792, 122.—Bruchus.
varius Curculio, Herbst in Jablonsky, Nat. Ins. (Kafer) VI. 1795, 252.
varius Cylinderus, F. C. Meuschen, Mus. Gever. 1787, 372.
varius Dermestes (Fab.), C. de Villers, Linn. Ent. I. 1789, 55.—Bostrichus.
varius Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 233.
varius Elater, A. G. Olivier, Entom. II. 1790, 32.
varius Falco, F. M. Daudin, Traité élém. Orn. 1800, 73.
varius Formicarius, P. Bodaert, Tab. Planch. Enl. 1783, 44.
varius Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2068.—Locusta.
varius Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2087.
varia Haliotis; Linnaeus, Syst. Nat., ed. 10, 1758, 780; ed. 12, 1767, 1256.
varius Hemerobius, C. de Villers, Linn. Ent. III. 1789, 56.
varius Ichneumon, E. Pontoppidan, Danske Atlas, I. 1763, 692.
varius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 159.

- varius** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2699.
varius Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2700.
varius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 181.
varius Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 334.—Oriolus.
varius Iulus, J. C. Fabricius, Spec. Ins. I. 1781, 528.
varius Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 288; ed. 12, 1766, 480.
varia Lacerta, Wytttenbach in Coxe, Trav. Switz. III. 1789, 375.
varia Lacerta, G. Shaw in White, Journ. N. S. W. 1790, 253.
varia Lagena, J. F. Bolten, Mus. Bolten. (2) 1798, 131 [*n. n.*].
varia Lamia, J. A. Frolich, Naturforscher, XXVI. 1792, 144.
varia Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 467.
varius Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 307.
varius Larus, E. Pontoppidan, Danske Atlas, I. 1763, 622.
varius Larus, M. T. Brünnich, Orn. Boreal. 1764, 45.
varia Leptura, C. Allioni, Misc. Taurin. III. 1766, 188.
varia Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1875.
varia Libellula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2622.
varia Locusta, J. C. Fabricius, Syst. Ent. 1775, 287.
varius Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 182.
varius Macrocephalus (Fab.), B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 606.—Bruchus.
varia Mammaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3135.
varia Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 333.
varia Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2843.
varia Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 327.
varia Nerita, F. C. Meuschen, Mus. Gever. 1787, 268.
varia Nitidula, J. C. Fabricius, Spec. Ins. I. 1781, 92.
varia Nomada, G. W. F. Panzer, Ins. Germ. heft 55 [1798], tab. 20.
varius Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 390.
varia Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 698; ed. 12, 1767, 1146.
varius Pecten (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 86.—Ostrea.
varius Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 576.
varia Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 276.
varius Phasianus, G. Shaw, Nat. Misc. X. 1798, pl. 353.
varia Phryganea, J. C. Fabricius, Ent. Syst. II. 1793, 77.
varius Picus, Linnaeus, Syst. Nat., ed. 12, 1766, 176.
varius Psittacus, T. Pennant in Forster, Ins. Zool. 1781, 40 [*n. n.*].
varius Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 79.
varius Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 337.
varius Rhinomacer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 164.
varius Reduvius, J. C. Fabricius, Syst. Ent. 1775, 731.
varius Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1553.
varius Sciurus, J. M. Bechstein, Getreue Abbild. heft 2, 1793, 16.
varius Scolytus, A. G. Olivier, Entom. IV. 1795, 11.
varius Seps, J. N. Laurenti, Syn. Rept. 1768, 62 & 172.
varia Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 86.—Nitidula.
varius Stenocorus, J. C. Fabricius, Mant. I. 1787, 144.
varius Strix, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 11.
varius Strombus, F. C. Meuschen, Mus. Gever. 1787, 294.
varia Sylvia (L.), J. Latham, Index Orn. 1790, 539.—Motacilla.
varia Tanagra, P. L. S. Müller in Linn. Syst. Nat., Suppl. 1776, 158.
varia Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2665.
varia Tipula, J. C. Fabricius, Mant. II. 1787, 325.
varius Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 444.
varia Tringa, Linnaeus, Syst. Nat., ed. 12, 1766, 252.
varius Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 492.
varius Trochilus, G. A. Suckow, Naturg. II. [1] 1800, 675.
varius Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 758; ed. 12, 1767, 1229.
varia Venus, P. Forskal, Descr. Anim. 1775, xxxi.

- varia** Vespa, J. C. Fabricius, Mant. I. 1787, 293.
varia Vorticella, O. F. Müller, An. Infus. 1786, 258.
varus Crabro, G. W. F. Panzer, Ins. Germ. heft 62 [1799], tab. 17.
varus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 107.
varus Syrphus, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 8.
vastator Dermestes, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 479.
Vasum J. F. Bolten, Mus. Bolten. (2) 1798, 56.—G.
[vatus Araneus, C. Clerck, Aran. Svec. 1757, 128.]
vatus Araneus, T. Martyn, Aranei, 1793, 61.
vau Curculio, F. v. P. Schrank, Ins. Aust. 1781, 120.
vau-album Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 176. [1780], 8.
vau-album Papilio, N. Phal., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
vau-punctatum Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 385.
vau-punctatum Phalaena Noctua (Esp.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
vauaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 508. [506.—P. Bombyx.
vayella Phalaena, Giorna, Cal. Ent. 1791, 106.
vca *v. uca*.
vecors Musca, M. Harris, Exp. Eng. Ins. 1776, 154.
vegetabilis Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3750.
vegetans Acarus, C. de Geer, K. Vet. Ac. Handl. XXIX. 1768, 182.
vegetans Volvox, O. F. Müller, An. Infus. 1786, 22.
vegetationis Tipula, *err. pro* regelationis (L.), J. C. Fabricius, Mant. II. 1787, 324.
velamen Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 65.
velata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
velata Tipula, O. F. Müller, F. Ins. Frid. 1764, 79.
velella *v. vellellus*.
velia Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, p. 188; ed. 12, 1766, 336.
velia Sylvia (L.), J. Latham, Index Orn. 1790, 546.—Motacilla.
velifer Acanthus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 106.
velifer Kurtus, G. S. Volta, Itt. Veron. (1) 1796, xxvii.
velifera Coryphaena, P. S. Pallas, Spic. Zool. VIII. 1770, 19. [Coryphaena.
veliferus Oligopodus (Pall.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 511.—
velificans Holothuria, O. Toreen in P. Osbeck, Reise Ost-Ind. China, 1765, 439.
velikensis Tenebrio, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 83.
velitaris Centricrus, P. S. Pallas, Spic. Zool. VIII. 1770, 36.
velitaris Phalaena, Hufnagel, Berl. Mag. III. 1767, 394.
velleda [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 115.
velleda [Phalaena], C. Stoll, Aanh. Cramer's Uitl. Kapellen, V. 1790, 178.
vellellus—
vellella Medusa, Linnaeus, Syst. Nat., ed. 10, 1758, 660; ed. 12, 1767, 1098.
vellella Phyllidoce (L.), A. Modeer, K. Vet. Ac. Nya Handl. XI. 1790, 194.—Medusa.
vellicata Cassis, F. C. Meuschen, Mus. Gever. 1787, 388.
vellicatus Trochus, F. C. Meuschen, Mus. Gever. 1787, 286.
vellida Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 91.
vellus-aureum Porphyria, J. F. Bolten, Mus. Bolten, (2) 1798, 36.
velocipes Carabus, P. Rossi, Mant. Ins. I. 1792, 90.
velotata Phalaena, J. C. Fabricius, Mant. II. 1787, 215.
velox Acarus, O. F. Müller, Z. Dan. Prod. 1776, 187.
velox Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 228.—Gryllus.
velox Ameiva (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 28.—Lacerta.
velox Carabus, Linnaeus, Faun. Suec., ed. 2, 1761, 222.
velox Cimex, J. C. Fabricius, Syst. Ent. 1775, 707.
velox Curculio, J. C. Fabricius, Mant. I. 1787, 117.
velox Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 73.
velox Gryllus, J. C. Fabricius, Mant. I. 1787, 239.
velox Lacerta, P. S. Pallas, Reise Russ. I. 1771, 457.
velox Musca, C. Bierkander, K. Vet. Ac. Handl. XXXVIII. 1777, 33.
velox Sphinx, J. C. Fabricius, Ent. Syst. III (1) 1793, 378.

- velox** Tenthredo, J. C. Fabricius, Suppl. Ent. Syst. 1798, 216.
velox Vespa, J. L. Christ, Nat. Ins. 1791, 245.
velum Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3433.
velum Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 65.
velutatis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 242.
velutina Bulla, O. F. Müller, Z. Dan. Prod. 1776, 242.
velutinus Cancer, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 4.
velutinus Cerambyx, J. C. Fabricius, Syst. Ent. 1775, 167.
velutina Cetonia, A. G. Olivier, Entom. I, 1789, 89.
velutina Leptura, A. G. Olivier, Entom. IV. 1795, 18.
vena medinensis Furia, A. Modeer, K. Vet. Ac. Nya Handl. XVI. 1795, 153.
venaria Phalaena, J. C. Fabricius, Syst. Ent. 1775, 627.
venarum Hexathyridium, F. A. Treutler, Obs. Helminth. human. Corp. 1793, 25.
venator Banchus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 233.—Ichneumon.
venator Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 141.
venator Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 128.
venator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 564; ed. 12, 1767, 935.
venator Trochus, F. C. Meuschen, Mus. Gever. 1787, 282.
venatoria Aranea, Linnaeus, Syst. Nat., ed. 12, 1767, 1035.
venatoria Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162 [*n. n.*].
venatoria Cicindela, N. Poda, Ins. Mus. Graec. 1761, 42.
venatrix Pecten, F. C. Meuschen, Mus. Gever. 1787, 416.
venatrix [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 244.
venelli Cypraea, *err. pro* vanelli, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
venenosus Reduvis, F. A. A. Meyer, Nat. gift. Insect. 1792, 141. [3402.
venenosa Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 292; ed. 12, 1766, 486.
venerata Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 453.
veneratus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1728.
venerea Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3404.
veneratus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1574.
venetaria Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 184.
vengreniana Viverra. M. Staaf, Götheborg. Samhalle Handl. (Wet. Afd.) IV. 1788, 82.
venilia [Papilio], J. A. B. Bergstrasser, Ic. Pap. I. 1779, 5.
venilia Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 478; ed. 12, 1767, 780.
venosata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796], fig. 244 [*n. et f.*]
venosata Phalaena, J. C. Fabricius, Mant. II. 1787, 209.
venosa Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 225.
venosus Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 462.
venosus Bombylius, J. C. Mikán, Mon. Bomb. 1796, 42.
venosa Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 84.
venosa Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 188.
venosa Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2104.
venosus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 49.
venosus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1085.
venosa Ephemerera, J. C. Fabricius, Syst. Ent. 1775, 304.
venosa Formica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2804.
venosus Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 88.
venosus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2088.
venosus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2709.
venosus Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1296.
venosus Labrus, J. J. Walbaum, Artdedi, Ichth. (3), ed. 2, 1792, 264.
venosus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 142.
venosa Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 639.
venosa Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 137.
venosus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 59.
venosa Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 266.
venosa Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 717.
venosa Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 355.

- venosa** Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122.
- venosa** Tipula, F. v. P. Schrank, Beitr. Nat. 1776, 92.
- venosus** Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 87 [*n. n.*]
- ventalina** Gorgonia, Linnaeus, Syst. Nat., ed. 10, 1758, 801; ed. 12, 1767, 1293.
- ventilabris** Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 464.—Phalaena, 1787.
- ventilabris** Phalaena, J. C. Fabricius, Mant. II. 1787, 216.
- ventilabris** Philanthus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 268.
- ventilabrum** Amphitrite, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3111.
- ventilabrum** Gorgonia, P. S. Pallas, Elench. 1766, 165.
- ventilabra** Spongia, Linnaeus, Syst. Nat., ed. 12, 1767, 1296.
- ventilata** Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
- ventilata** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 191.
- ventito** Musca, M. Harris, Exp. Eng. Ins. 1776, 139.
- ventralis** Anguis, Linnaeus, Syst. Nat., ed. 12, 1766, 391 & 392.
- ventralis** Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 20.
- ventralis** Columba, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 134.
- ventralis** Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1730.
- ventralis** Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 79.
- ventralis** Tenthredo, G. W. F. Panzer, Ins. Germ. heft 64 [1798], tab. 4.
- ventricosa** Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3348.
- ventricosum** Buccinum, F. C. Meuschen, Mus. Gever. 1787, 298.
- ventricosum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3498.
- ventricosum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3476.
- ventricosus** Bufo (Linn.), J. N. Laurenti, Syn. Rept., 1768, 26.—Rana.
- ventricosus** Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 363.
- ventricosus** Buprestis, A. G. Olivier, Entom. II. 1790, 36.
- ventricosus** Cancer (Gammarellus) (Müll.), J. F. W. Herbst, Vers. Nat. Krab. II (4), 1793, 144.—Squilla.
- ventricosum** Cardium, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 228.
- ventricosus** Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3397.
- ventricosus** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 49.
- ventricosus** Cyclopterus, P. S. Pallas, Spic. Zool. VII. 1769, 15.
- ventricosus** Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 372.
- ventricosa** Fasciola, P. S. Pallas, Spic. Zool. X. 1774, 17.
- ventricosa** Helix, O. F. Müller, Verm. II. 1774, 102.
- ventricosa** Helix, G. Olivii, Zool. Adriat. 1792, 178.
- ventricosa** Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 63 [*n. n.*].
- ventricosa** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3733.
- ventricosa** Planaria (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3089.—
- ventricosa** Purpura, F. C. Meuschen, Mus. Gever. 1787, 312. [Fasciola.]
- ventricosa** Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 211; ed. 12, 1766, 355.
- ventricosa** Squilla, O. F. Müller, Z. Dan. Prod. 1776, 197.
- ventricosus** Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99.
- ventricosus** Tenebrio, Scopoli, Ent. Carn. 1763, 82.
- ventricosus** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3586.
- venulatus** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 695.
- venulata** Phalaena Geometra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
- venulius** [Papilio], P. Cramer, Utitl. Kapellen, III (21), 1779, 85.
- venulia** [Phalaena], P. Cramer, Utitl. Kapellen, II (14) 1777, 107.
- venulosa** Rana, J. N. Laurenti, Syn. Rept., 1768, 31.
- Venus** Linnaeus, Syst. Nat., ed. 10, 1758, 684; ed. 12, 1767, 1128.—L.
- venus** Astraea, J. F. Bolten, Mus. Bolten. (2) 1798, 79 [*n. n.*].
- venus** Hepialus (Cram.), A. G. Olivier, Ency. Méth. VII. (Ins.), 1792, 74.—Phalaena.
- venus** Hesperia, J. C. Fabricius, Ent. Syst. III (1), 1793, 268.
- venus** Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 115.
- venus** [Phalaena], P. Cramer, Utitl. Kapellen, III (24), 1780, 167.
- venus** Phalaena (Hepialus), Herbst, Einl. Ins. II. 1785, 102.
- venusium** Gafrarium, J. F. Bolten, Mus. Bolten. (2) 1798, 177 [*n. n.*].

- venustalis** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 161.
- venustissimus** Cimex, F. v. P. Schrank, Beitr. Nat., 1776, 80.
- venustissimus** Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 490.
- venustula** Phalaena Noctua, J. Hubner, Beitr. Schmett. II. 1790, 78.
- venustus** Asilus, P. Rossi, Fauna Etrus. II. 1790, 328.
- venustus** Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1851.
- venusta** Certhia, G. Shaw, Nat. Misc. X. 1799, 369.
- venusta** Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 63.
- venustus** Crabro, P. Rossi, Fauna Etrus. II. 1790, 94.
- venustus** Cryptocephalus, J. C. Fabricius, Mant. I. 1787, 79.
- venustus** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 47.
- venustus** Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 170.
- venusta** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3650.
- venusta** Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 61.
- venustum** Peronaeoderma, J. X. Poli, Test. Sicil. II. 1795, 252 & 257.—= Donax of p. 80.
- venusta** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 156.
- venusta** Phalaena (Geom.), Herbst, Einl. Ins. II. 1785, 120.
- venutia** Bombyx (Cr.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 438.—Phalaena venulia.
- verago** Bombyx (Cr.), A. G. Olivier, Ency. Méth. V. (Ins.) 1790, 52.—Phalaena.
- verago** [Phalaena], P. Cramer, Uitl. Kapellen, II (14) 1777, 102.
- veratri** Aphis, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II. (4) 1785, 340.
- verbascalis** Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 121.
- verbascata** Phalaena, *err. pro* verbascalis, Den. and Schiff., J. C. Fabricius, Mant. II.
- verbascella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 136. [1787, 214.]
- verbasci** Anthrenus (L.), J. C. Fabricius, Syst. Ent. 1775, 61.—Byrrhus.
- verbasci** Byrrhus, Linnaeus, Syst. Nat., ed. 12, 1767, 568.
- verbasci** Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 194.—Leptura.
- verbasci** Cerambyx (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1854.—Leptura.
- verbasci** Clytus (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 105.—Leptura.
- verbasci** Cossus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 441.
- verbasci** Curculio, J. C. Fabricius, Mant. I. 1787, 107.
- verbasci** Leptura, Linnaeus, Syst. Nat., ed. 12, 1767, 640.
- verbasci** Nitidula, C. P. Thunberg, Ins. Suecica (5) 1794, 71.
- verbasci** Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 618.—Phalaena.
- verbasci** Paederus, F. v. P. Schrank, F. Boica, I. 1798, 653.
- verbasci** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 515; ed. 12, 1767, 850.
- verberata** Phalaena, Scopoli, Ent. Carn., 1763, 223.
- verdiar** Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 153.
- verecundans** Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 172.
- verecundus** Curculio, P. Rossi, Fauna Etrus. I. 1790, 129.
- verecunda** Formica, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 211.
- vereor** Apis, M. Harris, Exp. Eng. Ins. 1776, 136.
- Veretillum** G. Cuvier, Tab. Elém. 1798, 675.—Coel.
- Veretillum** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 9 [*n. n.*].—Coel.
- vericulum** Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 102.
- veridans** Chrysis, M. Harris, Exp. Eng. Ins. 1776, 69.
- veris** Cryptocephalus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1725.—
- veris** Galeruca, O. F. Müller, Z. Dan. Prod. 1776, 83. [Galeruca.]
- veris** Nitidula, P. Rossi, Fauna Etrus. I. 1790, 60.
- veris** Silpha [D. H. Schneider], Nom. Ent. 1785, 7 [*n. n.*].
- veris** Tipula, O. F. Müller, F. Ins. Frid. 1764, 79.
- Vermetus** Cuvier, Leçons Comp. Anat. I. 1800, tab. 5.—G.
- Vermicularia** Lamarck, Mém. Soc. H. N. Paris, 1799, 78.—G.
- vermiculare** Alcyonium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3816.
- vermicularis** Ascaris, Linnaeus, Syst. Nat., ed. 10, 1758, 648; ed. 12, 1767, 1076.
- vermicularis** Ascaris, J. A. Goeze, Eingeweidewürm. 1782, 97.
- vermicularis** Astroites, J. E. I. Walch, Naturforscher, V. 1775, 58.
- vermicularis** Cercaria, Müll., O. F. Müller, An. Infus. 1786, 133.—Vorticella.

- vermicularis** Lumbricus, O. F. Müller, Verm. I (2) 1774, 26.
vermicularis Madrepora (Walch), P. S. Pallas, Char. Thierpfl. II. 1787, 134.—Astroites.
vermicularis Nais, O. F. Müller, Verm. I (2), 1774, 20.
vermicularis Serpula, Linnaeus, Syst. Nat., ed. 12, 1767, 1267.
vermicularis Trichoda, O. F. Müller, An. Infus. 1786, 198.
vermicularis Vermiculus (L.), F. C. Meuschen, Mus. Gever. 1787, 236.—Serpula.
vermicularis Vorticella, O. F. Müller, Verm. I (1) 1773, 107.
[vermicularia Phalaena (N.) MS.], T. Martyn, Psyche, 1797, fig. 64 & 65.
vermiculata Helix, O. F. Müller, Verm. II. 1774, 20.
vermiculata Mitra, T. Martyn, Univ. Conch. III [1789], fig. 105.
Vermiculus F. C. Meuschen, Mus. Gever. 1787, 236.—[Serpula, L.]
vermiculus Vibrio, O. F. Müller, Verm. I (1) 1773, 42.
vermilara Lamarckia, G. Olivi, Zool. Adriat. 1792, 258.
vermileo Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 590; ed. 12, 1767, 982.
vermileo Nemotelus (L.), C. de Geer, Mém. Ins. VI. 1776, 168.—Musca.
vermilio Rhagio (L.), J. C. Fabricius, Syst. Ent. 1775, 762.—Musca.
verminus Vibrio, O. F. Müller, An. Infus. 1786, 57.
Vermis M. E. Bloch, Eingeweidewürmer, 1782, 23.—Ver.
vermis Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 53.
vermivora Locusta, A. F. de Fourcroy, Ent. Paris, 1785, 182.
vermivora Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 951.
vermivora Sylvia (Gm.), J. Latham, Index Orn., 1790, 544.—Motacilla.
vermole Apion (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 123.—Attelabus.
vernalis Apis, J. R. Forster, Cat. Brit. Ins. 1770, 13 [*u. n.*].
vernalis Aranea, F. A. A. Meyer, L. G. Scriba, J. Lieb. Ent. III. 1791, 257.
vernalis Attelabus (Payk.), J. C. Fabricius, Ent. Syst. I (2) 1792, 392.—Curculio.
vernalis Carabus, O. F. Müller, Z. Dan. Prod. 1776, 78.
vernalis Carabus, G. W. F. Panzer, Deutsch. Ins. [1795], 60.
vernalis Carabus, G. Paykull, Faun. Suec. I. 1798, 133.
vernalis Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1689.
vernalis Curculio, G. Paykull, Mon. Curc. 1792, 138.
vernalis Curculio, G. C. Reich, Mant. Ins. 1797, 8.
vernalis Dermestes, O. F. Müller, Z. Dan. Prod. 1776, 57.
vernalis Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
vernalis Meloe, [D. H. Schneider], Nom. Ent. 1785, 23 [*u. n.*].
vernalis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 264.
vernalis Psittacus, A. Sparrman, Mus. Carls. II. 1787, no. xxix.
vernalis Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 349; ed. 12, 1767, 551.
vernalis Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 98.
vernalis Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 376.
vernalis Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81.
vernale Trombidium [Müll.], J. C. Fabricius, Ent. Syst. II. 1793, 404.—Hydrachna.
vernana Pyralis, J. C. Fabricius, Mant. II. 1787, 225.
vernana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 520.
vernans Columba, Linnaeus, Mant. II. 1771, 526.
vernans Tipula, J. C. Fabricius, Syst. Ent. 1775, 755.
vernaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 506.
vernaria Phalaena (Geom.), Linnaeus, Faun. Suec. ed. 2, 1761, 323.
vernaria Phalaena Geometra, J. Hübner, Beitr. Schmett. I (4) 1789, 6.
vernicina Musca, Scopoli, Ent. Carn., 1763, 333.
vernix Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 61.
"Vernuculus, Lister, 1788," Scudd. *teste* Dalton; I cannot find this genus.
verna Adimonia, J. N. Laicharting, Tyrol. Ins. I. 1781, 194.
verna Galeruca (Laich.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 158.—Adimonia.
verna Leptura, O. F. Müller, Z. Dan. Prod. 1776, 94.
verna Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 330.
verna Noctua, E. J. C. Esper, Die Schmett. IV. (42—44), 1791, 272.
verna Tipula, F. v. P. Schrank, Beitr. Nat. 1776, 93.

- vernus** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3571.
veronensis Gobius, G. S. Volta, Itt. Veron. (1) 1796, li.
veronica [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28), 1780, 73.
veronicae Sphinx, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 162.
Verpa J. F. Bolten, Mus. Bolten. (2) 1798, 69.—Ver.
verres Lutjanus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 9.
verriculata Gorgonia, E. J. C. Esper, Pflanzenth. II (9), 1792, 124.
verrucalis Phalaena (Pyraxis), O. F. Müller, F. Ins. Frid. 1764, 55.
verrucaria Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 793; ed. 12, 1767, 1272.
verrucaria Millepora (L.), J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 137.—Madre-
verrucella Timea, [Denis & Schiffermüller], Schmett. Wien, 1775, 138. [pora.
verrucivorus Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 431; ed. 12, 1767,
verrucivora Locusta (L.), C. de Geer, Mém. Ins. III. 1773, 430.—Gryllus. [698].
verrucosum Acrydium, C. de Geer, Mém. Ins. III. 1773, 486.
verrucosa Actinia, T. Pennant, Brit. Zool. ed. 4, IV. 1777, 41.
verrucosus Balistes, Linnaeus, Syst. Nat., ed. 10, 1758, 328; ed. 12, 1766, 405.
verrucosus Brachycerus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 184.
verrucosus Brachycerus (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 381.—Curculio.
verrucosum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 279.
verrucosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3497.
verrucosa Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 726; ed. 12, 1767, 1182.
verrucosum Callidium, A. G. Olivier, Entom. IV. 1795, 67.
verrucosum Callistoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—Venus.
verrucosus Cancer, P. Forskal, Descr. Anim. 1775, 93.
verrucosa Cellepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1286.
verrucosus Cerambyx, D. Drury, Ill. Nat. Hist. I. 1770, index & 90.
verrucosus Cerambix, A. G. Olivier, Entom. IV. 1795, 63.—Lamia, 1792.
verrucosa Chama (L.), F. C. Meuschen, Mus. Gev. 1787, 452.—Venus.
verrucosus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 708.
verrucosus Curculio, Linnaeus, Mus. Lud. Ulr. 1764, 60.
verrucosa Cytherea (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 179.—Venus.
verrucosa Doris, Linnaeus, Syst. Nat., ed. 10, 1758, 653; ed. 12, 1767, 1083.
verrucosa Eschara (Cellepora) (Linn.), P. S. Pallas, Char. Thierpfl. I. 1787, 93.—Celle-
verrucosa Fasciola, J. A. Frolich, Naturforscher, XXIV. 1789, 112. [pora.
verrucosa Gorgonia, P. S. Pallas, Elench. 1766, 197.
verrucosa Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 458.
verrucosa Limacia (L.), O. F. Müller, Zool. Dan. (Danish ed.), 1781, 66.—Doris.
verrucosus Macrocephalus, A. G. Olivier, Entom. IV. 1795, 6.
verrucosa Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 172.
verrucosa Millepora, F. C. Meuschen, Mus. Gev. 1787, 512.
verrucosum Monostoma, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 155.
verrucosus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3557.
verrucosa Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
verrucosa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3734.
verrucosa Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 303.
verrucosa Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 81.
verrucosus Platystacus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 63.
verrucosa Rana, Wyttenbach in Coxe, Trav. Switz. III. 1789, 374.
verrucosus Silurus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 574.
verrucosa Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 275.
verrucosa Testudo, J. J. Walbaum, Chelonogr. [1782], 116.
verrucosus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3572.
verrucosus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81 [n. n.].
verrucosa Tubipora, Linnaeus, Syst. Nat., ed. 10, 1758, 789.—[Cellepora, ed. 12.]
verrucosa Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 685; ed. 12, 1767, 1130.
[verrucus]—
veruca Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 169.
verruca Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 172.

- verruca** Lepas (Brug.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3212.—Balanus.
- verruca** Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 81.
- versatilis** Trichoda, O. F. Müller, An. Infus. 1786, 178.
- versatilis** Vorticella, O. F. Müller, An. Infus. 1786, 281.
- versicolor** Anthrenus, C. Creutzer, Ent. Vers. 1799, 117.
- versicolor** Apis, J. C. Fabricius, Syst. Ent. 1775, 386.
- versicolor** Bombylius, J. C. Fabricius, Mant. II. 1787, 367.
- versicolor** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3491.
- versicolor** Bucco, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 88.
- versicolor** Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1798, 1987.
- versicolor** Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1852.
- versicolor** Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 50.
- versicolor** Cetonia, J. C. Fabricius, Syst. Ent. 1775, 51.
- versicolor** Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1698.
- versicolor** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2155.
- versicolor** Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 120.
- v[er]sicolor** Coccinella, J. C. Fabricius, Mant. I. 1787, 58.
- versicolor** Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1087.
- versicolor** Coluber, G. de Razoumowsky, Hist. Nat. Jorat. 1789, 122.
- versicolor** Coracias, G. Shaw in Miller, Cim. Phys. 1796, 79.
- versicolor** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1755.
- versicolor** Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 372.
- versicolor** Dytiscus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 313.
- versicolor** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 272.
- versicolor** Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2082.
- versicolor** Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 398.
- versicolor** Hemerobius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2642.
- versicolor** Hesperia, F. W. Schmidt, Samml. phys.-oek. Aufsätze. I. 1795, 75 [n. n.].
- versicolor** Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191.
- versicolor** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2700.
- versicolor** Lampyrus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 125.
- versicolor** Libellula, J. C. Fabricius, Syst. Ent. 1775, 423.
- versicolor** Melolontha, J. C. Fabricius, Syst. Ent. 1775, 39.
- versicolor** Mitra, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 23.
- versicolor** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3530.
- versicolor** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3556.
- versicolor** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2859.
- versicolor** Mutilla, J. C. Fabricius, Syst. Ent. 1775, 398.
- versicolor** Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3359.
- versicolor** Nereis, *id. ac* diversicolor, Müll., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3115.
- versicolor** Nerita, F. C. Meuschen, Mus. Gever. 1787, 268.
- versicolor** Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3684.
- versicolor** Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 49.
- versicolor** Nomada, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 22.
- versicolor** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3319.
- versicolor** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3331.
- versicolor** Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 188.
- versicolor** Picus, M. B. Borkhausen, Deutsch. Fauna, I. 1797, 172.
- versicolor** Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 78.
- versicolor** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 327.
- versicolor** Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1566.—
- versicolor** Sciurus, E. A. W. Zimmermann, Spec. Zool. 1777, 520. [Melolontha.]
- versicolor** Sphex, J. L. Christ, Nat. Ins. 1791, 254.
- versicolor** Spondylus, K. Schreibers, Vers. Conch. II. 1793, 159.
- versicolor** Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 283.
- versicolor** Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2819.
- versicolor** Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 400.—Hydrachna.
- versicolor** Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3599.

- versicolor** Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3281.
versicolor Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 692.
versicolor Voluccella, J. C. Fabricius, Ent. Syst. IV. 1794, 413.—Bombylius, 1787.
versicolorea Donacia, [D. H. Schneider], Nom. Ent. 1785, 16 [n. n.].
versicolorea Leptura, N. J. Brahm, Ins. Kal. I (2) 1791, 135.
versicolora Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 565.—Phalaena.
versicolora Chrysomela, J. N. Laicharting, Tyrol. Ins. I. 1781, 148. [817.
versicolora Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 499; ed. 12, 1767,
versicolurus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 75.
versipellis Ascaris, O. F. Müller, Z. Dan. Prod. 1776, 214.
versipellis Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2859.
versipellis Proboscidea (Müll.), J. G. Bruguière, Ency. Méth. (Vers Int. 1791), 98.—Ascaris.
versipellis Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 160.
versutum Paramaecium, O. F. Müller, An. Infus. 1786, 90.
vertagus Canis, J. R. Forster, Phil. Trans. LVII (2) 1768, 341.
vertagus Cerithium (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 473.—Murex.
vertaga Columba, M. T. Brünnich, Orn. Boreal. 1764, 60.
vertagus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 30.
vertagus Gadus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 143.
vertagus Murex, Linnaeus, Syst. Nat., ed. 12, 1767, 1225.
vertagus Strombus (L.), F. C. Meuschen, Mus. Gever. 1787, 292.—Murex.
vertebralis Nautilus (O.), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 6.
verticalis Certhia, J. Latham, Index Orn. 1790, 298.
verticalis Phalaena (Pyralis), Linnaeus, Syst. Nat., ed. 10, 1758, 533; ed. 12, 1767, 882.
verticalis Scolia, J. C. Fabricius, Syst. Ent. 1775, 356.
verticalis Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 259.—Scolia.
vertice-centrali Echinocyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 213.
verticella Tinea, C. C. Jung, Alph. Verz. Schmett. II. 1792, 261.—[vorticella, Scop., est.]
verticicornis Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 169.—Scarabaeus.
verticicornis Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 27.
verticicornis Scarabaeus, J. N. Laicharting, Tyrol. Ins. I. 1781, 22.
verticillaris Gorgonia, Linnaeus, Syst. Nat., ed. 12, 1767, 1289.
verticillata Eschara, Linnaeus, Syst. Nat., ed. 10, 1758, 805.
verticillata Flustra, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 15.
verticillatus Gekko, J. N. Laurenti, Syn. Rept. 1768, 44.
verticillatus Gorgonia, P. S. Pallas, Elench. 1766, 177.—= verticillaris, Linn., ed. 12.
verticillata Gorgonia, P. Forskal, Descr. Anim. 1775, 128.
verticillatus Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 232.
verticillata Serpula, J. J. N. A. Spalowsky, Prod. Test. 1795, 3.
verticillata Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 811; ed. 12, 1767, 1310.
verticillata Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 237.
Vertigo O. F. Müller, Verm. II. 1774, 124.—G.
vertigo Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3664.
vertumnus [Papilio], P. Cramer, Utit. Kapellen, III (18) 1779, 32.
vertumnus Scarabaeus, P. S. Pallas, Reise Russ. I. 1771, 461.
veruca v. **verrucus**.
verulosus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 719.
verus Asper, J. C. Schäffer, Piscium Bavar. 1761, 69.
verus Cordylus, J. N. Laurenti, Syn. Rept. 1768, 52.
verus Planorbis, J. F. Bolten, Mus. Bolten. (2) 1798, 72.
vervecina Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3062.
vesica [G. Humphreys], Mus. Calonn. 1797, 58.—G.
vesica Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3433.
Vesicaria O. F. Müller, Naturforscher, XXII. 1787, 49.—Ver.
Vesicaria F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 29.—Ver.
vesicatoria Cantharis (L.), C. de Geer, Mémoires. Ins. V. 1775, 12.—Meloe.
vesicatoria Lytta (L.), J. C. Fabricius, Syst. Ent. 1775, 260.—Meloe.
vesicatorius Meloe, Linnaeus, Syst. Nat., ed. 10, 1758, 419; ed. 12, 1767, 679.

- vesicularis** Ascaris, J. A. Frolich, Naturforscher, XXV. 1791, 85.
vesicularis Cassida, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 40.
vesicularis Cassida, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 88.
vesicularis Conops, Linnaeus, Faun. Suec., ed. 2, 1761, 468.
vesicularis Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 70.
vesiculifera Leucophaea, O. F. Müller, An. Infus. 1786, 148.
vesiculosus Echinorhynchus, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 124.
vesiculosa Libellula, J. C. Fabricius, Syst. Ent. 1775, 421.
vesiculosus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 299.
Vespa Linnaeus, Syst. Nat., ed. 10, 1758, 572; ed. 12, 1767, 948.—Hym.
vespa Sphinx, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 33.
vespa Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 72.
vesparia Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2788.
vesparum Ichneumon, P. Rossi, Bull. Soc. Philom. à ses correspon. 1793, 49'.
vesparum Xenos, P. Rossi, Mant. Ins. II. 1794, 114.—Ichneumon, 1793.
vespasius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 334.
vespertina Geometra (L.), C. P. Thunberg, Ins. Suecica (1) 1784, 5.—Phalaena.
vespertina Phalaena, J. C. Fabricius, Mant. II. 1787, 191.
vespertina Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 864.
Vespertilio Linnaeus, Syst. Nat., ed. 10, 1758, 31; ed. 12, 1766, 46.—M.
vespertilio Alpheus, F. Weber, Nomen. Fabricii, 1795, 91.—Cancer, 1793.
vespertilio Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 463.
vespertilio Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 67.
vespertilio Lophius, Linnaeus, Syst. Nat., ed. 10, 1758, 236; ed. 12, 1766, 402.
vespertilio Murex, F. C. Meuschen, Mus. Gever. 1787, 324.
vespertilio Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3553.
vespertilio Noctua, J. C. Fabricius, Mant. II. 1787, 136.
vespertilio Oryxus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 219.—Sirex, 1793.
vespertilio Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 60.
vespertilio Raja, J. A. Donndorff, Zool. Beyt. III. 1798, 876.
vespertilio Sirex, J. C. Fabricius, Ent. Syst. II. 1793, 129.
vespertilio Sphinx, E. J. C. Esper, Die Schmett. II (14) [1781], 178.
vespertilio Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 733; ed. 12, 1767, 1194.
vespertilionis Acarus (Linn.), Scopoli, Ent. Carn. 1763, 387.—Pediculus.
vespertilionis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3030.
vespertilionis Fasciola, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 18.
vespertilionis Nycteribia (L.), P. A. Latreille, Préc. Car. Ins. 1796, 176.—Acarus.
vespertilionis Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 611.
vespertilionis Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3060.
vespertillo Sphinx, C. de Villers, Linn. Ent. II. 1789, 97.
vespertinoides Falco, J. P. Falk, Reise Russ. (5) 1786, 329.
vespertinus Agyrtus, J. A. Frolich, Naturforscher, XXVIII. 1799, 18.
vespertinus Bufo, J. G. Schneider, Hist. Amph. I. 1799, 225.
vespertinus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 487.
vespertina Ephemera, Linnaeus, Syst. Nat., ed. 10, 1758, 547; ed. 12, 1767, 906.
vespertinus Falco, Linnaeus, Syst. Nat., ed. 12, 1766, 129.
vespertina Ichneumon, J. L. Christ, Nat. Ins. 1791, 342.
vespertina Lampyrus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 124.
vespertina Rana, P. S. Pallas, Reise Russ. I. 1771, 458.
vespertinus Scarabaeus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 67 [1799], tab. 3.
vespertinus Solen, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3228.
vespera Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
vesperus Solen, C. U. v. Salis, Reise Neapel, 1793, 382.
vespiformis Apis, Scopoli, Ent. Carn. 1763, 302.
vespiformis Apis, J. R. Forster, N. Sp. Ins. 1771, 92.
vespiformis Cimex, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 772.
vespiformis Crabro, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 14.
vespiformis Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 361.

- vespiformis** Larra, J. C. Fabricius, Ent. Syst. II. 1793, 220.—Sphex, 1775.
vespiformis Masaris, J. C. Fabricius, Ent. Syst. II. 1793, 283.
vespiformis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 593; ed. 12, 1767, 986.
vespiformis Scolia, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 281.
vespiformis Sphex, J. C. Fabricius, Syst. Ent. 1775, 348.
vespiformis Sphex, F. v. P. Schrank, Ins. Aust. 1781, 381.
vespiformis Sphinx, Linnaeus, Faun. Suec., ed. 2, 1761, 289.
vespiformis Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 769.—Musca.
vespiformis Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 329.
vespiformis Tiphia, J. C. Fabricius, Mant. I. 1787, 278.—Sphex, 1775.
vespillo Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 17.
vespillo Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 318.
vespillo Nicrophorus (L.), L. G. Scriba, J. Lieb. Ent. II. 1790, 168.—Silpha.
vespillo Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 359; ed. 12, 1767, 569.
vespilloides Nicrophorus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 32.
vespoides Apis, F. v. P. Schrank, Ins. Aust. 1781, 408.
vespoides Bembex, P. Rossi, Fauna Etrus. II. 1790, 82.
vespoides Crabro, P. Rossi, Mant. Ins. I. 1792, 137.—Bembex, 1790.
vespoides Ichneumon, G. W. F. Panzer, Ins. Germ. heft 47 [1797], tab. 19.
vespoides Sphex, Scopoli, Ent. Carn. 1763, 296.
vesta Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 262.
vesta [Papilio], P. Cramer, Utitl. Kapellen, II (10) 1777, 33.
vesta Papilio, J. C. Fabricius, Mant. II. 1787, 14.
vestalis Apis, A. F. de Fourcroy, Ent. Paris. 1785, 450.
vestalis Phalaena Geometra, J. E. I. Walch, Naturforscher, XIII. 1779, 30.
vestenae Callionymus, G. S. Volta, Itt. Veron. (2) [circa 1800], cxl.
vestialis Phalaena, [D. H. Schneider], Nom. Ent. 1785, 52 [*n. n.*].
vestianella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 536; ed. 12, 1767, 888.
vestianella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 660.—Phalaena.
vestiaria Certhia, J. Latham, Index Orn. 1790, 282.
vestiarius Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 758; ed. 12, 1767, 1230.
vestigialis Bombyx (Hufn.), E. J. C. Esper, Die Schmett. III (23) 1785, 270.—Phalaena.
vestigialis Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 25.
vestigialis Phalaena, Hufnagel, Berl. Mag. II. 1766, 422.
vestita Apis, J. C. Fabricius, Ent. Syst. II. 1793, 329.
vestita Bombyx, J. C. Fabricius, Syst. Ent. 1775, 586.
vestitus Carabus, G. Paykull, Mon. Carab. 1790, 73.
vestita Chrysomela, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 105.
vestita Phalaena B. (Fab.), E. J. C. Esper, Die Schmett. III (22) 1785, 225.—Bombyx.
vesulia [Phalaena], P. Cramer, Utitl. Kapellen, III (20) 1779, 79.
vesulus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 98.
veter Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 24.—Simia. [Simia.
veter Papio (L.), J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 3 [*n. n.*].—
veter Pithecus (L.), E. Geoffroy and Cuvier, Mag. encyclop. III (12) 1795, 462.—Simia.
veter Scarabaeus, J. C. Fabricius, Mant. II. 1787, 377.
veter Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 36.
veter Simia (Cercop.), L., R. Kerr, Anim. Kingd. 1792, 64; & *var.* albibarbatus.
veterana Apis, J. C. Fabricius, Ent. Syst. II. 1793, 324.
veterinus Oestrus, B. Clark, Tr. Linn. Soc. [Lond.] III. 1797, 312.
vetulata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 109.
vetulata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 263 [*n. et f.*].
vetula Balistes, Linnaeus, Syst. Nat., ed. 10, 1758, 329; ed. 12, 1766, 406.
vetulus Cercopithecus, J. C. P. Erxleben, Syst. Anim. 1777, 25.
vetula Chaetodon, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 405.
vetula Cuculus, Linnaeus, Syst. Nat., ed. 10, 1758, 111; ed. 12, 1766, 169.
vetula Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 460.
vetula Daphne, O. F. Müller, Z. Dan. Prod. 1776, 199.
vetulus Dytiscus, F. v. P. Schrank, F. Boica, I. 1798, 710.

- vetula** Labrus, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 14.
vetula Murex, F. C. Meuschen, Mus. Gever. 1787, 330.
vetula Phalaena Noctua, J. Hübner, Beitr. Schmett. I (3) [1788], 13.
vetula Pectunculus, E. M. da Costa, Brit. Conch. 1778, 190.
vetustata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 114.
vetusta Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
vexator Vespa, M. Harris, Exp. Eng. Ins. 1776, 127.
vexillatus Crabro, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 5.
Vexillum J. F. Bolten, Mus. Bolten. (2) 1798, 138.—G.
vexillum Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 362.
vexillum Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3397.
vexillum Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3558.
vexillum Pinna, I. v. Born, Index Mus. Caes. Vind. 1778, 118.
vexillum Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3520.
vexillum Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3464.
vexillum-croceum Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 82.
vexillum-pacis Chama, F. C. Meuschen, Mus. Gever. 1787, 452.
v-flavum Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2182.
v-flavum Crabro, Hellwig in G. W. F. Panzer, Ins. Germ. heft 17, 1794, tab. 20.
viagnella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 288.
viatica Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 623; ed. 12, 1767, 1036.
viatica Formica, J. C. Fabricius, Mant. I. 1787, 308.
viaticus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 419.
viatica Podura, A. F. de Fourcroy, Ent. Paris. 1785, 524.
viaticus Pompilus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 246.—Sphex.
viatica Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 570; ed. 12, 1767, 943.
viator Curculio, P. Rossi, Mant. Ins. I. 1792, 41.
viator Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 89.
viator Ichneumon, Scopoli, Ent. Carn. 1763, 284.
vibex Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 737; ed. 12, 1767, 1200.
vibex Cassida, Linnaeus, Syst. Nat., ed. 12, 1767, 575.
vibex Cassidea (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 417.—Buccinum.
vibex Cassis (L.), F. C. Meuschen, Mus. Gever. 1787, 390.—Buccinum.
vibex Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1711.
vibex Curculio, P. S. Pallas, Icon. Ins. 1781, 32.
vibex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 154.
vibex Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3522.
vibicaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 50 [n. et f.].
vibicaria [Phalaena], C. Clerck, Icones, I. 1759, pl. iii, 2.
vibicaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 514.
vibicaria Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 323.
vibicaria Phalaena, P. Cramer, Utitl. Kapellen, I (6) 1775, 112.
vibicinus Murex (Fusus), G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 117.
vibrans Acarus, J. C. Fabricius, Mant. II. 1787, 372.
vibrans Libellula, J. C. Fabricius, Ent. Syst. II. 1793, 380.
vibrans Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 599; ed. 12, 1767, 996.
vibratoria Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 587; ed. 12, 1767, 975.
vibratrix Tipula=vibratoria, Linnaeus, Faun. Suec., ed. 2, 1761, 436.
Vibrio O. F. Müller, Verm. I (1) 1773, 39.—Inf.
viburnana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 128.
viburnii Aphis, Scopoli, Ent. Carn. 1763, 136.
viburni Aphis, J. C. Fabricius, Syst. Ent. 1775, 737.
viburni Galeruca, G. Paykull, Faun. Suec. II. 1799, 89.
viburniana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 229.—Tortrix viburnana.
vicanus Empis, M. Harris, Exp. Eng. Ins. 1776, 151.
vicanus Musca, M. Harris, Exp. Eng. Ins. 1776, 152.
vicarius Conus, Linnaeus, Syst. Nat., ed. 12, 1767, 1167.
vicarius Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 45.—Conus.

- vicia** Echinocyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 215.
- vicia** Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3193.—Echinocyamus.
- viciae** Attelabus, G. Paykull, Faun. Suec. III. 1800, 181.
- viciae** Bruchus, A. G. Olivier, Entom. IV. 1795, 12.
- viciae** Curculio, C. de Geer, Mém. Ins. V. 1775, 253. [viciella, D. & S., est.]
- viciae** Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 277.—P. Tinea
- viciae** Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 45.
- viciae** Sphinx, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 208.
- viciella** Bombyx (D. & S.), C. de Villers, Linn. Ent. IV. 1789, 453.—Tinea.
- viciella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 133.
- vicinalis** [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (31) 1781, 164.
- victor** Cancer, J. C. Fabricius, Spec. Ins. II. 1781, 502.
- victor** Cimex, J. C. Fabricius, Syst. Ent. 1775, 705.
- victor** Ichneumon, Scopoli, Ent. Carn. 1763, 287.
- victor** Matuta, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer, 1775.
- victoria** Libellula, A. F. de Fourcroy, Ent. Paris. 1785, 348.
- vicugna** Camelus, G. I. Molina, Sag. stor. nat. Chili, 1782, 313.
- Vidua** G. Cuvier, Leçons Anat. Comp. I. 1800, tab. 2.—A.
- vidua** *v.* **viduus**.
- vidualis** Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 458.
- viduana** Phalaena (Tortrix), O. F. Müller, Z. Dan. Prod. 1776, 132.
- viduaria** Phalaena (Geometra), O. F. Müller, F. Ins. Frid. 1764, 49.
- viduaria** Phalaena Geometra, H. G. Lang, Verz. Schmett., ed. 2, 1789, 179.
- viduaria** Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 172.—G.
- viduata** Actinia, O. F. Müller, Z. Dan. Prod. 1776, 231. [viduata, D. & S., est.]
- viduata** Anas, Linnaeus, Syst. Nat., ed. 12, 1766, 205.
- viduata** Aranea, O. F. Müller, Z. Dan. Prod. 1776, 194.
- viduatus** Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 117.
- viduata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 101.
- viduatus** Monoculus (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 496.—Cypris vidua.
- viduata** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 598; ed. 12, 1767, 994.
- viduata** Mutilla, P. S. Pallas, Reise Russ. II. 1773, 730.
- viduata** Sphex, J. L. Christ, Nat. Ins. 1791, 305.
- viduatus** Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 374.
- viduella** Phalaena, Scopoli, Ent. Carn., 1763, 245.
- viduella** Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 299.
- vidua** Bombyx, J. C. Fabricius, Syst. Ent. 1775, 580.
- viduus** Curculio, G. W. F. Panzer, Ins. Germ. heft 42 [1797], tab. 17.
- vidua** Cypris, O. F. Müller, Z. Dan. Prod. 1776, 199.
- vidua** Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 312.
- vidua** Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 82.
- vidua** Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3002.—Cypris.
- vidua** [Papilio], J. A. B. Bergstraesser, Nom. Ins. III. 1779, 24.
- vidua** Papilio (Nymphalis), O. F. Müller, F. Ins. Frid. 1764, 36.
- vidua** Papilio Nym., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2336.
- vidua** [Phalaena], P. Cramer, Utit. Kapellen, III (22) 1779, 127.
- vidua** Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 181.
- vidua** Phalaena (Bombyx), N. Poda, Ins. Mus. Graec. 1761, 88.
- vidua** Phalaena (B.), A. W. Knoch, Beitr. Insektenges. I. 1781, 48.
- vidua** Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 34.
- vidua** Tenthredo, P. Rossi, Fauna Etrus. II. 1790, 26.
- viella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 144.
- viennensis** Anthrenus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 336.
- viennensis** Carabus, [D. H. Schneider], Nom. Ent. 1785, 21 [n. n.].
- viennensis** Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 74.
- viennensis** Cicindela, F. v. P. Schrank, Ins. Aust. 1781, 190.
- viennensis** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2159.
- viennensis** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 338.

- viennensis** Kolon, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 225.
viennensis Meloe, F. v. P. Schrank, Beitr. Nat. 1776, 71.
viennensis Proscarabaeus, F. v. P. Schrank, Ins. Aust. 1781, 227.—Meloe, 1776.
viennensis Psoa, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 215.
viennensis Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 331.
vigilator Buceros, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
vigil Portunus, F. Weber, Nomen. Fabricii, 1795, 93.
vigil Portunus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 363.
vigilans Ichneumon, J. L. Christ, Nat. Ins. 1791, 370.
vigilator Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 426.
viginti-guttata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 367; ed. 12, 1767, 584.
viginti-guttatus Dermestes, J. C. Fabricius, Syst. Ent. 1775, 56.
vigintimaculata Cassida, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 86.
vigintipunctata Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 105.
vigintipunctata Chrysomela (Scop.), F. v. P. Schrank, Ins. Aust. 1781, 74.—Cocci-
vigintipunctata Chrysomela, J. C. Fabricius, Mant. I. 1787, 75. [nella.
viginti-punctata Coccinella, Scopoli, Ent. Carn. 1763, 78.
vigintipunctata Coccinella, J. C. Fabricius, Syst. Ent. 1775, 84.
vigintipunctatus Eotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 436.
vigintipunctata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 21.—Chrysomela,
viginti-punctata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer. 1783, 52. [1787.
vigintipustulatus Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 45.
vigintipustulata Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal., 1787, 44.
vigintipustulata Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 24.
viginti-sulcatus Pecten, O. F. Müller, Z. Dan. Prod. 1776, 248.
viginti-duo-maculata Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 281.
viginti-duo-punctata Buprestis, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 38.
viginti-duo-punctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 366; ed. 12, 1767,
vigintioctopunctata Coccinella, J. C. Fabricius, Syst. Ent. 1775, 84. [582.
vigintiquattuormaculata Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 281.
viginti-quattuor-punctata Cassida, J. A. Scopoli, Annus V. 1772, 92. [1767, 583.
viginti-quattuor-punctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 366; ed. 12,
viginti-quinque-punctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 366; ed. 12,
viginti-tres-punctata Coccinella, Linnaeus, Syst. Nat., ed. 12, 1767, 582. [1767, 583
vilburgensis Cimex, J. A. Pollich, Bemerk. Kuhrpfälz. phys.-oek. Ges. 1779 (1781), 271.
vilis Curculio, P. Rossi, Fauna Etrus. I. 1790, 120.
villica Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 581.—Phalaena.
villicum Callidium, A. G. Olivier, Entom. IV. 1795, 64.
villicus Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [*n. n.*].
villicus Cerambyx, O. F. Müller, F. Ins. Friid. 1764, 13.
villicus Cerambyx, A. G. Olivier, Entom. IV. 1795, 102.
villica Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 468.
villica Leptura, J. C. Fabricius, Syst. Ent. 1775, 196.
villica Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 501; ed. 12, 1767, 820.
villida Papilio, J. C. Fabricius, Mant. II. 1787, 35.
villosula Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 95.
villosulus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 253.
villosa Anatifa, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 62.
villosa Apis, J. C. Fabricius, Syst. Ent. 1775, 828.
villosa Ascidia, O. Fabricius, F. Groen. 1780, 333.
villosus Asilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2901.
villosus Bostrichus, J. C. Fabricius, Ent. Syst. I (2) 1792, 367.
villosus Bruchus, J. C. Fabricius, Ent. Syst. I (2) 1792, 373.
villosa Bulla, T. Martyn, Univ. Conch. III [1789], fig. 95.
villosa Cantharis, A. F. de Fourcroy, Ent. Paris. 1785, 155.
villosa Chalcis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 438.
villosa Cicada, J. C. Fabricius, Syst. Ent. 1775, 684. [gonia.
villosa Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2096.—Tetti-

- villosus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 35.
 villosus Clerus, A. F. de Fourcroy, Ent. Paris. 1785, 135.
 villosus Clerus (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 41.—Lagria.
 villosa Clupea, O. F. Müller, Z. Dan. Prod. 1776, 50.
 villosa Clupea, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 43.
 villosa Coccinella, A. F. de Fourcroy, Ent. Paris. 1785, 149.
 villosa Coccinella, J. C. Fabricius, Mant. II. 1787, 379.
 villosus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1730.—
 villosus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 178. [Lagria].
 villosus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 131.
 villosus Dermestes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1600.
 villosus Elater, A. F. de Fourcroy, Ent. Paris. 1785, 40.
 villosus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1916.
 villosus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1917.
 villosus Gyrimus, O. F. Müller, Z. Dan. Prod. 1776, 68.
 villosa Helix, Studer in Coxe, Trav. Switz. III. 1789, 385 [*n. n.*].
 villosa Lagria, J. C. Fabricius, Spec. Ins. I. 1781, 160.
 villosa Lampyrus, C. de Geer, Mém. Ins. IV. 1774, 47.
 villosum Lepisma, J. C. Fabricius, Syst. Ent. 1775, 300.
 villosa Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 80.
 villosa Leptura, P. Rossi, Fauna Etrus. I. 1790, 162.
 villosa Lytta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 119.
 villosa Machla (Ol.), Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 153.—Opatrum.
 villosa Melolontha, J. C. Fabricius, Spec. Ins. II. 1781, 496.
 villosus Melyris, A. G. Olivier, Entom. II. 1790, 9.
 villosa Mordella, F. v. P. Schrank, Ins. Aust. 1781, 228.
 villosus Nemotelus, J. C. Fabricius, Ent. Syst. IV. 1794, 270.
 villosa Nitidula, C. P. Thunberg, Ins. Suecica (5) 1794, 70.
 villosum Opatrum, A. G. Olivier, Entom. III. 1795, 5.
 villosa Peltis, O. F. Müller, Z. Dan. Prod. 1776, 64.
 villosa Peltis, A. F. de Fourcroy, Ent. Paris. 1785, 32.
 villosa Phryganea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 200.
 villosus Picus, Linnaeus, Syst. Nat., ed. 12, 1766, 175.
 villosa Podura, Linnaeus, Syst. Nat., ed. 12, 1767, 1014.
 villosus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 252.—Sphex, 1775.
 villosus Reduvius, J. C. Fabricius, Ent. Syst. IV. 1794, 194.
 villosus Salmo, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 167.
 villosus Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 9.
 villosa Silpha (Geoff.), C. de Villers, Linn. Ent. I. 1789, 88.—Peltis.
 villosa Silpha, D. E. Naezén, K. Vet. Ac. Nya Handl. XIII. 1792, 168.
 villosa Sphex, J. C. Fabricius, Syst. Ent. 1775, 352.
 villosa Spongia, P. S. Pallas, Elench. 1766, 392.
 villosus Stenocorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 302.
 villosa Stratiomys, J. C. Fabricius, Suppl. Ent. Syst. 1798, 556.—Nemotelus, 1794.
 villosa Taenia, M. E. Bloch, Eingeweidewürmer, 1782, 12.
 villosus Tenebrio, C. de Geer, Mém. Ins. V. 1775, 44.
 villosa Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 159.
 villosus Tenebrio, J. C. Fabricius, Mant. I. 1787, 212.
 villosa Tettigonia, J. C. Fabricius, Spec. Ins. II. 1781, 321.
 villosa Tiphia, J. C. Fabricius, Ent. Syst. II. 1793, 227.
 villosa Tipula, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 228.
 vimba Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 325; ed. 12, 1766, 531.
 vimba Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 311; ed. 12, 1766, 512.
 viminalis Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 371; ed. 12, 1767, 590.
 viminalis Curculio, J. C. Fabricius, Syst. Ent. 1775, 144.
 viminalis Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 554; ed. 12, 1767, 919.
 viminalis Gorgonia, P. S. Pallas, Elench. 1766, 184.
 viminalis Noctua, J. C. Fabricius, Gen. Ins. 1777, 284.

- viminalis** Phalaena, Scopoli, Ent. Carn. 1763, 241.
viminalis Salius (Fabr.), F. v. P. Schrank, F. Boica, I. 1798, 510.—Curculio.
viminalis Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122.
viminalis Tenthredo, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 126.
viminea Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 144.
vinacea Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 782.
vinacea Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3238.
vinalis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 449.
vincentiata [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, I. 1787, 39.
vinctorum Syrphus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 562.
vinctus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 373.
vindex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
vindex [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 122.
vinearum Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 43.
vinearum Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 376.—Buprestis.
vinetella Tinea, J. C. Fabricius, Mant. II. 1787, 242.
vinetorum Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 472.—Tinea vinetella, 1787.
vini Callidium, G. W. F. Panzer, Ins. Germ. heft 66 [1799], tab. 10.
vini Dermestes, J. N. Laicharting, Tyrol. Ins. I. 1781, 65.
vini Dermestes, G. W. F. Panzer, Ins. Germ. heft 40 [1797], tab. 14.
vinosa Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3421.
vinosa Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 314.
vinosa Phalaena Noct. (ex Goeze), Panzer in Drury, Exot. Ins. 1785, 88.
vinosa Sphinx, D. Drury, Ill. Nat. Hist. I. 1770, index & 47.
v insignitus Araneus, T. Martyn, Aranei, 1793, 58.
▼ insignitus Araneus, T. Martyn, Aranei, 1793, 57.
vinulae Ichneumon, Scopoli, Ent. Carn. 1763, 286.
vinula Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 566.—Phalaena.
vinulus Musca, M. Harris, Exp. Eng. Ins. 1776, 117.
vinula Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 499; ed. 12, 1767, 815.
vinula Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 207.
viola aquatica Gyrimus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1612.
violaceo-caerulea Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 106.
violacea-nigra Chrysomela, C. de Geer, Mém. Ins. V. 1775, 298.
violaceo-punctata Chrysomela, C. de Geer, Mém. Ins. V. 1775, 344.
violacea Adimonia, J. N. Laicharting, Tyrol. Ins. I. 1781, 193.
violaceus Alurnus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 128.
violacea Anomia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 71.
violacea Aphrodita, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 366.
violacea Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 578; ed. 12, 1767, 959.
violacea Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 143; ed. 12, 1766, 238.
violaceus Asilus, J. C. Fabricius, Gen. Ins. 1777, 308.
violacea Asterias, O. F. Müller, Zool. Dan. II. 1784, 17.
violaceus Attelabus (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 236.—Dermestes.
violacea Buprestis, C. de Geer, Mém. Ins. IV. 1774, 130.
violacea Buprestis, J. C. Fabricius, Mant. I. 1787, 178.
violaceum Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 188.—Cerambyx.
violacea Cantharis, Linnaeus, Syst. Nat., ed. 12, 1767, 650.
violacea Cantharis, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 84.
violacea Cantharis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 54.
violacea Cantharis, G. Paykull, Faun. Suec. I. 1798, 260.
violaceus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 414; ed. 12, 1767, 669.
violaceus Carabus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 20.
violaceus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 395; ed. 12, 1767, 635.
violaceus Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 244.—Saperda.
violaceus Cerambyx, C. de Villers, Linn. Ent. I. 1789, 239.
violacea Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 188.
violacea Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 446. [See p. 1048.]

- violacea* Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 446, no. 1666.
violacea Chrysis (Scop.), J. L. Christ, Nat. Ins. 1791, 405.—Sphex.
violacea Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 270.
violacea Chrysomela (Geoff.), C. de Villers, Linn. Ent. I. 1789, 158.—Cryptocephalus.
violacea Chrysomela, P. Rossi, Mant. Ins. I. 1792, 29.
violacea Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 437; ed. 12, 1767, 708.
violacea Cicada, Scopoli, Ent. Carn. 1763, 114.
violacea Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 117.
violaceus Clerus, A. F. de Fourcroy, Ent. Paris. 1785, 134.
violaceus Clerus (L.), F. v. P. Schrank, F. Boica, I. 1798, 516.—Dermestes.
violaceus Clerus (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 14.—Notoxus.
violacea Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 149.
violaceus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 116.
violaceus Coluber, U. J. Sentzen in Meyer, Zool. Archiv (2) 1796, 59.
violaceus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3391.
violaceus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 178.
violacea Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 184.
violacea Crioceris, J. C. Fabricius, Ent. Syst. I (2) 1792, 11.
violaceus Cryptocephalus, J. N. Laicharting, Tyrol. Ins. I. 1781, 172.
violaceus Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 92.
violaceus Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 62.
violaceus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 378; ed. 12, 1767, 614.
violaceus Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 356; ed. 12, 1767, 563.
violacea Diaperis, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 219.
violacea Donacia (Pall.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 292.—Leptura.
violacea Donacia, D. H. Hoppe, Ins. Elyt. 1795, 44.
violacea Donax, J. F. Bolten, Mus. Bolten. (2) 1798, 184.
violacea Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 182.—[Tanagra, ed. 12.]
violacea Galeruca, A. F. de Fourcroy, Ent. Paris. 1785, 103.
violacea Gorgonia, P. S. Pallas, Elench. 1766, 176.
violacea Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1026.
violaceus Hydrophilus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 315.
violacea Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 75.
violaceus Korynetes (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 150.—Der-
violacea Lagena, J. F. Bolten, Mus. Bolten. (2) 1798, 131 [n. n.]. [mestes.
violacea Lepas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3213.
violacea Leptura, P. S. Pallas, Reise Russ. II. 1773, 734.
violacea Leptura, C. de Geer, Mém. Ins. V. 1775, 144.
violacea Leptura (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 94.—Cerambyx.
violacea Libellula, C. de Geer, Mém. Ins. III. 1773, 559.
violacea Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 176; ed. 12, 1766, 306.
violacea Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3260.
violacea Melolontha, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I. 1791, 114.
violacea Millepora, P. S. Pallas, Elench. 1766, 258.
violacea Motacilla, P. Boddaert, Tab. Planch. Enl. 1783, 11.
violaceus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 320.
violacea Musca, Scopoli, Ent. Carn. 1763, 340.
violacea Muscicapa (Isert), G. A. Suckow, Naturg. II [1] 1800, 391.—Musophaga.
violacea Musophaga, P. E. Isert, Schrift. Berlin. Ges. Nat. Freunde, IX. 1789, 18.
violacea Mylaris, P. S. Pallas, Icon. Ins., 1781, 40.
violaceus Mytilus, F. C. Meuschen, Mus. Gever. 1787, 468.
violacea Mytilus, J. Barbut, Gen. Verm. II. 1788, 70.
violaceus Mytilus, J. F. Bolten, Mus. Bolten. (2) 1798, 158.
violacea Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
violacea Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3685.
violaceus Notoxus, J. C. Fabricius, Mant. I. 1787, 127.
violacea Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3321.
violaceus Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 575.

- violacea* Phalaena Tinea, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 88.
violacea Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2011.—
violacea Pinna, J. F. Bolten, Mus. Bolten. (2) 1798, 160 [*n. n.*]. [Mylaris.
violacea Podura, A. F. de Fourcroy, Ent. Paris. 1785, 525.
violaceus Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 25.
violaceus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 337.
violacea Saperda, J. C. Fabricius, Syst. Ent. 1775, 187.
violaceus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1533.
violaceus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 171.
violaceus Scolia, G. W. F. Panzer, Ins. Germ. heft 66 [1799], tab. 18.
violacea Scolopendra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 289.
violaceus Solen, C. U. v. Salis, Reise Neapel, 1793, 382.
violacea Sphex, Scopoli, Ent. Carn. 1763, 298.
violacea Sphex, J. C. Fabricius, Syst. Ent. 1775, 346.
violaceus Staphylinus, A. G. Olivier, Entom. III. 1795, 8.
violaceus Stenocorus (Linn.), J. A. Scopoli, Annus V., 1772, 97.—Cerambyx.
violaceus Sturnus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 314.—Turdus.
violacea Tanagra, Linnaeus, Mus. Adolph. Frid. II. 1764, 31.
violacea Tellina (*ex* Rumph), P. L. S. Müller, Del. Nat. I. 1766, 119.
violacea Tellina, F. C. Meuschen, Mus. Gever. 1787, 488.
violacea Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 186.
violaceus Tenebrio, J. R. Forster, Cat. Brit. Ins. 1770, 6 [*n. n.*].
violaceus Tenebrio, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 48.
violaceus Tenebrio, J. C. Fabricius, Ent. Syst. 1798, 48.
violacea Tenthredo, J. C. Fabricius, Reise Norwegen, 1779, 64.
violacea Tenthredo, J. L. Christ, Nat. Ins. 1791, 449.
violacea Tettigonia (L.), J. C. Fabricius, Syst. Ent. 1775, 682.—Cicada.
violaceus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 488.
violaceus Trogon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 404.
violaceus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 819.
violaceus Unio, L. Spengler, Skr. nat. Selsk. [Copen.], III (1), 1793, 55.
violacea Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3288.
violae Papilio, J. C. Fabricius, Syst. Ent. 1775, 460.
violascens Curculio, F. v. P. Schrank, Ins. Aust. 1781, 105.
violascens Porcellana, F. C. Meuschen, Mus. Gever. 1787, 400.
violascens Venus, P. Forskal, Descr. Anim. 1775, xxxi.
violator Ichneumon, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 86.
violata Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 179 [*n. n.*].
violata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 14.
violata Phalaena, J. C. Fabricius, Mant. II. 1787, 213.
violella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
Vipera L. T. Gronovius, Zooph. I. 1763, 25.—R.
Vipera J. N. Laurenti, Syn. Rept., 1768, 99.—R.
Vipera G. Edwards in M. Catesby, Carol. II. 1771, 119.—P.
vipera Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 216; ed. 12, 1766, 375.
vipera-anglorum Coluber, J. N. Laurenti, Syn. Rept., 1768, 98 & 188.
viperinus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 204.
viperinus Limax, T. Martyn, Univ. Conch. III [1789], fig. 120.
virbius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 353.
virbius [Papilio], P. Cramer, Uitl. Kapellen, II (12) 1777, 75.
virbia [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 146.
virena Cimex, D. Drury, Ill. Nat. Hist., III. 1782, index and 65.
virens Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 128.
virens Ardea, J. R. Forster, Cat. Anim. N. Amer. 1771, 14 [*n. n.*].
virens Ascidia, J. C. Fabricius, Reise Norwegen, 1779, 383.
virens Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 338.
virens Carabus, O. F. Müller, Z. Dan. Prod. 1776, 76.
virens Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 391; ed. 12, 1767, 627.

- virens** Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 479.
virens Chrysis, J. L. Christ, Nat. Ins. 1791, 405.
virens Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 730.
virens Coryphaena, Linnaeus, Syst. Nat., ed. 12, 1766, 448.
virens Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1759.
virens Curculio, F. v. P. Schrank, F. Boica, I. 1798, 496.
virens Dytiscus, O. F. Müller, Z. Dan. Prod. 1776, 70.
virens Elater, F. v. P. Schrank, Schrift. Berlin. Ges. Nat. Freunde, II. 1781, 317.
virens Elater, J. C. Fabricius, Mant. I. 1787, 172.
virens Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 253; ed. 12, 1766, 438.
virens Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2088.
virens Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 397; ed. 12, 1767, 638.
virens Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 303.
virens Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 162.
virens Miris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 185.—Cimex.
virens Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 985.
virens Musca, Scopoli, Ent. Carn., 1763, 342.
virens Musca, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 91.
virens Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 327.
virens Nerita, F. C. Meuschen, Mus. Gev. 1787, 270.
virens Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 847.
virens Scarabaeus, C. Allioni, Misc. Taurin. III. 1766, 186.
virens Scarabaeus, D. Drury, Ill. Nat. Hist., II. 1773, index & 54.
virens Solen, Linnaeus, Syst. Nat., ed. 12, 1767, 1115.
virens Sylvia (Gm.), J. Latham, Index Orn. 1790, 537.—Motacilla.
virens Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 317.
virens Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 975.
virens Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 171.
virens Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3291.
virens Xanthornus [Schreber], Naturforscher, XVIII. 1782, 1.
virescens Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 70.
virescens Andrena, J. C. Fabricius, Syst. Ent. 1775, 378.
virescens Apis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2792.—Andrena.
[virescens Araneus, C. Clerck, Aran. Svec. 1757, 138.]
virescens Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 623; ed. 12, 1767, 1036.
virescens Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 408.
virescens Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 144; ed. 12, 1766, 238.
virescens Bombylius, J. C. Fabricius, Mant. II. 1787, 366.
virescens Byrrhus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1613.
virescens Cancer, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 304.
virescens Cantharis, Linnaeus, Syst. Nat., ed. 12, 1767, 650.
virescens Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3256.
virescens Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1858.
virescens Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 255.—Saperda.
virescens Cerambix, A. G. Olivier, Entom. IV. 1795, 77.
virescens Certhia, A. Voeg, Catal. Vogel. 1764, Adumb., 1.
virescens Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
virescens Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 747.
virescens Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 46.
virescens Curculio, C. Quensel, Diss. ign. insect. 1790, 16.
virescens Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1958.
virescens Dytiscus, N. J. Brahm, Ins. Kal. I (1) 1790, 27.
virescens Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1906.
virescens Formica, J. C. Fabricius, Syst. Ent. 1775, 392.
virescens Fulgora, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 12.
virescens Helix, Studer in Coxé, Trav. Switz. III. 1789, 387 [n. n.].
virescens Hister, G. Paykull, Faun. Suec. I. 1798, 48.
virescens Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 67.

- virescens** Icterus, F. M. Daudin, *Traité élém. Orn.* 1800, 339.
- virescens** Leucophaea, O. F. Müller, *An. Infus.* 1786, 142.
- virescens** Lucanus, J. C. Fabricius, *Syst. Ent.* 1775, 817.
- virescens** Lutjanus, M. E. Bloch, *Nat. ausl. Fische, V.* 1791, 5.
- virescens** Nectydalis (L.), F. v. P. Schrank, *Ins. Aust.* 1781, 170.—Cantharis.
- virescens** Noctua, J. C. Fabricius, *Gen. Ins.* 1777, 282.
- virescens** Oriolus, *id. ac viridis*, Gm., J. Latham, *Index Orn.* 1790, 185.
- virescens** Patella, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3724.
- virescens** Phalangium, F. H. W. Martini & J. A. E. Goeze in *Lister, Spinnen*, 1778, 220.
- virescens** Phryganea, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2636.
- virescens** Psittacus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 326.
- virescens** Saperda, J. C. Fabricius, *Spec. Ins. II.* 1781, 499.
- virescens** Spondylus, K. Schreibers, *Vers. Conch. II.* 1793, 160.
- virescens** Thelephorus (Linn.), O. F. Müller, *Z. Dan. Prod.* 1776, 62.—Cantharis.
- virescens** Trogossita (Fab.), A. G. Olivier, *Entom. II.* 1790, 8.—Lucanus.
- virescens** Turdus, J. Latham, *Index Orn.* 1790, 351.
- viretata** Geometra, J. Hübner, *Europ. Schmett. (Geom.) [me judice 1796]*, fig. 230 [*n. et f.*]
- virgaria** Phalaena Geometra, M. B. Borkhausen, *Nat. eur. Schmett. V.* 1794, 61.—
- virgatella** Phalaena (Tin.), C. de Villers, *Linn. Ent. II.* 1789, 522. [*P. virgata*, Hufn., *est.*]
- virgata** Antipathis, E. J. C. Esper, *Pflanzenth., Forts. II (9)* 1798, 8.
- virgatus** Araneus, C. Clerck, *Aran. Svec.* 1757, 42.
- virgata** Ardea, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 643.
- virgata** Bulla, T. Martyn, *Univ. Conch. I.* [1784 non 1769], fig. 11.
- virgatus** Coluber, C. P. Thunberg, *D. D. Mus. Ac. Upsal.* 1787, 22.
- virgata** Coluber, J. P. Bonnatere, *Ency. Méth. (Oph.)* 1790, 49.
- virgata** Helix, E. M. da Costa, *Brit. Conch.* 1778, 79.
- virgatus** Ichneumon, A. F. de Fourcroy, *Ent. Paris.* 1785, 401.
- virgata** Lepus, L. Spengler, *Skr. nat. Selsk. [Copen.] I (1)*, 1790, 207.
- virgata** Muscicapa, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 948.
- virgatus** Mytilus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3361.
- virgata** Nerita, F. C. Meuschen, *Mus. Gev.* 1787, 274.
- virgata** Patella, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3727.
- virgata** Phalaena, Hufnagel, *Berl. Mag. IV.* 1767, 608.
- virgata** Phalaena, A. F. de Fourcroy, *Ent. Paris.* 1785, 285.
- virgatus** Sparus, M. Houttuyn, *Verh. Holl. Maat. Wet. Haarlem. XX (2)*, 1782, 323.
- virgata** Tellina, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 674; ed. 12, 1767, 1116.
- virgata** Tenthredo, A. F. de Fourcroy, *Ent. Paris.* 1785, 367.
- virgata** Tinea, A. F. de Fourcroy, *Ent. Paris.* 1785, 337.
- virgata** Tringa, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 674.
- virgatus** Trochus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3580.
- virgata** Venus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3281.
- virgata** Voluta, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3457.
- virgaurea** [Papilio], J. A. B. Bergstrasser, *ic. Pap. II.* 1780, 7.
- virgaurea** Hesperia (L.), J. C. Fabricius, *Ent. Syst. III (1)* 1793, 309.—Papilio.
- virgaurea** Papilio (Plebejus), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 484; ed. 12, 1767, 793.
- virgella** Tinea, C. P. Thunberg, *Ins. Suecica (7)* 1794, 92.
- virgillus** Hesperia, J. C. Fabricius, *Ent. Syst. III (1)* 1793, 323.
- virgilia** [Papilio], P. Cramer, *Uitl. Kapellen, I (8)*, 1776, 150.
- virginalis** Apis, A. F. de Fourcroy, *Ent. Paris.* 1785, 450.
- virginalis** Phalaena, A. F. de Fourcroy, *Ent. Paris.* 1785, 277.
- virginaria** Phalaena (Geom.), *Herbst, Einl. Ins. II.* 1785, 124.
- virginata** Cicindela, *err. pro virginica*, Fab., J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13,
- virginella** Phalaena, Scopoli, *Ent. Carn.* 1763, 246. [I. 1789, 1922.]
- virginea** Actinia, O. F. Müller, *Nova Acta Acad. Caes. VI.* 1778, 53.
- virginea** Aranea, O. F. Müller, *Z. Dan. Prod.* 1776, 194.
- virginea** Ascidia, O. F. Müller, *Z. Dan. Prod.* 1776, 225.
- virgineum** Buccinum (Linn.), O. F. Müller, *Verm. II.* 1774, 143.—Bulla.
- virgineum** Buccinum, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 740.—[Bulla, ed. 12.]

- virgineum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3505.
- virgineus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 315.
- virgineus Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 363.—Bulla.
- virginea Bulla, Linnaeus, Syst. Nat., ed. 12, 1767, 1186.
- virgineum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 682; ed. 12, 1767, 1124.
- virgineum Cardium, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II., 1791, 127.
- virgineum Ellobium, J. F. Bolten, Mus. Bolten. (2) [1798], 106.
- virginea Haliotis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3690.
- virginea Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 398; ed. 12, 1767, 639.
- virginea Leptura, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 56.
- virginea Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 798; ed. 12, 1767, 1281.
- virginea Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 168.
- virginea Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 778; ed. 12, 1767, 1254.
- virginea Patella, O. F. Müller, Z. Dan. Prod. 1776, 237.
- virginea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 302.
- virginea Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
- virginea Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 57.
- virginea Plotia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 96.—Bulla.
- virginea Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 141.
- virginea Rhinoceros, F. C. Meuschen, Mus. Gever. 1787, 264.
- virginea Sphinx, C. Allioni, Misc. Taurin. III. 1766, 192.
- virginea Talpa, P. L. S. Müller in Linn. Syst. Nat., Suppl.² (1776), 35.
- virginea Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 185.
- virginea Tipula, O. F. Müller, Z. Dan. Prod. 1776, 171.
- virginea Tipula, J. D. Preyßler in Mayer, Samm. Phys. Aufsätze, I. 1791, 62.
- virginea Venus, Linnaeus, Syst. Nat., ed. 12, 1767, 1136.
- virginianum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 225.—Gryllus.
- virginianus Canis, J. C. D. Schreber, Säugth. III. 361 (1776), pl. xcii. B (1776).
- virginianus Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1028.
- virginianus Cervus, P. Boddaert, Elench. 1785, 136.
- virginianus Cervus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 179.
- virginiana Coturnix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 219.
- virginiana Dama, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 129, and Kurz.
- virginiana Didelphis, R. Kerr, Anim. Kingd. 1792, 193. [Erkl. 1783, 11.
- virginianus Gryllus, J. C. Fabricius, Syst. Ent. 1775, 291.
- virginianus Mus, P. Boddaert, Elench. 1785, 111.
- virginiana Ostrea, J. F. Bolten, Mus. Bolten. (2) 1798, 169.—virginica, Gm.
- virginianus Parus, Linnaeus, Syst. Nat., ed. 12, 1766, 342.
- virginiana Perdix (L.), J. Latham, Index Orn., 1790, 650.—Tetrao.
- virginianus Rallus, Linnaeus, Syst. Nat., ed. 12, 1766, 263.
- virginianus Sciurus, P. Boddaert, Elench. 1785, 120.
- virginianus Sciurus, R. Kerr, Anim. Kingd. 1792, 259.
- virginianus Sciurus (Petaurus), R. Kerr, Anim. Kingd. 1792, 267.
- virginiana Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 287.
- virginiana Talpa, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 548.
- virginianus Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 161; ed. 12, 1766, 277.
- virginiaria [Phalaena], P. Cramer, Uitl. Kapellen, II (23) 1780, 149.
- virginica Altica, J. A. Frolich, Naturforscher, XXVI. 1792, 129.
- virginica Apis, Linnaeus, Mant. II. 1771, 540.
- virginica Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 437.
- virginica Buprestis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1940.
- virginica Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 64.
- virginica Cicindela, Linnaeus, Syst. Nat., ed. 12, 1767, 657.
- virginicus Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1114.—
- virginica Coronella, J. N. Laurenti, Syn. Rept. 1768, 86. [Coronella.
- virginica Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 849.
- virginicus Nicrophorus, J. A. Frolich, Naturforscher, XXVI. 1792, 123.
- virginica Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3336.

- virginicus** Polynemus, Linnaeus, Syst. Nat., ed. 10, 1758, 317; ed. 12, 1766, 521.
- virginica** Rana, J. N. Laurenti, Syn. Rept., 1768, 31.
- virginicus** Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 281; ed. 12, 1766, 472.
- virginica** Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3236.
- virginica** Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3294.
- virginiensis** Buprestis, D. Drury, Ill. Nat. Hist. I. 1770, index & 66.
- virginiensis** Hemorobius (*sic*), D. Drury, Ill. Nat. Hist. I. 1770, index & 110.
- virginiensis** Julus, D. Drury, Ill. Nat. Hist. I. 1770, index & 99.
- virginiensis** Musca, D. Drury, Ill. Nat. Hist. II. 1773, index & 71.
- virginiensis** Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 23.
- virgo** Agrion (L.), J. C. Fabricius, Syst. Ent. 1775, 425.—Libellula.
- virgo** Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 141; ed. 12, 1766, 234.
- virgo** Bonbyx (L.), J. C. Fabricius, Syst. Ent. 1775, 582.—Phalaena.
- virgo** Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 141.
- virgo** Cimex, P. Brown, Illust. Zool. 1776, 132.
- virgo** Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 713; ed. 12, 1767, 1166.
- virgo** Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 39.—Conus.
- virgo** Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 132.
- virgo** Ephemera, A. G. Olivier, Ency. Méth. VI. (Ins.), 1791, 419.
- virgo** Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 545; ed. 12, 1767, 904.
- virgo** Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 501; ed. 12, 1767, 820.
- virgo** Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1192.
- virgula** Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 31.
- virgularia** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 104
- virgulata** Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 142. [*n. et f.*]
- virgulata** Geometra, [Denis & Schiffermüller], Schmett. Wien. 1775, 117.
- virgulata** Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794.
- viridans** Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1990. [517.—Geometra.
- viridans** Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1846.
- viridans** Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1710.
- viridans** Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 90.
- viridanus** Carabus, J. C. Fabricius, Mant. I. 1787, 204.
- viridanus** Curculio, *id. ac* viridarius, 1775, J. C. Fabricius, Spec. Ins. I. 1781, 198.
- viridana** Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 101.
- viridana** Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 103.
- viridana** Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 636.
- viridana** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 2.
- viridana** [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (30) 1781, 126.
- viridana** Phalaena Noctua, J. E. I. Walch, Naturforscher, XIII. 1779, 28.
- viridana** Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 530; ed. 12, 1767, 875.
- viridana** Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 646.—Phalaena.
- viridarius** Curculio, J. C. Fabricius, Syst. Ent. 1775, 155. [*et f.*].
- viridaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 11 [*n.*
- viridaria** Geometra, J. Hübner, Europ. Schmett. 5 Horde [me judice 1800], 17.—**viridata**,
- viridaria** [Phalaena], C. Clerck, Icones, I. 1759, pl. ix, 12. [*L., est.*]
- viridaria** Phalaena, J. C. Fabricius, Syst. Ent. 1775, 626.
- viridaria** [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (31) 1781, 158.
- viridaria** [Phalaena], C. Stoll, Aanhang. Cramer's Utit. Kapellen, IV. 1790, 146.
- viridata** Aranea, O. F. Müller, Z. Dan. Prod. 1776, 194.
- viridata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 97.
- viridata** [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (26) 1780, 44.
- viridata** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 523; ed. 12, 1767, 865.
- viridata** Planaria, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 39.
- viride aeris** Curculio, J. N. Laicharting, Tyrol. Ins. I. 1781, 211.
- viridella** Phalaena, Scopoli, Ent. Carn. 1763, 250.
- viridella** Phalaena (Tinea), C. de Villers, Linn. Ent. II. 1789, 518.
- viridella** Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 326.
- viridella** Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 312.

- viridens* Simia (Cercop.), R. Kerr, Anim. Kingd. 1792, 73.
viridescens Ascidia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 152.
viridescens Asilus, C. de Villers, Linn. Ent. III. 1789, 603.
viridescens Cantharis, J. C. Fabricius, Mant. I. 1787, 167.
viridescens Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1864.
viridescens Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 207.
viridescens Cistela, A. F. de Fourcroy, Ent. Paris. 1785, 28.
viridescens Ephemera, A. F. de Fourcroy, Ent. Paris. 1785, 351.
viridescens Musca, C. de Villers, Linn. Ent. III. 1789, 463.
viridescens Musca, C. de Villers, Linn. Ent. III. 1789, 548.
viridescens Muscicap, P. Boddaert, Tab. Planch. Enl. 1783, 15.
viridescens Nitidula, J. C. Fabricius, Mant. I. 1787, 52.
viridescens Nitidula, C. P. Thunberg, Ins. Suecica (5) 1794, 70.
viridescens Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 234.—Nitidula.
viridescens Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 377.
viridi aenea Buprestis, C. de Geer, Mém. Ins. VII. 1778, 631.
viridi alata Bombyx (*ex* Geoff.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 269.
viridi-aurata Chrysomela, C. de Geer, Mém. Ins. V. 1775, 345.
viridi-aurea Cantharis, C. de Geer, Mém. Ins. VII. 1778, 650.
viridi-aurea Leptura, C. de Geer, Mém. Ins. V. 1775, 145.
viridi-caerulea Chrysomela, P. Forskal, Descr. Anim. 1775, 77.
viridi-caerulea Chrysomela, C. de Geer, Mém. Ins. V. 1775, 346.
viridicoerulea Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 63.
viridicaeruleus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 122.
viridi-caerulea Musca, C. de Geer, Mém. Ins. VI. 1776, 62.
viridicincta Nerita, F. C. Meuschen, Mus. Gever. 1787, 268.
viridi-cincta Libellula, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 57.
viridicollis Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 71.
viridicollis Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 469.
viridicollis Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 278.
viridi-dorsata Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 73.
viridi-fasciatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 498.
viridi fasciata Geometra (*ex* Geoff.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 269.
viridifasciosa Phalaena Bom., E. J. C. Esper, Die Schmett. Suppl., 3 Abschn. [1797], 58.
viridiflavus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 86.
viridi-fusca Hyla, J. N. Laurenti, Syn. Rept. 1768, 34.
viridi obscura Noctua (*ex* De G.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 269.
viridipennis Curculio, G. W. F. Panzer, Naturforscher, XIV. 1789, 24.
viridipennis Lagria, J. C. Fabricius, Suppl. Ent. Syst. 1798, 118.
viridipennis Malachus, J. C. Fabricius, Ent. Syst. IV. 1794, 444.
viridipennis Zonitis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 103.
viridipes Cimex, C. de Villers, Linn. Ent. I. 1789, 493.
viridi-rhombea Anas, P. Forskal, Descr. Anim. 1775, vi & 3.
viridirufa Alcedo, P. Boddaert, Tab. Planch. Enl. 1783, 36.
viridis Actinia (Forsk.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 13.—Priapus.
viride Anobium, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 9.
viridis Apate, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 95.
viridis Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 97.
viridis Asilus, A. F. de Fourcroy, Ent. Paris, 1785, 465.
viridis Blatta, J. C. Fabricius, Syst. Ent. 1775, 272.
viridis Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 408.
viridis Buceros, J. Latham, Index Orn. 1790, 147.
viridis Bufo, J. N. Laurenti, Syn. Rept. 1768, 27 & 111.
viridis Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 410; ed. 12, 1767, 663.
viridis Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2—5) 1783, 148.
viridis Cantharis, *id. ac* viridissima, L., C. de Geer, Mém. Ins. V. 1775, 15.
viridis Cantharis, C. de Villers, Linn. Ent. IV. 1789, 323.
viridis Cantharis, Giorna, Cal. Ent. 1791, 113.

- viridis Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1986.
 viridis Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 362; ed. 12, 1767, 574.
 viridis Cerambyx, O. F. Müller, F. Ins. Frid. 1764, 14.
 viridis Cerambyx, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 295.
 viridis Cercaria, O. F. Müller, An. Infus. 1786, 126.
 viridis Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 50.
 viridis Cerocoma, A. F. de Fourcroy, Ent. Paris. 1785, 163.
 viridis Certhia, J. A. Scopoli, Annus I. 1769, 52.
 viridis Certhia, J. Latham, Index Orn. 1790, 298.
 viridis Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 128.
 viridis Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 70.
 viridis Chiton, J. F. Bolten, Mus. Bolten. (2) 1798, 196 [n. n.].
 viridis Chrysis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 672.
 viridis Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 438; ed. 12, 1767, 711.
 viridis Cicada, J. A. Scopoli, Ent. Carn. 1763, 115.
 viridis Cicada, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 40.
 viridis Cimex, M. Harris, Exp. Eng. Ins. 1776, 88.
 viridis Colius, J. Latham, Index Orn. 1790, 369.
 viridis Coluber, F. C. Meuschen, Mus. Gronov. 1778, 17.
 viridis Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 11.
 viridis Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 283.
 viridis Coturnix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 219.
 viridis Cucujus, A. F. de Fourcroy, Ent. Paris. 1785, 33.
 viridis Cuculus, J. A. Scopoli, Del. Insub. II. 1786, 89.
 viridis Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 384; ed. 12, 1767, 616.
 viridis Cynips, O. F. Müller, F. Ins. Frid. 1764, 68.
 viridis Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 380.
 viridis Cythere, O. F. Müller, Entom. 1785, 64.
 viridis Dermestes (Thunb.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1598.—
 viridis Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 886. [Anobium].
 viridis Enchelis, O. F. Müller, Verm. I (1) 1773, 33.
 viridis Esox, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 174.
 viridis Esox, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1389.
 viridis Fasciola, O. F. Müller, Verm. I (2) 1774, 59.
 viridis Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 571.
 viridis Fulica, T. Pennant in Forster, Ind. Zool. 1781, 42 [n. n.].
 viridis Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 698.
 viridis Galbula, J. Latham, Index Orn. 1790, 244.
 viridis Galeruca, A. F. de Fourcroy, Ent. Paris. 1785, 104.
 viridis Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 94.
 viridis Gallinula (Gm.), J. Latham, Index Orn. 1790, 769.—Fulica.
 viridis Gryllus, P. Forskal, Descr. Anim. 1775, 81.
 viridis Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2085.
 viridis Hemerobius, A. J. Retzius, Gen. Sp. Ins. Geer. 1783, 59.
 viridis Hirudo, G. Shaw, Tr. Linn. Soc. [Lond.], I. 1791, 93.
 viridis Hydra, Linnaeus, Syst. Nat., ed. 12, 1767, 1320.
 viridis Hyla, J. N. Laurenti, Syn. Rept. 1768, 33 & 138.
 viridis Icterus (Lath.), F. M. Daudin, Traité élém. Orn. 1800, 352.—Oriolus.
 viridis Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 286; ed. 12, 1766, 478.
 viridis Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 viridis Lagria, P. Rossi, Mant. Ins. I. 1792, 35.
 viridis Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 306.
 viridis Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1876.
 viridis Leucopha, O. F. Müller, An. Infus. 1786, 143.
 viridis Locusta, O. F. Müller, Z. Dan. Prod. 1776, 101.
 viridis Malachius, J. C. Fabricius, Mant. I. 1787, 169.
 viridis Malachius, G. Paykull, Faun. Suec. III. 1800, 447.
 viridis Melolontha, J. C. Fabricius, Syst. Ent. 1775, 34.

- viridis* Melyris, J. C. Fabricius, Syst. Ent. 1775, 58.
viridis Merops, Linnaeus, Syst. Nat., ed. 10, 1758, 117; ed. 12, 1766, 182.
viridis Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3001.—
viridis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 962. [Cythera.
viridis Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 171.
viridis Muscicapa, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
viridis Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 936.
viride Myrmeleon, Boeber in Reich's Mag. Thierreichs, I. 1793, 138.
viridis Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 706; ed. 12, 1767, 1158.
viridis Necydalis, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 37.
viridis Nereis, Linnaeus, Syst. Nat., ed. 12, 1767, 1086.
viridis Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 778; ed. 12, 1767, 1254.
viridis Nerita, F. C. Meuschen, Mus. Gever. 1787, 272.
viridis Numenius, S. G. Gmelin, Reise Russ. I (1770), 167.
viridis Oniscus, M. Slabber, Nat. Verlust. 1769-1778, 104.
viridis Ophidium, O. Fabricius, F. Groen. 1780, 141.
viridis Oriolus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 87.
viridis Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 393 [no. 42].
viridis Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 395 [no. 51].
viridis Paradisaea, J. A. Scopoli, Del. Insub. II. 1786, 88.
viridis Paradisaea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 402.
viridis Parra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 708.
viridis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 2.
viridis Perdix (Gm.), J. Latham, Index Orn. 1790, 650.—Tetrao.
viridis Perna (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 21.—Mytilus.
viridis Phalaena B. C. de Villers, Linn. Ent. II. 1789, 174.
viridis Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 356.
viridis Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 113; ed. 12, 1766, 175.
viridis Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.—Fasciola, 1774.
[*viridis* Planaria] (Kirby), G. Shaw, Tr. Linn. Soc. [Lond.], II. 1794, 320.—Hirudo.
viridis Podura, Linnaeus, Syst. Nat., ed. 10, 1758, 608; ed. 12, 1767, 1013.
viridis Priapus, P. Forskal, Descr. Anim. 1775, 102.
viridis Psittacus, J. Latham, Index Orn. 1790, 125.
viridis Rallus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 120.
viridis Ramphastos, Linnaeus, Syst. Nat., ed. 12, 1766, 150.
viridis Ramphastos, R. Kerr, Anim. Kingd. 1792, 614; var. edentulus.
viridis Rhinomacer, A. F. de Fourcroy, Ent. Paris. 1785, 113.
viridis Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1570.—Melo-
viridis Scarus, J. P. Bonnaterre, Ency. Méth. (Ich.), 1788, 96. [lontha.
viridis Scarus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 29.
viridis Sembris, J. C. Fabricius, Mant. I. 1787, 244.—[=Semblis.]
viridis Seps, J. N. Laurenti, Syn. Rept. 1768, 62 & 175.
viridis Stellio, J. N. Laurenti, Syn. Rept. 1768, 57.
viridis Sturnus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 805.
viridis Tanagra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 158.
viridis Tantalus (S. G. Gm.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 648.—
viridis Tenebrio, A. G. Olivier, Entom. III. 1795, 8. [Numenius.
viridis Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 557; ed. 12, 1767, 924.
viridis Testudo, J. G. Schneider, Nat. Schildkr. 1783, 299.
viridis Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 761.
viridis Todus, Linnaeus, Syst. Nat., ed. 12, 1766, 178.
viridis Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3572.
viridis Trogon, Linnaeus, Syst. Nat., ed. 12, 1766, 167.
viridis Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 142.
viridis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 830.
viridis Upupa, H. Lichtenstein, Cat. rerum Nat. I. 1793, 22.
viridis Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 441.
viridis Vorticella, O. F. Müller, Verm. I (1) 1773, 97.

- viridis auratus* Buffo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
viridi-squamosa Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
viridissima Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 13.—Necydalis.
viridissima Aranea. C. de Geer, Mém. Ins. VII. 1778, 252.
viridissima Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 403; ed. 12, 1767, 650.
viridissimus Cimex, N. Poda, Ins. Mus. Graec. 1761, 56.
viridissimus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 226; ed. 12, 1766, 388.
viridissimus Gryllus (Tet.), Linnaeus, Syst. Nat., ed. 10, 1758, 430; ed. 12, I. 1767, 698.
viridissima Hydra, P. S. Pallas, Elench. 1766, 31.
viridissima Locusta (L.), J. C. Fabricius, Syst. Ent. 1775, 286.—Gryllus.
viridissima Necydalis (L.), J. C. Fabricius, Syst. Ent. 1775, 208.—Cantharis.
viridissimus Scarabaeus, J. A. Scopoli, Annus V. 1772, 84.
viridissimus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 496.
viridis-undatus [Mytilus], T. Martyn, Univ. Conch. IV [1792], fig. 152.
viridiusculus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2185.
viridulata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 524.
viridulum Acridium, O. F. Müller, Z. Dan. Prod. 1776, 100.
viridulum Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.), 1791, 229.—Gryllus.
viridula Apis, J. C. Fabricius, Ent. Syst. II. 1793, 342.
viridulum Buccinum (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3493.—
viridulus Buprestis. A. F. de Fourcroy, Ent. Paris. 1785, 52. [Tritonium].
viridula Buprestis, A. G. Olivier, Entom. II. 1790, 27.
viridulus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 377.—Buprestis.
viridula Cassida, G. Paykull, Faun. Suec. II. 1799, 49.
viridula Cetonia (Fab.), A. G. Olivier, Entom. I. 1789, 63.—Trichius.
viridula Chrysis, Linnaeus, Faun. Suec., ed. 2, 1761, 415.
viridula Chrysomela, C. de Geer, Mém. Ins. V. 1775, 311.
viridula Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 107.
viridulus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 444; ed. 12, 1767, 721.
viridulus Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 433; ed. 12, 1767, 702.
viridula Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2835.—
viridulus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 297. [Stratiomys].
viridulus Scarabaeus, P. Forskal, Descr. Anim. 1775, p. xxii [n. n.].
viridula Stratiomys, J. C. Fabricius, Syst. Ent. 1775, 760.
viridula Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 975.
viridulus Trichius, J. C. Fabricius, Syst. Ent. 1775, 820.
viridulum Tritonium, O. Fabricius, F. Groen. 1780, 402.
viridulus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3574.
viriduna v. *viridana*.
viriplaca Phalaena, Hufnagel, Berl. Mag. III. 1767, 406.
viror Cimex, M. Harris, Exp. Eng. Ins. 1776, 91. [272; *viscaccia*, Fr. ed., 1789, 289.]
viscacia Lepus, G. I. Molina, Sag. stor. nat. Chili, 1782, 307.—[*viscaccia*, Germ. ed., 1786,
viscariae Curculio, Linnaeus, Faun. Suec., ed. 2, 1761, 177.
visceralis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3031.
visceralis Hydatis, J. J. Virey, Journ. de Phys. IV. 434 (1798).
visceralis Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3059.
visci Coccus, F. v. P. Schrank, Ins. Aust. 1781, 296.
viscivorus Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 168; ed. 12, 1766, 291.
visitator Ichneumon, N. Poda, Ins. Mus. Graec. 1761, 105.
visitator Ichneumon, J. A. Scopoli, Ent. Carn. 1763, 285.
visitatrix Formica, J. L. Christ, Nat. Ins. 1791, 517.
visnaga Andrena, P. Rossi, Fauna Etrus. II. 1790, 97.
vison Lutra (Schr.), H. F. Link, Beytr. Nat. I (2) 1795, 84.—Mustela.
vison Mustela, J. C. D. Schreber, Säugth. III. 463 (1777), pl. cxxvii B (1777).
visus Curculio, P. Rossi, Mant. Ins. I. 1792, 42.
vitalbata Geometra, [Denis & Schiffermüller]. Schmett. Wien, 1775, 109.
vitalbata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 269 [n. et f.].
vitana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 249.

- vitellata** Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 105.
vitellinae Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 370; ed. 12, 1767, 589.
vitellinae Chrysomela, J. C. Fabricius, Mant. I. 1787, 74.
vitellinae CimbeX (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 770.—Tenthredo.
vitellinae Coccinella (Linn.), Scopoli, Ent. Carn. 1763, 72.—Chrysomela.
vitellinae Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 18.—Chrysomela, 1787.
vitellinae Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 921.
vitellina Chrysomela, O. F. Müller, F. Ins. Frid. 1764, 9.
vitellinus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2166.
vitellina Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3716.
vitellina Tenthredo, Linnaeus, Faun. Suec., ed. 2, 1761, 389.
vitellus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 327.
vitellus Papilio (Fab.), J. E. Smith in Abbot, Ins. Georgia. 1797, 33.—Hesperia.
vitellia [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 116.
vitellus Albula, J. F. Bolten, Mus. Bolten. (2) 1798, 20.
vitella Alucita (L.), J. C. Fabricius, Syst. Ent. 1775, 668.—Phalaena.
vitellus Cochlis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 148.—Nerita.
vitellus Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 721; ed. 12, 1767, 1176.
vitellus Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 776; ed. 12, 1767, 1252.
vitellus Neritaeformis (L.), F. C. Meuschen, Mus. Gever. 1787, 276.—Nerita.
vittella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 538; ed. 12, 1767, 890.
vitellus Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 406.—Cypraea.
vitella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 293.
vitidana Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 224.
vitiliginosum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 304.
vitis Acarus, F. v. P. Schrank, Ins. Aust. 1781, 519.
vitis Aphis, J. A. Scopoli, Ent. Carn. 1763, 137.
vitis Aranea, Linnaeus in Hasselquist, Palast. 1762, 473.
vitis Chermes, A. F. de Fourcroy, Ent. Paris. 1785, 228.
vitis Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 156.—Cryptocephalus.
vitis Cistela, F. v. P. Schrank, F. Boica, I. 1798, 566.
vitis Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 456; ed. 12, 1767, 741.
vitis Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 108.
vitis Eumolpus (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 498.—Cryptocephalus.
vitis Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 163.
vitis Ichneumon, Linnaeus in Hasselquist, Palast. 1762, 469.
vitis Melolontha, J. C. Fabricius, Syst. Ent. 1775, 37.
vitis Scarabaeus (F.), G. A. Harter, Besch. Schaeffer Icones, 1784, 16.—Melolontha.
vitis Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 491; ed. 12, 1767, 801.
vitis idaea Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 448.
vitis idaeae Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 309.
vitrata Cicada, C. de Villers, Linn. Ent. I. 1789, 472.
vitrata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 639.
vitrata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 475.
vitrata Phalaena, J. C. Fabricius, Mant. II. 1787, 215.
vitrealis Phalaena, P. Rossi, Mant. Ins. II. 1794, 42.
vitrea Anomia, I. v. Born, Index Mus. Caes. Vind. 1778, 104.
vitreus Apis, M. Harris, Exp. Eng. Ins. 1776, 135.
vitreus Argonauta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3368.
vitreus Astacus, J. C. Fabricius, Syst. Ent. 1775, 417.
vitreus Bulimus (Born), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 299.—Helix.
vitreus Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2991.—Astacus.
vitreus Cancer (Mantis) (Fabr.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 102.—
vitreum Dentalium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3739. [Astacus.
vitreus Dytiscus, G. Paykull, Faun. Suec. I. 1798, 217.
vitreum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 93 [n. n.].
vitreus Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 90.
vitrea Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 394.

- vitreus** Musca, M. Harris, Exp. Eng. Ins. 1776, 48.
- vitreæ** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3328.
- vitreus** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 146.
- vitreæ** [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 151.
- vitreæ** Pinna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3366.
- vitreæ** Pinna, J. F. Bolten, Mus. Bolten. (2) 1798, 159.
- vitreæ** Serpula, O. Fabricius, F. Groen. 1780, 382.
- vitreus** Squilla, J. C. Fabricius, Spec. Ins. I. 1781, 515.—Astacus, 1775.
- vitreæ** Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3235.
- vitreæ** Terebratula, G. Cuvier, Tab. Elém. 1798, 434.
- vitreæ** Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
- vitriolata** Phalaena, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 4.
- vitta** Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 271.
- vitta** Phalaena Noctua (Jung), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 482.—
- vittaria** Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 74. [Noctua.]
- vittatella** Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
- vittatella** Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 522.
- vittator** Cerambix (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1831.—Lamia.
- vittator** Lamia, J. C. Fabricius, Syst. Ent. 1775, 173.
- vittatum** Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 221.
- vittata** Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 7.—Lagria.
- vittata** Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 334.—Strombus.
- vittata** Altica, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 105.
- vittatus** Angarius, F. C. Meuschen, Mus. Gever. 1787, 258.
- vittatus** Antribus, A. F. de Fourcroy, Ent. Paris. 1785, 138.
- vittata** Aranea, A. F. de Fourcroy, Ent. Paris. 1785, 534.
- vittatus** Asilus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 263.
- vittata** Bombyx, J. C. Fabricius, Mant. II. 1787, 127.
- vittatus** Bostrichus, J. C. Fabricius, Mant. I. 1787, 38.
- vittatum** Buccinum, Linnaeus, Syst. Nat., ed. 12, 1767, 1206.
- vittata** Buprestis, J. C. Fabricius, Syst. Ent. 1775, 216.
- vittatum** Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 265.
- vittatum** Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 323.
- vittata** Cantharis (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 279.—Lytta.
- vittata** Cantharis, J. C. Fabricius, Ent. Syst. I (1) 1792, 219.
- vittatus** Carabus, J. C. Fabricius, Gen. Ins. 1777, 240.
- vittata** Cassida, C. de Villers, Linn. Ent. I. 1789, 93.
- vittata** Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 81.
- vittatus** Cerambyx, J. C. Fabricius, Syst. Ent. 1775, 166.
- vittatus** Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1865.
- vittata** Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 53.
- vittata** Cetonia, J. C. Fabricius, Syst. Ent. 1775, 819.
- vittatus** Chalcides (L.), J. P. Bonnatte, Ency. Méth. (Erp.) 1789, 66.—Lacerta.
- vittata** Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 116.
- vittata** Chrysomela, *id.* *ac* novemvittata, Fabr. 1781, J. C. Fabricius, Mant. I. 1787, 69.
- vittata** Chrysomela, C. de Villers, Linn. Ent. I. 1789, 157.
- vittata** Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 438; ed. 12, 1767, 710.
- vittata** Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 760.
- vittatus** Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 349.
- vittatus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2166.
- vittata** Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 269.
- vittatus** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 219; ed. 12, 1766, 380.
- vittata** Conops, J. C. Fabricius, Ent. Syst. IV. 1794, 392.
- vittatus** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 704.
- vittata** Crioceris, J. C. Fabricius, Syst. Ent. 1775, 122.
- vittatus** Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 110.
- vittatus** Cuneus, E. M. da Costa, Brit. Conch. 1778, 207.
- vittatus** Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 380; ed. 12, 1767, 610.

- vittatus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 164.
vittatus Dermestes (Fab.), C. de Villers, Linn. Ent. IV. 1789, 221.—Bostrichus.
vittata Donacia, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 292.
vittata Donacia, G. W. F. Panzer, Ins. Germ. heft 29 [1796], tab. 11.
vittata Donacia, F. v. P. Schrank, F. Boica, I. 1798, 683.
vittata Dryops, J. C. Fabricius, Ent. Syst. I (2) 1792, 76.—Lagria, 1775.
vittatus Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 825.
vittatus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1914.
vittatus Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 224.
vittatum Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 94.—Buccinum.
vittatum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 91.
vittata Fistularia, P. Forskal, Descr. Anim. 1775, 121.
vittata Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 590.—Crioceris.
vittatus Gekko, M. Houttuyn, Verh. Zeeuwsch Genoot. Wet. Vlissingen, IX. 1782, 325.
vittata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 8.
vittatus Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2056.—Truxalis.
vittata Helix, O. F. Müller, Verm. II. 1774, 76.
vittatus Helops, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 45.
vittata Hispa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 117.
vittata Holothuria (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3142.—
vittatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 425. [Fistularia].
vittatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2705.
vittata Labrus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 256.
vittata Lacerta (Houtt.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1067.—Gekko.
vittata Lagria, J. C. Fabricius, Syst. Ent. 1775, 125.
vittata Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 66.—Strombus.
vittata Lampyrus, A. G. Olivier, Entom. II. 1790, 23.
vittata Lepisma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 199.
vittata Leptura, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 198.
vittata Leptura, A. G. Olivier, Entom. IV. 1795, 30.
vittatus Limax, T. Martyn, Univ. Conch. III [1789], fig. 118.
vittata Locusta, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 59.
vittata Lytta, J. C. Fabricius, Syst. Ent. 1775, 260.
vittatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 109.
vittata Melolontha, J. C. Fabricius, Syst. Ent. 1775, 40.
vittata Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 137 [v. n.].
vittatus Mullus, P. Forskal, Descr. Anim. 1775, 31.
vittata Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 355.
vittata Natrix (Linn.), J. N. Laurenti, Syn. Rept. 1768, 74.—Coluber.
vittata Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3674.
vittata Noctua, J. C. Fabricius, Syst. Ent. 1775, 600.
vittata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3321.
vittata Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 291; ed. 12, 1766, 485.
vittata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 217.
vittata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 63.
vittata Pimelia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2008.
vittata Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2009.—Sepi-
vittata Plotia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 96.—Buccinum. [idium].
vittatus Prionus, A. G. Olivier, Entom. IV. 1795, 39.
vittata Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 560.
vittatus Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 49.
vittata Saperda, J. C. Fabricius, Gen. Ins. 1777, 231.
vittatus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1567.—
vittatum Sepidium, J. C. Fabricius, Spec. Ins. I. 1781, 315. [Melolontha].
vittatus Silurus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 50.
vittatus Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 33.
vittatus Squalus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 516.
vittata Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 609.

- vittatus** Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 745; ed. 12, 1767, 1211.
- vittatus** Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 371.
- vittata** Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 337.
- vittata** Tritoma, J. C. Fabricius, Mant. I. 1787, 44.
- vittatus** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3575.
- vittatus** Truxalis, J. C. Fabricius, Mant. I. 1787, 231.
- vittata** Viverra, J. C. D. Schreber, Säugth. III. 447 (1777), pl. cxxiv (1776).
- vittatus** Ypsolophus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 506.—Phalaena vittella.
- vittella** *v.* **vitellus**.
- vituli** Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3032.
- vituli** Oestrus, J. C. Fabricius, Ent. Syst. IV. 1794, 231.
- vituli** Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 611; ed. 12, 1767, 1018.
- Vitulinus** M. J. Brisson, Reg. Anim. 1762, 162.—M.
- vitulinus** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 648.
- vitulina** Phoca, Linnaeus, Syst. Nat., ed. 10, 1758, 38; ed. 12, 1766, 56.
- vitulina** Phoca, R. Kerr, Anim. Kingd. 1792, 124; *var.*: botnica, sibirica, caspica.
- vitulorum** Ascaris, J. A. E. Goetze, Eingeweidewürm. 1782, 72.
- vitulus** Alpheus, F. Weber, Nomen. Fabricii, 1795, 91 [*u. n.*].
- vitulus** Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2095.—Membracis.
- vitulus** Copris (Fab.), L. G. Scriba, J. Lieb. Ent. I. 1790, 53.—Scarabaeus.
- vitulus** Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 32.
- vitulus** Curculio, J. C. Fabricius, Syst. Ent. 1775, 152.
- vitulus** Membracis, J. C. Fabricius, Syst. Ent. 1775, 677.
- vitulus** Pilularius (Fab.), F. v. P. Schrank, F. Boica, I. 1798, 395.—Scarabaeus.
- vitulus** Scarabaeus, J. C. Fabricius, Gen. Ins. 1777, 209.
- vivax** Musca, O. Fabricius, F. Groen. 1780, 206.
- Viverra** Linnaeus, Syst. Nat., ed. 10, 1758, 43; ed. 12, 1766, 63.—M.
- viverra** Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 83.
- viridis** Melolontha, *err. pro* viridis, Fabr., J. C. Fabricius, Mant. I. 1787, 20.
- vidua** Cicada, J. C. Fabricius, Syst. Ent. 1775, 683.
- vidua** Coracias, J. Latham, Index Orn. 1790, 170.
- vidua** Flata, J. C. Fabricius, Suppl. Ent. Syst. 1798, 519.—Cicada, 1775.
- viduus** Trachinus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 353.
- viviparus** Angarius (L.), F. C. Meuschen, Mus. Gev. 1787, 256.—Helix.
- viviparus** Blennius, Linnaeus, Syst. Nat., ed. 10, 1758, 258; ed. 12, 1766, 443.
- viviparus** Cuculanus, M. E. Bloch, Eingeweidewürmer, 1782, 34.
- viviparus** Enchelyopus, F. C. Meuschen, Mus. Gronov. 1778, 29.
- viviparus** Gordius, M. E. Bloch, Eingeweidewürmer, 1782, 33.
- vivipara** Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 772; ed. 12, 1767, 1247.
- vivipara** (major et minor) Musca, C. de Geer, Mém. Ins. VI. 1776, 63.
- vivipara** Nerita (Linn.), O. F. Müller, Verm. II. 1774, 182.—Helix.
- V-luteum** Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
- V-nigrum** Bombyx, J. C. Fabricius, Syst. Ent. 1775, 577.
- V-nigrum** Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 108.
- V-nigrum** Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 286.
- vocans** Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 222.—Gryllus.
- vocans** Alpheus (L.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
- vocans** Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 626; ed. 12, 1767, 1041.
- vocans** Gryllus, J. C. Fabricius, Syst. Ent. 1775, 290.
- vocifer** Falco, F. M. Daudin, Traité élém. Orn. 1800, 65.
- vociferans** Penelope, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 735.
- vociferus** Charadrius, Linnaeus, Syst. Nat., ed. 10, 1758, 150; ed. 12, 1766, 253.
- vociferus** Falco, J. Latham, Index Orn. 1790, 46.
- vocula** [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 121.
- vocula** [Phalaena], C. Stoll, Aanhang, Cramer's Uitl. Kapellen, IV. 1790, 143.
- voetii** Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 62.
- voetii** Lytta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 72.
- volans** Cataphractus, F. C. Meuschen, Mus. Gronov. 1778, 56.

- volans** Didelphis, R. Kerr, Anim. Kingd. 1792, 199.
volans Draco, Linnaeus, Syst. Nat., ed. 10, 1758, 199; ed. 12, 1766, 358.
volans Galeopithecus (L.), P. S. Pallas, Acta Ac. Sci. Petrop. 1780 (1) 1783, 216.—Lemur.
volans Lemur, Linnaeus, Syst. Nat., ed. 10, 1758, 30; ed. 12, 1766, 45.
volans Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 63; ed. 12, 1766, 85.
volans Pegasus, Linnaeus, Syst. Nat., ed. 12, 1766, 418.
volans Petaurista (Linn.), H. F. Link, Beytr. Nat. I (2) 1795, 78.—Sciurus.
volans Phalanger, B. G. E. de Lacépède, Tabl. Mamm. 1799, 6.
volans Prosimia (Linn.), P. Boddaert, Elench. 1785, 65.—Lemur.
volans Purpura, F. C. Meuschen, Mus. Gever. 1787, 310.
volans Sciurus, Linnaeus, Syst. Nat., ed. 10, 1758, 64; ed. 12, 1766, 88.
volans Sciurus (Petaurus), R. Kerr, Anim. Kingd. 1792, 267.
volatilis Purpura, F. C. Meuschen, Mus. Gever. 1787, 314.
volcanus Sparus, G. S. Volta, Itt. Veron. (2) [circa 1800], ccxliii.
volckmari Dytiscus, Hellwig in G. W. F. Panzer, Ins. Germ. heft 7, 1793, tab. 4.
Volema J. F. Bolten, Mus. Bolten. (2) 1798, 57.—G.
volema Rapa, J. F. Bolten, Mus. Bolten. (2) 1798, 149.
volets Musca, M. Harris, Exp. Eng. Ins. 1776, 84.
volgensis Perca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1309.
volitans Exocoetus, Linnaeus, Syst. Nat., ed. 10, 1758, 316; ed. 12, 1766, 520.
volitans Formica, J. L. Christ, Nat. Ins. 1791, 518.
volitans Gasterosteus, Linnaeus, Syst. Nat., ed. 10, 1758, 296; ed. 12, 1766, 491.
volitans Pegasus, Linnaeus, Syst. Nat., ed. 10, 1758, 338; ed. 12, 1766, 418.
volitans Scorpaena (Linn.), M. E. Bloch, Nat. ausl. Fische, III. 1787, 18.—Gasterosteus.
volitans Trigla, Linnaeus, Syst. Nat., ed. 10, 1758, 302; ed. 12, 1766, 498.
volito Musca, M. Harris, Exp. Eng. Ins. 1776, 122.
volkameriae Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 28.
Volsella J. A. Scopoli, Introd. Hist. Nat. 1777, 397.—L.
Volsella A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 179.—L.
Vulsella J. F. Bolten, Mus. Bolten. (2) 1798, 156.—L.
Vulsella [G. Humphreys], Mus. Calonn. 1797, 44.—L.
Vulsella Lamarck, Mém. Soc. H. N. Paris, 1799, 82.—L.
vulsella Baphia (L.), F. C. Meuschen, Mus. Gever. 1787, 472.—Mya.
vulsella Mya, Linnaeus, Syst. Nat., ed. 10, 1758, 671; ed. 12, 1767, 1113.
vulsella Ostrea, J. Hermann, Naturforscher, XVII. 1782, 147.
vulsella Unio, C. P. Thunberg, D. D. Mus. Ac. Upsal., 1789, 96.
vulsella Vulsella (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 156.—Mya.
volubilis Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 811; ed. 12, 1767, 1311.
volubilis Sertularia, P. S. Pallas, Elench. 1766, 122.
Volucella E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 540.—Dip.
Volucella J. C. Fabricius, Ent. Syst. IV. 1794, 412.—Dip.
Volucella J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 352.—M.
voluccella Didelphis, F. A. A. Meyer, Zool. Entdeck. 1793, 26.
volucella Sciurus, P. S. Pallas, N. Spec. Quad. II. 1779, 353.
volucella Sciurus (Petaurus), R. Kerr, Anim. Kingd. 1792, 266.
volucrella Petaurista, H. F. Link, Beytr. Nat. I (2) 1795, 78.
volupia Phalaena, Hufnagel, Berl. Mag. III. 1767, 304.
Voluta Linnaeus, Syst. Nat., ed. 10, 1758, 729; ed. 12, 1767, 1186.—G.
volutans Volvox, J. Ellis, Phil. Trans. LIX. 1770, 149.
volutator Himantopus, O. F. Müller, An. Infus. 1786, 251.
volutator Oniscus, P. S. Pallas, Misc. Zool. 1766, 192.
volutatorius Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 562; ed. 12, 1767, 932.
volutata Ancilla, F. C. Meuschen, Mus. Gever. 1787, 248.
volutata Bulla, D. Solander, in G. Brander, Foss. Hant. 1766, 34.
volutata Oleacina (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 110.—Bulla voluta.
volutata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 635.
volutata Pyramis, J. F. Bolten, Mus. Bolten. (2) 1798, 58.
Volutites J. Gesner, Tract. Petref. 1758, 56.—G.

- voluta** Altica, J. N. Laicharting, Tyrol. Ins. I. 1781, 196.
voluta Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3433.
Volva J. F. Bolten, Mus. Bolten. (2) 1798, 21.—G.
volva Actinia, O. F. Müller, Z. Dan. Prod. 1776, 231.
volva Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 725; ed. 12, 1767, 1182.
volva Pterygia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 52.—Voluta.
volva Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3457.
volvens Actinophorus (Ol.), J. Sturm, Verz. Ins. Samml. 1800, 81.—Scarabaeus.
volvens Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 66.
Volvox Linnaeus, Syst. Nat., ed. 10, 1758, 820; ed. 12, 1767, 1324.—Inf.
Volvoxis J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 535.—Col.
volvulus Apate, J. C. Fabricius, Ent. Syst. I (2) 1792, 363.
volvulus Bostrichus, J. C. Fabricius, Ent. Syst. IV. 1794, 454.
volvulus Brentus, J. C. Fabricius, Ent. Syst. I (2) 1792, 493.
volvulus Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 202.
volvulus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1839.
volvulus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 168.
volvulus Helix, O. F. Müller, Verm. II. 1774, 82.
volvulus Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 328.
volvulus Saperda, J. C. Fabricius, Mant. I. 1787, 150.
volvulus Scolia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 256.
volvulus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 295.
vomer Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 64.
vomer Zeus, Linnaeus, Syst. Nat., ed. 10, 1758, 266; ed. 12, 1766, 454.
vomitoria Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 595; ed. 12, 1767, 989.
vomitoria Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 178.—Musca.
vorax Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 129.
vorax Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 444.
vorax Ichneumon. A. F. de Fourcroy, Ent. Paris. 1785, 411.
vorax Musca, A. F. de Fourcroy, Ent. Paris. 1785, 486.
vorax Volvox, J. Ellis, Phil. Trans. LIN. 1770, 150.
vormela Mus, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 526.
Vortex [G. Humphreys], Mus. Calonn. 1797, 58.—G.
vortex Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 770; ed. 12, 1767, 1243.
vortex Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 33.
vortex Planorbis (Linn.), O. F. Müller, Verm. II. 1774, 158.—Helix.
Vorticella Linnaeus, Syst. Nat., ed. 12, 1767, 1317.—Inf.
Vorticella O. F. Müller, Verm. I (1) 1773, 96.—Inf.
vorticella Phalaena, Scopoli, Ent. Carn. 1763, 252.
vosmeri Anthias, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 120.
votivus Carabus, P. Rossi, Mant. Ins. I. 1792, 90.
vulcanus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 15.—Scarabaeus, 1792.
vulcanus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 264.
vulcanus Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
vulcanus [Papilio], P. Cramer, Uitl. Kapellen, III (21) 1779, 87.
vulcanus Papilio, J. C. Fabricius, Syst. Ent. 1775, 519.
vulcanus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 11.
vulgaris Ammophila, W. Kirby, Tr. Linn. Soc. [Lond.], IV. 1798, 201.
vulgaris Amphisbaena, J. N. Laurenti, Syn. Rept. 1768, 66.
vulgaris Balanus, E. M. da Costa, Brit. Conch. 1778, 248.
vulgare Buccinum, E. M. da Costa, Brit. Conch. 1778, 122.
vulgaris Bufo, J. N. Laurenti, Syn. Rept. 1768, 28 & 125.
vulgaris Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 53.
vulgaris Capra, J. R. Forster, Phil. Trans. LVII (2) 1768, 344.
vulgaris Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 415; ed. 12, 1767, 672.
vulgare Cardium, E. M. da Costa, Brit. Conch. 1778, 180.
vulgare Cerion, J. F. Bolten, Mus. Bolten. (2) 1798, 90.
vulgaris Chalcida, F. A. A. Meyer, Syn. Rept. 1795, 31.

- vulgaris** Coluber, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 121.
vulgaris Coluber, J. P. Bonnatere, Ency. Méth. (Oph.), 1790, 28.
vulgaris Colymbus, J. A. Scopoli, Annus I. 1769, 78.
vulgaris Conops, Scopoli, Ent. Carn., 1763, 354.
vulgaris Corvus, J. A. Scopoli, Annus I. 1769, 35.
vulgaris Crangon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 410.
vulgaris Crucirostra, F. M. Daudin, Traité élém. Orn. 1800, 357.
vulgare Dentale, E. M. da Costa, Brit. Conch. 1778, 24.
vulgaris Donacia, J. J. Zschachi, Mus. Lesk. 1788, 27.
vulgaris Echinites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 165.
vulgaris Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3182.—Echi-
vulgaris Elater, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 114. [nites.
vulgaris Felis (Lynx), Schr., R. Kerr, Anim. Kingd. 1792, 157; *varr.* albus, melinus,
 maculatus.
vulgaris Gavia, M. Houttuyn in Nozeman & Houttuyn, Ned. Vogel. I (177-), 65.
vulgaris Gryllus, P. Forskal, Descr. Anim. 1775, xxii.
vulgaris Haliotis, E. M. da Costa, Brit. Conch. 1778, 15.
vulgaris Helix, E. M. da Costa, Brit. Conch. 1778, 72.
vulgaris Hirudo, O. F. Müller, Verm. I (2) 1774, 40.
vulgaris Hydra, P. S. Pallas, Elench. 1766, 30.
vulgaris Hyla, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
vulgaris Icterus, F. M. Daudin, Traité élém. Orn. 1800, 340.
vulgaris Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 206; ed. 12, 1766, 370.
vulgaris Lepisma, Scopoli, Ent. Carn. 1763, 378.
vulgaris Leptura (Zsch.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.—Donacia.
vulgaris Loligo, Lamarck, Bull. Sci. Soc. Philom. [Paris], no. 17, 1798, 130.
vulgaris Lutra, J. C. P. Erxleben, Syst. Anim. 1777, 448.
vulgaris Melolontha, J. C. Fabricius, Syst. Ent. 1775, 32.
vulgaris Mustela, J. C. D. Schreber, Säugth. III. 498 (1777), pl. cxxxviii (nivalis) (1776).
vulgaris Mustela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 99; *varr.* aestiva,
vulgaris Mytilus, E. M. da Costa, Brit. Conch. 1778, 216. [nivalis.
vulgaris Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3358.
vulgaris Natrix, J. N. Laurenti, Syn. Rept. 1768, 75 & 180.
vulgaris Nicrophorus, J. C. Fabricius, Syst. Ent. 1775, 72.
vulgaris Octopus, Lamarck, Bull. Sci. Soc. Philom. [Paris], no. 17, 1798, 130.
vulgare Ostreum, E. M. da Costa, Brit. Conch. 1778, 154.
vulgaris Patella, E. M. da Costa, Brit. Conch. 1778, 3.
vulgaris Pecten, E. M. da Costa, Brit. Conch. 1778, 140.
vulgare Peloriderma, J. X. Poli, Test. Sicil. II. 1795, 261.
vulgaris Perca, J. C. Schaeffer, Piscium Bavar. 1761, 1.
vulgaris Perca, F. v. P. Schrank, Abh. Privatges. Nat. Oberdeutschl. I. 1792, 99.
vulgaris Proscarabaeus, F. v. P. Schrank, Ins. Aust. 1781, 225.
vulgaris Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 51.
vulgaris Pulex, C. de Geer, Mém. Ins. VII. 1778, 8.
vulgaris Raia, C. F. Stephan, De Raiis, 1779, 23.
vulgaris Rana, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
vulgaris Sciurus, Linnaeus, Syst. Nat., ed. 10, 1758, 63; ed. 12, 1766, 86.
vulgaris Sciurus, L., J. C. P. Erxleben, Syst. Anim. 1777; *incl.* S. hudsonicus, ceylonicus,
 416; persicus, 417. [niger, albus.
vulgaris Sciurus, L., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 146; *varr.* varius,
vulgaris Sciurus, R. Kerr, Anim. Kingd. 1792; *varr.* rufus, 255; leucourus, argenteus,
vulgaris Spongia, J. F. Maratti, Plant. Zooph. Med. 1776, 17. [256.
vulgaris Sturnus, Linnaeus, Syst. Nat., ed. 10, 1758, 167; ed. 12, 1766, 290.
vulgaris Taenia, Linnaeus, Syst. Nat., ed. 10, 1758, 820; ed. 12, 1767, 1323.
vulgaris Tenebrio, P. Forskal, Descr. Anim. 1775, 79.
vulgaris Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 572; ed. 12, 1767, 949.
vulgaris Vultur, F. M. Daudin, Traité élém. Orn. 1800, 16.
vulgatissima Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 370; ed. 12, 1767, 589.

- vulgatissima** Coccinella (Linn.), Scopoli, Ent. Carn. 1763, 71.—Chrysomela.
vulgatissima Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 544; ed. 12, 1767, 902.
vulgatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3496.
vulgatum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 481.
vulgata Ephemera, Linnaeus, Syst. Nat., ed. 10, 1758, 546; ed. 12, 1767, 906.
vulgata Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 543; ed. 12, 1767, 901.
vulgata Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 782; ed. 12, 1767, 1258.
vulgata Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 354.
vulgella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
vulgo Apis, M. Harris, Exp. Eng. Ins. 1776, 137.
vulgus Curculio, *err. pro* valgus, Fabr. 1775, J. C. Fabricius, Mant. I. 1787, 118.
vulneratus Cerambyx, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 293.
vulneratus Sympus, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 9.
vulpecula Didelphis, R. Kerr, Anim. Kingd. 1792, 198.
vulpecula Murex (L.), F. C. Meuschen, Mus. Gev. 1787, 330.—Voluta.
vulpecula Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*v. n.*].
vulpecula Viverra, J. C. D. Schreber, Säugth. III. 440 (1777), pl. cxx (1776).
vulpecula Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 732; ed. 12, 1767, 1193.
vulpenaria [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 245.
Vulpes M. Catesby, Pisc. &c. Imag. 1777, 1.—P.
Vulpis G. Edwards in M. Catesby, Carol. II. 1771, 1.—P.
vulpis Alaria, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 52.
vulpis Ascaris, J. A. Frolich, Naturforscher, XXIV. 1789, 140.
vulpes Canis, Linnaeus, Syst. Nat., ed. 10, 1758, 40; ed. 12, 1766, 59.
vulpes Canis, L., R. Kerr, Anim. Kingd. 1792; *varr.* lycaon, 141; corsac, 142; karagan, virginianus, cinereo-argentatus, 143; chilensis, crucigera, australis, 144.
vulpes alopec Canis, R. Kerr, Anim. Kingd. 1792, 142; *varr.* americanus, europaeus.
vulpes lagopus Canis, L., R. Kerr, Anim. Kingd. 1792, 143; *varr.* albus, caeruleus.
vulpes Canis (L.), J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 672; *varr.* nigra, cinerea, alba, lutea.
vulpes Esox, Linnaeus, Syst. Nat., ed. 10, 1758, 313; ed. 12, 1766, 516.
vulpis Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3053.
vulpes Ichneumon, J. L. Christ, Nat. Ins. 1791, 358.
vulpis Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 47.
vulpes Melolontha, *non* valpes, Mant. I. 1787, 28; J. C. Fabricius, Ent. Syst. I (2) 1792, 183.
vulpes Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1567.—Melo-
vulpes Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1496. [lontha, 1781.
vulpis Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3060.
vulpis Trichocephalus, J. A. Frolich, Naturforscher, XXIV. 1789, 142.
vulpis Uncinaria, J. A. Frolich, Naturforscher, XXIV. 1789, 137.
vulpinaria Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 272.
vulpinaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 520.
vulpina Apis, J. L. Christ, Nat. Ins. 1791, 161.
vulpina Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 6.
vulpina Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 122.
vulpina Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 80.
vulpinus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 648.
vulpinus Dermestes, J. C. Fabricius, Spec. Ins. I. 1781, 64.
vulpina Didelphis, F. A. A. Meyer, Zool. Entdeck. 1793, 23.
vulpinus Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 318.
vulpina Musca, J. C. Fabricius, Syst. Ent. 1775, 776.
vulpina Musca, C. de Villers, Linn. Ent. IV. 1789, 554.
vulpina Noctua, J. C. Fabricius, Syst. Ent. 1775, 598.
vulpinus Sciurus, J. C. D. Schreber, Säugth. IV. 772 (1785), pl. ccxv B (1781?).
vulpinus Sciurus, R. Kerr, Anim. Kingd. 1792; *varr.* albus, 257.
vulpina Stratiomys, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 24.
vulpinus Strongylus, O. Fabricius, Skr. nat. Selsk. [Copen.], III (2) 1794, 12.
vulpina Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 34.

vulpis *v. vulpes*.

Vulsella *v. Volsella*.

Vultur Linnaeus, Syst. Nat., ed. 10, 1758, 86; ed. 12, 1766, 121.—A.

vulturinus Falco, F. M. Daudin, Traité élém. Orn. 1800, 53.

vulturinus Gryllus (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2071.—

vulturina Locusta, C. de Geer, Mém. Ins. III. 1773, 451. [Locusta.]

vulturis Pediculus, J. C. Fabricius, Syst. Ent. 1775, 806.

[vulva *v. volva*.]

vuteria [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 161.

waeneri Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 548; ed. 12, 1767, 910.

waggellus Larus, [M. Tunstall], Orn. Brit. 1771, 3 [*n. n.*].

wahlbomiana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 532; ed. 12, 1767, 879.

W-album Papilio (P. R.), A. W. Knoch, Beitr. Insektenges. II. 1782, 85.

walchiana [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 191.

walchiana Phalaena (Tort.), Herbst, Einl. Ins. II. 1785, 128.

wallicus Psittacus, R. Kerr, Anim. Kingd. 1792, 581.

wapacuthu Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 291.

wartmanni Salmo, M. E. Bloch, Nat. Fische Deutschl. III. 1784, 161.

wattsii Squalus, F. A. A. Meyer, Zool. Entdeck. 1793, 72.

wauaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 55 [*n. et f.*].

wauaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 522; ed. 12, 1767, 863.

wauaria Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3291.

weberi Tillus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 118.

wedelina [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 229.

weigellii Coluber, U. J. Sentzen in Meyer, Zool. Archiv (2) 1796, 59.

wernerii Ascaris, C. A. Rudolphi, Obs. Ver. Intest. 1793, 11.

wernerii Fusaria, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 42.

wernerii Phryganea, Linnaeus, Reise Schwed. (ed. Schreber), II. 1765, 54.

westriniana Tortrix, C. P. Thunberg, Ins. Suecica (1) 1784, 21.

whiff-jagonis Pleuronectes, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 120.

wiedemanella Phalaena (Tinea), O. F. Müller, F. Ins. Frid. 1764, 58.

wigeon Anas, J. P. Bonnatere, Ency. Méth. (Orn.) 1790, 128.

wilkella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 541; ed. 12, 1767, 897.

wilkella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 664.—Phalaena.

wilkii Aranea, Scopoli, Ent. Carn. 1763, 400.

williana Phalaena Tortrix, N. J. Brahm, Ins. Kal. II (1) 1791, 267.

wimbra *v. vimba*.

wimpa Cyprinus, O. F. Müller, Z. Dan. Prod. 1776, 51, *vide vimba*.

wintherae Sphaeridium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 39.

W-latinum Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 46.

W-latinum Phalaena, Hufnagel, Berl. Mag. III. 1767, 292.

woeberana Pyralis (D & S.), J. C. Fabricius, Mant. II. 1787, 230.—Tortrix.

wöberiana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 126.

wolgensis Rana, J. P. Falk, Reise Russ. (5) 1786, 412 [*n. n.*].

wulfeniana Phalaena, Scopoli, Ent. Carn. 1763, 235.

wulfi Phalaena, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785, 335.

wurfainii Triton, J. N. Laurenti, Syn. Rept. 1768, 38.

xaiva Cancer, G. I. Molina, Sag. stor. nat. Chili, 1782, 206.

Xancus J. F. Bolten, Mus. Bolten. (2) 1798, 134.—G.

xanthe Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 312.—Papilio.

xanthe Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 181.

xanthium Spondylus, F. C. Meuschen, Mus. Gever. 1787, 436.

xantocephalus Dermestes, C. Quensel, Diss. ign. insect. Sp. 1790, 10.

xanthocephala Sphex, J. R. Forster, Cat. Brit. Ins. 1770, 14 [*n. n.*].

- xanthocephala** Sphex, J. R. Forster, N. Sp. Ins. 1771, 86.
- xanthoceros** Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 276.
- xanthogona** Chrysomela, J. R. Forster, Cat. Brit. Ins. 1770, 6 [*n. n.*].
- xanthographa** Noctua, [Denis & Schiffermüller], Schmett. Wien. 1775, 83.
- xanthomela** Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 638.
- xanthomelaena** Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 78.
- xanthomelas** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2722.
- xanthomelas** Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 175.
- xanthomelas** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2709.
- xanthomelas** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2722.
- xanthometopa** Apis, J. D. Preyßler in Mayer's Samml. Phys. Aufsätze, III. 1793, 167.
- xanthopoda** Adinonia, F. v. P. Schrank, F. Boica, I. 1798, 559.—Chrysomela, 1781.
- xanthopoda** Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 93.
- xanthopoda** Luperus (Schr.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 160.—Chryso-
- xanthoptera** Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 637. [*mela*].
- xantopterum** Sphaeridium, J. N. Laicharting, Tyrol. Ins. I. 1781, 85.
- xanthopus** Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 370.
- xanthopus** Luperus, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 320.
- xanthorius** Ichneumon, J. R. Forster, Cat. Brit. Ins. 1770, 14 [*n. n.*].
- xanthorius** Ichneumon, J. R. Forster, N. Sp. Ins. 1771, 83.
- Xanthornus** P. S. Pallas, Spic. Zool. (6) 1769, 1.—A.
- Xanthornus** J. A. Scopoli, Introd. Hist. Nat. 1777, 481.—A.
- Xanthornus** B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 6.—A.
- xanthornus** Coracias, Linnaeus, Syst. Nat., ed. 10, 1758, 108.
- xanthornus** Icterus (L.), F. M. Daudin, Traité élém. Orn. 1800, 334.—Oriolus.
- xanthorus** Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766 [errata, end of vol. I.], [*olim* mexica-
- xanthuros** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2722. [*nus*].
- xanthus** [Papilio], C. Clerck, Icones, II. 1764, pl. xxxiv.
- xanthus** Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 472; ed. 12, 1767, 767.
- xantus** Scarabaeus, A. G. Olivier, Entom. I. 1789, 180.
- xathus** Papilio, *err. pro* xuthus, L., J. C. Fabricius, Mant. II. 1787, 10.
- xenophon** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 272.
- Xenos** P. Rossi, Mant. Ins. II. 1794, 114.—Streps.—[not 1792 as stated by Agassiz.]
- xequepeles** Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 52.
- xerampelina** Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [*antea* 1796], 15.
- xi** Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
- xi** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 298.
- xilostella** Tinea, *v.* xylostella.
- xiphares** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 171.
- xiphia** Papilio, J. C. Fabricius, Syst. Ent. 1775, 492.
- xiphia** Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 43.
- xiphia** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 95.
- xiphiae** Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3047.
- Xiphias** Linnaeus, Syst. Nat., ed. 10, 1758, 248; ed. 12, 1766, 432; [Artedi, Ichth. 1738, gen. xxiv, p. 29].—P.
- xiphias** Copris (Fab.), J. Sturm, Verz. Ins. Samml. 1800, 108.—Scarabaeus.
- xiphias** Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 59.
- Xiphosura** L. T. Gronovius, Zooph. II. 1764, 220.—Cr.
- “Xiphotheca, Gron.” Ag.; a misquotation for Xiphosura.—Cr.
- X-notatus** Araneus, *v.* litera—X notatus.
- xuthus** Papilio (Eques), Linnaeus, Syst. Nat., ed. 12, 1767, 751.
- Xylta** G. Paykull, Faun. Suec. I. 1798, 249.—Col.
- Xylophagus** F. C. Meuschen, Mus. Gronov. 1778, 47.—L.
- xylosteana** Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 531; ed. 12, 1767, 876.
- xylosteana** Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 648.—Phalaena.
- xylosteana** Tortrix, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 76.
- xylosthei** Aphis, C. de Geer, Mém. Ins. III. 1773, 96.
- xylostei** Rhynchaenus, J. R. Schellenberg, Helvet. Entom. I. 1798, 70.

- xylostei Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 508.—Alucita xylostella, 1775.
 xylostella Alucita (L.), J. C. Fabricius, Syst. Ent. 1775, 667.—Phalaena.
 xylostella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 538; ed. 12, 1767, 890.
 xilostella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 330.
 xyphothyreus Gryllus, F. v. P. Schrank, Ins. Aust. 1781, 243.
- yeatiana Pyralis, J. C. Fabricius, Spec. Ins. II. 1781, 286.
 yef[a]tiana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 411.—Pyralis.
 yeltoniensis Alauda, J. R. Forster, Phil. Trans. LVII (2) 1768, 350.
 Yerboa *v.* Jerboa.
 Yerbua *v.* Jerboa.
 yncas Cervus, P. Boddaert, Tab. Planch. Enl. 1783, 38.
 Yponomeuta P. A. Latreille, Préc. Car. Ins. 1796, 146.—Lep.
 ypsilon Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 443; ed. 12, 1767, 720.
 ypsillon Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 78.
 ypsilon Phalaena Noctua, (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 ypsilon-aeneus Cimex, C. de Geer, Mém. Ins. III. 1773, 332. [503.—Noctua.
 ypsilon-griseus Cimex, C. de Geer, Mém. Ins. III. 1773, 333.
 ypsilophorus Acarus, C. G. Bonz, N. A. Acad. Caes. Leop. 1783, 52.
 ypsilophorus Coturnix, L. Bosc, J. Nat. Hist. (Choix des Mém.) II. 1792, 297.
 Ypsolopha P. A. Latreille, Préc. Car. Ins. 1796, 145.—Lep.
 Ypsolophus J. C. Fabricius, Suppl. Ent. Syst. 1798, 421.—Lep.
 yslandicus *v.* islandicus.
 yulus Cyprinus, G. I. Molina, Sag. stor. nat. Chili, 1782, 346.—[Julus, p. 226.]
 Yunx Linnaeus, Syst. Nat., ed. 12, 1766, 172.—[Jynx, ed. 10.]—A.
 yvica Motacilla, Linnaeus, in Hasselquist, Palast. 1762, 337.
- zachaeus Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 431.
 zachaeus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 217.
 zacyanthus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 15.
 zaide [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 161.
 zamiae Curculio, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 29.
 zamis [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 162.
 zangis Papilio, J. C. Fabricius, Syst. Ent. 1775, 486.
 zaniae Curculio, *err. pro zamiae*, Th., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1741.
 zanoë Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 375.
 zanoë Sturnus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 319.—Corvus.
 zatima [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 182.
 zealla Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 519.
 zealandica Columba, *id. ac novae-seelandiae*, Gm., J. Latham, Index Orn. 1790, 603.
 zealandicae Psittacus, *id. ac novae seelandiae*, Gm., J. Latham, Index Orn. 1790, 102.
 zeanger [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 165.
 zebra Ampulla (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 111.—Bulla.
 zebra Aranea, J. H. Sulzer, Gesch. Ins. 1776, 254.
 zebra Buccinum, O. F. Müller, Verm. II. 1774, 138.
 zebra Bulimus (*ex Mart.*), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 357.
 zebra Bulla (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3431.—Buccinum.
 zebra Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 60.
 zebra Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1728.—
 zebra Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 484. [Erotylus.
 zebra Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 719; ed. 12, 1767, 1174.
 zebra Equus, Linnaeus, Syst. Nat., ed. 10, 1758, 74; ed. 12, 1766, 101.
 zebra Erotylus, J. C. Fabricius, Mant. I. 1787, 92.
 zebra Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 89.
 zebra Gymnothorax, G. Shaw, Nat. Misc. IX. 1797, pl. 322.
 zebra Leptura, A. G. Olivier, Entom. IV. 1795, 19.

- zebra** Lucanus, A. G. Olivier, Entom. I. 1789, 24.
zebra Nerita, J. G. Bruguière, Actes Soc. H. N. Paris, I (1) 1792, 126.
zebra Picus, P. Boddaert, Tab. Planch. Enl. 1783, 43.
zebra Pleuronectes, M. E. Bloch, Nat. ausl. Fische, III. 1787, 27.
zebra Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 398.—Cypraea.
zebra Rhinoceros, F. C. Meuschen, Mus. Gever. 1787, 264.
zebra Sparus, M. T. Brünnich, Ich. Massil. 1768, 47.
zebrula Murex, F. C. Meuschen, Mus. Gever. 1787, 330.
zebu Bos, L. F. Jauffret, Zoograph. 1800, 47.
zeleucus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 346.
zelica [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen. II. 1790, 73.
Zelima J. G. Meigen, N. Class. Mouches, 1800, 34.—Dip.
zelima Papilio, J. C. Fabricius, Syst. Ent. 1775, 492.
zellensis Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3362.
Zelmira J. G. Meigen, N. Class. Mouches, 1800, 16.—Dip.
zelmira [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (27) 1780, 64.
zemire [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 149.
zemni Arctomys, R. Kerr, Anim. Kingd. 1792, 252.
zemni Glis, J. C. P. Erxleben, Syst. Anim. 1777, 370.
zemni Spalax (Erxl.), H. F. Link, Beytr. Nat. I (2) 1795, 76.—Glis.
zema Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 181 [no. 15]: ed. 12, 1766, 320 [no. 13].
zema Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 183 [no. 31].
zenik Mus, J. A. Scopoli, Del. Insub. II. 1786, 84.
zenik Mus (Gm.), J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 511.—
zenik Viverra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 85. [Viverra].
zenobia Noctua (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 209.—Phalaena.
zenobia Papilio, J. C. Fabricius, Syst. Ent. 1775, 503.
zenobia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 115.
zenobia [Phalaena], P. Cramer, Utitl. Kapellen, II (10) 1777, 27.
zerah [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 227.
zerbina [Phalaena], P. Cramer, Utitl. Kapellen, III (24) 1780, 171.
zerdo Canis, *v.* cerdo.
zeta Cyprinus, N. G. Leske, Ichth. Lips. 1774, 44.
zeta Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 487.—[P. (Danaus) ed. 12.].
zeulonica *v.* **ceylonicus**. xxxv, p. 49].—P.
Zeus Linnaeus, Syst. Nat., ed. 10, 1758, 266; ed. 12, 1766, 454; [Artedi, Ichth. 1738, gen.
zeuxippe [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 141.
zeuxo Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 314.—Papilio.
zeuxo Papilio (Plebejus), Linnaeus, Mus. Lud. Ulr. 1764, 331.
zeylanicus }
zeylonensis } *v.* **ceylon-**
zeylonus }
zibellina Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 79.
zibellina Mustela, Linnaeus, Syst. Nat., ed. 10, 1758, 46; ed. 12, 1766, 68.
zibellina Mustela, R. Kerr, Anim. Kingd. 1792; *varr.* alba, americana, 178; nigra, 179.
zibetha Viverra, Linnaeus, Syst. Nat., ed. 10, 1758, 44; ed. 12, 1766, 65.
zibethicus Castor, Linnaeus, Syst. Nat., ed. 12, 1766, 79.
zibethicus Mus (Linn.), J. C. D. Schreber, Säugth. IV. (1780), 638.—Castor.
zibethicus Mus (Myocastor), R. Kerr, Anim. Kingd. 1792, 225.
zibethicus Ondratra (Linn.), H. F. Link, Beytr. Nat. I (2), 1795, 76.—Mus.
zibethinus Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 45.
ziczac Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 573.—Phalaena.
ziczac Capisterium, F. C. Meuschen, Mus. Gever. 1787, 464.
ziczac Cassis, F. C. Meuschen, Mus. Gever. 1787, 392.
ziczac Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 444.
ziczac Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 448.
ziczac Colchis, J. F. Bolten, Mus. Bolten. (2) 1798, 147.
ziczac Coluber, F. C. Meuschen, Mus. Gronov. 1778, 12.

- ziczac** *Cylindrus*, F. C. Meuschen, Mus. Gever. 1787, 374.
ziczac *Cypraea*, Linnaeus, Syst. Nat., ed. 10, 1758, 722; ed. 12, 1767, 1177.
ziczac *Cytherea*, J. F. Bolten, Mus. Bolten. (2) 1798, 179 [*n. n.*].
ziczac *Nerita*, F. C. Meuschen, Mus. Gever. 1787, 272.
ziczac *Nerita*, J. F. Bolten, Mus. Bolten. (2) 1798, 16.
ziczac *Ostrea*, Linnaeus, Syst. Nat., ed. 10, 1758, 696; ed. 12, 1767, 1144.
ziczac *Pecten* (L.), F. C. Meuschen, Mus. Gever. 1787, 414.—*Ostrea*.
ziczac *Phalaena* (*Bombyx*), Linnaeus, Syst. Nat., ed. 10, 1758, 504; ed. 12, 1767, 827.
ziczac *Porcellana* (L.), F. C. Meuschen, Mus. Gever. 1787, 400.—*Cypraea*.
ziczac *Porphyria*, J. F. Bolten, Mus. Bolten. (2) 1798, 37.
ziczac *Tamarindiformis*, F. C. Meuschen, Mus. Gever. 1787, 412.
ziczac *Trochus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3587.
ziczac *Venus*, Linnaeus, Syst. Nat., ed. 10, 1758, 689.
ziervogelii *Voluta*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3457.
ziga *Clupea*, J. C. Wulff, Ichthy. 1765, 40.
zilia *Papilio*, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 209.
ziliante [*Phalaena*], C. Stoll in Cramer's Utitl. Kapellen, IV (32) 1782, 191.
zingel *Perca*, Linnaeus, Syst. Nat., ed. 12, 1766, 482.
zingha [*Papilio*], C. Stoll in Cramer's Utitl. Kapellen, IV (27), 1780, 53.
zingha *Papilio*, J. C. Fabricius, Mant. II. 1787, 48.
zitenius *Papilio*, Herbst in Jablonsky, Nat. Ins. (Schmett.), VIII. 1796, 5.
zizyphinus *Trochus*, Linnaeus, Syst. Nat., ed. 10, 1758, 759; ed. 12, 1767, 1231.
Zoanthus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 9 [*n. n.*].—*Zooph*.
zobela *Mustela*, N. G. Leske, Anfangsgr. Naturges. ed. 2, 1784, 182.
zodion P. A. Latreille, Préc. Car. Ins. 1796, 162.—*Dip*.
zoegana *Pyralis* (L.), J. C. Fabricius, Syst. Ent. 1775, 648.—*Phalaena*.
zoegana *Phalaena* (*Tortrix*), Linnaeus, Syst. Nat., ed. 12, 1767, 876.
zoilus *Curculio*, Scopoli, Ent. Carn., 1763, 33.
zoilus *Geotrupes*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 11.—*Scarabaeus*, 1792.
zoilus *Papilio*, J. C. Fabricius, Syst. Ent. 1775, 480.
zoilus *Scarabaeus*, A. G. Olivier, Entom. I. 1789, 45.
zoiyana *Pyralis*, *err. pro zoegana*, Phal., L., J. C. Fabricius, Mant. II. 1787, 228.
zona *Bombyx*, *err. pro zonaria*, Den. & Schiff., J. C. Fabricius, Mant. II. 1787, 131.
zona *Galleruca*, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 133.
zona *Phalaena*, A. F. de Fourcroy, Ent. Paris. 1785, 270.
zonale *Buccinum*, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 271.
zonale *Cerithium*, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 497.
zonalis *Cimex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2196.
zonalis *Syrphus*, *id. ac zonatus*, Mant. II. 337, J. C. Fabricius, Ent. Syst. IV. 1794, 294.
zonans *Hirundo*, G. Shaw in Miller, Cim. Phys. 1796, 100.
zonaria *Angarius* (L.), F. C. Meuschen, Mus. Gever. 1787, 260.—*Helix*.
zonarius *Cerambyx*, Linnaeus, Syst. Nat., ed. 10, 1758, 394; ed. 12, 1767, 633.
zonarius *Conops*, N. Poda, Ins. Mus. Graec. 1761, 118.
zonaria *Cypraea*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3414.
zonaria *Geometra*, [Denis & Schiffermüller], Schmett. Wien, 1775, 100.
zonaria *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 179 [*n. et f.*].
zonaria *Helix*, Linnaeus, Syst. Nat., ed. 12, 1767, 1245.
zonarium *Holothurium*, P. S. Pallas, Spic. Zool. X. 1774, 26.
zonaria *Musca* (Poda), F. v. P. Schrank, Ins. Aust. 1781, 454.—*Conops*.
zonaria *Phalaena* (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. III., 1794, 139.
zonaria *Phalaena*, E. Donovan, Ins. China, 1799. [—*Bombyx*.]
zonarius *Planorbis* (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 72.—*Helix*.
zonarius *Syrphus* (Schr.), J. C. Mikan, N. Abh. Böhm. Ges. Wiss. III. 1798, 134.—
zonaria *Trigonella*, E. M. da Costa, Brit. Conch. 1778, 197. [Musca.
zonaria *Voluta*, T. Martyn, Univ. Conch. IV [1792], fig. 129.
zonator *Ichneumon*, J. C. Fabricius, Ent. Syst. II. 1793, 151.
zonata *Andrena* (L.), J. C. Fabricius, Syst. Ent. I. 1775, 377.—*Apis*.
zonata *Apis*, Linnaeus, Syst. Nat., ed. 10, 1758, 576; ed. 12, 1767, 955.

- zonatus** Carabus, G. W. F. Panzer, Ins. Germ. heft 31, [1796], tab. 7.
zonatus Coluber, G. A. Suckow, Naturges. III. 1798, 250.
zonatus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 613.
zonatus Crabro, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 7.
zonatus Curculio, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 194.
zonatus Dytiscus, D. H. Hoppe, Ins. Elyt. 1795, 33.
zonatus Dytiscus, Kugelann in G. W. F. Panzer, Ins. Germ. heft 38 [1796], tab. 13.
zonata Nomada, G. W. F. Panzer, Ins. Germ. heft 53 [1797], tab. 20.
zonatus Oniscus, Persoon in G. W. F. Panzer, Ins. Germ. heft 9, 1793, tab. 23.
zonata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 616.
zonata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 296.
zonata Phalaena, C. P. Thunberg, Ins. Suecica (4) 1792, 60.
zonata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
zonata Sphinx, D. Drury, Ill. Nat. Hist., I. 1770, index & 57.
zonata Sphinx, E. Donovan, Brit. Ins. VI. 1797, 35.
zonatus Syrphus, J. C. Fabricius, Mant. II. 1787, 337.
zonata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3238.
zonata Tenthredo, J. L. Christ, Nat. Ins. 1791, 452.
zonata Tenthredo, G. W. F. Panzer, Ins. Germ. heft 64 [1799,] tab. 9.
zonata Tipula, J. C. Fabricius, Syst. Ent. 1775, 753.
zonea Strix, G. A. Suckow, Naturg. II [1] 1800, 209.
Zonitis J. C. Fabricius, Syst. Ent. 1775, 126.—Col.
zoolegella Phalaena, Scopoli, Ent. Carn. 1763, 255.
"Zoolithus" Linnaeus, Syst. Nat., ed. 12, III. 1768, 156.—M.
zorca Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 289.
zorilla Mustela (L.), G. Cuvier, Tab. Elém. 1798, 116.—Viverra.
zorilla Viverra, J. C. D. Schreber, Säugth. III. 445 (1777), pl. cxxiii (1776).
zorilla Viverra [? Schr.], J. C. P. Erxleben, Syst. Anim. 1777, 492.
zosteræ Acanthia, J. C. Fabricius, Gen. Ins. 1777, 299.
zosteræ Acarus, J. C. Fabricius, Spec. Ins. II. 1781, 491.
zosteræ Chermes, A. G. Olivier, Ency. Méth. VII. (Ins.) 1792, 442.
zosteræ Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2124.—Acanthia.
zosteræ Coccus, J. C. Fabricius, Gen. Ins. 1777, 304.
zya Motacilla (Scop.), M. B. Borkhausen, Rheinisches Mag. I. 1793, 188.—Sylvia.
zya Sylvia, J. A. Scopoli, Annus I. 1769, 158.
Zygaena J. C. Fabricius, Syst. Ent. 1775, 550.—Lep.
zygaena Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 234; ed. 12, 1766, 399.
Zygia J. C. Fabricius, Syst. Ent. 1775, 126.—Col.

